Farnell AN AVNET COMPANY · **Newark** AN AVNET COMPANY · element14

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

PRSS-UNV-W　　　　　　　　　　PRSS-UNV

EN
This Datasheet is presented by the manufacturer

DE
Dieses Datenblatt wird vom Hersteller bereitgestellt

FR
Cette fiche technique est présentée par le fabricant

PRSS Projector Mount
For projectors up to 50lb (22kg)

The PRSS Series Projector Mount offers one of the fastest and easiest installation available in the market. This mount allows for independent pitch, roll and swivel alignment with two easy to reach adjustment points. Just set the mount to the desired position and secure it in place – it will hold its position even during projector maintenance. And, with its discreet, low-profile design it is perfect for flush mounting applications. With Peerless-AV's PRSS Series Projector Mount, just set it and forget it.

Max load: 50lb (22kg)

FEATURES

- Independent roll, pitch and yaw adjustments provide easy image alignment

- Specifications::

Pitch:	+15°/-20°
Roll:	±5°
Swivel:	360°

- Pre-installed security screws provide optional tilt and roll lock to prevent tampering and adjustments

- Low profile design allows projector to be flush with the ceiling

- "U" pitch bracket for easy cable routing

- Quick release mechanism to easily service projector

IMAGE ALIGNMENT MADE EASY
Independent adjustment screws allow for a hassle free adjustment of the tilt, roll and swivel

EFFORTLESS PROJECTOR MAINTENANCE
Quick-release thumbscrew enables easy-glide removal of the projector in and out of the mount

UNIVERSAL COMPATIBILITY
Includes the Spider® Universal Adapter Plate which extends up to 17.63" (448mm) to fit most projector models

Image alignment made easy

peerless-AV®

Model Numbers

PRSS-UNV(-S)(-W):	PRSS Projector Mount for projectors up to 50lb (22kg)

Product Specifications

|	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS	
PRSS-UNV(-S)(-W)	4.79"-17.63" x 3.63"-4.63" x 4.79"-17.63" (122-448 x 92-118 x 122-448mm)	3.5lb (1.6kg)	50lb (22kg)	Powder Coat	PRSS-UNV PRSS-UNV-S PRSS-UNV-W	Black Silver White

Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
PRSS-UNV(-S)(-W)	6.25" x 12.25" x 3.25" (158 x 311 x 82mm)	3.7lb (1.7kg)	PRSS-UNV: 735029281825 PRSS-UNV-S: 735029281832 PRSS-UNV-W: 735029281856	Projector Mount, Spider® Universal Adapter Plate, Mounting and Projector Attachment Hardware, Assembly Instructions	1

Accessories

ACC and CMJ models:	Ceiling plates	**PWA-14(S)(W):**	Projector wall arm
AEC, ALU and Ext models:	Extension columns	**EX models:**	Ceiling/wall extension columns

All dimensions = inch (mm)

5.59" (142mm)

3.63" - 4.63" (92 - 118mm)

FRONT VIEW

5.69" (145mm)

6.29" (160mm)

ADAPTER CHANNEL

4.79" (122mm)

17.63" (448mm)

ADAPTER PLATE

SWIVEL (YAW) 360° (when attached to extension column)
+/- 15° (when flush mounted)

+15/- 20° PITCH

+/- 5° ROLL

ARCHITECTS SPECIFICATIONS

The PRSS Projector Mount shall be a Peerless-AV model PRSS-UNV and shall be located where indicated on the plans.
Assembly and installation shall be done according to instructions provided by the manufacturer.

Peerless Industries, Inc. ■ **2300 White Oak Circle** ■ **Aurora, IL 60502** ■ **(800) 865-2112** ■ **(630) 375-5100** ■ **Fax: (800) 359-6500** ■ **peerless-av.com**

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including flat panel mounts, projector mounts, carts/stands, furniture, cables, screen cleaners and a full assortment of accessories.

peerless-AV

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[PRSS-UNV-W](#)   [PRSS-UNV](#)

EN
This Datasheet is presented by
the manufacturer

DE
Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR
Cette fiche technique est
présentée par le fabricant