





EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

USB3SDOCKHD

ΕN

This Datasheet is presented by the manufacturer

DE

Dieses Datenblatt wird vom Hersteller bereitgestellt

FR

Cette fiche technique est présentée par le fabricant



Universal USB 3.0 Laptop Docking Station – Dual Video HDMI DVI w/ Audio Ethernet

StarTech ID: USB3SDOCKHD



The USB3SDOCKHD Universal USB 3.0 Laptop Docking Station with DVI, HDMI, Audio and Ethernet adds dual video outputs, headphone and microphone jacks, as well as Gigabit Ethernet and additional USB 3.0 and USB 2.0 ports to a laptop computer, all from a single device and over a single SuperSpeed USB 3.0 connection.

This versatile universal docking station features two independent external monitor outputs (HDMI, DVI) that can be separately used to expand or mirror your computer's main desktop. Plus, each of the video outputs provided by the docking station supports video resolutions up to 1920x1200 and HD video playback - an ideal solution for adding robust video capability while remaining conveniently mobile.

An all-in-one mobile solution, the universal laptop docking station combines USB 2.0 and USB 3.0 hubs, headphone and microphone audio connectors and a Gigabit Ethernet RJ45 port into a single docking station, making it the perfect accessory for enhancing laptop capability for users who need to connect and manage multiple devices at home or at the office.

Applications

- Add HD video, USB (USB 2.0 and USB 3.0), Ethernet and Audio from a single USB connection, without having to open the computer system
- Add dual video outputs to a laptop or small form factor computer, where the video card cannot be replaced
- Connect a wide variety of peripherals at home/office to a laptop and be able to instantly disconnect them all from a single USB connection
- Turn a laptop into a multi-monitor workstation (up to 3 screens total) for increased productivity





Features

- Independant HDMI and DVI video outputs with mirroring and/or extended desktop capabilities
- 10/100/1000 Mbps compatible RJ45 Ethernet port
- Speaker and Microphone support via 3.5mm stereo mini-jacks
- Supports resolutions up to 1920x1200 on both video outputs simultaneously
- 2 front panel USB 3.0 ports and 4 rear panel USB 2.0 ports
- Fully compliant with USB 3.0 specifications, with support for transfer rates up to 5 Gbps
- Supports the Windows® Aero® interface
- Vertical, upright positioning saves desk space



Technical Specifications

Warranty 2 Years
Bus Type USB 3.0

Industry Standards IEEE 802.3, 802.3u, and 802.3ab

Chipset ID DisplayLink - DL-3900; VLI - VL810; Terminus - FE1.1; Realtek - RTL8211E

Connector Type(s) 1 - DVI-I (29 pin) Female Connector Type(s) 1 - HDMI (19 pin) Female

Connector Type(s) 1 - RJ-45 Female

Connector Type(s) 1 - USB 3.0 B (9 pin; SuperSpeed) Female
Connector Type(s) 2 - 3.5 mm Mini-Jack (3 Position) Female
Connector Type(s) 2 - USB 3.0 A (9 pin; SuperSpeed) Female

Connector Type(s) 4 - USB A (4 pin) Female

Maximum Digital Resolutions 1920 x 1200

Type and Rate USB 2.0 - 480 Mbit/s
Type and Rate USB 3.0 - 5 Gbit/s
Compatible Networks 10/100/1000 Mbps

Auto MDIX Yes Full Duplex Support Yes

OS Compatibility Windows® 8 (32/64bit), 7 (32/64), Vista (32/64), XP (32/64)

Windows Server® 2012, 2008 R2, 2003 (32/64)

Mac OS® 10.6 and up (Tested up to 10.9)

System and Cable Requirements CPU: i3 Dual core 2.8GHz or better

RAM: 2GB or higher Available USB 3.0 port

Color Black Enclosure Type Plastic

Product Length 125 mm [4.9 in]
Product Width 70 mm [2.8 in]
Product Height 195 mm [7.7 in]
Product Weight 362 g [12.8 oz]
LED Indicators 1 - Power (Blue)

LED Indicators 1 - USB Hub Link (Blue)
Input Voltage Universal 115 ~ 230 AC

Output Voltage 5 DC
Output Current 4A

Operating Temperature 10°C to 40°C (50°F to 104°F)





Hard-to-find made easy®

Storage Temperature -10°C to 80°C (14°F to 176°F)

Package Quantity 1

Included in Package

Included in Package

Included in Package Included in Package

Included in Package

Shipping (Package) Weight 929 g [32.8 oz]

Included in Package 1 - USB 3.0 Docking Station

1 - USB 3.0 Cable

1 - Universal Power Adapter

3 - Power Adapter Plug (NA/ UK/ EU)

1 - Driver CD

1 - Instruction Manual

Certifications, Reports and Compatibility





















EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

USB3SDOCKHD

ΕN

This Datasheet is presented by the manufacturer

DE

Dieses Datenblatt wird vom Hersteller bereitgestellt

FR

Cette fiche technique est présentée par le fabricant