



element14

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[504185-1000](#)

EN

This Datasheet is presented by
the manufacturer

DE

Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR


Cette fiche technique est
présentée par le fabricant

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [504185-1000](#)
Status: **Active**
Overview: [Micro-Lock™ Connectors](#)
Description: [Micro-Lock™ 1.25mm Pitch Crimp Terminal, 26-30 AWG, Reel](#)

Documents:

Drawing (PDF)	Application Specification AS-504193-001 (PDF)
Product Specification PS-504186-001 (PDF)	Application Specification AS-504193-002 (PDF)
Product Specification PS-504193-001 (PDF)	Packaging Specification SPK-504185-001 (PDF)
Application Specification AS-504186-001 (PDF)	RoHS Certificate of Compliance (PDF)
Application Specification AS-504186-002 (PDF)	



General

Product Family	Crimp Terminals
Series	504185
Application	Signal
Crimp Quality Equipment	Yes
Overview	Micro-Lock™ Connectors
Product Name	Micro-Lock™
UPC	887191055947

Physical

Durability (mating cycles max)	30
Gender	Female
Material - Metal	Copper Alloy
Material - Plating Mating	Tin
Net Weight	15.187/mg
Packaging Type	Reel
Wire Insulation Diameter	n/a
Wire Size AWG	26, 28, 30
Wire Size mm²	0.079 - 0.136

Electrical

Current - Maximum per Contact	1.5A
Voltage - Maximum	50V

Material Info

Reference - Drawing Numbers

Application Specification	AS-504186-001, AS-504186-002, AS-504193-001, AS-504193-002
Application Tooling Documents	ATS-57427-0000
Crimp Specification	CS-504185-001
Packaging Specification	SPK-504185-001
Product Specification	PS-504186-001, PS-504193-001, RPS-504186-001, RPS-504186-002, RPS-504186-004, RPS-504193-001, RPS-504193-002, RPS-504193-003
Sales Drawing	SD-504185-001

EU RoHS

ELV and RoHS Compliant
REACH SVHC Contains SVHC: No
Low-Halogen Status Low-Halogen

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[504185Series](#)

Application Tooling | [FAQ](#)

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
Fine Adjust	0639031800
Applicator for 1.5 W/B Receptacle Terminals	



element14

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[504185-1000](#)

EN

This Datasheet is presented by
the manufacturer

DE

Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR

Cette fiche technique est
présentée par le fabricant