

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[PDUMVROTATEBRKT](#)

EN

This Datasheet is presented by
the manufacturer

DE

Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR

Cette fiche technique est
présentée par le fabricant

Bracket Accessory - enables Vertical PDU Installation with Rear-Facing Outlets

MODEL NUMBER: PDUMVROTATEBRKT



Highlights

- Set of brackets enables vertical PDU placement with outlets facing the rear in button-mount equipped racks
- Rear facing outlets enhance airflow and equipment cabling access
- Toolless mounting supported

Description

PDUMVROTATEBRKT enables toolless installation of select Tripp Lite PDUs in 0U / vertical orientation with rear-facing outlets to facilitate better rack front-to-rear airflow and equipment access. Pair of brackets with installation buttons snap into the accessory mounting rails in equipped racks. Each bracket accepts a PDU button mount that snaps into place to securely hold a PDU as it distributes power to your rack enclosure.

Compatible with Tripp Lite [PDU1415](#), [PDU1420T](#), [PDU40TDUAL](#), [PDUV15](#), [PDUV20](#), [PDUV30HV](#), [PDUMV15](#), [PDUMV20](#), [PDUMV40](#), [PDUMV30](#), [PDUMV20HV](#), [PDUMV30HV](#), [PDUMV15NET](#), [PDUMV20NET](#), [PDUMV30NET](#), [PDUMV20HVNET](#), [PDUMV30HVNET](#) and other PDUs referencing this accessory.

Features

- Enables toolless installation of select Tripp Lite PDUs in 0U / vertical orientation with rear-facing outlets to facilitate better rack front-to-rear airflow and equipment access
- Pair of brackets with installation buttons snap into the accessory mounting rails in equipped racks
- Each bracket accepts a PDU button mount that snaps into place to securely hold a PDU as it distributes power to your rack enclosure
- Compatible with Tripp Lite [PDU1415](#), [PDU1420T](#), [PDU40TDUAL](#), [PDUV15](#), [PDUV20](#), [PDUV30HV](#), [PDUMV15](#), [PDUMV20](#), [PDUMV40](#), [PDUMV30](#), [PDUMV20HV](#), [PDUMV30HV](#), [PDUMV15NET](#), [PDUMV20NET](#), [PDUMV30NET](#), [PDUMV20HVNET](#), [PDUMV30HVNET](#) and other PDUs referencing this accessory

Specifications

PHYSICAL	
Shipping Dimensions (hwd / in.)	2.7 x 3.7 x 2.1
Shipping Dimensions (hwd / cm)	6.9 x 9.4 x 5.3
Shipping Weight (lbs.)	.3
Shipping Weight (kg)	.14



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

WARRANTY	
Product Warranty Period (Worldwide)	5-year limited warranty

© 2015 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<http://www.tripplite.com/products/product-certification-agencies>

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[PDUMVROTATEBRKT](#)

EN

This Datasheet is presented by
the manufacturer

DE

Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR

Cette fiche technique est
présentée par le fabricant