

- **EN** For pricing and availability in your local country please visit one of the below links:
- **DE** Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:
- FR Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

ST3300GU3B

EN This Datasheet is presented by the manufacturer

DE

Dieses Datenblatt wird vom Hersteller bereitgestellt

FR Cette fiche technique est présentée par le fabricant



Spec Sheet

3-Port Portable USB 3.0 Hub plus Gigabit Ethernet - Aluminum with Built-in Cable

StarTech ID: ST3300GU3B



The ST3300GU3B Portable USB 3.0 Hub features an integrated GbE port, enabling you to expand your laptop connectivity by adding three external USB 3.0 ports, as well as a Gigabit network port via a single USB 3.0 connection. This hub is an ideal laptop accessory for your Microsoft Surface™ Pro 4, Surface Pro 3, Surface Book, Dell[™] XPS 13, and many other devices.

The hub merges Gigabit network support and USB 3.0 hub access into lightweight yet sturdy aluminum casing, providing vital connectivity ports that are often limited or nonexistent on modern mobile computers, while remaining compact and travel-friendly. Plus, with an attached USB 3.0 host connection cable there's no need to carry a separate cable with you, so you can tuck the hub neatly into your laptop bag for maximum portability.

For faster and more consistent network connections, the integrated Ethernet port leverages the 5 Gbps capabilities of the USB 3.0 interface to provide wired Gigabit access that is fully compatible with IEEE 802.3/u/ab standards.

An ideal laptop accessory, this mobile USB hub is great for connecting low-power peripherals like a mouse, keyboard or USB flash drive, and also includes a universal power adapter for connecting devices such as <u>external hard drive enclosures</u>.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

www.startech.com/uk 0800 169 0408



Applications

- Work from your Ultrabook, laptop or netbook easily while you're on the run or on the road, the perfect travel accessory with more connectivity options
- An ideal laptop accessory for Microsoft Surface Pro 4, Surface Pro 3, Surface Book, Dell XPS 13, Dell Latitude 11 5000 Series 2-in-1 and other devices
- Connect a wide variety of peripherals at home / office to a laptop, all from a single USB 3.0 connection
- Add Gigabit support to your laptop for use in boardrooms, hotels, classrooms, offices, or home environments
- Replace a failed built-in Ethernet port on a laptop, or upgrade to 1000 Mbps Gigabit connectivity

Features

- Provides three USB 3.0 hub ports, with support for up to 5 Gbps
- Gigabit Ethernet RJ-45 port through a single USB 3.0 connection
- Aluminum casing with a compact, slim, and lightweight design for maximum portability
- Dongle-style combination adapter with built-in USB 3.0 cable
- IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3az compatible
- Supports 10/100/1000 Mbps half and full-duplex operation
- Backward compatible with USB 2.0 and 1.x devices
- Universal Power Adapter (NA/UK/EU) included



Hard-to-find made easy®

Spec Sheet

Technical Specifications

| Bus TypeUSB 3.0Chipset IDGenesys Logic - GL3522 (USB 3.0) ASIX - AX88179 (LAN)Fast-Charge Port(s)No | Warranty | |
|--|----------------------|---|
| ASIX - AX88179 (LAN) | Bus Type | USB 3.0 |
| Fast-Charge Port(s) No | Chipset ID | |
| | Fast-Charge Port(s) | No |
| Industry Standards IEEE 802.3, IEEE 802.3u, IEEE 802.3ab | Industry Standards | IEEE 802.3, IEEE 802.3u, IEEE 802.3ab |
| Industry Standards IEEE 802.3az Energy-Efficient Ethernet, IEEE 802.3x Flow Control, 802.1q VLAN Tagging, 802.1p Layer 2 Priority Encoding | Industry Standards | IEEE 802.3az Energy-Efficient Ethernet, IEEE 802.3x Flow Control, 802.1q VLAN Tagging, 802.1p Layer 2 Priority Encoding |
| Industry Standards USB 3.0 - Backward compatible with USB 2.0 and 1.1 | Industry Standards | USB 3.0 - Backward compatible with USB 2.0 and 1.1 |
| Interface USB 3.0 | Interface | USB 3.0 |
| Interface USB 3.1 Gen 1 | Interface | USB 3.1 Gen 1 |
| Interface RJ45 (Gigabit Ethernet) | Interface | RJ45 (Gigabit Ethernet) |
| Ports 3 | Ports | 3 |
| USB-C Device Port(s) No | USB-C Device Port(s) | No |
| USB-C Host No | | No |
| Connection | | |
| Auto MDIX Yes | Auto MDIX | Yes |
| Auto-Negotiation Yes | Auto-Negotiation | Yes |
| Compatible Networks 10/100/1000 Mbps | Compatible Networks | 10/100/1000 Mbps |
| Flow Control Full duplex flow control | Flow Control | Full duplex flow control |
| Full Duplex Support Yes | Full Duplex Support | Yes |
| Jumbo Frame Support 4K max. | Jumbo Frame Support | 4K max. |
| Maximum Data 5 Gbps (USB 3.0) | | |
| Transfer Rate 2 Gbps (Ethernet; Full-Duplex) | Transfer Rate | |
| Type and Rate USB 3.0 - 5 Gbit/s | | USB 3.0 - 5 Gbit/s |
| Connector Type(s) 3 - USB Type-A (9 pin) USB 3.0 Female | Connector Type(s) | |
| Connector Type(s) 1 - RJ-45 Female | Connector Type(s) | 1 - RJ-45 Female |
| Connector Type(s) 1 - USB Type-A (9 pin) USB 3.0 Male | Connector Type(s) | 1 - USB Type-A (9 pin) USB 3.0 Male |
| OS Compatibility Windows® 10 (32/64), 8 / 8.1 (32/64), 7 (32/64), Vista (32/64), XP (32/64) Windows Server® 2012, 2008 R2, 2003 Mac OS® 10.6 and later (tested up to 10.11) Chrome OS™ Linux 2.6.x and later (tested up to 3.17) | OS Compatibility | Windows Server® 2012, 2008 R2, 2003 Mac OS® 10.6 and later (tested up to 10.11) Chrome OS™ |
| Note If connected to a USB 2.0 host port, performance may be limited | Note | If connected to a USB 2.0 host port, performance may be limited |
| System and Cable Available USB 3.0 port | System and Cable | Available USB 3.0 port |



Hard-to-find made easy®

Spec Sheet

| Requirements | |
|--|---|
| LED Indicators | 1 - Link |
| LED Indicators | 1 - Activity |
| Center Tip Polarity | Positive |
| Input Current | 300 mA |
| Input Voltage | 100 ~ 240 AC |
| Output Current | 2 A |
| Output Voltage | 5 DC |
| Plug Type | Н |
| Power Consumption | 10 W Max. |
| Power Source | AC Adapter Included |
| Humidity | 0~85% RH (Non-Condensing) |
| Operating | 0°C to 50°C (32°F to 122°F) |
| Temperature | |
| Storage Temperature | -10°C to 75°C (14°F to 167°F) |
| | 140 mm [E 0 m] |
| Cable Length | 148 mm [5.8 in] |
| Color | Black |
| | |
| Color | Black |
| Color Enclosure Type | Black Aluminum |
| Color Enclosure Type Form Factor | Black Aluminum Compact |
| Color Enclosure Type Form Factor Product Height | Black Aluminum Compact 14 mm [0.6 in] |
| Color Enclosure Type Form Factor Product Height Product Length | Black Aluminum Compact 14 mm [0.6 in] 87 mm [3.4 in] |
| Color Enclosure Type Form Factor Product Height Product Length Product Weight | Black Aluminum Compact 14 mm [0.6 in] 87 mm [3.4 in] 62 g [2.2 oz] |
| Color Enclosure Type Form Factor Product Height Product Length Product Weight Product Width Package Quantity Shipping (Package) | Black Aluminum Compact 14 mm [0.6 in] 87 mm [3.4 in] 62 g [2.2 oz] 43 mm [1.7 in] |
| Color Enclosure Type Form Factor Product Height Product Length Product Weight Product Width Package Quantity Shipping (Package) Weight | Black Aluminum Compact 14 mm [0.6 in] 87 mm [3.4 in] 62 g [2.2 oz] 43 mm [1.7 in] 1 366 g [12.9 oz] |
| Color Enclosure Type Form Factor Product Height Product Length Product Weight Product Width Package Quantity Shipping (Package) Weight Included in Package | Black Aluminum Compact 14 mm [0.6 in] 87 mm [3.4 in] 62 g [2.2 oz] 43 mm [1.7 in] 1 366 g [12.9 oz] 1 - Aluminum USB 3.0 Hub w/ GbE Adapter |
| Color Enclosure Type Form Factor Product Height Product Length Product Weight Product Width Package Quantity Shipping (Package) Weight Included in Package | Black Aluminum Compact 14 mm [0.6 in] 87 mm [3.4 in] 62 g [2.2 oz] 43 mm [1.7 in] 1 366 g [12.9 oz] 1 - Aluminum USB 3.0 Hub w/ GbE Adapter 1 - Universal Power Adapter (NA/EU/UK/AU) |
| Color Enclosure Type Form Factor Product Height Product Length Product Weight Product Width Package Quantity Shipping (Package) Weight Included in Package | Black Aluminum Compact 14 mm [0.6 in] 87 mm [3.4 in] 62 g [2.2 oz] 43 mm [1.7 in] 1 366 g [12.9 oz] 1 - Aluminum USB 3.0 Hub w/ GbE Adapter |

www.startech.com/uk 0800 169 0408



Hard-to-find made easy®

Certifications, Reports and Compatibility





Spec Sheet

www.startech.com/uk 0800 169 0408



- **EN** For pricing and availability in your local country please visit one of the below links:
- **DE** Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:
- FR Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

ST3300GU3B

EN This Datasheet is presented by the manufacturer

DE

Dieses Datenblatt wird vom Hersteller bereitgestellt

FR Cette fiche technique est présentée par le fabricant