# ■ General Specifications

Gener	ai Sp	ecification	IS
Description			ScanSnap S1100i
Scanner type			CDF (Continuous Document Feeding), Simplex sheetfeed two-way paper path (Straight path, U-turn path)
Scanning modes			Color, grayscale, monochrome, automatic (color / grayscale / monochrome detection)
Image senso	r		CIS (Contact Image Sensor) x 1
Light source			3 Color LED (Red / Green / Blue)
Optical resol	ution		600 dpi
		Auto mode (default)*2	
Scanning	USB	Normal mode (150 dpi)	7.5 do /
speed	bus	Better mode (200 dpi)	7.5 seconds / page
(A4 portrait) *1	powered	Best mode (300 dpi)	
		Excellent mode (600 dpi)	35 seconds / page
Document size Norr Carr		Normal mode	A4, A5, A6, B5, B6, Business card, Post card, Letter, Lega and Custom sizes (Max: 216 x 360 mm (8.5 x 14.17 in.) Min: 25.4 x 25.4 mm (1 x 1 in.)) / Automatically recognizes document size
		Normal mode with Carrier Sheet	Use of a carrier sheet permits the scanning of A3, B4,11 x 17 in. and photographs as well as the document sizes that are listed above
		Long paper scanning *3	Max: 216 x 863 mm (8.5 x 34 in.) (300 dpi or less)
Paper weight (Thickness)			● 52 to 209 g/m², or 14 to 56 lb (Straight path) ● 52 to 80 g/m², or 14 to 20 lb (U-turn path) ● Card Portrait or Landscape (Straight Path) Non-embossed: 0.76 mm or less Embossed: 0.76 + 0.48 mm (ISO7810 Conforming)
Paper setting	9		Front side up
Interface *4			USB 2.0 (USB 1.1 compatible)
Power requir	ement		5 V / 0.5 A ( x 1port)
Power consumption			During operation: 2.5 W or less During sleep mode: 1W or less During Standby (OFF) mode: Less than 0.5 W
Operation environment			Temperature: 5 to 35° C (41 to 95° F) Relative humidity: 20 to 80% (Non-condensing)
Dimensions (W x D x H) *5			273 x 47.5 x 34 mm (10.74 x 1.87 x 1.33 in.)
Device weight			350 g (0.77 lb)
Environmental compliance			ENERGY STAR® / RoHS
Multifeed detection			None
Driver			ScanSnap specific driver  ■ Windows®: Does not support TWAIN / ISIS™ ■ macOS: Does not support TWAIN

\*11 Scanning speeds may vary due to the system environment used. Scanning speed means the time from "Start feeding document" to "Finish output document" after pre-pick and pushing Scan button. In case of "From pushing Scan button", Warm-up time is added. Warm-up time: Less than 2 seconds from ready status (Less than 3 seconds after opening chute cover) \*2 Documents measuring approximately 148 mm length or less are scanned in "Best mode", while other documents are scanned in "Better mode". \*3 The S1100i is capable of scanning documents that exceed A4 size in length. This function is available for all modes except "Excellent mode". \*4 Computer with USB 3.0 will work as USB 2.0 guaranteed only with USB cable provided with product. \*5 When the paper output guide is in the folded position.

# ■ Software

	<b>-</b> Ooitware		
Windows®		macOS	
ScanSnap Home *1		Home *1	
ABBYY FineReader for ScanSnap™		er for ScanSnap™	

\*1 ScanSnap Home installation requires a computer and Internet. Activation is also necessary for software use. Please visit the company website for download information, https://scansnap.fuiitsu.com/g-support/en

### ■Included items

● Safety Precautions ● USB cable

## **■** Consumables

Description	Part number	Remarks
Cleaner F1	PA03950-0352	100 ml bottle Used to clean rollers
Cleaning Wipe	PA03950-0419	1 pack (24 packets) Used to clean rollers

# ■ ScanSnap S1100i System Requirements

Recommended operating systems		Windows® 10 (32-bit / 64-bit) <b>*</b> 1 Windows® 8.1 (32-bit / 64-bit) <b>*</b> 1 Windows® 7 (32-bit / 64-bit)
	CPU*3	Intel® Core™ i5 2.5 GHz or higher
Hardware	Memory capacity *3	4 GB or more
requirements *2	Display resolution	1,024 x 768 pixels or higher
	Disk capacity *4	3.8 GB or more of free hard disk space

★1 Operate Windows in desktop mode. ★2 The ScanSnap device may not work if the connected computer does not meet these requirements. ★3 Scanning speeds may drop if the recommended CPU, memory capacity and USB 1.1 requirements are not met. ★4 Microsoft .NET Framework 4.7 or later must be installed. If it is not installed, it is installed with ScanSnap home. Up to 4.5 GB of disk space is required for the installation. ★Please refer to the ScanSnap website for the latest support information of the driver and applications. Compatibility may differ depending on the software's version. ★The system requirements may change depending on the duration of support and the support policy of the companies that make the software.

### Mac

Recommended operating systems		macOS v.10.12.4 or later
	CPU*2	Intel® Core™ i5 2.5 GHz or higher
Hardware	Memory capacity *2	8 GB or more
requirements *1	Display resolution	1,024 x 768 pixels or higher
	Disk capacity	2.0 GB or more of free hard disk space

## **■** Options

Description		Part number	Remarks
	ScanSnap S1100i Case *1	PA03610-0001	Intended for ScanSnap S1100i and included items
	ScanSnap Carrier Sheets*2	PA03360-0013	5 Carrier Sheets Intended for ScanSnap iX500, iX100, S1500, S1500M, S1100i, S1100

\*1 This product has been especially designed for storing and carrying ScanSnap S1100i. Please note that this product is not guaranteed to withstand damage by excessive shock or external pressure. ★2 Although ScanSnap Carrier Sheets have a listed lifespan of Sox scans, the lifespan may vary with usage. ScanSnap Carrier sheets are intended to scan pard ocuments with weights of 127 g/m² or less. They also support the scanning of folded documents that are as large as 216 x 297 mm.

This scanner is designed to digitize materials that can be reproduced lawfully, in accordance with applicable copyrigh regulations and other laws. ScanSnap users are responsible for how they use this scanner. It is imperative that ScanSna users comply with all applicable local rules and laws, including, without limitation, copyright laws when using this scanner.

\*ABBYY and FineReader are trademarks of ABBYY Software, Ltd. which may be registered in some jurisdictions. ABBYY™ FineReader™ Engine ©ABBYY. OCR by ABBYY \*Evernote is a registered trademark or trademark or Evernote Corporation. \*Coogle, Google Drive, Android and Google Play are registered trademarks or trademarks of Google Inc. \*Intel, Pentium, and Intel Core are registered trademarks or Intel Corporation in the United States and other countries.

\*ISIS™ is a registered trademark or EMC Corporation in the United States. \*Mac, macOS, and the Mac loop and ScanSnap loop are scansed and scand loop and ScanSnap loop are scand loop and ScanSnap loop and ScanSnap loop are scand loop are scand loop and ScanSnap loop are scand loop are scand loop are scand loop and scanSnap loop are scand loop are scand loop and scand loop are sca ged trademark of EMC Corporation in the United States. \*Mac, macOS, and the Mac logo are trademarks of Apple Inc. \*ScanSnap, the ScanSnap the ScanSn



Visit the ScanSnap website for additional information: www.fujitsu.com/id/scanners

# **△ Safety Precautions**

Do not place this device in wet or oily areas; or subject it to environments high in dust or moisture. Doing so may result in electrical shock, fire, or product damage. Be sure to carefully read all safety precautions prior to using this product and use this device as instructed.

Specifications are subject to change without notice.



# ScanSnap



Simple, Speedy & Compact. From Paper to PDF in One Touch!



shaping tomorrow with you