

THE POSSIBILITIES ARE INFINITE **FUJITSU**

Italy

End User Reference Price List

Prices Valid From: February 2013





Content

News and Highlights	3	LIFEBOOK U772	33	CELSIUS M720	100	Positioning PRIMERGY Rack	178
Positioning	4	LIFEBOOK UH552-UH572	34	CELSIUS R920	101	PRIMERGY RX100 S7	179
		LIFEBOOK Accessories	37	CELSIUS W420	102	PRIMERGY RX200 S7	180
Positioning Zero Client	6	LIFEBOOK Options	39	CELSIUS W520	103	PRIMERGY RX300 S7	181
Zero Clients	7			CELSIUS Accessories	104	PRIMERGY RX350 S7	182
Portable Zero Clients	8	Positioning FUTRO	58	CELSIUS Options	109	PRIMECENTER M1	183
		FUTRO S700	59			Rack Servers Accessories	186
Positioning Tablet PC	9	FUTRO S900	60	Positioning Displays	135	Rack Servers Options	197
STYLISTIC M532	10	FUTRO Accessories	61	Displays	136		
TABLET PC Accessories	11	FUTRO Options	63			Positioning PRIMERGY Blade	219
TABLET PC Options	13			Positioning Keyboard & Security	139	PRIMERGY BX400 S1	221
		Positioning ESPRIMO	69	Keyboards	140	PRIMERGY BX920 S3	222
Positioning Notebook	21	ESPRIMO C	70			PRIMERGY BX924 S3	223
LIFEBOOK T902	22	ESPRIMO E	71	Positioning PRIMERGY Tower	144	PRIMERGY SX910 S1	224
LIFEBOOK S752	23	ESPRIMO P	74	PRIMERGY TX100 S3p	145	PRIMERGY SX940 S1	225
LIFEBOOK S762	24	ESPRIMO Q	77	PRIMERGY TX120 S3p	146	PRIMERGY SX960 S1	226
LIFEBOOK S782	25	ESPRIMO X	78	PRIMERGY TX140 S1p	147	PRIMERGY SX980 Sx	227
LIFEBOOK S792	26	ESPRIMO Accessories	79	PRIMERGY TX150 S7	149	Blade Servers Accessories	228
LIFEBOOK E752	27	ESPRIMO Options	81	PRIMERGY TX200 S7	150	Blade Servers Options	236
LIFEBOOK E782	29			PRIMERGY TX300 S7	152		
LIFEBOOK P772	30	Positioning CELSIUS	97	Tower Servers Accessories	153		
LIFEBOOK P702	32	CELSIUS H910	99	Tower Servers Options	162		



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

News and Highlights



ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT resources flexibly and react quickly to changing users and working locations



LIFEBOOK T901

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.



LIFEBOOK S Series

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.



LIFEBOOK E Series

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.

Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



LIFEBOOK P Series

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exceptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.



LIFEBOOK NH751

The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.



FUTRO

The Fujitsu Thin Clients are perfect devices for server-based computing and Virtual Workplace solutions.

High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and the lowest running costs.



ESPRIMO

Fujitsu presents a range of PCs characterized by high ergonomic standards, sophisticated product concepts and the best economy. Fujitsu has the right system to suit every customer's requirements.

0-Watt PC - equipped with innovative technology from Fujitsu. Our patented 0-Watt PC technology reduces energy consumption in off- / hibernating mode to 0.0 watts, without reducing manageability.



CELSIUS

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance. With the CELSIUS M470, CELSIUS R570 and CELSIUS R670 our offering of mid-range and high-end workstations got a refresh to meet highest demands.



**PRIMERGY
TX200 S7**

PRIMERGY TX tower servers are ideal for use in SMEs or branch offices. They increase operational efficiency by providing rock solid, record-breaking, energy efficient performance. That performance is built on 20-years of pioneering work in Green IT. As a customer, you benefit from a reduction in your organization's environmental impact and lower running costs. The reliability is proven by testing the machines through 5000 boot cycles – far more than other vendors do. PRIMERGY TX servers are also easy to manage via the PRIMERGY ServerView Suite, reducing IT admin workload and costs. Plus, tower to rack conversion kits are available for most TX systems, ensuring investment protection.



**Displays &
Accessories**

The new Fujitsu displays of the P Line ECO provide all the proven features superior displays can offer and additional unique energy saving solutions like 0-watt power save mode and automatic brightness control. The new 22-inch wide is the first with the new standard TCO Displays 5.0.

Always something new in the Peripherals Portfolio: e.g. keyboards and wireless sets in glossy piano black design fitting perfectly to the new lifestyle displays. Accessories and Security Devices according to latest technologies meet the latest market needs.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Professional Products Positioning



ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT



STYLISTIC

The STYLISTIC ST Series is thin, approximately A4 in size, only 1.6 kg and replaces your need for paper and clipboard. Boasting a robust, high-tech design, it offers a 12.1-inch display making it ideal for working while standing or walking, indoors or outside. The Intel® Centrino® Core 2 Duo processor means you can work for a whole business day. And outstanding connectivity with embedded broadband access, WLAN and Bluetooth means you can get in a full day of work without having to return to the office.



FUTRO

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.



ESPRIMO

Our PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.



CELSIUS

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.



**Displays &
Peripherals**

Positioned in three segments the Fujitsu displays offer the right model for every desire - from multifunctional all-rounders, advanced displays, which are highly ergonomic and comfortable, also for entertainment, and the superior class for highest demands in terms of performance, graphics and multimedia.

Input devices for every desire: wired and wireless, optical and laser



PRIMERGY

PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning Zero Clients



ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT resources flexibly and react quickly to changing users

and working locations



PORTABLE ZERO CLIENTS

The migration from fat client to virtual desktop infrastructures is gaining in popularity. Fujitsu's Zero Client MZ900 leverages this trend while enabling existing desktops and notebooks to be used as the virtual desktop device. This allows you to access personal virtual desktops from anywhere. Finally you are now able to realize cost savings while benefitting from the advantages of Zero Client virtualization - maximum flexibility, maximum savings.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Zero Clients Series

The Zero Clients D602 and DZx are a revolutionary new way of supplying standard office applications to your business. As a silent, space-saving front-end device designed for a desktop virtualization environment, the Zero Clients securely and reliably delivers a full desktop experience at a fraction of the normal cost.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ZERO Client DZ19-2					
Zero Client DZ19-2	Zero Client DZ19-2 , with 48.3cm (19") LED backlit display, 4-in-1 Stand, 1x RJ45 LAN, 4x USB 2.0, 1x DVI-I, , 1x audio-in,1x audio out, Status LEDs and function keys, power cable. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM		BDL:DZ19-2	369,00	Phased out
ZERO Client DZ22-2					
Zero Client DZ22-2	Zero Client DZ22-2 , with 55.9cm (22") LED backlit display, 4-in-1 Stand, 1x RJ45 LAN (incl. support for PoE with compatible midspans), 4x USB 2.0, , 1x DVI-I, 1x audio-in, 1x audio out, Status LEDs and function keys, power cable. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM		BDL:DZ22-2	429,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Portable Zero Clients Series

The migration from fat client to virtual desktop infrastructures is gaining in popularity. Fujitsu’s Zero Client MZ900 leverages this trend while enabling existing desktops and notebooks to be used as the virtual desktop device. This allows you to access personal virtual desktops from anywhere. Finally you are now able to realize cost savings while benefitting from the advantages of Zero Client virtualization - maximum flexibility, maximum savings.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
Portable Zero Client MZ900					
Zero Client MZ900	Zero Client MZ900 , with 1x USB 2.0, lanyard. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right. , Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft® Hyper-V with SCVMM		BDL:MZ900	160,00	Phased out



Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Positioning Tablet PC



**LIFEBOOK
T901**

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.



LIFEBOOK T730

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!



LIFEBOOK T580

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds. Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by your notebook any longer, at just 1.4kg it's easy to take wherever you like!



STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.



**STYLISTIC
Accessories**

Extend your STYLISTIC tablet PC to your needs. More convenience for your business trips and more functionality enabling easy working. Fujitsu offers a vast range of accessories for your STYLISTIC ST Series: docking unit, power supply devices, different storage media and special cases that provide maximum protection while transportation.



Windows® . Life without Walls™.
Fujitsu recommends Windows 7.

STYLISTIC M532

Fujitsu STYLISTIC M532 Media Tablet - Work and Enjoy with Confidence

Business is rarely deskbound. As a mobile professional, you need powerful, lightweight tools that let you get straight to work – wherever you happen to be. The ultraslim, ultralight Fujitsu STYLISTIC M532 media tablet is an extension of your office. It delivers a seamless working experience and secure access to your office e-mail, calendar, contacts, and applications. Moreover, with its rich multimedia features, the Fujitsu STYLISTIC M532 is perfect after-hours, too: once you've downed tools for the day, enjoy the tablet for your own choice of apps – catch up on the latest news or weather, for instance, or do some travel planning.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
STYLISTIC M532					
	STYLISTIC M532	25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 32 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, UMTS/3G with HSPA+, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback 8.4 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB)., Including MicroUSB-to-USB cable, cleaning cloth and AC adapter with EU and UK plugs., Dimensions: 262.6 x 175.4 x 8.6mm, 560g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta (Spain), Croatia, Cyprus, Czech Republic, Denmark, Dubai, Egypt, Eritrea, Estonia, Faroe Islands (Denmark), Finland, Gaza, Georgia, Germany, Greece, Greenland (Denmark), Hungary, India, Iraq, Israel, Italy, Kazakistan, Kirghizia, Latvia, Libya, Lichtenstein (CH), Lithuania, Luxembourg, Macedonia, Madeira (Portugal), Malta, Monaco (I), Montenegro, Netherlands, Norway, Oman, Palestine, Poland, Portugal, Romania, Russian Federation, San Marino (Italy), Saudi Arabia, Serbia, Slovakia, Slovenia, South Africa, Spain, Sweden, Switzerland, Tajikistan, Turkey, Turkmenistan, Ukraine, United Arab Emirates, Uzbekistan, Vatican City State (Italy), West Bank (Palestinian authority), Western Sahara, Yemen, Zambia.. For delivery into the UK and France please use another order	S26391-K340-V100	442,00	
	STYLISTIC M532 WiFi	25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 32 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback 8.4 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB)., Including MicroUSB-to-USB cable, cleaning cloth and AC adapter with EU and UK plugs., Dimensions: 262.6 x 175.4 x 8.6mm, 560g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta (Spain), Croatia, Cyprus, Czech Republic, Denmark, Dubai, Egypt, Eritrea, Estonia, Faroe Islands (Denmark), Finland, France, Gaza, Georgia, Germany, Greece, Greenland (Denmark), Hungary, India, Iraq, Israel, Italy, Kazakistan, Kirghizia, Latvia, Libya, Lichtenstein (CH), Lithuania, Luxembourg, Macedonia, Madeira (Portugal), Malta, Monaco (I), Montenegro, Netherlands, Norway, Oman, Palestine, Poland, Portugal, Romania, Russian Federation, San Marino (Italy), Saudi Arabia, Serbia, Slovakia, Slovenia, South Africa, Spain, Sweden, Switzerland, Tajikistan, Turkey, Turkmenistan, Ukraine, United Arab Emirates, United Kingdom, Uzbekistan, Vatican City State (Italy), West Bank (Palestinian authority),	S26391-K340-V200	394,00	Orderable from: 08/03/2013



Windows® . Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Accessories

Category	Description	Details	STYLISTIC M532	STYLISTIC M702	STYLISTIC Q550	STYLISTIC Q572	STYLISTIC Q702	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix														
OS/Application-SW														
	Drivers&Utility (Win7) LIFEBOOK	incl. Nero 7 Essentials S										x S26361-F2007-L903	17,00	
	Drivers&Utility DVD (Win7) LIFEBOOK				x							S26361-F2010-L201	22,00	
UPS/Power supply														
	Battery PortRep 4cell 45Wh (3150mAh)	only usable in the Portreplikator with integrated Keyboard					x					S26391-F1206-L100	82,00	
	3pin Slim AC Adapter 19V/65W							x				S26391-F1206-L500	38,00	
	Additional battery 2cell 36Wh (5000mAh)				x							S26391-F1216-L100	77,00	
	Slim AC Adapter 19V/60W (w/o cable)					x	x					S26391-F1216-L510	38,00	
	AC Adapter (including DC plug EU/UK/US)		x									S26391-F338-L100	44,00	
	AC Adapter (w/o cable)			x								S26391-F339-L100	38,00	Orderable from: 01/03/2013
	External battery charger, incl. 16V AC Cable	External battery charger, incl. 16V AC w/o AC Cable			x							S26391-F778-L400	189,00	
	Battery 4cell 38Wh (5.240mAh)				x							S26391-F916-L200	134,00	
Security														
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description		x								x S26361-F2009-L101	19,00	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description			x							x S26361-F2009-L102	29,00	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description			x							x S26361-F2009-L103	37,00	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description			x							x S26361-F2009-L104	30,00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description			x							x S26361-F2009-L105	46,00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description			x							x S26361-F2009-L106	57,00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description			x							x S26361-F2009-L107	35,00	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description			x							x S26361-F2009-L108	56,00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description			x							x S26361-F2009-L109	78,00	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description			x							x S26361-F2009-L201	19,00	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			x							x S26361-F2009-L202	29,00	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			x							x S26361-F2009-L203	37,00	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description			x							x S26361-F2009-L204	30,00	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			x							x S26361-F2009-L205	46,00	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			x							x S26361-F2009-L206	57,00	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description			x							x S26361-F2009-L207	35,00	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			x							x S26361-F2009-L208	56,00	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			x							x S26361-F2009-L209	78,00	
	Computrace Mobile Basic, Abo 1 Y.		x									S26361-F2009-L300	14,00	
	Computrace Mobile Basic, Abo 3 Y.		x									S26361-F2009-L301	33,00	
	Computrace Mobile Standard, Abo 1 Y.		x									S26361-F2009-L302	24,00	
	Computrace Mobile Standard, Abo 3 Y.		x									S26361-F2009-L303	48,00	
	Computrace Mobile Basic, Abo 1 Y. Master		x									S26361-F2009-L400	14,00	
	Computrace Mobile Basic, Abo 3 Y. Master		x									S26361-F2009-L401	33,00	
	Computrace Mobile Std, Abo 1 Y. Master		x									S26361-F2009-L402	24,00	
	Computrace Mobile Std, Abo 3 Y. Master		x									S26361-F2009-L403	48,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium										x S26361-F2727-L100	20,00	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing			x							x S26381-F11-L100	38,00	
	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM						x	x	x		S26381-F305-L102	45,00	
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM						x	x	x		S26381-F305-L110	204,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7compatible, USB interface			x							x S26381-F331-L220	25,00	
	PalmSecure Sensor STD FAT13M3S1	PalmSecure Sensor STD FAT13M3S1 palmvein sensor for biometric authentication. Component for integration without cable, manual and software			x							x S26381-K434-L100	239,00	
	PalmSecure SDK	PalmSecure SDK Software Development Kit for PalmSecure PSSDK_FAT13S1A04			x							x S26381-K434-L201	4.444,00	
	PalmSecure U Guide FAT13G2A2L	PalmSecure U Guide FAT13G2A2L specila handguide for palmvein sensor			x							x S26381-K434-L500	52,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Accessories

Category	Description	Details	STYLISTIC M532	STYLISTIC M702	STYLISTIC Q550	STYLISTIC Q572	STYLISTIC Q702	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix														
Security (Continued)														
	PalmSecure Mouse Login Kit STD	PalmSecure Mouse Kit STD contains USB Mouse with integrated palm vein sensor for biometric authentication. USB 2.0 bus powered. Set contains also the palm guide, quick start guide in Brown box.		x							x	S26381-K435-L200	248,00	Phased out
	PalmSecure Sensor Guide Kit STD	PalmSecure Sensor Guide Kit STD contains an external USB vein sensor for biometric authentication. USB 2.0 bus powered. Set contains: Sensor, holder, Handguide and USB cable in Brown box.			x						x	S26381-K436-L100	256,00	
Miscellaneous														
	Screen Protector (2pcs)						x					S26391-F1209-L400	87,00	
	Pen & tether set (2pcs)			x	x							S26391-F1219-L200	37,00	
	Pen attachment (2pcs)				x							S26391-F1219-L300	14,00	
	Screen Protector (2pcs)					x						S26391-F1219-L400	44,00	
	USB/HDMI Adapter		x			x						S26391-F338-L300	55,00	
	Pen & tether set				x							S26391-F796-L810	55,00	
	Screen protection foil (2 pieces)				x							S26391-F917-L300	44,00	
Cables														
	power cable EU	black, 2-pole, 1,8 m									x	T26139-Y2540-V113	9,00	
	power cable UK	black, 2-pole, 1,8 m									x	T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1,8 m									x	T26139-Y2540-V313	9,00	
	Power cord three-wire DK	Power cord three-wire EU					x					S26361-F2581-L328	17,00	
	Power cord three-wire US	Power cord three-wire US					x					S26361-F2581-L300	17,00	
	Power cord three-wire EU	Power cord three-wire EU					x					S26361-F2581-L310	17,00	
	Power cord three-wire GB	Power cord three-wire GB					x					S26361-F2581-L320	17,00	
	Power cord three-wire I	Power cord three-wire I					x					S26361-F2581-L330	17,00	
	Power cord three-wire CH	Power cord three-wire CH					x					S26361-F2581-L340	17,00	
Input Devices														
	Presenter IV Air	Presenter IV Air 2.4 GHz presenter with laser pointer, 2D air mouse and gamepad function, manual, 2 x AAA batteries, 2.4 GHz presenter with laser pointer, 2D air mouse and gamepad function, manual, 2 x AAA batteries		x							x	BDL-TOP-PRESENTER4	47,00	
	Presenter IV Air	2.4 GHz presenter with laser pointer, mouse and Gamepad function			x						x	S26381-K440-L100	47,00	
Additional Software														
	OPENFT-1 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs			x							U11081-C401	1.348,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs			x							U11081-C301	1.225,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
LCD-Display							
	Win7 Ready Kit			x	S26391-F1200-E100	2,00	
	Win8 Ready Kit			x	S26391-F1200-E200	2,00	
	Win7 Ready Kit		x		S26391-F1210-E100	2,00	
	Win8 Ready Kit		x		S26391-F1210-E200	2,00	
Processor							
	Intel Core i3-3217U /4GB /No AMT (HM76)	.		x	S26391-F1201-E321	158,00	
	Intel Core i3-3227U 1.9 GHz 3MB	.		x	S26391-F1201-E322	158,00	Orderable from: 04/03/2013
	Intel Core i5-3427U /4GB /AMT (QM77)	.		x	S26391-F1201-E342	282,00	
	Intel Core i5-3437U up to 2.9 GHz 3MB	.		x	S26391-F1201-E343	282,00	Orderable from: 04/03/2013
Hard Disks							
	SSD mSATA 64 GB			x	S26391-F1203-E820	177,00	
	SSD mSATA 64 GB FDE		x	x	S26391-F1203-E920	177,00	
	SSD mSATA 64 GB OPAL TCG		x	x	S26391-F1203-E830	177,00	
	SSD mSATA 128 GB			x	S26391-F1203-E821	232,00	
	SSD mSATA 128 GB FDE		x	x	S26391-F1203-E921	282,00	
	SSD mSATA 128 GB OPAL TCG		x	x	S26391-F1203-E831	282,00	
	SSD mSATA 256 GB		x	x	S26391-F1203-E822	299,00	
Communication/Network							
	No WLAN			x	S26391-F1205-E200	2,00	
	Intel Centrino 6205 802.11a/b/g/n (WW)			x	S26391-F1205-E210	22,00	
	Atheros HB116 WLAN 11a/b/g/n (WW)			x	S26391-F1205-E220	10,00	
	No Bluetooth			x	S26391-F1205-E300	2,00	
	Bluetooth Module V4.0			x	S26391-F1205-E310	23,00	
	No WWAN / No GPS			x	S26391-F1205-E500	2,00	
	No UMTS/LTE		x		S26391-F1215-E500	2,00	
	UMTS module Sierra Wireless Gobi 3000		x		S26391-F1215-E525	89,00	
	UMTS Sierra Wireless Gobi 3000 WIN7/WIN8			x	S26391-F1205-E528	89,00	
	LTE module Sierra Wireless MC7710			x	S26391-F1215-E535	145,00	
	LTE Sierra Wireless MC7710 WIN7/WIN8			x	S26391-F1205-E538	145,00	
Multimedia Module							
	HD front Camera front & 5 MP rear Camera			x	S26391-F1210-E510	42,00	
	HD front Camera			x	S26391-F1200-E510	17,00	
	5 MP rear Camera			x	S26391-F1200-E610	32,00	
Mobile Security							
	TPM Module		x		S26391-F1219-E110	8,00	
	No TPM			x	S26391-F1209-E100	3,00	
	TPM Module			x	S26391-F1209-E110	8,00	
	SystemLock3	SystemLock3 Smartcard BIOS Pre-Boot Authentication			S26391-F993-E200	18,00	
	SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics		x	S26361-F2011-E740	14,00	
Country kits							
	Country Kit DE			x	S26391-F1208-E100	6,00	
	Country Kit INT			x	S26391-F1208-E200	6,00	
	Country Kit GB			x	S26391-F1208-E300	6,00	
	Country Kit DE		x		S26391-F1218-E100	6,00	
	Country Kit INT		x		S26391-F1218-E200	6,00	
	Country Kit GB		x		S26391-F1218-E300	6,00	
	Warranty Card Poland			x	S26391-F781-E500	2,00	
Power supply							
	3pin AC Adapter 19V/65W slim and light			x	S26391-F1206-E500	15,00	
	Additional battery 2cell 36Wh (5000mAh)			x	S26391-F1216-E100	38,00	
	AC Adapter 19V/60W			x	S26391-F1216-E510	15,00	
	Power cable EU			x	S26391-F878-E210	5,00	
	Power cable US			x	S26391-F878-E220	5,00	
	Power cable GB			x	S26391-F878-E230	5,00	
	3-pin Power cable EU	3pin power cable for EU, Mickey Mouse (MM) connector type (for H720),			S26391-F878-E310	6,00	
	3-pin Power Cable US	3pin power cable for US, Mickey Mouse (MM) connector type (for H720)		x	S26391-F878-E320	7,00	
	3-pin Power Cable GB	3pin power cable for GB, Mickey Mouse (MM) connector type (for H720)		x	S26391-F878-E330	7,00	
	3-pin Power Cable IT			x	S26391-F878-E350	7,00	
	3-pin Power Cable CH			x	S26391-F878-E360	7,00	
	3-pin Power Cable DK			x	S26391-F878-E370	7,00	
Port Replicator							



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
Port Replicator (Continued)							
	Portreplicator with Keyboard DE		x		S26391-F1207-E221	279,00	
	Portreplicator with Keyboard FR		x		S26391-F1207-E222	279,00	
	Portreplicator with Keyboard IT		x		S26391-F1207-E223	279,00	
	Portreplicator with Keyboard GB		x		S26391-F1207-E225	279,00	
	Portreplicator with Keyboard SE/FI		x		S26391-F1207-E226	279,00	
	Portreplicator with Keyboard NO		x		S26391-F1207-E227	279,00	
	Portreplicator with Keyboard DK		x		S26391-F1207-E228	279,00	
	Portreplicator with Keyboard ES		x		S26391-F1207-E230	279,00	
	Portreplicator with Keyboard PT		x		S26391-F1207-E231	279,00	
	Portreplicator with Keyboard CH		x		S26391-F1207-E232	279,00	
	Portreplicator with Keyboard US		x		S26391-F1207-E234	279,00	
	Portreplicator with Keyboard BE		x		S26391-F1207-E236	279,00	
	Portreplicator with Keyboard RU/GB		x		S26391-F1207-E242	279,00	
	Portreplicator with Keyboard HU		x		S26391-F1207-E245	279,00	
	Portreplicator with Keyboard NORD		x		S26391-F1207-E246	279,00	
	Portreplicator with Keyboard TR		x		S26391-F1207-E250	279,00	
	Portreplicator with Keyboard GR		x		S26391-F1207-E251	279,00	
	Portreplicator with Keyboard EE		x		S26391-F1207-E252	279,00	
	Portreplicator with Keyboard AR/GB		x		S26391-F1207-E255	279,00	
	Portreplicator with Keyboard IL		x		S26391-F1207-E257	279,00	
	Portreplicator with Keyboard CZ/SK		x		S26391-F1207-E266	279,00	
	Portreplicator with Keyboard IS		x		S26391-F1207-E270	279,00	
	Cradle		x		S26391-F1217-E500	46,00	
OS/Application-SW							
	No Operating System		x		S26361-F2008-E100	4,00	
	DU-DVD (Win7) LIFEBOOK		x		S26361-F2010-E211	3,00	
	DU-DVD (Win7) LIFEBOOK		x		S26361-F2012-E101	3,00	
	DU-DVD (Win8) LIFEBOOK		x	x	S26361-F2012-E105	3,00	
	License - Windows 8 Pro		x	x	S26361-F2218-E100	116,00	
	License - Windows 8		x	x	S26361-F2218-E103	79,00	
	License EM - Windows 8		x	x	S26361-F2218-E106	60,00	
	Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x	x	S26361-F2218-E200	4,00	
	Load Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x	x	S26361-F2218-E201	4,00	
	Load Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	x	x	S26361-F2218-E207	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
OS/Application-SW (Continued)							
	Load Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x	x	S26361-F2218-E202	4,00	
	Load Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x	x	S26361-F2218-E208	4,00	
	Load Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x	x	S26361-F2218-E209	4,00	
	Load Win8 (64) EM+Office2010t	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,	x	x	S26361-F2218-E213	4,00	
	OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	S26361-F2218-E300	3,00	
	OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	S26361-F2218-E302	3,00	
	OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	S26361-F2218-E304	3,00	
	OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	S26361-F2218-E306	3,00	
	OS RDVD Windows 8 (32) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian	x	x	S26361-F2218-E308	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
OS/Application-SW (Continued)							
	OS RDVD Windows 8 (64) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian	x	x	S26361-F2218-E310	3,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only, For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	S26361-F2010-E281	110,00	Phased out
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: , License only, For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	S26361-F2010-E282	194,00	Phased out
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	S26361-F2010-E283	333,00	Phased out
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	S26361-F2010-E243	85,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	S26361-F2010-E253	122,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
OS/Application-SW (Continued)							
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)	x	x	S26361-F2010-E242	85,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)	x	x	S26361-F2010-E252	122,00	
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	S26361-F2010-E244	85,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	S26361-F2010-E254	122,00	
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	S26361-F2010-E245	85,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	S26361-F2010-E255	122,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India	x	x	S26361-F2010-E248	85,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x	x	S26361-F2010-E258	122,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
OS/Application-SW (Continued)							
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E444	4,00	
	Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E445	4,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E446	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
OS/Application-SW (Continued)							
	Win7 Pro64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E451	4,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E452	4,00	
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E453	4,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E454	4,00	
	Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E455	4,00	
	Win7 Pro64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E456	4,00	
	REC-DVD Win7 Home Premium 64 All MuLi			x	S26361-F2010-E643	3,00	
	REC-DVD Win7 Home Premium 64 RUS	RU		x	S26361-F2010-E642	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
OS/Application-SW (Continued)							
	REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	S26361-F2010-E653	3,00	
	REC-DVD Win7 Professional 64 RUS	RU		x	S26361-F2010-E652	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	S26361-F2010-E753	3,00	
	REC-DVD Win7 Home Premium 32 RU			x	S26361-F2010-E544	3,00	
	REC-DVD Win7 Home Premium 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	S26361-F2010-E545	3,00	
	REC-DVD Win7 Professional 32 RU			x	S26361-F2010-E554	3,00	
	REC-DVD Win7 Professional 32 All MuLi			x	S26361-F2010-E555	3,00	
	REC-DVD Win7 Home Premium 64 RU			x	S26361-F2010-E644	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi			x	S26361-F2010-E645	3,00	
	REC-DVD Win7 Professional 64 RU			x	S26361-F2010-E654	3,00	
	REC-DVD Win7 Professional 64 All MuLi			x	S26361-F2010-E655	3,00	
Mouse							
	Mouse 400NB Black			x	x	S26391-F428-E100	17,00
	MOUSE M410NB BLACK			x	x	S26391-F453-E100	17,00
Miscellaneous							
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note		x	x	S26391-F782-E200	3,00

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning Notebooks



**LIFEBOOK S
Series**

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.



**LIFEBOOK E
Series**

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere. Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



**LIFEBOOK P
Series**

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exceptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.



LIFEBOOK NH751

The The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T902

As a mobile professional, the Fujitsu LIFEBOOK T902 offers you the perfect versatile and flexible Tablet PC. The 33.8 cm (13.3-inch) convertible notebook enables maximum convenience and flexibility with a modular bay for additional battery runtime or storage as well as pen and finger input. In addition, the latest connectivity standard 4G/LTE provides ultimate connectivity, facilitating work and business trips.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T902					
	LB T902 /WIN8 READY/i5-3320M/2x4 GB/DVD/ (Promo)	LB T902 /WIN8 READY/i5-3320M/2x4 GB/DVD/ 500GB 7.2k/CENTR. 6205/BT 4.0/ UMTS ready/2 Mic&FHDCam/TPM/ERASEDISK/ CK Int/3PIN AC 100W/BATT/,	LKN:T9020M0003IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T902					
	LIFEBOOK T902 WIN7/WIN8	Base unit with 33.8cm (13.3") TFT wide-view high-bright WSXGA/HD+ LED Display with hardened glass and magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel Chipset QM77 with Intel AMT 8.0 functionality (vPro requires Core i5/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 16 GB Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD 4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, ambient light sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: Smart Card reader slot, SD Card reader, VGA, HDMI, 2x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector. Tablet pen, pen holder	S26391-K363-V200	1.210,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S752

If you need a reliable notebook for everyday business use, choose the Fujitsu LIFEBOOK S752. Its 35.6 cm (14-inch) display and useful interfaces offer you convenience in the office. The extendable modular bay for a second battery or hard disk drive lets you increase storage or battery runtime, providing enhanced flexibility. Multiple connectivity options and excellent energy efficiency complete the package.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S752					
	LB S752 /14.0" HD+/i5-3320M/2x4 GB/ (Promo)	LB S752 /14.0" HD+/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/No Modem/ BT V4.0/UMTS/LTE ready/WLAN INTEL 6205/ mic&FHD cam/Fingerprint/TPM Module/,	LKN:S7520M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S752					
	LIFEBOOK S752 HM76 Chipset	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , global model, , Please do not forget to configure the AC adapter, AC cable & 1st battery extra. We recommend to use 65W AC adapter for the system. For the usage with Port replicator 80W AC Adapter is required.	S26391-K351-V100	423,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S762

If you need a lightweight but fully-equipped notebook for office-based or mobile working, choose the Fujitsu LIFEBOOK S762. This 1.8 kg notebook offers excellent mobility through its small form factor and 33.8 cm (13.3-inch) display. Its modular bay for increased battery runtime, a second hard disk drive or Fujitsu's optional patented bay projector guarantee you maximum flexibility on a business trip.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S762					
	LB S762 /13.3" HD/3360M/2x4 GB/ (Promo)	LB S762 /13.3" HD/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/EC slot/ BT V4.0/UMTS/LTE ready/WLAN INTEL 6205/ mic&FHD cam/Fingerprint/TPM/ERASEDISK/	LKN:S7620M0002IT		
Base unit configurations					
LIFEBOOK S762					
	LIFEBOOK S762 HM76	Base unit, Intel HM76 Chipset, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd battery, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 V, Intel High Definition Audio, integrated Touchpad with Gesture support, ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector., Interfaces: 1x ExpressCard (optional), 1x Smart Card Reader (optional), 1x SD Card reader, 1x VGA, 1x Displayport, 2x USB 3.0 (thereof 1x E-SATA/USB combo, 1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN, 1x RJ11 optional, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), . Global model, , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately., Info: vPro logo requires Intel Core i5-33xx or Core i7-35xx CPU, Intel 6205 W-LAN & TPM module.	S26391-K360-V100	599,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S782

If you need a solid and reliable notebook for everyday business use, choose the Fujitsu LIFEBOOK S782. The 35.6 cm (14-inch) display and useful interfaces offer you enhanced convenience in the office. The modular bay for a second battery or hard disk drive to extend battery runtime or storage provides you with increased flexibility. Moreover, the solid magnesium display lid gives you enhanced stability.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S782					
	LB S782 /14.0" HD+/3360M/2x4 GB/ (Promo)	LB S782 /14.0" HD+/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/No Modem/ BT V4.0/UMTS/LTE ready/WLAN INTEL 6205/ mic&FHD cam/Fingerprint/TPM Module/.	LKN:S7820M0002IT		
	LB S782 /14.0" HD/15-3230M/4 GB/DVD/	LB S782 /14.0" HD/15-3230M/4 GB/DVD/ 320GB/CENTR. 2200/BT V4.0/MIC&CAM/ Fingerprint/TPM/LOCK CABLE/CK Int/ AC 19V/80W/BATT/CBL EU/PortRep/.	PRJ:S7820M0001IT	1.456,00	

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S782					
	LIFEBOOK S782 QM77 Chipset	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC adapter, AC cable & 1st battery extra. We recommend to use 65W AC adapter for the system. For the usage with Port replicator 80W AC Adapter is required., Info: vPro logo requires Intel Core i5-33xx or Core i7-35xx CPU, Intel 6205 W-LAN & TPM module.	S26391-K358-V300	437,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S792

If a solid, lightweight and fully-equipped notebook for mobile or office-based working is what you require, Fujitsu LIFEBOOK S792 should be your first choice. This 1.6 kg notebook provides the right balance between mobility and ease of use with its small form factor, 33.8 cm (13.3-inch) display and robust magnesium lid. Its modular bay for increased battery runtime, a second hard disk drive and Fujitsu's optional patented bay projector guarantee you maximum flexibility on business trips.

Model	Description	Details	Product Code	EUP (€)	Comments
LIFEBOOK S792					
Standard products					
	LB S792 vPro /13.3" HD T&L/i7-3520M/ (Promo)	LB S792 VPRO /13.3" HD T&L/i7-3520M/ 2x4 GB/DVD Super Multi/SSD 128GB/ EC slot/BT V4.0/UMTS/LTE ready/ WLAN INTEL 6205/mic&FHD cam/Fingerprint/	LKN:S7920M0002IT		Phased out
	LB S792 VPRO /13.3" HD T&L/i5-3210M/	LB S792 VPRO /13.3" HD T&L/i5-3210M/ 2x2 GB/DVD Super Multi/320GB/ SmartCard slot/WLAN 6205/mic/TPM/CK Int/ 2xAC 19V/80W/BATT/2xCBL EU/PORTREP/	PRJ:S7920M0001IT	1.792,00	Orderable from: 21/03/2013

Model	Description	Details	Product Code	EUP (€)	Comments
LIFEBOOK S792					
Base unit configurations					
	LIFEBOOK S792 QM77	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd battery, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector, Sleeve Case., Interfaces: 1x ExpressCard (optional), 1x Smart Card Reader (optional), 1x SD Card reader, 1x VGA, 1x Displayport, 2x USB 3.0 (thereof 1x E-SATA/USB combo, 1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN, 1x RJ11 optional, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), . Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the	S26391-K367-V300	633,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E752

Your Professional Desktop Replacement

If you need a reliable and energy-efficient notebook for daily business use, select the Fujitsu LIFEBOOK E752. The 39.6 cm (15.6-inch) display and useful interfaces offer you enhanced convenience. The modular bay lets you add extra memory or a second battery to increase your flexibility. Moreover, advanced security features protect your valuable company data.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK E752					
	LB E752 /15.6" HD+/i5-3320M/2x4 GB/ (Promo)	LB E752 /15.6" HD+/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/BT V4.0/ UMTS/LTE ready/WLAN INTEL 6205/ mic&FHD cam/Fingerprint/TPM Module/.	LKN:E7520M0002IT		
Base unit configurations					
LIFEBOOK E752					
	LIFEBOOK E752 HM76 Chipset	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , global model. , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V100	450,00	
	LIFEBOOK E752 HM76 Chipset 10-key	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V110	460,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E752

			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
LIFEBOOK E752 (Continued)					
	LIFEBOOK E752 QM77 Chipset	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), . , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V200	479,00	
	LIFEBOOK E752 QM77 Chipset 10-key	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), . , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V210	489,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E781

The Fujitsu LIFEBOOK E781 meets the requirements of the most demanding of users: the highperformance 39.6 cm (15.6 inch) notebook has a robust yet lightweight magnesium lid and offers you high resolution thanks to HD, HD+ and Full HD with LED backlight. Security functions such as Advanced Theft Protection (ATP) and fingerprint sensor reliably protect your notebook against all types of data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK E782					
	LB E782 /15.6" FHD/3360M/2x4 GB/ (Promo)	LB E782 /15.6" FHD/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/BT V4.0/ UMTS/LTE ready/WLAN INTEL 6205/ mic&FHD cam/Fingerprint/TPM Module/	LKN:E7820M0001IT		
	LB E782 /15.6" HD/i7-3632QM/4 GB/DVD/ (Promo)	LB E782 /15.6" HD/i7-3632QM/4 GB/DVD/ 500GB 7.2k/WLAN 6205/BT V4.0/ UMTS GOBI 3000/MIC&CAM/Fingerprint/TPM/ ERASEDISK/CK Int/AC/BATT/CBL EU/KB IT/	LKN:E7820M0003IT		
Base unit configurations					
LIFEBOOK E782					
	LIFEBOOK E782 QM77 Chipset 10-key	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and/or Full-HD displays and for usage with port replicator a 80W AC Adapter is required., Info: vPro logo requires Intel Core i5-33xx or Core i7-35xx CPU, Intel 6205 W-LAN & TPM module.	S26391-K357-V310	486,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK P772

The Small Companion to Go

As a frequent traveler, the lightweight but fully-featured Fujitsu LIFEBOOK P772 provides you with the right balance of flexibility and mobility for working on the move. The LIFEBOOK P772 is unique in offering an integrated modular bay in a 30.7 cm (12.1-inch) notebook. The patented bay projector option guarantees you additional presentation convenience on business trips.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK P772					
	LB P772 SC /12.1" WXGA/i5-3320M/2x4 GB/ (Promo)	LB P772 SC /12.1" WXGA/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/BT V4.0/ UMTS/LTE ready/WLAN 6205/mic&FHD cam/ Fingerprint/TPM/ERASEDISK/CK Int/BATT/	LKN:P7720M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK P772					
	LIFEBOOK P772 SC matt	Base unit matt black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces: 1x Smartcard Reader, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra., Info: vPro logo requires Intel Core i5-33xx/i7 CPU, Intel 6205 W-LAN & TPM module.	S26391-K361-V340	625,00	
	LIFEBOOK P772 EC glossy black	Base unit glossy black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces:1x Express Card, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra., Info: vPro logo requires Intel Core i5-33xx/i7 CPU, Intel 6205 W-LAN & TPM module.	S26391-K361-V320	625,00	
	LIFEBOOK P772 SC glossy black	Base unit glossy black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces: 1x Smartcard Reader, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra., Info: vPro logo requires Intel Core i5-33xx/i7 CPU, Intel 6205 W-LAN & TPM module.	S26391-K361-V330	625,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK P702

Ultra-Mobile Performance to Go

If you need a versatile and lightweight notebook for your everyday business tasks, the Fujitsu LIFEBOOK P702 should be your first choice. Its small form factor, 30.7 cm (12.1-inch) display and long battery runtime ensure enhanced mobile productivity. The ShockSensor protects your hard disk drive against physical impacts while its robust magnesium lid and various security features guarantee that the notebook is secure both on the move and in the office.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK P702					
	LB P702 /12.1" WXGA/i5-3320M/2x4 GB/ (Promo)	LB P702 /12.1" WXGA/i5-3320M/2x4 GB/ SSD 128GB/BT V4.0/UMTS/LTE ready/ WLAN INTEL 6205/mic&FHD cam/Fingerprint/ TPM/CK Int/1st Batt/AC 19V/80W/CABLE EU/	LKN:P702XM0001IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK P702					
	LIFEBOOK P702 HM76	Base unit, Chipset Intel i76HM, supports Dual Channel DDR3 1333MHz PC12800 RAM (2 DIMM slots). Mobile Intel HD4000 integrated graphics, S-ATA III HDD interface, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 , integrated Touchpad with Gesture support, LED-Status display, ScrollWheel, G-sensor, application buttons, connector for Kensington Lock, Interfaces: Express Card slot type 34, 1xSmart Card reader: 1x VGA, 1x Displayport, SD Card reader, 2x USB 2.0, 1xUSB 3.0 with Anytime USB Charge, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Global model, , Please do not forget to configure the AC Adapter (65W for notebook; 80W for Portrep), AC cable and 1st Battery extra	S26391-K350-V100	607,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK U772

Business Elegance in Style

The Fujitsu LIFEBOOK U772 Ultrabook™ is the perfect choice for demanding business professionals on business trips and in the office. The stylish and fully-featured notebook offers a unique combination of an outstanding small form factor with a 35.6 cm (14-inch) frameless display at only 1.4 kg, making you a real eye-catcher. Its extended battery runtime, high responsiveness, ultimate security features and optional embedded 4G/LTE or 3G/UMTS offer you the slim mobility you need when on the move. Moreover, the solid magnesium housing provides additional reliability, anywhere..

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK U772					
	LB U772 silver /14.0" HD/i5-3427U/4 GB/ (Promo)	LB U772 SILVER /14.0" HD/i5-3427U/4 GB/ SSD Cache 32GB/500GB 5.4k/ Cent. 6205 802.11a\b\g\n (WW)/BT V4.0/ No UMTS/LTE/mic&HD cam/Fingerprint/TPM/	LKN:U7720M0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK U772					
	LIFEBOOK U772 silver	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports DDR3 1600MHz PC12800 RAM (1 DIMM slot). Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, G-sensor, LED Status display, Eco button, Kensington Lock connector, Interfaces: 1x SD Card reader, 1x HDMI, 2x USB 3.0 (1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN (mini LAN connector incl. Adapter), 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter and AC Cable extra., Info: vPro logo requires Intel Core i5-34xx/i7 CPU, Intel 6205 W-LAN & TPM module.	S26391-K364-V100	737,00	
	LIFEBOOK U772 red	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports DDR3 1600MHz PC12800 RAM (1 DIMM slot). Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, G-sensor, LED Status display, Eco button, Kensington Lock connector, Interfaces: 1x SD Card reader, 1x HDMI, 2x USB 3.0 (1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN (mini LAN connector incl. Adapter), 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter and AC Cable extra., Info: vPro logo requires Intel Core i5-34xx/i7 CPU, Intel 6205 W-LAN & TPM module.	S26391-K364-V200	737,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK UH552/UH572

UH552: Your Slim and Stylish Partner

For everyday business, the slim and attractive Fujitsu LIFEBOOK UH552 is the ideal device. Its light weight of 1.6 kg, small form factor and 33.8 cm (13.3-inch) anti-glare display offer you the mobility you desire. Its combination of good looks and thin design lets you arouse attention in all situations. Moreover, the notebook provides effective working with optional embedded 3G/UMTS and Computrace® enabled BIOS to keep your data safe.

UH572 Business in a Briefcase

The stylish and ultra-slim Fujitsu LIFEBOOK UH572 Ultrabook™ is the perfect choice for everyday requirements. Its small form factor, 33.8 cm (13.3-inch) display and light weight of only 1.6 kg offer enhanced mobility. An attractive combination of thin design and sleek look with two color options makes the LIFEBOOK UH572 turn heads anywhere. Elaborate security features, optional embedded 3G/UMTS and high responsiveness provide you with enhanced convenience for effective working in all situations.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK UH552					
	LB UH552 silver i5 /4 GB/500GB/ (Promo)	LB UH552 silver i5 /4 GB/500GB/ Intel Centr N2230/CK INT/ AC 19V/65W+EU CBL/KB ISO BL IT/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	LKN:UH552M0001IT		
LIFEBOOK UH572					
	LB UH572 red i5 /4 GB/500GB/ (Promo)	LB UH572 red i5 /4 GB/500GB/ UMTS Gobi 3000/Intel Centr N2230/CK INT/ AC 19V/65W+EU CBL/KB ISO BL IT/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	LKN:UH572M0001IT		
Base unit configurations					
LIFEBOOK UH552					
	LIFEBOOK UH552 silver i3	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i3-3217U (1.8 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W slimm stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V130	624,00	
	LIFEBOOK UH552 silver i5	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V150	680,00	
	LIFEBOOK UH552 silver i3 Win8	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i3-3217U (1.8 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W slimm stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V138	617,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK UH552/UH572

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK UH552 (Continued)					
	LIFEBOOK UH552 silver i5 Win8	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionality, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V158	674,00	
LIFEBOOK UH572					
	LIFEBOOK UH572 silver i7	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionality, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V170	836,00	
	LIFEBOOK UH572 red i5	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionality, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V250	757,00	
	LIFEBOOK UH572 red i7	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionality, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V270	836,00	
	LIFEBOOK UH572 silver i5-3337U	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3337U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionality, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V350	765,00	
	LIFEBOOK UH572 silver i7 Win8	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionality, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V178	825,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK UH552/UH572

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK UH572 (Continued)					
	LIFEBOOK UH572 red i5 Win8	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V258	748,00	
	LIFEBOOK UH572 red i7 Win8	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V278	825,00	

Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

Professional Notebooks Accessories

Category	Description	Details	Product Code	Price (€)	Comments	
Accessories & services	Mouse	4.0GB 1024x 1024 dpi - BT-L13000				
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	4.0GB 1024x 1024 dpi - BT-L13000					
	Media Drives	Blu-ray Writer incl. Playback SW	Blu-ray readwrite + DVD readwrite + CD readwrite			
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Blu-ray Writer incl. Playback SW		Blu-ray readwrite + DVD readwrite + CD readwrite				
Power Adapters		Power Adapter 19V 3.0A	19V 3.0A			
		Power Adapter 19V 3.0A	19V 3.0A			
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Cables	USB Cable 1.8m	1.8m			
		USB Cable 1.8m	1.8m			
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
USB Cable 1.8m		1.8m				
Other Accessories		SmartCase Logon 1.09 (cases)	includes 1 license, for orders up to 99 licenses, no software, no data restriction			
		SmartCase Logon 3.2.2	Does not support Windows 8, supports secure authentication, password control, SSO, one access, smartcard biometrics			
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing				
	SmartCard CARDOS V4.4.1-PC3	1 SmartCard CARDOS 4.4.1, 68 KByte EEPROM				
	SmartCard CARDOS V4.4.2-PC3	2 SmartCard CARDOS 4.4.1, 68 KByte EEPROM				
	SmartCard CARDOS V4.4.3-PC3	10 SmartCard CARDOS 4.4.1, 68 KByte EEPROM				
	Smartcardreader USB Solo 3 series S310V2	PCSC and XP / Vista Win7 compatible, USB interface				
	USB SCR 3000	Reads and writes on all ISO 7816, 14 compliant SmartCards, CCO compliant, USB bus powered				
	PalmSecure Sensor STD FAT13M251	PalmSecure Sensor STD FAT13M251 palm vein sensor for biometric authentication. Composed for integration without cables, manual and software				
	PalmSecure S2K	PalmSecure S2K Software Development Kit for PalmSecure P500K, FAT13M251				
	PalmSecure U Guide FAT13M251	PalmSecure U Guide FAT13M251, secure handbook for palm vein sensor				
	PalmSecure Mouse Logon Kit STD	PalmSecure Mouse Logon Kit STD contains USB Mouse with integrated palm vein sensor for biometric authentication. USB 2.0 bus powered. Set contains also the palm guide quick start guide in Brown box				
	PalmSecure Sensor Guide Kit STD	PalmSecure Sensor Guide Kit STD contains an external USB vein sensor for biometric authentication. USB 2.0 bus powered. Set contains: Sensor, Antenna, Handguide and USB cable in Brown box				
	Miscellaneous	1.8V Antenna	1.8V Antenna			
		2x 2.5mm anti-static ESD mat	2x 2.5mm anti-static ESD mat			
		2x 2.5mm anti-static ESD mat	2x 2.5mm anti-static ESD mat			
		2x 2.5mm anti-static ESD mat	2x 2.5mm anti-static ESD mat			
		2x 2.5mm anti-static ESD mat	2x 2.5mm anti-static ESD mat			
		2x 2.5mm anti-static ESD mat	2x 2.5mm anti-static ESD mat			
		2x 2.5mm anti-static ESD mat	2x 2.5mm anti-static ESD mat			
2x 2.5mm anti-static ESD mat		2x 2.5mm anti-static ESD mat				
2x 2.5mm anti-static ESD mat		2x 2.5mm anti-static ESD mat				
2x 2.5mm anti-static ESD mat		2x 2.5mm anti-static ESD mat				
2x 2.5mm anti-static ESD mat		2x 2.5mm anti-static ESD mat				
2x 2.5mm anti-static ESD mat		2x 2.5mm anti-static ESD mat				
2x 2.5mm anti-static ESD mat		2x 2.5mm anti-static ESD mat				
2x 2.5mm anti-static ESD mat		2x 2.5mm anti-static ESD mat				
2x 2.5mm anti-static ESD mat		2x 2.5mm anti-static ESD mat				
2x 2.5mm anti-static ESD mat		2x 2.5mm anti-static ESD mat				
2x 2.5mm anti-static ESD mat		2x 2.5mm anti-static ESD mat				
2x 2.5mm anti-static ESD mat		2x 2.5mm anti-static ESD mat				
Packets		Power Adapter 19V 3.0A	19V 3.0A			
		Power Adapter 19V 3.0A	19V 3.0A			
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				
	Power Adapter 19V 3.0A	19V 3.0A				



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH532/SL	LIFEBOOK ET52	LIFEBOOK ET82	LIFEBOOK LH532	LIFEBOOK NH532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH572	Product Code	EUP (€)	Comments
Options matrix																								
Thin Client Kit																								
	Thin Client Upgrade Kit LIFEBOOK	administrative component to avoid non-functional configurations.					x							x								S26391-F994-E100	3,00	Orderable from: 01/03/2013
LCD-Display																								
	30.7 cm (12.1") WXGA magnesium LED	30.7 cm (12.1-inch), LED backlight, (WXGA), anti-glare display, magnesium lid, 1280x800 pixel, 200 cd/m															x					S26391-F1100-E100	####	
	30.7 cm (12.1") WXGA magnesium LED	30.7 cm (12.1-inch), LED backlight, (WXGA), anti-glare display, compound lid, 1280x800 pixel, 200 cd/m															x					S26391-F1100-E200	####	
	33.8 cm (13.3") HD compound LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 200 cd/m, EPEAT Silver certification																				S26391-F1120-E100	79,00	
	33.8 cm (13.3") HD T&L Magnesium LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, Magnesium lid, 1366 x 768 pixel, 300 cd/m, EPEAT Gold certification																				S26391-F1120-E200	####	
	35.6 cm (14.0") HD compound LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 220 cd/m																				S26391-F1140-E100	####	
	35.6 cm (14.0") HD+ compound LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, compound lid, 1600x900 pixel, 220 cd/m																				S26391-F1140-E110	####	
	39.6 cm (15.6") HD compound LED	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 220 cd/m						x														S26391-F1150-E100	78,00	
	39.6 cm (15.6") HD+ compound LED	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, compound lid, 1600x900 pixel, 220 cd/m						x														S26391-F1150-E110	####	
	Win7 Ready Kit																					S26391-F1180-E100	2,00	
	Win8 Ready Kit																					S26391-F1180-E200	2,00	
	35.6 cm (14.0") HD magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m																				S26391-F1130-E100	####	
	35.6 cm (14.0") HD magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m																				S26391-F1140-E200	####	
	39.6 cm (15.6") HD magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m						x														S26391-F1150-E200	####	
	35.6 cm (14.0") HD+ magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 220 cd/m																				S26391-F1140-E210	####	
	39.6 cm (15.6") HD+ magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 220 cd/m						x														S26391-F1150-E210	####	
	39.6 cm (15.6") FHD magnesium LED	39.6 cm (15.6-inch), LED backlight, (FHD), anti-glare display, magnesium lid, 1920x1080 pixel, 300 cd/m						x														S26391-F1150-E300	####	
Processor																								
	Intel Core i5-3320M up to 3.3GHz 3MB																					S26391-F1181-E332	####	
	Intel Core i7-3520M up to 3.6GHz 4MB																					S26391-F1181-E352	####	
	Intel Core i7-3632QM up to 3.2GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)							x													S26391-F902-E363	####	
	Intel Core i7-3667U up to 3.2GHz 4MB	not for Corporate Projects (only for Retail, SMB, education and government)																				S26391-F1101-E367	####	
	Intel Core i5-3320M up to 3.3GHz 3MB																					S26391-F1111-E332	####	
	Intel Core i7-3667U up to 3.2GHz 4MB																					S26391-F1131-E667	####	
	Intel Core i7-3632QM up to 3.2GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)						x	x													S26391-F1141-E363	####	
	Intel Core i7-3632QM up to 3.2GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)																				S26391-F1121-E363	####	
	Intel Core i5-3320M up to 3.3GHz 3MB																					S26391-F1101-E333	####	
	Intel Core i5-3210M up to 3.1GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																				S26391-F1111-E321	####	
	Intel Core i7-3612QM up to 3.1GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)						x	x													S26391-F1121-E361	####	Phased out
	Intel Core i7-3612QM up to 3.1GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)																				S26391-F1121-E612	####	Phased out
	Intel Core i7-3612QM up to 3.1GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)							x													S26391-F902-E361	####	
	Intel Core i7-3540M up to 3.6GHz 4MB	3.00 GHz, up to 3.70 GHz, 4 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT						x	x													S26391-F1121-E354	####	
	Intel Core i7-3520M up to 3.6GHz 4MB	2.90 GHz, up to 3.60 GHz, 4 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT						x	x													S26391-F1121-E352	####	
	Intel Core i5-3360M up to 3.5GHz 3MB	2.80 GHz, up to 3.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT						x	x													S26391-F1121-E336	####	
	Intel Core i3-3110M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																				S26391-F1101-E312	####	
	Intel Core i5-3340M up to 3.4GHz 3MB	2.70 GHz, up to 3.40 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT						x	x													S26391-F1121-E334	####	
	Intel Core i5-3427U up to 2.8GHz 3MB																					S26391-F1131-E427	####	
	Intel Core i5-3320M up to 3.3GHz 3MB	2.60 GHz, up to 3.30 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT						x	x													S26391-F1121-E332	####	
	Intel Core i5-3230M up to 3.2GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)						x	x													S26391-F1121-E323	####	
	Intel Core i5-3210M up to 3.1GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)						x	x													S26391-F1121-E321	####	
	Intel Core i5-3317U up to 2.6GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																				S26391-F1131-E317	####	
	Intel Core i7-3520M up to 3.6GHz 4MB								x													S26391-F902-E352	####	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A412/AH512	LIFEBOOK A432/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH532/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK NS32	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH532	LIFEBOOK UH572	Product Code	EUP (€)	Comments
Options matrix																								
Communication/Network (Continued)																								
	UMTS Sierra Wireless Gobi 3000 WIN7 only						x														S26391-F1145-E525	89.00	Phased out	
	UMTS Sierra Wireless Gobi 3000 WIN7 only							x													S26391-F1145-E528	89.00	Phased out	
	UMTS module Sierra Wireless Gobi 3000									x											S26391-F1115-E528	89.00		
	UMTS module Sierra Wireless Gobi 3000										x										S26391-F1135-E528	89.00		
	UMTS module Sierra Wireless Gobi 3000											x									S26391-F1145-E528	89.00		
	UMTS module Sierra Wireless Gobi 3000			x																	S26391-F1155-E528	89.00		
	UMTS module Sierra Wireless Gobi 3000				x																S26391-F1185-E528	89.00		
	UMTS module Sierra Wireless Gobi 3000													x							S26391-F1145-E532	89.00		
	UMTS module Sierra Wireless Gobi 3000								x												S26391-F1155-E529	89.00		
	LTE Sierra Wireless MC7710 WIN7 only									x											S26391-F1105-E530	#####	Phased out	
	LTE Sierra Wireless MC7710 WIN7 only										x										S26391-F1115-E530	#####	Phased out	
	LTE Sierra Wireless MC7710 WIN7 only											x									S26391-F1135-E530	#####	Phased out	
	LTE Sierra Wireless MC7710 WIN7 only												x								S26391-F1145-E530	#####	Phased out	
	LTE Sierra Wireless MC7710 WIN7 only						x														S26391-F1155-E530	#####	Phased out	
	LTE Sierra Wireless MC7710 WIN7 only									x											S26391-F1145-E532	#####	Phased out	
	LTE Sierra Wireless MC7710 WIN7 only															x					S26391-F1155-E535	#####	Phased out	
	LTE module Sierra Wireless MC7710										x										S26391-F1115-E538	#####		
	LTE module Sierra Wireless MC7710											x									S26391-F1135-E538	#####		
	LTE module Sierra Wireless MC7710					x															S26391-F1145-E538	#####		
	LTE module Sierra Wireless MC7710																				S26391-F1155-E538	#####		
	LTE module Sierra Wireless MC7710																				S26391-F1185-E538	#####		
	LTE module Sierra Wireless MC7710																				S26391-F1145-E539	#####		
	LTE module Sierra Wireless MC7710																				S26391-F1155-E539	#####		
	Intel Centrino 6205 802.11a/b/g/n (WW)																				S26391-F1135-E240	22.00		
	Modem adapter kit (EU) w/ modem cable	includes all adaper for EU					x	x						x	x	x	x				S26391-F646-E100	33.00		
Multimedia Module																								
	2x digital array mic																				S26391-F1180-E500	13.00		
	2x digital array mic & FHD cam																				S26391-F1180-E510	23.00		
	1x digital mic & 1x FHD cam w/ Lync									x	x										S26391-F1100-E500	23.00		
	1x digital mic & 1x FHD cam w/ Lync																				S26391-F1120-E500	23.00		
	2x digital array mic																				S26391-F1140-E500	13.00		
	2x digital array mic					x															S26391-F1150-E500	13.00		
	1 x digital microphone									x	x										S26391-F960-E500	6.00		
	1x digital mic & 1x HD cam										x										S26391-F1100-E510	16.00		
	1x digital mic & 1x HD cam																				S26391-F1120-E510	16.00		
	2x digital mics & HD cam																				S26391-F1130-E510	19.00		
	2x digital array mic & FHD cam																				S26391-F1140-E510	23.00		
	1x digital mic																				S26391-F1120-E520	6.00		
	2x digital array mic & HD cam																				S26391-F1140-E530	19.00		
	2x digital array mic & HD cam																				S26391-F1150-E530	19.00		
	2x digital array mic & FHD cam																				S26391-F1150-E540	23.00		
	2x digital array mic																				S26391-F1140-E600	13.00		
	2x digital array mic & FHD cam																				S26391-F1150-E610	13.00		
	2x digital array mic & FHD cam																				S26391-F1150-E630	23.00		
	2x digital array mic & FHD cam																				S26391-F1140-E640	23.00		
	Dummv module																				S26391-F980-E700	3.00		
	Dummv module																				S26391-F980-E800	3.00		
Mobile Security																								
	Slim Kensington Lock cable																				S26391-F1139-E400	68.00		
	No Fingerprint						x														S26391-F1159-E100	4.00		
	Fingerprint sensor & software						x														S26391-F1159-E110	26.00		
	No Fingerprint																				S26391-F1159-E200	4.00		
	Fingerprint sensor & software						x	x													S26391-F1159-E210	26.00		
	TPM Module																				S26391-F1159-E300	8.00		
	TPM Module V1.2									x											S26391-F605-E100	8.00		
	No Fingerprint																				S26391-F1109-E100	4.00		
	No Fingerprint												x								S26391-F1119-E100	4.00		
	No Fingerprint																				S26391-F1129-E100	4.00		
	No Fingerprint																				S26391-F1149-E100	4.00		
	Fingerprint sensor & software																				S26391-F1109-E110	26.00		
	Fingerprint sensor & software																				S26391-F1119-E110	26.00		
	Fingerprint sensor & software																				S26391-F1129-E110	26.00		
	Fingerprint sensor & software																				S26391-F1139-E110	26.00		
	Fingerprint sensor & software																				S26391-F1149-E110	26.00		
	No Fingerprint																				S26391-F1109-E200	4.00		
	TPM Module																				S26391-F1149-E200	8.00		
	Fingerprint sensor & software																				S26391-F1109-E210	26.00		
	TPM module																				S26391-F959-E300	8.00		
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk					x	x				x	x	x	x	x	x	x	x		S26391-F993-E100	23.00		
	SystemLock3	SystemLock3 Smartcard BIOS Pre-Boot Authentication					x	x				x	x	x	x	x	x	x	x		S26391-F993-E200	18.00		
	SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics																			S26361-F2011-E740	14.00		
	Kensington Lock cable																				S26391-F959-E400	55.00		
Country kits																								
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information														x	x				S26391-F1128-E100	6.00		
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information														x	x				S26391-F1128-E200	6.00		
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information														x	x				S26391-F1128-E300	6.00		
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information																			S26391-F1188-E100	6.00		
	Country Kit Int	incl.																						



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A312/AH512	LIFEBOOK A332/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH52/S	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK NH32	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH532	LIFEBOOK UH572	Product Code	EUP (€)	Comments	
Country kits (Continued)																								
Country Kit DE		incl. safety manual (D), Getting Started, Service Desk Information					x	x						x		x					S26391-F1148-E100	6,00		
Country Kit DE		incl. safety manual (D), Getting Started, Service Desk Information							x												S26391-F909-E100	6,00		
Country Kit DE		incl. safety manual (D), Getting Started, Service Desk Information																	x	x	S26391-F939-E100	6,00		
Country Kit DE		incl. safety manual (D), Getting Started, Service Desk Information			x																S26391-F869-E110	6,00		
Country Kit Int		supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information											x								S26391-F1108-E200	6,00		
Country Kit Int		supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information								x											S26391-F1118-E200	6,00		
Country Kit Int		supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information																		x	S26391-F1138-E200	6,00		
Country Kit Int		supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information					x	x						x		x					S26391-F1148-E200	6,00		
Country Kit Int.		incl. safety manual (D), Getting Started, Service Desk Information	x																		S26391-F619-E200	6,00		
Country Kit Int.		incl. safety manual (D), Getting Started, Service Desk Information		x																	S26391-F859-E200	6,00		
Country Kit Int.		incl. safety manual (D), Getting Started, Service Desk Information							x												S26391-F909-E200	6,00		
Country Kit Int.		incl. safety manual (D), Getting Started, Service Desk Information																		x	x	S26391-F939-E200	6,00	
Country Kit Int.		incl. safety manual (D), Getting Started, Service Desk Information		x	x																S26391-F859-E210	6,00		
Country Kit Int.		incl. safety manual (D), Getting Started, Service Desk Information				x															S26391-F869-E210	6,00		
Country Kit GB		incl. safety manual (GB/ARA), Getting Started, Service Desk Information												x							S26391-F1108-E300	6,00		
Country Kit GB		incl. safety manual (GB/ARA), Getting Started, Service Desk Information									x										S26391-F1118-E300	6,00		
Country Kit GB		incl. safety manual (GB/ARA), Getting Started, Service Desk Information																			S26391-F1138-E300	6,00		
Country Kit GB		incl. safety manual (GB/ARA), Getting Started, Service Desk Information					x	x						x		x					S26391-F1148-E300	6,00		
Country Kit GB		incl. safety manual (D), Getting Started, Service Desk Information							x												S26391-F909-E300	6,00		
Country Kit GB		incl. safety manual (D), Getting Started, Service Desk Information																			S26391-F939-E300	6,00		
Country Kit GB		incl. safety manual (D), Getting Started, Service Desk Information			x																S26391-F869-E310	6,00		
Warranty Card Poland Made in Germany sticker		The „Made in Germany“ sticker prominently displays this universally admired differentiating product value				x	x	x		x	x	x	x	x	x	x	x	x	x	x	S26391-F781-E500 S26391-F404-E911	2,00 2,00		
Power supply																								
1st Battery 4cell 45Wh (3,150mAh)																					S26391-F1136-E100	55,00		
3pin AC Adaptor 19V/65W rounded																					S26391-F1136-E520	15,00		
1st Battery 6cell 72Wh (6,700mAh)																					S26391-F1186-E100	####		
3pin AC Adaptor 19V/100W																					S26391-F1186-E530	30,00		
AC Adaptor 19V/80W + EU cable										x											S26391-F908-E800	20,00		
AC Adaptor 19V/80W + US cable											x										S26391-F908-E810	20,00		
AC Adaptor 19V/80W + GB cable												x									S26391-F908-E820	20,00		
1st Battery 6cell 63Wh (5,800mAh)				x	x				x	x	x	x	x	x							S26391-F956-E100	75,00		
1st Battery 6cell 72Wh (6,700mAh)				x	x				x	x	x	x	x	x							S26391-F1106-E100	89,00		
AC Adaptor 19V/120W																					S26391-F608-E200	25,00		
AC Adaptor 19V/80W (0-Watt technology)						x	x			x	x	x	x	x	x						S26391-F886-E200	33,00		
Power cable EU									x	x											S26391-F490-E210	5,00		
Power cable EU						x	x				x	x	x	x	x						S26391-F878-E210	5,00		
Power cable US																					S26391-F490-E220	5,00		
Power cable US						x	x					x	x	x	x	x					S26391-F878-E220	5,00		
Power cable GB										x	x										S26391-F490-E230	5,00		
Power cable GB						x	x					x	x	x	x	x					S26391-F878-E230	5,00		
AC cable for 2-pin China												x	x	x	x						S26391-F878-E240	6,00		
3-pin Power cable EU																					S26391-F878-E310	6,00		
3-pin Power Cable US		3pin power cable for EU, Mickey Mouse (MM) connector type (for H720)																				S26391-F878-E320	7,00	
3-pin Power Cable GB		3pin power cable for GB, Mickey Mouse (MM) connector type (for H720)																				S26391-F878-E330	7,00	
3-pin Power Cable IT																					S26391-F878-E350	7,00		
3-pin Power Cable CH																					S26391-F878-E360	7,00		
3-pin Power Cable DK																					S26391-F878-E370	7,00		
AC Adaptor 19V/65W slim and light									x	x		x	x	x	x	x					S26391-F1106-E500	23,00		
AC Adaptor 19V/65W									x	x		x	x	x	x						S26391-F1106-E510	15,00		
AC Adaptor 19V/80W									x	x		x	x	x	x						S26391-F1106-E530	19,00		
3pin AC Adaptor 19V/100W rounded									x	x		x	x	x	x						S26391-F1106-E520	30,00		
AC Adaptor 20V/65W + EU cable					x																S26391-F618-E650	18,00		
AC Adaptor 20V/65W + EU cable						x															S26391-F858-E650	18,00		
AC Adaptor 20V/65W + EU cable								x													S26391-F868-E650	18,00		
AC Adaptor 19V/65W + EU cable																					S26391-F938-E650	17,00		
AC Adaptor 20V/65W + US cable									x												S26391-F868-E660	18,00		
AC Adaptor 19V/65W + US cable																					S26391-F938-E660	17,00		
AC Adaptor 20V/65W + GB cable										x											S26391-F868-E670	18,00		
AC Adaptor 19V/65W + GB cable																					S26391-F938-E670	17,00		
AC Adaptor 19V/80W + EU cable						x															S26391-F858-E800	20,00		
Port Replicator																								
Port Replicator/3pin AC Adapter 19V/100W		min. 80W AC Adapter needed																			S26391-F1137-E100	78,00		
Port Replicator		min. 80W AC Adapter needed		x	x								x		x						S26391-F1147-E100	78,00		
Port Replicator		min. 80W AC Adapter needed																			S26391-F1187-E100	78,00		
Port Replicator																x					S26391-F655-E300	78,00		
Port Replicator												x	x								S26391-F977-E100	78,00		
OneBox-Keyboards																								



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A412/AH512	LIFEBOOK A332/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH532/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH572	Product Code	EUP (€)	Comments	
Options matrix																							
OneBox-Keyboards (Continued)																							
	Keyboard black w/ 10key IT		x																	S26391-F167-E223	17,00		
	Keyboard iso black w/ 10key DE								x	x										S26391-F767-E221	9,00		
	Keyboard iso black w/ 10key IT								x	x										S26391-F767-E223	9,00		
	Keyboard iso black w/ 10key GB								x	x										S26391-F767-E225	9,00		
	Keyboard iso black w/ 10key US								x	x										S26391-F767-E234	9,00		
	Keyboard black w/o TS DE																		x	S26391-F768-E221	14,00		
	Keyboard black w/o TS IT																		x	S26391-F768-E223	14,00		
	Keyboard black w/o TS GB																		x	S26391-F768-E225	14,00		
	Keyboard black w/o TS US																		x	S26391-F768-E234	14,00		
	Keyboard white w/ TS+10keys TS DE	with touchstick and 10 keys, Germany					x	x												S26391-F769-E224	39,00		
	Keyboard white w/ TS+10keys TS IT	with touchstick and 10 keys, Italy					x	x												S26391-F872-E123	39,00		
	Keyboard white w/ TS+10keys TS GB	with touchstick and 10 keys, Great Britain					x	x												S26391-F872-E125	39,00		
	Keyboard white w/ TS+10keys TS US	with touchstick and 10 keys, US English					x	x												S26391-F872-E134	39,00		
	Keyboard black w/ TS+10keys DE	with touchstick and 10 keys, Germany					x	x												S26391-F874-E121	39,00		
	Keyboard black w/ TS+10keys IT	with touchstick and 10 keys, Italy					x	x												S26391-F874-E123	39,00		
	Keyboard black w/ TS+10keys GB	with touchstick and 10 keys, Great Britain					x	x												S26391-F874-E125	39,00		
	Keyboard black w/ TS+10keys US	with touchstick and 10 keys, US English					x	x												S26391-F874-E134	39,00		
	Keyboard black w/ TS D						x					x	x							S26391-F875-E121	34,00		
	Keyboard black w/ TS IT						x					x	x							S26391-F875-E123	34,00		
	Keyboard black w/ TS GB						x					x	x							S26391-F875-E125	34,00		
	Keyboard black w/ TS US						x					x	x							S26391-F875-E134	34,00		
	Keyboard black w/o TS DE											x	x	x	x					S26391-F876-E121	12,00		
	Keyboard black w/o TS IT											x	x	x	x					S26391-F876-E123	12,00		
	Keyboard black w/o TS GB											x	x	x	x					S26391-F876-E125	12,00		
	Keyboard black w/o TS US											x	x	x	x					S26391-F876-E134	12,00		
	Keyboard black w/o TS DE																		x	S26391-F877-E221	17,00		
	Keyboard black w/o TS IT																		x	S26391-F877-E223	17,00		
	Keyboard black w/o TS GB																		x	S26391-F877-E225	17,00		
	Keyboard black w/o TS US																		x	S26391-F877-E234	17,00		
	Antibacterial Keyboard black w/o TS DE						x					x	x	x	x					S26391-F878-E221	14,00		
	Antibacterial Keyboard black w/o TS GB						x					x	x	x	x					S26391-F878-E223	14,00		
	Antibacterial Keyboard black w/o TS US						x					x	x	x	x					S26391-F878-E234	14,00		
	Backlit antibac. keyb. black w/o TS DE																		x	S26391-F900-E221	94,00		
	Backlit antibac. keyb. black w/o TS GB																		x	S26391-F900-E223	94,00		
	Backlit antibac. keyb. black w/o TS US																		x	S26391-F900-E234	94,00		
	Keyboard white w/o TS DE											x	x							S26391-F765-E121	9,00		
	Keyboard white w/o TS IT											x	x							S26391-F765-E123	9,00		
	Keyboard white w/o TS GB											x	x							S26391-F765-E125	9,00		
	Keyboard white w/o TS US											x	x							S26391-F765-E134	9,00		
	Keyboard iso black DE							x												S26391-F164-E221	17,00		
	Keyboard iso black DE																	x	x	S26391-F165-E221	17,00		
	Keyboard iso black w/ 10key DE						x													S26391-F166-E221	20,00		
	Keyboard black w/o TS DE												x	x						S26391-F766-E221	9,00		
	Keyboard iso black w/ 10key IT				x	x														S26391-F163-E223	17,00		
	Keyboard iso black IT								x											S26391-F164-E223	17,00		
	Keyboard iso black w/ 10key IT						x												x	S26391-F165-E223	17,00		
	Keyboard iso black GB												x	x						S26391-F166-E223	20,00		
	Keyboard iso black GB								x										x	S26391-F164-E225	17,00		
	Keyboard iso black GB																		x	S26391-F165-E225	17,00		
	Keyboard iso black w/ 10key GB						x													S26391-F166-E225	20,00		
	Keyboard black w/o TS GB																			S26391-F766-E225	9,00		
	Keyboard iso black US								x											S26391-F164-E234	17,00		
	Keyboard iso black US																	x	x	S26391-F165-E234	17,00		
	Keyboard iso black w/ 10key US																			S26391-F166-E234	20,00		
	Keyboard black w/o TS US						x													S26391-F766-E234	9,00		
OS/Application-SW																							
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data Backup on DVD, BackItUp	x				x	x	x										x	x	S26361-F1818-E897	10,00	
	Nero 12 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data Backup on DVD, BackItUp	x					x	x	x											S26361-F1818-E899	10,00	
	No Operating System						x	x				x	x	x	x	x	x	x			S26361-F2008-E100	4,00	
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data Backup on DVD, BackItUp					x	x				x	x	x	x	x	x	x			S26361-F2008-E897	10,00	
	Nero 12 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data Backup on DVD, BackItUp					x	x				x	x	x	x	x	x				S26361-F2008-E898	10,00	
	DU-DVD (Win7) LIFEBOOK																		x	x	S26361-F2010-E211	3,00	
	Win Embedded Standard 7 for LIFEBOOK	International version (German, English, French, Italian and Spanish) of Windows Embedded Standard 7 (W7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent, support for modular updates and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Free modular package updates for 1 year are included. For further updates Subscription Keys eLux/WES/Scout (S26361-F2727-L703) are required. Licenses for SCOUT Enterprise are not included., Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.							x												S26361-F2010-E262	88,00	Orderable from: 02/04/2013
	DU-DVD (Win7) LIFEBOOK																				S26361-F2012-E101	3,00	
	DU-DVD (WinXP) LIFEBOOK																				S26361-F2012-E102	3,00	
	DU-DVD (Win8) LIFEBOOK/STYLISTIC 2012																				S26361-F2012-E104	3,00	
	DU-DVD (Win8) LIFEBOOK																				S26361-F2012-E105	3,00	
	Power DVD 10 SW for DVD playback_LB	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data Backup on DVD, BackItUp	x	x	x	x					x	x	x								S26361-F2012-E182	10,00	
	Power DVD 10 SW for DVD playback_LB	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data Backup on DVD, BackItUp									x	x	x	x	x	x					S26361-F2012-E190	10,00	
	License - Windows 8 Pro											x	x	x	x	x	x				S26361-F2218-E100	#####	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH52/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK NH532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH572	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x				x	x	x										x	x	S26361-F2009-E243	85,00	
	License - Windows 8						x	x				x	x	x	x	x	x	x	x			S26361-F2218-E103	79,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x				x	x	x									x	x	S26361-F2009-E253	####	
	License EM - Windows 8						x	x				x	x	x	x	x	x	x				S26361-F2218-E106	60,00	
	Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), , Windows 8 Secure Boot is activated., Secure and measured boot will work., The Windows 8 Pro BIOS-setting does not support a network based installation., A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.					x	x				x	x	x	x	x	x	x				S26361-F2218-E200	4,00	
	Load Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian., , Windows 8 Secure Boot is activated., Secure and measured boot will work., The Windows 8 Pro BIOS-setting does not support a network based installation., A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.					x	x				x	x	x	x	x	x	x				S26361-F2218-E201	4,00	
	Load Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),					x	x				x	x	x	x	x	x	x				S26361-F2218-E207	4,00	
	Load Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic., , Windows 8 Secure Boot is activated., Secure and measured boot will work., The Windows 8 Pro BIOS-setting does not support a network based installation., A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.					x	x				x	x	x	x	x	x	x				S26361-F2218-E202	4,00	
	Load Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,					x	x				x	x	x	x	x	x	x				S26361-F2218-E208	4,00	
	Load Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,					x	x				x	x	x	x	x	x	x				S26361-F2218-E209	4,00	
	Load Win8 (64) EM+Office2010t	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,					x	x				x	x	x	x	x	x	x				S26361-F2218-E213	4,00	
	OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified					x	x				x	x	x	x	x	x	x				S26361-F2218-E300	3,00	
	OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified					x	x				x	x	x	x	x	x	x				S26361-F2218-E302	3,00	
	OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified					x	x				x	x	x	x	x	x	x				S26361-F2218-E304	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH52/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH52	LIFEBOOK NH52	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH52	LIFEBOOK UH572	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																							
	OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified					x	x				x	x	x	x	x	x	x			S26361-F2218-E306	3,00	
	OS RDVD Windows 8 (32) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian					x	x				x	x	x	x	x	x	x			S26361-F2218-E308	3,00	
	OS RDVD Windows 8 (64) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian					x	x				x	x	x	x	x	x	x			S26361-F2218-E310	3,00	
	Win7-Load Pro64 MAIN + Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x	x				x	x	x	x	x	x	x			S26361-F2218-E405	4,00	
	Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish) , . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x	x				x	x	x	x	x	x	x			S26361-F2218-E406	4,00	
	Win7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish) , . . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x	x				x	x	x	x	x	x	x			S26361-F2218-E407	4,00	
	Win7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak) , . . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x	x				x	x	x	x	x	x	x			S26361-F2218-E408	4,00	
	Win7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian) , . . . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x	x				x	x	x	x	x	x	x			S26361-F2218-E409	4,00	
	License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).				x			x	x	x								x		S26361-F2009-E232	66,00	
	RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR					x	x				x	x	x	x	x	x	x			S26361-F2218-E500	6,00	
	RDVD Downgrade Win7 Pro (32)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR					x	x				x	x	x	x	x	x	x			S26361-F2218-E501	6,00	
	RDVD Downgrade Win7 Pro (64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR					x	x				x	x	x	x	x	x	x			S26361-F2218-E502	6,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).				x			x	x	x								x	x	S26361-F2009-E242	85,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).				x			x	x	x								x	x	S26361-F2009-E252	####	
	License - Windows 8 Pro		x	x	x	x			x	x	x								x	x	S26361-F2208-E100	####	
	License - Windows 8		x	x	x	x			x	x	x								x	x	S26361-F2208-E103	79,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH52/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK NH532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH572	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																								
License EM - Windows 8	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro, Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe, India and China				x			x	x	x									x	x	S26361-F2208-E106	60,00		
License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro				x				x	x	x									x		S26361-F2009-E234	66,00	
License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro				x				x	x	x									x	x	S26361-F2009-E244	85,00	
License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro				x				x	x	x									x	x	S26361-F2009-E254	#####	
License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe				x				x	x	x									x		S26361-F2009-E235	66,00	
License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe				x				x	x	x									x	x	S26361-F2009-E245	85,00	
OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only. For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed. . . The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. . With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.							x	x			x	x	x	x	x	x	x			S26361-F2010-E281	#####	Phased out	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH52/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK NH532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH572	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																								
	Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Windows 8 Secure Boot is activated, Secure and measured boot will work. The Windows 8 Pro BIOS-setting does not support a network based installation. A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x	x	x	x			x	x	x									x	x	S26361-F2208-E200	4,00	
	Load Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Windows 8 Secure Boot is activated, Secure and measured boot will work. The Windows 8 Pro BIOS-setting does not support a network based installation. A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.				x			x	x	x									x	x	S26361-F2208-E201	4,00	
	Load Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Windows 8 Secure Boot is activated, Secure and measured boot will work. The Windows 8 Pro BIOS-setting does not support a network based installation. A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.				x			x	x	x									x	x	S26361-F2208-E202	4,00	
	Load Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil).	x	x	x	x			x	x	x									x	x	S26361-F2208-E207	4,00	
	Load Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian.				x			x	x	x									x	x	S26361-F2208-E208	4,00	
	Load Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic.				x			x	x	x									x	x	S26361-F2208-E209	4,00	
	Load Win8 (64) EM+Office2010t	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian.				x			x	x	x									x	x	S26361-F2208-E213	4,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe				x			x	x	x									x	x	S26361-F2009-E255	#####	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License only, For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.					x	x				x	x	x	x	x	x	x	x			S26361-F2010-E282	#####	Phased out



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH52/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK NH532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH572	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																								
OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access. Package contains: License only. For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed. . . The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. . With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.						x	x				x	x	x	x	x	x	x	x		S26361-F2010-E263	####	Phased out	
License EM-SEA - Windows 7 Home Basic	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam			x					x	x	x									x	S26361-F2009-E236	66,00		
License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam			x					x	x	x									x	S26361-F2009-E246	85,00		
License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam			x					x	x	x									x	S26361-F2009-E256	####		
License EM-LATAM Windows 7 Home Basic	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela			x					x	x	x									x	S26361-F2009-E237	66,00		
License EM-LATAM Windows7 Home Premium	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela			x					x	x	x									x	S26361-F2009-E247	85,00		
OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified			x					x	x	x									x	S26361-F2208-E300	3,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH52/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK NH532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH572	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																								
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010. Package contains: License only. For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed. . The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.				x		x	x	x									x	x	S26361-F2009-E271	####	Phased out	
	OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified				x		x	x	x									x	x	S26361-F2208-E302	3,00		
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010. Package contains: License only. For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed. . The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.				x		x	x	x									x	x	S26361-F2009-E272	####	Phased out	
	OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai				x		x	x	x									x	x	S26361-F2208-E304	3,00		
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access. Package contains: License only. For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed. . The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.				x		x	x	x									x	x	S26361-F2009-E273	####	Phased out	
	OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai	x	x	x	x		x	x	x									x	x	S26361-F2208-E306	3,00		
	OS RDVD Windows 8 (32) EM					x		x	x	x									x	x	S26361-F2208-E308	3,00		
	OS RDVD Windows 8 (64) EM					x		x	x	x									x	x	S26361-F2208-E310	3,00		
	License EM-LATAM Windows 7 Professional	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela				x		x	x	x									x	x	S26361-F2009-E257	####		



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH52/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH52	LIFEBOOK NS32	LIFEBOOK NH52	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH52	LIFEBOOK UH572	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																								
License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India						x		x	x	x									x	S26361-F2009-E238	66,00		
License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India						x		x	x	x									x	S26361-F2009-E248	85,00		
License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India						x		x	x	x									x	S26361-F2009-E258	###		
Win7-Load Pro64 MAIN + Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.		x	x	x	x			x	x	x									x	x	S26361-F2208-E405	4,00	
Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish) , . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x			x	x	x									x	x	S26361-F2208-E406	4,00	
Win7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish) , . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x			x	x	x									x	x	S26361-F2208-E407	4,00	
Win7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak) , . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x			x	x	x									x	x	S26361-F2208-E408	4,00	
Win7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian) , . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x			x	x	x									x	x	S26361-F2208-E409	4,00	
No Operating System			x	x	x	x			x	x	x									x	x	S26361-F1818-E100	2,00	
Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x									x	x	S26361-F2109-E441	4,00	
Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x									x	x	S26361-F2109-E442	4,00	
Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x									x	x	S26361-F2109-E443	4,00	
Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x									x	x	S26361-F2109-E444	4,00	
Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x									x	x	S26361-F2109-E445	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH532/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK NH532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK UH532	LIFEBOOK UH572	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)	Options matrix																							
Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x									x	x	S26361-F2109-E446	4,00	
Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x				x	x	x									x	x	S26361-F2109-E451	4,00	
Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x									x	x	S26361-F2109-E452	4,00	
Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x									x	x	S26361-F2109-E453	4,00	
Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x									x	x	S26361-F2109-E454	4,00	
Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x									x	x	S26361-F2109-E455	4,00	
Win7 Pro 64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x									x	x	S26361-F2109-E456	4,00	
Win7 HomeBasic64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x											S26361-F2109-E436	3,00	
Win7 HomeBasic64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x			x	x	x											S26361-F2109-E433	3,00	
License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.								x	x	x	x	x	x	x	x	x	x				S26361-F2010-E243	85,00	
REC-DVD Win7 Home Basic 64 RUS						x			x	x	x											S26361-F2009-E632	3,00	
License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.								x	x	x	x	x	x	x	x	x	x				S26361-F2010-E253	#####	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH52/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK NH532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH572	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)																									
	License RUS - Windows 7 Home Basic	RUS/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)					x	x				x	x	x	x	x						S26361-F2010-E232	66,00		
	REC-DVD Win7 Home Premium 64 RUS	RU			x				x	x	x								x	x		S26361-F2009-E642	3,00		
	License RUS - Windows 7 Home Premium	RUS/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)					x	x				x	x	x	x	x	x					S26361-F2010-E242	85,00		
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)					x	x				x	x	x	x	x	x					S26361-F2010-E252	#####		
	REC-DVD Win7 Professional 64 RUS	RU			x				x	x	x								x	x		S26361-F2009-E652	3,00		
	License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro					x	x				x	x	x	x	x						S26361-F2010-E234	66,00		
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro					x	x				x	x	x	x	x	x					S26361-F2010-E244	85,00		
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro					x	x				x	x	x	x	x	x					S26361-F2010-E254	#####		
	REC-DVD Win7 Home Basic 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR			x				x	x	x											S26361-F2009-E633	3,00		
	License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe					x	x				x	x	x	x	x						S26361-F2010-E235	66,00		
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe					x	x				x	x	x	x	x	x						S26361-F2010-E245	85,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x	x				x	x	x								x	x		S26361-F2009-E643	3,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A412/AH512	LIFEBOOK A432/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH52/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK NS32	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH572	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe					x	x						x	x	x	x	x	x		S26361-F2010-E255	####		
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x					x	x	x									x	x	S26361-F2009-E653	3,00	
	License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India							x	x				x	x	x	x	x				S26361-F2010-E238	66,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India							x	x				x	x	x	x	x				S26361-F2010-E248	85,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India							x	x				x	x	x	x	x				S26361-F2010-E258	####	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x																	S26361-F2009-E753	3,00	
	Win7 HomeBasic64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x					x	x	x	x	x				S26361-F2110-E433	4,00	
	Win7 HomeBasic64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x					x	x	x	x	x				S26361-F2110-E436	4,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x					x	x	x	x	x				S26361-F2110-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x					x	x	x	x	x				S26361-F2110-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x					x	x	x	x	x				S26361-F2110-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x					x	x	x	x	x				S26361-F2110-E444	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH532/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK NH532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH572	Product Code	EUP (€)	Comments
----------	-------------	---------	---------------------	---------------------	--------------------	-------------------	---------------	---------------	----------------	----------------	----------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	----------------	----------------	--------------	---------	----------

OS/Application-SW (Continued)																								
Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	x			S26361-F2110-E445	4,00		
Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	x	x			S26361-F2110-E446	4,00	
Win7 Pro64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	x	x			S26361-F2110-E451	4,00	
Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	x	x			S26361-F2110-E452	4,00	
Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	x	x			S26361-F2110-E453	4,00	
Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	x	x			S26361-F2110-E454	4,00	
Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	x	x			S26361-F2110-E455	4,00	
Win7 Pro64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	x	x			S26361-F2110-E456	4,00	
REC-DVD Win7 Home Basic 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish						x	x				x	x	x	x	x	x					S26361-F2010-E633	3,00	
REC-DVD Win7 Home Basic 64 RUS	RU						x	x				x	x	x	x	x						S26361-F2010-E632	3,00	
REC-DVD Win7 Home Premium 64 All MuLi							x	x				x	x	x	x	x	x	x				S26361-F2010-E643	3,00	
REC-DVD Win7 Home Premium 64 RUS	RU						x	x				x	x	x	x	x	x					S26361-F2010-E642	3,00	
REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish						x	x				x	x	x	x	x	x	x				S26361-F2010-E653	3,00	
REC-DVD Win7 Professional 64 RUS	RU						x	x				x	x	x	x	x	x					S26361-F2010-E652	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH52/SL	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH52	LIFEBOOK NS32	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH572	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																								
	REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish					x	x				x	x	x	x	x	x	x	x		S26361-F2010-E753	3,00		
Mouse																								
	Mouse 400NB Black						x	x				x	x	x	x	x	x	x			S26391-F428-E100	17,00		
	MOUSE M410NB BLACK						x	x				x	x	x	x	x	x	x			S26391-F453-E100	17,00	Orderable from: 21/03/2013	
Miscellaneous																								
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note					x	x				x	x	x	x	x	x	x			S26391-F782-E200	3,00		
made4you Services																								
	DeskView Load Basic	With DeskView Load Basic you are able to offer customers DeskView Load as a defined package. Customers benefit of, Easy Windows® 7 downgrade. A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, Information about hardware components e.g. MAC - address, serial number at time of production via email, Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,				x			x	x	x								x	x	DVI:DVL_PACK_BAS	21,00		
	DeskView Load Expert	With DeskView Load Expert you are able to offer customers DeskView Load as a defined package. Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email or web service, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Specified Operating system customizing, Extended recovery scenario, Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,			x				x	x	x								x	x	DVI:DVL_PACK_EXP	38,50		
	DeskView Load Professional	With DeskView Load Professional you are able to offer customers DeskView Load as a defined package. Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,			x				x	x	x								x	x	DVI:DVL_PACK_PRO	47,25		



Positioning FUTRO thin clients



FUTRO S100

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.



**FUTRO S450
FUTRO S500**

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Ownership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S700

The powerful FUTRO S700 is your ideal thin client for server-based computing and virtual workplac solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonomics due to noiseless operation and significantly increased reliability. The outstanding manageability solution makes it easy to administer while reducing total cost of ownership. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
FUTRO S700					
	FUTRO S700 /1GB/DVI/VGA/1GB MSATA/	FUTRO S700 /1GB/DVI/VGA/1GB MSATA/ CK FUTRO INT/ELUX 3 + SC LIC/AC 20V/40W/ CABLE DE/MOUSEM510BLACK/ ,	PRJ:S0700P0001IT	380,00	

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S700					
	FUTRO S700	, FUTRO S700 Base unit: ; Mainboard type D3003-B miniITX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 2 GB, 1 SO DIMM (DDR3, 1066 MHz) slots , ; Graphics: AMD Radeon HD 6250; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 1 DP x DisplayPort, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),	S26361-K1040-V100	234,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S900

The powerful FUTRO S900 is your ideal thin client for server-based computing and virtual workplace solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonomics due to noiseless operation and significantly increased reliability. Additional slots offer the opportunity to meet all demands for the most challenging scenarios and outstanding manageability solution makes it easy to administer while reducing total cost of ownership. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S900	FUTRO S900 Base unit : ; Mainboard type D3003-A miniITX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 4 GB, 2 SO DIMM (DDR3, 1066 MHz) slots ; ; Graphics: AMD Radeon HD 6320 (in combination with AMD G-Series G-T56N)AMD Radeon HD 6250 (in combination with AMD G-Series G-T44R); Audio: Realtek ALC262; LAN: Built-in 10/100/1000 Mbit/s; Slots: 1 x (155 mm /) low profile (optional), 1 x PCI slots, 1 x PCI-Express x1; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 1 DP x DisplayPort, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),		S26361-K1050-V100	303,00	



Windows®. Life without Walls™. Fujitsu recommends Windows 7.

FUTRO Accessories

Category	Description	Details	FUTRO A300 eLux	FUTRO A300 WEC	FUTRO C200 iB15GV	FUTRO C400	FUTRO DC20-1	FUTRO L420	FUTRO L620	FUTRO S100	FUTRO S200	FUTRO S300	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments	
Accessories & services matrix																							
Graphics																							
	Y-cable for dual monitoring	Dual Monitoring support													x	x	x	x			S26361-F2421-L100	39,00	Phased out
	DVI-D Adapter for Dual DVI														x	x					S26361-F2421-L110	22,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately																			S26361-F2748-L997	107,00	
	CELSIUS RemoteAccess Dual Connection	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1						x	x												S26361-F3565-L2	262,00	Orderable from: 22/02/2013
	CELSIUS RemoteAccess Quad Card	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1						x	x												S26361-F3565-L4	433,00	Orderable from: 04/03/2013
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor							x												S26361-F2391-L200	35,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector						x	x						x	x	x	x			S26361-F2391-L1	19,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors															x				S26361-F2391-L101	32,00	
	DVI/VGA adapter		x	x																	S26361-F2391-L3	12,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors																			S26361-F2391-L102	34,00	
	Y-cable for dual monitoring		x	x																	S26361-F2421-L300	14,00	
Communication/Network																							
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel													x						S26361-F3465-L3	38,00	
	Dual serial card PCIe x1																x				S26361-F3465-L4	38,00	
	2nd LAN/PoE module															x	x				S26361-F3466-L1	38,00	
	WLAN 802.11a/Draft															x	x				S26361-F4525-L10	55,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket.														x	x				S26361-F3465-L1	28,00	Phased out
OS/Application-SW																							
	License for Scout EP	License for SCOUT Enterprise. (Licenses for eLux are not included.)	x	x					x					x	x	x	x	x	x		S26361-F2727-L701	45,00	
	License for eLux RL	License for eLux RL including 2 years of software support. (Licenses for SCOUT Enterprise are not included.)	x	x					x					x	x	x	x	x	x		S26361-F2727-L702	40,00	
	Subscription Key eLux/WES/Scout	Subscription Key for SCOUT Enterprise in combination with eLux and Windows Embedded Standard 7 (WSP7) to prolong the software support for 12 months.	x	x					x					x	x	x	x	x	x		S26361-F2727-L703	17,00	
	FLUENDO Codec Package	The FLUENDO Codec Package includes the licenses for using multimedia codecs in combination with eLux RL. The codecs itself are pre-installed on our eLux RL operating system. When ordering the FLUENDO Codec Package, you will receive a license key which allows to use the codecs on your Thin Client., Following codecs are covered: MP3, WMA stereo, AAC stereo, AC3 stereo, WMV, H264, MPEG4 part2 and MPEG2. .	x	x					x					x	x	x	x	x	x	S26361-F2727-L704	10,00		
	Windows MPS 2011 CAL						x	x													S26361-F2011-L170	67,00	
	License for PowerTerm WBT	License for PowerTerm InterConnect from Ericom., PowerTerm InterConnect is an emulation suite that allows you to connect to IBM mainframes, IBM AS/400, Unix, VAX/Alpha OpenVMS, Tandem (NSK), HP-3000 and Data General. To use this software, you must have the "PowerTerm InterConnect" (powerterm) package installed. The software includes a 30-minute trial period.	x	x					x					x	x	x	x	x	x		S26361-F2600-L144	28,00	
Security																							
	SmartCard Reader	internal														x					S26361-F1260-L802	33,00	
	SmartCard reader internal USB FUTRO S900	chipcard reader internal built in optional, USB interface, w/o SmartCard																x			S26361-F1260-L803	28,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license., for orders up to 99 licenses., no software, no data medium														x					S26361-F2727-L100	20,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7compatible, USB interface	x	x	x					x	x	x	x	x	x	x	x	x	x		S26381-F331-L220	25,00	
Miscellaneous																							
	Vesa Mounting Kit with Subadapter	Vesa Mounting Kit with Subadapter designed for FUTRO S100 and FUTRO A300, designed for FUTRO S100 and FUTRO A300; holder for TFT; includes short DVI cable	x	x						x											BDL-VESA-SUB-KIT	82,00	
	VESA Mounting Kit FUTRO Z-Series																			x	S26361-F1051-L10	12,00	Orderable from: 25/02/2013
	AC-Adapter 20V/40W																			x	S26361-F1051-L20	17,00	Orderable from: 25/02/2013
	Riser Card														x						S26361-F2421-L200	22,00	
	AC-Adapter 20V/40W																x				S26361-F2542-L14	17,00	
	PCI Riser																x				S26361-F2542-L19	28,00	
	PCIe Riser																	x			S26361-F2542-L20	28,00	
	Horizontal foot kit														x	x	x	x			S26361-F2542-L290	12,00	
	USB Security Cover																x	x	x	x	S26361-F2542-L291	17,00	
	VESA Kit w/ subadapter S4**/5**/7**/9**	Mounting kit for attaching Thin Clients to the rear of TFT displays. Attachable to most LCDs in combination with the included subadapter.													x	x	x	x			S26361-F2601-L530	44,00	
	Vesa Kit FUTRO S100 / A300	holder for TFT (15"-20") and PC (max 105x370x400mm)	x	x						x											S26361-F2601-L540	44,00	
	DVI cable for VESA Mounting Kit	holder for TFT (15"-20") and PC (max 105x370x400mm)	x	x																	S26361-F2601-L541	24,00	
	VESA Kit w/o subadapter S4**/5**/7**/9**	VESA Kit for FUTRO S450-2, FUTRO S550-2, FUTRO S700 and FUTRO S900 w/o VESA subadapter. . , For FUTRO S100 please select S26361-F2601-L540.															x	x	x	x	S26361-F2601-L550	44,00	
	VESA subadapter		x	x																	S26361-F2601-L600	18,00	
Cables																							
	Cable powercord (IND), 1.8m, black	black, 1.8m, suitable for: India, 3 wire																		x	T26139-Y1752-L10	4,00	
	power cable EU	black, 2-pole, 1,8 m	x	x					x						x	x	x	x		x	T26139-Y2540-V113	9,00	
	power cable UK	black, 2-pole, 1,8 m	x	x					x						x	x	x	x		x	T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1,8 m	x	x					x						x	x	x	x		x	T26139-Y2540-V313	9,00	
	Cable FTP CAT 5e, 5m	Standard-LAN-cable, RJ45	x	x		x	x										x	x	x	x	T26139-Y2425-M5	10,00	
	Cable FTP CAT 5e, 10m	Standard-LAN-cable, RJ45	x	x		x	x										x	x	x	x	T26139-Y2425-M10	15,00	
Additional Software																							
	OPENFT-CR (Unix systems) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, for openFT V12.0, Attention export restrictions															x	x	x		U10987-C599	15,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Accessories

Category	Description	Details	FUTRO A300 eLux	FUTRO A300 WEC	FUTRO C200 I915GV	FUTRO C400	FUTRO DC20-1	FUTRO L420	FUTRO L620	FUTRO S100	FUTRO S200	FUTRO S300	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments	
Additional Software (Continued)																							
	OPENFT-SW-CD (Unix systems) V12.0	Medium for UNIX systems, CD-ROM openFT-SW V12.0										x	x	x							U10987-C600	36,00	
	OPENFT-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs													x	x	x				U10987-C601	#####	
	OPENFT-FTAM-1 (Unix systems) V12.0	License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs													x	x	x				U10987-C613	#####	
	OPENFT-FTP-1 (Unix systems) V12.0	License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs													x	x	x				U10987-C625	550,00	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs													x	x	x				U10987-C501	#####	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs													x	x	x				U10987-C513	#####	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0													x	x	x				U10987-C500	36,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options matrix										
Approvals/dependencies										
	China (CCC) approval		x	x			x	S26361-F2550-E150	3,00	
	Energy Star 5.0			x				S26361-F2600-E170	3,00	
Processor										
	AMD T56N Dual Core Upgrade FUTRO S900	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately		x				S26361-F4584-E100	36,00	
	Heat sink S900 Dual Core Active	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately			x			S26361-F4584-E110	7,00	
	Heat sink S900 Dual Core Passive	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately			x			S26361-F4584-E120	15,00	
Memory										
	1 GB DDR3-1066 SODIMM		x	x				S26361-F4408-E1	20,00	
	2 GB DDR3-1066 SODIMM		x	x				S26361-F4408-E2	20,00	
	2GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM,			x	x		S26361-F4553-E2	19,00	
Graphics										
	No Adapter for VGA/DVI/DP		x	x				S26361-F2391-E10	3,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately			x			S26361-F2748-E997	85,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x	x				S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	x	x	x	x	x	S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors			x			S26361-F2391-E101	17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors			x			S26361-F2391-E102	19,00	
Hard Disks										
	1 GB mSATA		x	x	x	x		S26361-F3666-E1	22,00	
	2 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x	x	x	x		S26361-F3666-E2	39,00	
	4 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x	x	x	x		S26361-F3666-E4	55,00	
	8 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x	x	x	x		S26361-F3666-E8	100,00	
	16 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.		x	x	x		S26361-F3666-E16	179,00	
WebCam										
	Presence sensor + multi media module				x	x		S26361-F1065-E200	33,00	Orderable from: 01/03/2013
	No presence sensor + No multi media				x	x		S26361-F1065-E201	3,00	
Communication/Network										
	WLAN Atheros 802.11a/b/g/n						x	S26361-F1051-E30	22,00	Orderable from: 28/06/2013
	Integrated loudspeaker						x	S26361-F1051-E40	22,00	Orderable from: 25/02/2013
	Internal speaker		x	x				S26361-F2542-E13	22,00	
	PCI Riser			x				S26361-F2542-E19	22,00	
	PCI Riser			x				S26361-F2542-E20	22,00	
	WLAN Atheros HB116 a/g/n				x	x		S26361-F3108-E14	22,00	
	Dual serial card PCIe x1				x			S26361-F3465-E4	23,00	
	2nd LAN/PoE module		x	x				S26361-F3466-E1	36,00	
	WLAN 802.11a/Draft		x	x				S26361-F4525-E10	16,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket.			x			S26361-F3465-E1	16,00	Phased out
Countrv kits										
	Country kit FUTRO Z EU+	Country kit incl. Quick Start Guide, Safety manual, Service Desk and Warranty flyer					x	S26361-F2841-E300	6,00	Orderable from: 25/02/2013
	Country kit X9xx Euro-cable EU+	incl. power cord (Euro), safety manual (EU+),			x	x		S26361-F2930-E300	8,00	
	Country kit X9xx GB-cable (INT)	incl. power cord (GB), safety manual (INT),			x	x		S26361-F2930-E302	8,00	
	Country kit X9xx US-cable (INT)	incl. power cord (US), safety manual (INT),			x	x		S26361-F2930-E303	8,00	
	Country kit X9xx (IT)	Italy; incl. power cord (Euro), safety manual (IT),			x	x		S26361-F2930-E304	8,00	
	Country kit FUTRO S EU+	incl. power cord (Euro), safety manual (EU+),	x	x				S26361-F2841-E200	8,00	
	Country kit FUTRO S non EU	incl. power cord (Euro), safety manual (non EU),	x	x				S26361-F2841-E204	5,00	
	Country kit FUTRO Z non EU	Country kit incl. Quick Start Guide, Safety manual, Service Desk and Warranty flyer					x	S26361-F2841-E301	6,00	Orderable from: 25/02/2013
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x				S26391-F404-E911	2,00	
OneBox-Keyboards										



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options matrix										
OneBox-Keyboards (Continued)										
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x				S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x				S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x				S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x				S26381-K341-E185	27,00	
	KB410 USB GREY JP	KB410 USB, slim value keyboard with japanese layout on 108-key modul in grey. Fixed USB cable 1.8 m.			x	x		S26381-K510-E174	13,00	
	KB410 USB BLACK US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x		S26381-K510-E402	13,00	
	KB410 USB BLACK US ENGLISH 104 key	KB410 USB US 104 key US English layout, slim value keyboard with US layout on 104-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x		S26381-K510-E410	13,00	
	KB410 USB BLACK DE	KB410 USB, slim value keyboard with german layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x		S26381-K510-E420	13,00	
	KB410 USB BLACK GB	KB410 USB, slim value keyboard with english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x		S26381-K510-E465	13,00	
	KB410 USB BLACK AR/GB	KB410 USB, slim value keyboard with arabic / english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x		S26381-K510-E466	13,00	
	KB410 USB BLACK IT	KB410 USB, slim value keyboard with italian layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x		S26381-K510-E485	13,00	
	KB410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x		S26381-K515-E402	13,00	
	KB410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x		S26381-K515-E420	13,00	
	KB410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x		S26381-K515-E465	13,00	
	KB410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x		S26381-K515-E485	13,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x	x				S26381-K520-E102	13,00	
	KB520 US ENGLISH 104 key	KB520 keyboard standard 104keys, marble grey, US, cable USB 2m,	x	x	x	x		S26381-K520-E110	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x	x				S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x	x				S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x	x				S26381-K520-E185	13,00	
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x	x	x	x		S26381-K560-E402	16,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options matrix										
OneBox-Keyboards (Continued)										
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x	x	x	x		S26381-K560-E420	16,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x	x	x	x		S26381-K560-E465	16,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x	x	x	x		S26381-K560-E485	16,00	
	Wireless Keyboard Set LX900 US	Wireless Keyboard Set LX900 US 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries			x	x		S26381-K564-E402	38,00	
	Wireless Keyboard Set LX900 DE	Wireless Keyboard Set LX900 DE 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries			x	x		S26381-K564-E420	38,00	
	Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 GB 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries			x	x		S26381-K564-E465	38,00	
	Wireless Keyboard Set LX900 IT	Wireless Keyboard Set LX900 IT 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries			x	x		S26381-K564-E485	38,00	
	PS2 Keyboard Cable 2,0m	Keyboard cable PS2 for KBPC PX ECO, ca. 2,0 m length	x	x	x	x		T26139-Y4530-E1	4,00	
OS/Application-SW										
	eLux RT pre-inst. w/ license (built-in)	Pre-installed eLux RT with license for eLux RT including 1 year subscription for software support.					x	S26361-F2727-E750	12,00	Orderable from: 25/02/2013
	eLux RT pre-inst. incl. Scout (built-in)	Pre-installed eLux RT with license for eLux RT and Scout Enterprise including 1 year subscription for software support.					x	S26361-F2727-E751	62,00	Orderable from: 25/02/2013
	eLux RL3 pre-installed w/ license	Pre-installed eLux RL 3.x with license for eLux and including 2 years of software support. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.)	x	x	x	x		S26361-F2727-E706	38,00	
	eLux RL3 pre-installed w/o license	Pre-installed eLux RL 3.x with license for eLux including 2 years of software support (integrated subscription).	x	x	x	x		S26361-F2727-E705	6,00	
	eLux RL3 pre-installed incl. Scout	Pre-installed eLux RL 3.x with licenses for eLux and SCOUT Enterprise; including 2 years of software support (integrated subscription).	x	x	x	x		S26361-F2727-E707	72,00	
	Rec.DVD eLux RL3	Recovery-DVD for eLux RL 3.x. No licenses for eLux or Scout EP are included.	x	x	x	x		S26361-F2727-E708	3,00	
	Win Embedded Standard_7 German	German version of Windows Embedded Standard 7 (WS7E) without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x	x				S26361-F2009-E208	69,00	
	Win Embedded Standard_7 English	English version of Windows Embedded Standard 7 (WS7E) without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x	x				S26361-F2009-E211	69,00	
	Win Embedded Standard_7_SC German	German version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise. Licenses for SCOUT Enterprise are not included., Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x	x				S26361-F2009-E207	79,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options matrix										
OS/Application-SW (Continued)										
	Win Embedded Standard_7_SC English	English version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise. Licenses for SCOUT Enterprise are not included., Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x	x				S26361-F2009-E210	79,00	
	Win Embedded Std 7 SC Multimedia DE	German version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for SCOUT Enterprise are not included.	x	x				S26361-F2009-E219	95,00	
	Win Embedded Std 7 SC Multimedia ENG	English version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for SCOUT Enterprise are not included.	x	x				S26361-F2009-E220	95,00	
	Rec.DVD WES7 German	Recovery-DVD for the German version of Windows Embedded Standard 7 (WS7E). No license for Windows Embedded Standard is included.	x	x				S26361-F2009-E802	3,00	
	Rec.DVD WES7 English	Recovery-DVD for the English version of Windows Embedded Standard 7 (WS7E). No license for Windows Embedded Standard is included.	x	x				S26361-F2009-E805	3,00	
	Rec.DVD WES7 SC German	Recovery-DVD for the German version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise. No licenses for Windows Embedded Standard or SCOUT Enterprise are included.	x	x				S26361-F2009-E801	3,00	
	Rec.DVD WES7 SC English	Recovery-DVD for the English version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise. No licenses for Windows Embedded Standard or SCOUT Enterprise are included.	x	x				S26361-F2009-E804	3,00	
	Rec.DVD WES7 SC Multimedia DE	Recovery-DVD for the German version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for Windows Embedded Standard, SCOUT Enterprise or multimedia codecs are not included.	x	x				S26361-F2009-E808	3,00	
	Rec.DVD WES7 SC Multimedia ENG	Recovery-DVD for the English version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for Windows Embedded Standard, SCOUT Enterprise or multimedia codecs are not included.	x	x				S26361-F2009-E809	3,00	
	No Recovery DVD		x	x				S26361-F2009-E807	2,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options										
Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options matrix										
OS/Application-SW (Continued)										
	Win Embedded Std. 7 (WS7P) Multimedia	International version (German, English, French, Italian and Spanish) of Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent, support for modular updates and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Free modular package updates for 1 year are included. For further updates Subscription Keys eLux/WES/Scout (S26361-F2727-L703) are required. Licenses for SCOUT Enterprise are not included., Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.			x	x		S26361-F2009-E221	117,00	Orderable from: 18/02/2013
	Rec. DVD WES7 (WS7P) Multimedia	Recovery-DVD for the international version (German, English, French, Italian and Spanish) of Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for Windows Embedded Standard, SCOUT Enterprise or multimedia codecs are not included.,			x	x		S26361-F2009-E810	3,00	Orderable from: 18/02/2013
	No Operating System		x	x	x	x		S26361-F1818-E100	2,00	
UPS/Power supply										
	AC-Adapter 20V/40W		x	x				S26361-F2542-E14	8,00	
	PoE for FUTRO X Series				x	x		S26361-F3466-E2	33,00	
	Kein AC-Adapter		x	x			x	S26361-F2542-E18	2,00	
	AC-Adapter 20V/40W						x	S26361-F1051-E20	8,00	Orderable from: 25/02/2013
	Cable powercord (DE...), 1.8m, black	black, 1.8m, suitable for: Germany, France, Austria, etc.	x	x			x	T26139-Y2540-E100	4,00	
	Cable powercord (CN), 1.8m, black	black, 1.8m, suitable for: China, 2 wire.	x	x			x	S26361-F404-E702	6,00	
	Cable powercord (GB), 1.8m, black	black, 1.8m, suitable for: Great Britain, Ireland	x	x			x	T26139-Y2540-E200	4,00	
	Cable powercord (US), 1.8m, black	black, 1.8m, suitable for: US, 2 wire	x	x			x	T26139-Y2540-E300	4,00	
	Cable powercord (IN), 1.8m, black	black, 1.8m, suitable for: India, 2 wire	x	x			x	T26139-Y2540-E600	4,00	
Security										
	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S500 requires internal USB interface		x				S26361-F1260-E802	19,00	
	SmartCard Reader				x	x		S26361-F1260-E803	23,00	
Mouse										
	No Mouse		x	x			x	S26361-F2542-E12	2,00	
	Black Upgrade Mouse M440 ECO				x	x		S26361-F2542-E222	16,00	
	Optical USB mouse M510 grey		x	x			x	S26361-F2542-E223	6,00	
	ECO Mouse M440 black		x	x			x	S26361-F2542-E224	9,00	
	Optical tilt USB mouse M500T grey		x	x				S26361-F2542-E227	12,00	
	Optical USB mouse M510 black		x	x			x	S26361-F2542-E229	6,00	
	Blue LED MOUSE GL9000				x	x		S26381-K438-E100	17,00	
	Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi, Fujitsu logo, USB cable 1,8m,	x	x				S26381-K457-E100	6,00	
Miscellaneous										
	Horizontal foot kit		x	x				S26361-F2542-E290	5,00	
	USB Security Cover	contains 10 covers per order unit,	x	x			x	S26361-F2542-E291	5,00	
	TPM Module				x	x		S26361-F3552-E3	10,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x				S26361-F2542-E90	4,00	
Displays										
	Glare display surface					x		S26361-F1065-E210	2,00	
	Anti-glare display surface					x		S26361-F1065-E220	73,00	Orderable from: 03/06/2013
made4you Services										



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options matrix										
made4you Services (Continued)										
	DeskView Load Basic	With DeskView Load Basic you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, Information about hardware components e.g. MAC - address, serial number at time of production via email, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	x	x	x	x	DVI:DVL_PACK_BAS	21,00	
	DeskView Load Expert	With DeskView Load Expert you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email or web service, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Specified Operating system customizing , Extended recovery scenario, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	x	x	x	x	DVI:DVL_PACK_EXP	38,50	
	DeskView Load Professional	With DeskView Load Professional you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	x	x	x	x	DVI:DVL_PACK_PRO	47,25	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning ESPRIMO



ESPRIMO C

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.



ESPRIMO E

Put your performance on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands. Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every customer who requires high computing power. It can be positioned either horizontally or vertically.



ESPRIMO P

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.



ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design. With its extremely small and stylish design, the new Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Add an eye catcher to your desk.



ESPRIMO X

PRIMERGY TX tower servers are ideal for use in SMEs or branch offices. They increase operational efficiency by providing rock solid, record-breaking, energy efficient performance. That performance is built on 20-years of pioneering work in Green IT. As a customer, you benefit from a reduction in your organization's environmental impact and lower running costs. The reliability is proven by testing the machines through 5000 boot cycles – far more than other vendors do. PRIMERGY TX servers are also easy to manage via the PRIMERGY ServerView Suite, reducing IT admin workload and costs. Plus, tower to rack conversion kits are available for most TX



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO C

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space.

ESPRIMO PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO C710					
ESPRIMO C710	Base unit, proprietary system board D3164, Intel iQ75 chipset with max. 32GB address space, 4x DIMM slots DDR3 1600 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX 20642) / LAN (10/100/1000 Mbit/s Intel 82579V), 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe 3.0 x16 slot, 1x Serial ATA III (6GB/s/NCQ), 2x Serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (90% efficiency), optical USB tilt wheel mouse, internal speaker, , DeskView 10.x client management included., DVI to VGA adapter is part of shipment., , Interfaces: 2x serial external (powered), 2x PS/2, 2x USB 3.0 rear, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 3.0 front, 2x USB 2.0 front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45 , , optional:, Lock in front panel, Intrusion switch, SmartCard Reader	S26361-K1014-V200	323,00		



Windows® . Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 month, the ESPRIMO E is the right solution for customer requiring a high quality desktop.

ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO E510					
	ESP E510 E85+ /CORE i5-3470/	ESP E510 E85+ /CORE i5-3470/ 4GB DDR3-1600/500GB SATA III/PAR.INTF./ DUAL PORT/CK I/KB410USBBIT/ COA_W7_MM_PROFES/W7_PRO32_O1MULI_MA/	PRJ:E0510P0001IT	746,00	
ESPRIMO E710					
	ESP E710 E90+ /CORE i5-3570/ (Promo)	ESP E710 E90+ /CORE i5-3570/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB410PS2IT/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/	LKN:E0710P0001IT		
ESPRIMO E910					
	ESP E910 0WATT /CORE i7-3770/ (Promo)	ESP E910 0WATT /CORE i7-3770/ 4GB DDR3-1600/DVD SM/1000GB SATA III/ UPGR USB 3.0 ESP E/CK I/KB410PS2IT/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/	LKN:E0910P0002IT		
	ESP E910 0WATT /CORE i5-3570/ (Promo)	ESP E910 0WATT /CORE i5-3570/ 4GB DDR3-1600/DVD SM/500GB SATA III/ UPGR USB 3.0 ESP E/CK I/KB410PS2IT/ LIC WIN8 PRO/WIN8 PRO64 MAIN/	LKN:E0910P0004IT		
	ESP E910 E85+ /CORE i7-3770/	ESP E910 E85+ /CORE i7-3770/ 4GB DDR3-1600/DVD SM/500GB SATA III/ PAR.INTF./CK D/KB410USBBDE/ COA_W7_MM_PROFES/W7_PRO32_O1MULI_MA/	PRJ:E0910P0001IT	1.067,00	

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E400					
	ESPRIMO E400 E85+	ESPRIMO E400 E85+ Base unit: ; Mainboard type D2990 ATX; Chipset Intel H61, max. 16 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 Mbit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 250 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, optional x USB 3.0 total, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x VGA,	S26361-K1180-V400	187,00	
ESPRIMO E510					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E510 (Continued)					
	ESPRIMO E510 E85+	ESPRIMO E510 E85+ Base unit: ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0/ 2x 3.0 x USB rear, 2x 2.0/ 2x 3.0 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA	S26361-K1337-V320	234,00	
ESPRIMO E710					
	ESPRIMO E710 E90+	ESPRIMO E710 E90+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0/ 2x 3.0 x USB rear, 2 x USB internal, 1 x	S26361-K1337-V230	288,00	
	ESPRIMO E710 E85+	ESPRIMO E710 E85+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0/ 2x 3.0 x USB rear, 2 x USB internal, 1 x	S26361-K1337-V240	277,00	
ESPRIMO E910					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
ESPRIMO E910 (Continued)					
ESPRIMO E910 0-Watt		Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 0-Watt Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-	S26361-K1337-V130	460,00	
ESPRIMO E910 E90+		Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 E90+ Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-	S26361-K1337-V140	438,00	
ESPRIMO E910 E85+		Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 E85+ Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-	S26361-K1337-V150	427,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 month
 ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
 Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO P400					
	ESP P400 E85+ /CORE i3-3220/2 GB/DVD/	ESP P400 E85+ /CORE i3-3220/2 GB/DVD/ 500GB SATA III/CK EU EU+/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO32_O1MULI_MA/,	SAG:SEN-P400IN-220	561,00	
ESPRIMO P510					
	ESP P510 E85+ /CORE i5-3570/ (Promo)	ESP P510 E85+ /CORE i5-3570/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB410PS2IT/LIC WIN8 PRO/ WIN8 PRO64 MAIN/RDVD WIN8 PRO64/,	LKN:P0510P0006IT		
	ESP P510 E85+ /CORE i5-3470/	ESP P510 E85+ /CORE i5-3470/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB410PS2IT/LIC WIN8 PRO/ WIN8 PRO64 MAIN/RDVD WIN8 PRO64/,	PRJ:P0510P0001IT	744,00	
	ESP P510 E85+ /CORE i5-3470/	ESP P510 E85+ /CORE i5-3470/ 4GB DDR3-1600/500GB SATA III/PAR.INTF./ DUAL PORT/CK I/KB410USBBIT/ COA_W7_MM_PROFES/W7_PRO64_O1MULI_MA/,	PRJ:P0510P0002IT	746,00	
ESPRIMO P710					
	ESP P710 E90+ /CORE i5-3470/ (Promo)	ESP P710 E90+ /CORE i5-3470/ 4GB DDR3-1600/GF605 DP 1GB FH/DVD SM/ 500GB SATA III/CK I/KB410PS2IT/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:P0710P0002IT		
	ESP P710 E85+ /CORE i5-3470/	ESP P710 E85+ /CORE i5-3470/ 4GB DDR3-1600/DVD SM/250GB SATA III/ PAR.INTF./CK I/KB410PS2IT/ COA_W7_MM_PROFES/W7_PRO64_O1MULI_MA/,	PRJ:P0710P0001IT	777,00	
ESPRIMO P910					
	ESP P910 E85+ /CORE i5-3470/	ESP P910 E85+ /CORE i5-3470/ 2x2GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB900IT/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/,	PRJ:P0910P0001IT	944,00	
	ESP P910 0WATT /CORE i7-3770/	ESP P910 0WATT /CORE i7-3770/ 4GB DDR3-1600/GF605 DP 1GB FH/DVD SM/ 500GB SATA III/PAR.INTF./CK I/ KB410USBBIT/COA_W7_MM_PROFES/,	PRJ:P0910P0002IT	1.145,00	
	ESP P910 E90+ /CORE i5-3470/	ESP P910 E90+ /CORE i5-3470/ 4GB DDR3-1600/DVD SM/2x500GB SATA III/ HDD SSD CABLE/CK I/KB410PS2IT/ Nero 12 XL/XP DUDVD/DU DVD WIN7+8/NO OS/,	PRJ:P0910P0003IT	922,00	

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P400					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P400 (Continued)					
	ESPRIMO P400 E85+	ESPRIMO P400 E85+ Base unit ; Mainboard type D2990 ATX; Chipset Intel H61, max. 16 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules.); Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 330 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, optional x USB 3.0 total, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x VGA,	S26361-K1017-V300	187,00	
ESPRIMO P510					
	ESPRIMO P510 E85+	ESPRIMO P510 E85+ Base unit ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0/ 2x 3.0 x USB rear, 2x 2.0/ 2x 3.0 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA,	S26361-K1017-V400	234,00	
ESPRIMO P710					
	ESPRIMO P710 E90+	ESPRIMO P710 E90+ Base unit ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front,	S26361-K1015-V230	288,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P710 (Continued)					
	ESPRIMO P710 E85+	ESPRIMO P710 E85+ Base unit ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 2.0 total, 4 x USB 3.0 total, 4 x FireWire 800, 2 x FireWire 400, 2 x USB front	S26361-K1015-V240	277,00	
ESPRIMO P910					
	ESPRIMO P910 0-Watt	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 0-Watt Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 2.0 total, 4 x USB 3.0 total, 4 x FireWire 800, 2 x FireWire 400, 2 x USB front	S26361-K1015-V130	460,00	
	ESPRIMO P910 E90+	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 E90+ Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 2.0 total, 4 x USB 3.0 total, 4 x FireWire 800, 2 x FireWire 400, 2 x USB front	S26361-K1015-V140	438,00	
	ESPRIMO P910 E85+	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 E85+ Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 2.0 total, 4 x USB 3.0 total, 4 x FireWire 800, 2 x FireWire 400, 2 x USB front	S26361-K1015-V150	427,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design. With its extremely small and stylish design, the Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a fully-fledged PC. Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level. Add an eye catcher to your desk.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO Q510					
ESPRIMO Q510	Base unit, proprietary form factor, Intel iH61 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX20642) / LAN (10/100/1000 Mbit/s Intel 82579LM), 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 70W integrated power supply, optical USB scroll mouse., DVI to VGA adapter part of shipment., Zero Noise for standard office applications (SSD needed)., VESA monitor mounting (incl. screws/bolts) included., , Interfaces: 4x USB 2.0 rear, 2x USB 2.0 in front, 1x HDMI, 1x DVI, high definition audio, 1x LAN RJ45, 1x MultiCard Reader, , optional: , 1 Lock plate	S26361-K1011-V300	295,00		
ESPRIMO Q910					
ESPRIMO Q910	Base unit, proprietary form factor, Intel iQ77 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX20642) / LAN (10/100/1000 Mbit/s Intel 82579LM), 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 65 W integrated power supply, optical USB scroll mouse., , DVI to VGA adapter part of shipment., , Zero Noise for standard office applications (SSD needed)., , VESA monitor mounting (incl. screws/bolts) included., , Interfaces: 2x USB 2.0 rear, 2x USB 3.0 rear, 2x USB 3.0 in front, 1x DP, 1x DVI, high definition audio, 1x LAN RJ45, 1x MultiCard Reader, , , optional: , , 1 MiniCard for WLAN/Bluetooth module, 1 Intrusion switch, , 1 Lock plate,	S26361-K1011-V200	477,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO X

The stylish Fujitsu ESPRIMO X913 has all the advantages of a PC plus a multi-position 58.4 cm (23-inch) LED display (X913-T with touch display) and innovative easy log-in features. Achieve significant TCO savings with DeskView and Intel® vPro™ technology and protect confidential data with the integrated TPM module.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO X913					
ESPRIMO X913	ESPRIMO X913	ESPRIMO X913 Base unit: Intel vPro Logo with Core i5 processors; Mainboard type D3204 proprietary ; Chipset Intel Q77, max. 16 GB, 2 SO DIMM (DDR3, 1600 MHz) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD GraphicsIntel HD Graphics 2000Intel HD Graphics 2500; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: , Drive bays: 0 x 2.5-inch bays; 1 x Serial ATA III (6 GBit) NCQ AHCI; 100 W (integrated in system) Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, optional with camera module x Internal microphones, 1 x DVI, 4 x USB 3.0 total, 2 x USB 2.0 total, 2x2.0 2x3.0 x USB rear, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN, 1 (optional with WLAN module) x Bluetooth	S26361-K1065-V200	662,00	
ESPRIMO X913-T					
ESPRIMO X913-T	ESPRIMO X913-T	ESPRIMO X913-T Base unit: Intel vPro Logo with Core i5 processors; Mainboard type D3204 proprietary ; Chipset Intel Q77, max. 16 GB, 2 SO DIMM (DDR3, 1600 MHz) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD GraphicsIntel HD Graphics 2000Intel HD Graphics 2500; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: , Drive bays: 0 x 2.5-inch bays; 1 x Serial ATA III (6 GBit) NCQ AHCI; 100 W (integrated in system) Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, optional with camera module x Internal microphones, 1 x DVI, 4 x USB 3.0 total, 2 x USB 2.0 total, 2x2.0 2x3.0 x USB rear, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN, 1 (optional with WLAN module) x Bluetooth	S26361-K1065-V300	939,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Accessories

Category	Description	Details	ESPRIMO C5731	ESPRIMO C700	ESPRIMO C710	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E400	ESPRIMO E410	ESPRIMO E500	ESPRIMO E510	ESPRIMO E5645	ESPRIMO E5731	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E7936	ESPRIMO E900	ESPRIMO E910	ESPRIMO E9900	ESPRIMO P2560	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P400	ESPRIMO P410	ESPRIMO P500	ESPRIMO P510	ESPRIMO P5645	ESPRIMO P7011	ESPRIMO P705	ESPRIMO P710	ESPRIMO P720	ESPRIMO P7336	ESPRIMO P900	ESPRIMO P910	ESPRIMO P920	ESPRIMO P9900	ESPRIMO O1510	ESPRIMO O510	ESPRIMO O900	ESPRIMO O910	ESPRIMO O920	Product Code	EUP (€)	Comments																											
Security (Continued)																																																																								
	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 88 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F305-L102	45,00																											
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 88 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F305-L110	204,00																										
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista / Win7 compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F331-L220	25,00																										
	USB SCR 3500	External USB SmartCard Reader, folderable., Reads and write on all ISO 7816, 1-4 compliant SmartCards., CCID compliant, USB Bus powered.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F350-L100	27,00																										
Miscellaneous																																																																								
	Lock plate ESPRIMO Q	to prevent opening of the system unit, Kensington lock (option) necessary.																																						x	x	x	S26381-F2542-L338	12,00																												
	4 Rubber feet for vertical position									x	x	x	x																																	S26381-F2542-L480	13,00																									
	ESPRIMO Q mounting kit	incl. VESA subadapter																																								x	x	x	S26381-F2542-L75	52,00																										
	Subadapter	To mount the system at rear side of the monitor. Contents: Subadapter, screws, bolts. Please check the capability of the monitor. .																																								x	x	x	S26381-F2601-L200	22,00																										
	Feet for vertical position (set)									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F2542-L200	16,00																										
	Rear USB 2.0 connector	2x USB 2.0																																												S26381-F2438-L215	16,00																									
	Blanking Plate 5.25" drive bays, 10 pcs.								x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F2542-L326	15,00																									
	Blanking Plate 3.5" drive bays, 10 pcs.								x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F2542-L327	17,00																								
	Blanking Plate 5.25" drive bays, 3 pcs.	3x 5.25" covers & drive caoe							x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F2542-L328	17,00																									
	Blanking Plate + caoe 3.5" bay, 6 pcs.								x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F2542-L329	17,00																								
	Short DVI/DVI cable for mounting kit	short cable (440mm), for mounting kit. .																																										x	x	S26381-F2581-L111	32,00																									
Cables																																																																								
	Power cord China	necessary to contact monitor directly to the PC																																															S26381-F2642-J151	10,00																						
	Monitor outlet cable																																																S26381-F2542-L57	10,00																						
	Cable for 2 USB device																																																	S26381-F2581-L10	22,00																					
Additional Software																																																																								
	OPENFT-CR (Unix systems) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, for openFT V12.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C599	15,00																							
	OPENFT-SW-CD (Unix systems) V12.0	Medium for UNIX systems, CD-ROM openFT-SW V12.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C600	36,00																							
	OPENFT-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C601	1.348,00																						
	OPENFT-F1AM-1 (Unix systems) V12.0	License openFT-F1AM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C613	1.348,00																							
	OPENFT-F1P-1 (Unix systems) V12.0	License openFT-F1P (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C625	550,00																								
	OPENFT-CR (WINDOWS) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C399	15,00																							
	OPENFT-SW-CD (WINDOWS) V12.0	Medium for Windows systems, CD-ROM openFT-SW V12.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C400	30,00																								
	OPENFT-1 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C401	1.348,00																							
	OPENFT-F1AM-1 (WINDOWS) V12.0	License openFT-F1AM (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C411	1.348,00																							
	OPENFT-F1P-1 (WINDOWS) V12.0	License openFT-F1P (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C421	550,00																								
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C301	1.225,00																							
	OPENFT-F1AM-1 (WINDOWS) V11.0	License openFT-F1AM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311	1.225,00																								
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30,00																								
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15,00																							
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C501	1.225,00																							
	OPENFT-F1AM-1 (UNIX systems) V11.0	License openFT-F1AM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C513	1.225,00																								
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C500	36,00																							



Windows®. Life without Walls™. Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments	
Options matrix																							
Approvals/dependencies																							
	Housing for 2 full height PCI cards						x	x													S26361-F2542-E427	20.00	
	FastOn		x									x	x								S26361-F2550-E120	6.00	
	China (CCC) approval						x	x				x									S26361-F2550-E150	3.00	
	Green system																		x		S26361-F2550-E160	2.00	
Processor																							
	Pentium G645	incl. Intel HD Graphics, 2.90 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	x	x		x	x	x			x	x	x								S26361-F4050-E645	66.00	Phased out
	Pentium G2020	incl. Intel HD Graphics, 2.90 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	x	x	x	x	x	x			x	x	x								S26361-F4050-E202	66.00	
	Pentium G870	incl. Intel HD Graphics, 3.10 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	x	x	x	x	x	x			x	x	x								S26361-F4050-E870	73.00	
	Pentium G2120	incl. Intel HD Graphics, 3.10 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	x	x	x	x	x	x			x	x	x			x					S26361-F4050-E212	79.00	
	Core i3-2130	incl. Intel HD Graphics 2000, 3.40 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,	x	x		x	x	x			x	x	x								S26361-F4493-E214	134.00	Phased out
	Core i3-3220	incl. Intel HD Graphics 2500, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,	x	x	x	x	x	x			x	x	x								S26361-F4493-E322	134.00	
	Core i5-3330	Intel HD Graphics 2500, 3.00 GHz, up to 3.2 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-d		x	x											x	x				S26361-F4494-E330	204.00	
	Core i5-3470	incl. Intel HD Graphics 2500, 3.20 GHz, up to 3.6 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-d, TXT	x	x	x	x	x	x			x	x	x			x					S26361-F4494-E348	235.00	
	Core i5-3570	incl. Intel HD Graphics 2500, 3.40 GHz, up to 3.8 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-d, TXT	x			x	x	x			x	x	x								S26361-F4494-E357	262.00	
	Core i7-3770	incl. Intel HD Graphics 4000, 3.40 GHz, up to 3.9 GHz, 8 MB total cache, quad core/8 threads, LGA1155, technologies: VT-d, TXT	x	x	x	x	x	x			x	x	x			x					S26361-F4495-E377	365.00	
	Pentium G2020T	incl. Intel HD Graphics, 2.50 GHz, 3 MB total cache, dual core/2 threads,														x	x	x	x		S26361-F4050-E203	72.00	
	Core i3-3220T	incl. Intel HD Graphics 2500, 2.80 GHz, 3 MB total cache, dual core/4 threads,														x	x	x			S26361-F4493-E323	134.00	
	Core i3-3220T	incl. Intel HD Graphics 2500, 2.80 GHz, 3 MB total cache, dual core/4 threads,																	x		S26361-F4493-E324	103.00	
	Core i5-3470T	Intel HD Graphics 2500, 2.90 GHz, up to 3.60 GHz, 3 MB Total Cache, Dual Core/4 Threads, LGA1155, VT-d, TXT														x	x	x	x		S26361-F4494-E347	235.00	
Memory																							
	2GB DDR3-1333	1 module PC 1333, DIMM		x																	S26361-F3378-E2	19.00	
	4GB DDR3-1333	1 module PC 1333, DIMM		x																	S26361-F3378-E3	34.00	
	2GB DDR3-1600	1 module PC 1600, DIMM		x	x	x	x	x			x	x	x	x							S26361-F3384-E2	19.00	
	4GB DDR3-1600	1 module PC 1600, DIMM		x	x	x	x	x			x	x	x	x							S26361-F3384-E3	34.00	
	8GB DDR3-1600	1 module PC 1600, DIMM		x	x	x	x	x			x	x	x	x							S26361-F3384-E4	76.00	
	2GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM,														x	x	x	x		S26361-F4553-E2	19.00	
	4GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM,														x	x	x	x		S26361-F4553-E3	34.00	
	8GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM,														x	x	x	x		S26361-F4553-E4	76.00	
Graphics																							
	ATI Radeon HD7350 1GB FH	Dual DVI-I, DDR3, full height,									x	x	x	x							S26361-F3535-E736	42.00	
	NVIDIA GeForce GT630 DisplayPort 2GB FH	PCIe Gen3, DVI-I, dual link, display port, DDR3, full height,									x	x	x								S26361-F3000-E633	83.00	
	NVIDIA GeForce GT630 DisplayPort 2GB LP	PCIe Gen3, DVI-I, dual link, display port, DDR3, low profile,		x	x	x															S26361-F3000-E631	83.00	
	NVIDIA GeForce GT630 DP 2GB FH *0 Watt*	Display port, DVI-I, dual link, DX11, PCIe gen3, DDR3, full height														x	x				S26361-F3000-E637	83.00	
	NVIDIA GeForce GT630 DP 2GB LP *0 Watt*	Display port, DVI-I, dual link, DX11, PCIe gen3, DDR3, low profile		x			x	x													S26361-F3000-E635	83.00	
	NVIDIA GeForce 605 DisplayPort 1GB FH	DVI-I, display port, DDR3, full height,									x	x	x	x	x						S26361-F3000-E607	45.00	
	NVIDIA GeForce 605 DisplayPort 1GB LP	DVI-I, display port, DDR3, low profile,		x			x	x													S26361-F3000-E605	45.00	
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately																			S26361-F2748-E38	85.00	
	2nd NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately																			S26361-F2748-E138	85.00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately		x			x	x													S26361-F2748-E338	78.00	
	2nd NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately																			S26361-F2748-E438	78.00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x	x	x	x	x	x			x	x	x	x							S26361-F2391-E200	17.00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector					x	x	x	x	x	x	x							x	S26361-F2391-E1	6.00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors	x				x	x	x			x	x								S26361-F2391-E101	17.00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors	x				x	x	x			x	x								S26361-F2391-E102	19.00	
Removable Media Drives																							
	ODD cover (dummy drive)	necessary when no ODD is configured																			S26361-F2542-E53	4.00	
	Cable for 2nd ODD																				S26361-F2581-E23	4.00	
	BD Triple Writer SATA Slot-in slim																				S26361-F3717-E200	106.00	
	DVD SuperMulti SATA Slot-in slim	occupies accessible 5.25"-bay, DVD software must be ordered separately,	x																		S26361-F3741-E200	37.00	
	DVD SATA	occupies accessible 5.25"-bay, DVD software must be ordered separately	x	x	x	x	x	x			x	x	x								S26361-F3418-E510	16.00	
	DVD SuperMulti SATA	occupies accessible 5.25"-bay, DVD software must be ordered separately	x	x	x	x	x	x			x	x	x								S26361-F3420-E510	23.00	
	Blu-ray Triple Writer SATA slim (tray)	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately	x	x	x	x	x	x			x	x	x								S26361-F3716-E100	73.00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments
Removable Media Drives (Continued)																						
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface. Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3077-E50	10,00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,	x					x												S26361-F3077-E51	13,00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,			x					x										S26361-F3077-E52	13,00	
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay,DVD software must be ordered separately	x																	S26361-F3429-E510	30,00	
Hard Disks																						
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support		x					x					x	x	x				S26361-F3679-E128	160,00	
	SSD SATA III 256GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support,		x					x					x	x	x				S26361-F3679-E256	282,00	
	HDD SATA II 500GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)				x									x	x	x	x		S26361-F3658-E500	93,00	
	HDD SATA II 320GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)		x					x						x	x	x	x		S26361-F3658-E320	70,00	
	SSD SATA III 64GB Smart Response cache	Very fast 2.5" SSD with SATA 6GB/s interface, incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,												x						S26361-F3742-E64	88,00	
	SSD SATA III 64GB Smart Response cache	very fast 2.5" SSD with SATA 6GB/s interface, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,						x												S26361-F3743-E64	88,00	
	SSD SATA III 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support	x	x		x	x	x	x											S26361-F3680-E128	160,00	
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support											x	x						S26361-F3681-E128	160,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	x	x		x	x	x	x											S26361-F3680-E256	282,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support										x	x							S26361-F3681-E256	282,00	
	WIN8 - SSD SATA III 64GB Smart Response	Very fast 2.5" SSD with SATA 6GB/s interface, incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,												x						S26361-F3769-E64	88,00	
	WIN8 - SSD SATA III 64GB Smart Response	very fast 2.5" SSD with SATA 6GB/s interface, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,						x												S26361-F3768-E64	88,00	
	WIN8 - SSD SATA III 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support	x	x		x	x	x	x											S26361-F3763-E128	160,00	
	WIN8 - SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support														x	x	x	x	S26361-F3762-E128	160,00	
	WIN8 - SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support										x	x							S26361-F3764-E128	160,00	
	WIN8 - SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	x	x		x	x	x	x											S26361-F3763-E256	282,00	
	WIN8 - SSD SATA III 256GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support,														x	x	x	x	S26361-F3762-E256	282,00	
	WIN8 - SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support										x	x							S26361-F3764-E256	282,00	
	SSD 128GB high speed FDE	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support	x	x		x	x	x	x											S26361-F3575-E100	224,00	
	SSD 128GB high speed FDE	very fast 2.5" solid state drive with SATA 3GB/s interface, incl. easy rail, no WinXP support										x	x							S26361-F3639-E100	224,00	
	SSD SATA III 128GB high speed SED		x	x		x	x	x	x											S26361-F3771-E128	170,00	
	SSD SATA III 128GB high speed SED												x	x						S26361-F3772-E128	170,00	
	SSD SATA III 128GB high speed SED				x				x						x	x	x	x		S26361-F3773-E128	170,00	
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x	x	x	x	x	x	x	x										S26361-F3660-E250	58,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH10	ESPRIMO O510	ESPRIMO O910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments	
Hard Disks (Continued)																						
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)									x	x							S26361-F3660-E251	58,00		
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x	x	x	x	x	x	x	x				x	x				S26361-F3660-E500	68,00		
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)									x	x							S26361-F3660-E501	68,00		
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x						S26361-F3660-E100	113,00		
	HDD SATA III 2000GB 7.2k AF	occupies 3.5"-bay (internal), Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x		x					S26361-F3660-E200	163,00		
	HDD SATA II 250GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)													x	x			S26361-F3745-E250	70,00	Phased out	
	HDD SATA II 750GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)													x	x	x	x	S26361-F3658-E750	106,00		
	HDD SATA II 1000GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)													x	x	x	x	S26361-F3658-E100	144,00		
	HDD SATA II 320GB 7.2k 2.5"	supports NCQ and 3GB/s, compatible to SATA technology,	x	x		x	x	x	x		x	x			x	x	x	x	S26361-F3721-E320	74,00		
	HDD SATA III 500GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x				x	x			x	x							S26361-F3497-E100	105,00		
	Cable for 2nd HDD/SSD	necessary for the operation of the 2nd HDD or SSD	x	x	x	x	x	x	x	x	x	x		x					S26361-F2581-E30	3,00		
WebCam																						
	No presence sensor + No multi media																x	x	S26361-F1065-E201	3,00		
	Presence sensor + multi media module																x	x	S26361-F1065-E202	33,00		
Communication/Network																						
	WLAN 802.11b/g/n (2x2) und Bluetooth USB 3.0 PCIe x1	FTS D3305, connectors: 1x USB Typ A external, 1x USB Typ A internal; PCIe x1,		x	x				x	x								x	x	S26361-F3108-E13	17,00	
	Upgrade USB 3.0 front connector ESP P											x	x						S26361-F3050-E20	9,00		
	Upgrade USB 3.0 front connector ESP E						x	x											S26361-F3050-E30	9,00		
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0	x	x	x	x	x	x	x										S26361-F3067-E60	17,00		
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0							x	x	x	x	x						S26361-F3067-E90	17,00		
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface; only EMEA	x	x		x	x	x	x		x	x	x						S26361-F3108-E5	16,00		
	WLAN 802.11b/g/n (2x2) and Bluetooth	Intel Centrino Wireless-N 2230 (802.11b/g/n, 2x2, single band Wi-Fi + Bluetooth 4.0), delivers up to 300 Mbps speed in the 2.4 GHz band with multiple streams ,													x	x			S26361-F3108-E12	14,00		
	Parallel Interface LP	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot					x	x	x										S26361-F2542-E30	3,00		
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height						x	x		x	x	x						S26361-F2542-E34	3,00		
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x																S26361-F2542-E60	3,00		
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; low profile	x				x	x	x										S26361-F2542-E40	3,00		
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; full height						x	x		x	x	x						S26361-F2542-E70	4,00		
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel	x	x	x	x	x	x	x	x	x	x							S26361-F3316-E6	25,00		
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel	x	x	x	x	x	x	x	x	x	x							S26361-F3316-E7	26,00		
Country kits																						
	Country kit US-cable (INT)	incl. power cord (US), safety manuals (EU+, non EU)	x	x	x	x	x	x			x	x	x						S26361-F2930-E100	8,00		
	Country kit (DE)	Germany; incl. power cord (Euro), safety manual (DE)	x	x	x	x	x	x	x	x	x	x		x					S26361-F2930-E101	8,00		
	Country kit (IT)	Italy; incl. power cord (IT), safety manual (IT)	x	x	x	x	x	x	x	x	x	x		x					S26361-F2930-E104	8,00		
	Country kit (GB)	United Kingdom; incl. power cord (GB), safety manual (EN)	x	x	x	x	x	x	x	x	x	x		x					S26361-F2930-E105	8,00		
	Country kit GB-cable (non EU)	incl. power cord (GB), safety manual (INT)	x	x	x	x	x	x	x	x	x	x		x					S26361-F2930-E110	8,00		
	Country kit (JP)	Japan; incl. power cord (JP), safety manual (non EU), incl. Japan supplementary sheets																	S26361-F2930-E113	8,00		
	Country kit ESPRIMO Q Euro-cable (INT)	incl. power cord (Euro), safety manual (INT)													x	x			S26361-F2930-E122	8,00		
	Country kit ESPRIMO Q (IT)	incl. power cord (IT), safety manual (IT)													x	x			S26361-F2930-E123	8,00		
	Country kit ESPRIMO Q GB-cable (INT)	incl. power cord (GB), safety manual (INT)													x	x			S26361-F2930-E124	8,00		
	Country kit ESPRIMO Q US-cable (INT)	incl. power cord (US), safety manual (INT)													x	x			S26361-F2930-E127	8,00		
	Country kit ESPRIMO Q (DE)	incl. power cord (Euro), safety manual (INT)													x	x			S26361-F2930-E128	8,00		
	Country kit without power cord (INT)	without power cord, incl. safety manuals (EU+, non EU)	x	x	x	x	x	x	x	x	x	x		x					S26361-F2930-E135	8,00		
	Country kit Euro-cable (EU+)	incl. power cord (Euro), safety manual (EU+)	x	x	x	x	x	x	x	x	x	x		x					S26361-F2930-E141	8,00		
	Country kit X9xx Euro-cable EU+	incl. power cord (Euro), safety manual (EU+)															x	x	S26361-F2930-E300	8,00		
	Country kit X9xx GB-cable (INT)	incl. power cord (GB), safety manual (INT)															x	x	S26361-F2930-E302	8,00		
	Country kit X9xx US-cable (INT)	incl. power cord (US), safety manual (INT)															x	x	S26361-F2930-E303	8,00		
	Country kit X9xx (IT)	Italy; incl. power cord (Euro), safety manual (IT)															x	x	S26361-F2930-E304	8,00		
	Country kit ESP Q Euro cable PVC free	incl. PVC free power cord (Euro), safety manual (INT)													x	x			S26361-F2950-E100	9,00		
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x	x	x	x	x	x	x	x	x		x					S26391-F404-E911	2,00		
OneBox-Keyboards																						
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x			x	x	x		x	x			S26381-K341-E110	27,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments
OneBox-Keyboards (Continued)																					
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x		x	x	x			x	x			S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x		x	x	x			x	x			S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x		x	x	x			x	x			S26381-K341-E185	27,00	
	KB410 USB GREY JP	KB410 USB, slim value keyboard with japanese layout on 108-key modul in grey. Fixed USB cable 1.8 m.	x			x	x	x	x	x	x	x		x			x	x	S26381-K510-E174	13,00	
	KB410 USB BLACK US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	S26381-K510-E402	13,00	
	KB410 USB BLACK US ENGLISH 104 key	KB410 USB US 104 key US English layout, slim value keyboard with US layout on 104-key modul in black. Fixed USB cable 1.8 m.	x			x	x	x		x	x	x			x	x	x		S26381-K510-E410	13,00	
	KB410 USB BLACK DE	KB410 USB, slim value keyboard with german layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	S26381-K510-E420	13,00	
	KB410 USB BLACK GB	KB410 USB, slim value keyboard with english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	S26381-K510-E465	13,00	
	KB410 USB BLACK AR/GB	KB410 USB, slim value keyboard with arabic / english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	S26381-K510-E466	13,00	
	KB410 USB BLACK IT	KB410 USB, slim value keyboard with italian layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	S26381-K510-E485	13,00	
	KB410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x	x	x	x	x	x	x		x					S26381-K515-E402	13,00	
	KB410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x	x	x	x	x	x	x		x					S26381-K515-E420	13,00	
	KB410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x	x	x	x	x	x	x		x					S26381-K515-E465	13,00	
	KB410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x	x	x	x	x	x	x		x					S26381-K515-E485	13,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x	x	x	x	x	x	x	x	x	x		x	x	x			S26381-K520-E102	13,00	
	KB520 US ENGLISH 104 key	KB520 keyboard standard 104keys, marble grey, US, cable USB 2m,	x			x	x	x		x	x	x		x	x	x			S26381-K520-E110	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x	x	x	x	x	x	x	x	x	x		x	x	x			S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x	x	x	x	x	x	x	x	x	x		x	x	x			S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x	x	x	x	x	x	x	x	x	x		x	x	x			S26381-K520-E185	13,00	
	KB BT LX360 US	KB BT LX360 US Bluetooth 2.1 HID standard, 80-keys															x	x	S26381-K540-E402	26,00	
	KB BT LX360 DE	KB BT LX360 DE Bluetooth 2.1 HID standard, 80-keys															x	x	S26381-K540-E420	26,00	
	KB BT LX360 GB	KB BT LX360 GB Bluetooth 2.1 HID standard, 80-keys															x	x	S26381-K540-E465	26,00	
	KB BT LX360 IT	KB BT LX360 IT Bluetooth 2.1 HID standard, 80-keys															x	x	S26381-K540-E485	26,00	
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2	x	x		x			x	x			x						S26381-K551-E420	10,00	Phased out
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x		x	x	x		x	x	x	x		S26381-K560-E402	16,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x		x	x	x		x	x	x	x		S26381-K560-E420	16,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x		x	x	x		x	x	x	x		S26381-K560-E465	16,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x		x	x	x		x	x	x	x		S26381-K560-E485	16,00	
	Wireless Keyboard Set LX900 US	Wireless Keyboard Set LX900 US 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries															x	x	S26381-K564-E402	38,00	
	Wireless Keyboard Set LX900 DE	Wireless Keyboard Set LX900 DE 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries															x	x	S26381-K564-E420	38,00	
	Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 GB 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries															x	x	S26381-K564-E465	38,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments		
Options matrix																								
OneBox-Keyboards (Continued)																								
	Wireless Keyboard Set LX900 IT	Wireless Keyboard Set LX900 IT 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries																	x	x	S26381-K564-E485	38,00		
	PS2 Keyboard Cable 2.0m	Keyboard cable PS2 for KBPC PX ECO, ca. 2.0 m length	x				x	x				x	x								T26139-Y4530-E1	4,00		
OS/Application-SW																								
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback), BackItUp on DVD		x	x				x	x						x					S26361-F1818-E893	10,00		
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F1818-E897	10,00		
	Nero 12 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp	x			x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F1818-E899	10,00		
	Power DVD 10 SW for DVD playback	Power DVD 10 SW for DVD playback, Playback SW for DVD	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2012-E180	6,00		
	Power DVD10 SW for BD/DVD playback	Power DVD 10 SW for DVD playback, Playback SW for DVD	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2012-E181	23,00		
	SAG CAT Client WIN7 Jul12	preloaded XP Prof., short documentation					x					x									S26361-F2109-E985	4,00		
	Licenz EU/MM - Windows 7 Ultimate	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x		x	x	x	x		x	x	x			x	x				S26361-F2210-E325	166,00		
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x		x	x	x	x		x	x	x			x	x				S26361-F2009-E243	85,00		
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x	x	x	x	x	x	x	x	x			x	x				S26361-F2009-E253	122,00		
	License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x	x		x	x	x	x		x	x	x			x	x				S26361-F2009-E232	66,00		
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x	x		x	x	x	x		x	x	x			x	x				S26361-F2009-E242	85,00		
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x	x		x	x	x	x		x	x	x			x	x				S26361-F2009-E252	122,00		
	Linux	on DVD, open source	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-E894	3,00		
	License - Windows 8 Pro		x	x	x	x	x	x	x	x	x	x	x			x	x	x	x		S26361-F2208-E100	116,00		
	License - Windows 8 Pro ZT Taiwan					x										x					S26361-F2208-E101	116,00		
	License - Windows 8 Pro ZT Hongkong					x										x					S26361-F2208-E102	116,00		
	License - Windows 8		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E103	79,00		
	License - Windows 8 ZT Taiwan					x										x					S26361-F2208-E104	79,00		
	License - Windows 8 ZT Hongkong					x										x					S26361-F2208-E105	79,00		
	License EM - Windows 8	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro, Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe, India and China	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x		S26361-F2208-E106	60,00	
	License EM - Windows 8 ZH					x						x							x		S26361-F2208-E107	60,00		
	License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x		x	x		x		x	x				x	x				S26361-F2009-E234	66,00		
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x		x	x	x	x		x	x	x			x	x				S26361-F2009-E244	85,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options			ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments
Category	Description	Details																				
OS/Application-SW (Continued)																						
License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro		x	x		x	x	x	x		x	x	x			x	x			S26361-F2009-E254	122,00	
License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe		x	x		x	x	x	x		x	x	x			x	x			S26361-F2009-E235	66,00	
License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe		x	x		x	x	x	x		x	x	x			x	x			S26361-F2009-E245	85,00	
Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.		x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	S26361-F2208-E200	4,00	
Load Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.		x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	S26361-F2208-E201	4,00	
Load Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.		x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	S26361-F2208-E202	4,00	
Load Win8 Pro (64) ZT Taiwan+Office2010t	Chinese Traditional Taiwan, English, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually., ,						x					x				x				S26361-F2208-E203	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)																							
	Load Win8 Pro (64) ZT HK+Office2010t	Chinese Traditional Hongkong. , Windows 8 Secure Boot is activated. , Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.					x						x						x		S26361-F2208-E204	4,00	
	Load Win8 Pro (64) TH+Office2010t	Single language: Thai, English. , Windows 8 Secure Boot is activated. , Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.					x						x						x		S26361-F2208-E205	4,00	
	Load Win8 Pro (64) JA	Japanese, English. , Windows 8 Secure Boot is activated. , Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.					x						x						x		S26361-F2208-E206	4,00	
	Load Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E207	4,00	
	Load Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E208	4,00	
	Load Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E209	4,00	
	Load Win8 (64) ZT Taiwan+Office2010t	Chinese Traditional Taiwan, English					x						x						x		S26361-F2208-E210	4,00	
	Load Win8 (64) ZT HK+Office2010t	Chinese Traditional Hongkong					x						x						x		S26361-F2208-E211	4,00	
	Load Win8 (64) TZH+Office2010t	Thai, English	x				x						x						x		S26361-F2208-E212	4,00	
	Load Win8 (64) EM+Office2010t	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E213	4,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x			x	x	x				x	x					x		S26361-F2208-E214 S26361-F2009-E255	4,00 122,00	
	License EM-SEA - Windows 7 Home Basic	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam	x	x			x	x	x	x			x	x					x		S26361-F2009-E236	66,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																						
	License EM-LATAM Windows 7 Home Basic	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islan, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela							x											S26361-F2009-E237	66,00	
	OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	S26361-F2208-E300	3,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only, For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x		x	x	x	x		x	x	x			x	x	x	x	S26361-F2009-E271	110,00	Phased out
	OS RDVD Windows 8 Pro (32) ZT Taiwan	Chinese Traditional Taiwan, English																		S26361-F2208-E301	3,00	
	OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	S26361-F2208-E302	3,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License only, For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x		x	x	x	x		x	x	x			x	x	x	x	S26361-F2009-E272	194,00	Phased out
	OS RDVD Windows 8 Pro (64) ZT Taiwan	Chinese Traditional Taiwan, English																		S26361-F2208-E303	3,00	
	OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	S26361-F2208-E304	3,00	



Windows®. Life without Walls™. Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)																						
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access. Package contains: License only. For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed. The installed Microsoft Windows 7 operating system language version determines the Office 2010, language version it will be the same. With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBERNE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x		x	x	x	x	x	x				x	x	x	x	S26361-F2009-E273	333,00	Phased out	
	OS RDVD Windows 8 (32) ZT Taiwan	Chinese Traditional Taiwan, English					x				x								S26361-F2208-E305	3,00		
	OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E306	3,00	
	OS RDVD Windows 8 (64) ZT Taiwan	Chinese Traditional Taiwan, English					x				x								S26361-F2208-E307	3,00		
	OS RDVD Windows 8 (32) EM		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	S26361-F2208-E308	3,00		
	OS RDVD Windows 8 (32) EM ZH						x												S26361-F2208-E309	3,00		
	OS RDVD Windows 8 (64) EM		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	S26361-F2208-E310	3,00		
	OS RDVD Windows 8 (64) EM ZH						x												S26361-F2208-E311	3,00		
	License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India					x			x									S26361-F2009-E238	66,00		
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India	x	x	x	x	x	x	x	x	x				x	x			S26361-F2009-E248	85,00		
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x	x	x	x	x	x	x	x	x				x	x			S26361-F2009-E258	122,00		
	License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam,					x				x								S26361-F2210-E121	122,00		
	LicenseChinTradTaiwan Win 7 Professional	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan,						x			x								S26361-F2210-E122	122,00		
	License EM-ChinSimpl Win 7 Professional	License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina, Shipment limited to PRChina,						x			x								S26361-F2210-E123	122,00		
	LicenseChinTrad HK - Win7 Professional	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRChina + Japan,						x			x								S26361-F2210-E124	122,00		
	License MM-Japanese -Win 7 Professional	License sticker(COA)MM-Japanese,English, Mature Markets - Japanese, English, Worldwide shipment,						x											S26361-F2210-E125	122,00		
	License MM-Thai - Windows 7 Professional	License sticker (COA) MM-Thai, English, Mature Markets - Thai, English, Worldwide shipment,						x			x								S26361-F2210-E126	122,00		
	License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietna,						x			x								S26361-F2210-E221	85,00		
	LicenseChinTradTaiwan Win 7 Home Premium	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan,						x			x								S26361-F2210-E222	85,00		
	License EM-ChinSimpl Win 7 Home Premium	License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina, Shipment limited to PRChina,						x			x								S26361-F2210-E223	85,00		
	License ChinTrad HK - Win 7 Home Premium	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRChina + Japan,						x			x								S26361-F2210-E224	85,00		
	License MM-Thai - Windows 7 Home Premium	License sticker (COA) MM-Thai, English, Mature Markets - Thai, English, Worldwide shipment,						x			x								S26361-F2210-E226	85,00		
	Win7-Load Pro32 MAIN+Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), . The BIOS setting for Secure Boot is disabled. . Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x			x	x	x	x	S26361-F2208-E400	4,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options			ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments	
Category	Description	Details																					
Options matrix																							
OS/Application-SW (Continued)																							
	Win7-Load Pro32 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	S26361-F2208-E401	4,00		
	Win7-Load Pro32 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x				x	x	x	x	S26361-F2208-E402	4,00		
	Win7-Load Pro32 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x				x	x	x	x	S26361-F2208-E403	4,00		
	Win7-Load Pro32 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x				x	x	x	x	S26361-F2208-E404	4,00		
	Win7-Load Pro64 MAIN + Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x				x	x	x	x	S26361-F2208-E405	4,00		
	Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x				x	x	x	x	S26361-F2208-E406	4,00		
	Win7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x				x	x	x	x	S26361-F2208-E407	4,00		
	Win7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x				x	x	x	x	S26361-F2208-E408	4,00		
	Win7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x				x	x	x	x	S26361-F2208-E409	4,00		
	Win7-Load Pro64 TH+Office2010t	Thai, English, , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x					x					x			S26361-F2208-E410	4,00		
	Win7-Load Pro64 ZT TW+Office2010t	Chinese Traditional Taiwan, English, , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x					x					x			S26361-F2208-E411	4,00		
	Win7-Load Pro64 ZH+Office2010t	Chinese simplified, , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x					x					x			S26361-F2208-E412	4,00		
	Win7-Load Pro64 ZT HK+Office2010t	Chinese Traditional Hongkong, English, , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x					x					x			S26361-F2208-E413	4,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options																					
Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																					
	Win7-Load Pro64 JA	Japanese, English, , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.				x					x						x		S26361-F2208-E414	4,00	
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD. , Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.		x	x	x			x	x	x				x	x			S26361-F2007-E420	33,00	
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD. , Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2007-E421	33,00	
	No Operating System		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E100	2,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x		x	x	x	x		x	x	x		x	x			S26361-F2109-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x		x	x	x	x		x	x	x		x	x			S26361-F2109-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x		x	x	x	x		x	x	x		x	x			S26361-F2109-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x		x	x	x	x		x	x	x		x	x			S26361-F2109-E444	4,00	
	Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x		x	x	x	x		x	x	x		x	x			S26361-F2109-E445	4,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x		x	x	x	x		x	x	x		x	x			S26361-F2109-E446	4,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x			x	x			S26361-F2109-E351	4,00	
	Win7 Pro32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x			x	x			S26361-F2109-E352	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options																Product Code	EUP (€)	Comments				
Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T			
OS/Application-SW (Continued)																						
	Win7 Pro32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x			x	x			S26361-F2109-E353	4,00	
	Win7 Pro32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x			x	x			S26361-F2109-E354	4,00	
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x			x	x			S26361-F2109-E355	4,00	
	Win7 Pro 32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x		x	x	x	x		x	x	x			x	x			S26361-F2109-E356	4,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x			x	x			S26361-F2109-E451	4,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x			x	x			S26361-F2109-E452	4,00	
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x			x	x			S26361-F2109-E453	4,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x			x	x			S26361-F2109-E454	4,00	
	Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x			x	x			S26361-F2109-E455	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P410	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																					
	Win7 Pro 64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x		x	x	x		x	x				x	x			S26361-F2109-E456	4,00	
	RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x			x	x	x	x	S26361-F2208-E500	6,00	
	RDVD Downgrade Win7 Pro (32)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x			x	x	x	x	S26361-F2208-E501	6,00	
	RDVD Downgrade Win7 Pro (64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x			x	x	x	x	S26361-F2208-E502	6,00	
	RDVD Downgrade Win7 Pro (64) TH	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR					x				x					x			S26361-F2208-E503	6,00	
	RDVD Downgrade Win7 Pro (64) ZT-TW	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR					x				x					x			S26361-F2208-E504	6,00	
	RDVD Downgrade Win7 Pro (64) ZH	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR					x				x					x			S26361-F2208-E505	6,00	
	RDVD Downgrade Win7 Pro (64) ZT-HK	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR					x				x					x			S26361-F2208-E506	6,00	
	RDVD Downgrade Win7 Pro (64) JA	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR					x				x					x			S26361-F2208-E507	6,00	
	Win7 HomeBasic32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x		x	x	x	x	x	x	x			x	x			S26361-F2109-E336	3,00	
	LoadWin7 Pro64 Thai+Office2010s	Languages: EN, TH (English, Thai), , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x				x				x				S26361-F2210-E101	4,00	
	LoadWin7Pro64 ChinTradTaiwan+Office2010s	Languages: EN, Chinese Traditional Taiwan, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x				x				x				S26361-F2210-E102	4,00	
	LoadWin7Pro64 ChinSimplified+Office2010s	Languages: Chinese Simplified PRC (People's Republic of China), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x				x				x				S26361-F2210-E103	4,00	
	LoadWin7Pro64 ChinTradHK+Office2010s	Languages: EN, Chinese Traditional Hongkong, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x				x				x				S26361-F2210-E104	4,00	
	LoadWin7 Pro64 Japanese+Office2010s	Languages: EN, JP (English, Japanese), , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x				x				x				S26361-F2210-E105	4,00	
	LoadWin7 HP64 Thai+Office2010s	Languages: EN, TH (English, Thai), , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x				x				x				S26361-F2210-E201	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)																						
	LoadWin7 HP64 ChinTradTaiwan+Office2010s	Languages: EN, Chinese Traditional Taiwan, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x					x								S26361-F2210-E202	4,00	
	LoadWin7 HP64 ChinSimplified+Office2010s	Languages: Chinese Simplified PRC (People's Republic China), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x					x								S26361-F2210-E203	4,00	
	LoadWin7 HP64 ChinTradHK+Office2010s	Languages: EN, Chinese Traditional Hongkong, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x					x								S26361-F2210-E204	4,00	
	Win7 HomeBasic32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x		x	x	x	x		x	x	x							S26361-F2109-E333	3,00	
	Win7 Ultimate64 + Office2010s	Preload: MuLi Ultimate DE/EN, Languages: DE, EN (German, English), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x		x	x	x	x		x	x	x							S26361-F2210-E305	4,00	
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x	x	x	x	x	x	x		x	x	x	x	x	x				S26361-F2007-E910	3,00	
	Drivers&Utilities DVD (WIN7 + WIN8) ESPR	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x		S26361-F2007-E901	3,00	
	REC-DVD Win7 HomeBasic 32bit RUS	RU	x	x		x	x	x												S26361-F2009-E532	3,00	
	REC-DVD Win7 Home Premium 64 RUS	RU	x	x		x	x	x												S26361-F2009-E642	3,00	
	REC-DVD Win7 Professional 32 RUS	RU	x	x		x	x	x												S26361-F2009-E552	3,00	
	REC-DVD Win7 Professional 64 RUS	RU	x	x		x	x	x												S26361-F2009-E652	3,00	
	REC-DVD Win7 HomeBasic 32bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x		x	x	x												S26361-F2009-E533	3,00	
	REC-DVD Win7 Ultimate 64bit	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x		x	x	x												S26361-F2210-E315	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x		x	x	x												S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x		x	x	x												S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x		x	x	x												S26361-F2009-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x		x	x	x												S26361-F2009-E753	3,00	
	OS RDVD1 Win7 Pro 64, GB,Thai	Languages: English, Thai, Windows Operating System, Activation with valid license,					x					x								S26361-F2210-E111	3,00	
	OS RDVD1 Win7 Pro 64, GB, ChinTradTaiwan	Languages: English, ChineseTraditionalTW, Windows Operating System, Activation with valid license					x					x								S26361-F2210-E112	3,00	
	OS RDVD1 Win7 Pro 64, ChinSimplified	Languages: ChineseSimplifiedPRC, Windows Operating System, Activation with valid license					x					x								S26361-F2210-E113	3,00	
	OS RDVD1 Win7 Pro 64, GB, ChinTrad HK	Languages: English, ChinesesTraditional, Windows Operating System, Activation with valid license					x					x								S26361-F2210-E114	3,00	
	OS RDVD1 Win7 Pro 64 GB, Japanese	Languages: English, Japanese, Windows Operating System, Activation with valid license					x					x								S26361-F2210-E115	3,00	
	OS RDVD1 Win7 HP 64, GB,Thai	Languages: English, Thai, Windows Operating System, Activation with valid license					x					x								S26361-F2210-E211	3,00	
	OS RDVD1 Win7 HP 64, GB, ChinTradTaiwan	Languages: English, ChineseTraditionalTW, Windows Operating System, Activation with valid license					x					x								S26361-F2210-E212	3,00	
	OS RDVD1 Win7 HP 64, ChinSimplifiedPRC	Languages: ChineseSimplifiedPRC, Windows Operating System, Activation with valid license					x					x								S26361-F2210-E213	3,00	



Windows®. Life without Walls™. Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH10	ESPRIMO O510	ESPRIMO O910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments			
OS/Application-SW (Continued)																								
	OS RDVD1 Win7 HP 64, GB, ChinTrad HK	Languages: English, ChineseTraditionalHK, Windows Operating System, Activation with valid license					x				x							x		S26361-F2210-E214	3,00			
Security																								
	SmartCard Reader																	x	x	S26361-F1260-E803	23,00			
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk, e.g. if the system will be sold. Please notice, that SSD (Solid State Disk) cannot be deleted in a secure method.	x				x	x				x	x					x	x	x	S26361-F2542-E435	30,00		
	SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics	x				x	x				x	x					x	x	x	S26361-F2727-E740	14,00		
	SystemLock3	SystemLock3 is a UEFI BIOS smartcard pre-boot authentication (PBA) feature.	x					x	x			x	x					x	x	x	S26361-F2727-E745	18,00		
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista/Win7 compatible, USB interface ,black, USB cable	x	x	x	x	x	x	x	x	x	x	x	x							S26381-F331-E220	23,00		
	KB SCR D	SmartCard Keyboard German with class 2 reader on the top of the keyboard. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.						x					x					x	x	S26381-K528-E120	34,00			
	KB SCR GB	SmartCard Keyboard english layout with class 2 reader on the top. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.	x	x	x	x	x	x	x	x	x	x	x	x					x	x	S26381-K528-E165	34,00		
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x	x	x	x	x	x	x	x	x	x									S26361-F1260-E520	18,00		
Mouse																								
	Grey mouse instead of black USB		x			x	x	x				x	x								S26361-F2542-E221	6,00		
	Black Upgrade Mouse M440 ECO		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E222	16,00		
	Blue LED MOUSE GL9000							x	x									x	x	x	S26381-K438-E100	17,00		
	Grey USB/PS2 laser mouse inst.of blk USB	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling	x	x	x	x	x	x	x	x	x	x									S26361-F2542-E217	13,00		
Miscellaneous																								
	Internal speaker																				S26361-F2542-E21	6,00		
	Med-Kit ESPRIMO/CELSIUS	Manual and product compliant to IEC 60601-1-2. Preparation for further medical certifications and relevant for integration into medical products.	x				x					x									S26361-F2542-E250	26,00		
	Lock in front panel						x	x													S26361-F2542-E326	6,00		
	Lock plate ESPRIMO Q	to prevent opening of the system unit; Kensington lock (option) necessary,																	x	x	S26361-F2542-E338	6,00		
	Intrusion switch						x	x				x	x								S26361-F2542-E426	4,00		
	Intrusion switch ESPRIMO Q																		x		S26361-F2542-E428	4,00		
	Rubber feet for vertical position (4)					x	x	x													S26361-F2542-E480	4,00		
	TPM Module											x									S26361-F3552-E3	10,00		
	Monitor outlet cable	necessary to contact monitor directly to the PC					x	x				x	x								S26361-F2542-E57	4,00		
	Power cord for monitor (CH)		x	x	x	x	x	x				x	x								S26361-F2542-E59	4,00		
	Cable for second internal USB device												x	x							S26361-F2581-E10	4,00		
	Lock in front panel C7xx																				S26361-F2542-E333	6,00		
	Intrusion switch																				S26361-F2542-E322	4,00		
	Key lock in side door	for lock of housing											x	x							S26361-F2542-E323	6,00		
	Feet for vertical position (set)					x	x	x	x	x											S26361-F2542-E200	7,00		
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x	x	x	x	x	x	x						x	x	S26361-F2542-E90	4,00			
	No TPM/ TLS	for countries with import regulations	x					x	x										x	x	S26361-F3436-E2	3,00		
	DVI/DVI cable	short cable (440mm), for mounting kit,																	x	x	S26361-F2581-E11	12,00		
Keyboard /Mouse																								
	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries																	x	x	x	S26381-K456-E100	15,00	
made4you Services																								
	DeskView Load Basic	With DeskView Load Basic you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, Information about hardware components e.g. MAC - address, serial number at time of production via email , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	x	x	x	x	x	x	x	x	x									DVI:DVL_PACK_BAS	21,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options																						
Category	Description	Details	ESPRIMO C710	ESPRIMO E400	ESPRIMO E410	ESPRIMO E510	ESPRIMO E710	ESPRIMO E910	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P710	ESPRIMO P910	ESPRIMO PH300	ESPRIMO PH310	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments
made4you Services (Continued)																						
	DeskView Load Expert	With DeskView Load Expert you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email or web service, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Specified Operating system customizing , Extended recovery scenario , , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	DVI:DVL_PACK_EXP	38,50	
	DeskView Load Professional	With DeskView Load Professional you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	DVI:DVL_PACK_PRO	47,25	
	Master Key ESPRIMO P, CELSIUS W										x	x								S26361-F2542-E329	10,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning CELSIUS workstations



**CELSIUS H
Series**

CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.



**CELSIUS W
Series**

CELSIUS W Series. High-End PC / Entry-Level workstation

If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.



**CELSIUS M
Series**

CELSIUS M Series. Mid-range workstation.

Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.



**CELSIUS R
Series**

CELSIUS R Series. High-end workstation.

You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.



**CELSIUS
RemoteAccess**

CELSIUS RemoteAccess

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.

(See Accessories page)



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS H910

The Fujitsu CELSIUS H910 delivers high-end workstation power in a 43.9 cm (17.3-inch) notebook form factor. Featuring the 2nd generation Intel® Core™ processors and high-end NVIDIA® graphics, the CELSIUS H910 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as high end CAD, digital content creation, virtualization and Virtual Reality.

Model	Description	Details	Product Code	EUP (€)	Comments
CELSIUS H910					
	CELSIUS H910 Dual Core	Base unit for Intel Dual Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. NVidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , , Left side interfaces: 1 x Kensington, 1 x AC adapter, 1 x USB 3.0, 1 x memory card slot, 1 x Smartcard reader slot , Right side interfaces: 1 x Audio in, 1 x Audio out, 1 x eSATA, 2 x USB 2.0, 1 x Expresscard slot Type 34/54, , Rear interfaces: 1 x RJ45 for LAN, 1 x USB 2.0, 1 x DisplayPort, 1 x VGA, , Interfaces in battery bay: SIM card holder, , Interfaces in lower part: 1 x docking connector, 1 x battery bay	S26391-K324-V100	777,00	
	CELSIUS H910 Quad Core	Base unit for Intel Quad Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (4 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. NVidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , , Left side interfaces: 1 x Kensington, 1 x AC adapter, 1 x USB 3.0, 1 x memory card slot, 1 x Smartcard reader slot , Right side interfaces: 1 x Audio in, 1 x Audio out, 1 x eSATA, 2 x USB 2.0, 1 x Expresscard slot Type 34/54, , Rear interfaces: 1 x RJ45 for LAN, 1 x USB 2.0, 1 x DisplayPort, 1 x VGA, , Interfaces in battery bay: SIM card holder, , Interfaces in lower part: 1 x docking connector, 1 x battery bay	S26391-K324-V200	822,00	Phased out



Windows® . Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS M720

If you're looking for reliable performance when using demanding applications, the Fujitsu CELSIUS M720 single-processor workstation meets your needs. It can be individually configured, helping you to enhance your productivity. It features best-in-class noise emissions of only 20 dB for a quiet and efficient working environment. Comprehensive ISV certifications ensure your applications run smoothly. Finally, the convenient cold plug access at front simplifies subsequent expansion.

Model	Description	Details	Product Code	EUP (€)	Comments
CELSIUS M720					
Base unit configurations					
CELSIUS M720		Base unit:, , System board D3128, Chipset: Intel C602; Theseus system management controller, 500 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , Slots:, , 8 DIMM-slots, 4 channels (DDR3 1600Mhz) ; , , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe x4 Gen2 (mechanical PCIe x16), 2x PCIe x4 Gen3 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , , , Onboard I/O devices: , 1x 1Gbit network controller Intel 82579LM, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C604);, SAS 3Gbit controller optional via UpgradeRom (4 Ports, SAS/SATA RAID 0, 1 und 10) , , , Bays: , , 2x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio out, 1x audio in, 2x PS/2 for mouse and keyboard., , , Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle) , , , Embedded security (TPM 1.2) - Infineon, , Disable / Hide TPM option, , EraseDisk	S26361-K1399-V115	538,00	
CELSIUS M720 SAG		Base unit:, , System board D3128, Chipset: Intel C602; Theseus system management controller, 500 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , Slots:, , 8 DIMM-slots, 4 channels (DDR3 1600Mhz) ; , , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe x4 Gen2 (mechanical PCIe x16), 2x PCIe x4 Gen3 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , , , Onboard I/O devices: , 1x 1Gbit network controller Intel 82579LM, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C604);, SAS 3Gbit controller optional via UpgradeRom (4 Ports, SAS/SATA RAID 0, 1 und 10) , , , Bays: , , 2x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio out, 1x audio in, 2x PS/2 for mouse and keyboard., , , Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle), , , Embedded security (TPM 1.2) - Infineon, , Disable / Hide TPM option, , EraseDisk	S26361-K1399-V189	538,00	
CELSIUS M720power		Base unit:, , System board D3128, Chipset: Intel C602; Theseus system management controller, 800 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , Slots:, , 8 DIMM-slots, 4 channels(DDR3 1600Mhz) ; , , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe x4 Gen2 (mechanical PCIe x16), 2x PCIe x4 Gen3 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , , , Onboard I/O devices: , 1x 1Gbit network controller Intel 82579LM, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C604);, SAS 3Gbit controller optional via UpgradeRom (4 Ports, SAS/SATA RAID 0, 1 und 10) , , , Bays: , , 2x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio out, 1x audio in, 2x PS/2 for mouse and keyboard., , , Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle) , , , Embedded security (TPM 1.2) - Infineon, , Disable / Hide TPM option, , EraseDisk	S26361-K1399-V215	569,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS R920

Fujitsu's most performing workstation the CELSIUS R920 achieving first-class benchmark results is designed to surpass all your expectations. This reliable, high-end dual processor workstation is individually configurable for the most power hungry, 24/7 operating environments. Best-in-class noise emissions of just 21 dB, and comprehensive ISV certifications that ensure smooth application operation, enhance your productivity. The convenient cold plug access at front simplifies subsequent expansion.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS R920					
CELSIUS R920		Base unit:, , System board D3118, Chipset: Intel C602; Theseus system management controller, 800 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , Slots:, , 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU); , , 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x4 Gen3 (mechanical PCIe x16), 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , , , 2nd CPU (CPU1) is needed for the usage of three and/or four PCIe x16 addon cards., , , Onboard I/O devices: , 2x 1Gbit network controller Intel 82579LM & 82574L, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C606);, SAS 3Gbit controller optional via UpgradeRom (8 Ports, SAS/SATA RAID 0, 1 und 10) , , Bays: , , 2x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , Rear interfaces: 2x LAN RJ45, 1x eSATA Gen2, 6x USB 2.0, 1x audio in, 1x audio out, 2x PS/2 for mouse and keyboard., , , Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle), , , Embedded security (TPM 1.2) - Infineon - Disable / Hide TPM option - EraseDisk	S26361-K1400-V115	943,00	
CELSIUS R920 SAG		"Base unit:, , System board D3118, Chipset: Intel C602; Theseus system management controller, 1100 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , , Slots:, , , 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU); , , , 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x4 Gen3 (mechanical PCIe x16), 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , , , , 2nd CPU (CPU1) is needed for the usage of three and/or four PCIe x16 addon cards., , , , Onboard I/O devices: , , 2x 1Gbit network controller Intel 82579LM & 82574L, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642, , , , SAS upgrade option (Intel C606);, , SAS 3Gbit controller optional via UpgradeRom (8 Ports, SAS/SATA RAID 0, 1 und 10) , , , , Bays: , , , 2x 5,25" und 2x 3,5" FlexiBays externally accessible, , , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] oor [8x 2,5" internal HDD/SSD bays] , , , - all internal HDD bays accessible from the front., , , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , , Rear interfaces: 2x LAN RJ45, 1x eSATA Gen2, 6x USB 2.0, 1x audio in, 1x audio out, 2x PS/2 for mouse and keyboard., , , , Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle), , , , Embedded security (TPM 1.2) - Infineon - Disable / Hide TPM option - EraseDisk	S26361-K1400-V189	943,00	
CELSIUS R920power		Base unit:, , System board D3118, Chipset: Intel C602; Theseus system management controller, 1100 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , Slots:, , , 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU); , , 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x4 Gen3 (mechanical PCIe x16), 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , , , 2nd CPU (CPU1) is needed for the usage of three and/or four PCIe x16 addon cards., , , Onboard I/O devices: , 2x 1Gbit network controller Intel 82579LM & 82574L, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C606);, SAS 3Gbit controller optional via UpgradeRom (8 Ports, SAS/SATA RAID 0, 1 und 10) , , Bays: , , 2x 5,25" und 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] oor [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , Rear interfaces: 2x LAN RJ45, 1x eSATA Gen2, 6x USB 2.0, 1x audio in, 1x audio out, 2x PS/2 for mouse and keyboard., , , Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle), , , Embedded security (TPM 1.2) - Infineon - Disable / Hide TPM option - EraseDisk	S26361-K1400-V215	1.022,00	



CELSIUS W420

Your gateway to workstation power

CELSIUS W420

The Gateway to Workstation Performance

If your application requirements have outgrown the performance of a standard PC, the Fujitsu CELSIUS W420 is designed for you. This attractively-priced, compact workstation is individually configurable and allows easy tool-less expansion for greater working flexibility. Unique low-noise emissions help you increase your productivity.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS W420					
	CELS W420 /CORE i7-3770/4GB DDR3-1600/	CELS W420 /CORE i7-3770/4GB DDR3-1600/ DVD SM/500GB SATA III/HD CABLE/ PAR.INTF./CK I/KB410USBBIT/ COA_W7_MM_PROFES/W7_PRO32_O1MULI_MA,	PRJ:W4200W0001IT	1.041,00	
	CELS W420 /CORE i7-3770/4GB DDR3-1600/	CELS W420 /CORE i7-3770/4GB DDR3-1600/ Q 410/DVD SM/500GB SATA III/HD CABLE/ PAR.INTF./CK I/KB410USBBIT/ COA_W7_MM_PROFES/W7_PRO32_O1MULI_MA,	PRJ:W4200W0002IT	1.134,00	

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W420					
	CELSIUS W420	Base unit, system board D3162, 300 W wide range power supply, optical USB tilt scroll mouse; Chipset: Intel Q77., , Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1600, dual channel), 4 slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 1x PCIe x1, 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: , Intel HD Graphics or HD Graphics 2500 (depending on CPU), network controller Intel 82579LM, Serial ATA controller (6 Ports 2 thereof SATA III; RAID 0, 1 or 5 for HDDs) und HD-audio Conexant CX20642., , Bays:, 7 (2x 5,25" and 2x 3,5" externally accessible, 2x 3,5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays), , Front interfaces:, 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , Rear interfaces:, 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces:, 2x USB 2.0, , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1358-V215	398,00	



CELSIUS W520

Your gateway to workstation power

CELSIUS W520

Performance That Boosts Your Productivity

If you need a powerful entry-level workstation, Fujitsu's CELSIUS W520 is the ideal choice. Comprehensive ISV certifications ensure your professional applications run smoothly. Your workplace is silent and user-friendly thanks to best-in-class noise emissions. Plus, the cold plug access at the front of the workstation lets you expand your storage capacity or change drives for enhanced working

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W520					
CELSIUS W520	Base unit, system board D3167, 300 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216; , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz), , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; , , , Bays: , , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front), , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x	S26361-K1359-V315	492,00		
CELSIUS W520 SAG	Base unit, system board D3167, 300 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216; , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz), , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; , , , Bays: , , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front), , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x	S26361-K1359-V389	492,00		
CELSIUS W520power					
CELSIUS W520power	Base unit, system board D3167, 500 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216; , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz), , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; , , , Bays: , , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front), , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x	S26361-K1359-V415	554,00		



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS H665	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS M730	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R820	CELSIUS W800	CELSIUS W410	CELSIUS W420	CELSIUS W480	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	CELSIUS W530	Product Code	EUP (€)	Comments
Processor	Xeon E5645 2.40GHz 12MB Turbo Boost	2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x		x	x													S26361-F3612-L245	718,00	Phased out
	Xeon X5647 2.93GHz 12MB Turbo Boost	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x		x	x													S26361-F3612-L247	1.010,00	Phased out
	Xeon E5649 2.53GHz 12MB Turbo Boost	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x		x	x													S26361-F3612-L249	1.010,00	Phased out
	Xeon X5672 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x		x	x													S26361-F3612-L972	1.886,00	Phased out
	Xeon X5675 3.06GHz 12MB Turbo Boost	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x		x	x													S26361-F3612-L975	1.886,00	Phased out
	Xeon X5687 3.60GHz 12MB Turbo Boost	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x			x													S26361-F3612-L987	2.189,00	Phased out
	Xeon X5690 3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x			x													S26361-F3612-L990	2.189,00	Phased out
	Xeon E5-2603 1.80GHz 10MB	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,									x			x													S26361-F4536-L603	332,00	
	Xeon E5-2609 2.40GHz 10MB	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,									x			x													S26361-F4536-L609	470,00	
	Xeon E5-2620 2.0GHz 15MB Turbo Boost	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,									x			x													S26361-F4536-L620	583,00	
	Xeon E5-2630 2.3GHz 15MB Turbo Boost	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,									x			x													S26361-F4536-L630	1.020,00	
	Xeon E5-2630L 2.0GHz 15MB	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores,									x			x													S26361-F4536-L630	886,00	
	Xeon E5-2637 3.0GHz 5MB Turbo Boost	3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores,									x			x													S26361-F4536-L637	1.302,00	
	Xeon E5-2640 2.5GHz 15MB Turbo Boost	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,									x			x													S26361-F4536-L640	1.357,00	
	Xeon E5-2643 3.3GHz 10MB Turbo Boost	3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores,									x			x													S26361-F4537-L643	1.346,00	
	Xeon E5-2650 2.0GHz 20MB Turbo Boost	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,									x			x													S26361-F4536-L650	1.717,00	
	Xeon E5-2650L 1.8GHz 20MB Turbo Boost	1.80 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores,									x			x													S26361-F4536-L650	1.480,00	
	Xeon E5-2660 2.2GHz 20MB Turbo Boost	2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,									x			x													S26361-F4536-L660	2.019,00	
	Xeon E5-2665 2.4GHz 20MB Turbo Boost	2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,									x			x													S26361-F4537-L665	2.187,00	
	Xeon E5-2667 2.9GHz 15MB Turbo Boost	2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores,									x			x													S26361-F4537-L667	2.367,00	
	Xeon E5-2670 2.6GHz 20MB Turbo Boost	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,									x			x													S26361-F4537-L670	2.367,00	
	Xeon E5-2680 2.7GHz 20MB Turbo Boost	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,									x			x													S26361-F4537-L680	2.625,00	
	Xeon E5-2687W 3.1GHz 20MB Turbo Boost	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,												x													S26361-F4537-L687	2.884,00	
	Xeon E5-2690 2.9GHz 20MB Turbo Boost	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,									x			x													S26361-F4537-L690	3.108,00	
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores											x	x													S26361-F3612-L309	639,00	Phased out
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores											x	x													S26361-F3612-L330	718,00	Phased out
	Xeon L5640 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores												x	x												S26361-F3612-L340	1.357,00	Phased out
	Xeon E5603 1.60GHz 8MB Turbo Boost	1.60 GHz, 8 MB cache, 4 cores/4 threads									x			x	x												S26361-F3539-L113	287,00	Phased out
	Xeon E5606 2.13GHz 8MB Turbo Boost	2.13 GHz, 8 MB cache, 4 cores/4 threads									x			x	x												S26361-F3539-L116	304,00	Phased out
	Xeon E5607 2.26GHz 8MB Turbo Boost	2.26 GHz, 8 MB cache, 4 cores/4 threads									x			x	x												S26361-F3539-L117	365,00	Phased out
	Xeon E5620 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x	x												S26361-F3612-L220	673,00	Phased out
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x	x												S26361-F3612-L230	893,00	Phased out
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x	x												S26361-F3612-L240	1.292,00	Phased out
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores												x	x												S26361-F3612-L950	1.662,00	Phased out
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores												x	x												S26361-F3612-L960	2.020,00	Phased out
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores												x	x												S26361-F3612-L967	2.357,00	Phased out
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores												x	x												S26361-F3612-L970	2.357,00	Phased out
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores												x													S26361-F3612-L977	2.638,00	Phased out
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores												x													S26361-F3612-L980	2.638,00	Phased out
Memory	8GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x											x	x				S26361-F3379-L4	203,00	
	2GB DDR3-1600 PC3-12800										x																S26391-F1162-L200	67,00	
	4GB DDR3-1600 PC3-12800										x																S26391-F1162-L400	112,00	
	8GB DDR3-1600 PC3-12800										x																S26391-F1162-L800	127,00	
	2GB DDR3-1600 PC3-12800																										S26391-F1172-L200	67,00	
	4GB DDR3-1600 PC3-12800																										S26391-F1172-L400	112,00	
	8GB DDR3-1600 PC3-12800																										S26391-F1172-L800	127,00	
	2GB DDR3-1333 PC3-10600										x																S26391-F892-L200	67,00	
	4GB DDR3-1333 PC3-10600										x																S26391-F892-L400	112,00	
	8GB DDR3-1333 PC3-10600										x																S26391-F892-L800	127,00	
	2GB DDR3-1333	1 module PC 1333, DIMM																x				x					S26361-F4401-L2	29,00	
	4GB DDR3-1333	1 module PC 1333, DIMM																x				x					S26361-F4401-L3	50,00	
	2GB DDR3-1333	1 module PC 1333, DIMM																	x			x	x				S26361-F3378-L2	43,00	
	4GB DDR3-1333	1 module PC 1333, DIMM																		x		x	x				S26361-F3378-L3	81,00	
	2GB DDR3-1600										x																		



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS M730	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R820	CELSIUS W280	CELSIUS W410	CELSIUS W420	CELSIUS W480	CELSIUS W510	CELSIUS W510 Upower	CELSIUS W520	CELSIUS W520 Upower	CELSIUS W530	Product Code	EUP (€)	Comments	
Memory (Continued)																													
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																			x	x				S26361-F3379-L3	103,00		
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary	x																				x	x		S26361-F3385-L2	57,00		
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary	x																				x	x		S26361-F3385-L3	103,00		
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary	x																				x	x		S26361-F3385-L4	203,00		
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary																								S26361-F3377-L424	96,00		
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary																								S26361-F3377-L425	109,00		
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary																								S26361-F3377-L426	132,00		
	16GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary																								S26361-F3374-L427	310,00		
	16GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary																								S26361-F3383-L427	282,00		
	32GB DDR3-1333 rg LR ECC	1 module, same number of modules for each processor necessary																								S26361-F3382-L438	1.888,00		
	4GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary																								S26361-F3383-L425	109,00		
	8GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary																								S26361-F3383-L426	132,00		
Graphics																													
	NVIDIA Tesla C2050 Computing-Processor	Connectors: 1x VGA; PCIe x16										x														S26361-F2856-L204	2.144,00		
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2748-L38	100,00		
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters										x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2748-L245	415,00		
	NVIDIA Quadro 400 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters										x														S26361-F2856-L41	112,00		
	NVIDIA Quadro 410 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters	x																							S26361-F2856-L941	112,00		
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe x16; w/o adapters	x																							S26361-F2856-L61	180,00		
	NVIDIA Quadro FX 1800 768MB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters																								S26361-F2856-L219	493,00		
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x																							S26361-F2856-L203	472,00		
	NVIDIA Quadro 20000 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters	x																							S26361-F2856-L996	477,00		
	NVIDIA Quadro FX 3800 1GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters																								S26361-F2856-L239	752,00		
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 1-2x DP; PCIe x16; w/o adapters	x																							S26361-F2856-L405	830,00		
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; PCIe x16; w/o adapters	x																							S26361-F2856-L502	2.234,00	Phased out	
	NVIDIA Quadro K5000 4GB	Connectors: 1x DVI-I dual link, 1x DVI-D and 2x DP, SLI, stereo; PCIe x16; w/o adapters																								S26361-F2222-L500	2.947,00		
	NVIDIA Quadro FX 5800 4GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters																								S26361-F2856-L259	2.217,00		
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; PCIe x16, w/o adapters	x																							S26361-F2856-L602	4.186,00		
	AMD FirePro V3900 1 GB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters	x																							S26361-F2530-L390	123,00		
	AMD FirePro V4900 1 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16; w/o adapters	x																							S26361-F2530-L490	235,00		
	AMD FirePro V5900 2 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16; w/o adapters	x																							S26361-F2530-L590	448,00		
	AMD FirePro W5000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x																							S26361-F3300-L500	522,00		
	AMD FirePro V7900 2 GB	Connectors: 4x DP, PCIe x16, w/o adapters																								S26361-F2530-L790	753,00		
	AMD FirePro W7000 4GB	Connectors: 4x DP, PCIe x16; w/o adapter																								S26361-F3300-L700	877,00		
	AMD FirePro W8000 4GB	Connectors: 4x DP, PCIe x16, stereo; w/o adapter																								S26361-F3300-L800	1.733,00		
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1	x																							S26361-F3565-L1	336,00		
	CELSIUS RemoteAccess Portal	PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, 4x USB, audio	x																							S26361-K1322-V1	298,00		
	CELSIUS RemoteAccess Dual Connection	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1	x																							S26361-F3565-L2	262,00	Orderable from: 22/02/2013	
	CELSIUS RemoteAccess Quad Card	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1	x																							S26361-F3565-L4	433,00	Orderable from: 04/03/2013	
	NVIDIA Tesla C1060 Computing-Processor	Connectors: 1x VGA; PCIe x16																								S26361-F2856-L107	1.784,00		
	NVIDIA Tesla C2050 in bulk package	Minimum order quantity is 20 pieces or a multiple thereof.																								S26361-F2856-L206	2.088,00		
	NVIDIA Tesla C2075 Computing Processor	Connectors: 1x DVI-I, PCIe x16	x																							S26361-F2856-L208	2.299,00		
	NVIDIA Tesla K20																									S26361-F2222-L20	3.332,00		
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x																							S26361-F2391-L200	35,00		
	DVI-I/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	x																							S26361-F2391-L1	19,00		
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors																								S26361-F2391-L101	32,00		
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors																								S26361-F2391-L102	34,00		
	SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card																								S26361-F2542-L95	79,00		
	Power cable for graphics card	for NVIDIA Q4000, Q5000, Q6000, Tesla C2075 and ATI FirePro V7900; 6pin and 8pin connector.																								S26361-F2407-L11	28,00		
Removable Media Drives																													
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5" - bay and requires internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC																									S26361-F3077-L50	23,00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5" - bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC																									S26361-F3077-L51	30,00	
	Blu-ray Triple Writer SATA slim (tray)																									S26361-F3716-L100	155,00		
	Blu-ray Triple Writer SATA slim (tray)																									S26361-F3780-L100	155,00		
	DVD-RW Dual Double Layer Super Multi																									S26391-F1164-L200	78,00		
	Blu-ray burner																									S26391-F1164-L400	134,00		
	USB dongle bay module																									S26391-F1164-L700	33,00		
	Weight saver for modular bay																									S26391-F777-L300	17,00		



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H920	CELSIUS H920	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS M730	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R820	CELSIUS W280	CELSIUS W410	CELSIUS W420	CELSIUS W480	CELSIUS W510	CELSIUS W510 Opower	CELSIUS W520	CELSIUS W520 Opower	CELSIUS W530	Product Code	EUP (€)	Comments		
Removable Media Drives (Continued)																															
Blu-ray burner																											S26391-F894-L200	134,00			
DVD Super multi (reader/writer)							x																				S26391-F894-L100	78,00			
Blu-ray Disc Triple Writer SATA							x																				S26391-F894-L200	134,00			
2nd HDD bay module (without HDD)							x	x																			S26391-F894-L600	33,00			
DVD SATA		occupies accessible 5,25"-bay, without DVD-video playback software																										S26391-F3418-L510	32,00		
DVD SuperMulti SATA		occupies accessible 5,25"-bay, DVD burning software included (without DVD-video playback software)																										S26391-F3420-L510	40,00		
Blu-ray Disc Triple Writer SATA		occupies 5,25"-bay, BD read/write + DVD read/write + CD read/write																										S26391-F3523-L510	269,00	Phased out	
DVD SuperMulti SATA slim		occupies accessible 5,25"-bay, DVD burning software included (without DVD-video playback software)																										S26391-F3429-L510	58,00		
SCSI/RAID/SAS controller																															
SAS Controller D2507 (LSI1064e)x4		4 ports incl. cables, PCIe x4										x			x													S26391-F3976-L1	134,00		
SAS/SATA cable for RAID controller		for RAID controller D2616, plugs for 4x HDD.										x			x													S26391-F2581-L47	18,00	Phased out	
SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports, RAID Levels 0, 1, and 10.			x												x													S26391-F3976-L2	190,00		
SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports, RAID levels 0, 1, 5 and 6.			x												x													S26391-F3976-L3	314,00		
RAID controller battery-backup-unit		RAID controller battery-backup-unit, .	x																									S26391-F3976-L99	129,00		
4-Port SAS-UpgradeRom		upgrade of 4x onboard SATA to 4x onboard SAS (incl. RAID 0,1,10 license), .																										S26391-F2581-L49	55,00		
8-Port SAS-UpgradeRom		upgrade of 4x onboard SATA to 8x onboard SAS (incl. RAID 0,1,10 license), .																										S26391-F2581-L43	78,00		
Communication/Network																															
Gigabit Ethernet PCIe x1, DS		FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0	x																										S26391-F3067-L60	28,00	
Dual 1 Gigabit Ethernet PCIe x4			x																									S26391-F3067-L80	145,00		
IB HCA 40GB 1 Kanal QDR		InfiniBand HCA 40GB/s, 1-port, QDR, . Appropriate cables: InfiniBand Cu Kabel 40GB, 4x QSFP, 1m (S26361-F3996-L101) or 3m (S26361-F3996-L103)	x																									S26361-F4475-L102	625,00		
IB HCA 40GB 2 Kanal QDR		InfiniBand HCA 40GB/s, 2-port, QDR, . Appropriate cables: InfiniBand Cu Kabel 40GB, 4x QSFP, 1m (S26361-F3996-L101) or 3m (S26361-F3996-L103)	x																									S26361-F4475-L202	885,00		
IB HCA 56GB 1 port FDR		InfiniBand HCA 56GB/s, 1-port, FDR																										S26361-F4533-L102	1.040,00		
USB 3.0 PCIe x1		FTS D3305, connectors: 1x USB Typ A external, 1x USB Typ A internal; PCIe x1; FH bracket mounted; LP bracket enclosed .																										S26361-F3060-L10	33,00		
Gigabit Ethernet PCIe x1		Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/low profile																										S26391-F3067-L30	26,00		
Dual 10 Gigabit Ethernet PCIe x8		FTS D2755, w/o SFP+ modules, appropriate SFP+ modules: S26361-F3986-L3 or S26361-F3986-L4 SFP+ Module Single Mode Fiber 10GBE LC or SFP+ Twinax cables	x																									S26391-F3067-L70	380,00		
WLAN III, 802.11g/Draft-n		internal WLAN module, occupies 1 internal USB interface; only EMEA																										S26391-F3108-L5	30,00		
Parallel Interface FH		1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height																										S26391-F2542-L34	13,00		
eSATA Interface		for eSATA peripherals, occupies one internal SATA interface and one slot, low profile																										S26391-F2542-L40	13,00		
eSATA Interface FH		for eSATA peripherals, occupies one internal SATA interface and one slot, full height																										S26391-F2542-L70	19,00		
Dual serial card PCIe x1		Dual Port RS232 via splitter cable																										S26391-F3316-L6	37,00		
Dual serial card PCIe x1, powered		Dual Port RS232 via splitter cable																										S26391-F3316-L7	42,00		
Rack-Infrastructure																															
Rack mounting kit CELSIUS		for CELSIUS W510, W520 (delivery date after 14.01.2013), M470-2, M720 (delivery date after 17.09.2012), R570-2, R670-2 and R820																											S26391-F2581-L101	247,00	
RMK-F1_DI_CMA_QRL		Telescopic drop-in rails, 781mm long with cable management arm adapter, full extraction with extension length 815mm, with vario-carrier 1 for rack installation depth (19" pillar distance) between 714mm and 785m, pre-assembled with centre screw	x																										S26391-F2735-L145	95,00	
OS/Application-SW																															
Drivers&Utilities DVD (XP), CELSIUS			x																									S26391-F2007-L912	22,00		
Drivers&Utilities DVD Mobile H		incl. Nero Essentials S, Norton Internet Security Trial 90 days																											S26391-F2010-L199	28,00	
Drivers&Utilities DVD Mobile H Win7/8																												S26391-F2012-L103	28,00		
Drivers&Utilities DVD (WIN7 + WIN8) CELS		incl. Nero Essentials S, Norton Internet Security	x																									S26391-F2007-L909	22,00		
UPS/Power supply																															
Battery 8cell 6700mAh																												S26391-F1166-L100	123,00		
3in AC Adapter 19V/150W																												S26391-F1166-L220	85,00		
2nd battery																												S26391-F777-L200	145,00		
2in AC Adapter 19V/120W																												S26391-F886-L700	50,00		
AC Adapter 19V/210W																												S26391-F896-L500	95,00		
Battery 8cell 5800mAh																												S26391-F896-L700	134,00		
Security																															
SmartCase SCR (internal USB)		requires int. USB interface, no NT support, w/o SmartCard																											S26391-F1260-L521	26,00	
SmartCase SCR (internal USB)		requires int. USB interface, no NT support, w/o SmartCard, CELSIUS M, R, V only																											S26391-F1260-L522	28,00	
Absolute Track, Abo. 1Y.		Single key licence, for more info please check hint box / product description	x	x	x	x	x																					S26391-F2009-L101	19,00		
Absolute Track, Abo. 2Y.		Single key licence, for more info please check hint box / product description	x	x	x	x	x																						S26391-F2009-L102	29,00	
Absolute Track, Abo. 3Y.		Single key licence, for more info please check hint box / product description	x	x	x	x	x																						S26391-F2009-L103	37,00	
Data Protection, Abo. 1Y.		Single key licence, for more info please check hint box / product description	x	x	x	x	x																					S26391-F2009-L104	30,00		
Data Protection, Abo. 2Y.		Single key licence, for more info please check hint box / product description	x	x	x	x	x																					S26391-F2009-L105	46,00		
Data Protection, Abo. 3Y.		Single key licence, for more info please check hint box / product description	x	x	x	x	x																					S26391-F2009-L106	57,00		
ComputraceOne, Abo. 1Y.		Single key licence, for more info please check hint box / product description	x	x	x	x	x																					S26391-F2009-L107	35,00		
ComputraceOne, Abo. 2Y.		Single key licence, for more info please check hint box / product description	x	x	x	x	x																					S26391-F2009-L108	56,00		
ComputraceOne, Abo. 3Y.		Single key licence, for more info please check hint box / product description	x	x	x	x	x																					S26391-F2009-L109	78,00		



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS CE20	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS IM470-2	CELSIUS M720	CELSIUS M730	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R820	CELSIUS W280	CELSIUS W410	CELSIUS W420	CELSIUS W480	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	CELSIUS W530	Product Code	EUP (€)	Comments	
Security (Continued)																													
ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description					x	x	x	x																	S26361-F2009-L113	48,00		
ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L114	77,00		
ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L115	94,00		
ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L116	54,00		
ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L117	88,00		
ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L118	116,00		
ATP, ComputraceOne, Abo. 5J.	Single key licence, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L119	166,00		
Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L201	19,00		
Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L202	29,00		
Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L203	37,00		
Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L204	30,00		
Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L205	46,00		
Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L206	57,00		
ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L207	35,00		
ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L208	56,00		
ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L209	78,00		
ATP, Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x																	S26361-F2009-L210	45,00		
ATP, Data Protection, PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x																	S26361-F2009-L213	48,00		
ATP, Data Protection, PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L214	77,00		
ATP, Data Protection, PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L215	94,00		
ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L217	88,00		
ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x	x																S26361-F2009-L218	116,00		
ATP, Data Protection, PE, Abo. 5Y.																										S26361-F2011-L10	133,00		
ATP, Data Protection, PE, Abo. 5y. Master																										S26361-F2011-L11	133,00		
SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support; SmartLogon plus support						x	x	x	x																S26361-F2432-L720	47,00		
SmartCase Logon+ license (1-99 licenses)	includes 1 license., for orders up to 99 licenses., no software, no data medium						x				x	x	x	x	x	x	x									S26361-F2727-L100	20,00		
SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics								x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L740	42,00		
RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing						x	x	x							x										S26381-F11-L100	38,00		
SmartCard CARDOS V4.4. 1PCS	1 SmartCard CardOS 4.4, 68 KByte EEPROM																									S26381-F305-L101	25,00		
SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F305-L102	45,00		
SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F305-L110	204,00		
Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7compatible, USB interface						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F331-L220	25,00		
USB SCR 3500	External USB SmartCard Reader, folderable., Reads and write on all ISO 7816, 1-4 compliant SmartCards., CCID compliant, USB Bus powered.						x																			S26381-F350-L100	27,00		
PalmSecure Sensor STD FAT13M3S1	PalmSecure Sensor STD FAT13M3S1 palmvein sensor for biometric authentication. Component for integration without cable, manual and software						x	x		x																S26381-K434-L100	239,00		
PalmSecure SDK	PalmSecure SDK Software Development Kit for PalmSecure PSSDK FAT13S1A04						x	x		x																S26381-K434-L201	4.444,00		
PalmSecure U Guide FAT13G2A2L	PalmSecure U Guide FAT13G2A2L special handguide for palmvein sensor						x	x		x																S26381-K434-L500	52,00		
PalmSecure Mouse Login Kit STD	PalmSecure Mouse Kit STD contains USB Mouse with integrated palmvein sensor for biometric authentication. USB 2.0 bus powered. Set contains also the palm guide,quick start guide in Brown box.						x	x		x																S26381-K435-L200	248,00	Phased out	
PalmSecure Sensor Guide Kit STD	PalmSecure Sensor Guide Kit STD contains an external USB vein sensor for biometric authentication. USB 2.0 bus powered. Set contains: Sensor, holder, Handguide and USB cable in Brown box.						x	x		x																S26381-K436-L100	256,00		
Miscellaneous																													
Locking HDD case																											S26361-F2542-L332	20,00	
Rear USB 2.0 connector	2x USB 2.0																										S26361-F2438-L215	16,00	
Blanking Plate 5.25" drive bays, 10 pcs.																											S26361-F2542-L326	15,00	
Blanking Plate 3.5" drive bays, 10 pcs.																											S26361-F2542-L327	17,00	
Blanking Plate 5.25" drive bays, 10 pcs.																											S26361-F2542-L325	28,00	
Cables																													
Power cord China											x																S26361-F2542-L51	10,00	
power cable EU	black, 2-pole, 1.8 m						x	x																			T26139-Y2540-V113	9,00	
power cable UK	black, 2-pole, 1.8 m						x	x																			T26139-Y2540-V213	9,00	
power cable US	black, 2-pole, 1.8 m						x	x																			T26139-Y2540-V313	9,00	
Cable for 2. USB device																											S26361-F2581-L10	22,00	
Cable Powercord (D), 1.8m	grey, 1.8m, suitable for: Germany, Austria, Belgium, Netherlands, Finland, France, Italy, Spain, Portugal, Russian, Turkey, 3 wire																										T26139-Y1740-V10	4,00	
Cable Powercord (USA, Desktop), 1.8m	grey or black, 1.8m, for USA/CAN (Desktops),3 wire																										T26139-Y1741-V10	4,00	
Cable Powercord (UK), 1.8m, black	black, 1.8m, suitable for: Great Britain, 3 wire																										T26139-Y1744-V10	4,00	
Power cord three-wire EU	Power cord three-wire EU						x	x		x																	S26361-F2581-L310	17,00	
Input Devices																													
Presenter IV Air	Presenter IV Air 2.4 GHz presenter with laser pointer, 2D air mouse and gamepad function, manual, 2 x AAA batteries, 2.4 GHz presenter with laser pointer, 2D air mouse and gamepad function, manual, 2 x AAA batteries						x	x	x																		BDL-TOP-PRESENTER4	47,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS M730	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R820	CELSIUS W280	CELSIUS W410	CELSIUS W420	CELSIUS W460	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	CELSIUS W530	Product Code	EUP (€)	Comments
Accessories & services matrix																												
Input Devices (Continued)																												
	Presenter IV Air	2.4 GHz presenter with laser pointer, mouse and Gamepad function	x	x	x	x	x	x																	S26381-K440-L100	47,00		
Additional Software																												
	OPENFT-CR (Unix systems) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, for openFT V12.0, Attention export restrictions	x	x							x	x		x	x	x					x				U10987-C599	15,00		
	OPENFT-SW-CD (Unix systems) V12.0	Medium for UNIX systems, CD-ROM openFT-SW V12.0	x	x							x	x		x	x	x					x				U10987-C600	36,00		
	OPENFT-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x							x	x		x	x	x					x				U10987-C601	1.348,00		
	OPENFT-FTAM-1 (Unix systems) V12.0	License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x							x	x		x	x	x					x				U10987-C613	1.348,00		
	OPENFT-FTP-1 (Unix systems) V12.0	License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x							x	x		x	x	x					x				U10987-C625	550,00		
	OPENFT-CR (WINDOWS) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, Attention export restrictions	x	x	x						x	x		x	x	x					x				U11081-C399	15,00		
	OPENFT-SW-CD (WINDOWS) V12.0	Medium for Windows systems, CD-ROM openFT-SW V12.0	x	x	x						x	x		x	x	x					x				U11081-C400	30,00		
	OPENFT-1 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x		x			x	x		x	x	x					x	x	x		U11081-C401	1.348,00		
	OPENFT-FTAM-1 (WINDOWS) V12.0	License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x						x	x		x	x	x					x				U11081-C411	1.348,00		
	OPENFT-FTP-1 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x						x	x		x	x	x					x				U11081-C421	550,00		
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x		x			x	x		x	x	x					x	x	x		U11081-C301	1.225,00		
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x						x	x		x	x	x					x				U11081-C311	1.225,00		
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x						x	x		x	x	x					x				U11081-C300	30,00		
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x						x	x		x	x	x					x				U11081-C299	15,00		
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x							x	x		x	x	x					x				U10987-C501	1.225,00		
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x							x	x		x	x	x					x				U10987-C513	1.225,00		
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x							x	x		x	x	x					x				U10987-C500	36,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
Approvals/dependencies														
	China (CCC) approval		x				x	x	x	x	x	S26361-F2550-E150	3,00	
	GS approval	non glossy front bezel to fulfill GS approval					x	x				S26361-F2555-E200	3,00	
LCD-Display														
	39,6 cm (15.6") HD+ magnesium LED	1600 x 900 pixels, .		x								S26391-F1160-E100	79,00	
	39,6 cm (15.6") FHD magnesium LED	1920 x 1080 pixels, .		x								S26391-F1160-E200	135,00	
	43,9 cm (17.3") FHD LED	1920 x 1080 pixels, .				x						S26391-F1170-E100	152,00	
	43,9 cm (17.3") FHD LED				x							S26391-F890-E500	152,00	
Processor														
	Intel Core i7-3610QM 2.3GHz 6MB	2.30 GHz, up to 3.30 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, .	x	x								S26391-F1161-E361	279,00	
	Intel Core i7-3630QM 2.40GHz 6MB	2.40 GHz, up to 3.40 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, .	x	x								S26391-F1161-E363	279,00	
	Intel Core i7-3720QM 2.6GHz 6MB	2.60 GHz, up to 3.60 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT, .	x	x								S26391-F1161-E372	415,00	
	Intel Core i7-3740QM 2.70GHz 6MB	2.70 GHz, up to 3.70 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT, .	x	x								S26391-F1161-E374	415,00	
	Intel Core i7-3820QM 2.7GHz 8MB	2.70 GHz, up to 3.70 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT, .	x	x								S26391-F1161-E382	619,00	
	Intel Core i7-3840QM 2.80GHz 8MB	2.80 GHz, up to 3.80 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT, .	x	x								S26391-F1161-E384	619,00	
	Intel Core i7-3920XM 2.9GHz 8MB	2.90 GHz, up to 3.80 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT, .	x	x								S26391-F1161-E392	1.223,00	
	Intel Core i7-3940XM 3.0GHz 8MB	3.00 GHz, up to 3.90 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT, .	x	x								S26391-F1161-E394	1.223,00	
	Intel Core i7-2640M 2.8GHz 4MB				x							S26391-F981-E264	339,00	
	Intel Core i5-2540M 2.6GHz 3MB	2.60 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT			x							S26391-F981-E254	290,00	
	Intel Core i5-2520M 2.5GHz 3MB	2.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT			x							S26391-F981-E252	210,00	
	Intel Core i7-3540M up to 3.6GHz 4MB	3.00 GHz, up to 3.70 GHz, 4 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT	x	x								S26391-F1121-E354	405,00	
	Intel Core i7-3520M up to 3.6GHz 4MB	2.90 GHz, up to 3.60 GHz, 4 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT, .	x	x								S26391-F1121-E352	405,00	
	Intel Core i5-3380M 2.9GHz 3MB	2.90 GHz, up to 3.60 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT, .	x	x								S26391-F1121-E338	290,00	Orderable from: 08/03/2013
	Intel Core i5-3360M up to 3.5GHz 3MB	2.80 GHz, up to 3.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT, .	x	x								S26391-F1121-E336	290,00	
	Intel Core i5-3340M up to 3.4GHz 3MB	2.70 GHz, up to 3.40 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT, .	x	x								S26391-F1121-E334	264,00	
	Intel Core i5-3320M up to 3.3GHz 3MB	2.60 GHz, up to 3.30 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT, .	x	x								S26391-F1121-E332	264,00	
	Intel Core i7-2820QM 2.3GHz 8MB	2.30 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT			x							S26391-F981-E282	619,00	Phased out
	Intel Core i7-2860QM 2.5GHz 8MB	2.50 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT, .			x							S26391-F981-E286	619,00	Phased out
	Xeon E5-1603 2.80GHz 10MB	2.80 GHz, 10 MB Cache, 4 Cores, .				x						S26361-F4537-E603	290,00	
	Xeon E5-1607 3.00GHz 10MB	3.00 GHz, 10 MB Cache, 4 Cores, .				x						S26361-F4537-E607	336,00	
	Xeon E5-1620 3.60GHz 10MB Turbo Boost	3.60 GHz, 10 MB Turbo Boost, 4 Cores, .				x						S26361-F4537-E620	408,00	
	Xeon E5-1650 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 6 Cores, .				x						S26361-F4537-E650	886,00	
	Xeon E5-1660 3.30GHz 15MB Turbo Boost	3.30 GHz, 15 MB Turbo Boost, 6 Cores, .				x						S26361-F4537-E660	1.610,00	
	Xeon E5-2603 1.80GHz 10MB	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, .					x	x				S26361-F4536-E603	290,00	
	2nd Xeon E5-2603	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, .						x				S26361-F4539-E603	290,00	
	Xeon E5-2609 2.40GHz 10MB	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, .					x	x				S26361-F4536-E609	408,00	
	2nd Xeon E5-2609	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, .						x				S26361-F4539-E609	408,00	
	Xeon E5-2620 2.0GHz 15MB Turbo Boost	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, .					x	x				S26361-F4536-E620	523,00	
	2nd Xeon E5-2620	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, .						x				S26361-F4539-E620	523,00	
	Xeon E5-2630 2.3GHz 15MB Turbo Boost	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, .					x	x				S26361-F4536-E630	814,00	
	2nd Xeon E5-2630	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, .						x				S26361-F4539-E630	814,00	
	Xeon E5-2630L 2.0GHz 15MB	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores, .					x	x				S26361-F4535-E630	802,00	
	2nd Xeon E5-2630L	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores, .						x				S26361-F4538-E630	802,00	
	Xeon E5-2637 3.0GHz 5MB Turbo Boost	3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores, .					x	x				S26361-F4536-E637	1.159,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Processor (Continued)														
	2nd Xeon E5-2637	3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores, ,						x				S26361-F4539-E637	1.159,00	
	Xeon E5-2640 2.5GHz 15MB Turbo Boost	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,					x	x				S26361-F4536-E640	1.164,00	
	2nd Xeon E5-2640	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,						x				S26361-F4539-E640	1.164,00	
	Xeon E5-2643 3.3GHz 10MB Turbo Boost	3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores, ,					x	x				S26361-F4537-E643	1.164,00	
	2nd Xeon E5-2643	3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores, ,						x				S26361-F4540-E643	1.164,00	
	Xeon E5-2650 2.0GHz 20MB Turbo Boost	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x	x				S26361-F4536-E650	1.450,00	
	2nd Xeon E5-2650	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,						x				S26361-F4539-E650	1.450,00	
	Xeon E5-2650L 1.8GHz 20MB Turbo Boost	1.80 GHz, 20 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores, ,					x	x				S26361-F4535-E650	1.384,00	
	2nd Xeon E5-2650L	1.80 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores, ,						x				S26361-F4538-E650	1.384,00	
	Xeon E5-2660 2.2GHz 20MB Turbo Boost	2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x	x				S26361-F4536-E660	1.723,00	
	2nd Xeon E5-2660	2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,						x				S26361-F4539-E660	1.723,00	
	Xeon E5-2665 2.4GHz 20MB Turbo Boost	2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x	x				S26361-F4537-E665	1.885,00	
	2nd Xeon E5-2665	2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,						x				S26361-F4540-E665	1.885,00	
	Xeon E5-2667 2.9GHz 15MB Turbo Boost	2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores, ,					x	x				S26361-F4537-E667	2.018,00	
	2nd Xeon E5-2667	2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores, ,						x				S26361-F4540-E667	2.018,00	
	Xeon E5-2670 2.6GHz 20MB Turbo Boost	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x	x				S26361-F4537-E670	2.018,00	
	2nd Xeon E5-2670	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,						x				S26361-F4540-E670	2.018,00	
	Xeon E5-2680 2.7GHz 20MB Turbo Boost	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x	x				S26361-F4537-E680	2.266,00	
	2nd Xeon E5-2680	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,						x				S26361-F4540-E680	2.266,00	
	Xeon E5-2687W 3.1GHz 20MB Turbo Boost	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,						x				S26361-F4537-E687	2.475,00	
	2nd Xeon E5-2687W	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,						x				S26361-F4540-E687	2.475,00	
	Xeon E5-2690 2.9GHz 20MB Turbo Boost	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x	x				S26361-F4537-E690	2.693,00	
	2nd Xeon E5-2690	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,						x				S26361-F4540-E690	2.693,00	
	Pentium G645	incl. Intel HD Graphics, 2.90 GHz, 3 MB total cache, dual core/2 threads, LGA1155,								x		S26361-F4050-E645	66,00	Phased out
	Pentium G870	incl. Intel HD Graphics, 3.10 GHz, 3 MB total cache, dual core/2 threads, LGA1155,								x		S26361-F4050-E870	73,00	
	Core i3-2130	incl. Intel HD Graphics 2000, 3.40 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,							x	x	x	S26361-F4493-E214	134,00	Phased out
	Core i3-3220	incl. Intel HD Graphics 2500, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,	x						x	x	x	S26361-F4493-E322	134,00	
	Core i5-3470	incl. Intel HD Graphics 2500, 3.20 GHz, up to 3.6 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-d, TXT							x			S26361-F4494-E348	235,00	
	Core i5-3570	incl. Intel HD Graphics 2500, 3.40 GHz, up to 3.8 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-d, TXT							x			S26361-F4494-E357	262,00	
	Core i7-3770	incl. Intel HD Graphics 4000, 3.40 GHz, up to 3.9 GHz, 8 MB total cache, quad core/8 threads, LGA1155, technologies: VT-d, TXT							x			S26361-F4495-E377	365,00	
	Xeon E3-1220v2 3.10GHz 8MB Turbo Boost	3.10/3.50 GHz, 8MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT,	x							x	x	S26361-F4573-E220	264,00	
	Xeon E3-1225v2 3.20GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.20/3.60 GHz, 8 MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT,	x							x	x	S26361-F4573-E225	272,00	
	Xeon E3-1230v2 3.30GHz 8MB Turbo Boost	3.30/3.70 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x							x	x	S26361-F4573-E230	300,00	
	Xeon E3-1240v2 3.40GHz 8MB Turbo Boost	3.40/3.80 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x							x	x	S26361-F4573-E240	325,00	
	Xeon E3-1245v2 3.40GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.40/3.80 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x							x	x	S26361-F4573-E245	339,00	
	Xeon E3-1270v2 3.50GHz 8MB Turbo Boost	3.50/3.90 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x							x	x	S26361-F4573-E270	418,00	
	Xeon E3-1275v2 3.50GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.50/3.90 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x							x	x	S26361-F4573-E275	427,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
Processor (Continued)														
	Xeon E3-1280v2 3.60GHz 8MB Turbo Boost	3.60/4.00 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x							x	x	S26361-F4573-E280	759,00	
Memory														
	2GB DDR3-1600 PC3-12800			x								S26391-F1162-E200	20,00	
	2GB DDR3-1600 PC3-12800			x								S26391-F1162-E210	20,00	
	4GB DDR3-1600 PC3-12800			x								S26391-F1162-E400	36,00	
	4GB DDR3-1600 PC3-12800			x								S26391-F1162-E410	36,00	
	8GB DDR3-1600 PC3-12800			x								S26391-F1162-E800	97,00	
	8GB DDR3-1600 PC3-12800			x								S26391-F1162-E810	97,00	
	2GB DDR3-1600 PC3-12800				x							S26391-F1172-E200	20,00	
	2GB DDR3-1600 PC3-12800				x							S26391-F1172-E210	20,00	
	4GB DDR3-1600 PC3-12800				x							S26391-F1172-E400	36,00	
	4GB DDR3-1600 PC3-12800				x							S26391-F1172-E410	36,00	
	8GB DDR3-1600 PC3-12800				x							S26391-F1172-E800	97,00	
	8GB DDR3-1600 PC3-12800				x							S26391-F1172-E810	97,00	
	2GB DDR3-1333 PC3-10600				x							S26391-F892-E200	20,00	
	2GB DDR3-1333 PC3-10600				x							S26391-F892-E210	20,00	
	4GB DDR3-1333 PC3-10600				x							S26391-F892-E400	36,00	
	4GB DDR3-1333 PC3-10600				x							S26391-F892-E410	36,00	
	8GB DDR3-1333 PC3-10600				x							S26391-F892-E800	97,00	
	8GB DDR3-1333 PC3-10600				x							S26391-F892-E810	97,00	
	2GB DDR3-1600	1 module PC 1600, DIMM,	x						x	x	x	S26361-F3384-E2	19,00	
	4GB DDR3-1600	1 module PC 1600, DIMM,	x						x	x	x	S26361-F3384-E3	34,00	
	8GB DDR3-1600	1 module PC 1600, DIMM,	x						x	x	x	S26361-F3384-E4	76,00	
	2GB DDR3-1600						x					S26361-F3383-E404	19,00	
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,					x	x				S26361-F3383-E414	34,00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,					x	x				S26361-F3383-E415	62,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,					x					S26361-F3383-E416	147,00	
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,	x							x	x	S26361-F3385-E2	34,00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,	x							x	x	S26361-F3385-E3	62,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,	x							x	x	S26361-F3385-E4	147,00	
	4GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary						x				S26361-F3383-E425	73,00	
	8GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary						x				S26361-F3383-E426	95,00	
	16GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary,						x				S26361-F3383-E427	266,00	
	32GB DDR3-1333 rg LR ECC	1 module, same number of modules for each processor necessary, only in combination with LRDIMM modules						x				S26361-F3382-E438	1.666,00	
Graphics														
	NVIDIA Quadro K3000M, 2GB VRAM				x							S26391-F1170-E730	605,00	
	NVIDIA Quadro K4000M, 4GB VRAM				x							S26391-F1170-E740	1.099,00	
	NVIDIA Quadro 3000M				x							S26391-F891-E300	605,00	
	NVIDIA Quadro 4000M				x							S26391-F891-E400	1.099,00	
	NVIDIA Quadro 5010M				x							S26391-F891-E500	2.244,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately					x	x	x	x	x	S26361-F2748-E38	85,00	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters					x	x	x	x	x	S26361-F2748-E245	392,00	
	NVIDIA Quadro 410 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters,	x				x	x	x	x	x	S26361-F2856-E941	93,00	
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe x16; w/o adapters	x				x	x	x	x	x	S26361-F2856-E61	156,00	
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x				x	x	x	x	x	S26361-F2856-E201	459,00	
	2nd NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,					x	x				S26361-F2856-E203	459,00	
	3rd NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,					x					S26361-F2856-E992	459,00	
	4th NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,					x					S26361-F2856-E993	459,00	
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters,	x				x	x	x	x	x	S26361-F2856-E202	464,00	
	2nd NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters,					x	x				S26361-F2856-E204	464,00	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x				x	x			x	S26361-F2856-E401	735,00	
	2nd NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,					x	x				S26361-F2856-E402	735,00	
	3rd NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,					x					S26361-F2856-E994	735,00	
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; PCIe x16; w/o adapters	x				x	x			x	S26361-F2856-E501	1.660,00	Phased out
	2nd NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; PCIe x16; w/o adapters					x	x				S26361-F2856-E502	1.660,00	Phased out
	NVIDIA Quadro K5000 4GB	Connectors: 1x DVI-I dual link, 1x DVI-D and 2x DP, SLI, stereo; PCIe x16; w/o adapters,					x	x			x	S26361-F2222-E500	1.677,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Graphics (Continued)														
	2nd NVIDIA Quadro K5000 4GB	Connectors: 1x DVI-I dual link, 1x DVI-D and 2x DP, SLI, stereo; PCIe x16; w/o adapters,					x	x				S26361-F2222-E502	1.677,00	
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, PCIe x16, w/o adapters	x				x	x				S26361-F2856-E601	3.646,00	
	2nd NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, PCIe x16, w/o adapters					x	x				S26361-F2856-E602	3.646,00	
	3rd NVIDIA Quadro 6000 2GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, PCIe x16, w/o adapters						x				S26361-F2856-E995	3.646,00	
	AMD FirePro V3900 1 GB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters,	x				x	x	x	x		S26361-F2530-E390	97,00	
	AMD FirePro V4900 1 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters,	x				x	x	x	x		S26361-F2530-E490	202,00	
	AMD FirePro V5900 2 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters,	x				x	x	x	x		S26361-F2530-E590	426,00	
	AMD FirePro W5000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,	x				x	x	x	x		S26361-F3300-E500	488,00	
	AMD FirePro V7900 2 GB	Connectors: 4 x DP, PCIe x16, w/o adapters,	x				x	x				S26361-F2530-E790	728,00	
	AMD FirePro W7000 4GB	Connectors: 4x DP; PCIe x16; w/o adapter,					x	x				S26361-F3300-E700	822,00	
	AMD FirePro W8000 4GB	Connectors: 4x DP; PCIe x16, stereo; w/o adapter,					x					S26361-F3300-E800	1.655,00	
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1	x				x	x		x		S26361-F3565-E1	298,00	
	CELSIUS RemoteAccess Dual Connection	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1	x				x	x		x		S26361-F3565-E2	236,00	Orderable from: 22/02/2013
	CELSIUS RemoteAccess Quad Card	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1					x	x		x		S26361-F3565-E4	406,00	Orderable from: 04/03/2013
	NVIDIA Tesla C2075 Computing-Processor	Connectors: 1x DVI-I, PCIe x16,	x				x	x				S26361-F2856-E209	2.176,00	
	2nd NVIDIA Tesla C2075	Computing-Processor, Connectors: 1x DVI-I, PCIe x16, ,					x	x				S26361-F2856-E998	2.176,00	
	3rd NVIDIA Tesla C2075	Computing-Processor, Connectors: 1x DVI-I, PCIe x16,						x				S26361-F2856-E996	2.176,00	
	NVIDIA Tesla K20						x	x				S26361-F2222-E20	3.217,00	
	2nd NVIDIA Tesla K20						x	x				S26361-F2222-E999	3.217,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x				x	x	x	x		S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	x				x	x	x	x		S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors					x	x	x	x		S26361-F2391-E101	17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors					x	x	x	x		S26361-F2391-E102	19,00	
	SLI bridge for NVIDIA graphics						x	x				S26361-F2542-E95	44,00	
	No graphics in system						x	x		x		S26361-F2748-E998	10,00	
Removable Media Drives														
	Cable for 2nd ODD									x		S26361-F2581-E23	4,00	
	Cable for 2nd ODD									x		S26361-F2581-E24	4,00	
	USB dongle bay module	Bay module for USB software licensing dongles to be put inside the housing., , If USB software licensing dongles are attached to the outer USB ports they can be lost or damaged. This can be prevented by using this USB dongle bay module.,	x									S26391-F1164-E700	18,00	
	DVD-RW Dual Double Layer Super Multi Blu-ray burner						x					S26391-F1174-E200	39,00	
	DVD-RW Dual Double Layer Super Multi Blu-ray burner /w Playback Software						x					S26391-F1174-E400	219,00	
	DVD-RW Dual Double Layer Super Multi Blu-ray burner						x					S26391-F894-E100	39,00	
	Weight saver for modular bay						x					S26391-F894-E200	219,00	
	2nd Battery 6cell 41Wh (3,800mAh)						x					S26391-F1164-E200	39,00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately								x	x	S26391-F1164-E400	219,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately								x	x	S26391-F984-E400	4,00	
	Blu-ray Triple Writer SATA slim (tray)	occupies 5,25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately					x	x				S26391-F984-E500	123,00	
	DVD SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately					x	x				S26361-F3418-E510	16,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately					x	x				S26361-F3420-E510	23,00	
	Blu-ray Disc Triple Writer SATA	occupies 5,25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately					x	x				S26361-F3716-E100	73,00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately					x	x				S26361-F3418-E530	17,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately					x	x				S26361-F3420-E530	23,00	
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies 5,25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately					x	x				S26361-F3523-E530	167,00	Phased out
		occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,					x	x	x	x		S26361-F3077-E50	10,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
Removable Media Drives (Continued)														
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5" bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,					x					S26361-F3077-E51	13,00	
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay,DVD software must be ordered separately	x									S26361-F3429-E510	30,00	
Hard Disks														
	No Raid					x						S26391-F1177-E500	2,00	
	RAID0 - HDD SATA 2x 500GB 7.2k striping					x						S26391-F1177-E501	224,00	
	RAID0 - HDD SATA 2x 640GB 7.2k striping					x						S26391-F1177-E502	303,00	
	RAID0 - HDD SATA 2x 1TB 5.4k striping					x						S26391-F1177-E503	347,00	
	RAID0 - SSD SATA III 2x 128GB striping					x						S26391-F1177-E511	459,00	
	RAID0 - SSD SATA III 2x 256GB striping					x						S26391-F1177-E512	908,00	
	Win8 RAID0 SSD SATAIII 2x 128GB striping					x						S26391-F1177-E516	459,00	
	Win8 RAID0 SSD SATAIII 2x 256GB striping					x						S26391-F1177-E517	908,00	
	RAID1 - HDD SATA 2x 500GB 7.2k mirroring					x						S26391-F1177-E601	224,00	
	RAID1 - SSD SATA III 2x 128GB mirroring					x						S26391-F1177-E611	459,00	
	RAID1 - SSD SATA III 2x 256GB mirroring					x						S26391-F1177-E612	908,00	
	Win8 RAID1 SSD SATAIII 2x128GB mirroring					x						S26391-F1177-E616	459,00	
	Win8 RAID1 SSD SATAIII 2x256GB mirroring					x						S26391-F1177-E617	908,00	
	Bracket for mounting of 8x 2.5" HDD						x	x				S26361-F4030-E8	4,00	
	SSD SATA III 64GB Smart Response cache	Very fast 2.5" SSD with SATA 6GB/s interface, incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,								x		S26361-F3742-E64	88,00	
	SSD SATA III 64GB Smart Response cache	very fast 2.5" SSD with SATA 6GB/s interface, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,								x	x	S26361-F3744-E64	88,00	
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support							x			S26361-F3681-E128	160,00	
	SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support	x			x			x	x		S26361-F3682-E128	160,00	
	2nd SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support								x	x	S26361-F3683-E128	160,00	
	SSD SATA III 128GB high speed					x	x					S26361-F3758-E128	160,00	
	2nd SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support				x	x					S26361-F3759-E128	160,00	
	SSD SATA III 128GB high speed bay	occupies 2.5"-bay (external), very fast solid state drive with SATA 6GB/s interface, no WinXP support,				x	x					S26361-F3779-E128	160,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support							x			S26361-F3681-E256	282,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	x			x			x	x		S26361-F3682-E256	282,00	
	2nd SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support							x	x		S26361-F3683-E256	282,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support				x	x					S26361-F3758-E256	282,00	
	2nd SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support				x	x					S26361-F3759-E256	282,00	
	SSD SATA III 256GB high speed bay	occupies 2.5"-bay (external), very fast solid state drive with SATA 6GB/s interface, no WinXP support,				x	x					S26361-F3779-E256	282,00	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support							x			S26361-F3681-E512	595,00	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	x						x	x		S26361-F3682-E512	595,00	
	2nd SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support							x	x		S26361-F3683-E512	595,00	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support				x	x					S26361-F3758-E512	595,00	
	2nd SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support				x	x					S26361-F3759-E512	595,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
Hard Disks (Continued)														
	SSD SATA III 512GB high speed bay	occupies 2.5"-bay (external), very fast solid state drive with SATA 6GB/s interface, no WinXP support,					x	x				S26361-F3779-E512	595,00	
	WIN8 - SSD SATA III 64GB Smart Response	Very fast 2.5" SSD with SATA 6GB/s interface, incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,								x		S26361-F3769-E64	88,00	
	WIN8 - SSD SATA III 64GB Smart Response	very fast 2.5" SSD with SATA 6GB/s interface, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,								x	x	S26361-F3770-E64	88,00	
	WIN8 - SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support								x		S26361-F3764-E128	160,00	
	WIN8 - SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support	x								x	S26361-F3765-E128	160,00	
	WIN8 - 2nd SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support									x	S26361-F3766-E128	160,00	
	WIN8 - SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support									x	S26361-F3764-E256	282,00	
	WIN8 - SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	x								x	S26361-F3765-E256	282,00	
	WIN8 - 2nd SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support									x	S26361-F3766-E256	282,00	
	WIN8 - SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support									x	S26361-F3764-E512	595,00	
	WIN8 - SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	x								x	S26361-F3765-E512	595,00	
	WIN8 - 2nd SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support									x	S26361-F3766-E512	595,00	
	SSD 128GB high speed FDE	very fast 2.5" solid state drive with SATA 3GB/s interface, incl. easy rail, no WinXP support									x	S26361-F3639-E100	224,00	
	SSD 128GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support	x				x	x			x	S26361-F3662-E128	224,00	
	2nd SSD 128GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support					x	x			x	S26361-F3663-E128	224,00	
	SSD SATA III 128GB high speed SED										x	S26361-F3772-E128	170,00	
	SSD SATA III 128GB high speed SED										x	S26361-F3774-E128	170,00	
	2nd SSD SATA III 128GB high speed SED										x	S26361-F3775-E128	170,00	
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)					x	x	x	x	x	S26361-F3660-E250	58,00	
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x				x	x	x	x	x	S26361-F3660-E500	68,00	
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x				x	x	x	x	x	S26361-F3660-E100	113,00	
	HDD SATA 320GB 5.4k	HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.			x							S26391-F893-E320	167,00	
	HDD SATA 320GB 5.4k XP optimized	HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., XP optimized			x							S26391-F893-E321	204,00	
	HDD SATA II 320GB 7.2k FDE	HDD SATA, 7200 rpm, 320 GB, 2.5-inch, FDE	x									S26391-F1163-E327	222,00	
	HDD SATA 320GB 5.4k FDE	Not for China!, HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., full disk encryption			x							S26391-F893-E328	230,00	
	HDD SATA III 2000GB 7.2k AF	occupies 3.5"-bay (internal), Advanced Format (AF)	x				x	x	x	x	x	S26361-F3660-E200	163,00	
	HDD SATA II 320GB 7.2k 2.5"	supports NCQ and 3GB/s, compatible to SATA technology.								x	x	S26361-F3721-E320	74,00	
	HDD SATA II 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.				x						S26391-F1173-E507	254,00	
	HDD SATA II 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.	x									S26391-F1163-E507	254,00	
	HDD SATA 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.			x							S26391-F893-E507	254,00	
	2x HDD SATA 500GB 7.2k	2 x HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.			x							S26391-F893-E509	354,00	
	HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.	x									S26391-F1163-E647	257,00	
	HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.				x						S26391-F1173-E647	257,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
Hard Disks (Continued)														
	HDD SATA II 1000GB 5.4k	HDD SATA, 5400 rpm, 1000 GB, 2.5-inch, S.M.A.R.T.		x								S26391-F1163-E100	353,00	
	SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch		x								S26391-F1163-E820	232,00	
	Win8 - SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch		x								S26391-F1163-E821	232,00	
	SSD SATA III 128GB FDE	SSD SATA III FDE, 128 GB, 2.5-inch		x								S26391-F1163-E825	282,00	
	Win8 - SSD SATA III 128GB FDE	SSD SATA III, FDE, 128 GB, 2.5-inch		x								S26391-F1163-E826	282,00	
	SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch		x								S26391-F1163-E835	299,00	
	Win8 - SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch		x								S26391-F1163-E836	299,00	
	SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch		x								S26391-F1163-E845	595,00	
	Win8 - SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch		x								S26391-F1163-E846	595,00	
	mSATA SSD 32GB	Cache module mSATA 32GB for IRST & Express Cache		x								S26391-F1163-E890	85,00	
	HDD SATA II 1000GB 5.4k	HDD SATA, 5400 rpm, 1000 GB, 2.5-inch, S.M.A.R.T.				x						S26391-F1173-E100	270,00	
	HDD SATA III 500GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x				x	x	x	x	x	S26361-F3497-E100	105,00	
	HDD SATAIII 1000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x				x	x	x	x	x	S26361-F3521-E100	178,00	
	HDD SATAII 2000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x				x	x	x	x	x	S26361-F3590-E100	294,00	
	HDD SATA III 600GB 10k	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x				x	x	x	x	x	S26361-F3632-E100	410,00	Phased out
	HDD SATA III 300GB 10k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x				x	x				S26361-F3760-E300	200,00	
	2nd HDD SATA III 300GB 10k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology					x	x				S26361-F3761-E300	200,00	
	HDD SATA III 600GB 10k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x				x	x				S26361-F3760-E600	410,00	
	2nd HDD SATA III 600GB 10k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology					x	x				S26361-F3761-E600	410,00	
	HDD SATA III 500GB 10k BC 2.5'	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, 10k rpm, business critical HDD,	x				x	x				S26361-F3760-E500	250,00	
	2nd HDD SATA III 500GB 10k BC 2.5'	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, 10k rpm, business critical HDD,					x	x				S26361-F3761-E500	250,00	
	HDD SATA III 1000GB 10k BC 2.5'	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, 10k rpm, business critical HDD,	x				x	x				S26361-F3760-E100	466,00	
	2nd HDD SATA III 1000GB 10k BC 2.5'	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, 10k rpm, business critical HDD,					x	x				S26361-F3761-E100	466,00	
	HDD SAS 300GB 15k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, 2.5-inch,	x				x	x				S26361-F3738-E300	339,00	
	2nd HDD SAS 300GB 15k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, 2.5-inch,					x	x				S26361-F3738-E302	339,00	
	HDD SAS 300GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, 2.5-inch,	x				x	x				S26361-F3737-E300	200,00	
	2nd HDD SAS 300GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, 2.5-inch,					x	x				S26361-F3737-E302	200,00	
	HDD SAS 450GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, 2.5-inch,	x				x	x				S26361-F3737-E450	268,00	
	2nd HDD SAS 450GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, 2.5-inch,					x	x				S26361-F3737-E452	268,00	
	HDD SAS 600GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, 2.5-inch,	x				x	x				S26361-F3737-E600	328,00	
	2nd HDD SAS 600GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, 2.5-inch,					x	x				S26361-F3737-E602	328,00	
	SSD SATA 128GB FDE	Not for China!, SSD SATA, 128 GB, 2.5-inch, full disk encryption			x							S26391-F893-E820	282,00	
	SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch				x						S26391-F1173-E820	232,00	
	SSD SATA III 128GB 2.5"	SSD SATA III, 128 GB, 2.5-inch				x						S26391-F893-E821	232,00	
	SSD 128GB + HDD 750 GB	1x SSD SATA, 128 GB / 1x HDD SATA, 7200 rpm 750 GB, S.M.A.R.T.				x						S26391-F893-E823	560,00	
	SSD SATA III 128GB FDE	SSD SATA III FDE, 128 GB, 2.5-inch				x						S26391-F1173-E825	282,00	
	SSD 128/HDD 500GB	1x SSD SATA, 128 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.				x						S26391-F893-E825	533,00	
	SSD highspeed 128/HDD 500GB	1x SSD SATA III, 128 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.				x						S26391-F893-E826	533,00	
	SSD SATA 256GB FDE	Not for China!, , , SSD SATA, 256 GB, 2.5-inch, full disk encryption				x						S26391-F893-E830	430,00	
	SSD SATA III 256GB 2.5"	SSD SATA III, 256 GB, 2.5-inch				x						S26391-F893-E831	299,00	
	SSD 256GB + HDD 500 GB	1x SSD SATA, 256 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.				x						S26391-F893-E832	538,00	
	SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch				x						S26391-F1173-E835	299,00	
	SSD SATA 512GB (FDE)	Not for China!, , , SSD SATA 512 GB, 2.5-inch, full disk encryption				x						S26391-F893-E840	1.210,00	
	SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch				x						S26391-F1173-E845	595,00	
	2x SSD SATA 512GB (FDE)	2 x SSD SATA, 512 GB, 2.5-inch, full disk encryption,				x						S26391-F893-E849	2.360,00	
	Win8 - SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch				x						S26391-F1173-E821	232,00	
	Win8 - SSD SATA III 128GB FDE	SSD SATA III, 128 GB, 2.5-inch				x						S26391-F1173-E826	282,00	
	Win8 - SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch				x						S26391-F1173-E836	299,00	
	Win8 - SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch				x						S26391-F1173-E846	595,00	
	2nd HDD SATA II 500GB 7.2k	HDD SATA, 5400 rpm, 500 GB, 7.2k				x						S26391-F1173-E957	254,00	
	2nd HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.				x						S26391-F1173-E967	257,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
Hard Disks (Continued)														
	2nd HDD SATA II 1000GB 5.4k	HDD SATA, 5400 rpm, 1000 GB, 2.5-inch, S.M.A.R.T.				x						S26391-F1173-E910	270,00	
	2nd SSD SATA III 128GB FDE	SSD SATA III FDE, 128 GB, 2.5-inch					x					S26391-F1173-E980	282,00	
	2nd SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch					x					S26391-F1173-E981	282,00	
	2nd SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch					x					S26391-F1173-E982	299,00	
	2nd SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch					x					S26391-F1173-E985	595,00	
	Win8 - 2nd SSD SATA III 128GB FDE	SSD SATA III, 512 GB, 2.5-inch					x					S26391-F1173-E990	282,00	
	Win8 - 2nd SSD SATA III 128GB	SSD SATA III, 512 GB, 2.5-inch					x					S26391-F1173-E991	232,00	
	Win8 - 2nd SSD SATA III 256GB	SSD SATA III, 512 GB, 2.5-inch					x					S26391-F1173-E992	299,00	
	Win8 - 2nd SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch					x					S26391-F1173-E995	595,00	
	Cable for SATA HDD									x		S26361-F2581-E35	3,00	
	Cable for 4x SAS/SATA HDD	for 5th 8th HDD,						x	x			S26361-F4030-E23	10,00	
	Rails for 2x HDD 3.5"						x	x				S26361-F4030-E20	4,00	
	Rails for 2x HDD 2.5"						x	x		x		S26361-F4030-E40	4,00	
	2.5" Drive Slot Cover		x									S26361-F4030-E50	4,00	
	2.5" HDD Carrier		x									S26361-F4030-E51	7,00	
	3.5" Drive Slot Cover		x									S26361-F4030-E60	4,00	
	3.5" HDD Carrier		x									S26361-F4030-E61	7,00	
SCSI/RAID/SAS controller														
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports, RAID Levels 0, 1, and 10 ,						x	x			S26361-F3976-E2	140,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports, RAID levels 0, 1, 5 and 6	x					x	x			S26361-F3976-E3	238,00	
	RAID Contr BBU Upgrade RAID 5/6	RAID controller battery-backup-unit,	x						x			S26361-F3976-E99	107,00	
	4-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 4x onboard SAS (incl. RAID 0,1,10 license),						x				S26361-F2581-E49	29,00	
	8-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 8x onboard SAS (incl. RAID 0,1,10 license)							x			S26361-F2581-E43	50,00	
Communication/Network														
	Dual 1 Gigabit Ethernet PCIe x4		x					x	x			S26361-F3067-E80	112,00	
	USB 3.0 PCIe x1	FTS D3305, connectors: 1x USB Typ A external, 1x USB Typ A internal; PCIe x1,							x	x		S26361-F3060-E10	26,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0	x					x	x	x	x	S26361-F3067-E60	17,00	
	No WLAN			x	x	x						S26391-F955-E210	2,00	
	Intel Centrino 6205 a/b/g/n			x								S26391-F1165-E200	18,00	
	WLAN Advanced Intel Centrino 6205 a/b/g/					x						S26391-F1175-E200	18,00	
	WLAN Intel Centrino 2200 b/a/n			x								S26391-F1165-E210	12,00	
	WLAN Intel Centrino 2200 b/a/n					x						S26391-F1175-E210	12,00	
	WLAN Atheros 802.11b/g/n (WW)					x						S26391-F955-E230	10,00	Phased out
	Intel Centrino 6205 802.11ab/g/n (WW)					x						S26391-F955-E240	22,00	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express						x	x			S26361-F3067-E40	16,00	
	No Bluetooth			x								S26391-F955-E310	2,00	
	Bluetooth Module V4.0			x								S26391-F1165-E320	23,00	
	Dual 10 Gigabit Ethernet PCIe x8	FTS D2755, w/o SFP+ modules, appropriate SFP+ modules: S26361-F3986-L3 or S26361-F3986-L4 SFP+ Module Single Mode Fiber 10GBE LC or SFP+ Twinax cables	x					x	x			S26361-F3067-E70	347,00	
	InfiniBand HCA 40GB/s, 1-Port, QDR	Appropriate cables: Infiniband Cu Kabel 40GB, 4x QSFP, 1m (S26361-F3996-L101) or 3m (S26361-F3996-L103),	x						x			S26361-F3067-E100	493,00	
	No UMTS/No LTE	no antennas in the system = no future upgrade possible		x								S26391-F1165-E500	2,00	
	No UMTS/No LTE					x						S26391-F1175-E500	2,00	
	UMTS/LTE ready kit	only antennas included in the system to ensure future upgrade with UMTS/LTE module,		x								S26391-F1165-E510	12,00	
	UMTS/LTE ready kit					x						S26391-F1175-E510	12,00	
	No UMTS + No UMTS Antenna					x						S26391-F895-E510	2,00	
	InfiniBand HCA 40GB/s, 2-Port, QDR	Appropriate cables: Infiniband Cu Kabel 40GB, 4x QSFP, 1m (S26361-F3996-L101) or 3m (S26361-F3996-L103),	x						x			S26361-F3067-E110	639,00	
	UMTS Sierra Wireless Gobi 3000			x								S26391-F1165-E520	89,00	
	UMTS Sierra Wireless Gobi 3000					x						S26391-F1175-E520	89,00	
	Win8 - UMTS Sierra Wireless Gobi 3000			x								S26391-F1165-E521	89,00	
	Win8 - UMTS Sierra Wireless Gobi 3000					x						S26391-F1175-E521	89,00	
	UMTS Sierra Wireless Gobi 3000	Not for China!.				x						S26391-F895-E525	89,00	
	LTE module Sierra Wireless			x								S26391-F1165-E530	145,00	
	LTE module Sierra Wireless					x						S26391-F1175-E530	145,00	
	Win8 - LTE module Sierra Wireless			x								S26391-F1165-E531	145,00	
	Win8 - LTE module Sierra Wireless					x						S26391-F1175-E531	145,00	
	No Bluetooth					x						S26391-F895-E610	2,00	
	Bluetooth Module V4.0					x						S26391-F1175-E320	23,00	
	Bluetooth Module V3.0					x						S26391-F895-E620	23,00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface; only EMEA						x	x	x	x	S26361-F3108-E5	16,00	
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height								x	x	S26361-F2542-E34	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; full height						x	x	x	x	S26361-F2542-E70	4,00	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel						x	x	x	x	S26361-F3316-E6	25,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
Communication/Network (Continued)														
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel					x	x	x	x	x	S26361-F3316-E7	26,00	
Multimedia Module														
	2x Digital array microphones			x								S26391-F1160-E500	8,00	
	2x Digital array mics + 2Mpix Webcam		x									S26391-F1160-E510	26,00	
	Digital microphone					x						S26391-F1170-E500	8,00	
	Digital mic + Webcam					x						S26391-F1170-E510	26,00	
	Digital microphone					x						S26391-F890-E810	8,00	
	Digital mic + Webcam					x						S26391-F890-E820	26,00	
Mobile Security														
	TPM module				x							S26391-F1179-E100	8,00	
	TPM module			x								S26391-F1169-E100	8,00	
	TPM module	Not for China!			x							S26391-F989-E300	8,00	
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk			x	x	x					S26391-F993-E100	23,00	
	SystemLock3	SystemLock3 Smartcard BIOS Pre-Boot Authentication		x		x						S26391-F993-E200	18,00	
	SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics		x		x						S26361-F2011-E740	14,00	
	Kensington Lock cable			x	x	x						S26391-F959-E400	55,00	
Rack-Infrastructure														
	RMK-F1_DI_CMA_QRL	Telescopic drop-in rails, 781mm long with cable management arm adapter, full extraction with extension length 815mm, with vario-carrier 1 for rack installation depth (19" pillar distance) between 714mm and 785m, pre-assembled with centre screw	x									S26361-F2735-E145	95,00	
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket	x									S26361-F4530-E10	5,00	
	Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket	x									S26361-F4530-E11	5,00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works. With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x									S26361-F1647-E302	65,00	
Country kits														
	Country kit US-cable (INT)	incl. power cord (US), safety manuals (EU+, non EU)	x							x	x	S26361-F2930-E100	8,00	
	Country kit (DE)	Germany; incl. power cord (Euro), safety manual (DE)	x				x	x	x	x	x	S26361-F2930-E101	8,00	
	Country kit (IT)	Italy; incl. power cord (IT), safety manual (IT)	x				x	x	x	x	x	S26361-F2930-E104	8,00	
	Country kit (GB)	United Kingdom; incl. power cord (GB), safety manual (EN)	x				x	x	x	x	x	S26361-F2930-E105	8,00	
	Country kit GB-cable (non EU)	incl. power cord (GB),safety manual (INT)	x				x	x	x	x	x	S26361-F2930-E110	8,00	
	Country kit (JP)	Japan; incl. power cord (JP), safety manual (non EU), incl. Japan supplementary sheets						x				S26361-F2930-E113	8,00	
	Country kit without power cord (INT)	without power cord, incl. safety manuals (EU+, non EU)	x				x	x	x	x	x	S26361-F2930-E135	8,00	
	Country kit Euro-cable (EU+)	incl. power cord (Euro), safety manual (EU+)	x				x	x	x	x	x	S26361-F2930-E141	8,00	
	Country kit (DE)			x								S26391-F1168-E100	8,00	
	Country kit (INT)			x								S26391-F1168-E200	8,00	
	Country kit (GB)			x								S26391-F1168-E300	8,00	
	Country kit (DE)					x						S26391-F1178-E100	8,00	
	Country kit (INT)					x						S26391-F1178-E200	8,00	
	Country kit (GB)					x						S26391-F1178-E300	8,00	
	Country kit (D)					x						S26391-F898-E500	8,00	
	Country kit (GB)					x						S26391-F898-E600	8,00	
	Country Kit (INT)					x						S26391-F898-E700	8,00	
	Warranty Card Poland			x	x	x						S26391-F781-E500	2,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x				x	x	x	x	x	S26391-F404-E911	2,00	
Power supply														
	Battery 6cell 6700mAh	Lithium-Ion, 10.8V, 72Wh,		x								S26391-F1166-E100	59,00	
	3pin AC Adapter 19V/150W (H720-MM)	3pin AC Adapter 19V/150W for use with H720 notebook system, Mickey Mouse (MM) connector type,		x								S26391-F1166-E220	55,00	
	Battery 8cell 5800mAh	Lithium-Ion, 14.4V, 83Wh, ,					x					S26391-F1176-E100	78,00	
	3pin AC Adapter 19V/210W			x		x						S26391-F1176-E210	67,00	
	AC Adapter 19V/210W					x						S26391-F896-E500	67,00	
	Battery 8cell 5800mAh					x						S26391-F896-E700	78,00	
	3-pin Power cable EU	3pin power cable for EU, Mickey Mouse (MM) connector type (for H720),		x								S26391-F878-E310	6,00	
	3-pin Power Cable US	3pin power cable for US, Mickey Mouse (MM) connector type (for H720)		x								S26391-F878-E320	7,00	
	3-pin Power Cable GB	3pin power cable for GB, Mickey Mouse (MM) connector type (for H720)		x								S26391-F878-E330	7,00	
	AC cable for 3-pin China	3pin power cable for China, Mickey Mouse (MM) connector type (for H720)		x								S26391-F878-E340	7,00	
	3-pin Power Cable CH			x								S26391-F878-E360	7,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
Power supply (Continued)														
	AC cable for 3-pin EU	3pin power cable for EU, DeskTop (DT) connector type (for H920 and/or Portreplicator)		x	x	x						S26391-F878-E410	7,00	
	AC cable for 3-pin US	3pin power cable for US, DeskTop (DT) connector type (for H920 and/or Portreplicator)		x		x						S26391-F878-E420	7,00	
	AC cable for 3-pin GB	3pin power cable for GB, DeskTop (DT) connector type (for H920 and/or Portreplicator)		x	x	x						S26391-F878-E430	7,00	
	AC cable for 3-pin China	3pin power cable for China, DeskTop (DT) connector type (for H920 and/or Portreplicator)		x		x						S26391-F878-E440	7,00	
	AC cable for 3-pin Switzerland	3pin power cable for Switzerland, DeskTop (DT) connector type (for H920 and/or Portreplicator),		x	x	x						S26391-F878-E450	7,00	
Port Replicator														
	Port Replicator			x								S26391-F1167-E100	78,00	
	No Port Replicator			x								S26391-F1167-E200	4,00	
	Port Replicator					x						S26391-F1177-E100	78,00	
	Portreplicator				x							S26391-F897-E100	78,00	
OneBox-Keyboards														
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x				x	x	x	x	x	S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x				x	x	x	x	x	S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x				x	x	x	x	x	S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x				x	x	x	x	x	S26381-K341-E185	27,00	
	KB410 USB GREY JP	KB410 USB, slim value keyboard with japanese layout on 108-key modul in grey. Fixed USB cable 1.8 m.	x				x	x	x	x	x	S26381-K510-E174	13,00	
	KB410 USB BLACK US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x	x	x	S26381-K510-E402	13,00	
	KB410 USB BLACK US ENGLISH 104 key	KB410 USB US 104 key US English layout, slim value keyboard with US layout on 104-key modul in black. Fixed USB cable 1.8 m.					x	x	x	x		S26381-K510-E410	13,00	
	KB410 USB BLACK DE	KB410 USB, slim value keyboard with german layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x	x	x	S26381-K510-E420	13,00	
	KB410 USB BLACK GB	KB410 USB, slim value keyboard with english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x	x	x	S26381-K510-E465	13,00	
	KB410 USB BLACK AR/GB	KB410 USB, slim value keyboard with arabic / english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x	x	x	S26381-K510-E466	13,00	
	KB410 USB BLACK IT	KB410 USB, slim value keyboard with italian layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x	x	x	S26381-K510-E485	13,00	
	KB410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.					x	x	x	x	x	S26381-K515-E402	13,00	
	KB410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.					x	x	x	x	x	S26381-K515-E420	13,00	
	KB410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.					x	x	x	x	x	S26381-K515-E465	13,00	
	KB410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.					x	x	x	x	x	S26381-K515-E485	13,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x				x	x	x	x	x	S26381-K520-E102	13,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
OneBox-Keyboards (Continued)														
	KB520 US ENGLISH 104 key	KB520 keyboard standard 104keys, marble grey, US, cable USB 2m,					x	x	x	x		S26381-K520-E110	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x				x	x	x	x		S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x				x	x	x	x		S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x				x	x	x	x		S26381-K520-E185	13,00	
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2					x	x	x	x		S26381-K551-E420	10,00	Phased out
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x				x	x	x	x		S26381-K560-E402	16,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x				x	x	x	x		S26381-K560-E420	16,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x				x	x	x	x		S26381-K560-E465	16,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x				x	x	x	x		S26381-K560-E485	16,00	
	Keyboard w/ TS 10key DE			x	x	x						S26391-F669-E121	39,00	
	Keyboard w/ TS 10key IT			x	x	x						S26391-F669-E123	39,00	
	Keyboard w/ TS 10key GB			x	x	x						S26391-F669-E125	39,00	
	Keyboard w/ TS 10key US			x	x	x						S26391-F669-E134	39,00	
	Keyboard black w/ TS 10key DE			x	x							S26391-F901-E221	34,00	
	Keyboard black w/ TS 10key IT			x	x							S26391-F901-E223	34,00	
	Keyboard black w/ TS 10key GB			x	x							S26391-F901-E225	34,00	
	Keyboard black w/ TS 10key US			x	x							S26391-F901-E234	34,00	
	PS2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca. 2,0 m length					x	x	x	x		T26139-Y4530-E1	4,00	
OS/Application-SW														
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp	x				x	x	x	x		S26361-F1818-E897	10,00	
	Nero 12 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp	x							x		S26361-F1818-E899	10,00	
	Drivers&Utilities DVD (XP) CELSIUS		x				x	x	x	x		S26361-F2007-E912	3,00	
	No Operating System			x	x	x						S26361-F2008-E100	4,00	
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback), BackItUp/ on DVD			x							S26361-F2008-E893	10,00	
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp		x	x							S26361-F2008-E897	10,00	
	Nero 12 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp		x	x							S26361-F2008-E898	10,00	
	Drivers&Utilities DVD Mobile H Win7/8			x	x							S26361-F2012-E103	3,00	
	Power DVD 10 SW for DVD playback	Power DVD 10 SW for DVD playback, Playback SW for DVD	x				x	x	x	x		S26361-F2012-E180	6,00	
	Power DVD10 SW for BD/DVD playback	Power DVD 10 SW for DVD playback, Playback SW for DVD	x				x	x	x	x		S26361-F2012-E181	23,00	
	Power DVD 10 SW for DVD playback_LB	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp		x	x							S26361-F2012-E190	10,00	
	SAG CAT Client WIN7 Jul12	preloaded XP Prof., short documentation					x	x	x			S26361-F2109-E985	4,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.			x							S26361-F2110-E177	110,00	Phased out
	License - Windows 8 Pro			x	x							S26361-F2218-E100	116,00	
	Lizenz EU/MM - Windows 7 Ultimate	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x				x	x	x	x		S26361-F2210-E325	166,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.					x		x	x		S26361-F2009-E243	85,00	
	License - Windows 8			x	x							S26361-F2218-E103	79,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x				x	x	x	x		S26361-F2009-E253	122,00	
	License EM - Windows 8			x	x							S26361-F2218-E106	60,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
OS/Application-SW (Continued)														
	Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.		x		x						S26361-F2218-E200	4,00	
	Load Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.		x		x						S26361-F2218-E201	4,00	
	Load Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),		x		x						S26361-F2218-E207	4,00	
	Load Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.		x		x						S26361-F2218-E202	4,00	
	Load Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,		x		x						S26361-F2218-E208	4,00	
	Load Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,		x		x						S26361-F2218-E209	4,00	
	Load Win8 (64) EM+Office2010t	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,		x		x						S26361-F2218-E213	4,00	
	OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified		x		x						S26361-F2218-E300	3,00	
	OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified		x		x						S26361-F2218-E302	3,00	
	OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified		x		x						S26361-F2218-E304	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
OS/Application-SW (Continued)														
	OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified		x		x						S26361-F2218-E306	3,00	
	OS RDVD Windows 8 (32) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian		x		x						S26361-F2218-E308	3,00	
	OS RDVD Windows 8 (64) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian		x		x						S26361-F2218-E310	3,00	
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. . Not to be distributed to small business or the United States Federal Government.				x						S26361-F2110-E180	110,00	Phased out
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. . Not to be distributed to small business or the United States Federal Government.				x						S26361-F2110-E181	110,00	Phased out
	Win7-Load Pro64 MAIN + Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), . The BIOS setting for Secure Boot is disabled. . Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.		x		x						S26361-F2218-E405	4,00	
	Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), . The BIOS setting for Secure Boot is disabled. . Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.		x		x						S26361-F2218-E406	4,00	
	Win7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), . . . The BIOS setting for Secure Boot is disabled. . Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.		x		x						S26361-F2218-E407	4,00	
	Win7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), . . The BIOS setting for Secure Boot is disabled. . Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.		x		x						S26361-F2218-E408	4,00	
	Win7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), . . . The BIOS setting for Secure Boot is disabled. . Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.		x		x						S26361-F2218-E409	4,00	
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x						S26361-F2110-E182	194,00	Phased out
	License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).								x		S26361-F2009-E232	66,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
OS/Application-SW (Continued)														
	RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x		x						S26361-F2218-E500	6,00	
	RDVD Downgrade Win7 Pro (32)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x		x						S26361-F2218-E501	6,00	
	RDVD Downgrade Win7 Pro (64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x		x						S26361-F2218-E502	6,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).					x		x	x	x	S26361-F2009-E242	85,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x				x	x	x	x	x	S26361-F2009-E252	122,00	
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.			x							S26361-F2110-E185	194,00	Phased out
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.			x							S26361-F2110-E186	194,00	Phased out
	Drivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security Trial 90 days			x							S26361-F2010-E199	3,00	
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.			x							S26361-F2110-E187	333,00	Phased out
	License - Windows 8 Pro		x						x	x	x	S26361-F2208-E100	116,00	
	License - Windows 8		x						x	x	x	S26361-F2208-E103	79,00	
	License EM - Windows 8	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro, Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe, India and China	x						x	x	x	S26361-F2208-E106	60,00	
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.			x							S26361-F2110-E190	333,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
OS/Application-SW (Continued)														
	License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro								x		S26361-F2009-E234	66,00	
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro					x		x	x	x	S26361-F2009-E244	85,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x				x	x	x	x	x	S26361-F2009-E254	122,00	
	License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe								x		S26361-F2009-E235	66,00	
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.			x							S26361-F2110-E191	333,00	Phased out
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe					x		x	x	x	S26361-F2009-E245	85,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only, For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.		x	x	x						S26361-F2010-E281	110,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
OS/Application-SW (Continued)														
	Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x							x	x	S26361-F2208-E200	4,00	
	Load Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x							x	x	S26361-F2208-E201	4,00	
	Load Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x							x	x	S26361-F2208-E202	4,00	
	Load Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	x							x	x	S26361-F2208-E207	4,00	
	Load Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x							x	x	S26361-F2208-E208	4,00	
	Load Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x							x	x	S26361-F2208-E209	4,00	
	Load Win8 (64) EM+Office2010t	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,	x							x	x	S26361-F2208-E213	4,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x				x	x	x	x	x	S26361-F2009-E255	122,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)														
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: , License only, For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed! , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.		x	x	x						S26361-F2010-E282	194,00	Phased out
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed! , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.		x	x	x						S26361-F2010-E283	333,00	Phased out
	License EM-SEA - Windows 7 Home Basic	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam								x		S26361-F2009-E236	66,00	
	License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam					x		x	x	x	S26361-F2009-E246	85,00	
	License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam	x				x	x	x	x	x	S26361-F2009-E256	122,00	
	OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x						x	x	x	S26361-F2208-E300	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
OS/Application-SW (Continued)														
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only, For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed! , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x				x	x	x	x		S26361-F2009-E271	110,00	Phased out
	OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x							x	x	S26361-F2208-E302	3,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License only, For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed! , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x				x	x	x	x		S26361-F2009-E272	194,00	Phased out
	OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai	x							x	x	S26361-F2208-E304	3,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery (Windows 7) or Push-Button Reset (Windows 8) is needed! , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x				x	x	x	x		S26361-F2009-E273	333,00	Phased out
	OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai	x							x	x	S26361-F2208-E306	3,00	
	OS RDVD Windows 8 (32) EM			x						x	x	S26361-F2208-E308	3,00	
	OS RDVD Windows 8 (64) EM			x						x	x	S26361-F2208-E310	3,00	
	License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India								x		S26361-F2009-E238	66,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India					x		x	x		S26361-F2009-E248	85,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x				x	x	x	x		S26361-F2009-E258	122,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)														
Options matrix	Win7-Load Pro32 MAIN+Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	S26361-F2208-E400	4,00	
	Win7-Load Pro32 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	S26361-F2208-E401	4,00	
	Win7-Load Pro32 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	S26361-F2208-E402	4,00	
	Win7-Load Pro32 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	S26361-F2208-E403	4,00	
	Win7-Load Pro32 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	S26361-F2208-E404	4,00	
	Win7-Load Pro64 MAIN + Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	S26361-F2208-E405	4,00	
	Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	S26361-F2208-E406	4,00	
	Win7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	S26361-F2208-E407	4,00	
	Win7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	S26361-F2208-E408	4,00	
	Win7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	S26361-F2208-E409	4,00	
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD. , Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.					x	x				S26361-F2007-E420	33,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
OS/Application-SW (Continued)														
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD. , Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.	x				x	x	x	x	x	S26361-F2007-E421	33,00	
	No Operating System		x				x	x	x	x	x	S26361-F1818-E100	2,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x	S26361-F2109-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x	S26361-F2109-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x	S26361-F2109-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x	S26361-F2109-E444	4,00	
	Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x	S26361-F2109-E445	4,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x	S26361-F2109-E446	4,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x	x	x	S26361-F2109-E351	4,00	
	Win7 Pro32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x	x	x	S26361-F2109-E352	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
OS/Application-SW (Continued)														
	Win7 Pro32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x							x	x	S26361-F2109-E353	4,00	
	Win7 Pro32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x							x	x	S26361-F2109-E354	4,00	
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x							x	x	S26361-F2109-E355	4,00	
	Win7 Pro 32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x							x	x	S26361-F2109-E356	4,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x				x	x	x	x	x	S26361-F2109-E451	4,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x				x	x	x	x	x	S26361-F2109-E452	4,00	
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x				x	x	x	x	x	S26361-F2109-E453	4,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x				x	x	x	x	x	S26361-F2109-E454	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)														
	Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian). Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x				x	x	x	x		S26361-F2109-E455	4,00	
	Win7 Pro 64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x				x	x	x	x		S26361-F2109-E456	4,00	
	RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x						x	x		S26361-F2208-E500	6,00	
	RDVD Downgrade Win7 Pro (32)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x						x	x		S26361-F2208-E501	6,00	
	RDVD Downgrade Win7 Pro (64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x						x	x		S26361-F2208-E502	6,00	
	Win7 HomeBasic32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.							x			S26361-F2109-E336	3,00	
	Win7 HomeBasic32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish). Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.							x			S26361-F2109-E333	3,00	
	Win7 Ultimate64 + Office2010s	Preload: MuLi Ultimate DE/EN, Languages: DE, EN (German, English), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x				x	x	x	x		S26361-F2210-E305	4,00	
	Drivers&Utilities DVD (WIN7 + WIN8) CELS	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x				x	x	x	x		S26361-F2007-E909	3,00	
	REC-DVD Win7 HomeBasic 32bit RUS	RU								x		S26361-F2009-E532	3,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.		x	x	x						S26361-F2010-E243	85,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.		x	x	x						S26361-F2010-E253	122,00	
	REC-DVD Win7 Home Premium 64 RUS	RU					x		x	x		S26361-F2009-E642	3,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)		x	x	x						S26361-F2010-E242	85,00	
	REC-DVD Win7 Professional 32 RUS	RU	x						x	x		S26361-F2009-E552	3,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)		x	x	x						S26361-F2010-E252	122,00	
	REC-DVD Win7 Professional 64 RUS	RU	x				x	x	x	x		S26361-F2009-E652	3,00	
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro		x	x	x						S26361-F2010-E244	85,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
OS/Application-SW (Continued)														
	REC-DVD Win7 HomeBasic 32bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR								x		S26361-F2009-E533	3,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro		x	x	x						S26361-F2010-E254	122,00	
	REC-DVD Win7 Ultimate 64bit	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x				x	x	x	x	x	S26361-F2210-E315	3,00	
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe		x	x	x						S26361-F2010-E245	85,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR					x		x	x	x	S26361-F2009-E643	3,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe		x	x	x						S26361-F2010-E255	122,00	
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x				x	x	x	x	x	S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x				x	x	x	x	x	S26361-F2009-E653	3,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India		x	x	x						S26361-F2010-E248	85,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India		x	x	x						S26361-F2010-E258	122,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x				x	x	x	x	x	S26361-F2009-E753	3,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi). Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch). Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x						S26361-F2110-E441	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)														
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x						S26361-F2110-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x						S26361-F2110-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x						S26361-F2110-E444	4,00	
	Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x						S26361-F2110-E445	4,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x						S26361-F2110-E446	4,00	
	Win7 Pro64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x						S26361-F2110-E451	4,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x						S26361-F2110-E452	4,00	
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x						S26361-F2110-E453	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)														
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x						S26361-F2110-E454	4,00	
	Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x						S26361-F2110-E455	4,00	
	Win7 Pro64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x						S26361-F2110-E456	4,00	
	REC-DVD Win7 Home Premium 64 All MuLi			x	x	x						S26361-F2010-E643	3,00	
	REC-DVD Win7 Home Premium 64 RUS	RU		x	x	x						S26361-F2010-E642	3,00	
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	x	x						S26361-F2010-E553	3,00	
	REC-DVD Win7 Professional 32 RUS	RU		x		x						S26361-F2010-E552	3,00	
	REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	x	x						S26361-F2010-E653	3,00	
	REC-DVD Win7 Professional 64 RUS	RU		x	x	x						S26361-F2010-E652	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	x	x						S26361-F2010-E753	3,00	
Security														
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk, e.g. if the system will be sold. Please notice, that SSD (Solid State Disk) cannot be deleted in a secure method.								x		S26361-F2542-E435	30,00	
	SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics					x	x	x	x	x	S26361-F2727-E740	14,00	
	SystemLock3	SystemLock3 is a UEFI BIOS smartcard pre-boot authentication (PBA) feature.							x	x	x	S26361-F2727-E745	18,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista/Win7 compatible, USB interface , black, USB cable					x	x	x	x	x	S26381-F331-E220	23,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard					x	x	x	x	x	S26361-F1260-E520	18,00	
Mouse														
	Grey mouse instead of black USB			x			x	x	x	x	x	S26361-F2542-E221	6,00	
	Black Upgrade Mouse M440 ECO			x			x	x	x	x	x	S26361-F2542-E222	16,00	
	Blue LED MOUSE GL9000			x			x	x	x	x	x	S26381-K438-E100	17,00	
	Mouse 400NB Black			x	x	x						S26391-F428-E100	17,00	
	Grey USB/PS2 laser mouse inst.of blk USB	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling		x			x	x	x	x	x	S26361-F2542-E217	13,00	
Miscellaneous														
	Med-Kit ESPRIMO/CELSIUS	Manual and product compliant to IEC 60601-1-2. Preparation for further medical certifications and relevant for integration into medical products.					x	x	x	x	x	S26361-F2542-E250	26,00	
	Key lock in side door	for lock of housing					x	x		x	x	S26361-F2542-E331	6,00	
	Key lock in side door			x								S26361-F2542-E339	6,00	
	Intrusion switch								x			S26361-F2542-E426	4,00	
	Med Kit CELSIUS H			x								S26391-F1169-E500	6,00	Orderable from: 08/03/2013
	Med Kit CELSIUS H920					x						S26391-F1179-E500	6,00	Orderable from: 08/03/2013



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix														
Miscellaneous (Continued)														
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note		x	x	x						S26391-F782-E200	3,00	
	Med Kit CELSIUS H910				x							S26391-F898-E910	6,00	
	No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory	x									S26361-F2735-E111	5,00	
	Power cord for monitor (CH)						x	x	x	x	x	S26361-F2542-E59	4,00	
	Cable for second internal USB device						x	x	x	x	x	S26361-F2581-E10	4,00	
	Key lock in side door	for lock of housing								x		S26361-F2542-E323	6,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x				x	x	x	x	x	S26361-F2542-E90	4,00	
	No TPM/ TLS	for countries with import regulations	x				x	x	x	x	x	S26361-F3436-E2	3,00	
Keyboard /Mouse														
	SPACE EXPLORER	3D motion controller USB, 15 programmable keys, manual, software, brown box.	x				x	x	x	x	x	S26381-K425-E100	288,00	Phased out
made4you Services														
	DeskView Load Basic	With DeskView Load Basic you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, Information about hardware components e.g. MAC - address, serial number at time of production via email, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x				x	x	x	x	x	DVI:DVL_PACK_BAS	21,00	
	DeskView Load Expert	With DeskView Load Expert you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email or web service, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Specified Operating system customizing , Extended recovery scenario, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x				x	x	x	x	x	DVI:DVL_PACK_EXP	38,50	
	DeskView Load Professional	With DeskView Load Professional you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x				x	x	x	x	x	DVI:DVL_PACK_PRO	47,25	
	Master Key ESPRIMO P, CELSIUS W									x		S26361-F2542-E329	10,00	



Positioning Displays



P Line

Superior Displays - P Line and XL Line

A feast for your eyes and a pleasure to use for work or multimedia:

- Ultra wide viewing angle and outstanding color performance
- 0.0 watt standby (P Line)
- Maximum connectivity
- Most advanced technical features



XL Line



B Line

Advanced Displays - B Line and SL Line

Efficiency for intensive office or entertainment usage:

- Optimum ergonomics (B Line) with height adjust, tilt, swivel and on standard formats as well rotation
- Energy efficient: power save panel EPA 5.0, ECO button, EPEAT Silver
- Ultra high contrast (SL Line)
- High-flexible connectivity:
e.g. 2 x HDMI (on selected models),
DVI (HDCP) for wide screen displays



SL Line



A/E Line

All-round Displays - A/E Line and L Line

Enter the world of LCD displays at an affordable price:

- Ergonomic or lifestyle design
- TCO'03 or TCO Displays 5.0
- Energy efficient - EPA 5.0, EPEAT Silver



L Line



Displays

P Line

- 0-Watt power save mode*
- Auto Brightness Control*
- UVA (Ultra Wide Viewing Angle)*
- Enhanced ergonomic height adjust stand
- HDMI for wide screen models
- Ready for Manageability
- 5th generation models in new design language

*: on selected models

XL Line

- Advanced contrast ratio (ACR) up to 20,000:1
- ECO control button
- Video inputs HDMI, DVI and analog

* featured on selected models

B Line

- Energy saving solutions (as of Summer 2009)
 - Cut energy cost by half (versus Energy Star 4.1)
 - ECO operation mode for Energy Star 5.0
 - ECO button - direct access to ECO mode
- Flexible ergonomic stand
- Height Adjust, Tilt, Swivel, Rotation*
- DVI-D and analog interface
- Manageability

SL Line

- High ACR up to 10,000:1
- 2 x HDMI*, DVI*, analog interface
- Glossy black lifestyle design
- Full HD 1080P support*
- 16:9 ideal video format*
- Headphone jack*

A Line

- Energy saving solutions (as of Autumn 2009)
- Energy Star 5.0
- Tilt stand
- Analog interface
- Ergonomic Design

L Line

- Extra high ACR up to 10,000:1*
- 16:9* ideal video format
- Fast 5 ms response time
- Lifetime extender
- Theme Mode
- Glossy black lifestyle design

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays					
	DISPLAY P23T-6 FPR 3D, UK Cable	DISPLAY P23T-6 FPR 3D, UK Cable , DISPLAY P23T-6 FPR 3D, UK Kabel,	BDL:K1370V170-UK	339,00	
	DISPLAY B19-6 LED, China	DISPLAY B19-6 LED, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY B19-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1374V140-CHN	173,00	
	DISPLAY B19-6 LED, without Power Cord	DISPLAY B19-6 LED, without Power Cord , DISPLAY B19-6 LED without Power Cord	BDL:K1374V140-INT	173,00	
	DISPLAY B19-6 LED, UK Cable	DISPLAY B19-6 LED, UK Cable , DISPLAY B19-6 LED, UK Cable	BDL:K1374V140-UK	173,00	
	DISPLAY B22W-6 LED, China	DISPLAY B22W-6 LED, China for China, incl. Chinese Power Cord and CEL Label , Display B22W-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1375V140-CHN	200,00	
	DISPLAY B22W-6 LED, Indonesia	DISPLAY B22W-6 LED, Indonesia incl. EU Power Cord and Import Labels , DISPLAY B22W-6 LED, Indonesia incl. EU Power Cord and Import Labels	BDL:K1375V140-ID	196,00	
	DISPLAY B22W-6 LED, w/o power cable	DISPLAY B22W-6 LED, w/o power cable , DISPLAY B22W-6 LED, w/o power cable, without Power Cord	BDL:K1375V140-INT	196,00	
	DISPLAY B22W-6 LED, UK Cable	DISPLAY B22W-6 LED, UK Cable , DISPLAY B22W-6 LED, UK Cable	BDL:K1375V140-UK	196,00	
	DISPLAY E22W-6 LED, UK Cable	DISPLAY E22W-6 LED, UK Cable , DISPLAY E22W-6 LED, UK Cable	BDL:K1377V160-UK	150,00	
	DISPLAY B23T-6 LED, China	DISPLAY B23T-6 LED, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY B23T-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1388V140-CHN	202,00	
	DISPLAY B23T-6 LED, w/o power cable	DISPLAY B23T-6 LED, w/o power cable , DISPLAY B23T-6 LED, w/o power cable	BDL:K1388V140-INT	202,00	
	DISPLAY B23T-6 LED, UK Cable	DISPLAY B23T-6 LED, UK Cable , DISPLAY B23T-6 LED, UK Cable	BDL:K1388V140-UK	202,00	
	DISPLAY E23T-6 LED, UK Cable	DISPLAY E23T-6 LED, UK Cable , DISPLAY E23T-6 LED, UK Cable	BDL:K1389V160-UK	162,00	
	DISPLAY B22W-6 LED proGREEN, w/o cable	DISPLAY B22W-6 LED proGREEN, w/o cable , DISPLAY B22W-6 LED proGREEN, w/o cable	BDL:K1392V160-INT	184,00	
	DISPLAY B22W-6 LED proGREEN, UK Cable	DISPLAY B22W-6 LED proGREEN, UK Cable , DISPLAY B22W-6 LED proGREEN, UK Cable	BDL:K1392V160-UK	184,00	



Displays

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays (Continued)					
	DISPLAY B20T-6 LED, China	DISPLAY B20T-6 LED, China for China, incl. Chinese Power Cord and CEL Label , Display B20T-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1416V140-CHN	149,00	
	DISPLAY B20T-6 LED, w/o power cable	DISPLAY B20T-6 LED, w/o power cable , DISPLAY B20T-6 LED, w/o power cable	BDL:K1416V140-INT	149,00	
	DISPLAY B20T-6 LED, UK Cable	DISPLAY B20T-6 LED, UK Cable , DISPLAY B20T-6 LED, UK Cable	BDL:K1416V140-UK	149,00	
	DISPLAY B24W-6 LED, China	DISPLAY B24W-6 LED, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY B24W-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1427V140-CHN	288,00	
	DISPLAY B24W-6 LED, w/o power cable	DISPLAY B24W-6 LED, w/o power cable , DISPLAY B24W-6 LED, w/o power cable	BDL:K1427V140-INT	288,00	
	DISPLAY B24W-6 LED , UK Cable	DISPLAY B24W-6 LED , UK Cable , DISPLAY B24W-6 LED , UK Cable	BDL:K1427V140-UK	288,00	
	DISPLAY P24W-6 LED, China	DISPLAY P24W-6 LED, China for China, incl. Chinese Power Cord and CEL Label , Display P24W-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1428V140-CHN	400,00	
	DISPLAY P24W-6 LED, Indonesia	DISPLAY P24W-6 LED, Indonesia incl. EU Power Cord and Import Labels , DISPLAY P24W-6 LED, Indonesia incl. EU Power Cord and Import Labels	BDL:K1428V140-ID	396,00	
	DISPLAY P24W-6 LED, w/o power cable	DISPLAY P24W-6 LED, w/o power cable , Display P24W-6 LED without Power Cord	BDL:K1428V140-INT	396,00	
	DISPLAY P24W-6 LED, UK Cable	DISPLAY P24W-6 LED, UK Cable , DISPLAY P24W-6 LED, UK Cable	BDL:K1428V140-UK	396,00	
	DISPLAY E20T-6 LED, China	DISPLAY E20T-6 LED, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY E20T-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1432V160-CHN	133,00	
	DISPLAY E20T-6 LED, Indonesia	DISPLAY E20T-6 LED, Indonesia incl. EU Power Cord and Import Labels , DISPLAY E20T-6 LED, Indonesien incl. EU Power Cord and Import Labels	BDL:K1432V160-ID	128,00	
	DISPLAY E20T-6 LED, w/o power cable	DISPLAY E20T-6 LED, w/o power cable , DISPLAY E20T-6 LED, w/o power cable	BDL:K1432V160-INT	128,00	
	DISPLAY E20T-6 LED UK, UK cable	DISPLAY E20T-6 LED UK, UK cable Cable Powercord (UK), 1.8m, black , DISPLAY E20T-6 LED UK, UK cable, Cable Powercord (UK), 1.8m, black , ,	BDL:K1432V160-UK	128,00	
	DISPLAY X23T-1 MHL UK cable	DISPLAY X23T-1 MHL UK cable Cable Powercord (UK), 1.8m, black , DISPLAY X23T-1 MHL UK cable, Cable Powercord (UK), 1.8m, black , , ,	BDL:K1444V160-UK	239,00	
	DISPLAY P23T-6 LED (NSN Project)	DISPLAY P23T-6 LED (NSN Project) EU Kabel, Premium Line 58.4cm(23") wide Display, IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY B23T-6 LED (NSN Project, EU Kabel, Business Line 58.4cm(23")wide, Display, USB,DP,DVI,VGA 4-in-1 stand, LED Backlight	BDL:SAG-NSNSTD-MON	257,00	
	DISPLAY B19-6 LED	DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight, DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight	BDL:TOP-B19-6-LED	173,00	
	DISPLAY B22W-6 LED	DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight, DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	BDL:TOP-B22W-6-LED	196,00	
	DISPLAY B23T-6 LED	DISPLAY B23T-6 LED Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight, Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	BDL:TOP-B23T-6-LED	202,00	
	DISPLAY B24W-6 LED	DISPLAY B24W-6 LED Bussines Line 61cm(24")wide Display LED Backlight DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY B24W-6 LED Bussines Line 61cm(24")wide Display LED Backlight DP,DVI,VGA,USB, 4-in-1 stand	BDL:TOP-B24W-6-LED	288,00	
	Display E19-6 LED R	Display E19-6 LED R E-Line 48cm (19") Display VGA, DVI, matt black , DISPLAY E19-6 LED E Line 48.3cm(19") schwarz , VGA, DVI, matt schwarz LED Backlight	BDL:TOP-E19-6-LED	139,00	
	Display E22W-6 LED R	Display E22W-6 LED R E-Line Runrate 55,9cm (22")wide VGA, DVI, matt black , DISPLAY E22W-6 LED E-Line 55.9cm(22")wide schwarz, VGA, DVI, matt schwarz, LED Backlight	BDL:TOP-E22W-6-LED	150,00	



Low watt power supply

Displays

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays (Continued)					
	DISPLAY P23T-6 LED (IPS)	DISPLAY P23T-6 LED (IPS) Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY P23T-6 LED (IPS) Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand	BDL.TOP-P23T6-LED	257,00	
	DISPLAY P24W-6 LED	DISPLAY P24W-6 LED Premium Line 61cm(24")wide Display IPS Panel, LED Backlight DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY P24W-6 LED Premium Line 61cm(24")wide Display IPS Panel, LED Backlight DP,DVI,VGA,USB, 4-in-1 stand	BDL.TOP-P24W6L-IPS	396,00	
	DISPLAY P27T-7 LED (IPS) EU cable	DISPLAY P27T-7 LED (IPS) EU cable Premium Line 69cm(27")wide Display IPS Panel, LED Backlight, marble grey DP,HDMI,DVI,VGA,USB, 4-in-1 stand, DISPLAY P27T-7 LED (IPS) EU cable Premium Line 69cm(27")wide Display, IPS Panel, LED Backlight, marble grey DP,HDMI,DVI,VGA,USB, 4-in-1 stand, , ,	BDL.TOP-P27T-7-LED	577,00	
	FJ-3D- Glasses	FJ-3D- Glasses 3D Polarization glasses REAL D compatible	FTS:FJ-3D-GLASSES	17,00	
	DISPLAY CBL DVI-D	DISPLAY CBL DVI-D DVI cable single link 1.8m minimum order quantity 100 pcs.	S26361-F1115-V1	5,00	
	DY CBL DisplayPort	DY CBL DisplayPort DisplayPort cable 1.8m minimum order quantity 90 pcs.	S26361-F4527-V1	8,00	
	DISPLAY SL27T-1LED, EU cable	DISPLAY SL27T-1LED, EU cable, SL-Serie 68.6 cm (27")T), VGA, 2x HDMI, glossy black, LED Backlight	S26361-K1369-V160	268,00	
	DISPLAY P23T-6 FPR 3D, EU cable	DISPLAY P23T-6 FPR 3D, EU cable, P-Serie 58,4 cm (23")T), DP, DVI, VGA, USB-Hub, schwarzes Gehäuse, 3D-Display mit Polarisationsfilterbrille	S26361-K1370-V170	339,00	
	DISPLAY B19-6 LED, EU cable	DISPLAY B19-6 LED, EU Kabel, Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight	S26361-K1374-V140	173,00	
	DISPLAY B22W-6 LED, EU cable	DISPLAY B22W-6 LED,EU cable, Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1375-V140	196,00	
	DISPLAY E19-6 LED, EU cable	DISPLAY E19-6 LED, EU cable, E Line 48.3cm(19") black VGA, DVI, matt black LED Backlight	S26361-K1376-V160	139,00	
	DISPLAY E22W-6 LED, EU cable	DISPLAY E22W-6 LED, EU cable, E-Line 55.9cm(22")wide black VGA, DVI, matt black, LED Backlight	S26361-K1377-V160	150,00	
	DISPLAY B23T-6 LED, EU cable	DISPLAY B23T-6 LED, EU cable, Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1388-V140	202,00	
	DISPLAY E23T-6 LED, EU cable	DISPLAY E23T-6 LED, EU cable, E-Line 58.4cm(23")wide black VGA, DVI, matt black, LED Backlight	S26361-K1389-V160	162,00	
	DISPLAY B22W-6 LED proGREEN, EU cable	DISPLAY B22W-6 LED proGREEN, EU cable, B-Line 55.9cm(22")wide matt black, DVI, VGA, 4-in-1 stand, LED Backlight	S26361-K1392-V160	184,00	
	DISPLAY B20T-6 LED, EU cable	DISPLAY B20T-6 LED, EU Kabel, Business Line 50.8cm(20")wide Display USB,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1416-V140	149,00	
	DISPLAY B24W-6 LED, EU cable	DISPLAY B24W-6 LED, EU cable, Bussines Line 61cm(24")wide Display LED Backlight DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1427-V140	288,00	
	DISPLAY P24W-6 LED, EU cable	DISPLAY P24W-6 LED, EU cable, Premium Line 61cm(24")wide Display IPS Panel, LED Backlight DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1428-V140	396,00	
	DISPLAY E20T-6 LED, EU cable	DISPLAY E20T-6 LED, EU cable, E-Line 50.8cm(20")wide black VGA, DVI, matt black LED Backlight	S26361-K1432-V160	128,00	
	DISPLAY P23T-6P FPR 3D, EU cable	DISPLAY P23T-6P FPR 3D, EU cable, P-Serie 58,4 cm (23")T) DP, DVI, VGA, USB-hub, black housing 3D-display w.polarization filter glasses	S26361-K1433-V170	283,00	
	DISPLAY P23T-6 LED (IPS), EU cable	DISPLAY P23T-6 LED (IPS), EU cable, Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1441-V141	257,00	
	DISPLAY X23T-1 MHL, EU cable	DISPLAY X23T-1 MHL, EU Kabel, X-Line 58.4 cm (23") 2x HDMI (with MHL), 1x VGA, black, IPS	S26361-K1444-V160	239,00	
	DISPLAY B22T-7 LED proGREEN, EU cable	DISPLAY B22T-7 LED proGREEN, EU cable, Bussines Line 54.6cm(21.5")wide Display, LED Backlight, matt black housing, HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1453-V160	183,00	
	DISPLAY B24T-7 LED proGREEN, EU cable	DISPLAY B24T-7 LED proGREEN, EU cable, Bussines Line 61cm(24")wide Display, LED Backlight, matt black housing, HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1454-V160	210,00	



Positioning Input Devices & Security devices



Keyboards & Security

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.



Keyboards & mice

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!



Security devices

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from being stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.



Input devices and Security

Keyboards

A keyboard is the most important interface between user and computer. All our keyboards are designed to do the job. Reliable, effective and persevering. But what's more: they come in attractive and stylish designs to highlight every working place. There is a choice between wired and wireless keyboards, and also of features like e.g. quick touch buttons or 2 additional USB Ports.

Mice

Mice for every working or private environment. Great choice in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

Security devices

Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu security devices the access to mobile and stationary systems is effectively secured.

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Keyboard / Mouse					
	Bluetooth Mouse V470	Bluetooth Mouse V470, 3 button Wheel Mouse, Laser, Tilt-Wheel-Function, without Dongle, 10m range, pouch, Software (no BT software), batteries, brown box, manual.	LTC:M-RCQ142	35,00	Phased out
	KBPC E USB USA	Ergonomic keyboard USA, MF-II-keyboard, 3 add. Windows keys, fixed USB cable 2m	S26381-K261-L710	50,00	
	KBPC E USB D	Ergonomic keyboard German, MF-II-keyboard, 3 add. Windows keys, fixed USB cable 2m	S26381-K261-L720	50,00	
	KBPC E USB GB	Ergonomic keyboard english, MF-II-keyboard, 3 add. Windows keys, fixed USB cable 2m	S26381-K261-L765	50,00	
	KBPC E USB I	Ergonomic keyboard italian, MF-II-keyboard, 3 add. Windows keys, fixed USB cable 2m	S26381-K261-L785	50,00	
	KB NUM CALC US	Numeric keyboard USB with integrated calculator in retail box	S26381-K272-L410	23,00	Phased out
	KB NUM CALC D	Numeric keyboard USB with integrated calculator in retail box	S26381-K272-L420	23,00	Phased out
	KBPC PX ECO US	keyboard professional USB, USA, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	S26381-K341-L110	36,00	
	KBPC PX ECO D	keyboard professional USB, Germany, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	S26381-K341-L120	36,00	
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	S26381-K341-L165	36,00	
	KBPC PX ECO I	keyboard professional USB, Italy, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	S26381-K341-L185	36,00	
	SPACE EXPLORER	3D motion controller USB, manual, software, case, brown box.	S26381-K425-L100	299,00	Phased out
	Notebook Mouse 400NB Black Retail	Notebook Mouse 400NB Black retail optical 1000 dpi tilt-wheel-function, USB cable 0,85, retail package blister	S26381-K428-L100	12,00	Phased out
	Notebook Laser Mouse W1600	Notebook Laser Mouse W1600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	S26381-K429-L100	18,00	Phased out
	Laser Mouse Combo USB PS2	Laser Mouse Combo USB PS2, 3 button Wheel Mouse with Tilt-Wheel-Function (wheel is 3rd button), 1100 dpi laser sensor, with PS2 adapter, grey with anthracite bottom, 1,8 m USB cable, manual, CD, brown box packed.	S26381-K430-L100	19,00	
	Wireless Laser Mouse WL9000	Wireless Laser Mouse WL9000, black / silver with 10 buttons and 6 of those are programmable, 4-way scroll and zoom function, 800/1600 dpi, class 1 Laser, USB micro receiver which is storable into the mouse, 2 x AA batteries, Software CD, manual, retail box.	S26381-K432-L100	24,00	Phased out



Input devices and Security

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals	Keyboard /Mouse (Continued)				
	Wireless Laser Mouse WI400	Wireless Laser Mouse WI400, 2.4 GHz technology, interference-free usage among other 2.4 GHz products and extremely reliable due to specially generated IDs. Micro receiver and slot, 2 buttons, Wheel, switchable resolution 800, 1200 and 1600 dpi, Power on / off button, 2 x AAA batteries, manual, Retail box.	S26381-K433-L100	15,00	Phased out
	MOUSE M440 ECO BL	MOUSE M440 ECO Black, optical wheel mouse, black ,wood based material, 1000 dpi, PVC free USB cable 1.8 m, white box	S26381-K450-L200	15,00	
	Notebook Mouse M410	Notebook Mouse M410. Super compact desing for right and left-handers. Black glossy design. 2 Buttons and 1 wheel. 1000 DPI, USB cable 1 m lenght. USB Plug & Play. Retail packed.	S26381-K453-L100	10,00	
	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries	S26381-K456-L100	17,00	
	Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi, USB cable 1,8m, white box	S26381-K457-L100	13,00	
	Mouse M510 Grey	optical mouse with 3 keys, marble grey, 1000 dpi, USB cable 1,8m, white box	S26381-K457-L101	13,00	
	SpaceMouse(TM) Pro	3D motion controller USB, manual, software	S26381-K459-L100	323,00	
	Wireless Notebook Mouse WI610	Wireless Notebook Mouse WI610, 2.4 GHz radio frequency, USB nano receiver, 5 programmable keys with SW, 1000/1500/2000 dpi, tilt function, receiver slot, 1 x AA battery, retail packed.	S26381-K460-L100	19,00	
	Wireless Notebook Mouse WI200	Wireless Notebook Mouse WI200, 1000 DPI optical sensor, 2.4 GHz RF technology, works in multi-user environment. USB nano receiver which is stowable in the mouse. On/Off switch, 1 x AAA battery, Quick Start Guide, Retail package.	S26381-K462-L100	13,00	
	KB410 USB Black US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	S26381-K510-L402	16,00	
	KB410 USB BLACK US ENGLISH 104 key	KB410 USB, slim value keyboard with US layout on 104-key modul in black. Fixed USB cable 1.8 m.	S26381-K510-L410	16,00	
	KB410 USB Black DE	KB410 USB, slim value keyboard with layout Germany on 105-key modul in black. Fixed USB cable 1.8 m.	S26381-K510-L420	16,00	
	KB410 USB Black GB	KB410 USB, slim value keyboard with layout UK 105-key modul in black. Fixed USB cable 1.8 m.	S26381-K510-L465	16,00	
	KB410 USB Black IT	KB410 USB, slim value keyboard with layout Italy 105-key modul in black. Fixed USB cable 1.8 m.	S26381-K510-L485	16,00	
	KB410 PS2 BLACK US	KB410 PS2 BLACK US, SLIM value Keyboard black USA, PS2	S26381-K515-L402	17,00	
	KB410 PS2 BLACK DE	KB410 PS2 BLACK DE, SLIM value Keyboard black with german layout, PS2	S26381-K515-L420	17,00	
	KB410 PS2 BLACK DE/US	KB410 PS2 BLACK DE US, SLIM value Keyboard black with german and US layout, PS2	S26381-K515-L422	17,00	
	KB410 PS2 BLACK GB	KB410 PS2 BLACK GB, SLIM value Keyboard black with english, PS2	S26381-K515-L465	17,00	
	KB410 PS2 BLACK IT	KB410 PS2 BLACK IT, SLIM value Keyboard black with italian layout, PS2	S26381-K515-L485	17,00	
	KB520 US	KB520 USB USA, standard keyboard USA , marble grey	S26381-K520-L102	18,00	
	KB520 US ENGLISH 104 key	KB520 USB USA, standard keyboard USA 104 keys , marble grey	S26381-K520-L110	18,00	
	KB520 DE	KB520 USB, standard keyboard german , marble grey	S26381-K520-L120	18,00	
	KB520 GB	KB520 USB, standard keyboard Greatbritain UK , marble grey	S26381-K520-L165	18,00	
	KB520 IT	KB520 USB, standard keyboard Italy , marble grey	S26381-K520-L185	18,00	
	KB SCR USA	SmartCard keyboard USA with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L110	38,00	
	KB SCR D	SmartCard keyboard german with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L120	38,00	
	KB SCR GB	SmartCard keyboard english with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L165	38,00	
	KB SCR I	SmartCard keyboard italian with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L185	38,00	



Input devices and Security

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals	Keyboard /Mouse (Continued)				
	KB SCR eSIG USA	SmartCard keyboard USA with class 2 reader on the top, CCID, Secure Pin Entry, Common Criteria EAL 3+, SigG, VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K529-L110	45,00	
	KB SCR eSIG D	SmartCard keyboard german with class 2 reader on the top, CCID, Secure Pin Entry, Common Criteria EAL 3+, SigG, VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K529-L120	45,00	
	KB SCR eSIG GB	SmartCard keyboard english with class 2 reader on the top, CCID, Secure Pin Entry, Common Criteria EAL 3+, SigG, VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K529-L165	45,00	
	KB SCR eSIG I	SmartCard keyboard italian with class 2 reader on the top, CCID, Secure Pin Entry, Common Criteria EAL 3+, SigG, VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K529-L185	45,00	
	Touchpad TP400	Touchpad TP400 Bluetooth Multitouch Touchpad for gesture input specially for Windows 8, brown box packed,	S26381-K530-L200	35,00	
	KB BT LX360 US	Funktastatur Bluetooth LX360 US, BT 2.1 HID standard,80-keys without receiver, this must be integrated in the system, 2 x AAA batteries, manual and safety notes, brown box	S26381-K540-L402	39,00	
	KB BT LX360 DE	Funktastatur Bluetooth LX360 DE, BT 2.1 HID standard,80-keys without receiver, this must be integrated in the system, 2 x AAA batteries, manual and safety notes, brown box	S26381-K540-L420	39,00	
	KB BT LX360 GB	Funktastatur Bluetooth LX360 GB, BT 2.1 HID standard,80-keys without receiver, this must be integrated in the system, 2 x AAA batteries, manual and safety notes, brown box	S26381-K540-L465	39,00	
	KB BT LX360 IT	Funktastatur Bluetooth LX360 IT, BT 2.1 HID standard,80-keys without receiver, this must be integrated in the system, 2 x AAA batteries, manual and safety notes, brown box	S26381-K540-L485	39,00	
	KB400 PS2 D	KB400 PS2 D, SLIM value Keyboard black Germany, PS2	S26381-K551-L420	15,00	Phased out
	KB400 PS2 I	KB400 PS2 I, SLIM value Keyboard black Italy, PS2	S26381-K551-L485	15,00	Phased out
	Keyboard KB900 USB USA	Keyboard KB900 american layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K560-L402	22,00	
	Keyboard KB900 USB D	Keyboard KB900 german layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K560-L420	22,00	
	Keyboard KB900 USB GB	Keyboard KB900 english layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K560-L465	22,00	
	Keyboard KB900 USB I	Keyboard KB900 italian layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K560-L485	22,00	
	Keyboard KB910 Backlight USA	Keyboard KB910 US layout, backlight keys, brightness adjustable in 3 steps, spill proof. multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K562-L402	30,00	
	Keyboard KB900 Backlight D	Keyboard KB910 German layout, backlight keys, brightness adjustable in 3 steps, spill proof. multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K562-L420	30,00	
	Wireless Keyboard Set LX900 US	Wireless Keyboard Set LX900 US, 128AES bit-encryption, spill-proof, micro receiver, programmable lasermouse, CD, manual, batteries, retailbox	S26381-K564-L402	44,00	
	Wireless Keyboard Set LX900 DE	Wireless Keyboard Set LX900 Germany, 128AES bit-encryption, spill-proof, micro receiver, programmable lasermouse, CD, manual, batteries, retailbox	S26381-K564-L420	44,00	
	Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 GB, 128AES bit-encryption, spill-proof, micro receiver, programmable lasermouse, CD, manual, batteries, retailbox	S26381-K564-L465	44,00	
	Wireless Keyboard Set LX900 IT	Wireless Keyboard Set LX900 Italy, 128AES bit-encryption, spill-proof, micro receiver, programmable lasermouse, CD, manual, batteries, retailbox	S26381-K564-L485	44,00	
	KB410 PS2 BLACK US MED	KB410 PS2 BLACK US MED Siemens HC Project keyboard	TAV:X515BL402MD3	18,00	
	KB410 PS2 BLACK DE MED	KB410 PS2 BLACK DE MED Siemens HC Project keyboard	TAV:X515BL420MD3	18,00	
	KB410 PS2 BLACK GB MED	KB410 PS2 BLACK GB MED Siemens HC Project keyboard	TAV:X515BL465MD3	18,00	
	KB410 PS2 BLACK IT MED	KB410 PS2 BLACK IT MED Siemens HC Project keyboard	TAV:X515BL485MD3	18,00	
	Keyboard cable PS2 4m round	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2	T26139-Y2530-V104	7,00	



Input devices and Security

			Product Code	EUP (€)	Comments
Category	Description	Details			
Peripherals	Keyboard / Mouse (Continued)				
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1	7,00	
	Keyboard cable with PS2 connector	Keyboard cable with PS/2 plug; length 2m; for KBPC PX	T26139-Y4530-V1	7,00	



Positioning PRIMERGY Tower Servers



PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.



PRIMERGY TX100S3p

PRIMERGY TX100 S3p

The PRIMERGY TX100 S3p is ideal for SMEs, looking for a first server with Intel® Xeon® support. With a maximum of 32 GB of RAM, and excellent processor performance, it offers more than enough performance for all classic server tasks, such as file, print, web or office applications. The dual onboard gigabit LAN, makes it easier to do business 24x7. Moreover, the TX100 S3p is incredibly silent making it an excellent choice for any office environment. With its optional 0-Watt functionality and a choice of two highly efficient power supply units, the TX100 S3p minimizes costs and the environmental impact.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX100 S3p					
	PY TX100S3p/LFF/Standard PSU	"Floorstand BU without processor and RAM, incl. standard power supply module, standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; onboard. graphics controller; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for easy change 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., "	S26361-K1410-V103	330,00	
	PY TX100S3p/LFF/0-Watt PSU	"Floorstand BU without processor and RAM, incl. 0-Watt power supply module, standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; onboard. graphics controller; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for easy change 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., "	S26361-K1410-V203	350,00	



PRIMERGY TX120 S3p

PRIMERGY TX120 S3p: For small environments with high demands. It is the perfect server for environments where space, high server functionality and low TCO are crucial. The TX120 S3p is an excellent choice for smaller retail premises, branch offices, or in other contexts where strict legal controls apply, e.g. medical, legal or financial services. Besides sporting a power supply with 94% efficiency and 0-watt functionality, the TX120 S3p keeps running costs and the environmental impacts low. The unique combination of ultra-compact form factor, Intel® Xeon® processor E3 series performance, high availability features and low TCO, make it ideal for demanding environments where space is scarce.

			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
PRIMERGY TX120 S3p					
PY TX120S3p/SFF	Floorstand BU without processor and RAM, incl. standard power supply module, lockable covers, standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2,5" hot plug HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1380-V103	355,00		
PY TX120S3p/LFF	Floorstand BU without processor and RAM, incl. standard power supply module, lockable covers, standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 2x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 2 drive bays for easy change 3.5" SATA HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1380-V203	345,00		



PRIMERGY TX140 S1p

PRIMERGY TX140 S1p

PRIMERGY TX140 S1p: the expandable SME allrounder. It is ideal for SME or branch customers looking for a classic file, print, mail, or database server, with high scalability, and best availability through optional redundant power supplies. As the company evolves, so too does the TX140 S1p. Storing up to 12 TB of data, the TX140 S1p can easily handle large files. At a later stage, the TX140 S1p can be included in a rack cabinet with dedicated storage systems. From here, customers can fully take advantage of the extensive connectivity options, Intel® Xeon® E3 series performance, and high serviceability via the optional front service LAN port. The TX140 S1p: an excellent long-term investment.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX140 S1p					
	PY TX140S1p/f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V103	440,00	
	PY TX140S1p/f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller mandatory; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V203	460,00	
	PY TX140S1p/r/LFF/Standard PSU	Rack based server 19" (5U) BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V303	450,00	
	PY TX140S1p/r/SFF/standard PSU	Rack based server 19" (5U) BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller mandatory; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V403	460,00	
	PY TX140S1p/f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for SAS, otherwise optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V503	540,00	
	PY TX140S1p/f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for more than 4 HDs or SAS, otherwise optional; 8 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V603	580,00	



PRIMERGY TX140 S1p

			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
PRIMERGY TX140 S1p (Continued)					
	PY TX140S1p/r/LFF/hot plug PSU	Rack BU 19" (5U) without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for SAS, otherwise optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V703	560,00	
	PY TX140S1p/r/SFF/hot plug PSU	rack based BU 19" (5U) without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for more than 4 HDs or SAS, otherwise optional; 8 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V803	600,00	



PRIMERGY TX150 S7

The PRIMERGY TX150 S7: the right system for SMEs or non-mission-critical decentralized infrastructures where the main focus is on expandability and availability. The expandability and availability come from the 6 expansion slots (5 of which PCIe Gen 2) and up to 8x 2.5" hot-plug hard disks. Increase the system's availability and energy efficiency through the use of optional redundant power supplies boasting up to 89% energy efficiency. The TX150 S7 also offers up to the latest generation Intel® Xeon® processor 3400 series single processor platform, delivering excellent energy-efficient performance at an attractive price. The PRIMERGY TX150 S7: the one processor tower server – maximized.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX150 S7					
	PY TX150S7f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V101	560,00	Phased out
	PY TX150S7f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V201	585,00	Phased out
	PY TX150S7f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V301	600,00	Phased out
	PY TX150S7f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V401	625,00	Phased out
	PY TX150S7r/LFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V601	605,00	Phased out
	PY TX150S7r/SFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V801	645,00	Phased out



PRIMERGY TX200 S7

The PRIMERGY TX200 S7: a perfect server for SMEs, branch offices or virtualized environments in an attractive design. It offers dual processor performance combined with expandability and energy efficiency. With up to 16 2.5-inch hard disk drives, you can save on an external storage unit. The high energy efficiency minimizes costs. Moreover, a maximum of 192 GB of memory, redundancy features, and the Intel® Xeon® E5-2400 processor family performance allow you to make a great start into virtualization. The PRIMERGY TX200 S7 also lends itself as a database or communication server.

A tower to rack conversion kit protects your investment's lifetime. This great system strikes the right balance between price and performance.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX200 S7					
	PY TX200S7f/LFF/Standard PSU	Floorstand BU without processor and memory, incl. 1 standard power supply, lockable front bezel, 3 standard fans; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V101	825,00	
	PY TX200S7f/LFF/ for hot-plug PSU	Floorstand BU without processor and memory and without a power supply, lockable front bezel, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V201	710,00	
	PY TX200S7f/SFF/Standard PSU	Floorstand BU without processor and memory, incl. 1 standard power supply, lockable front bezel, 3 standard fans; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V301	855,00	
	PY TX200S7f/SFF/for hot-plug PSU	Floorstand BU without processor and memory and without power supply, lockable front bezel, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V401	740,00	
	PY TX200S7r/LFF/Standard PSU	Rack optimized BU without processor and memory; with 1 standard power supply, 3 standard fans; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates	S26361-K1404-V501	840,00	
	PY TX200S7r/LFF/for hot-plug PSU	Rack optimized BU without processor and memory and without a power supply, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V601	725,00	



PRIMERGY TX200 S7

	Model Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX200 S7 (Continued)					
	PY TX200S7r/SFF/Standard PSU	Rack optimized BU without processor and memory, incl. 1 standard power supply, 3 standard fans; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V701	870,00	
	PY TX200S7r/SFF/for hot-plug PSU	Rack optimized BU without processor and memory and without a power supply, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates	S26361-K1404-V801	760,00	



PRIMERGY TX300 S7

The PRIMERGY TX300 S7 is a no compromise tower server with maximum levels of performance, expandability and availability. It combines the performance of Intel® Xeon® processors E5 family with up to two 6GB general-purpose computing on graphics processing units (GPGPU) for computationally intensive applications.

The expandability is excellent thanks to the 10 expansion slots and up to 24 2.5-inch hard disks. Thanks to the high availability offered by a choice of LAN cards, redundant fans and up to 4 hot-plug power supplies, the TX300 S7 is suited to database, virtualization or high performance computing scenarios. Moreover, the TX300 S7 power supplies reach energy efficiency levels of 94%, minimizing running costs and the environmental impact.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX300 S7					
PY TX300S7 LFF	Floorstand BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1390-V101	1.080,00	
PY TX300S7 SFF	Floorstand BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1390-V201	1.080,00	



Tower Servers Accessories

Table with columns: Category, Description, Details, Product Code, EUP (€), Comments. Lists various Intel Xeon processors with their specifications and pricing.



Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3P	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1P	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX200 S8	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUR (€)	Comments			
Accessories & Services matrix																																				
PRIMERGY Software (Continued)																																				
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 1 year Service Pack needed!																															S26361-F2341-L740	4.280,00		
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 3 year Service Pack needed!																															S26361-F2341-L741	4.280,00		
	VMware Upgrade STD to ENT w/o SP-1yr	VMware Upgrade vSphere STD to ENT for 1 CPU - Mandatory 1 year Service Pack needed!																															S26361-F2341-S716	1.855,00		
	VMware Upgrade STD to ENT w/o SP-3yr	VMware Upgrade vSphere STD to ENT for 1 CPU - Mandatory 3 year Service Pack needed!																															S26361-F2341-S717	1.855,00		
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU - Mandatory 1 year Service Pack needed!																															S26361-F2341-S718	2.475,00		
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU - Mandatory 3 year Service Pack needed!																															S26361-F2341-S719	2.475,00		
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU - Mandatory 1 year Service Pack needed!																															S26361-F2341-S720	614,00		
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU - Mandatory 3 year Service Pack needed!																															S26361-F2341-S721	614,00		
	VMware Upgrade VCS FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!																															S26361-F2341-S728	3.465,00		
	VMware Upgrade VCS FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!																															S26361-F2341-S729	3.465,00		
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4, vCenter 5, Shield, Backup-Restore, VMware vSphere 4 Media Kit OEM w/ ESX 4, vCenter 4, Shield, Backup-Restore - No License																															S26361-F2341-L300	80,00		
	VMware vSphere Embedded UFM Device DIS	VMware vSphere Embedded UFM Device Embedded UFM Storage Device, inc. ESXi Single SVL Lic. (w/o SP)																															S26361-F2341-D431	60,00		
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU - Mandatory 1 year Service Pack needed!																															S26361-F2341-D707	895,00		
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU - Mandatory 3 year Service Pack needed!																															S26361-F2341-D708	895,00		
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!																															S26361-F2341-D709	2.585,00		
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU - Mandatory 3 year Service Pack needed!																															S26361-F2341-D710	2.585,00		
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!																															S26361-F2341-D711	3.145,00		
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 3 year Service Pack needed!																															S26361-F2341-D712	3.145,00		
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!																															S26361-F2341-D732	15.750,00		
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!																															S26361-F2341-D733	15.750,00		
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!																															S26361-F2341-D734	19.750,00		
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!																															S26361-F2341-D735	19.750,00		
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 1 year Service Pack needed!																															S26361-F2341-D740	4.045,00		
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 3 year Service Pack needed!																															S26361-F2341-D741	4.045,00		
	VMware STD AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA, . . . - Mandatory 1 year Service Pack needed!																															S26361-F2341-D760	6.295,00		
	VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA, . . . - Mandatory 3 years Service Pack needed!																															S26361-F2341-D761	6.295,00		
OS/Application-SW																																				
	CA Client Automation	CA Client Automation - Licensing per managed System																															U24552-C418	63,98		
	CA Server Automation Base Configuration	CA Server Automation Base Configuration - Licensing: 100 Physical Socket Pack																															U24552-C424	52.686,90		
	CA AutomSuite for DataCenters BaseConfig	CA AutomSuite for DataCenters BaseConfig - Licensing: 100 Physical Socket Pack																															U24552-C428	#####		
	CA ServiceDeskManager Full LicenseConcur	CA ServiceDeskManager Full LicenseConcur - Licensing: Minimum Licensing Requirements apply to New Sales and Capacity. Minimum purchase of 15 Concurrent Users required for Full license.																															U24581-C150	4.516,02		
	ARCServe r11.5 WIN Client Agent LINUX	ARCServe r11.5 Client Agent for UNIX; works with ARCServe r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/info/docs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/info/docs/basb115win/basb115win-compmatrix.asp																															U15355-C720	395,00		
	ARCServe r11.5 WIN Client Agent Windows	ARCServe r11.5 Client Agent for Windows Servers, works with ARCServe r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/info/docs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/info/docs/basb115win/basb115win-compmatrix.asp																															U15355-C723	250,00		
	ManageNow® for NSM Base																																U24533-C405	20.000,00		
	ManageNow® for NSM Remote Manager																																U24533-C406	12.600,00		
	ManageNow® for NSM Portal																																U24533-C407	9.000,00		
	ManageNow® for NSM AssessMoni HostResMB																																U24533-C425	9.000,00		
	ManageNow® for NSM CA Agent Intergration																																U24533-C421	3.000,00		
	ManageNow® for NSM HP InsightMtr Intergr.																																U24533-C408	5.000,00		
	ManageNow® for NSM ETERNUS Storage Monit																																U24533-C404	4.500,00		
	ManageNow® for NSM ETERNUS CS Monit.																																U24533-C410	5.000,00		
	ManageNow® for NSM NetApp Monitorin																																U24533-C411	4.500,00		
	ManageNow® for NSM SAN Monit up to 640																																U24533-C409	3.000,00		
	ManageNow® for NSM SAN Monit more as 640																																U24533-C412	6.250,00		
	ManageNow® for NSM VMware																																U24533-C413	4.500,00		
	ManageNow® for NSM UPS																																U24533-C414	5.000,00		
	ManageNow® for NSM Microsoft Cluster																																U24533-C415	4.500,00		
	ManageNow® for NSM BladeFrameMonit BF200																																U24533-C416	9.000,00		
	ManageNow® for NSM BladeFrameMonit BF200																																U24533-C424	90.000,00		
	ManageNow® for NSM Connector CA eHealth																																U24533-C417	5.000,00		
	ManageNow® for NSM Connector MS SC37M																																U24533-C418	5.000,00		
	ManageNow® for NSM Connector HP DV NNM																																U24533-C419	5.000,00		
	ManageNow® for NSM Connector Lotus Notes																																U24533-C420	5.000,00		
	ManageNow® for NSM Con. 3rd Part/Manager																																U24533-C422	5.000,00		
	ManageNow® for NSM Connector QoS																																U24533-C433	5.000,00		
	ManageNow® for NSM Connector EMC CC																																U24533-C434	5.000,00		



Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3P	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX140 S1P	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX200 S8	PRIMERGY TX200 S9	Product Code	EUR (€)	Comments
OS/Amplification SW (Continued)																																							
	ManageNow6 for ITCM Win2003Svr OSInstLic		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U24533-C428	3,000.00	
	ManageNow6 for ITCM Win2008Svr OSInstLic		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U24533-C429	3,000.00	
	ManageNow6 for ITCM Win2008R2Svr OSInstLic		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U24533-C436	3,000.00	
	ManageNow6 for ITCM SLES10i OS Inst Lic		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U24533-C432	3,000.00	
	ManageNow6 for ITCM SLES09 OS Inst Lic		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U24533-C430	3,000.00	
	ManageNow6 for ITCM data medium		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U24533-C403	40.00	
UPS/Power supply																																							
	conversion kit standard to hot plug PSU for optional PS redundancy	conversion standard into hot plug PSU for optional PS redundancy	x																																		S28113-F540-L1	260.00	
	Power Supply Module 450W (hot plug)	for optional PS redundancy																																			S28113-F540-L11	170.00	Phased out
	Power Supply Module 800W (hot plug)	for optional PS redundancy																																			S28113-F541-L1	270.00	
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and conversion standard into redundant fans																																			S28113-F541-L11	535.00	
	Power Supply Module 800W HE (hot plug)	800W modular Power Supply Module , hot plug, platinum (94% efficiency)																																			S28113-F556-L10	215.00	
	Modular PSU 800W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)																																			S28113-F574-L10	260.00	
	Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)																																			S28113-F575-L10	225.00	
	Conversion kit standard to hot-plug PSU fan upgrade kit hot-plug redundancy	Conversion kit standard to hot plug PSU consists of two additional fans for fan redundancy																																			S28113-F576-L11	141	315.00
	Cable powercord (D...), 1.8m, grey	suitable for D, A, B, F, N, L, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1740-L10	15.00		
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1742-L10	15.00		
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3151-L300	30.00		
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1744-L10	15.00		
	Cable powercord (D...), 1.8m, grey	suitable for D, A, B, F, N, L, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1745-L10	15.00		
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->CEE 7/7 (Schuko)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3151-L100	30.00		
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309) Length: 3.5m																																			S26361-F3151-L200	30.00	
	Power cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C20 -> US NEMA L6-20p																																			S26361-F3151-L500	60.00	
Miscellaneous																																							
	Fan upgrade kit hot-plug redundancy	consists of two additional fans/boxes for fan redundancy																																			S26361-F2544-L83	130.00	Phased out
	Local/View Option Kit S2	LCD display with adapter	x	x																																	S26361-F2557-L105	70.00	
	Local/View Option Kit S2	LCD display with installation kit	x	x																																	S26361-F2557-L106	70.00	
	Customer Self Service Module TX Server	Support for Customer Self Service (CSS), incl. adapter	x	x																																	S26361-F2557-L202	25.00	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit																																			S26361-F2557-L205	25.00	
	Service LAN Option	integrated in the front oversize panel																																			S26361-F2571-L27	20.00	
	Cable Serial port option	Cable for 2nd RS-232C 9 pin interface																																			S26361-F3120-L3	40.00	
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x																																S26361-F3552-L1	50.00	
	Serial port option	Cable with 9 pin D-SUB interface																																			S26361-F2571-L10	30.00	
	Server/View Local Service Panel Kit	Support for Customer Self Service (CSS)																																			S26361-F2557-L204	40.00	
Media																																							
	DAT160 cleaning cartridge no label	DAT160 cleaning cartridge without label	x																																		D-CL-DAT160-MX-01	22.00	
	DAT72 cleaning cartridge no label	DAT72 cleaning cartridge without label	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D-CL-DAT72-MX-01	5.00		
	LTO Cleaning Media, 1pc-Random Label,Fuji for LTO drives	Cleaning cartridge with random label from Fuji for LTO drives	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D-CL-LTO-01L	36.00		
	DAT160 data cartridge no label	DAT160 data cartridge without label	x																																		D-CR-DAT160-MX-01	21.00	
	DAT72 data cartridge no label	DAT72 data cartridge without label	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D-CR-DAT72-MX-01	14.00		
	LTO-3 CR media,5pack random label,Fuji	5 pieces LTO-3 data cartridge with random barcode label from Fuji400 GB native capacity,																																			D-CR-LTO3-05L	102.00	
	LTO-4 CR media,5pack random label,Fuji	5 pieces LTO-4 data cartridge with random barcode label from Fuji 800 GB native capacity,																																			D-CR-LTO4-05L	106.00	
	LTO-5 CR media,5pack random label,Fuji	5 pieces LTO-5 data cartridge with random barcode label from Fuji 1500 GB native capacity,																																			D-CR-LTO5-05L	157.00	
	LTO-6 CR media,5pack random label,Fuji	5 pieces LTO-6 data cartridge with random barcode label from Fuji 2500 GB native capacity,																																			D-CR-LTO6-05L-BF	501.00	
	LTO Barcode Label t.CR-Medien,definition	Barcode label cassettes defined by the customer. For LTO-3, LTO-4, LTO-5, LTO-6 and LTO Cleaning tape to use when no random barcode label is desired. For details of the Code please read the work order sheet.																																			D-CR-LTO-LAB	3.00	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L160	140.00	Phased out	
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L320	165.00		
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L329	1,570.00		
	RDX Cartridge 500GB/1000GB	RDX Cartridge 500GB uncompressed / 1000GB compressed	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L500	200.00		
	RDX Cartridge 1TB	RDX Cartridge 1TB uncompressed / 2TB compressed	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L600	295.00		
Cables																																							
	Cable powercord rack, 4m	with Euro socket connector	x	x																																T26139-Y1968-L10	15.00		
Additional Software																																							
	OPENFT-CR (Unix systems) V12.0	CD-ROM openFT-CR V12.0. Cryptographic module, for openFT V12.0. Attention: export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C599	15.00		
	OPENFT-SW-CD (Unix systems) V12.0	Medium for UNIX systems, CD-ROM openFT-SW V12.0	x	x</																																			



Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX300 S7	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUR (€)	Comments			
Additional Software (Continued)	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM: Update Right to Use for usage in automated unattended mode, for 1 system with 1 to 4 CPUs	x	x	x	x							x	x	x							x	x																	U11081-C177	562.00			
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x	x								x	x	x							x	x																	U11081-C183	30.00		
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, for 1 system with 1 to 4 CPUs	x	x	x	x							x	x	x								x	x																	U11081-C186	1,125.00		
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x	x							x	x	x								x	x																	U11081-C192	451.00		
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x	x							x	x	x								x	x																	U11081-C199	15.00		
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x	x							x	x	x								x	x																	U11081-C201	30.00		
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x	x							x	x	x								x	x																	U11081-C202	1,225.00		
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x									x	x	x								x	x																	U11081-C203	1,994.00		
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x	x							x	x	x								x	x																	U11081-C204	3,988.00		
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201											x	x	x								x	x																	U11081-C207	710.00		
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x	x							x	x	x								x	x																		U11081-C212	1,225.00	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x	x							x	x	x								x	x																		U11081-C213	1,994.00	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x	x							x	x	x								x	x																		U11081-C214	3,988.00	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Update license openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x	x							x	x	x								x	x																		U11081-C217	710.00	
	OPENFT-CR (WINDOWS) V12.0	CD-ROM openFT-CR V12.0; Cryptographic module; Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C399	15.00		
	OPENFT-SW-CD (WINDOWS) V12.0	Medium for Windows systems; CD-ROM openFT-SW V12.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C400	30.00		
	OPENFT-1 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C401	1,348.00		
	OPENFT-2 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x								x	x	x								x	x																		U11081-C402	2,193.00	
	OPENFT-3 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x								x	x	x								x	x																		U11081-C403	4,387.00	
	OPENFT-FTAM-1 (WINDOWS) V12.0	License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C411	1,348.00		
	OPENFT-FTAM-2 (WINDOWS) V12.0	License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x								x	x	x								x	x																		U11081-C412	2,193.00	
	OPENFT-FTAM-3 (WINDOWS) V12.0	License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x								x	x	x								x	x																		U11081-C413	4,387.00	
	OPENFT-FTP-1 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C421	550.00		
	OPENFT-FTP-2 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x								x	x	x								x	x																		U11081-C422	895.00	
	OPENFT-FTP-3 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x								x	x	x								x	x																		U11081-C423	1,791.00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C301	1,225.00		
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311	1,225.00		
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x								x	x	x								x	x																		U11081-C302	1,994.00	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x								x	x	x								x	x																		U11081-C312	1,994.00	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x								x	x	x								x	x																		U11081-C303	3,988.00	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x								x	x	x								x	x																		U11081-C313	3,988.00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems; CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30.00		
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0; Cryptographic module; Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15.00		
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C501	1,225.00		
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C513	1,225.00		
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x								x	x	x								x	x																		U10987-C502	1,994.00	Phased out
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x								x	x	x								x	x																		U10987-C503	3,988.00	Phased out
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems; CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C500	36.00		



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
Approvals/dependencies													
	ENABLING LOW NOISE MODE TX150 TX200							x		x	S26361-F3776-E2	3.00	
	ENABLING LOW NOISE MODE TX300										x	S26361-F3776-E3	3.00
Processor													
	Intel Pentium G640 2C/2T 2.80 GHz 3 MB	Intel Pentium processor G640 (2C/2T, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink	x	x	x						S26361-F3579-E264	105,00	
	Intel Core i3-3220 2C/4T 3.30 GHz 3 MB	Intel Core i3-3220 processor (2C/4T, 3.30 GHz, TLC: 3 MB, Turbo: No, 1600 MHz, 55 W) without heat sink	x	x	x						S26361-F3580-E222	190,00	
	Intel Xeon E3-1220Lv2 2C/4T 2.30GHz 3MB	Intel Xeon processor E3-1220Lv2 (2C/4T, 2.30 GHz, TLC: 3 MB, Turbo: Yes, 1600 MHz, 17 W) without heat sink		x							S26361-F3580-E312	335,00	
	Intel Xeon E3-1265Lv2 4C/8T 2.50GHz 8 MB	Intel Xeon processor E3-1265Lv2 (4C/8T, 2.50 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 45 W) without heat sink		x	x						S26361-F3580-E316	480,00	
	Intel Xeon E3-1220v2 4C/4T 3.10 GHz 8 MB	Intel Xeon processor E3-1220v2 (4C/4T, 3.10 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x	x	x						S26361-F3580-E322	335,00	
	Intel Xeon E3-1230v2 4C/8T 3.30 GHz 8 MB	Intel Xeon processor E3-1230v2 (4C/8T, 3.30 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x	x	x						S26361-F3580-E323	370,00	
	Intel Xeon E3-1270v2 4C/8T 3.50 GHz 8 MB	Intel Xeon processor E3-1270v2 (4C/8T, 3.50 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink			x						S26361-F3580-E327	530,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink							x		S26361-F3618-E240	515,00	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink							x		S26361-F3618-E266	915,00	Phased out
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink							x		S26361-F3619-E266	1.090,00	Phased out
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink							x		S26361-F3619-E280	1.315,00	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink							x		S26361-F3622-E213	670,00	Phased out
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink							x		S26361-F3622-E226	1.145,00	Phased out
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink							x		S26361-F3633-E240	650,00	Phased out
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink							x		S26361-F3648-E160	260,00	Phased out
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink							x		S26361-F3648-E213	335,00	Phased out
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink							x		S26361-F3649-E253	890,00	Phased out
	Intel Xeon E5-2403 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x		x		S26361-F3684-E180	260,00	
	Intel Xeon E5-2407 4C/4T 2.20 GHz 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x		x		S26361-F3684-E220	320,00	
	Intel Xeon E5-2420 6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x		x		S26361-F3723-E190	490,00	
	Intel Xeon E5-2430 6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x		x		S26361-F3723-E220	660,00	
	Intel Xeon E5-2440 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x		x		S26361-F3723-E240	1.000,00	
	Intel Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink					x		x		S26361-F3724-E210	1.210,00	
	Intel Xeon E5-2470 8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink							x		S26361-F3724-E230	1.655,00	
	Intel Xeon E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink					x		x		S26361-F3725-E200	790,00	
	Intel Pentium 1403 2C/2T 2.60 GHz 5 MB	Intel Pentium processor 1403 (2C/2T, 2.60 GHz, TLC: 5 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x				S26361-F3726-E260	290,00	
	Intel Xeon E5-1410 4C/8T 2.80 GHz 10 MB							x			S26361-F3751-E280	550,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
Processor (Continued)													
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x	S26361-F3685-E180	295,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x	S26361-F3685-E240	400,00	
	Intel Pentium G6950 2C 2.80 GHz 3 MB	Intel Pentium processor G6950 (2C, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 73 W) without heat sink				x					S26361-F3588-E280	170,00	Phased out
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x	S26361-F3676-E200	540,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x	S26361-F3676-E230	775,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x	S26361-F3676-E250	1.105,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink								x	S26361-F3686-E200	1.320,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink								x	S26361-F3686-E220	1.590,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink								x	S26361-F3686-E260	1.830,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink								x	S26361-F3686-E270	2.055,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink								x	S26361-F3686-E290	2.420,00	
	Intel Core i3-540 2C/4T 3.06 GHz 4 MB	Intel Core i3-540 processor (2C/4T, 3.06 GHz, TLC: 4 MB, Turbo: No, 1333 MHz, 73 W) without heat sink				x					S26361-F3587-E306	215,00	Phased out
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink								x	S26361-F3687-E290	1.830,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink								x	S26361-F3687-E300	1.105,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink								x	S26361-F3687-E330	1.105,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink								x	S26361-F3688-E180	1.320,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink								x	S26361-F3688-E200	845,00	
	Intel Xeon X3430 4C/4T 2.40 GHz 8 MB	Intel Xeon processor X3430 (4C/4T, 2.40 GHz, TLC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W) without heat sink				x					S26361-F3578-E343	370,00	Phased out
	Intel Xeon X3450 4C/8T 2.66 GHz 8 MB	Intel Xeon processor X3450 (4C/8T, 2.66 GHz, TLC: 8 MB, Turbo: 1/1/4/4, 1333 MHz, 95 W) without heat sink				x					S26361-F3578-E345	455,00	Phased out
Memory													
	2GB (1x2GB) 1Rx8 DDR3-1600 U ECC		x	x	x						S26361-F3719-E513	45,00	
	4GB (1x4GB) 2Rx8 DDR3-1600 U ECC		x	x	x						S26361-F3719-E514	75,00	
	8GB (1x8GB) 2Rx8 DDR3-1600 U ECC		x	x	x						S26361-F3719-E515	185,00	
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC					x					S26361-F3335-E514	40,00	Phased out
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC					x					S26361-F3335-E515	60,00	Phased out
	2 GB DDR3 1333 MHz PC3-10600 rg s/d ECC					x					S26361-F3336-E514	45,00	Phased out
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC					x					S26361-F3336-E515	85,00	Phased out
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC					x					S26361-F3336-E516	145,00	Phased out
Memory Modules													
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory							x		S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory							x		S26361-F3284-E3	5,00	
	Independent Mode Installation	No specific memory RAS features are defined				x		x	x		S26361-F3694-E10	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory						x			S26361-F3284-E2	5,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, MM = 2GB usable memory for Mirrored Mode						x			S26361-F3604-E523	160,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory							x		S26361-F3694-E2	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory				x		x			S26361-F3695-E2	5,00	
	MM 8GB 2x4 DDR3 1333 MHz PC3-10600 rg s/d	2 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, MM = 4GB usable memory for Mirrored Mode						x			S26361-F3604-E524	170,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbuffered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x			S26361-F3606-E513	40,00	
	Rank Sparring Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory							x		S26361-F3694-E1	5,00	
	Rank Sparring Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory				x		x			S26361-F3695-E1	5,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x			S26361-F3604-E513	80,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
Memory Modules (Continued)													
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, . MM = 8GB usable memory for Mirrored Mode						x			S26361-F3604-E525	250,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory,							x		S26361-F3694-E3	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory,				x			x		S26361-F3695-E3	5,00	
	4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x			S26361-F3604-E514	85,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, . SP=4GB Spare or 6GB Performance Mode						x			S26361-F3604-E533	240,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x			S26361-F3604-E515	125,00	
	SP12GB 3x4 DDR3 1333MHz PC3-10600 rg s/d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, . SP=8GB Spare or 12GB Performance Mode						x			S26361-F3604-E534	255,00	
	MM 8GB 2x4 DDR3LV 1333 MHz 10600 rg s/d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, . MM = 4GB usable memory for Mirrored Mode						x			S26361-F3605-E524	170,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, . SP=16GB Spare or 24GB Performance Mode						x			S26361-F3604-E535	375,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, . MM = 8GB usable memory for Mirrored Mode						x			S26361-F3605-E525	250,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x			S26361-F3605-E514	85,00	
	SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, . SP=8GB Spare or 12GB Performance Mode						x			S26361-F3605-E534	255,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x			S26361-F3605-E515	125,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, . SP=16GB Spare or 24GB Performance Mode						x			S26361-F3605-E535	375,00	
	2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x	x	x	S26361-F3694-E513	45,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x	x	x	S26361-F3694-E514	75,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC								x		S26361-F3695-E514	95,00	
	4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x		S26361-F3696-E514	85,00	
	8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x		S26361-F3696-E515	125,00	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM					x		x	x	S26361-F3697-E514	95,00	
	8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM					x		x	x	S26361-F3697-E515	145,00	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM					x		x	x	S26361-F3697-E516	290,00	
	16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM							x		S26361-F3698-E516	400,00	
	32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM							x		S26361-F3698-E517	1.220,00	
Graphics													
	PY NVIDIA Tesla K20 GPGPU	NVIDIA Tesla K20 PCIe-x16 GPGPU card for CX270 S2; TX300 S7ff; RX350 S7ff; for HPC purposes no Graphic Output							x		S26361-F2222-E22	4.475,00	Orderable from: 04/03/2013
	PY NVIDIA Tesla K20X GPGPU	NVIDIA Tesla K20X PCIe-x16 GPGPU card for CX270 S2; TX300 S7ff; RX350 S7ff; for HPC purposes no Graphic Output							x		S26361-F2222-E24	6.450,00	Deliverable from: 28/03/2013,Orderable from: 05/04/2013
	Front-VGA Interface	2nd optional VGA interface front side							x		S26361-F2571-E26	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card	x		x	x	x	x	x		S26361-F2748-E537	135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile		x							S26361-F2748-E637	135,00	
	PY NVIDIA Tesla C2075 GPGPU	NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte for TX300 S7 / RX350 S7							x		S26361-F2856-E997	2.675,00	
	PY GPGPU Cable Kit	Cable Kit to install up to 2 GPGPUs., Includes an universal PCI card holder and screws							x		S26361-F3736-E1	80,00	
	PY K20 / K20X mounting kit	Mounting and Cable Kit to install up to 2 NVIDIA K20 or K20X GPGPU cards; Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x GPGPU K20 or K20X							x		S26361-F3736-E2	80,00	Orderable from: 04/03/2013



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
Graphics (Continued)													
	PY Intel Xeon Phi mounting kit	Mounting and Cable Kit to install up to 2 Intel Xeon Phi 5110P or 7120P Co-Processor cards; Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x Xeon Phi 5110P or 7120P								x	S26361-F3736-E5	80,00	Orderable from: 20/02/2013
	Intel Xeon Phi Co-Processor 5110P	Intel Xeon Phi 5110P PCIe-x16 Co-Processor card for CX270 S2; TX300 S7ff ; RX350 S7ff; for HPC purposes no Graphic Output								x	S26361-F4100-E511	5.175,00	Orderable from: 20/02/2013
Removable Media Drives													
	MountingKit DVD(s)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD						x	x		S26361-F2826-E106	90,00	
	Mounting Kit for 8x SAS SFF HDD	Extension Box for 8x 2.5" hotplug HDD					x		x		S26361-F2826-E426	130,00	
	MountingKit DVD(s)+4x SAS/SATA LFF HDD	for slim DVD, 4x HDD					x		x		S26361-F2826-E436	110,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height	x	x		x		x			S26361-F3641-E4	165,00	
	USB3.0 PCIe x1 adapter card	USB 3.0 adapter card to connect one internal USB 3.0 RDX drive and one external USB 3.0 device.	x		x	x	x	x	x	x	S26361-F3749-E1	25,00	
	RDX Drive USB3.0 5.25" internal	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.	x		x	x	x	x	x	x	S26361-F3750-E4	210,00	
	MountingKit DVD(s) + LSD	for slim DVD, 1x Local Service Display					x		x		S26361-F2826-E205	30,00	
	MountingKit DVD(s)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display					x		x		S26361-F2826-E204	30,00	
	ExtensionKit 4x SAS LFF HDD	HDD Extension for 4x LFF hotplug HDD								x	S26361-F2826-E335	80,00	
	MountingKit DVD(s)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD							x		S26361-F2826-E104	85,00	
	MountingKit DVD(s)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD								x	S26361-F2826-E105	65,00	
	ExtensionKit 8x SAS SFF HDD	HDD Extension for 8x SFF hotplug HDD								x	S26361-F2826-E325	90,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black		x		x	x	x	x	x	S26361-F3269-E2	95,00	
	MountingKit 8x SAS SFF HDD	Extension Box for 8x 2.5" hotplug HDD								x	S26361-F2826-E425	90,00	
	MountingKit DVD(s)+4x SAS LFF HDD	for slim DVD, 4x HDD								x	S26361-F2826-E435	90,00	
	SAS Expander 2x4 In / 6x4 Out	SAS Expander 2x4 In / 6x4 Out								x	S26361-F3668-E1	255,00	
	Adapter Kit for 2nd RAID Controller	Adapter Kit for 2nd RAID Controller								x	S26361-F3673-E1	20,00	
	USB3.0 PCIe x1 adapter card lp	USB 3.0 adapter card to connect one internal USB 3.0 RDX drive and one external USB 3.0 device		x							S26361-F3749-E201	25,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height		x		x	x	x	x	x	S26361-F3641-E2	165,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x		x	x	x	x	x	x	S26361-F3266-E2	35,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x		x	x	x	x	x	x	S26361-F3267-E2	60,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)	x		x	x	x	x	x	x	S26361-F3857-E4	210,00	Phased out
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height.		x							S26361-F3857-E5	210,00	Phased out
	RDX Drive USB 3.0 3.5" internal	RDX Drive USB 3.0 100MB/s 3.5" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black beze.		x							S26361-F3750-E5	210,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge	x		x	x	x	x	x	x	S26361-F3324-E4	505,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge		x							S26361-F3324-E5	505,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge	x		x	x	x	x	x	x	S26361-F3325-E4	735,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge		x							S26361-F3325-E2	735,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge			x	x	x	x	x	x	S26361-F3561-E4	1.410,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height , with SAS cable, with cleaning cartridge			x	x	x	x	x	x	S26361-F3626-E2	1.825,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height , with SAS cable, with cleaning cartridge			x	x	x	x	x	x	S26361-F3627-E1	2.535,00	
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD								x	S26361-F2826-E114	165,00	
Hard Disks													
	HD SATA 3G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic				x			x		S26361-F3293-E250	160,00	
	HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic			x	x					S26361-F3700-E250	160,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, economic			x	x	x				S26361-F3700-E500	205,00	
	HD SATA 6G 250GB 7.2K NO HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x	x							S26361-F3701-E250	160,00	
	HD SATA 6G 500GB 7.2K NO HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x	x							S26361-F3701-E500	205,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP							x	x	x	S26361-F5247-E130	315,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP							x	x	x	S26361-F5247-E145	440,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP							x	x	x	S26361-F5247-E160	570,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
Hard Disks (Continued)													
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical			x			x	x	x	S26361-F5247-E190	840,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x	x			x	x	S26361-F3670-E500	210,00	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x	x			x	x	S26361-F3708-E250	225,00	
	HD SATA 6G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x	x			x	x	S26361-F3670-E100	270,00	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x	x			x	x	S26361-F3708-E500	255,00	
	HD SATA 6G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x	x			x	x	S26361-F3670-E200	440,00	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical			x	x			x	x	S26361-F3708-E100	410,00	
	HD SATA 6G 3TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x	x			x	x	S26361-F3670-E300	600,00	
	HD SATA 6G 500GB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x							S26361-F3671-E500	210,00	
	HD SAS 6G 500GB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x	x			x	x	S26361-F5228-E500	270,00	
	HD SATA 3G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical			x	x					S26361-F3294-E500	210,00	
	HD SATA 6G 1TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x							S26361-F3671-E100	250,00	
	HD SAS 6G 1TB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical			x	x			x	x	S26361-F5228-E100	450,00	
	HD SATA 6G 2TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x							S26361-F3671-E200	440,00	
	HD SATA 3G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x			x		S26361-F3294-E100	250,00	
	HD SATA 6G 3TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x							S26361-F3671-E300	600,00	
	HD SATA 3G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x			x	x	S26361-F3294-E200	440,00	
	HD SATA 3G 320GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic				x	x		x		S26361-F3297-E320	225,00	Phased out
	HD SATA 3G 500GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic				x	x		x		S26361-F3297-E500	255,00	Phased out
	HD SATA 3G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x			x		S26361-F3601-E250	225,00	
	HD SATA 3G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x			x		S26361-F3601-E500	255,00	
	HD SATA 3G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical				x			x		S26361-F3601-E100	410,00	
	HD SAS 6G 300GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x	x	x	x	x	x	S26361-F4005-E530	370,00	
	HD SAS 6G 450GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x	x	x	x	x	x	S26361-F4005-E545	425,00	
	HD SAS 6G 600GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x	x	x	x	x	x	S26361-F4005-E560	505,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	S26361-F4482-E130	275,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	S26361-F4482-E145	400,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	S26361-F4482-E160	520,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	S26361-F4482-E190	765,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	S26361-F4482-E514	330,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	S26361-F4482-E530	570,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP						x	x	x		S26361-F5227-E130	315,00	Phased out
	HD SAS 6G 450GB 10K HOT PL 2.5" EP						x	x	x		S26361-F5227-E145	440,00	Phased out
	HD SAS 6G 600GB 10K HOT PL 2.5" EP						x	x	x		S26361-F5227-E160	570,00	Phased out
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise					x	x	x		S26361-F4541-E100	1.795,00	
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise					x	x	x		S26361-F4541-E400	6.695,00	
	SSD SAS 6G 100GB MLC HOT PL 2.5" EP PERF						x	x	x		S26361-F4581-E100	1.060,00	
	SSD SAS 6G 200GB MLC HOT PL 2.5" EP PERF						x	x	x		S26361-F4581-E200	1.985,00	
	SSD SAS 6G 400GB MLC HOT PL 2.5" EP PERF						x	x	x		S26361-F4581-E400	3.820,00	
	SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise			x	x	x	x	x		S26361-F5225-E100	560,00	
	SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise			x	x	x	x	x		S26361-F5225-E200	1.105,00	
	SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise			x	x	x	x	x		S26361-F5225-E400	2.670,00	
SCSI/RAID/SAS controller													
	SATA-HDD Upgrade 5.-8. HDD	Trigger to the request of a PCI based SAS controller			x						S26361-F2826-E140	5,00	
	RAID Contr BBU Erweiterung RAID 5/6 C16	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"							x	x	S26361-F3257-E216	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C55	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"			x	x	x	x			S26361-F3257-E255	165,00	
	RAID Contr BBU Erweiterung RAID 5/6 C70	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"								x	S26361-F3257-E270	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports			x	x	x		x		S26361-F3257-E4	110,00	
	SAS Ctrl 6G 8ext PCIe	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e				x	x	x	x	x	S26361-F3628-E1	265,00	
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP			x						S26361-F3628-E201	265,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
SCSI/RAID/SAS controller (Continued)													
	TFM Module for FBU option on D3116	TFM module for "RAID Ctrl SAS 6G 1GB (D3116)".	x	x	x		x		x	x	S26361-F3669-E100	170,00	
	RAID Ctrl FBU option with 25cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 25cm cable	x				x		x		S26361-F3669-E125	115,00	
	RAID Ctrl FBU option with 70cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 70, cm cable								x	S26361-F3669-E170	115,00	
	RAID Ctrl SAS 6G 8Port ex 1GB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe2.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH bracket							x	x	S26361-F3713-E1	800,00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS.					x		x	x	S26361-F3674-E1	95,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports		x	x	x	x	x	x	x	S26361-F3554-E8	175,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x	x	x	x	S26361-F3554-E512	390,00	
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports					x		x	x	S26361-F3669-E1	435,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU			x	x	x	x	x	x	S26361-F3593-E1	595,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU		x							S26361-F3593-E201	595,00	
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports	x	x	x						S26361-F3669-E2	435,00	
	RAID Ctrl FBU option with 55cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 5, 5cm cable	x	x							S26361-F3669-E155	115,00	
Fibre Channel													
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors						x	x	x	S26361-F3961-E1	860,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors						x	x	x	S26361-F3961-E2	1.385,00	
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors						x	x	x	S26361-F3631-E1	955,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors						x	x	x	S26361-F3631-E2	1.540,00	
Connection Blades													
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.		x	x	x	x	x	x	x	S26361-F3986-E3	410,00	
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for single mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to 10km.		x	x	x	x	x	x	x	S26361-F3986-E4	1.190,00	
Communication/Network													
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter				x		x			S26361-F3241-E1	90,00	
	Eth Ctrl 4x1GBit Cu PCIe x4 D3045	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu PCIe x4 D3045, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit			x	x	x	x	x	x	S26361-F3739-E1	390,00	
	Eth Ctrl 4x1GBit Cu PCIe x4 D3045 lp	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu PCIe x4 D3045 lp, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit		x							S26361-F3739-E201	390,00	
	Upgrade-Kit to 6x GBit on-board	Upgrade-Kit to 6x GBit on-board, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors.								x	S26361-F3739-E701	390,00	
	Eth Ctrl 2x1GBit Cu PCIe x4 D3035	Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCIe x4 D3035, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit	x		x	x	x	x	x	x	S26361-F3740-E1	210,00	
	Eth Ctrl 2x1GBit Cu PCIe x4 D3035 lp	Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCIe x4 D3035 lp, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit		x							S26361-F3740-E201	210,00	
	Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit, Extends the available two onboard 1GB LAN connectors with two additional 1GB LAN connectors.								x	S26361-F3740-E701	210,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Communication/Network (Continued)													
	Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable with original Intel driver kit			x		x		x	x	S26361-F3752-E2	890,00	
	Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable with original Intel driver kit		x							S26361-F3752-E202	890,00	
	Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel LAN controller chip 82576NS, Usable with original Intel driver kit, Extends the available two onboard 1GB LAN connectors with two additional 1GB LAN connectors.								x	S26361-F3610-E702	155,00	
	Upgrade-Kit to 6x GBit on-board	Upgrade-Kit to 6x GBit on-board, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors.								x	S26361-F3611-E701	390,00	
	Upgrade-Kit to 2xGB and 2x10GB on-board	Upgrade-Kit to 2x GBit and 2x 10Gbit on-board, Based on Intel LAN controller chip 82599, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with two additional 10GB LAN connectors (SFP+).								x	S26361-F3629-E702	525,00	
	Shared 10GB Management LAN kit									x	S26361-F3629-E750	25,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu Ip	Intel® GBit CT 1 Port Desktop Adapter Ip		x							S26361-F3516-E201	45,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu Ip	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu Ip, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit		x							S26361-F3610-E202	155,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu Ip	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu Ip, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit		x							S26361-F3611-E201	390,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ Ip	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ Ip		x							S26361-F3629-E202	525,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GBit/s FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable								x	S26361-F3592-E2	1.335,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102								x	S26361-F3592-E108	405,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter	x		x	x	x	x	x	x	S26361-F3516-E1	45,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter								x	S26361-F3242-E1	240,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+			x	x	x	x	x	x	S26361-F3629-E2	525,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit	x		x	x	x	x	x	x	S26361-F3610-E2	155,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit		x	x	x	x	x	x	x	S26361-F3611-E1	390,00	
	IB HCA 40GB 1 port QDR	InfiniBand HCA 40GB/s, 1-port, QDR								x	S26361-F4475-E102	625,00	
	IB HCA 40GB 2 port QDR	InfiniBand HCA 40GB/s, 2-port, QDR								x	S26361-F4475-E202	885,00	
	IB HCA 40GB 1 port QDR enhanced	InfiniBand HCA 40GB/s, 1-port, QDR, enhanced								x	S26361-F4475-E103	685,00	
	IB HCA 40GB 2 port QDR enhanced	InfiniBand HCA 40GB/s, 2-port, QDR, enhanced								x	S26361-F4475-E203	1.060,00	
	IB HCA 56GB 1 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR								x	S26361-F4533-E102	1.040,00	
	IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 2-port, FDR								x	S26361-F4533-E202	1.605,00	
Rack-Infrastructure													
	Rack Mount Kit F2-C S7 LV	Rack Mount Kit (RMK) for server more than 2 height units (U) or max. 50 Kg (F2) with Quick-Release-Lever (QRL). Drop in telescope rails (DI) 781mm long, full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).					x		x		S26361-F2735-E285	100,00	
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket					x		x		S26361-F4530-E10	5,00	
	Mounting 2U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket					x		x		S26361-F4530-E12	5,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.				x	x	x	x		SNP:SY-F1647E301-P	130,00	
	Rack Cable Arm 2U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.					x		x		S26361-F2735-E82	30,00	
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks		x	x			x			S26361-F2735-E7	30,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
Rack-Infrastructure (Continued)													
	Cable mgmt. lateral for asym. PC racks M	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER M1 racks					x		x		S26361-F2735-E71	30,00	
	cable arm 2U PCR M1 S and 3rd party racks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher or equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.			x	x			x		S26361-F2201-E20	50,00	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	telescopic full extraction, drop-in mount.; vario-carrier for toolless mounting.; max. load 50 kg., Rack installation depth (19" pillar distance) between 714mm and 785mm			x	x			x		S26361-F2735-E202	65,00	
Country kits													
	CCC Certification for China	CCC Certification for China	x	x	x	x	x	x	x	x	S26361-F3301-E120	10,00	
	region kit APAC/EMEA/India	Region-kit APAC/EMEA/ India	x	x	x		x		x	x	S26361-F1452-E100	10,00	
	region-kit America	Region-kit America	x	x	x		x		x	x	S26361-F1452-E130	10,00	
OneBox-Keyboards													
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	S26381-K341-E185	27,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x	x	x	x	x	x	x	x	S26381-K520-E102	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x	x	x	x	x	x	x	x	S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x	x	x	x	x	x	x	x	S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x	x	x	x	x	x	x	x	S26381-K520-E185	13,00	
	KB400 USB grey INT USA	KB400 USB INT US, SLIM value Keyboard black US				x		x			S26381-K550-E102	10,00	Phased out
	KB400 USB grey GB	KB400 USB grey GB, SLIM value Keyboard UK				x		x			S26381-K550-E165	10,00	Phased out
	KB400 USB grey I	KB400 USB grey I, SLIM value Keyboard Italy				x		x			S26381-K550-E185	10,00	Phased out
PRIMERGY-Software													
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x		x			S26361-F1790-E241	305,00	
	iRMC S3 advanced pack			x	x			x	x		S26361-F1790-E242	305,00	
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x		S26361-F2565-L596	2.770,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.	x	x	x	x		x	x		S26361-F2567-E20	385,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.	x	x	x	x	x	x	x		S26361-F2567-E30	115,00	
	WinSvr 2012 Language Pack DVD	WinSvr 2012 Language Pack DVD	x	x	x		x	x	x		S26361-F2567-E400	25,00	
	WinSvr 2012 Datacenter 2CPU OEM	WinSvr 2012 Datacenter 2CPU OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.	x	x	x	x	x	x	x		S26361-F2567-E410	2.980,00	
	WinSvr 2012 Standard 2CPU/2VM OEM	WinSvr 2012 Standard 2CPU&2VM OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.	x	x	x	x	x	x	x		S26361-F2567-E420	590,00	
	WinSvr 2012 Standard AddLic 2CPU/2VM OEM		x	x	x	x	x	x	x		S26361-F2567-E421	590,00	
	WinSvr 2012 Essentials 2CPU OEM MUL	Windows Server 2012 Essentials, OEM, Multilingual, DVD Media, COA, License, Languages: English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.	x	x	x	x	x				S26361-F2567-E430	315,00	
	WinSvr 2012 Foundation 1CPU OEM	WinSvr 2012 Foundation 1CPU OEM. Multilingual. OEM DVD, COA License. End User License Terms.	x	x	x	x					S26361-F2567-E440	175,00	
	WinStorageSvr 2012 Std 2CPU/2VM OEM	Windows Storage Server 2012 Standard 2CPU&2VM OEM. Multilingual. OEM DVD, COA License. End User License Terms. No CALs required	x	x	x		x		x		S26361-F2567-E450	445,00	
	WinStorageSvr 2012 Std AddLic 2CPU OEM	Windows Storage Server 2012 Standard Additional License 2CPU&2VM OEM. Step-up license to add 2 CPU sockets / 2 VMs. No media/key	x	x	x		x		x		S26361-F2567-E451	445,00	
	WinSvr CAL 2012 50Device	Windows Server 2012 CAL 50 Device	x	x	x	x	x	x	x		S26361-F2567-E460	1.250,00	
	WinSvr CAL 2012 50User	Windows Server 2012 CAL 50 User	x	x	x	x	x	x	x		S26361-F2567-E461	1.450,00	
	WinSvr CAL 2012 10Device	Windows Server 2012 CAL 10 Device	x	x	x	x	x	x	x		S26361-F2567-E462	250,00	
	WinSvr CAL 2012 10User	Windows Server 2012 CAL 10 User	x	x	x	x	x	x	x		S26361-F2567-E463	290,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	WinSvr CAL 2012 5Device	Windows Server 2012 CAL 5 Device	x	x	x	x	x	x	x	x	S26361-F2567-E464	125,00	
	WinSvr CAL 2012 5User	Windows Server 2012 CAL 5 User	x	x	x	x	x	x	x	x	S26361-F2567-E465	145,00	
	WinSvr CAL 2012 1Device	Windows Server 2012 CAL 1 Device	x	x	x	x	x	x	x	x	S26361-F2567-E466	25,00	
	WinSvr CAL 2012 1User	Windows Server 2012 CAL 1 User	x	x	x	x	x	x	x	x	S26361-F2567-E467	29,00	
	WinSvr RDS CAL 2012 5Device	Windows Server 2012 RDS CAL 5 Device	x	x	x	x	x	x	x	x	S26361-F2567-E470	425,00	
	WinSvr RDS CAL 2012 5User	Windows Server 2012 RDS CAL 5 User.	x	x	x	x	x	x	x	x	S26361-F2567-E471	490,00	
	WinSvr RDS CAL 2012 1Device	Windows Server 2012 RDS CAL 1 Device.	x	x	x	x	x	x	x	x	S26361-F2567-E472	85,00	
	WinSvr RDS CAL 2012 1User	Windows Server 2012 RDS CAL 1 User.	x	x	x	x	x	x	x	x	S26361-F2567-E473	98,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x		x	x	S26361-F2567-E480	35,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x		x	x	S26361-F2567-E481	35,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard	DG/DE Kit WinSvr 2008 R2 SP1 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x		x	x	S26361-F2567-E482	35,00	
	DG/DE Kit WinSvr 2008 SP2 Datacenter	DG/DE Kit WinSvr 2008 SP2 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x		x	x	S26361-F2567-E483	35,00	
	DG/DE Kit WinSvr 2008 SP2 Enterprise	DG/DE Kit WinSvr 2008 SP2 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x		x	x	S26361-F2567-E484	35,00	
	DG/DE Kit WinSvr 2008 SP2 Standard	DG/DE Kit WinSvr 2008 SP2 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x		x	x	S26361-F2567-E485	35,00	
	VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory					x		x	x	U15000-C311	320,00	
	VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory					x		x	x	U15000-C312	1.910,00	
	VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory					x		x	x	U15000-C313	3.835,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-E593	885,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-E595	885,00	
	Win Svr 2008 R2 SP1 Foundation 1CPU OEM	Win Svr 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x				S26361-F2567-E301	175,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Svr 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E331	2.980,00	
	Win Svr 2008 R2 SP1 Enterpr w/10CAL OEM	Win Svr 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E321	1.895,00	
	Win Svr 2008 R2 SP1 Standard w/5CAL OEM	Win Svr 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E311	590,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E350	630,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E351	630,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E352	630,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E353	630,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E354	630,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E355	630,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E356	630,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E357	630,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E358	630,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E359	630,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E370	935,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E371	935,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E372	935,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E373	935,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E374	935,00	
	Win SBS Essentials 2011 OEM MUL-Set1	Windows Small Business Server Essentials 2011, OEM, MUL set 1, DVD Media, COA, License, Language set 1:English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.	x	x	x	x	x				S26361-F2567-E378	335,00	Phased out
	Win SBS Essentials 2011 OEM MUL-Set2	Windows Small Business Server Essentials 2011, OEM, MUL set 2, DVD Media, COA, License, Language set 2: English (default language), Chinese simplified (for PRC), Hungarian, Russian, Turkish, Swedish, Czech, Korean, Brazilian Portuguese.	x	x	x	x	x				S26361-F2567-E379	335,00	Phased out
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x	x	x	x	x	x	x	x	S26361-F2567-E391	25,00	
	Win Svrs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x	x	x	x	x	x	S26361-F2567-E390	25,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT, OEM Recovery DVD Media Kit, COA, License.							x	x	S26361-F2567-E360	760,00	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT, OEM Recovery DVD Media Kit, COA, License.								x	S26361-F2567-E361	380,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT, OEM Recovery DVD Media Kit, COA, License.								x	S26361-F2567-E363	110,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.								x	S26361-F2567-E366	30,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.								x	S26361-F2567-E368	30,00	
	SUSE Linux ES 1-2 SOCK Server 1Y	SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	x	x	x	x	x	x	x	x	S26361-F2348-S101	290,00	
	SUSE Linux ES 1-2 SOCK Server 3Y	SUSE Linux ES 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	x	x	x	x	x	x	x	x	S26361-F2348-S102	790,00	
	SUSE Linux ES 1-2 SOCK Server 5Y	SUSE Linux ES 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years	x	x	x	x	x	x	x	x	S26361-F2348-S103	1.160,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt. 1Y	SUSE Linux ES 1-2SOC Serv+Virt. 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year	x	x	x	x	x	x	x	x	S26361-F2348-S111	440,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	x	x	x	x	x	x	x	x	S26361-F2348-S112	1.180,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years	x	x	x	x	x	x	x	x	S26361-F2348-S113	1.760,00	
	SUSE Linux ES HAE 1-2 SOCK 1Y	SUSE Linux ES HAE 1-2SOC 1Y, 1-2 CPU Sockets, high availability extension, subscription for 1 year	x	x	x	x	x	x	x	x	S26361-F2348-S121	590,00	
	SUSE Linux ES HAE 1-2 SOCK 3Y	SUSE Linux ES HAE 1-2SOC 3Y, 1-2 CPU Sockets, high availability extension, subscription for 3 years	x	x	x	x	x	x	x	x	S26361-F2348-S122	1.570,00	
	SUSE Linux ES HAE 1-2 SOCK 5Y	SUSE Linux ES HAE 1-2SOC 5Y, 1-2 CPU Sockets, high availability extension, subscription for 5 years	x	x	x	x	x	x	x	x	S26361-F2348-S123	2.330,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 1Y	SUSE Linux ES4SAP 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	x	x	x	x	x	x	x	x	S26361-F2348-S401	1.280,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 3Y	SUSE Linux ES4SAP 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	x	x	x	x	x	x	x	x	S26361-F2348-S402	3.450,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 5Y	SUSE Linux ES4SAP 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years	x	x	x	x	x	x	x	x	S26361-F2348-S403	5.200,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year	x	x	x	x	x	x	x	x	S26361-F2348-S411	1.920,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	x	x	x	x	x	x	x	x	S26361-F2348-S412	5.200,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years	x	x	x	x	x	x	x	x	S26361-F2348-S413	7.700,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	x	x	x	x	x	x	x	x	S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	x	x	x	x	x	x	x	x	S26361-F2346-S102	889,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	x	x	x	x	x	x	x	x	S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	x	x	x	x	x	x	x	x	S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	x	x	x	x	x	x	x	x	S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	x	x	x	x	x	x	x	x	S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	x	x	x	x	x	x	x	x	S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	x	x	x	x	x	x	x	x	S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	x	x	x	x	x	x	x	x	S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	x	x	x	x	x	x	x	x	S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x	x	x	x	x	x	x	x	S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x	x	x	x	x	x	x	x	S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	S26361-F2346-S172	380,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download							x		S26361-F2341-S980	1.050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download							x	x	S26361-F2341-S981	2.630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download							x	x	S26361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download							x	x	S26361-F2341-S983	2.000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download							x	x	S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download							x	x	S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download							x	x	S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download							x	x	S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download							x	x	S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download							x	x	S26361-F2341-S989	1.460,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizenca key per Download							x	x	S26361-F2341-S990	3.750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizenca key per Download							x	x	S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)				x	x	x	x	x	S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for max 32GB RAM - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License				x	x		x	x	S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E712	3.145,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E735	19.750,00	
	VMware STD AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E760	6.295,00	
	VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E761	6.295,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S737	4.495,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S738	1.345,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S739	1.345,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E740	4.045,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E741	4.045,00	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 1 year VMware Sub. - no Support				x	x	x	x	x	S26361-F2341-S800	504,00	
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 3 year VMware Sub. - no Support				x	x	x	x	x	S26361-F2341-S801	600,00	
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-S802	4.969,00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-S803	6.510,00	
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-S804	4.810,00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-S805	6.104,00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-S806	12.573,00	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-S807	16.483,00	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-S808	12.169,00	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-S809	15.454,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S742	1,220,00	
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S743	1,220,00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S744	12,195,00	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S745	12,195,00	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S750	2,030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S751	2,030,00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S752	20,295,00	
	VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-S753	20,295,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-S810	3,992,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-S811	5,299,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-S812	1,275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-S813	1,694,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-S814	3,865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-S815	4,963,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-S816	1,234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-S817	1,586,00	
UPS/Power supply													
	Power Supply Module 450W (hot plug)	for PS redundancy				x					S26113-F540-E11	170,00	Phased out
	Power Supply Module 800W HE (hot plug)	2nd gold ps hp for redundancy							x		S26113-F556-E10	215,00	Phased out
	Power Supply Dummy						x		x	x	S26113-F574-E99	5,00	
	Fan upgrade kit hot-plug redundancy	consists of two additional fans for fan redundancy								x	S26361-F3667-E1	45,00	
	Modular PSU 800W platinum hp	800W modular Power Supply Module , hot plug, platinum (94% efficiency)								x	S26113-F574-E10	260,00	
	Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)				x		x	x	x	S26113-F575-E10	225,00	
	Cable powercord (D,...), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	x	T26139-Y1740-E10	10,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m				x		x		x	T26139-Y1968-E100	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	x	T26139-Y1742-E10	10,00	
	Cable powercord (UK, S), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	x	T26139-Y1744-E10	10,00	
	Cable powercord (It), 1.8m, grey	suitable for I	x	x	x	x	x	x	x	x	T26139-Y1745-E10	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	x	x	x	x	x	x	x	x	T26139-Y3850-E10	2,00	
Mouse													
	Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi, Fujitsu logo, USB cable 1,8m,	x	x	x	x	x	x	x	x	S26381-K457-E100	6,00	
	Mouse M510 Grey	optical mouse with 3 keys, marble grey, 1000 dpi, USB cable 1,8m	x	x	x	x	x	x	x	x	S26381-K457-E101	6,00	
Miscellaneous													
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order				x					S26361-F1647-E410	25,00	
	LocalView Option Kit S2	LCD display with adapter				x	x	x	x	x	S26361-F2557-E105	70,00	
	LocalView Option Kit S2	LCD display with installation kit				x	x	x	x	x	S26361-F2557-E106	70,00	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter				x					S26361-F2557-E202	25,00	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit							x		S26361-F2557-E205	25,00	
	Service LAN Option	integriert in die vordere Bedieneinheit	x	x		x			x	x	S26361-F2571-E27	20,00	
	Serial port option	Cable for 2nd RS-232-C 9 pin interface							x		S26361-F3120-E3	40,00	
	TX140S1p E-Star Fam2 certification	Limits configurations in accordance with Energy Star Server 1.0, for SATA/SAS LFF base unit with std PSU and 4 core CPUs only				x					S26361-F3301-E142	3,00	
	TX150S7 E-Star Fam1 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with std PSU with dual core CPUs only				x					S26361-F3301-E151	3,00	Phased out
	TX150S7 E-Star Fam2 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with red PSU with Xeon based CPUs only				x					S26361-F3301-E152	3,00	Phased out
	TX200S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0							x		S26361-F3301-E201	3,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Miscellaneous (Continued)													
	Energy Star 5.0 Compliance	Limited configuration in accordance with Energy Star 5.0. SAS configuration: , max P8400, 1GB RAM, 2x SAS HDD, only IRMC graphics, SATA configuration: , max. T9400, 8GB RAM, 2x SATA HDD + 2 SATA/Backup, 2x LAN, only IRMC graphics	x								S26361-F3301-E5	2,00	
	Energy Star 5.0 E85+ Compliance		x								S26361-F3301-E6	2,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x	x	x	x	x	S26361-F3552-E1	50,00	
	Serial port option	Cable with 9 pin D-SUB interface				x					S26361-F2571-E10	30,00	
	No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory			x	x	x	x	x		S26361-F2735-E111	5,00	
SW Data Center Products													
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x					x	x	x	S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x					x	x	x	S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x					x	x	x	S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x					x	x	x	S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x					x	x	x	S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x					x	x	x	S26361-F2341-E925	24.580,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x					x	x	x	S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x					x	x	x	S26361-F2341-E934	18.750,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x					x	x	x	S26361-F2341-E935	37.500,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x					x	x	x	S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x					x	x	x	S26361-F2341-E961	10.830,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x					x	x	x	S26361-F2341-E962	21.670,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x					x	x	x	S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x					x	x	x	S26361-F2341-E964	17.290,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x					x	x	x	S26361-F2341-E965	34.580,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x					x	x	x	S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x					x	x	x	S26361-F2341-E967	11.040,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x					x	x	x	S26361-F2341-E968	22.080,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x					x	x	x	S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x					x	x	x	S26361-F2341-S914	3.960,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix													
SW Data Center Products (Continued)													
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x					x	x	x	S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x					x	x	x	S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x					x	x	x	S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x					x	x	x	S26361-F2341-S925	18.750,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x					x	x	x	S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x					x	x	x	S26361-F2341-S934	14.580,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x					x	x	x	S26361-F2341-S935	29.170,00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x	S26361-F2341-S960	1.580,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x	S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x	S26361-F2341-S962	15.830,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x	S26361-F2341-S963	2.630,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x	S26361-F2341-S964	13.130,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x	S26361-F2341-S965	26.250,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x	S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x	S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x	S26361-F2341-S968	13.750,00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)				x	x	x	x	x	U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)				x	x	x	x	x	U11420-C936	100,00	
	SVRRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License (1 Server) V3				x	x	x	x	x	U11420-C954	0,01	
	SVRRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License (1 Server) V3				x	x	x	x	x	U11420-C955	0,01	
	SVRRORDVD V30 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V3.0 for Windows&Linux&Solaris				x	x	x	x	x	U11420-C956	50,00	
	SVRRORDVD V31 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V3.1 for Windows&Linux&Solaris				x	x	x	x	x	U11420-C957	50,00	
	SVRRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3				x	x	x	x	x	U11420-C966	779,00	
	SVRRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3				x	x	x	x	x	U11420-C967	5.538,00	
	SVRRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3				x	x	x	x	x	U11420-C969	12.462,00	
	SVRRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3				x	x	x	x	x	U11420-C960	1.530,00	
	SVRRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3				x	x	x	x	x	U11420-C961	11.383,00	
	SVRRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3				x	x	x	x	x	U11420-C963	25.659,00	
	SVRRORCESVR V3 (WIN/LIN) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3				x	x	x	x	x	U11420-C978	751,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)													
	SVRORCESVR V3 (WIN/LIN) UGRTU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3				x	x	x	x	x	U11420-C979	5.845,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3				x	x	x	x	x	U11420-C981	13.198,00	



Positioning PRIMERGY Rack Servers



**PRIMERGY
RX100 S6**

The RX100 S6 meets the needs of business applications with its technical developments, such as Quad-Core Intel® Xeon® processor 3400 series and the upcoming generation of Intel® Dual-Core CPUs, integrated RAID 0/1/5/6 and a memory of up to 32 GB. It unites the advantages of low-cost SATA or SAS /SSD hard disk technology with a space-saving 1U chassis and a depth of less



**PRIMERGY
RX200 S5**

More for less with regard to data center energy-efficiency. Energy consumption and cooling in data centers is a “burning” issue. The innovative PRIMERGY Cool-safe™ system design of the new RX200 S5 rack server generation provides the right answers.



**PRIMERGY
RX300 S5**

Virtualized environments are the top application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, several operating systems plus the installed applications have to run simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization.



**PRIMERGY
RX330 S1**

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY Rack portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone AMD Opteron Quad-Core based application server and for server farms in scale-out environments with medium needs for availability features and



**PRIMERGY
RX600 S4**

4 Socket Multi-Core Xeon 7400 series rack server
Performance, capacity and stability for your critical applications. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent “best-in-class” efficiency.



**PRIMECENTER
SME**

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.



PRIMERGY RX100 S7

PRIMERGY RX100 S7: for SMEs and data centers, looking for high availability, scalability and low TCO - in a 1U chassis. SME customers will find the RX100 S7 to be a highly versatile tool, which can be used as a web, file or print server. Data center customers can build on the RX100 S7 as a scalable entry-level virtualization platform, which offers up to Intel® Xeon® processor performance, optional redundant fan and hot-plug power supplies (with up to 94% efficiency!) and onboard dual gigabit LAN. The optional front service LAN will make the lives of data center staff easier too. PRIMERGY RX100 S7: Rack virtualization starts here!

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX100 S7p					
	PY RX100S7p/LFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V103	495,00	
	PY RX100S7p/LFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V203	510,00	
	PY RX100S7p/SFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 Ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V303	505,00	
	PY RX100S7p/SFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V403	520,00	



PRIMERGY RX200 S7

The Fujitsu PRIMERGY RX200 S7 is a rack server that provides high performance, expandability and energy efficiency in 1U space saving housing. Thus, the PRIMERGY RX200 S7 is ideal for virtualization and cloud, small databases as well as for high performance computing thanks to the top performance of the new Intel® Xeon® E5 product family. Moreover, the RX200 S7 delivers a great expandability, by supporting up to 768 GB of memory, eight hard disk drives and cost-saving Modular LAN options to ensure future requirements are met and budgets are saved.

Thanks to the highly efficient power supply units with an efficiency rate of 94% and the new power management this will result in lower operational

Model	Description	Details	Product Code	EUP (€)	Comments
PRIMERGY RX200 S7					
Base unit configurations					
PY RX200S7 4x2.5	Rack based server 19" (1U), BU without processor and RAM, without hot plug power supply module, 4 hot plug double-fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack		S26361-K1386-V101	980,00	
PY RX200S7 8x2.5	Rack based server 19" (1U), BU without processor and RAM, without hot plug power supply module, 4 hot plug double-fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack		S26361-K1386-V201	980,00	



PRIMERGY RX300 S7

The Fujitsu PRIMERGY RX300 S7 is a dual socket rack server, focusing on versatility and scalability. The new modular concept supports excellent expandability with up to 16 hard disk drives, up to 7 PCIe Gen 3 cards and up to 768GB RAM, all in one single 2U rack housing. Furthermore, the new Intel® Xeon® E5 product family delivers the top performance to ensure today's demand while being prepared for future requirements thanks to the upgrade kits as well as the cost-saving Modular LAN options. Thanks to the power supply units with 94% efficiency and the new power management this will result in lower operational costs. This 2U power house is the right choice for all types of business applications and consolidations

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX300 S7					
PY RX300S7 6x3.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack		S26361-K1373-V101	1.090,00	
PY RX300S7 2.5" expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs expandable; ServerView Suite Software Pack		S26361-K1373-V401	940,00	
PY RX300S7 8x2.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack		S26361-K1373-V201	1.090,00	
PY RX300S7 12x2.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack		S26361-K1373-V301	1.275,00	



PRIMERGY RX350 S7

The PRIMERGY RX350 S7 is a 4U rack server with maximum levels of performance, expandability and availability. It combines the performance of Intel® Xeon® processors E5 family with up to two 6GB general-purpose computing on graphics processing units (GPGPU) for computationally intensive applications. The new modular concept supports excellent expandability with up to 24 hard disk drives, up to 10 PCIe Gen 3 cards and up to 768GB memory. Moreover the 4 hot-plug, power supply units with up to 94% efficiency and the new power management, will result in lower operational costs. Thanks to the upgrade kits as well as the cost-saving Modular LAN options, the RX350 is prepared for future requirements. RX350 is ideal for database, consolidation or high performance computing scenarios.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX350 S7					
PY RX350S7 LFF	Rack based server 19" (4U), BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1390-V301	1.090,00	
PY RX350S7 SFF	Rack based server 19" (4U), BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1390-V401	1.090,00	



PRIMECENTER M1

The trend to consolidation as a result of virtualization and optimization require environments that are more flexible and reliable. Decades of data center experience at Fujitsu result in the latest 19-inch Rack Family. The new Fujitsu PRIMECENTER racks are the foundation for meeting IT data center requirements. The PRIMECENTER Racks are the basis for building perfect data center infrastructures. The PRIMECENTER 19-inch Racks can be used to install Fujitsu solutions as well as third-party products. They meet all requirements for flexibility thanks to the multiple configuration options, cooling and maintenance features. In addition a broad portfolio of optional rack accessories complete the efficient rack infrastructure solutions.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack					
	PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U), Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V220	1.805,00	
	PRIMECENTER M1 Rack 742S 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U), Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V240	2.055,00	
	PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U), Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V310	1.645,00	
Base unit configurations					
PRIMECENTER M1 Rack					
Model	Description	Details	Product Code	EUP (€)	Comments



PRIMECENTER M1

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack (Continued)					
PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V220	1.995,00		
PRIMECENTER M1 Rack 742S 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V240	2.300,00		
PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V310	1.835,00		
PRIMECENTER M1 Rack 624S 24U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 624 S /24U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation., For tilting security an additional tilting protection is required.	S26361-K827-V320	1.935,00		
PRIMECENTER M1 Rack 642S 42U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 642 S /42U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V340	2.185,00		



PRIMECENTER M1

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack (Continued)					
	PRIMECENTER M1 Rack 724A 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 A /24U),. Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 4x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V120	1.995,00	
	PRIMECENTER M1 Rack 742A 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 A /42U),. Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 6x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V140	2.300,00	



Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7P	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX200	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	Product Code	EUP (€)	Comments																		
Processor (Continued) Memory	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533		x	x																												S26361-F3000-L515	165,00	Phased out																		
	Memory Board Kit RX600 S4	2 Memory Boards with 8 DIMM Slots each																																S26361-F3125-L440	305,00	Phased out																	
	MEM 8GB 2x4GB FBDB67 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																																	S26361-F3230-L524	575,00	Phased out																
	Memory	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC								x																										S26361-F3335-L514	50,00	Phased out															
		4 GB DDR3 1333 MHz PC3-10600 ub d ECC								x																											S26361-F3335-L515	75,00	Phased out														
		2 GB DDR3 1333 MHz PC3-10600 ub s ECC									x																											S26361-F3335-L524	50,00	Phased out													
		4 GB DDR3 1333 MHz PC3-10600 ub d ECC										x																										S26361-F3335-L525	75,00	Phased out													
		8 GB DDR3 1333 MHz PC3-10600 ub d ECC											x																									S26361-F3335-L526	225,00	Phased out													
		2GB (1x2GB) 1066 MHz DDR3-1600 U ECC																																					S26361-F3719-L513	45,00													
		4GB (1x4GB) 2Rx8 DDR3-1600 U ECC																																				S26361-F3719-L514	75,00														
		8GB (1x8GB) 2Rx8 DDR3-1600 U ECC																																					S26361-F3719-L515	185,00													
		2GB DDR2-800 PC2-6400 ub d ECC 1 MODULE	1 modul, unbuffered DDR2 800MHz								x																												S26361-F3870-L515	105,00	Phased out												
		Memory Board RX600 S5	Memory board for up to two sets of DDR3 memory (with 4 DIMMs each)																																				S26361-F3990-L600	265,00													
		Memory Board RX600 S6	Memory board for up to two sets of DDR3 LV memory (with 4 DIMMs each)																																				S26361-F4523-L642	340,00													
		16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																																					S26361-F4523-L643	500,00												
		32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																																					S26361-F4523-L645	1.240,00	Phased out											
		64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																																					S26361-F4523-L645	1.240,00	Phased out											
		128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																																						S26361-F4523-L646	4.880,00											
	64GB 4x16 DDR3 LV 1600 MHz PC3-12800 rg	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																																						S26361-F4523-L647	1.160,00												
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																																							S26361-F4523-L942	340,00											
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																																							S26361-F4523-L943	500,00											
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																																							S26361-F4523-L945	1.240,00	Phased out										
	128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																																							S26361-F4523-L946	4.880,00											
	64GB 4x16 DDR3 LV 1600 MHz PC3-12800 rg	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																																							S26361-F4523-L947	1.160,00											
	8GB 2x4GB FBDB67 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																																								S26361-F3263-L624	575,00	Phased out									
	4 GB DDR3 1333 MHz PC3-10600 m d ECC																																									S26361-F4003-L616	105,00	Phased out									
	8GB 2x4GB FBDB67 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																																								S26361-F3263-L524	575,00	Phased out									
	8 GB DDR3 1066 MHz PC3-8500 rg s ECC																																										S26361-F3336-L516	160,00	Phased out								
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																									S26361-F4003-L643	400,00	Phased out								
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																									S26361-F4003-L642	340,00	Phased out								
16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																									S26361-F4003-L644	835,00	Phased out									
32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																									S26361-F4003-L645	500,00	Phased out									
64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																																									S26361-F4003-L646	1.240,00	Phased out									
Graphics	PY NVIDIA Tesla K20 GPGPU	NVIDIA Tesla K20 PCIe-x16 GPGPU card for CX270 S2; TX300 S7H; RX350 S7H; for HPC purposes no Graphic Output																																									S26361-F2222-L22	4.475,00									
	PY NVIDIA Tesla K20X GPGPU	NVIDIA Tesla K20X PCIe-x16 GPGPU card for CX270 S2; TX300 S7H; RX350 S7H; for HPC purposes no Graphic Output																																										S26361-F2222-L24	6.450,00	Deliverable from: 28/03/2013, Orderable from: 05/04/2013							
	Front VGA Interface	2nd optional VGA interface front side																																												S26361-F2571-L26	20,00						
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCI-e x1 graphic card																																													S26361-F2748-L537	135,00					
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCI-e x1 graphic card, low profile																																														S26361-F2748-L637	135,00				
	PY NVIDIA Tesla C2075 GPGPU	NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte for TX300 S7 / RX350 S7																																															S26361-F2856-L997	2.675,00			
	PY K20 / K20X mounting kit	Mounting and Cable Kit to install up to 2 NVIDIA K20 or K20X GPGPU cards; Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x GPGPU K20 or K20X																																																	S26361-F3736-L2	80,00	
	PY Intel Xeon Phi mounting kit	Mounting and Cable Kit to install up to 2 Intel Xeon Phi 5110P or 7120P Co-Processor cards; Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x Xeon Phi 5110P or 7120P																																																			



Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7P	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX200 S7	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX300 S7	PRIMERGY RX400	PRIMERGY RX400 S2	PRIMERGY RX400 S3	PRIMERGY RX400 S4	PRIMERGY RX400 S5	PRIMERGY RX400 S6	PRIMERGY RX400 S7	PRIMERGY RX400 S7	Product Code	EUP (€)	Comments						
Removable Media Drives (Continued)																																											
Tape Kit	DDS Gen6 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5" with specific USB cable, with description (G/US, with cleaning cartridge)																																			S26361-F3324-L7	555,00					
Tape Kit	DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" Intern, USB 2.0 Connector, USB "B" with USB cable, 1.6" fitting height, black bezel, with cleaning cartridge																																				S26361-F3325-L4	735,00				
Tape Kit	DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" Intern, USB 2.0 Connector, USB "B" with USB cable, 1.6" fitting height, black bezel, with cleaning cartridge																																				S26361-F3325-L2	735,00				
Tape Kit	LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																																				S26361-F3561-L4	1.410,00				
Tape Kit	LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																																				S26361-F3626-L2	1.825,00				
Tape Kit	LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																																				S26361-F3627-L1	2.535,00				
SCSI/RAID/SAS controller																																											
RAID Contr BBU Upgrade for RAID 5/6	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctr. F3257 256MB and 512MB																																				S26361-F3257-L10	235,00	Phased out			
RAID Contr BBU Upgrade for RAID 5/6	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for "RAID Ctr SAS 6G 512MB (D2616)" and "RAID Ctr SAS 6G 8Port ex 512MB LSI" incl. cable 16cm, 55cm, 70cm																																					S26361-F3257-L110	165,00			
RAID Contr BBU Upgrade for RAID 5/6 C	RAID Contr BBU Upgrade for RAID 5/6 C	BBU Upgrade for "RAID Ctr SAS 6G 512MB (D2616)" and "RAID Ctr SAS 6G 8Port ex 512MB LSI" incl. cable 16cm, 55cm, 70cm.																																					S26361-F3257-L210	165,00			
4-Port SAS cable for ports 5 and 6	4-Port SAS cable for ports 5 and 6	Upgrade kit from 4 to 6 HDs necessary for max. 6HDs																																					S26361-F3257-L250	30,00	Phased out		
RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports																																					S26361-F3257-L4	110,00			
SCSI Ctr U320 1ch int/ext PCIe	SCSI Ctr U320 1ch int/ext PCIe	Adaptec 29320LP, 1x U320 SCSI																																					S26361-F3270-L1	245,00	Phased out		
SCSI Ctr U320 1ch int/ext PCIe lp	SCSI Ctr U320 1ch int/ext PCIe lp	Adaptec 29320LP, 1x U320 SCSI, low profile																																					S26361-F3270-L201	245,00	Phased out		
SAS Ctr 3GB/s 4int/4ext PCIe	SAS Ctr 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R																																					S26361-F3271-L1	265,00	Phased out		
SAS Ctr 3GB/s 4int/4ext PCIe lp	SAS Ctr 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile																																					S26361-F3271-L201	265,00	Phased out		
SAS Ctr 6G 8ext PCIe FHLP	SAS Ctr 6G 8ext PCIe FHLP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2008																																						S26361-F3628-L501	265,00		
TFM Module for FBu option on D3116	TFM Module for FBu option on D3116	TFM module for "RAID Ctr SAS 6G 1GB (D3116)"																																					S26361-F3669-L100	170,00			
RAID Ctr FBu option w/ 25/55/70cm cable	RAID Ctr FBu option w/ 25/55/70cm cable	FBu option for "RAID Ctr SAS 6G 1GB (D3116)" and "RAID Ctr SAS 6G 8Port ex 1GB LSI" incl. 25/55/70cm cable																																						S26361-F3669-L110	115,00		
RAID Ctr SAS 8Port ext remote BBU LSI	RAID Ctr SAS 8Port ext remote BBU LSI	optional BBU for LSI MegaRAID SAS8890E																																					S26361-F3890-L11	220,00	Phased out		
RAID Ctr SAS 8Port ext Onboard BBU LSI	RAID Ctr SAS 8Port ext Onboard BBU LSI	optional BBU for LSI MegaRAID SAS8890E																																					S26361-F3890-L12	175,00			
RAID Upgrade Kit RX100 S6	RAID Upgrade Kit RX100 S6	consists of SAS Cable and bracket																																					S26361-F4414-L1	55,00	Phased out		
RAID Upgrade Kit RX100 S7	RAID Upgrade Kit RX100 S7	consists of SAS Cable and bracket																																					S26361-F4414-L2	50,00			
RAID Ctr SAS 6G 8Port ex 512M FHLP LSI	RAID Ctr SAS 6G 8Port ex 512M FHLP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without 8BU																																						S26361-F3993-L501	595,00		
RAID Ctr SAS 6G 01" (D2607)	RAID Ctr SAS 6G 01" (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports																																						S26361-F3554-L8	175,00		
RAID Ctr SAS 6G 8Port ex 1GB FHLP LSI	RAID Ctr SAS 6G 8Port ex 1GB FHLP LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe 2.0 x8, 1GB Cache with ECC, 8 external ports, optional FBu, FH and LP bracket																																						S26361-F3713-L501	800,00		
RAID Ctr SAS 6G 512MB (D2616)	RAID Ctr SAS 6G 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port																																						S26361-F3554-L512	390,00		
RAID Ctr SAS 6G 1GB (D3116)	RAID Ctr SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports																																						S26361-F3668-L1	435,00		
RAID Ctr SAS 6G 1GB (D3116)	RAID Ctr SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports																																						S26361-F3668-L2	435,00		
SAS Enabling Key for Onboard Ports	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS.																																						S26361-F3674-L1	95,00		
Fibre Channel																																											
FC Ctr 2x4GB/s QLE2462 MMF LC	FC Ctr 2x4GB/s QLE2462 MMF LC	QLE2462, 4GB/s, 2 channel FC controller, PCIe x4, full height, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																																						S26361-F3483-L2	1.915,00	Phased out	
FC Ctr 4GB/s QLE2460 MMF LC LP	FC Ctr 4GB/s QLE2460 MMF LC LP	QLE2460, 4GB/s, 1 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																																							S26361-F3483-L201	1.240,00	Phased out
FC Ctr 2x4GB/s QLE2462 MMF LC LP	FC Ctr 2x4GB/s QLE2462 MMF LC LP	QLE2462, 4GB/s, 2 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																																							S26361-F3483-L202	1.915,00	Phased out
FC CTRL 8GBIT/s LPE1250 MMF LC FH	FC CTRL 8GBIT/s LPE1250 MMF LC FH	1 channel 8GB/s FC controller, PCI interface, PCIe 2.0 x8, Optics: 8GB short wave lasers with LC type connectors																																							S26361-F3961-L1	860,00	
FC Ctr 8GB/s 2 Chan LPe12002 MMF LC	FC Ctr 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/s FC controller, PCI interface, PCIe 2.0 x8, Optics: 8GB short wave lasers with LC type connectors																																							S26361-F3961-L2	1.385,00	
FC CTRL 8GBIT/s LPE1250 MMF LC LP	FC CTRL 8GBIT/s LPE1250 MMF LC LP	1 channel 8GB/s FC controller, PCI interface, PCIe 2.0 x8, Optics: 8GB short wave lasers with LC type connectors																																						S26361-F3961-L201	860,00		
FC Ctr 8GB/s 2 Chan LPe12002 MMF LC LP	FC Ctr 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/s FC controller, PCI interface, PCIe 2.0 x8, Optics: 8GB short wave lasers with LC type connectors																																							S26361-F3961-L202	1.385,00	
FC Ctr 4GB/s LPe1150 MMF LC	FC Ctr 4GB/s LPe1150 MMF LC	LPe1150, 4GB/s, 1-channel FC controller, PCIe x4, MMF LC interface																																							S26361-F3306-L1	1.180,00	Phased out
FC Ctr 2x4GB/s LPe11002 MMF LC	FC Ctr 2x4GB/s LPe11002 MMF LC	LPe11002, 4GB/s, 2-channel FC controller, PCIe x4, MMF LC interface																																							S26361-F3306-L2	1.815,00	Phased out
FC Ctr 4GB/s LPe1150 MMF LC LP	FC Ctr 4GB/s LPe1150 MMF LC LP	LPe1150, 4GB/s, 1-channel FC controller, PCIe x4, low profile, MMF LC interface																																							S26361-F3306-L201	1.180,00	Phased out
FC Ctr 2x4GB/s LPe11002 MMF LC LP	FC Ctr 2x4GB/s LPe11002 MMF LC LP	LPe11002, 4GB/s, 2-channel FC controller, PCIe x4, low profile, MMF LC interface																																							S26361-F3306-L202	1.815,00	Phased out
FC Ctr 8GB/s 1 channel QLE2560 MMF LC	FC Ctr 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/s FC controller, PCI interface, PCIe 2.0 x8, backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors																																							S26361-F3631-L1	955,00	
FC Ctr 8GB/s 2 channel QLE2562 MMF LC	FC Ctr 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/s FC controller, PCI interface, PCIe 2.0 x8, backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors																																							S26361-F3631-L2	1.540,00	
FC Ctr 8GB/s 1 channel QLE2560 MMF LCLP	FC Ctr 8GB/s 1 channel QLE2560 MMF LCLP	1 channel 8GB/s FC controller, PCI interface, PCIe 2.0 x8, backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors																																							S26361-F3631-L201	955,00	
FC Ctr 8GB/s 2 channel QLE2562 MMF LCLP	FC Ctr 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GB/s FC controller, PCI interface,																																									



Rack Servers Accessories

Category	Description	Details	PRIMERGY FX100	PRIMERGY FX100 S2	PRIMERGY FX100 S3	PRIMERGY FX100 S4	PRIMERGY FX100 S5	PRIMERGY FX100 S6	PRIMERGY FX100 S7	PRIMERGY FX100 S7P	PRIMERGY FX200	PRIMERGY FX200 S2	PRIMERGY FX200 S3	PRIMERGY FX200 S4	PRIMERGY FX200 S5	PRIMERGY FX200 S6	PRIMERGY FX200 S7	PRIMERGY FX200	PRIMERGY FX300	PRIMERGY FX300 S2	PRIMERGY FX300 S3	PRIMERGY FX300 S4	PRIMERGY FX300 S5	PRIMERGY FX300 S6	PRIMERGY FX300 S7	PRIMERGY FX300	PRIMERGY FX300 S2	PRIMERGY FX300 S3	PRIMERGY FX300 S4	PRIMERGY FX300 S5	PRIMERGY FX300 S6	PRIMERGY FX300 S7	PRIMERGY FX300	Product Code	EUP (€)	Comments				
Communication/Network (Continued)																																								
	Eth Ctr 2x10GBase-T PCIe x8 X540-T2	Ethernet Server Adapter Eth Ctr 2x10GBase-T PCIe x8 X540-T2. Based on Intel LAN controller chip Twinville. Usable with original Intel driver kit								x																								S26361-F3752-L502	890,00					
	Eth Ctr 1x1GBit PCIe CT Desktop Cu I/O	Intel® GBt CT 1 Port Desktop Adapter I/O																																S26361-F3616-L201	45,00	Phased out				
	Eth Ctr 1x1GBit PCIe Pro/1000PT Cu I/O	Intel® Pro 1000PT 1 Port Server Adapter																																	S26361-F3241-L201	110,00				
	FCoE Ctr 10GB/s 2 channel OCe1010Z MMF	2 Channel 10GB/s FCoE Controller, PCIe 2.0 x8, SFP+ for opt. module or Twinax cable																																	S26361-F3592-L2	1.335,00				
	Eth Ctr 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctr 2x1GBit PCIe x4 D2735-2 Cu. Based on Intel® LAN controller chip 82576NS. Usable with original Intel® driver kit																																		S26361-F3610-L502	155,00			
	Eth Ctr 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctr 4x1GBit PCIe x4 D2745 Cu. Based on Intel LAN controller chip 82580EB. Usable with original Intel driver kit																																		S26361-F3611-L501	390,00			
	Eth Ctr 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables																																		S26361-F3555-L501	820,00	Phased out		
	Eth Ctr 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctr 2x10GBit PCIe x8 D2755 SFP+																																		S26361-F3629-L502	525,00			
	Shared 10GB Management LAN kit	2 Channel 10GB/s FCoE Controller, PCIe 2.0 x8 Low Profile, SFP+ for opt. module or Twinax cable																																		S26361-F3629-L750	25,00			
	FCoE Ctr 10GB/s 2 channel OCe1010Z MMF	2 Channel 10GB/s FCoE Controller, PCIe 2.0 x8 Low Profile, SFP+ for opt. module or Twinax cable																																		S26361-F3592-L202	1.335,00			
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctr OCe1010Z																																		S26361-F3592-L108	405,00			
	IB HCA 40GB 1 Kanal QDR	InfiniBand HCA 40GB/s, 1-port, QDR, Appropriate cables: Infiniband Cu Kabel 40GB, 4x QSFP, 1m (S26361-F3996-L101) or 3m (S26361-F3996-L103)																																			S26361-F4475-L102	625,00		
	IB HCA 40GB 2 Kanal QDR	InfiniBand HCA 40GB/s, 2-port, QDR, Appropriate cables: Infiniband Cu Kabel 40GB, 4x QSFP, 1m (S26361-F3996-L101) or 3m (S26361-F3996-L103)																																			S26361-F4475-L202	885,00		
	IB HCA 40GB 1 port QDR enhanced	InfiniBand HCA 40GB/s, 1-port, QDR, enhanced																																			S26361-F4475-L103	685,00		
	IB HCA 40GB 2 port QDR enhanced	InfiniBand HCA 40GB/s, 2-port, QDR, enhanced																																			S26361-F4475-L203	1.060,00		
	Fin Ctr 2x1GBit PCI-X 980/1000MT Cu I/O	Intel Pro 1000MT 2 Port Server Adapter																																			S26361-F3011-L1	295,00	Phased out	
	IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR																																			S26361-F4533-L102	1.040,00		
	IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 2-port, FDR																																			S26361-F4533-L202	1.655,00		
Rack Infrastructure																																								
	RMK-F1_1-2U Server	Telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw. Rack installation depth (19" pillar distance) between 714mm and 785mm																																			S26361-F2735-L101	70,00	Phased out	
	Rack Mount Kit for RX900	Loose delivery. Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled with centre screw with cable management adapter for tool less mountable cable management arm. Rack installation depth (19" pillar distance) between 714mm and 785mm																																			S26361-F2735-L109	180,00		
	RMK-F1_DL_CMA	Loose delivery. Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled with centre screw with cable management adapter for tool less mountable cable management arm. Rack installation depth (19" pillar distance) between 714mm and 785mm																																				S26361-F2735-L140	55,00	
	RMK-F1_DL_CMA_QRL	Telescopic drop-in rails, 781mm long with cable management arm adapter, full extraction with extension length 815mm, with vario-carrier 1 for rack installation depth (19" pillar distance) between 714mm and 785mm, pre-assembled with centre screw																																				S26361-F2735-L145	95,00	
	Cable mount. for 19" PC-Rack	Rack Mount Kit (RMK) for server max. 2 height units (U) or max. 35 Kg (F1) with Quick-Release-Lever (QRL). Drop in telescope rails (D) 781mm long, full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).																																			S26361-F2735-L17	30,00		
	Rack Mount Kit F1-C-S7 LV	Rack Mount Kit (RMK) for server max. 2 height units (U) or max. 35 Kg (F1) with Quick-Release-Lever (QRL). Drop in telescope rails (D) 781mm long, full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).																																			S26361-F2735-L175	105,00		
	Rack Mount Kit F1 S7 LV	Rack Mount Kit (RMK) for server max. 2 height units (U) or max. 35 Kg (F1) with Quick-Release-Lever (QRL). Drop in telescope rails (D) 786mm long, full extraction 815mm. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).																																				S26361-F2735-L176	105,00	
	Cable carrying plate DC-/PC-racks	additional tray for sidewise routing and filing of cable bunks for DC-, PC- racks																																			S26361-F2735-L20	50,00		
	RMK-F2_3xU-Server, 13mm-Drop-in Rails	Telescopic full extract. drop-in mount.; vario-carrier for toolless mounting, max. load 50 kg. Rack installation depth (19" pillar distance) between 714mm and 785mm																																				S26361-F2735-L202	65,00	
	Rack Mount Kit F2-C S7 LV	Rack Mount Kit (RMK) for server more than 2 height units (U) or max. 50 Kg (F2) with Quick-Release-Lever (QRL). Drop in telescope rails (D) 781mm long, full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).																																				S26361-F2735-L285	100,00	
	Rack Mount Kit F2 S7 LV	Rack Mount Kit (RMK) for server max. 2 height units (U) or max. 35 Kg (F1) with Quick-Release-Lever (QRL). Drop in telescope rails (D) 786mm long, full extraction 815mm. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).																																				S26361-F2735-L286	100,00	
	Adapter angle PC/DC-Rack, 3U till 200Kg case nut set, M5, 1x2-5mm	Adapter angle PC/DC-Rack, 3U till 200Kg Content: 50 oleas																																			S26361-F2735-L31	30,00		
	Cable mount. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks																																			S26361-F2735-L500	50,00		
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER and 3rd-party racks																																			S26361-F2735-L7	30,00		
	Rack Cable Management Arm 1U	Loose Delivery. Cable management arm, dragged with bracket, can be used for PRIMECENTER and 3rd-party racks, can only be mounted at RMKs with CMA adapter.																																			S26361-F2735-L8	40,00		
	Rack Cable Management Arm 2U	Loose Delivery. Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER and 3rd-party racks, can only be mounted at RMKs with CMA adapter.																																				S26361-F2735-L81	20,00	
	Adapter angle PC/DC-Rack, till 50Kg	Adapter angle for PRIMECENTER and DataCenter rack, 1U up to 50kg																																			S26361-F2735-L82	30,00		
	cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.																																				S26361-F2735-L10	20,00	
																																						S26361-F2201-L20	50,00	
PRIMERGY Software																																								
	IRMC advanced pack	Integrated remote management controller activation key for graphical console redirection and remote media redirection																																			S26361-F1790-L240	305,00		
	IRMC S2 advanced pack	Integrated remote management controller activation key for graphical console redirection and remote media redirection																																				S26361-F1790-L241	305,00	
	IRMC S3 advanced pack	Integrated remote management controller activation key for graphical console redirection and remote media redirection																																				S26361-F1790-L242	305,00	
	VMware STD AK(iCPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA, ... - Mandatory 1 year Service Pack needed!																																			S26361-F2341-L760	6.645,00		
	VMware STD AK(iCPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA, ... - Mandatory 3 year Service Pack needed!																																				S26361-F2341-L761	6.645,00	



Rack Servers Accessories

Table with columns: Category, Description, Details, and columns for various product codes (PRIMERGY FX100 to FX300), Product Code, EUP (€), and Comments. Rows include software licenses like Ubuntu FSE Standard Support and VMware upgrades, and CA Client Automation licenses.



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Approvals/dependencies													
	ENABLING LOW NOISE MODE RX300					x					S26361-F3776-E1	3,00	
	ENABLING LOW NOISE MODE TX300						x				S26361-F3776-E3	3,00	
Processor													
	Intel Pentium G640 2C/2T 2.80 GHz 3 MB	Intel Pentium processor G640 (2C/2T, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink	x								S26361-F3579-E264	105,00	
	Intel Core i3-3220 2C/4T 3.30 GHz 3 MB	Intel Core i3-3220 processor (2C/4T, 3.30 GHz, TLC: 3 MB, Turbo: No, 1600 MHz, 55 W) without heat sink	x								S26361-F3580-E222	190,00	
	Intel Xeon E3-1220Lv2 2C/4T 2.30GHz 3MB	Intel Xeon processor E3-1220Lv2 (2C/4T, 2.30 GHz, TLC: 3 MB, Turbo: Yes, 1600 MHz, 17 W) without heat sink	x								S26361-F3580-E312	335,00	
	Intel Xeon E3-1265Lv2 4C/8T 2.50GHz 8 MB	Intel Xeon processor E3-1265Lv2 (4C/8T, 2.50 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 45 W) without heat sink	x								S26361-F3580-E316	480,00	
	Intel Xeon E3-1220v2 4C/4T 3.10 GHz 8 MB	Intel Xeon processor E3-1220v2 (4C/4T, 3.10 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x								S26361-F3580-E322	335,00	
	Intel Xeon E3-1230v2 4C/8T 3.30 GHz 8 MB	Intel Xeon processor E3-1230v2 (4C/8T, 3.30 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x								S26361-F3580-E323	370,00	
	Intel Xeon E3-1270v2 4C/8T 3.50 GHz 8 MB	Intel Xeon processor E3-1270v2 (4C/8T, 3.50 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x								S26361-F3580-E327	530,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x						S26361-F3618-E240	515,00	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x						S26361-F3618-E266	915,00	Phased out
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x						S26361-F3619-E266	1.090,00	Phased out
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x						S26361-F3619-E280	1.315,00	Phased out
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x						S26361-F3619-E306	1.515,00	Phased out
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink			x						S26361-F3619-E346	1.825,00	Phased out
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel Xeon processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink			x						S26361-F3620-E293	895,00	Phased out
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink			x						S26361-F3620-E360	1.825,00	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink			x						S26361-F3622-E213	670,00	Phased out
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink			x						S26361-F3622-E226	1.145,00	Phased out
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink			x						S26361-F3633-E240	650,00	Phased out
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x						S26361-F3648-E160	260,00	Phased out
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x						S26361-F3648-E213	335,00	Phased out
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink			x						S26361-F3649-E253	890,00	Phased out
	Intel Xeon E7-2803 6C/12T 1.73 GHz 18 MB							x			S26361-F3999-E280	865,00	
	Intel Xeon E7-2850 10C/20T 2.00GHz 24MB							x			S26361-F3999-E285	2.890,00	
	Intel Xeon E7-4807 6C/12T 1.86 GHz 18 MB	Intel Xeon processor E7-4807 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink						x			S26361-F3999-E480	1.250,00	
	Intel Xeon E7-4820 8C/16T 2.00 GHz 18 MB	Intel Xeon processor E7-4820 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1/2, 5.86 GT/s, 105 W) incl. heat sink							x		S26361-F3999-E482	1.725,00	
	Intel Xeon E7-4830 8C/16T 2.13 GHz 24 MB	Intel Xeon processor E7-4830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink							x		S26361-F3999-E483	2.260,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Processor (Continued)													
	Intel Xeon E7-4850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-4850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F3999-E485	2.995,00	
	Intel Xeon E7-4860 10C/20T 2.26GHz 24MB	Intel Xeon processor E7-4860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F3999-E486	4.165,00	
	Intel Xeon E7-4870 10C/20T 2.40GHz 30MB	Intel Xeon processor E7-4870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F3999-E487	5.085,00	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel Xeon processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F3999-E837	2.745,00	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel Xeon processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F4471-E837	2.745,00	
	Intel Xeon E7-8830 8C/16T 2.13 GHz 24 MB	Intel Xeon processor E7-8830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink							x		S26361-F4471-E883	2.750,00	
	Intel Xeon E7-8850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-8850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F4471-E885	3.725,00	
	Intel Xeon E7-8860 10C/20T 2.26GHz 24MB	Intel Xeon processor E7-8860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F4471-E886	4.935,00	
	Intel Xeon E7-8870 10C/20T 2.40GHz 30MB	Intel Xeon processor E7-8870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F4471-E887	5.615,00	
	CPU MEMORY Riser Board	CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3								x	S26361-F4524-E100	2.015,00	
	CPU Mezzanine Board RX500 S7	CPU Mezzanine Board for two additional CPU's and 24 DIMM Modules						x			S26361-F4570-E100	600,00	
	Intel Xeon E5-4603 4C/8T 2.00 GHz 10 MB							x			S26361-F4570-E603	725,00	
	Intel Xeon E5-4607 6C/12T 2.20 GHz 12 MB							x			S26361-F4570-E607	1.135,00	
	Intel Xeon E5-4610 6C/12T 2.40 GHz 15 MB							x			S26361-F4570-E610	1.525,00	
	Intel Xeon E5-4617 6C/8T 2.90 GHz 15 MB							x			S26361-F4570-E617	2.030,00	
	Intel Xeon E5-4620 8C/16T 2.20 GHz 16 MB							x			S26361-F4570-E620	2.030,00	
	Intel Xeon E5-4640 8C/16T 2.40 GHz 20 MB							x			S26361-F4570-E640	3.305,00	
	Intel Xeon E5-4650 8C/16T 2.70 GHz 20 MB							x			S26361-F4570-E650	4.365,00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x	x					S26361-F3685-E180	295,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x	x					S26361-F3685-E240	400,00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink	x								S26361-F3689-E180	295,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink	x								S26361-F3689-E240	400,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink				x	x				S26361-F3676-E200	540,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink				x	x				S26361-F3676-E230	775,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink				x	x				S26361-F3676-E250	1.105,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink	x								S26361-F3690-E200	540,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink	x								S26361-F3690-E230	775,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink	x								S26361-F3690-E250	1.105,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink				x	x				S26361-F3686-E200	1.320,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink				x	x				S26361-F3686-E220	1.590,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink				x	x				S26361-F3686-E260	1.830,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink				x	x				S26361-F3686-E270	2.055,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink				x	x				S26361-F3686-E290	2.420,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink	x								S26361-F3691-E200	1.320,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink	x								S26361-F3691-E220	1.590,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink	x								S26361-F3691-E260	1.830,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Processor (Continued)													
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink	x								S26361-F3691-E270	2,055,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink	x								S26361-F3691-E290	2,420,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink				x	x				S26361-F3687-E290	1,830,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink				x	x				S26361-F3687-E300	1,105,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink				x	x				S26361-F3687-E330	1,105,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink	x								S26361-F3692-E290	1,830,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink	x								S26361-F3692-E300	1,105,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink	x								S26361-F3692-E330	1,105,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink				x	x				S26361-F3688-E180	1,320,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink				x	x				S26361-F3688-E200	845,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink	x								S26361-F3693-E180	1,320,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink	x								S26361-F3693-E200	845,00	
Memory													
	2GB (1x2GB) 1Rx8 DDR3-1600 U ECC		x								S26361-F3719-E513	45,00	
	4GB (1x4GB) 2Rx8 DDR3-1600 U ECC		x								S26361-F3719-E514	75,00	
	8GB (1x8GB) 2Rx8 DDR3-1600 U ECC		x								S26361-F3719-E515	185,00	
	Memory Board RX600 S6	Memory board for up to two set's of DDR3 LV memory (with 4 DIMMs each)							x		S26361-F3990-E600	265,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory							x		S26361-F4472-E3	5,00	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x		S26361-F4523-E642	340,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x		S26361-F4523-E643	500,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM							x		S26361-F4523-E645	1,240,00	Phased out
	128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM							x		S26361-F4523-E646	4,880,00	
	64GB 4x16 DDR3 LV 1600 MHz PC3-12800 rg	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x		S26361-F4523-E647	1,160,00	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x		S26361-F4523-E942	340,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x		S26361-F4523-E943	500,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM							x		S26361-F4523-E945	1,240,00	Phased out
	128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM							x		S26361-F4523-E946	4,880,00	
	64GB 4x16 DDR3 LV 1600 MHz PC3-12800 rg	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM							x		S26361-F4523-E947	1,160,00	
	Spare Mode Installation	BIOS setup for Spare mode, preinstallation ex factory							x		S26361-F4003-E1	5,00	
	Interleaving Mode Installation	BIOS setup for Interleaving mode, preinstallation ex factory							x		S26361-F4003-E2	5,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory							x		S26361-F4003-E3	5,00	
Memory Modules													
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory		x							S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory			x						S26361-F3284-E3	5,00	
	Independent Mode Installation	No specific memory RAS features are defined		x		x	x	x			S26361-F3694-E10	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory			x						S26361-F3284-E2	5,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode			x						S26361-F3604-E523	160,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory		x		x	x	x			S26361-F3694-E2	5,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Memory Modules (Continued)													
	MM 8GB 2x4 DDR31333 MHz PC3-10600 rg s/d	2 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode		x							S26361-F3604-E524	170,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbuffered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3606-E513	40,00	
	Rank Sparring Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory	x		x	x	x				S26361-F3694-E1	5,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3604-E513	80,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode			x						S26361-F3604-E525	250,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory,				x	x	x			S26361-F3694-E3	5,00	
	4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3604-E514	85,00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	2 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 16GB usable memory for Mirrored Mode			x						S26361-F3604-E526	620,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode			x						S26361-F3604-E533	240,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3604-E515	125,00	
	MM 64GB 2x32 DDR3 1066 MHz PC3-8500 rg q	2 modules 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 32GB usable memory for Mirrored Mode			x						S26361-F3604-E527	2.440,00	
	SP12GB 3x4 DDR3 1333MHz PC3-10600 rg s/d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode			x						S26361-F3604-E534	255,00	
	MM 8GB 2x4 DDR3LV 1333 MHz 10600 rg s/d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode			x						S26361-F3605-E524	170,00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	1 module 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3604-E516	310,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode			x						S26361-F3604-E535	375,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode			x						S26361-F3605-E525	250,00	
	32 GB DDR3 1066 MHz PC3-8500 rg q ECC	1 module 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3604-E517	1.220,00	
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	3 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=32GB Spare or 48GB Performance Mode			x						S26361-F3604-E536	930,00	
	SP 96GB 3x32 DDR3 1066 MHz PC3-8500 rg q	3 modules 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=64GB Spare or 96GB Performance Mode			x						S26361-F3604-E537	3.660,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3605-E514	85,00	
	SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode			x						S26361-F3605-E534	255,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3605-E515	125,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode			x						S26361-F3605-E535	375,00	
	2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x		x	x				S26361-F3694-E513	45,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x		x	x				S26361-F3694-E514	75,00	
	16 GB DDR3 LV 1333MHz PC3-10600 rg d ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM			x						S26361-F4492-E516	310,00	Phased out
	4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM		x		x	x	x			S26361-F3695-E514	95,00	
	4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM		x		x	x				S26361-F3696-E514	85,00	
	8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM		x		x	x				S26361-F3696-E515	125,00	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM		x		x	x	x			S26361-F3697-E514	95,00	
	8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM		x		x	x	x			S26361-F3697-E515	145,00	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM		x		x	x	x			S26361-F3697-E516	290,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Memory Modules (Continued)													
	16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM		x		x	x	x			S26361-F3698-E516	400,00	
	32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM		x		x	x	x			S26361-F3698-E517	1.220,00	
Graphics													
	PY NVIDIA Tesla K20 GPGPU	NVIDIA Tesla K20 PCIe-x16 GPGPU card for CX270 S2; TX300 S7ff; RX350 S7ff; for HPC purposes no Graphic Output						x			S26361-F2222-E22	4.475,00	Orderable from: 04/03/2013
	PY NVIDIA Tesla K20X GPGPU	NVIDIA Tesla K20X PCIe-x16 GPGPU card for CX270 S2; TX300 S7ff; RX350 S7ff; for HPC purposes no Graphic Output						x			S26361-F2222-E24	6.450,00	Deliverable from: 28/03/2013, Orderable from: 05/04/2013
	Front-VGA Interface	2nd optional VGA interface front side		x		x	x	x			S26361-F2571-E26	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card						x			S26361-F2748-E537	135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile	x	x	x	x					S26361-F2748-E637	135,00	
	PY NVIDIA Tesla C2075 GPGPU	NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte for TX300 S7 / RX350 S7						x			S26361-F2856-E997	2.675,00	
	PY GPGPU Cable Kit	Cable Kit to install up to 2 GPGPUs; Includes an universal PCI card holder and screws						x			S26361-F3736-E1	80,00	
	PY K20 / K20X mounting kit	Mounting and Cable Kit to install up to 2 NVIDIA K20 or K20X GPGPU cards; Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x GPGPU K20 or K20X						x			S26361-F3736-E2	80,00	Orderable from: 04/03/2013
	PY Intel Xeon Phi mounting kit	Mounting and Cable Kit to install up to 2 Intel Xeon Phi 5110P or 7120P Co-Processor cards; Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x Xeon Phi 5110P or 7120P						x			S26361-F3736-E5	80,00	Orderable from: 20/02/2013
	Intel Xeon Phi Co-Processor 5110P	Intel Xeon Phi 5110P PCIe-x16 Co-Processor card for CX270 S2; TX300 S7ff; RX350 S7ff; for HPC purposes no Graphic Output						x			S26361-F4100-E511	5.175,00	Orderable from: 20/02/2013
Removable Media Drives													
	USB3.0 PCIe x1 adapter card	USB 3.0 adapter card to connect one internal USB 3.0 RDX drive and one external USB 3.0 device.						x	x	x	S26361-F3749-E1	25,00	
	RDX Drive USB3.0 5.25" internal	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.						x	x	x	S26361-F3750-E4	210,00	
	Config 2: 4x 2.5" HDD	RX300S7 with config 2: 4x 2.5" HDD					x				S26361-F1373-E420	90,00	
	MountingKit DVD(s) + LSD	for slim DVD, 1x Local Service Display						x			S26361-F2826-E205	30,00	
	Config 3: 4x 2.5" HDD + LTO	RX300S7 with config 3: 4x 2.5" HDD + LTO					x				S26361-F1373-E430	175,00	
	ExtensionKit 4x SAS LFF HDD	HDD Extension for 4x LFF hotplug HDD						x			S26361-F2826-E335	80,00	
	Config 5: 8x 2.5" HDD + 3.5" drive	RX300S7 with config 5: 8x 2.5" HDD + 3.5" drive						x			S26361-F1373-E450	230,00	
	MountingKit DVD(s)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD						x			S26361-F2826-E105	65,00	
	Config 6: 8x 2.5" HDD + LTO	RX300S7 with config 6: 8x 2.5" HDD + LTO					x				S26361-F1373-E460	230,00	
	ExtensionKit 8x SAS SFF HDD	HDD Extension for 8x SFF hotplug HDD						x			S26361-F2826-E325	90,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black bezel	x	x	x	x	x	x	x	x	S26361-F3269-E2	95,00	
	Config 8: 16x 2.5" HDD	RX300S7 with config 8: 16x 2.5" HDD						x			S26361-F1373-E480	425,00	
	MountingKit 8x SAS SFF HDD	Extension Box for 8x 2.5" hotplug HDD						x			S26361-F2826-E425	90,00	
	MountingKit DVD(s)+4x SAS LFF HDD	for slim DVD, 4x HDD						x			S26361-F2826-E435	90,00	
	SAS Expander 2x4 In / 6x4 Out	SAS Expander 2x4 In / 6x4 Out									S26361-F3668-E1	255,00	
	Adapter Kit for 2nd RAID Controller	Adapter Kit for 2nd RAID Controller									S26361-F3673-E1	20,00	
	USB3.0 PCIe x1 adapter card lp	USB 3.0 adapter card to connect one internal USB 3.0 RDX drive and one external USB 3.0 device	x	x			x				S26361-F3749-E201	25,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height	x	x	x	x	x	x	x	x	S26361-F3641-E2	165,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel						x			S26361-F3266-E2	35,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel						x			S26361-F3267-E2	60,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)						x	x	x	S26361-F3857-E4	210,00	Phased out
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height.					x	x			S26361-F3857-E5	210,00	Phased out
	RDX Drive USB 3.0 3.5" internal	RDX Drive USB 3.0 100MB/s 3.5" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black beze.						x			S26361-F3750-E5	210,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0, with USB cable , 1.6" black, within tape cage 2 x 3.5", with specific USB cable					x	x			S26361-F3857-E7	260,00	Phased out
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge						x	x	x	S26361-F3324-E4	505,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge					x	x			S26361-F3324-E5	505,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB cable, with description (G/US), with cleaning cartridge					x	x			S26361-F3324-E7	555,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Removable Media Drives (Continued)													
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge					x	x	x		S26361-F3325-E4	735,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge				x					S26361-F3325-E2	735,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge				x	x	x	x		S26361-F3561-E4	1.410,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge				x	x	x	x		S26361-F3626-E2	1.825,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge				x	x	x	x		S26361-F3627-E1	2.535,00	
Hard Disks													
	HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic	x								S26361-F3700-E250	160,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, economic	x								S26361-F3700-E500	205,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP			x	x	x					S26361-F5247-E130	315,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP			x	x	x					S26361-F5247-E145	440,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP			x	x	x					S26361-F5247-E160	570,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP			x	x	x					S26361-F5247-E190	840,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical	x			x	x				S26361-F3670-E500	210,00	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x		x	x				S26361-F3708-E250	225,00	
	PCIe-SSD 320GB MLC								x	x	S26361-F4522-E321	6.985,00	Phased out
	HD SATA 6G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x			x	x				S26361-F3670-E100	270,00	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x		x	x				S26361-F3708-E500	255,00	
	HD SATA 6G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x			x	x				S26361-F3670-E200	440,00	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x		x	x				S26361-F3708-E100	410,00	
	PCIe-SSD 785GB MLC		x			x	x	x	x		S26361-F4522-E781	10.405,00	
	HD SATA 6G 3TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x			x	x				S26361-F3670-E300	600,00	
	PCIe-SSD 1.2TB MLC		x	x		x	x	x	x		S26361-F4522-E121	14.445,00	
	HD SAS 6G 500GB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x		x	x	x	x		S26361-F5228-E500	270,00	
	HD SATA 3G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical			x						S26361-F3294-E500	210,00	
	HD SAS 6G 1TB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x		x	x	x	x		S26361-F5228-E100	450,00	
	HD SATA 3G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x						S26361-F3294-E100	250,00	
	HD SATA 3G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x	x	x				S26361-F3294-E200	440,00	
	HD SATA 3G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x						S26361-F3601-E250	225,00	
	HD SATA 3G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x						S26361-F3601-E500	255,00	
	HD SATA 3G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical			x						S26361-F3601-E100	410,00	
	HD SAS 6G 300GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x					S26361-F4005-E530	370,00	
	HD SAS 6G 450GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x					S26361-F4005-E545	425,00	
	HD SAS 6G 600GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x					S26361-F4005-E560	505,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x		S26361-F4482-E130	275,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x		S26361-F4482-E145	400,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x		S26361-F4482-E160	520,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x		S26361-F4482-E190	765,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x		S26361-F4482-E514	330,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x		S26361-F4482-E530	570,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP				x	x	x				S26361-F5227-E130	315,00	Phased out
	HD SAS 6G 450GB 10K HOT PL 2.5" EP				x	x	x				S26361-F5227-E145	440,00	Phased out
	HD SAS 6G 600GB 10K HOT PL 2.5" EP				x	x	x				S26361-F5227-E160	570,00	Phased out
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x		S26361-F4541-E100	1.795,00	
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x		S26361-F4541-E400	6.695,00	
	SSD SAS 6G 100GB MLC HOT PL 2.5" EP PERF				x	x	x	x	x		S26361-F4581-E100	1.060,00	
	SSD SAS 6G 200GB MLC HOT PL 2.5" EP PERF				x	x	x	x	x		S26361-F4581-E200	1.985,00	
	SSD SAS 6G 400GB MLC HOT PL 2.5" EP PERF				x	x	x	x	x		S26361-F4581-E400	3.820,00	
	SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x		x	x	x	x		S26361-F5225-E100	560,00	
	SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x		x	x	x	x		S26361-F5225-E200	1.105,00	
	SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x		x	x	x	x		S26361-F5225-E400	2.670,00	
SCSI/RAID/SAS controller													



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
SCSI/RAID/SAS controller (Continued)													
	RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"			x						S26361-F3257-E116	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 V55	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"			x						S26361-F3257-E155	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"							x		S26361-F3257-E170	165,00	
	RAID Contr BBU Erweiterung RAID 5/6 C16	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"		x		x					S26361-F3257-E216	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C55	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"	x	x							S26361-F3257-E255	165,00	
	RAID Contr BBU Erweiterung RAID 5/6 C70	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"					x			x	S26361-F3257-E270	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports	x							x	S26361-F3257-E4	110,00	
	SAS Ctrl 6G 8ext PCIe	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e					x	x	x	x	S26361-F3628-E1	265,00	
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP	x	x	x	x					S26361-F3628-E201	265,00	
	TFM Module for FBU option on D3116	TFM module for "RAID Ctrl SAS 6G 1GB (D3116)",	x	x		x	x	x	x	x	S26361-F3669-E100	170,00	
	RAID Ctrl FBU option with 25cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 25cm cable		x		x					S26361-F3669-E125	115,00	
	RAID Ctrl FBU option with 70cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 70, cm cable					x	x		x	S26361-F3669-E170	115,00	
	RAID Ctrl SAS 6G 8Port ex 1GB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe2.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH bracket					x	x			S26361-F3713-E1	800,00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,		x		x	x	x			S26361-F3674-E1	95,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x	x	x		S26361-F3554-E8	175,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x		x		S26361-F3554-E512	390,00	
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports		x		x	x	x			S26361-F3669-E1	435,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU					x		x	x	S26361-F3593-E1	595,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU	x	x	x	x					S26361-F3593-E201	595,00	
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports	x	x					x		S26361-F3669-E2	435,00	
	RAID Ctrl SAS 6G 8Port ex 1GB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe2.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, LP bracket		x		x					S26361-F3713-E201	800,00	
	RAID Ctrl FBU option with 55cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 5, 5cm cable	x	x					x		S26361-F3669-E155	115,00	
Fibre Channel													
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors					x	x	x	x	S26361-F3961-E1	860,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors					x	x	x	x	S26361-F3961-E2	1.385,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC LP	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors	x	x	x	x					S26361-F3961-E201	860,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors	x	x	x	x					S26361-F3961-E202	1.385,00	
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors					x	x	x	x	S26361-F3631-E1	955,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors					x	x	x	x	S26361-F3631-E2	1.540,00	
	FC Ctrl 8GB/s 1 channel QLE2560MMF LC LP	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors	x	x	x	x					S26361-F3631-E201	955,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors	x	x	x	x					S26361-F3631-E202	1.540,00	
Connection Blades													



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Connection Blades (Continued)													
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.	x	x	x	x	x	x	x	x	S26361-F3986-E3	410,00	
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for single mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to 10km.	x	x	x	x	x	x	x	x	S26361-F3986-E4	1.190,00	
Communication/Network													
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu Ip	Intel® Pro 1000PT 1 Port Server Adapter			x						S26361-F3241-E201	90,00	
	Eth Ctrl 4x1GBit Cu PCIe x4 D3045	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu PCIe x4 D3045, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit					x	x	x	x	S26361-F3739-E1	390,00	
	Eth Ctrl 4x1GBit Cu PCIe x4 D3045 Ip	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu PCIe x4 D3045 Ip, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit	x	x	x	x					S26361-F3739-E201	390,00	
	Upgrade-Kit to 6x GBit on-board	Upgrade-Kit to 6x GBit on-board, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors.		x		x	x	x			S26361-F3739-E701	390,00	
	Eth Ctrl 2x1GBit Cu PCIe x4 D3035	Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCIe x4 D3035, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit					x	x	x	x	S26361-F3740-E1	210,00	
	Eth Ctrl 2x1GBit Cu PCIe x4 D3035 Ip	Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCIe x4 D3035 Ip, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit	x	x		x					S26361-F3740-E201	210,00	
	Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit, Extends the available two onboard 1GB LAN connectors with two additional 1GB LAN connectors.		x		x	x	x			S26361-F3740-E701	210,00	
	Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable with original Intel driver kit					x	x	x	x	S26361-F3752-E2	890,00	
	Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable with original Intel driver kit	x	x		x					S26361-F3752-E202	890,00	
	Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel LAN controller chip 82576NS, Usable with original Intel driver kit, Extends the available two onboard 1GB LAN connectors with two additional 1GB LAN connectors.		x		x	x	x			S26361-F3610-E702	155,00	
	Upgrade-Kit to 6x GBit on-board	Upgrade-Kit to 6x GBit on-board, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors.		x		x	x	x			S26361-F3611-E701	390,00	
	Upgrade-Kit to 2xGB and 2x10GB on-board	Upgrade-Kit to 2x GBit and 2x 10GBit on-board, Based on Intel LAN controller chip 82599, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with two additional 10GB LAN connectors (SFP+).		x		x	x	x			S26361-F3629-E702	525,00	
	Shared 10GB Management LAN kit			x		x	x	x			S26361-F3629-E750	25,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC Ip	Intel® Pro 1000PF 1 Port Server Adapter	x	x	x	x					S26361-F3242-E201	240,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu Ip	Intel® GBt CT 1 Port Desktop Adapter Ip	x	x	x	x					S26361-F3516-E201	45,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu Ip	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu Ip, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit	x	x	x	x					S26361-F3610-E202	155,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu Ip	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu Ip, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit	x	x	x	x					S26361-F3611-E201	390,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ Ip	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ Ip	x	x	x	x					S26361-F3629-E202	525,00	
	FCoE Ctrl 10GB/s 2 channel OCa10102 MMF	2 Channel 10GBit/s FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable					x	x	x	x	S26361-F3592-E2	1.335,00	
	FCoE Ctrl 10GB/s 2 channel OCa10102 MMF	2 Channel 10GBit/s FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable	x	x	x	x					S26361-F3592-E202	1.335,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCa10102	x	x	x	x	x	x	x	x	S26361-F3592-E108	405,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBt CT 1 Port Desktop Adapter				x					S26361-F3516-E1	45,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter				x	x	x	x		S26361-F3242-E1	240,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+				x	x	x	x		S26361-F3629-E2	525,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Communication/Network (Continued)													
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit					x	x	x	x	S26361-F3610-E2	155,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit					x	x	x	x	S26361-F3611-E1	390,00	
	IB HCA 40GB 1 port QDR	InfiniBand HCA 40GB/s, 1-port, QDR		x	x	x	x	x	x	x	S26361-F4475-E102	625,00	
	IB HCA 40GB 2 port QDR	InfiniBand HCA 40GB/s, 2-port, QDR		x	x	x	x	x	x	x	S26361-F4475-E202	885,00	
	IB HCA 40GB 1 port QDR enhanced	InfiniBand HCA 40GB/s, 1-port, QDR, enhanced		x	x	x	x				S26361-F4475-E103	685,00	
	IB HCA 40GB 2 port QDR enhanced	InfiniBand HCA 40GB/s, 2-port, QDR, enhanced		x	x	x	x				S26361-F4475-E203	1.060,00	
	IB HCA 56GB 1 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR		x		x	x	x			S26361-F4533-E102	1.040,00	
	IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 2-port, FDR		x		x	x	x			S26361-F4533-E202	1.605,00	
Rack-Infrastructure													
	RMK-F1_DL_CMA	Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled with centre screw; with cable management adapter for tool less mountable cable management arm., Rack installation depth (19" pillar distance) between 714mm and 785mm			x						S26361-F2735-E140	55,00	
	RMK-F1_DL_CMA_QRL	Telescopic drop-in rails, 781mm long with cable management arm adapter, full extraction with extension length 815mm, with vario-carrier 1 for rack installation depth (19" pillar distance) between 714mm and 785m, pre-assembled with centre screw	x	x		x					S26361-F2735-E145	95,00	
	Rack Mount Kit F2-C S7 LV	Rack Mount Kit (RMK) for server more than 2 height units (U) or max. 50 Kg (F2) with Quick-Release-Lever (QRL). Drop in telesope rails (DI) 781 mm long, full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).					x	x	x		S26361-F2735-E285	100,00	
	Rack Mount Kit F1-C S7 LV	Rack Mount Kit (RMK) for server max. 2 height units (U) or max. 35 Kg (F1) with Quick-Release-Lever (QRL). Drop in telesope rails (DI) 781 mm long, full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).	x	x		x					S26361-F2735-E175	105,00	
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket	x	x		x	x	x	x	x	S26361-F4530-E10	5,00	
	Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket	x	x		x					S26361-F4530-E11	5,00	
	Mounting 2U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket					x				S26361-F4530-E12	5,00	
	Mounting 3U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket						x	x	x	S26361-F4530-E13	5,00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x	x							S26361-F1647-E302	65,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.			x	x	x	x	x	x	SNP:SY-F1647E301-P	130,00	
	Rack Cable Arm 1U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 1U. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.	x	x							S26361-F2735-E81	20,00	
	Rack Cable Arm 2U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.			x	x	x	x	x		S26361-F2735-E82	30,00	
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks			x						S26361-F2735-E7	30,00	
	Cable mgmt. lateral for asym. PC racks M	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER M1 racks				x	x	x	x		S26361-F2735-E71	30,00	
	cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.			x				x	x	S26361-F2201-E20	50,00	
	Cable mgmt. RX900 für asym. 19" Racks	Cable mgmt. RX900 for asym. 19" Rack								x	S26361-F2735-E17	30,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX600 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Rack-Infrastructure (Continued)													
	Rack Mount Kit for RX900									x	S26361-F2735-E109	180,00	
Country kits													
	CCC Certification for China region kit APAC/EMEA/India	CCC Certification for China Region-kit APAC/EMEA/ India	x	x	x	x	x	x	x	x	S26361-F3301-E120	10,00	
	region-kit APAC/EMEA/India	Region-kit APAC/EMEA/ India	x	x	x	x	x	x	x	x	S26361-F1452-E100	10,00	
	region-kit America	Region-kit America	x	x	x	x	x	x	x	x	S26361-F1452-E130	10,00	
PRIMERGY-Software													
	FJ HANA POWER V1.1 Media-Set	Fujitsu Power Appliance for SAP HANA Platform - Media set,								x	D:HANA-MEDIA-10	80,00	
	Fujitsu Power Appliance for SAP HANA	Fujitsu Power Appliance for SAP HANA Software base license. Covers first 512 GB RAM.,								x	D:HANA-SW-001	4.000,00	
	Fujitsu Power Appliance for SAP HANA	1 year back level support for Fujitsu Power Appliance for SAP HANA Software base license (D:HANA-SW-001),.								x	D:HANA-SW-001-W1	1.090,00	
	Fujitsu Power Appliance for SAP HANA	3 year back level support for Fujitsu Power Appliance for SAP HANA Software base license (D:HANA-SW-001),.								x	D:HANA-SW-001-W3	3.240,00	
	Fujitsu Power Appliance for SAP HANA	Fujitsu Power Appliance for SAP HANA Software license extension package I. Covers the range of 512 GB up to 4 TB RAM in steps of 256 GB.,								x	D:HANA-SW-002	2.200,00	
	Fujitsu Power Appliance for SAP HANA	1 year back level support of Fujitsu Power Appliance for SAP HANA Software license extension package I (D:HANA-SW-002),.								x	D:HANA-SW-002-W1	600,00	
	Fujitsu Power Appliance for SAP HANA	3 year back level support of Fujitsu Power Appliance for SAP HANA Software license extension package I (D:HANA-SW-002),.								x	D:HANA-SW-002-W3	1.782,00	
	Fujitsu Power Appliance for SAP HANA	Fujitsu Power Appliance for SAP HANA Software license extension package II. Covers the range of 4 TB up to 16 TB RAM in steps of 256 GB.,								x	D:HANA-SW-003	1.000,00	
	Fujitsu Power Appliance for SAP HANA	1 year back level support of Fujitsu Power Appliance for SAP HANA Software license extension package II (D:HANA-SW-003),.								x	D:HANA-SW-003-W1	274,00	
	Fujitsu Power Appliance for SAP HANA	3 year back level support of Fujitsu Power Appliance for SAP HANA Software license extension package II (D:HANA-SW-003),.								x	D:HANA-SW-003-W3	810,00	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection			x					x	S26361-F1790-E241	305,00	
	iRMC S3 advanced pack		x	x		x	x	x			S26361-F1790-E242	305,00	
	ooB HDD monitoring by iRMC	This option enables the out-of-band monitoring function of the HDD by iRMC., In this case HDD will be monitored without any Server Management agents.		x							S26361-F2557-E301	20,00	
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-L596	2.770,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD. License.	x	x	x	x	x	x	x	x	S26361-F2567-E20	385,00	
	MS SysCtr Essnts 2010 OEM	MS System Center Essentials 2010. English. OEM DVD. License.	x	x	x	x	x	x	x	x	S26361-F2567-E30	115,00	
	WinSvr 2012 Lanuage Pack DVD	WinSvr 2012 Lanuage Pack DVD	x	x		x	x	x	x	x	S26361-F2567-E400	25,00	
	WinSvr 2012 Datacenter 2CPU OEM	WinSvr 2012 Datacenter 2CPU OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.	x	x		x	x	x	x	x	S26361-F2567-E410	2.980,00	
	WinSvr 2012 Datacenter AddLic 2CPU OEM							x	x	x	S26361-F2567-E411	2.980,00	
	WinSvr 2012 Standard 2CPU/2VM OEM	WinSvr 2012 Standard 2CPU&2VM OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.	x	x		x	x	x	x	x	S26361-F2567-E420	590,00	
	WinSvr 2012 Standard AddLic 2CPU/2VM OEM		x	x		x	x	x	x	x	S26361-F2567-E421	590,00	
	WinStorageSvr 2012 Std 2CPU/2VM OEM	Windows Storage Server 2012 Standard 2CPU&2VM OEM. Multilingual. OEM DVD, COA License. End User License Terms. No CALs required	x	x		x	x				S26361-F2567-E450	445,00	
	WinStorageSvr 2012 Std AddLic 2CPU OEM	Windows Storage Server 2012 Standard Additional License 2CPU&2VM OEM. Step-up license to add 2 CPU sockets / 2 VMs. No media/key	x	x		x	x				S26361-F2567-E451	445,00	
	WinSvr CAL 2012 50Device	Windows Server 2012 CAL 50 Device	x	x		x	x	x	x	x	S26361-F2567-E460	1.250,00	
	WinSvr CAL 2012 50User	Windows Server 2012 CAL 50 User	x	x		x	x	x	x	x	S26361-F2567-E461	1.450,00	
	WinSvr CAL 2012 10Device	Windows Server 2012 CAL 10 Device	x	x		x	x	x	x	x	S26361-F2567-E462	250,00	
	WinSvr CAL 2012 10User	Windows Server 2012 CAL 10 User	x	x		x	x	x	x	x	S26361-F2567-E463	290,00	
	WinSvr CAL 2012 5Device	Windows Server 2012 CAL 5 Device	x	x		x	x	x	x	x	S26361-F2567-E464	125,00	
	WinSvr CAL 2012 5User	Windows Server 2012 CAL 5 User	x	x		x	x	x	x	x	S26361-F2567-E465	145,00	
	WinSvr CAL 2012 1Device	Windows Server 2012 CAL 1 Device	x	x		x	x	x	x	x	S26361-F2567-E466	25,00	
	WinSvr CAL 2012 1User	Windows Server 2012 CAL 1 User	x	x		x	x	x	x	x	S26361-F2567-E467	29,00	
	WinSvr RDS CAL 2012 5Device	Windows Server 2012 RDS CAL 5 Device	x	x		x	x	x	x	x	S26361-F2567-E470	425,00	
	WinSvr RDS CAL 2012 5User	Windows Server 2012 RDS CAL 5 User.	x	x		x	x	x	x	x	S26361-F2567-E471	490,00	
	WinSvr RDS CAL 2012 1Device	Windows Server 2012 RDS CAL 1 Device.	x	x		x	x	x	x	x	S26361-F2567-E472	85,00	
	WinSvr RDS CAL 2012 1User	Windows Server 2012 RDS CAL 1 User.	x	x		x	x	x	x	x	S26361-F2567-E473	98,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x		x	x	x	x	x	S26361-F2567-E480	35,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x		x	x	x	x	x	S26361-F2567-E481	35,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard	DG/DE Kit WinSvr 2008 R2 SP1 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x		x	x	x	x	x	S26361-F2567-E482	35,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)													
	DG/DE Kit WinSvr 2008 SP2 Datacenter	DG/DE Kit WinSvr 2008 SP2 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x		x	x	x	x	x	S26361-F2567-E483	35,00	
	DG/DE Kit WinSvr 2008 SP2 Enterprise	DG/DE Kit WinSvr 2008 SP2 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x		x	x	x	x	x	S26361-F2567-E484	35,00	
	DG/DE Kit WinSvr 2008 SP2 Standard	DG/DE Kit WinSvr 2008 SP2 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x		x	x	x	x	x	S26361-F2567-E485	35,00	
	USB Flash Module 16GB intern	USB Flash Module 16GB intern		x	x	x					S26361-F3299-E16	350,00	Phased out
	VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory		x		x	x	x			U15000-C311	320,00	
	VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory		x		x	x	x			U15000-C312	1.910,00	
	VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory		x		x	x	x			U15000-C313	3.835,00	
	FF4S V5.1A Media-Set	FlexFrame V5.1A media set				x	x				U21348-C5100	80,00	
	FF4S V5.2A Media-Set	FlexFrame V5.2A media set				x	x				U21348-C5200	80,00	
	Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		x	x	x					S26361-F2346-C851	57,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-E593	885,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-E595	885,00	
	Win Svr 2008 R2 SP1 Foundation 1CPU OEM	Win Svr 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x								S26361-F2567-E301	175,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Svr 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E331	2.980,00	
	Win Svr 2008 R2 SP1 Datactr 4CPU OEM	Win Svr 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.						x	x	x	S26361-F2567-E333	5.960,00	
	Win Svr 2008 R2 SP1 Datactr 8CPU OEM	Win Svr 2008 R2 SP1 Dtc (8 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.								x	S26361-F2567-E335	11.920,00	
	PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 1 year.		x	x	x					S26361-F2346-C951	157,00	
	Win Svr 2008 R2 SP1 Enterpr w/10CAL OEM	Win Svr 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E321	1.895,00	
	PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1-Year.		x	x	x					S26361-F2346-S951	8,00	
	Win Svr 2008 R2 SP1 Standard w/5CAL OEM	Win Svr 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E311	590,00	
	PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten) 5x9 level3 Support 1 Jahr.		x	x	x					S26361-F2346-C961	466,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E350	630,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E351	630,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E352	630,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E353	630,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E354	630,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E355	630,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E356	630,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E357	630,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E358	630,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E359	630,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E370	935,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E371	935,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX600 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)													
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E372	935,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E373	935,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E374	935,00	
	Identifier	FlexFrame Identifier, has to be ordered one time per FF configuration				x	x				D:FF4SAP-ID-V041	0,01	
	PCM Fujitsu Enterprise Services 1y	Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 1 year.		x	x	x					S26361-F2346-S961	8,00	
	Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		x	x	x					S26361-F2346-C852	170,00	
	Win Srvs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x	x	x	x	x	x	x	x	S26361-F2567-E391	25,00	
	FF-CN-SW RTU	FlexFrame ControlNode Right to use				x	x				U21348-C101	5.451,65	
	PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 3 years.		x	x	x					S26361-F2346-C952	470,00	
	Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x	x	x	x	x	x	S26361-F2567-E390	25,00	
	FF4S V5.0A Media-Set	FlexFrame V5.0A media set				x					U21348-C5000	80,00	
	PCM Fujitsu Basic Services 3Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 3 years.		x	x	x					S26361-F2346-S952	8,00	
	PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node) 5x9 level3 support 3 years.		x	x	x					S26361-F2346-C962	1.394,00	
	PCM Fujitsu Enterprise Services 3Y	, Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 3 years.		x	x	x					S26361-F2346-S962	8,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.	x	x	x	x	x				S26361-F2567-E360	760,00	
	FF-CN back level support 1 year	1 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.				x	x				U21348-C101-W1	1.470,00	
	FF-Staging-Identifier	FlexFrame staging identifier. Has to be ordered one time per configuration for preinstall and test of the configuration in the factory				x	x				U21348-C105	0,01	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.	x	x	x	x	x				S26361-F2567-E361	380,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.	x	x	x	x	x				S26361-F2567-E363	110,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.	x	x	x	x	x				S26361-F2567-E366	30,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.	x	x	x	x	x				S26361-F2567-E368	30,00	
	FF-CN back level support 3 years	3 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.				x	x				U21348-C101-W3	4.415,84	
	FF4S RBAC Package Small	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 10 application nodes.				x	x				U21348-C108	1.099,00	
	FF-CN RBAC S back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.				x	x				U21348-C108-W1	272,00	
	FF-CN RBAC S back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.				x	x				U21348-C108-W3	742,00	
	FF4S RBAC Package Medium	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 50 application nodes.				x	x				U21348-C109	5.500,00	
	FF-CN RBAC M back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.				x	x				U21348-C109-W1	1.362,00	
	FF4S RBAC Package Large	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for more than 50 application nodes.				x	x				U21348-C110	11.000,00	
	FF-CN RBAC M back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.				x	x				U21348-C109-W3	3.713,00	
	FF-CN RBAC L back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC large option.				x	x				U21348-C110-W1	2.723,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7 P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX600 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	FF-CN RBAC L back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC large option.			x	x					U21348-C110-W3	7.425,00	
	FF-AN RTU for RX600 S5/S6	FF4SAP RTU							x		U21348-C231	10.520,00	
	FF-AN RTU for RX900/RX800	FlexFrame ApplicationNode RTU for RX800 or RX900								x	U21348-C241	37.548,00	
	FF RTU RX300 S6/7, BX620 S6, BX92x S2/3	FlexFrame ApplicationNode RTU for RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2.	x	x	x						U21348-C291	4.785,00	
	FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			x						U21348-C291-W1	1.357,00	
	FF SAN RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2), which is connected via SAN to the database			x						U21348-C292	2.393,00	
	FF-AN Accounting RTU RX600	FF4SAP Accounting RTU							x		U21348-C233	5.260,00	
	FF-AN Accounting RTU RX900/RX800	FlexFrame Application Node Accounting RTU for RX800 or RX900								x	U21348-C243	18.774,00	
	FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			x						U21348-C291-W3	3.876,00	
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.	x	x	x						U21348-C293	2.393,00	
	FF-AN Messenger RTU RX600 and BX960	FF4SAP Messenger RTU							x		U21348-C234	5.260,00	
	FF-AN Messenger RTU	FF4SAP Application Node Messenger Expert Right to use for RX800 or RX900								x	U21348-C244	18.774,00	
	FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			x						U21348-C292-W1	678,00	
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2	x	x	x						U21348-C294	2.393,00	
	FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – SAN option.			x						U21348-C292-W3	1.938,00	
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)								x	U21348-C434	3.943,00	
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)	x	x	x						U21348-C494	1.892,00	
	FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.			x						U21348-C293-W1	678,00	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)								x	U21348-C435	8.068,00	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)	x	x	x						U21348-C495	3.954,00	
	FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.			x						U21348-C293-W3	1.938,00	
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service packages (SnS)								x	U21348-C436	9.434,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)													
Options matrix	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)	x	x	x						U21348-C496	4.637,00	
	FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.			x						U21348-C294-W1	678,00	
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary VMware vSphere licenses and support contracts have to be ordered via the local VMware contacts., These licenses can also be ordered, when the customer already has its own VMware vSphere licenses and support.							x		U21348-C430	1.759,00	
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary VMware vSphere licenses and support contracts have to be ordered via the local VMware contacts., These licenses can also be ordered, when the customer already has its own VMware vSphere licenses and support	x	x	x						U21348-C490	800,00	
	FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.			x						U21348-C294-W3	1.938,00	
	FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.			x						U21348-C490-W1	132,00	
	SUSE Linux ES 1-2 SOCK Server 1Y	SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	x	x	x	x	x				S26361-F2348-S101	290,00	
	SUSE Linux ES 1-2 SOCK Server 3Y	SUSE Linux ES 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	x	x	x	x	x				S26361-F2348-S102	790,00	
	SUSE Linux ES 1-2 SOCK Server 5Y	SUSE Linux ES 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years	x	x	x	x	x				S26361-F2348-S103	1.160,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt. 1Y	SUSE Linux ES 1-2SOC Serv+Virt. 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year	x	x	x	x	x				S26361-F2348-S111	440,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	x	x	x	x	x				S26361-F2348-S112	1.180,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years	x	x	x	x	x				S26361-F2348-S113	1.760,00	
	SUSE Linux ES HAE 1-2 SOCK 1Y	SUSE Linux ES HAE 1-2SOC 1Y, 1-2 CPU Sockets, high availability extension, subscription for 1 year	x	x	x	x	x				S26361-F2348-S121	590,00	
	SUSE Linux ES HAE 1-2 SOCK 3Y	SUSE Linux ES HAE 1-2SOC 3Y, 1-2 CPU Sockets, high availability extension, subscription for 3 years	x	x	x	x	x				S26361-F2348-S122	1.570,00	
	SUSE Linux ES HAE 1-2 SOCK 5Y	SUSE Linux ES HAE 1-2SOC 5Y, 1-2 CPU Sockets, high availability extension, subscription for 5 years	x	x	x	x	x				S26361-F2348-S123	2.330,00	
	SUSE Linux ES 4 SOCK Server 1Y	SUSE Linux ES 4SOC Server 1Y, 4 CPU Sockets, one physical server, subscription for 1 year						x	x		S26361-F2348-S201	580,00	
	SUSE Linux ES 4 SOCK Server 3Y	SUSE Linux ES 4SOC Server 3Y, 4 CPU Sockets, one physical server, subscription for 3 years						x	x		S26361-F2348-S202	1.580,00	
	SUSE Linux ES 4 SOCK Server 5Y	SUSE Linux ES 4SOC Server 5Y, 4 CPU Sockets, one physical server, subscription for 5 years						x	x		S26361-F2348-S203	2.320,00	
	SUSE Linux ES 4 SOCK Serv+Virt 1Y	SUSE Linux ES 4SOC Serv+Virt 1Y, 4 CPU Sockets, unlimited virtualization, subscription for 1 year						x	x		S26361-F2348-S211	880,00	
	SUSE Linux ES 4 SOCK Serv+Virt 3Y	SUSE Linux ES 4SOC Serv+Virt 3Y, 4 CPU Sockets, unlimited virtualization, subscription for 3 years						x	x		S26361-F2348-S212	2.360,00	
	SUSE Linux ES 4 SOCK Serv+Virt 5Y	SUSE Linux ES 4SOC Serv+Virt 5Y, 4 CPU Sockets, unlimited virtualization, subscription for 5 years						x	x		S26361-F2348-S213	3.520,00	
	SUSE Linux ES HAE 4 SOCK 1Y	SUSE Linux ES HAE 4SOC 1Y, 4 CPU Sockets, high availability extension, subscription for 1 year						x	x		S26361-F2348-S221	1.170,00	
	SUSE Linux ES HAE 4 SOCK 3Y	SUSE Linux ES HAE 4SOC 3Y, 4 CPU Sockets, high availability extension, subscription for 3 years						x	x		S26361-F2348-S222	3.140,00	
	SUSE Linux ES HAE 4 SOCK 5Y	SUSE Linux ES HAE 4SOC 5Y, 4 CPU Sockets, high availability extension, subscription for 5 years						x	x		S26361-F2348-S223	4.650,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)													
	SUSE Linux ES 8 SOCK Server 1Y	SUSE Linux ES 8SOC Server 1Y, 8 CPU Sockets, one physical server, subscription for 1 year								x	S26361-F2348-S301	1.160,00	
	SUSE Linux ES 8 SOCK Server 3Y	SUSE Linux ES 8SOC Server 3Y, 8 CPU Sockets, one physical server, subscription for 3 years								x	S26361-F2348-S302	3.160,00	
	SUSE Linux ES 8 SOCK Server 5Y	SUSE Linux ES 8SOC Server 5Y, 8 CPU Sockets, one physical server, subscription for 5 years								x	S26361-F2348-S303	4.640,00	
	SUSE Linux ES 8 SOCK Serv+Virt 1Y	SUSE Linux ES 8SOC Serv+Virt 1Y, 8 CPU Sockets, unlimited virtualization, subscription for 1 year								x	S26361-F2348-S311	1.760,00	
	SUSE Linux ES 8 SOCK Serv+Virt 3Y	SUSE Linux ES 8SOC Serv+Virt 3Y, 8 CPU Sockets, unlimited virtualization, subscription for 3 years								x	S26361-F2348-S312	4.720,00	
	SUSE Linux ES 8 SOCK Serv+Virt 5Y	SUSE Linux ES 8SOC Serv+Virt 5Y, 8 CPU Sockets, unlimited virtualization, subscription for 5 years								x	S26361-F2348-S313	7.100,00	
	SUSE Linux ES HAE 8 SOCK 1Y	SUSE Linux ES HAE 8SOC 1Y, 8 CPU Sockets, high availability extension, subscription for 1 year								x	S26361-F2348-S321	2.330,00	
	SUSE Linux ES HAE 8 SOCK 3Y	SUSE Linux ES HAE 8SOC 3Y, 8 CPU Sockets, high availability extension, subscription for 3 years								x	S26361-F2348-S322	6.300,00	
	SUSE Linux ES HAE 8 SOCK 5Y	SUSE Linux ES HAE 8SOC 5Y, 8 CPU Sockets, high availability extension, subscription for 5 years								x	S26361-F2348-S323	9.300,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 1Y	SUSE Linux ES4SAP 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	x	x	x	x	x				S26361-F2348-S401	1.280,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 3Y	SUSE Linux ES4SAP 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	x	x	x	x	x				S26361-F2348-S402	3.450,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 5Y	SUSE Linux ES4SAP 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years	x	x	x	x	x				S26361-F2348-S403	5.200,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year	x	x	x	x	x				S26361-F2348-S411	1.920,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	x	x	x	x	x				S26361-F2348-S412	5.200,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years	x	x	x	x	x				S26361-F2348-S413	7.700,00	
	SUSE Linux ES4SAP 4 SOCK Server 1Y	SUSE Linux ES4SAP 4SOC Server 1Y, 4 CPU Sockets, one physical server, subscription for 1 year						x	x		S26361-F2348-S421	2.560,00	
	SUSE Linux ES4SAP 4 SOCK Server 3Y	SUSE Linux ES4SAP 4SOC Server 3Y, 4 CPU Sockets, one physical server, subscription for 3 years						x	x		S26361-F2348-S422	6.900,00	
	SUSE Linux ES4SAP 4 SOCK Server 5Y	SUSE Linux ES4SAP 4SOC Server 5Y, 4 CPU Sockets, one physical server, subscription for 5 years						x	x		S26361-F2348-S423	10.300,00	
	SUSE Linux ES4SAP 4 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 4SOC Serv+Virt 1Y, 4 CPU Sockets, unlimited virtualization, subscription for 1 year						x	x		S26361-F2348-S431	3.840,00	
	SUSE Linux ES4SAP 4 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 4SOC Serv+Virt 3Y, 4 CPU Sockets, unlimited virtualization, subscription for 3 years						x	x		S26361-F2348-S432	10.400,00	
	SUSE Linux ES4SAP 4 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 4SOC Serv+Virt 5Y, 4 CPU Sockets, unlimited virtualization, subscription for 5 years						x	x		S26361-F2348-S433	15.400,00	
	SUSE Linux ES4SAP 8 SOCK Server 1Y	SUSE Linux ES4SAP 8SOC Server 1Y, 8 CPU Sockets, one physical server, subscription for 1 year								x	S26361-F2348-S441	5.200,00	
	SUSE Linux ES4SAP 8 SOCK Server 3Y	SUSE Linux ES4SAP 8SOC Server 3Y, 8 CPU Sockets, one physical server, subscription for 3 years								x	S26361-F2348-S442	13.800,00	
	SUSE Linux ES4SAP 8 SOCK Server 5Y	SUSE Linux ES4SAP 8SOC Server 5Y, 8 CPU Sockets, one physical server, subscription for 5 years								x	S26361-F2348-S443	20.500,00	
	SUSE Linux ES4SAP 8 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 8SOC Serv+Virt 1Y, 8 CPU Sockets, unlimited virtualization, subscription for 1 year								x	S26361-F2348-S451	7.700,00	
	SUSE Linux ES4SAP 8 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 8SOC Serv+Virt 3Y, 8 CPU Sockets, unlimited virtualization, subscription for 3 years								x	S26361-F2348-S452	20.700,00	
	SUSE Linux ES4SAP 8 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 8SOC Serv+Virt 5Y, 8 CPU Sockets, unlimited virtualization, subscription for 5 years								x	S26361-F2348-S453	30.700,00	
	FF-AN VMware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.			x						U21348-C490-W3	360,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	x	x	x	x	x	x			S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	x	x	x	x	x	x			S26361-F2346-S102	889,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	x	x	x	x	x	x			S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	x	x	x	x	x	x			S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	x	x	x	x	x	x			S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	x	x	x	x	x	x			S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	x	x	x	x	x	x			S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	x	x	x	x	x	x			S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	x	x	x	x	x	x			S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	x	x	x	x	x	x			S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x	x	x	x	x	x			S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x	x	x	x	x	x			S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x			S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x			S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x			S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x			S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x			S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x			S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x			S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x			S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x			S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x			S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x			S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x			S26361-F2346-S172	380,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 1 year						x	x		S26361-F2346-S201	663,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 3 years						x	x		S26361-F2346-S202	1.778,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 1 year						x	x		S26361-F2346-S203	994,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 3 years						x	x		S26361-F2346-S204	2.668,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 1 year						x	x		S26361-F2346-S205	1.657,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 3 years						x	x		S26361-F2346-S206	4.449,00	
	Red Hat ELS 8SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 1 year							x		S26361-F2346-S301	1.325,00	
	Red Hat ELS 8SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 3 years							x		S26361-F2346-S302	3.556,00	
	Red Hat ELS 8SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 1 year							x		S26361-F2346-S303	1.988,00	
	Red Hat ELS 8SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 3 years							x		S26361-F2346-S304	5.338,00	
	Red Hat ELS 8SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Standard Support 1 year							x		S26361-F2346-S305	3.315,00	
	Red Hat ELS 8SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Standard Support 3 years							x		S26361-F2346-S306	8.897,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 1 year						x	x		S26361-F2346-S211	1.077,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 3 years						x	x		S26361-F2346-S212	2.891,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)													
	Red Hat ELS 4SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 1 year						x	x		S26361-F2346-S213	1.616,00	
	Red Hat ELS 4SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 3 years						x	x		S26361-F2346-S214	4.338,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 1 year						x	x		S26361-F2346-S215	2.694,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 3 years						x	x		S26361-F2346-S216	7.231,00	
	Red Hat ELS 8SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Premium Support 1 year							x		S26361-F2346-S311	2.155,00	
	Red Hat ELS 8SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Premium Support 3 years							x		S26361-F2346-S312	5.782,00	
	Red Hat ELS 8SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 1 year							x		S26361-F2346-S313	3.232,00	
	Red Hat ELS 8SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 3 years							x		S26361-F2346-S314	8.675,00	
	Red Hat ELS 8SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Premium Support 1 year							x		S26361-F2346-S315	5.388,00	
	Red Hat ELS 8SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Premium Support 3 years							x		S26361-F2346-S316	14.461,00	
	Red Hat EL HA 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 1 year						x	x		S26361-F2346-S221	441,00	
	Red Hat EL HA 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 3 years						x	x		S26361-F2346-S222	1.214,00	
	Red Hat EL HA 8SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 1 year							x		S26361-F2346-S321	882,00	
	Red Hat EL HA 8SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 3 years							x		S26361-F2346-S322	2.427,00	
	Red Hat EL RS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 1 year							x		S26361-F2346-S231	883,00	
	Red Hat EL RS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 3 years							x		S26361-F2346-S232	2.430,00	
	Red Hat EL RS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (8 sockets) I3 Support 1 year						x	x		S26361-F2346-S331	1.767,00	
	Red Hat EL RS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (8 sockets) I3 Support 3 years						x	x		S26361-F2346-S332	4.860,00	
	Red Hat EL SFS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 1 year							x	x	S26361-F2346-S241	220,00	
	Red Hat EL SFS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 3 years							x	x	S26361-F2346-S242	605,00	
	Red Hat EL SFS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (8 sockets) I3 Support 1 year							x		S26361-F2346-S341	440,00	
	Red Hat EL SFS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (8 sockets) I3 Support 3 years							x		S26361-F2346-S342	1.211,00	
	Red Hat EL LB 4SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 1 year						x	x		S26361-F2346-S251	220,00	
	Red Hat EL LB 4SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 3 years						x	x		S26361-F2346-S252	605,00	
	Red Hat EL LB 8SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (8 sockets) I3 Support 1 year							x		S26361-F2346-S351	440,00	
	Red Hat EL LB 8SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (8 sockets) I3 Support 3 years							x		S26361-F2346-S352	1.211,00	
	Red Hat EL HPN 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 1 year							x	x	S26361-F2346-S261	220,00	
	Red Hat EL HPN 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 3 years							x	x	S26361-F2346-S262	605,00	
	Red Hat EL HPN 8SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 1 year							x		S26361-F2346-S361	440,00	
	Red Hat EL HPN 8SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 3 years							x		S26361-F2346-S362	1.211,00	
	Red Hat EL EUS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 1 year							x	x	S26361-F2346-S271	275,00	
	Red Hat EL EUS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 3 years							x	x	S26361-F2346-S272	757,00	
	Red Hat EL EUS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) I3 Support 1 year							x		S26361-F2346-S371	551,00	
	Red Hat EL EUS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) I3 Support 3 years							x		S26361-F2346-S372	1.515,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download		x	x	x	x	x	x		S26361-F2341-S980	1.050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download		x	x	x	x	x	x		S26361-F2341-S981	2.630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download		x	x	x	x	x	x		S26361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download		x	x	x	x	x	x		S26361-F2341-S983	2.000,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX600 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)													
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and License key per Download		x	x	x	x	x	x		S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and License key per Download		x	x	x	x	x	x		S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and License key per Download		x	x	x	x	x	x		S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and License key per Download		x	x	x	x	x	x		S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and License key per Download		x	x	x	x	x	x		S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and License key per Download		x	x	x	x	x	x		S26361-F2341-S989	1.460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key per Download		x	x	x	x	x	x		S26361-F2341-S990	3.750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key per Download		x	x	x	x	x	x		S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device, inc. ESXi Single SRV Lic. (w/o SP)	x	x	x	x	x	x	x	x	S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for max 32GB RAM - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore, VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License	x	x	x	x	x	x	x	x	S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E712	3.145,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E735	19.750,00	
	VMware STD AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E760	6.295,00	
	VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E761	6.295,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S737	4.495,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S738	1.345,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S739	1.345,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E740	4.045,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E741	4.045,00	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 1 year VMware Sub. - no Support	x	x	x	x	x	x	x	x	S26361-F2341-S800	504,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX600 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 3 year VMware Sub. - no Support	x	x	x	x	x	x	x	x	S26361-F2341-S801	600,00	
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S802	4.969,00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S803	6.510,00	
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S804	4.810,00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S805	6.104,00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S806	12.573,00	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S807	16.483,00	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S808	12.169,00	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S809	15.454,00	
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S742	1.220,00	
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S743	1.220,00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S744	12.195,00	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S745	12.195,00	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S750	2.030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S751	2.030,00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S752	20.295,00	
	VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S753	20.295,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S810	3.992,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S811	5.299,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S812	1.275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S813	1.694,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S815	4.963,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S817	1.586,00	
	VMware vCloud Director 25 VM's	VMware vCloud Director 25 VM Pack Manage 25 VM's - for use in Dynamic Infrastructures				x					S26361-F2341-S820	5.227,00	
	VMware vCenter Chargeback 25 VM's	VMware Chargeback 25 VM Pack Monitor 25 VM's - for use in Dynamic Infrastructures				x					S26361-F2341-S821	1.671,00	
UPS/Power supply													
	Power Supply Module 800W gold hp	gold PS hp for redundancy			x						S26113-F555-E10	230,00	Phased out
	Power Supply Module 850W (w/o power cord)	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold), without power cord							x		S26113-F561-E20	300,00	
	Modular PSU 800W platinum hp new rev	800W modular Power Supply Module , hot plug, platinum (94% efficiency) new Revision						x			S26113-F574-E11	260,00	
	Power Supply Dummy				x		x	x			S26113-F574-E99	5,00	
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)								x	S26113-F608-E10	890,00	
	Fan upgrade kit hot-plug redundancy	consists of two additional fans for fan redundancy					x				S26361-F3667-E1	45,00	
	Modular PSU 800W platinum hp	800W modular Power Supply Module , hot plug, platinum (94% efficiency)			x		x				S26113-F574-E10	260,00	
	Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)			x		x				S26113-F575-E10	225,00	
	Modular PSU DC -48V 800W gold hp	DC -48V gold modular PSU hp with redundancy option					x				S26113-F609-E10	345,00	
	Cable powercord -48V DC, 4m, black						x				T26139-Y4024-E10	50,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m			x		x	x	x		T26139-Y1968-E100	10,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
UPS/Power supply (Continued)													
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x		T26139-Y1742-E10	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	x	x		x	x	x	x		T26139-Y3850-E10	2,00	
Miscellaneous													
	Fan upgrade kit 2nd CPU	Fan upgrade RX200S7 for 2nd CPU, incl. 2 fans		x							S26361-F1386-E120	45,00	
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x	x	x	x			x	x	S26361-F1647-E410	25,00	
	LocalView Option Kit S2	LCD display with adapter					x				S26361-F2557-E105	70,00	
	LocalView Option Kit S2	LCD display with installation kit			x	x	x				S26361-F2557-E106	70,00	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit			x						S26361-F2557-E205	25,00	
	Service LAN Option	integriert in die vordere Bedieneinheit		x		x	x	x			S26361-F2571-E27	20,00	
	Opt. Front VGA + Service LAN	VGA and Service LAN connector, instead of Local Service Panel	x								S26361-F2571-E37	50,00	
	Serial port option	Cable for 2nd RS-232-C 9 pin interface		x							S26361-F3120-E3	40,00	
	RX100 S7p E-STAR FAM2 certification	Limits configurations in accordance with Energy Star Server 1.0, for SATA LFF base unit with std PSU and 4 core CPUs only	x								S26361-F3301-E112	3,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x	x	x	x	x	S26361-F3552-E1	50,00	
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)	x								S26361-F2557-E204	30,00	
	No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory	x	x	x	x	x	x	x	x	S26361-F2735-E111	5,00	
SW Data Center Products													
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E925	24.580,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E934	18.750,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E935	37.500,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E961	10.830,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E962	21.670,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E964	17.290,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E965	34.580,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E967	11.040,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX600 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)													
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-E968	22.080,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S925	18.750,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S934	14.580,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S935	29.170,00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S960	1.580,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S962	15.830,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S963	2.630,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S964	13.130,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S965	26.250,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	x	S26361-F2341-S968	13.750,00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)	x	x	x	x	x	x	x	x	U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)	x	x	x	x	x	x	x	x	U11420-C936	100,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License (1 Server) V3	x	x	x	x	x	x	x	x	U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License (1 Server) V3	x	x	x	x	x	x	x	x	U11420-C955	0,01	
	SVRORDVD V30 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V3.0 for Windows&Linux&Solaris	x	x	x	x	x	x	x	x	U11420-C956	50,00	
	SVRORDVD V31 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V3.1 for Windows&Linux&Solaris	x	x	x	x	x	x	x	x	U11420-C957	50,00	
	SVRORNSODVD V31 (LINUX) MED DVD	ServerView Resource Orchestrator Network Service (NS) Option Media Pack V3.1 for Linux				x					U11420-C958	50,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3	x	x	x	x	x	x	x	x	U11420-C966	779,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)													
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3	x	x	x	x	x	x	x		U11420-C967	5.538,00	
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3	x	x	x	x	x	x	x		U11420-C969	12.462,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 8C	ServerView Resource Orchestrator VE Server License (1 Server) 8CPU Class V3								x	U11420-C970	1.988,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3	x	x	x	x	x	x	x		U11420-C960	1.530,00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3	x	x	x	x	x	x	x		U11420-C961	11.383,00	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3	x	x	x	x	x	x	x		U11420-C963	25.659,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 8C	ServerView Resource Orchestrator CE Server License (1 Server) 8CPU Class V3								x	U11420-C964	3.060,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3	x	x	x	x	x	x	x		U11420-C978	751,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3	x	x	x	x	x	x	x		U11420-C979	5.845,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3	x	x	x	x	x	x	x		U11420-C981	13.198,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 1SVR 8C	ServerView Resource Orchestrator CE Server License (1 Server) 8CPU Class Upgrade from ROR VE V3								x	U11420-C982	1.072,00	
Solution identifier													
	ID HANA APPLIANCE SINGLE NODE RX600	HANA Single Node V1.0 Solution Identifier RX600								x	FTS:HANA-ID-V101	0,01	
	ID HANA APPLIANCE MULTI NODE RX600	HANA Multi Node V1.0 Solution Identifier RX600								x	FTS:HANA-ID-V201	0,01	
	ID HANA APPLIANCE SINGLE NODE RX900	HANA Single Node V1.0 Solution Identifier RX900								x	FTS:HANA-ID-V301	0,01	
	ID HANA APPLIANCE MULTI NODE RX900	HANA Multi Node V1.0 Solution Identifier RX900								x	FTS:HANA-ID-V401	0,01	
	HPC Solution Identifier			x	x	x					FTS:HPC-ID-V001	30,00	
	HPC Head Node Inst. ex works incl ICR	Please note configuration hints		x	x	x					S26361-F3638-E1	1.205,00	
	HPC Compute Node Inst. ex works incl ICR	Please note configuration hints	x	x	x						S26361-F3638-E2	205,00	



Positioning PRIMERGY Blade Servers



**PRIMERGY
BX900 S1**

The PRIMERGY BX900 S1 is a rack unit that has an installed height of 10U and accommodates 1 to 18 server blades and 1 to 6 storage blades. The energy-efficient Intel Nehalem Quad-Core processors are used in the server blades. Ethernet, Fibre Channel and Infiniband networks are accessed via 8 switch bays. Switches from Cisco, Brocade and Emulex can be used. With its transfer rate of 6.4 Gb/s, the midplane used is the fastest on the market. 100V and 200V power supplies are available. This hardware platform is ideal for server consolidation and virtualization in the datacenter.



**PRIMERGY
BX600 S3**

The PRIMERGY Blade Ecosystem provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. PRIMERGY BX600 S3 can be equipped with up to ten Intel or AMD server blades, and are excellently suited for consolidation projects and for front- and mid-tier applications requiring enterprise-class availability, extreme flexibility and power efficiency. Due to its versatile design the system is ideal suited for smaller and mid market companies.



**PRIMERGY
SX650**

This storage blade for PRIMERGY BX600 offers an easy and cost effective opportunity for server consolidation. Rack and tower servers with high capacity of local hard disks are operating primarily in the area of small and medium enterprises. Very often it is essential having local access on large amounts of data; this for example applies to the wide area of Computer Aided Engineering (CAE), where smaller workgroups locally have to work on and create very large models. Operation within confined environments as file servers as well as for Microsoft SharePoint Servers and Microsoft SQL Servers are popular usage cases.



**PRIMERGY
SX940 S1**

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.



**PRIMERGY
BladeFrame BF200**



**PRIMERGY
BladeFrame BF400 S2**

PRIMERGY BladeFrame is the platform to set up an application-independent and service-oriented IT infrastructure. The Processing Area Network (PAN) combines stateless servers (pBlades) with unique virtualization and management software, thus reducing the existing infrastructure complexity and providing a dynamic, high-availability system.

PRIMERGY BladeFrame uses the PAN architecture to manage a pool of computing, storage and network resources which can be dynamically allocated depending on business requirements. The PAN Manager is the central instance for configuring, managing and monitoring both the physical as well as virtual servers. With the PAN Manager a server is no longer a device with a defined configuration, operating system and application, but a software-based definition that can be dynamically assigned as needed. The PAN architecture thus expands the benefits of server virtualization and provides an integrated concept for high-availability (N+1 failover) and disaster recovery. The result is considerable savings in operational and total costs.



PRIMERGY BX400 S1

The Fujitsu PRIMERGY BX400 is a fully-featured blade system built from the ground up to be userfriendly and versatile, helping you meet large-scale computing and storage requirements. It provides an optimum combination of up to eight server or storage blades in a small enclosure, supported by a comprehensive set of solutions and services.

	Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations						
PRIMERGY BX400 S1						
	PY BX400 S1 System Unit	6 U Systemunit without Server Blades, 1x MMB, 1xPSU without power cord, ServerView Suite, All empty slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)		S26361-K1335-V201	3.265,00	



PRIMERGY BX920 S3

The Fujitsu PRIMERGY BX920 S3 is a dual-socket server blade which offers the ideal balance of performance and cost-efficiency. It is designed for large enterprise data centers, midsized businesses and branch offices and delivers efficient compute power that is suitable for mainstream business applications and virtual client computing scenarios.

The server blade leverages CPUs of the latest Intel® Xeon® processor E5-2400 product family utilizing enhanced QuickPath Interconnect architecture. By packing two processors, two hot-plug disk drives, up to 384 GB of DDR3 memory, and a flexible dual-channel 10 Gigabit Converged Network Adapter on board, the PRIMERGY BX920 S3 server blade delivers highest performance to ensure today's demand while being prepared for future requirements. In addition, the PRIMERGY BX920 S3 server blade is equipped with the state-of-the-art integrated Remote Management Controller (iRMC S3) which enables extensive control even at remote locations. With its wide range of processor, disk and memory options, it provides IT managers with the performance and scalability they need for all their applications. The optimal and secure support of I/O-intensive applications like terminal servers is ensured by the optional use of a RAID controller with a write-back cache on board, optionally protected by a

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX920 S3					
	PY BX920 S3 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for PRIMERGY BX900 S1 and BX400 S1	S26361-K1406-V200	1.165,00	



PRIMERGY BX924 S3

The Fujitsu PRIMERGY BX924 S3 is designed from the ground up to set a new standard for versatility and scalability in a dual-socket server blade. It offers scalable performance to meet highest requirements of extensive virtualization/consolidation scenarios on the one hand, and demanding high performance computing applications on the other hand. Packed with advanced features, the PRIMERGY BX924 S3 allows doing more with a two-processor server than ever before. Two Intel® Xeon® E5-2600 processors, 24 high-speed memory modules for up to 768 GB capacity, flexible 10 Gbit/s Emulex® CNA components as well as additional slots

for mezzanine cards clearly emphasizing the approach as the perfect high-end server blade. Although servers are being booted more and more via network, this system is enabled for local boot, too. This may optionally be realized with the use of solid state drives (SSD) or a hard disk drive. While virtualization allows consolidating your IT resources, it often leads to increased expenses of the server administration. Thus the PRIMERGY BX924 S3 delivers state-of-the-art management capabilities with the integrated Remote Management Controller (iRMC S3) which offers the next generation of remote management functionality. The result is the ability to make your work faster, no matter whether your server is located in the server-room next door or in another

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX924 S3					
	PY BX924 S3 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for PRIMERGY BX900 S1 and BX400 S1	S26361-K1407-V200	1.345,00	



PRIMERGY SX910 S1

The PRIMERGY SX910 S1 Storage Blade Tape module can be used to archive and backup local data in the PRIMERGY BX400 and 900 system units. The SX910 S1 Storage Blade Tape can be equipped with one LTO tape drive. It requires a blade slot in the PRIMERGY blade enclosure. The built-in tape drive is operated via an integrated SAS Controller. It can be connected to a BX9xx Server Blade which is located directly left to it.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX910 S1					
	PY SX910 S1 Storage Blade Tape	1 x tape drive, max 1x SAS Controller, 5,25-inch half-height tape drive	S26361-K1290-V200	1.350,00	



PRIMERGY SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades.

A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BBU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX940 S1					
	PY SX940 S1 Storage Blade Disk	max. 4x SAS/SATA HDD/SSD, max. 2x SAS Controller	S26361-K1292-V200	965,00	



PRIMERGY SX960 S1

The Fujitsu PRIMERGY SX960 Storage Blade offers direct-attached storage for the PRIMERGY BX Blade Server with support of up to 10 hot-plug SAS or SATA hard disks. The storage blade can be inserted, like a server blade, in the front of the blade server housing. It can be hot-plugged and used with various types of server blades. The BX Blade Servers' midplanes offer PCI Express connections to the adjacent server blades, enabling top-quality memory access without using additional cables. The PRIMERGY SX960 Storage Blade has an onboard LSI MegaRAID controller with 512 MB Write Back Cache and optional Battery Backup Unit, for top performance and data security.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX960 S1					
	PY SX960 S1 Storage Blade Disk	max. 10x SAS/SATA HDD/SSD, max. 1x SAS Mega RAID Controller, The SX960S1 can be installed max. 2x in BX400/900	S26361-K1382-V202	1.650,00	



PRIMERGY SX980 Sx

PRIMERGY SX storage blades are installed together with PRIMERGY server blades in the PRIMERGY BX chassis. The introduction of storage blades is a simple and low-priced way to consolidate servers. Above all, small and medium-sized companies usually have rack and tower servers which offer a high degree of capacity regarding local hard disks. The use of storage blades equipped with tape drives is a simple and quick method to backup system data locally. Having local access to large amounts of data is often necessary, for example, in the world of computer-aided engineering (CAE), where smaller local workgroups have to access and create very large models. Examples for using storage blades are operation within limited environments as a file server or for

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX980 S1					
	PY SX980 S1 JBOD Blade	Up to 10x SAS HDD / SSD, Can be installed max. 2x in BX400 and in BX900	S26361-K1383-V210	1.420,00	
PRIMERGY SX980 S2					
	PY SX980 S2 JBOD Blade	Up to 10x SAS HDD / SSD, Can be installed max. 2x in BX400 and in BX900	S26361-K1383-V220	1.695,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Options matrix																						
LCD-Display																						
	PY BX400 Front Panel	BX400 Front Panel w/o LCD Display						x												S26361-F4474-E400	55.00	
	PY BX400 LCD Unit Rack	Bx400 LCD Unit Rack						x												S26361-F4474-E200	185.00	
	PY BX400 Floorstand Kit	PY BX400 Floorstand Kit						x												S26361-F4474-E500	1.290.00	
Processor																						
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink										x								S26361-F4543-E180	295.00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink										x								S26361-F4543-E240	400.00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink										x								S26361-F4544-E200	540.00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink										x								S26361-F4544-E230	775.00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink										x								S26361-F4544-E250	1.105.00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink										x								S26361-F4545-E200	1.320.00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink										x								S26361-F4545-E220	1.590.00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink										x								S26361-F4545-E260	1.830.00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink										x								S26361-F4545-E270	2.055.00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink										x								S26361-F4545-E290	2.420.00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink										x								S26361-F4546-E290	1.830.00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink										x								S26361-F4546-E300	1.105.00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink										x								S26361-F4546-E330	1.105.00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink										x								S26361-F4547-E180	1.320.00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink										x								S26361-F4547-E200	845.00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink										x								S26361-F4548-E180	295.00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink										x								S26361-F4548-E240	400.00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink										x								S26361-F4549-E200	540.00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink										x								S26361-F4549-E230	775.00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink										x								S26361-F4549-E250	1.105.00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink										x								S26361-F4550-E200	1.320.00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink										x								S26361-F4550-E220	1.590.00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink										x								S26361-F4550-E260	1.830.00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink										x								S26361-F4550-E270	2.055.00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink										x								S26361-F4550-E290	2.420.00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink										x								S26361-F4551-E290	1.830.00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink										x								S26361-F4551-E300	1.105.00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink										x								S26361-F4551-E330	1.105.00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Processor (Continued)																						
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink																		S26361-F4552-E180	1.320,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink																		S26361-F4552-E200	845,00	
	Intel Xeon E5-2403 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		S26361-F4560-E180	260,00	
	2nd Xeon E5-2403 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		S26361-F4564-E180	260,00	
	Intel Xeon E5-2407 4C/4T 2.20 GHz 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		S26361-F4560-E220	320,00	
	2nd Xeon E5-2407 4C/4T 2.20 GHz 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		S26361-F4564-E220	320,00	
	Intel Xeon E5-2420 6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																		S26361-F4561-E190	490,00	
	2nd Xeon E5-2420 6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																		S26361-F4565-E190	490,00	
	Intel Xeon E5-2430 6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																		S26361-F4561-E220	660,00	
	2nd Xeon E5-2430 6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																		S26361-F4565-E220	660,00	
	Intel Xeon E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink																		S26361-F4563-E200	790,00	
	2nd Xeon E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink																		S26361-F4567-E200	790,00	
	Intel Xeon E5-2440 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																		S26361-F4561-E240	1.000,00	
	2nd Xeon E5-2440 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																		S26361-F4565-E240	1.000,00	
	Intel Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																		S26361-F4562-E210	1.210,00	
	2nd Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																		S26361-F4566-E210	1.210,00	
	Intel Xeon E5-2450L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2450L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink																		S26361-F4563-E180	1.270,00	
	2nd Xeon E5-2450L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2450L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink																		S26361-F4567-E180	1.270,00	
	Intel Xeon E5-2470 8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																		S26361-F4562-E230	1.655,00	
	2nd Xeon E5-2470 8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																		S26361-F4566-E230	1.655,00	
Memory Modules																						
	Independent Mode Installation	No specific memory RAS features are defined																		S26361-F3694-E10	5,00	
	Independent Mode Installation	No specific memory RAS features are defined																		S26361-F3695-E10	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory																		S26361-F3694-E2	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory																		S26361-F3695-E2	5,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory																		S26361-F3694-E1	5,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory																		S26361-F3695-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory,																		S26361-F3694-E3	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory,																		S26361-F3695-E3	5,00	
	2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																		S26361-F3694-E613	45,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																		S26361-F3694-E614	75,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Memory Modules (Continued)																						
	4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM							x	x										S26361-F3695-E614	95,00	
	4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x									S26361-F3696-E614	85,00	
	8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x									S26361-F3696-E615	125,00	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM								x	x									S26361-F3697-E614	95,00	
	8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1600 MHz, PC3-12800, DIMM								x	x									S26361-F3697-E615	145,00	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3, registered, ECC, 1600 MHz, PC3-12800, DIMM								x	x									S26361-F3697-E616	290,00	
	16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM								x	x									S26361-F3698-E616	400,00	
	32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM								x	x									S26361-F3698-E617	1.220,00	
Removable Media Drives																						
	RDX Drive USB3.0 5.25" internal	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.												x						S26361-F3750-E4	210,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DJAL/DL, DVD-RAM, slimline 0.5" fitting height, black						x												S26361-F3269-E2	95,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height					x													S26361-F3641-E2	165,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)												x						S26361-F3857-E4	210,00	Phased out
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge												x						S26361-F3324-E4	505,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge												x						S26361-F3325-E4	735,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge												x	x					S26361-F3561-E4	1.410,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge												x	x					S26361-F3626-E2	1.825,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge												x	x					S26361-F3627-E1	2.535,00	
Hard Disks																						
	HD SATA 3G 320GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, non hot plug, 2.5-inch, economic												x						S26361-F3747-E320	225,00	Phased out
	HD SATA 3G 500GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 500 GB, 5400 rpm, non hot plug, 2.5-inch, economic												x						S26361-F3747-E500	255,00	Phased out
	disk mounting kit onboard PCH	BX924 S3 Drive mounting kit												x						S26361-F4008-E3	85,00	
	disk mounting kit SAS Mezz card	BX924 S3 Drive mounting kit												x						S26361-F4008-E4	85,00	
	SSD SAS 6G 100GB MLC NO HP 2.5" EP PERF													x						S26361-F4580-E100	1.060,00	
	SSD SAS 6G 200GB MLC NO HP 2.5" EP PERF													x						S26361-F4580-E200	1.985,00	
	SSD SAS 6G 400GB MLC NO HP 2.5" EP PERF													x						S26361-F4580-E400	3.820,00	
	SSD SATA 6G 100GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, non hot plug, 2.5-inch, enterprise												x						S26361-F5124-E100	560,00	
	SSD SATA 6G 200GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, non hot plug, 2.5-inch, enterprise												x						S26361-F5124-E200	1.105,00	
	SSD SATA 6G 400GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, non hot plug, 2.5-inch, enterprise												x						S26361-F5124-E400	2.670,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP													x						S26361-F5247-E130	315,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP													x						S26361-F5247-E145	440,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP													x						S26361-F5247-E160	570,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP													x						S26361-F5247-E190	840,00	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical												x						S26361-F3708-E250	225,00	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical												x						S26361-F3708-E500	255,00	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical												x						S26361-F3708-E100	410,00	
	HD SAS 6G 500GB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical												x	x	x				S26361-F5228-E500	270,00	
	HD SAS 6G 1TB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical												x	x	x				S26361-F5228-E100	450,00	
	HD SATA 3G 320GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic													x	x				S26361-F3297-E320	225,00	Phased out



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Hard Disks (Continued)																						
	HD SATA 3G 500GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic													x	x				S26361-F3297-E500	255,00	Phased out
	HD SATA 3G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical													x	x				S26361-F3601-E250	225,00	
	HD SATA 3G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical													x	x				S26361-F3601-E500	255,00	
	HD SATA 3G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical													x	x				S26361-F3601-E100	410,00	
	HD SAS 3G 300GB 10K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise													x	x				S26361-F3292-E130	470,00	
	HD SAS 3G 450GB 10K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise													x					S26361-F3292-E145	630,00	
	HD SAS 3G 600GB 10K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise													x					S26361-F3292-E160	735,00	
	HD SAS 3G 146GB 15K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise													x	x				S26361-F3292-E514	485,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise							x						x	x	x			S26361-F4482-E130	275,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise							x						x	x	x			S26361-F4482-E145	400,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise							x						x	x	x			S26361-F4482-E160	520,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise							x						x	x	x			S26361-F4482-E190	765,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise							x						x	x	x			S26361-F4482-E514	330,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise							x						x	x	x			S26361-F4482-E530	570,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP								x											S26361-F5227-E130	315,00	Phased out
	HD SAS 6G 450GB 10K HOT PL 2.5" EP								x											S26361-F5227-E145	440,00	Phased out
	HD SAS 6G 600GB 10K HOT PL 2.5" EP								x											S26361-F5227-E160	570,00	Phased out
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise															x	x		S26361-F4541-E100	1.795,00	
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise															x	x		S26361-F4541-E400	6.695,00	
	SSD SAS 6G 100GB MLC HOT PL 2.5" EP PERF								x						x	x	x			S26361-F4581-E100	1.060,00	
	SSD SAS 6G 200GB MLC HOT PL 2.5" EP PERF								x						x	x	x			S26361-F4581-E200	1.985,00	
	SSD SAS 6G 400GB MLC HOT PL 2.5" EP PERF								x						x	x	x			S26361-F4581-E400	3.820,00	
	SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise							x						x	x				S26361-F5225-E100	560,00	
	SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise							x						x	x				S26361-F5225-E200	1.105,00	
	SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise							x						x	x				S26361-F5225-E400	2.670,00	
SCSI/RAID/SAS controller																						
	RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"													x	x				S26361-F3257-E116	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports													x	x				S26361-F3257-E4	110,00	
	PY FBU Module	FBU Upgrade for LSI SAS2208							x											S26361-F4531-E10	125,00	
	PY SAS RAID HDD Module w/o cache	SAS RAID HDD Module based on LSI MegaRAID SAS2208, PCIe 2.0 x8, SAS 2.0, without Cache							x											S26361-F4531-E100	435,00	
	PY RAID HDD Module Connection Kit	SAS HDD backplane for BX920S3 to connect to SAS RAID HDD Module. Thereby RAID 0,1 functionality can be realized on BX920S3.							x											S26361-F4531-E50	30,00	
	PY SAS RAID HDD Module	SAS RAID HDD Module based on LSI MegaRAID SAS2208, PCIe 2.0 x8, SAS 2.0, 512MB Cache							x											S26361-F4531-E512	655,00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,							x	x										S26361-F3674-E1	95,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports													x					S26361-F3554-E8	175,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports													x	x				S26361-F3554-E512	390,00	
Connection Blades																						
	FC SFP MMF 4GB LC (Brocade)	Brocade hot-pluggable SFP module, 4 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector												x						S26361-F3873-E104	130,00	
	FC SFP+ MMF 8GB LC (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector												x						S26361-F3873-E109	165,00	
	FC SFP SMF 4GB LC 4km (Brocade)	Brocade hot-pluggable SFP module (4km), 4 GB/s Long-Wavelength Laser (SWL), Single-Mode Fiber with LC connector												x						S26361-F3873-E204	525,00	
	FC SFP+ SMF 8GB LC 10km (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Long-Wavelength Laser (LWL), Single-Mode Fiber with LC connector												x						S26361-F3873-E208	1.575,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADEBF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Options matrix																						
Connection Blades (Continued)																						
	PY CB Eth Switch/IBP 1GB 36/12	LAN Connection Blade for Fujitsu PRIMERGYBX400 and BX900 Blade Servers., Usable as L2 LAN switch, Intelligent Blade Panel (IBP) or End Host Mode (EHM) module., , Interfaces: internal: 36x 1Gbit/s Eth (downlinks), external: 8x RJ45 1Gbit/s Eth, 4x SFP 1Gbit/s Eth						x	x											S26361-K1304-V100	3.030,00	
	PY CB Eth Switch/IBP 1GB 36/8+2	LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., Usable as L2 LAN switch, Intelligent Blade Panel (IBP) or End Host Mode (EHM) module., , Interfaces: internal: 36x 1Gbit/s Eth (downlinks), external: 8x RJ45 1Gbit/s Eth, 2x SFP+ 10Gbit/s Eth						x	x											S26361-K1304-V101	5.555,00	
	PY CB Eth Switch/IBP 10GB 18/8	10Gbit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., Usable as L2 LAN switch, Intelligent Blade Panel (IBP) or End Host Mode (EHM) module., , Interfaces: internal: 18x 10Gbit/s Eth (downlinks), external: 8x SFP+ 10Gbit/s Eth						x	x											S26361-K1304-V200	8.335,00	
	PY CB FC SW 8G 18/8 26 Enterpr (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are: - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - License for Fabric Watch, - License for Advanced Performance Monitor, - License for ISL Trunking, - License for Extended Fabric, - License for Adaptive Networking, - License for Server Application Optimization, - 4 x Brocade hot-pluggable SFP+ module, 8 Gbit/sec Short-Wavelength Laser (SWL), LC connector						x	x											S26361-K1305-V126	15.350,00	
	PY CB FC Switch 8GB 18/8 14 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are: - License for 14 Ports with DPOD (Dynamic Ports on Demand), Automatically enables ports on an embedded blade when the server is, powered on and does not require a predefined assignment of port., determined by the total number of ports in use and the number of, purchased dynamic ports., - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 Gbit/sec Short-Wavelength Laser (SWL), LC connector						x	x											S26361-K1305-V14	7.675,00	
	PY CB FC Switch 8GB 18/8 26 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are: - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 Gbit/sec Short-Wavelength Laser (SWL), LC connector						x	x											S26361-K1305-V26	11.310,00	
	PY CB IB Switch 40GB 18/18	InfiniBand Connection Blade for Fujitsu PRIMERGY BX900 blade server., , Double wide, Single height, , Quad Data Rate (QDR x4), , Interfaces: , intern: 18x (downlinks), , extern: 18x QSFP connectors (uplink)						x	x											S26361-K1336-V200	11.920,00	
	PY CB FC Pass Thru 8G 18/18	Fibre Channel Pass Thru Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, with 18 downlinks and 18 uplinks, all paths are 100% independent from each other and support 4GB/8GB Fibre Channel speed with autonegotiation						x	x											S26361-K1363-V18	4.090,00	
	PY CB Eth Pass Thru 1/10G 18/18	1/10Gbit/s Ethernet Pass Thru Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, with 18 downlinks and 18 uplinks, all paths are 100% decoupled from other each other and support 1GB/10GB Ethernet speed						x	x											S26361-K1365-V18	4.545,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Options matrix																						
Connection Blades (Continued)																						
	PY CB Eth Switch/IBP 1GB 18/6	1GB LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., , Interfaces:, internal: 18x 1GBit/s Eth (downlinks), external: 6x RJ45 1GBit/s Eth						x	x											S26361-K1366-V100	2.070,00	
	PY CB SAS Switch 6GB 18/6	6GB SAS Connection Blade for Fujitsu PRIMERGY BX400 /BX900 Blade Server., Will be used for connection between Server Blades and SX980 and/or between Server Blades and external storage devices., , Interfaces:, internal: 18x 6GB SAS, external: 6x 6GB SAS						x	x											S26361-K1391-V300	1.730,00	
	PY CB IB Switch 56GB 18/18	InfiniBand Connection Blade for Fujitsu PRIMERGY BX900 blade server., , Double wide, Single height, , Fourteen Data Rate (FDR x4), , Interfaces:, intern: 18x (downlinks), extern: 18x QSFP connectors (uplink)						x	x											S26361-K1423-V200	13.940,00	
	PY CB DCB SW 10GB 18/6 Base (Brocade)	Ethernet / DCB Switch 10GBit/s 18/6 (Brocade VDX 2730 Base) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are:, - License for 24 Ports Ethernet / DCB, - License for 2 node VCS, Fibre Cannel and FCoE requires additional licenses, contains NO SFP+ modules, , external interfaces:, 6 Ports 10GBit/s Eth, Ports for SFP/SFP+ modules, 6 Ports 8/4GBit/s FC Ports for SFP/SFP+ modules (not enabled)						x	x											S26361-K1429-V100	11.455,00	
	PY CB DCB SW 10GB 18/6/6 Enterprise (Br)	Ethernet / DCB Switch 10GBit/s 18/6 (Brocade VDX 2730 Enterprise) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are:, - License for 24 Ports Ethernet / DCB, - License for VCS with more than 2 nodes, - License for Fibre-Channel Ports, - Livense for FCoE, contains NO SFP+ modules, , external interfaces:, 6 Ports 10GBit/s Eth, Ports for SFP/SFP+ modules, 6 Ports 8/4GBit/s FC Ports for SFP/SFP+ modules						x	x											S26361-K1429-V200	17.410,00	
	PY CB Eth FEX B22F 10GB 16/8	10GBit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., The Cisco FEX N22F is for attachment to switches of the Cisco Nexus 5000 family designed., , Interfaces:, intern:16x 1GBit/s Eth (downlinks), extern: 8x SFP+ 10GBit/s						x	x											S26361-K1440-V100	8.730,00	
	PY CB Eth FEX B22F with 16 FET 10GB 16/8	10GBit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., The Cisco FEX N22F is for attachment to switches of the Cisco Nexus 5000 family designed., The included 16 FET modules are only for Ultra Short Rang connection between the FEX N22F and the parent switch., , Interfaces:, intern:16x 1GBit/s Eth (downlinks), extern: 8x SFP+ 10GBit/s Eth						x	x											S26361-K1440-V110	13.860,00	
	SFP Module GBE RJ45	SFP module 1GB Ethernet with RJ45 connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades.										x								S26361-F3986-E1	200,00	
	SFP Module Multi Mode Fiber GBE LC	SFP module 1GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades										x								S26361-F3986-E2	110,00	
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.										x								S26361-F3986-E3	410,00	
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for single mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to 10km.										x								S26361-F3986-E4	1.190,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments													
Options matrix																																			
Connection Blades (Continued)																																			
	Eth SFP+ MMF 10GB LC (Brocade)	Brocade hot-pluggable SFP+ module, 10 GB/s Short-Wavelength Laser (SWL), Short Range (SR), Multi-Mode Fiber with LC connector																			x		S26361-F3873-E310	410,00											
	SFP+ Module MMF Cisco 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Cisco products.. For multi-mode short-range fiber optic cables up to 300m.																				x		S26361-F4571-E201	1.715,00										
	SFP+ Module SMF Cisco 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Cisco products.. For single-mode long-range fiber optic cables up to 10km.																					x		S26361-F4571-E202	3.860,00									
Mezzanine Cards																																			
	PY IB CX2 Mezz Card 40GB 2 Port	InfiniBand Mezzanine Card, 2-channel , 40GB/s, PCIe x8																			x	x			S26361-F3992-E2	1.230,00									
	PY IB CX3 Mezz Card 56GB 2 Port	InfiniBand Mezzanine Card, 2 port , 56GB/s, PCIe x8																					x	x			S26361-F4534-E1	1.820,00							
	PY Eth Mezz Card 1GB 4 Port	4 Channel GBE Mezzanine Card, 2 Intel 82575EB LAN Controller																			x	x					S26361-F3331-E1	560,00							
	PY Eth Mezz Card 10GB 2 Port	2 Channel 10GBE Mezzanine Card, Intel 82599EB LAN Controller																					x	x					S26361-F3997-E1	595,00					
	PY FC Mezz Card 8GB 2 Port (MC-FC82E)	Fibre Channel mezzanine module, MC-FC82E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex HBA LPe12002.																			x	x							S26361-F3874-E1	765,00					
	PY CNA Mezz Card 2x10GB 2 channel	CNA mezzanine module, MC-CNA112E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex CNA OCe11102. The CNA cards has 2 10GB Ethernet interfaces to the backplane and support the Data-Center-Bringing (Data Center Ethernet) protocol. In addition the Fibre Channel over Ethernet (FCoE) protocol is fully handled in hardware on the card.																					x	x					S26361-F3592-E532	900,00					
	PY SAS HBA Mezz Card 6GB	SAS HBA Mezzanine Card based on LSI Chipset SAS2008, PCIe 2.0 x8, SAS 2.0,																					x	x					S26361-F4480-E1	195,00					
	PY SAS RAID Mezz Card 6GB	SAS RAID Mezzanine Card based on LSI MegaRAID SAS2108, PCIe 2.0 x8, SAS 2.0																						x					S26361-F4481-E1	355,00					
	SSD Connection Kit	SSD backplane for BX924S3 to connect to SAS mezzanine cards																						x					S26361-F4481-E30	75,00					
	PY SAS Expander Mezzanine Card	SAS Expander Mezzanine Card																						x					S26361-F4531-E30	160,00					
	PY Enhanced Mezz Bracket/Riser	Enhanced Mezzanine Bracket /Riser																						x					S26361-F4531-E60	20,00					
Rack-Infrastructure																																			
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket																			x	x							S26361-F4530-E10	5,00					
	Mounting BX server in asymmetrical racks	Rack server mounting in asymmetrical PRIMECENTER racks with 10U support bracket																						x					S26361-F4530-E14	5,00					
	Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket																											S26361-F4530-E11	5,00					
	Mounting 3U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket																			x								S26361-F4530-E13	5,00					
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.																											x		S26361-F1647-E302	65,00			
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.																			x	x									SNP:SY-F1647E301-P	130,00			
	Blade Installation in System Unit	Service for installation of a server blade into the system unit ex works Augsburg., With ordering this service, the system unit will be delivered completely premounted and tested ex works.																					x	x					x	x	x	x	S26361-F2749-E1	10,00	
	Serverblade single package/delivery	Serverblade single package/delivery, incl. test, Service without integration ex works																					x	x					x	x	x	x	S26361-F2749-E2	45,00	
Country kits																																			
	region kit APAC/EMEA/India	Region-kit APAC/EMEA/ India																			x	x							x			S26361-F1452-E100	10,00		
	region-kit America	Region-kit America																			x	x							x			S26361-F1452-E130	10,00		
PRIMERGY-Software																																			
	BWA-Identifier	BWA V3.0 solution identifier																					x								BWA:IDENT-V003	1,00			
	DI Blocks Entry/Enterpr upgr identifier	DI Blocks Entry/Standard upgrade identifier. It identifies that all following order codes for upgrades belong to the DI Blocks.																					x	x							S26361-DI009-E101	10,00			



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																						
	DI Blocks Entry/Enterpr, RTU CPUcapacity	DI Blocks Entry/Standard RTU CPU-Capacity - Right to Use (RTU) per Blade compute power,, separate Right to Use for each Blade in the DI Blocks										x								S26361-DI009-E200	2.260,00	
	DI-vCloud Entry/Enterpr, upgr identifier	DI-vCloud Entry/Enterprise upgrade identifier. It identifies that all following order codes for upgrades belong to the DI-vCloud block.						x				x								S26361-DI010-E101	10,00	
	DI-vCloud Entry/Enterpr, RTU CPUcapacity	DI-vCloud Entry/Enterprise RTU CPU-Capacity - Right to Use (RTU) per Blade compute power,, , separate Right to Use for each Blade in the DI-vCloud block										x								S26361-DI010-E200	2.260,00	
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.							x			x								S26361-F2565-L596	2.770,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition,, English. OEM DVD, License.								x		x								S26361-F2567-E20	385,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.								x		x								S26361-F2567-E30	115,00	
	WinSvr 2012 Datacenter 2CPU OEM	WinSvr 2012 Datacenter 2CPU OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.								x		x								S26361-F2567-E410	2.980,00	
	WinSvr 2012 Standard 2CPU/2VM OEM	WinSvr 2012 Standard 2CPU&2VM OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.										x								S26361-F2567-E420	590,00	
	WinSvr 2012 Standard AddLic 2CPU/2VM OEM									x		x								S26361-F2567-E421	590,00	
	WinStorageSvr 2012 Std 2CPU/2VM OEM	Windows Storage Server 2012 Standard 2CPU&2VM OEM. Multilingual. OEM DVD, COA License. End User License Terms. No CALs required										x								S26361-F2567-E450	445,00	
	WinStorageSvr 2012 Std AddLic 2CPU OEM	Windows Storage Server 2012 Standard Additional License 2CPU&2VM OEM. Step-up license to add 2 CPU sockets / 2 VMs. No media/key										x								S26361-F2567-E451	445,00	
	WinSvr CAL 2012 50Device	Windows Server 2012 CAL 50 Device										x								S26361-F2567-E460	1.250,00	
	WinSvr CAL 2012 50User	Windows Server 2012 CAL 50 User										x								S26361-F2567-E461	1.450,00	
	WinSvr CAL 2012 10Device	Windows Server 2012 CAL 10 Device										x								S26361-F2567-E462	250,00	
	WinSvr CAL 2012 10User	Windows Server 2012 CAL 10 User										x								S26361-F2567-E463	290,00	
	WinSvr CAL 2012 5Device	Windows Server 2012 CAL 5 Device										x								S26361-F2567-E464	125,00	
	WinSvr CAL 2012 5User	Windows Server 2012 CAL 5 User										x								S26361-F2567-E465	145,00	
	WinSvr CAL 2012 1Device	Windows Server 2012 CAL 1 Device										x								S26361-F2567-E466	25,00	
	WinSvr CAL 2012 1User	Windows Server 2012 CAL 1 User										x								S26361-F2567-E467	29,00	
	WinSvr RDS CAL 2012 5Device	Windows Server 2012 RDS CAL 5 Device										x								S26361-F2567-E470	425,00	
	WinSvr RDS CAL 2012 5User	Windows Server 2012 RDS CAL 5 User,										x								S26361-F2567-E471	490,00	
	WinSvr RDS CAL 2012 1Device	Windows Server 2012 RDS CAL 1 Device,										x								S26361-F2567-E472	85,00	
	WinSvr RDS CAL 2012 1User	Windows Server 2012 RDS CAL 1 User,										x								S26361-F2567-E473	98,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.										x								S26361-F2567-E480	35,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.										x								S26361-F2567-E481	35,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard	DG/DE Kit WinSvr 2008 R2 SP1 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.										x								S26361-F2567-E482	35,00	
	DG/DE Kit WinSvr 2008 SP2 Datacenter	DG/DE Kit WinSvr 2008 SP2 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.										x								S26361-F2567-E483	35,00	
	DG/DE Kit WinSvr 2008 SP2 Enterprise	DG/DE Kit WinSvr 2008 SP2 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.										x								S26361-F2567-E484	35,00	
	DG/DE Kit WinSvr 2008 SP2 Standard	DG/DE Kit WinSvr 2008 SP2 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.										x								S26361-F2567-E485	35,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADEBF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																						
Egenera PAN Builder for BX900		1) The PAN Builder software license authorizes the use of the base PAN Manager software platform as specified in the applicable end user documentation and is required for every PAN pNode to be provisioned and managed by PAN Manager software. A PAN Builder license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. 2) PAN Builder licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Builder license is not issued for a specific authorized pNode unit, but rather authorizes the use of the licensed functionality on any one (1) authorized pNode that meets the applicable processor socket limitation at a time, 3) The PAN vmBuilder/vBlade license is included as part of the PAN Builder License and authorizes the use of vmBuilder software for any pNode with a valid PAN Builder License. This license authorizes the user to partition a physical						x		x										S26361-F4583-S100	2.525,00	
Egenera PAN Server Portability for BX900		1) The PAN Server Portability software license is an optional add-on product to the PAN Builder license. This license authorizes the use of PAN Manager software to automatically move a pServer from one pNode to another pNode within a single PAN environment and such other functionality as is described in the applicable end user documentation. A PAN environment is defined by the number of pNodes supported by a particular redundant pair of PAN Controllers in a Fujitsu BX900 System configured for PAN Manager. A PAN Server Portability license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. 2) PAN Server Portability licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Server Portability license is not issued for a specific authorized pNode unit, but rather authorizes						x		x										S26361-F4583-S110	2.020,00	
Egenera PAN Portability for BX900		1) The PAN Portability software license is an optional add-on product to the PAN Builder license. This license authorizes the use of PAN Manager software to configure a backup hardware environment and such other functionality as is described in the applicable end user documentation. This capability allows a PAN environment at one geographic location to act as a disaster recovery facility for one or more PAN environment(s) at other locations. A PAN environment is defined by the number of pNodes supported by a particular redundant pair of PAN Controllers in a Fujitsu BX900 System configured for PAN Manager. A PAN Portability license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. 2) PAN Portability licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Portability license is not issued						x		x										S26361-F4583-S120	3.030,00	
VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory							x	x	x	x									U15000-C311	320,00	
VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory							x	x	x	x									U15000-C312	1.910,00	
VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory								x	x	x									U15000-C313	3.835,00	
Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year									x	x									S26361-F2346-C851	57,00	
PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.									x	x									S26361-F2565-E593	885,00	
PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.									x	x									S26361-F2565-E595	885,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																						
	Win Srv 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.																		S26361-F2567-E331	2.980,00	
	PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 1 year.																		S26361-F2346-C951	157,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.																		S26361-F2567-E321	1.895,00	
	PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1-Year.																		S26361-F2346-S951	8,00	
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.																		S26361-F2567-E311	590,00	
	PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten) 5x9 level3 Support 1 Jahr.																		S26361-F2346-C961	466,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License																		S26361-F2567-E350	630,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License																		S26361-F2567-E351	630,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License																		S26361-F2567-E352	630,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License																		S26361-F2567-E353	630,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License																		S26361-F2567-E354	630,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License																		S26361-F2567-E355	630,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License																		S26361-F2567-E356	630,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License																		S26361-F2567-E357	630,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License																		S26361-F2567-E358	630,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License																		S26361-F2567-E359	630,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License																		S26361-F2567-E370	935,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License																		S26361-F2567-E371	935,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License																		S26361-F2567-E372	935,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License																		S26361-F2567-E373	935,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License																		S26361-F2567-E374	935,00	
	PCM Fujitsu Enterprise Services 1y	Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 1 year.																		S26361-F2346-S961	8,00	
	Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year																		S26361-F2346-C852	170,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.																		S26361-F2567-E391	25,00	
	PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 3 years.																		S26361-F2346-C952	470,00	
	Win Svrs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.																		S26361-F2567-E390	25,00	
	PCM Fujitsu Basic Services 3Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 3 years.																		S26361-F2346-S952	8,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																						
	PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node) 5x9 level3 support 3 years.							x	x										S26361-F2346-C962	1.394,00	
	PCM Fujitsu Enterprise Services 3Y	, Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 3 years.								x	x									S26361-F2346-S962	8,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							x	x										S26361-F2567-E360	760,00	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							x	x										S26361-F2567-E361	380,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							x	x										S26361-F2567-E363	110,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.							x	x										S26361-F2567-E366	30,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.							x	x										S26361-F2567-E368	30,00	
	FF RTU RX300 S6/7, BX620 S6, BX92x S2/3	FlexFrame ApplicationNode RTU for RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2.							x	x										U21348-C291	4.785,00	
	FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.							x	x										U21348-C291-W1	1.357,00	
	FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.							x	x										U21348-C291-W3	3.876,00	
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2.							x	x										U21348-C293	2.393,00	
	FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.							x	x										U21348-C292-W1	678,00	
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FFASAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2							x	x										U21348-C294	2.393,00	
	FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – SAN option.							x	x										U21348-C292-W3	1.938,00	
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)							x	x										U21348-C494	1.892,00	
	FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.							x	x										U21348-C293-W1	678,00	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)							x	x										U21348-C495	3.954,00	
	FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.							x	x										U21348-C293-W3	1.938,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																						
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)							x	x										U21348-C496	4.637,00	
	FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.							x	x										U21348-C294-W1	678,00	
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support							x	x										U21348-C490	800,00	
	FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.							x	x										U21348-C294-W3	1.938,00	
	FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.							x	x										U21348-C490-W1	132,00	
	SUSE Linux ES 1-2 SOCK Server 1Y	SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year							x	x										S26361-F2348-S101	290,00	
	SUSE Linux ES 1-2 SOCK Server 3Y	SUSE Linux ES 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years							x	x										S26361-F2348-S102	790,00	
	SUSE Linux ES 1-2 SOCK Server 5Y	SUSE Linux ES 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years							x	x										S26361-F2348-S103	1.160,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt. 1Y	SUSE Linux ES 1-2SOC Serv+Virt. 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year							x	x										S26361-F2348-S111	440,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years							x	x										S26361-F2348-S112	1.180,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years							x	x										S26361-F2348-S113	1.760,00	
	SUSE Linux ES HAE 1-2 SOCK 1Y	SUSE Linux ES HAE 1-2SOC 1Y, 1-2 CPU Sockets, high availability extension, subscription for 1 year							x	x										S26361-F2348-S121	590,00	
	SUSE Linux ES HAE 1-2 SOCK 3Y	SUSE Linux ES HAE 1-2SOC 3Y, 1-2 CPU Sockets, high availability extension, subscription for 3 years							x	x										S26361-F2348-S122	1.570,00	
	SUSE Linux ES HAE 1-2 SOCK 5Y	SUSE Linux ES HAE 1-2SOC 5Y, 1-2 CPU Sockets, high availability extension, subscription for 5 years							x	x										S26361-F2348-S123	2.330,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 1Y	SUSE Linux ES4SAP 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year							x	x										S26361-F2348-S401	1.280,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 3Y	SUSE Linux ES4SAP 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years							x	x										S26361-F2348-S402	3.450,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 5Y	SUSE Linux ES4SAP 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years							x	x										S26361-F2348-S403	5.200,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year							x	x										S26361-F2348-S411	1.920,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years							x	x										S26361-F2348-S412	5.200,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years							x	x										S26361-F2348-S413	7.700,00	
	FF-AN VMware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.							x	x										U21348-C490-W3	360,00	
	SUSE Linux ES BX400 Server+Virt 1J	SUSE Linux ES BX400 1Y, SUSE Linux Enterp. Server for BX400 Blade Chassis, unlimited virtualization, subscription for 1 year						x												S26361-F2348-S141	1.760,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																						
	SUSE Linux ES BX400 Server+Virt 3J	SUSE Linux ES BX400 3Y, SUSE Linux Enterp. Server for BX400 Blade Chassis, unlimited virtualization, subscription for 3 years						x												S26361-F2348-S142	4.720,00	
	SUSE Linux ES BX400 Server+Virt 5J	SUSE Linux ES BX400 5Y, SUSE Linux Enterp. Server for BX400 Blade Chassis, unlimited virtualization, subscription for 5 years						x												S26361-F2348-S143	7.100,00	
	SUSE Linux ES BX900 Server+Virt 1J	SUSE Linux ES BX900 1Y, SUSE Linux Enterp. Server for BX900 Blade Chassis, unlimited virtualization, subscription for 1 year							x											S26361-F2348-S151	3.960,00	
	SUSE Linux ES BX900 Server+Virt 3J	SUSE Linux ES BX900 3Y, SUSE Linux Enterp. Server for BX900 Blade Chassis, unlimited virtualization, subscription for 3 years							x											S26361-F2348-S152	10.700,00	
	SUSE Linux ES BX900 Server+Virt 5J	SUSE Linux ES BX900 5Y, SUSE Linux Enterp. Server for BX900 Blade Chassis, unlimited virtualization, subscription for 5 years							x											S26361-F2348-S153	15.900,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year								x	x		x							S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years								x	x		x							S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year								x	x		x							S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years								x	x		x							S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year								x	x		x							S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years								x	x		x							S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year								x	x		x							S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years								x	x		x							S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year								x	x		x							S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years								x	x		x							S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year								x	x		x							S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years								x	x		x							S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year								x	x		x							S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years								x	x		x							S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year								x	x		x							S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years								x	x		x							S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year								x	x		x							S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years								x	x		x							S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year								x	x		x							S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years								x	x		x							S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year								x	x		x							S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years								x	x		x							S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year								x	x		x							S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years								x	x		x							S26361-F2346-S172	380,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and License key per Download								x	x									S26361-F2341-S980	1.050,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADEBF20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																						
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and License key per Download							x	x										S26361-F2341-S981	2.630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and License key per Download								x	x									S26361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and License key per Download									x	x								S26361-F2341-S983	2.000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and License key per Download										x	x							S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and License key per Download									x	x								S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and License key per Download										x	x							S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and License key per Download										x	x							S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and License key per Download											x	x						S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and License key per Download											x	x						S26361-F2341-S989	1.460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key per Download												x	x					S26361-F2341-S990	3.750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key per Download													x	x				S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)																		S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for max 32GB RAM - Mandatory 1 year Service Pack needed!																		S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License																		S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU - Mandatory 1 year Service Pack needed!																		S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU - Mandatory 3 year Service Pack needed!																		S26361-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!																		S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU - Mandatory 3 year Service Pack needed!																		S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!																		S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 3 year Service Pack needed!																		S26361-F2341-E712	3.145,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!																		S26361-F2341-E732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!																		S26361-F2341-E733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!																		S26361-F2341-E734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!																		S26361-F2341-E735	19.750,00	
	VMware STD AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!																		S26361-F2341-E760	6.295,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																						
	VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 3 year Service Pack needed!																		S26361-F2341-E761	6.295,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!																		S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!																		S26361-F2341-S737	4.495,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!																		S26361-F2341-S738	1.345,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!																		S26361-F2341-S739	1.345,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 1 year Service Pack needed!																		S26361-F2341-E740	4.045,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 3 year Service Pack needed!																		S26361-F2341-E741	4.045,00	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 1 year VMware Sub. - no Support																		S26361-F2341-S800	504,00	
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 3 year VMware Sub. - no Support																		S26361-F2341-S801	600,00	
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.																		S26361-F2341-S802	4.969,00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.																		S26361-F2341-S803	6.510,00	
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.																		S26361-F2341-S804	4.810,00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.																		S26361-F2341-S805	6.104,00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.																		S26361-F2341-S806	12.573,00	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.																		S26361-F2341-S807	16.483,00	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.																		S26361-F2341-S808	12.169,00	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.																		S26361-F2341-S809	15.454,00	
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!																		S26361-F2341-S742	1.220,00	
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!																		S26361-F2341-S743	1.220,00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!																		S26361-F2341-S744	12.195,00	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!																		S26361-F2341-S745	12.195,00	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!																		S26361-F2341-S750	2.030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!																		S26361-F2341-S751	2.030,00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!																		S26361-F2341-S752	20.295,00	
	VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!																		S26361-F2341-S753	20.295,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.																		S26361-F2341-S810	3.992,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.																		S26361-F2341-S811	5.299,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.																		S26361-F2341-S812	1.275,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																						
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.							x	x										S26361-F2341-S813	1.694,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.							x	x										S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.							x	x										S26361-F2341-S815	4.963,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.							x	x										S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.							x	x										S26361-F2341-S817	1.586,00	
OS/Application-SW																						
	SUSE Linux ES BF200 3Y	SUSE Linux Enterprise Server for all platforms BF200 System Unit 3-Years subscription												x						U15045-C162-B	2.586,00	Phased out
	SUSE Linux ES BF400 3Y	SUSE Linux Enterprise Server for all platforms BF400 System Unit 3-Years subscription												x						U15045-C172-B	10.340,00	Phased out
UPS/Power supply																						
	PY BX400 PSU (1600W/1100W) w/o powercord	PY BX400 Power Supply (1600 W/1100 W) without power cable						x												S26113-F607-E201	500,00	
	PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans							x											S26361-F3962-E100	285,00	
	PY BX400 Fan Unit	BX400 Fan Unit with 2 Fans						x												S26361-F4474-E100	155,00	
	BX900 PSU 2.880W silver w/o power cord	BX900 Power supply 100-240V AC, w/o power cord							x											S26113-F606-E250	680,00	
	BX900 PSU 2.880W platinum hp w/o power c	BX900 Power Supply 2.880W platinum hp							x											S26113-F606-E300	870,00	
	Power Cord 16A IEC320 C19->C20, 3.5m	Power cord with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)					x	x												S26361-F3151-E301	30,00	
	Power Cord 16A IEC320 C19->C20 1 m	Power cord 16A IEC320 C20 -> IEC320 C19 length 1 meter						x												S26361-F3151-E10	30,00	
	Power Cord IEC320 C19 -> IEC 320 C14	Power cord with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)						x												S26361-F3151-E351	10,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m												x						T26139-Y1968-E100	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd												x						T26139-Y1742-E10	10,00	
	Power cord IEC320 C19 -> IEC320 C14	Power cord with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)						x												S26361-F3151-E350	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China						x	x					x						T26139-Y3850-E10	2,00	
	Power cord 16A IEC320 C19->C20, 3.5m	with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)						x												S26361-F3151-E300	30,00	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->CEE 7/7 (Schuko)						x												S26361-F3151-E100	30,00	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C20 -> 16A CEE (IEC309, blue), length 3,5m						x	x											S26361-F3151-E200	30,00	
	Power cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C20 -> US NEMA L6-20p						x												S26361-F3151-E500	60,00	
Miscellaneous																						
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order						x	x	x				x						S26361-F1647-E410	25,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!								x	x									S26361-F3552-E1	50,00	
FC/IP-Infrastructure																						
	S/W, 10 Gigabit Ethernet 1Y Maintenance	S/W, 10 Gigabit Ethernet 1 year Maintenance, Brocade number: BR-DCX10GE-01-M	x	x																B:BR-DCX10GE-01-M	16.543,00	
	S/W, 10 Gigabit Ethernet 2Y Maintenance	S/W, 10 Gigabit Ethernet 2 years Maintenance, Brocade number: BR-DCX10GE-01-M-2	x	x																B:BR-DCX10GE-02-M	17.412,00	
	S/W, 10 Gigabit Ethernet 3Y Maintenance	S/W, 10 Gigabit Ethernet 3 years Maintenance, Brocade number: BR-DCX10GE-01-M-3	x	x																B:BR-DCX10GE-03-M	18.232,00	
	S/W, 10 Gigabit Ethernet 4Y Maintenance	S/W, 10 Gigabit Ethernet 4 years Maintenance, Brocade number: BR-DCX10GE-01-M-4	x	x																B:BR-DCX10GE-04-M	19.117,00	
	S/W, 10 Gigabit Ethernet 5Y Maintenance	S/W, 10 Gigabit Ethernet 5Y Maintenance, Brocade number: BR-DCX10GE-01-M-5	x	x																B:BR-DCX10GE-05-M	20.002,00	
	S/W,Advanced Extension 1Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 1 year SUP included, Brocade number BR-DCXAEX-01-M				x														B:BR-DCXAEX-01-M	7.316,00	
	S/W,Advanced Extension 2Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 2 years SUP included, Brocade number BR-DCXAEX-01-M-2				x														B:BR-DCXAEX-02-M	8.441,00	
	S/W,Advanced Extension 3Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 3 years SUP included, Brocade number BR-DCXAEX-01-M-3				x														B:BR-DCXAEX-03-M	9.504,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
FC/IP-Infrastructure (Continued)																						
	S/W,Advanced Extension 4Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 4 years SUP included, Brocade number BR-DCXAEX-01-M-4				x														B:BR-DCXAEX-04-M	10.651,00	
	S/W,Advanced Extension 5Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 5 year SUP included, Brocade number: BR-DCXAEX-01-M-5				x														B:BR-DCXAEX-05-M	11.798,00	
	S/W, Advanced Accelerator for FICON 1Y M	S/W, Advanced Accelerator for FICON 1 year Maintenance, Brocade Number: BR-DCXAFI-01-M				x														B:BR-DCXAFI-01-M	27.142,00	
	S/W, Advanced Accelerator for FICON 2Y M	S/W, Advanced Accelerator for FICON 2 years Maintenance, Brocade Number: BR-DCXAFI-01-M-2				x														B:BR-DCXAFI-02-M	31.321,00	
	S/W, Advanced Accelerator for FICON 3Y M	S/W, Advanced Accelerator for FICON 3 years Maintenance, Brocade Number:BR-DCXAFI-01-M-3				x														B:BR-DCXAFI-03-M	35.267,00	
	S/W, Advanced Accelerator for FICON 4Y M	S/W, Advanced Accelerator for FICON 4 years Maintenance, Brocade Number: BR-DCXAFI-01-M-4				x														B:BR-DCXAFI-04-M	39.522,00	
	S/W, Advanced Accelerator for FICON 5Y M	S/W, Advanced Accelerator for FICON 5 years Maintenance, Brocade number: BR-DCXAFI-01-M-5				x														B:BR-DCXAFI-05-M	43.776,00	
	Integrated Routing (Inkl.-M), SUS 1 Year	Integrated Routing,1 year Maintenance., Brocadenumber: BR-DCXIR-01-M			x															B:BR-DCXIR-01-M	21.920,00	
	Integrated Routing (Inkl.-M), SUS 2years	Integrated Routing,2 years Maintenance., Brocadenumber: BR-DCXIR-02-M			x															B:BR-DCXIR-02-M	22.950,00	
	Integrated Routing (Inkl.-M), SUS 3years	Integrated Routing,3 years Maintenance., Brocadenumber: BR-DCXIR-03-M			x															B:BR-DCXIR-03-M	23.922,00	
	Integrated Routing (Inkl.-M), SUS 4years	Integrated Routing, 4 year Maintenance., Brocadenumber: BR-DCXIR-04-M			x															B:BR-DCXIR-04-M	24.969,00	
	Integrated Routing (Inkl.-M), SUS 5years	Integrated Routing 5 years Maintenance, , Brocade number: BR-DCXIR-01-M-5			x															B:BR-DCXIR-05-M	26.018,00	
	FS8-18 Upg(adv.cryptof.disk,1/DCX chas)	FS8-18 Upgrade (adv.cryptof.disk,1x per DCX chassis), , Brocade number: BR-ENCPRF48-01	x																	B:BR-ENCPRF48-01	72.141,00	
	Sup&4 hr advance HW replacem.parts only	Remote support & 4 hr advance HW replacement (parts only), Only the first order possible!, Brocade SVS-4P	x	x	x															B:MAINT-SVS-4P	888.888,00	
	Maintenance Extention 1 year	Maintenance renewal for one further year (period 1 year).Only the first order possible!	x	x																B:SVC-MAINT	294,00	Phased out
	BR SFP, SWL (MMF), 4GB/s 150m, 1-Pack	1x SFP Multi Mode Fibre, 4 GB/s 150 m , (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)			x															D:FCSFP-B-MM4G	100,00	
	BR SFP SWL (SMF) 4 GB/s 4 km,1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 4km , (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)			x															D:FCSFP-B-SM4-04	460,00	
	BR SFP, LWL (SMF), 4GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)			x															D:FCSFP-B-SM4-10	826,00	
	BR SFP SWL (SMF), 4 GB/s 30 km,1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 30km , (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)			x															D:FCSFP-B-SM4-30	1.530,00	
	1 GBE Copper SFP (for IP)	1 GBE Copper SFP			x															D:FCSFP-COP-1GBE	481,00	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, , Not usable for 8 GB/s Switches!			x															D:FCSFP-SM4G-30	1.831,00	Phased out
	PY BX900 Management Blade S1	Redundant Management Blade						x	x											S26361-F3962-E500	790,00	
	BR SFP, SWL(MMF), 8GB/s 50m,100m, 1-Pack	1x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000163 branded SFP)	x		x	x														B:XBR-000163	93,00	
	BR SFP, SWL(MMF), 8GB/s 50m,100m, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000164 branded SFP)				x														B:XBR-000164	667,00	
	BR SFP, LWL (SMF), 8GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 8 GB/s, 10km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000153 branded SFP)			x	x														B:XBR-000153	1.394,00	
	BR SFP, LWL (SMF), 8GB/s 10Km, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000172 branded SFP)				x														B:XBR-000172	7.610,00	
	BR SFP, LWL (SMF), 8GB/s 25Km, 1-Pack	1xSFP Single Mode Fibre, 8 GB/s, 25km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000174 branded SFP)				x														B:XBR-000174	4.072,00	
	BR Mini-SFP,SWL(MMF)8GB/s50m,100m,1-Pack	1x Mini-SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000160 branded SFP)				x														B:XBR-000160	199,00	
	BR SFP, SWL (MMF), 4GB/s 150m, 1-Pack	1x SFP Multi Mode Fibre, 4 GB/s 150 m , (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000139 branded SFP)			x	x														B:XBR-000139	122,00	
	BR SFP, LWL (SMF), 4GB/s 4Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 4km , (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000142 branded SFP)				x														B:XBR-000142	640,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Options matrix																						
FC/IP-Infrastructure (Continued)																						
	BR SFP, LWL (SMF), 4GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000144 branded SFP)					x													B:XBR-000144	1.169,00	
	BR SFP, SWL (MMF), 4GB/s 150m, 8-Pack	8x SFP Multi Mode Fibre, 4 GB/s 150 m, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000141 branded SFP)					x													B:XSM-000141	411,00	
	BR SFP, LWL (SMF), 4GB/s 4Km, 8-Pack	8xSFP Single Mode Fibre, 4 GB/s, 4km, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000143 branded SFP)					x													B:XSM-000143	3.336,00	
	Brocade FRU, SFP, LWL, 4G, 30km	1xSFP Single Mode Fibre, 4 GB/s, 30km, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000146 branded SFP)					x													B:XSM-000146	1.688,00	
	BR SFP, LWL (SMF), 4GB/s 10Km, 8-Pack	8x SFP+ Multi Mode Fibre, 4 GB/s, 50 / 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000157 branded SFP)					x													B:XSM-000157	6.077,00	
	Brocade SFP+, SR, 10GE, 1-PK, BR	1x SFP+ Multi Mode Fibre, SR, 10 GE, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000180 branded SFP)	x	x																B:XBR-000180	534,00	
	Brocade SFP+, SR, 10GE, 8-PK, BR	SFP+, SR, 10GE, 8-PK, BR, (Brocade XBR-000181 branded SFP)	x																	B:XBR-000181	2.985,00	
	Brocade SFP+, LR, 10GE, 1-PK, BR	SFP+, LR, 10GE, 1-PK, BR, (Brocade XBR-000182 branded SFP)	x	x																B:XBR-000182	1.438,00	
	Brocade SFP+, LR, 10GE, 8-PK, BR	SFP+, LR, 10GE, 8-PK, BR, (Brocade XBR-000181 branded SFP)	x																	B:XBR-000183	10.494,00	
	Brocade SFP, 1GE COPPER, 1-PK, ROHS	1x SFP+ Multi Mode Fibre, 1 GE, 50 / 100 m, (Brocade XBR-000190 branded SFP)					x													B:XBR-000190	338,00	
Cables																						
	Direct Attached SFP+ Copper, 1m, 1-Pack	Brocade direct Attached cable SFP+, Copper, 1m, 1x, (Brocade XBR-TWX-0101 branded SFP)	x																	B:XBR-TWX-0101	128,00	
	Direct Attached SFP+ Copper, 3m, 1-Pack	Brocade direct Attached cable SFP+, Copper, 3m, 1x, (Brocade XBR-TWX-0301 branded SFP)	x																	B:XBR-TWX-0301	159,00	
	Direct Attached SFP+ Copper, 5m, 1-Pack	Brocade direct Attached cable SFP+, Copper, 5m, 1x, (Brocade XBR-TWX-0501 branded SFP)	x																	B:XBR-TWX-0501	208,00	
SW Data Center Products																						
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download							x	x										S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download							x	x										S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download							x	x										S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download							x	x										S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download							x	x										S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download							x	x										S26361-F2341-E925	24.580,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download							x	x										S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download							x	x										S26361-F2341-E934	18.750,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download							x	x										S26361-F2341-E935	37.500,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download							x	x										S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download							x	x										S26361-F2341-E961	10.830,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)																						
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download							x	x										S26361-F2341-E962	21.670,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download							x	x										S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download							x	x										S26361-F2341-E964	17.290,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download							x	x										S26361-F2341-E965	34.580,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download							x	x										S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download							x	x										S26361-F2341-E967	11.040,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download							x	x										S26361-F2341-E968	22.080,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download							x	x										S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download							x	x										S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download							x	x										S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download							x	x										S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download							x	x										S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download							x	x										S26361-F2341-S925	18.750,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download							x	x										S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download							x	x										S26361-F2341-S934	14.580,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download							x	x										S26361-F2341-S935	29.170,00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download							x	x										S26361-F2341-S960	1.580,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download							x	x										S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download							x	x										S26361-F2341-S962	15.830,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x										S26361-F2341-S963	2.630,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)																						
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x										S26361-F2341-S964	13.130,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x										S26361-F2341-S965	26.250,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x										S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x										S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x										S26361-F2341-S968	13.750,00	
	CD-Xprint-Unix-OS	CD-Xprint (Linux, UX, AIX, Solaris), Data media for Xprint Unix Alien, Intel/HP/IBM-based HW											x							U11436-C231	36,00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)						x	x											U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)						x	x											U11420-C936	100,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License (1 Server) V3						x	x	x	x									U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License (1 Server) V3						x	x	x	x									U11420-C955	0,01	
	SVRORDVD V30 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V3.0 for Windows&Linux&Solaris						x	x	x	x									U11420-C956	50,00	
	Xprint-NET(WinServer) V8.0	Xprint-NET (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW (Licence no data media)											x							U11436-C568	4.374,00	
	Xprint-NET-CL (WinServer) V8.0	Xprint-NET-CL (W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)											x							U11436-C569	1.188,00	
	SVRORDVD V31 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V3.1 for Windows&Linux&Solaris						x	x	x	x									U11420-C957	50,00	
	Xprint-UGM (WinServer) V8.0	Xprint-UGM (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)											x							U11436-C570	1.458,00	
	Xprint-UG2 (WinServer) V8.0	Xprint-UG2 (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)											x							U11436-C571	1.458,00	
	Xprint-UG3 (WinServer) V8.0	Xprint-UG3 (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)											x							U11436-C572	2.484,00	
	Xprint-UG4 (WinServer) V8.0	Xprint-UG4 (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)											x							U11436-C573	2.268,00	
	Xprint-UG5 (WinServer) V8.0	Xprint-UG5 (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)											x							U11436-C574	1.890,00	
	Xprint-UG6 (WinServer) V8.0	Xprint-UG6 (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)											x							U11436-C575	1.890,00	
	Xprint-UG7 (WinServer) V8.0	Xprint-UG7 (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)											x							U11436-C576	1.890,00	
	Xprint-UG8 (WinServer) V8.0	Xprint-UG8 (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)											x							U11436-C577	1.890,00	
	Xprint-ERP-Kit (WinServer) V8.0	Xprint-R/3-Kit (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)											x							U11436-C578	4.439,00	
	SVRORNSODVD V31 (LINUX) MED DVD	ServerView Resource Orchestrator Network Service (NS) Option Media Pack V3.1 for Linux						x	x		x									U11420-C958	50,00	
	Xprint-NET-UP(WinServer) V8.0	Xprint-NET-UP (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0											x							U11436-C580	1.761,00	
	Xprint-NET-CL-UP(WinServer) V8.0	Xprint-NET-CL-UP(W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0											x							U11436-C581	486,00	
	Xprint-UGM-UP (WinServer) V8.0	Xprint-UGM-UP (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0											x							U11436-C582	589,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)																						
	Xprint-UG2-UP (WinServer) V8.0	Xprint-UG2-UP (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C583	589,00	
	Xprint-UG3-UP (WinServer) V8.0	Xprint-UG3-UP (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C584	1.005,00	
	Xprint-UG4-UP (WinServer) V8.0	Xprint-UG4-UP (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C585	908,00	
	Xprint-UG5-UP (WinServer) V8.0	Xprint-UG5-UP (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C586	756,00	
	Xprint-UG6-UP (WinServer) V8.0	Xprint-UG6-UP (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C587	756,00	
	Xprint-UG7-UP (WinServer) V8.0	Xprint-UG7-UP (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C588	756,00	
	Xprint-UG8-UP (WinServer) V8.0	Xprint-UG8-UP (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C589	756,00	
	Xprint-ERP-Kit-UP (WinServer) V8.0	Xprint-R/3-Kit-UP (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C590	1.804,00	
	Xprint-NET (LINUX) V8.0	Xprint (LINUX) V8.0 LC f. up to 32 printers for Intel based HW (Licence no data media)												x						U11436-C616	4.374,00	
	Xprint-NET-CL (LINUX) V8.0	Xprint-NET-CL (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)												x						U11436-C617	1.188,00	
	Xprint-UGM (LINUX) V8.0	Xprint-UGM (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)												x						U11436-C618	1.458,00	
	Xprint-UG2 (LINUX) V8.0	Xprint-UG2 (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)												x						U11436-C619	1.458,00	
	Xprint-UG3 (LINUX) V8.0	Xprint-UG3 (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)												x						U11436-C620	2.484,00	
	Xprint-UG4 (LINUX) V8.0	Xprint-UG4 (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)												x						U11436-C621	2.268,00	
	Xprint-UG5 (LINUX) V8.0	Xprint-UG5 (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)												x						U11436-C622	1.890,00	
	Xprint-UG6 (LINUX) V8.0	Xprint-UG6 (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)												x						U11436-C623	1.890,00	
	Xprint-UG7 (LINUX) V8.0	Xprint-UG7 (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)												x						U11436-C624	1.890,00	
	Xprint-UG8 (LINUX) V8.0	Xprint-UG8 (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)												x						U11436-C625	1.890,00	
	Xprint-ERP-Kit (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)												x						U11436-C626	4.439,00	
	Xprint-NET-UP (LINUX) V8.0	Xprint-NET-UP (LINUX) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C628	1.761,00	
	Xprint-NET-CL-UP (LINUX) V8.0	Xprint-NET-CL-UP (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C629	486,00	
	Xprint-UGM-UP (LINUX) V8.0	Xprint-UGM-UP (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C630	589,00	
	Xprint-UG2-UP (LINUX) V8.0	Xprint-UG2-UP (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C631	589,00	
	Xprint-UG3-UP (LINUX) V8.0	Xprint-UG3-UP (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C632	1.005,00	
	Xprint-UG4-UP (LINUX) V8.0	Xprint-UG4-UP (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C633	908,00	
	Xprint-UG5-UP (LINUX) V8.0	Xprint-UG5-UP (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C634	756,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoe Blades	FC-Switch FR4-18i Blade	FC-Switch FX9-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)																						
	Xprint-UG6-UP (LINUX) V8.0	Xprint-UG6-UP (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C635	756.00	
	Xprint-UG7-UP (LINUX) V8.0	Xprint-UG7-UP (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C636	756.00	
	Xprint-UG8-UP (LINUX) V8.0	Xprint-UG8-UP (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0												x						U11436-C637	756.00	
	Xprint-ERP-Kit-UP (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)												x						U11436-C638	1.804.00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3						x	x	x	x									U11420-C966	779.00	
	Xprint DMG-UG1 V1.0	Domain Monitoring GUI -UG1 V1.0 Licence for 3 to 8 instances												x						U11436-C664	432.00	
	Xprint DMG-UG2 V1.0	Domain Monitoring GUI -UG2 V1.0 Licence for 9 to 16 instances												x						U11436-C665	432.00	
	Xprint DMG-UG3 V1.0	Domain Monitoring GUI -UG3 V1.0 Licence for 17 to 32 instances												x						U11436-C666	648.00	
	Xprint DMG-UG4 V1.0	Domain Monitoring GUI -UG4 V1.0 Licence for 33 to 64 instances												x						U11436-C667	972.00	
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3						x	x	x	x									U11420-C967	5.538.00	
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3						x	x	x	x									U11420-C969	12.462.00	
	SVRORCEDRO V3 (WIN/LIN) RTU 1SVR	ServerView Resource Orchestrator DR Option License (1 Server) V3						x	x	x	x									U11420-C953	3.777.00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3						x	x	x	x									U11420-C960	1.530.00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3						x	x	x	x									U11420-C961	11.383.00	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3						x	x	x	x									U11420-C963	25.659.00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3						x	x	x	x									U11420-C978	751.00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3						x	x	x	x									U11420-C979	5.845.00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3						x	x	x	x									U11420-C981	13.198.00	
Services																						
	FCIP Port Blade POH Support 1Y Extended	FCIP Port Blade POH Support 1 year Extended																		D:POH-BLFCIP-1-EXT	3.070.00	
	FCIP Port Blade POH Support 1Y Renewal	FCIP Port Blade POH Support 1 year Renewal																		D:POH-BLFCIP-1-UPG	3.643.00	
Solution identifier																						
	HPC Compute Node Inst. ex works incl ICR	Please note configuration hints																		S26361-F3638-E2	205.00	