


Italy

End User Price List

Prices Valid From: July 2013





Content

News and Highlights	3	LIFEBOOK Accessories	36	CELSIUS R920	109	Positioning PRIMERGY Rack	193
Positioning	4	LIFEBOOK Options	38	CELSIUS W420	110	PRIMERGY RX100 S7	194
				CELSIUS W520	111	PRIMERGY RX200 S7	195
Positioning Tablet PC	6	Positioning FUTRO	53	CELSIUS Accessories	113	PRIMERGY RX300 S7	196
STYLISTIC M532	7	FUTRO S700	54	CELSIUS Options	118	PRIMERGY RX350 S7	197
STYLISTIC M702	9	FUTRO S900	55	Positioning Displays	140	PRIMECENTER M1	198
STYLISTIC Q572	10	FUTRO Accessories	56	Displays	141	Rack Servers Accessories	201
STYLISTIC Q702	11	FUTRO Options	58			Rack Servers Options	213
TABLET PC Accessories	12			Positioning Keyboard & Security	146	Positioning PRIMERGY Blade	239
TABLET PC Options	14	Positioning ESPRIMO	64	Keyboards	147	PRIMERGY BX400 S1	241
		ESPRIMO C	65			PRIMERGY BX920 S3	242
Positioning Notebook	19	ESPRIMO E	66	Positioning PRIMERGY Tower	151	PRIMERGY BX924 S3	243
LIFEBOOK T902	20	ESPRIMO P	73	PRIMERGY TX100 S3p	152	PRIMERGY SX910 S1	244
LIFEBOOK S752	21	ESPRIMO Q	83	PRIMERGY TX120 S3p	153	PRIMERGY SX940 S1	245
LIFEBOOK S762	22	ESPRIMO X	84	PRIMERGY TX140 S1p	154	PRIMERGY SX960 S1	246
LIFEBOOK S782	23	ESPRIMO Accessories	85	PRIMERGY TX150 S7	156	PRIMERGY SX980 Sx	247
LIFEBOOK S792	24	ESPRIMO Options	87	PRIMERGY TX150 S8	157	Blade Servers Accessories	248
LIFEBOOK E752	25			PRIMERGY TX200 S7	159	Blade Servers Options	258
LIFEBOOK E782	28	Positioning CELSIUS	101	PRIMERGY TX300 S7	161		
LIFEBOOK P772	29	CELSIUS H720	103	Tower Servers Accessories	162		
LIFEBOOK P702	31	CELSIUS H910	106	Tower Servers Options	173		
LIFEBOOK U772	32	CELSIUS H920	107				
LIFEBOOK UH552-UH572	33	CELSIUS M720	108				



News and Highlights



LIFEBOOK T901

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.



LIFEBOOK S Series

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility; the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.



LIFEBOOK E Series

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere. Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



LIFEBOOK P Series

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exceptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.



LIFEBOOK NH751

The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.



FUTRO

The Fujitsu Thin Clients are perfect devices for server-based computing and Virtual Workplace solutions.

High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and the lowest running costs.



ESPRIMO

Fujitsu presents a range of PCs characterized by high ergonomic standards, sophisticated product concepts and the best economy. Fujitsu has the right system to suit every customer's requirements.

0-Watt PC - equipped with innovative technology from Fujitsu. Our patented 0-Watt PC technology reduces energy consumption in off- / hibernating mode to 0.0 watts, without reducing manageability.



CELSIUS

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance. With the CELSIUS M470, CELSIUS R570 and CELSIUS R670 our offering of mid-range and high-end workstations got a refresh to meet highest demands.



PRIMERGY TX200 S7

PRIMERGY TX tower servers are ideal for use in SMEs or branch offices. They increase operational efficiency by providing rock solid, record-breaking, energy efficient performance. That performance is built on 20-years of pioneering work in Green IT. As a customer, you benefit from a reduction in your organization's environmental impact and lower running costs. The reliability is proven by testing the machines through 5000 boot cycles – far more than other vendors do. PRIMERGY TX servers are also easy to manage via the PRIMERGY ServerView Suite, reducing IT admin workload and costs. Plus, tower to rack conversion kits are available for most TX systems, ensuring investment protection.



Displays & Accessories

The new Fujitsu displays of the P Line ECO provide all the proven features superior displays can offer and additional unique energy saving solutions like 0-watt power save mode and automatic brightness control. The new 22-inch wide is the first with the new standard TCO Displays 5.0.

Always something new in the Peripherals Portfolio: e.g. keyboards and wireless sets in glossy piano black design fitting perfectly to the new lifestyle displays. Accessories and Security Devices according to latest technologies meet the latest market needs.



Fujitsu recommends Windows 8

Professional Products Positioning



STYLISTIC

The STYLISTIC ST Series is thin, approximately A4 in size, only 1.6 kg and replaces your need for paper and clipboard. Boasting a robust, high-tech design, it offers a 12.1-inch display making it ideal for working while standing or walking, indoors or outside. The Intel® Centrino® Core 2 Duo processor means you can work for a whole business day. And outstanding connectivity with embedded broadband access, WLAN and Bluetooth means you can get in a full day of work without having to return to the office.



FUTRO

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.



ESPRIMO

Our PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.



CELSIUS

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.



Displays & Peripherals

Positioned in three segments the Fujitsu displays offer the right model for every desire - from multifunctional all-rounders, advanced displays, which are highly ergonomic and comfortable, also for entertainment, and the superior class for highest demands in terms of performance, graphics and multimedia.

Input devices for every desire: wired and wireless, optical and laser



PRIMERGY

PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.



Fujitsu recommends Windows 8

Positioning Tablet PC



**LIFEBOOK
T901**

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.



LIFEBOOK T730

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!



LIFEBOOK T580

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds. Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by your notebook any longer, at just 1.4kg it's easy to take wherever you like!



STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.



**STYLISTIC
Accessories**

Extend your STYLISTIC tablet PC to your needs. More convenience for your business trips and more functionality enabling easy working. Fujitsu offers a vast range of accessories for your STYLISTIC ST Series: docking unit, power supply devices, different storage media and special cases that provide maximum protection while transportation.



Fujitsu recommends Windows 8

STYLISTIC M532

Fujitsu STYLISTIC M532 Media Tablet - Work and Enjoy with Confidence

Business is rarely deskbound. As a mobile professional, you need powerful, lightweight tools that let you get straight to work – wherever you happen to be. The ultraslim, ultralight Fujitsu STYLISTIC M532 media tablet is an extension of your office. It delivers a seamless working experience and secure access to your office e-mail, calendar, contacts, and applications. Moreover, with its rich multimedia features, the Fujitsu STYLISTIC M532 is perfect after-hours, too: once you've downed tools for the day, enjoy the tablet for your own choice of apps – catch up on the latest news or weather, for instance, or do some travel planning.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
STYLISTIC M532					
	STYLISTIC M532	25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 32 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, UMTS/3G with HSPA+, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback 8.4 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB)., Including MicroUSB-to-USB cable, cleaning cloth and AC adapter with EU and UK plugs., Dimensions: 262.6 x 175.4 x 8.6mm, 560g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta (Spain), Croatia, Cyprus, Czech Republic, Denmark, Dubai, Egypt, Eritrea, Estonia, Faroe Islands (Denmark), Finland, Gaza, Georgia, Germany, Greece, Greenland (Denmark), Hungary, Iraq, Israel, Italy, Kazakstan, Kirghizia, Latvia, Libya, Lichtenstein (CH), Lithuania, Luxembourg, Macedonia, Madeira (Portugal), Malta, Monaco (I), Montenegro, Netherlands, Norway, Oman, Palestine, Poland, Portugal, Romania, Russian Federation, San Marino (Italy), Saudi Arabia, Serbia, Slovakia, Slovenia, South Africa, Spain, Sweden, Switzerland, Tajikistan, Turkey, Turkmenistan, Ukraine, United Arabian Emirates, Uzbekistan, Vatican City State (Italy), West Bank (Palestinian authority), Western Sahara, Yemen, Zambia., For delivery into the UK and France please use another order code.	S26391-K340-V100	442,00	
	STYLISTIC M532 WiFi	25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 32 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback 8.4 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB)., Including MicroUSB-to-USB cable, cleaning cloth and AC adapter with EU and UK plugs., Dimensions: 262.6 x 175.4 x 8.6mm, 560g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta (Spain), Croatia, Cyprus, Czech Republic, Denmark, Dubai, Egypt, Eritrea, Estonia, Faroe Islands (Denmark), Finland, France, Gaza, Georgia, Germany, Greece, Greenland (Denmark), Hungary, Iraq, Israel, Italy, Kazakstan, Kirghizia, Latvia, Libya, Lichtenstein (CH), Lithuania, Luxembourg, Macedonia, Madeira (Portugal), Malta, Monaco (I), Montenegro, Netherlands, Norway, Oman, Palestine, Poland, Portugal, Romania, Russian Federation, San Marino (Italy), Saudi Arabia, Serbia, Slovakia, Slovenia, South Africa, Spain, Sweden, Switzerland, Tajikistan, Turkey, Turkmenistan, Ukraine, United Arabian Emirates, United Kingdom, Uzbekistan, Vatican City State (Italy), West Bank (Palestinian authority), Western Sahara, Yemen, Zambia.	S26391-K340-V200	394,00	



Fujitsu recommends Windows 8

STYLISTIC M532

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
STYLISTIC M532 (Continued)					
STYLISTIC M532 64GB		25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 64 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, UMTS/3G with HSPA+, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback 8.4 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB)., Including MicroUSB-to-USB cable, cleaning cloth and AC adapter with EU and UK plugs., Dimensions: 262.6 x 175.4 x 8.6mm, 560g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta (Spain), Croatia, Cyprus, Czech Republic, Denmark, Dubai, Egypt, Eritrea, Estonia, Faroe Islands (Denmark), Finland, Gaza, Georgia, Germany, Greece, Greenland (Denmark), Hungary, Iraq, Israel, Italy, Kazakstan, Kirghizia, Latvia, Libya, Lichtenstein (CH), Lithuania, Luxembourg, Macedonia, Madeira (Portugal), Malta, Monaco (I), Montenegro, Netherlands, Norway, Oman, Palestine, Poland, Portugal, Romania, Russian Federation, San Marino (Italy), Saudi Arabia, Serbia, Slovakia, Slovenia, South Africa, Spain, Sweden, Switzerland, Tajikistan, Turkey, Turkmenistan, Ukraine, United Arabian Emirates, Uzbekistan, Vatican City State (Italy), West Bank (Palestinian authority), Western Sahara, Yemen, Zambia., For delivery into the UK and France please use another order code.	S26391-K340-V500	555,00	
STYLISTIC M532 IN (Promo)		STYLISTIC M532 IN Nvidia Tegra3 1.4GHz Quadcore 10.1" WXGA Display 32GB, 3G, Android, 25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 32 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, UMTS/3G with HSPA+, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback > 9 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB)., Including MicroUSB-to-USB cable, cleaning cloth and AC adapter with EU and UK plugs., Dimensions: 262.6 x 175.4 x 8.6mm, 560g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta (Spain), Croatia, Cyprus, Czech Republic, Denmark, Dubai, Egypt, Eritrea, Estonia, Faroe Islands (Denmark), Finland, France, Gaza, Georgia, Germany, Greece, Greenland (Denmark), Hungary, India, Iraq, Israel, Italy, Kazakstan, Kirghizia, Latvia, Libya, Lichtenstein (CH), Lithuania, Luxembourg, Macedonia, Madeira (Portugal), Malta, Mayotte (France), Monaco (I), Montenegro, Netherlands, Norway, Oman, Palestine, Poland, Portugal, Réunion (France), Romania, Russian Federation, San Marino (Italy), Saudi Arabia, Serbia, Slovakia, Slovenia, South Africa, Spain, Sweden, Switzerland, Tajikistan, Turkey, Turkmenistan, Ukraine, United Arabian Emirates, Uzbekistan, Vatican City State (Italy),	VFY:M53200MPAD1IN		



Fujitsu recommends Windows 8

STYLISTIC M702

The Fujitsu STYLISTIC M702 is the ideal choice if you are looking for a robust yet lightweight highperformance tablet PC to support you in the field and to increase business continuity. Being water- and dustproof, it protects components most frequently damaged, making it perfect for semi-ruggedized applications. The 25.7 cm (10.1-inch) STYLISTIC M702 provides protection against environmental conditions, ensuring uncompromising productivity whether exposed to rain, humidity or dust. Moreover, it can easily be integrated into your company's Virtual Desktop Infrastructure (VDI), thus ensuring protected anytime access to your company data while its business software lets you securely manage your contacts and emails. Embedded 4G/LTE delivers latest high-speed connectivity for end-to-end performance in the most challenging situations and the Android operating system's rich multimedia features also make it perfect for private use.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
STYLISTIC M702					
STYLISTIC M702	25.7cm (10.1") TFT high-brightness WUXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core AP37 ARM Cortex A9, up to Single-Core 1.7GHz/Quad-Core 1.6GHz, 2GB memory (LPDDR2, 533MHz), 32 GB eMMC Flash memory. Bluetooth 4.0 (Smart Ready), Wireless LAN 802.11a/b/g/n, LTE, UMTS/3G with HSPA+, GPS, NFC, MHL, 1.2MP front camera, 8.1MP rear camera incl. autofocus, 10.080mAh Lithium-Polymer battery for video playback 10 hours (tbc), digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, fingerprint reader, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card slot, 1 x Micro SIM card slot, 1 x docking connector (for charging)., Including MicroUSB-to-USB cable, cleaning cloth, cradle and AC adapter with EU and UK power cables., Dimensions: 259 x 169 x 9.9mm, 590g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta (Spain), Croatia, Cyprus, Czech Republic, Denmark, Dubai, Egypt, Eritrea, Estonia, Faroer Islands (Denmark), Finland, France, Gaza, Georgia, Germany, Greece, Greenland (Denmark), Hungary, Iraq, Israel, Italy, Kazakstan, Kirghizia, Latvia, Libya, Lichtenstein (CH), Lithuania, Luxembourg, Macedonia, Madeira (Portugal), Malta, Monaco (I), Montenegro, Netherlands, Norway, Oman, Palestine, Poland, Portugal, Romania, Russian Federation, San Marino (Italy), Serbia, Slovakia, Slovenia, South Africa, Spain, Sweden, Switzerland, Tajikistan, Turkey, Turkmenistan, Ukraine, United Arabian Emirates, United Kingdom, Uzbekistan, Vatican City State (Italy), West Bank (Palestinian authority), Western Sahara, Yemen, Zambia.	S26391-K369-V100	1.277,00		



Fujitsu recommends Windows 8

STYLISTIC Q572

The Fujitsu STYLISTIC Q572 is the ideal lightweight 25.7 cm (10.1-inch) tablet PC for mobile professionals in business, government and SME. With pen and finger support, the slim 732 g device provides perfect flexibility to accomplish your daily tasks. Its swappable battery lets you deliver from start to finish and numerous interfaces as well as a docking option bring full convenience to your desk. 4G/LTE ensures ultimate connectivity anywhere and enterprise-class security features enhance data protection in sensitive environments.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
STYLISTIC Q572					
	ST Q572 /WIN8 READY/SSD 128GB/ (Promo)	ST Q572 /WIN8 READY/SSD 128GB/ No UMTS/LTE/CAM/CK INT/AC/CBL EU/ LIC WIN8 PRO/RDVD WIN8 PRO64/ WIN8 PRO64 MAIN/,	LKN:Q5720M0001IT		
	ST Q572 /WIN8 READY/SSD 128GB/ (Promo)	ST Q572 /WIN8 READY/SSD 128GB/ UMTS Gobi 3000/CAM/TPM/CK INT/BATT/AC/ CBL EU/Cradle/LIC WIN8 PRO/ RDVD WIN8 PRO64/WIN8 PRO64 MAIN/,	LKN:Q5720M0002IT		
	ST Q572 /WIN8 READY/SSD 128GB/	ST Q572 /WIN8 READY/SSD 128GB/ No UMTS/LTE/CAM/CK INT/AC/CBL EU/ LIC WIN8 PRO/RDVD WIN8 PRO64/ WIN8 PRO64 MAIN/,	PRJ:Q5720M0001IT	1.193,00	

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
STYLISTIC Q572					
	STYLISTIC Q572	Base unit with 25,7cm (10,1") TFT wide-view high-bright WXGA/HD LED Display with hardened glass and magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), AMD A68M FCH Chipset, 4 GB Dual Channel DDR3 1600MHz PC12800 RAM fix integrated (soldered). AMD Radeon(TM) HD 6250 integrated graphics, S-ATA III Interface for internal HDD, 10/100 MBit LAN (LAN connector in the cradle only), Realtek HD Audio, 2 digital microphones and 2 loudspeakers integrated, ambient-light sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons., Interfaces: SmartCard Reader, SD Card reader, HDMI, 1x bootable USB 2.0 , optional SIM-Card Reader for UMTS/LTE, audio out (line-out, headphones), cradle connector., Tablet pen, pen tether and cleaning cloth.	S26391-K373-V100	733,00	



Fujitsu recommends Windows 8

STYLISTIC Q702

The Fujitsu STYLISTIC Q702 is the perfect choice for mobile professionals looking for high-performance without compromising on versatility. With its attachable keyboard option, this lightweight hybrid tablet PC enables easy content creation and consumption. Either use it as a tablet when traveling or attach the keyboard and convert the STYLISTIC Q702 into a traditional notebook for additional usability in the office. The 29.5 cm (11.6-inch) display with pen and finger input support offers you excellent flexibility while optional 4G/LTE completes the picture of a professional tablet.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
STYLISTIC Q702					
ST Q702	/WIN8 KIT/I3-3227U/SSD 128GB/ (Promo)	ST Q702 /WIN8 KIT/I3-3227U/SSD 128GB/ Atheros HB116/BT 4.0/No WWAN / No GPS/ HD Cam front/5MP CAM BACK/No TPM/CK INT/ AC/CBL EU/LIC WIN8 PRO/RDVD WIN8 PRO64/,	LKN:Q7020M0001IT		
ST Q702	/WIN8 KIT/I5-3437U/SSD 128GB/ (Promo)	ST Q702 /WIN8 KIT/I5-3437U/SSD 128GB/ CENTR. 6205/BT 4.0/UMTS/HD Cam front/ 5MP CAM BACK/TPM/CK INT/AC/CBL EU/ LIC WIN8 PRO/RDVD WIN8 PRO64/,	LKN:Q7020M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
STYLISTIC Q702					
STYLISTIC Q702		Base unit with 29,5cm (11.6") TFT wide-view high-bright WXGA/HD LED Display with hardened glass and magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel Chipset QM77 with Intel AMT 8.0 functionality (vPro requires Core i5 processor plus Intel W-LAN plus TPM module),4 GB Dual Channel DDR3 1600MHz PC12800 RAM fix integrated (soldered). Mobile Intel HD 4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 Mbit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, ambient-light sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons. Interfaces: SD Card reader, HDMI, 1x bootable USB 3.0, 1x bootable USB 2.0 , optional SIM-Card Reader for UMTS/LTE, audio in (line-in, microphone), audio out (line-out, headphones), keyboard docking connector., Tablet pen, pen tether and cleaning cloth.	S26391-K362-V100	850,00	



Fujitsu recommends Windows 8

Tablet PC Accessories

Category	Description	Details	STYLISTIC M632	STYLISTIC M702	STYLISTIC Q650	STYLISTIC Q572	STYLISTIC Q702	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix											
OS/Application-SW											
	Drivers&Utility (Win7) LIFEBOOK	incl. Nero 7 Essentials S						x	S26361-F2007-L903	17,00	
	Drivers&Utility DVD (Win7) LIFEBOOK				x				S26361-F2010-L201	22,00	
	DU-DVD (Win8) LIFEBOOK/STYLISTIC 2012					x	x		S26361-F2012-L104	28,00	
UPS/Power supply											
	Battery PortRep 4cell 45Wh (3150mAh)	only usable in the Portreplikator with integrated Keyboard						x	S26391-F1206-L100	82,00	
	2nd Battery 3cell 36Wh (3350mAh)	attach the grip battery as second battery at the docking connector (instead of the keyboard docking)						x	S26391-F1206-L200	156,00	Orderable from: 28/06/2013
	3pin Slim AC Adapter 19V/65W							x	S26391-F1206-L500	38,00	
	Additional battery 2cell 36Wh (5000mAh)					x			S26391-F1216-L100	77,00	
	Slim AC Adapter 19V/60W (w/o cable)					x			S26391-F1216-L510	38,00	
	AC Adapter (including DC plug EU/UK/US)		x						S26391-F338-L100	44,00	
	AC Adapter (w/o cable)			x					S26391-F339-L100	38,00	
	External battery charger, incl. 16V AC Cable	External battery charger, incl. 16V AC w/o AC Cable			x	x			S26391-F778-L400	189,00	
	Battery 4cell 38Wh (5.240mAh)				x				S26391-F916-L200	134,00	Phased out
Security											
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L101	19,00	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L102	29,00	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L103	37,00	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L104	30,00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L105	46,00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L106	57,00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L107	35,00	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L108	56,00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L109	78,00	
	ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x		S26361-F2009-L113	48,00	
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x		S26361-F2009-L114	77,00	
	ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x		S26361-F2009-L115	94,00	
	ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x		S26361-F2009-L116	54,00	
	ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x		S26361-F2009-L117	88,00	
	ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x		S26361-F2009-L118	116,00	
	ATP, ComputraceOne, Abo. 5J.	Single key licence, for more info please check hint box / product description				x	x		S26361-F2009-L119	166,00	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L201	19,00	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L202	29,00	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L203	37,00	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L204	30,00	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L205	46,00	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L206	57,00	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L207	35,00	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L208	56,00	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			x	x	x	x	S26361-F2009-L209	78,00	
	ATP, Data Protection,PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		S26361-F2009-L213	48,00	
	ATP, Data Protection,PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		S26361-F2009-L214	77,00	
	ATP, Data Protection,PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		S26361-F2009-L215	94,00	
	ATP, ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		S26361-F2009-L216	54,00	



Fujitsu recommends Windows 8

Tablet PC Accessories

Category	Description	Details	STYLISTIC M532	STYLISTIC M702	STYLISTIC Q550	STYLISTIC Q572	STYLISTIC Q702	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix											
Security (Continued)											
	ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		S26361-F2009-L217	88,00	
	ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		S26361-F2009-L218	116,00	
	Computrace Mobile Basic, Abo 1 Y.		x	x					S26361-F2009-L300	14,00	
	Computrace Mobile Basic, Abo 3 Y.		x	x					S26361-F2009-L301	33,00	
	Computrace Mobile Standard, Abo 1 Y.		x	x					S26361-F2009-L302	24,00	
	Computrace Mobile Standard, Abo 3 Y.		x	x					S26361-F2009-L303	48,00	
	Computrace Mobile Basic, Abo 1 Y. Master		x	x					S26361-F2009-L400	14,00	
	Computrace Mobile Basic, Abo 3 Y. Master		x	x					S26361-F2009-L401	33,00	
	Computrace Mobile Std, Abo 1 Y. Master		x	x					S26361-F2009-L402	24,00	
	Computrace Mobile Std, Abo 3 Y. Master		x	x					S26361-F2009-L403	48,00	
	ATP, Data Protection, PE, Abo. 5Y.					x	x		S26361-F2011-L10	133,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license, for orders up to 99 licenses, no software, no data medium						x	S26361-F2727-L100	20,00	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing			x			x	S26381-F11-L100	38,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7compatible, USB interface			x			x	S26381-F331-L220	25,00	
	PalmSecure Sensor STD FAT13M3S1	PalmSecure Sensor STD FAT13M3S1 palmvein sensor for biometric authentication. Component for integration without cable, manual and software			x			x	S26381-K434-L100	239,00	
	PalmSecure SDK	PalmSecure SDK Software Development Kit for PalmSecure PSSDK_FAT13S1A04			x			x	S26381-K434-L201	4.444,00	
	PalmSecure U Guide FAT13G2A2L	PalmSecure U Guide FAT13G2A2L specila handguide for palmvein sensor			x			x	S26381-K434-L500	52,00	
	PalmSecure Sensor Guide Kit STD	PalmSecure Sensor Guide Kit STD contains an external USB vein sensor for biometric authentication. USB 2.0 bus powered. Set contains:., Sensor, holder, Handguide and USB cable in Brown box.			x			x	S26381-K436-L100	256,00	
Miscellaneous											
	Screen Protector (2pcs)							x	S26391-F1209-L400	39,00	
	Pen and Tether set				x	x			S26391-F1219-L200	37,00	
	Pen attachment (2pcs)				x				S26391-F1219-L300	14,00	
	Screen Protector (2pcs)				x				S26391-F1219-L400	39,00	
	USB/HDMI Adapter		x						S26391-F338-L300	55,00	
	Pen & tether set				x				S26391-F796-L810	55,00	Phased out
	Screen protection foil (2 pieces)				x				S26391-F917-L300	39,00	Phased out
Cables											
	Power cord three-wire CHN	Power cord three-wire CHN; Mickey Mouse C5 connector						x	S26361-F2581-L350	33,00	
	power cable EU	black, 2-pole, 1.8 m		x	x			x	T26139-Y2540-V113	9,00	
	power cable UK	black, 2-pole, 1.8 m		x	x			x	T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1.8 m		x	x			x	T26139-Y2540-V313	9,00	
	Power cord three-wire DK	Power cord three-wire EU						x	S26361-F2581-L328	17,00	
	Power cord three-wire US	Power cord three-wire US; Mickey Mouse C5 connector						x	S26361-F2581-L300	17,00	
	Power cord three-wire EU	Power cord three-wire EU; Mickey Mouse C5 connector						x	S26361-F2581-L310	17,00	
	Power cord three-wire GB	Power cord three-wire GB; Mickey Mouse C5 connector						x	S26361-F2581-L320	17,00	
	Power cord three-wire I	Power cord three-wire I						x	S26361-F2581-L330	17,00	
	Power cord three-wire CH	Power cord three-wire CH; Mickey Mouse C5 connector						x	S26361-F2581-L340	17,00	
Additional Software											
	OPENFT-1 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs			x				U11081-C401	1.348,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs			x				U11081-C301	1.225,00	



Fujitsu recommends Windows 8

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
Approvals/dependencies							
	China Energy Label (CEL) Q702			x	S26391-F1100-E930	4,00	
LCD-Display							
	Win7 Ready Kit			x	S26391-F1200-E100	2,00	
	Win8 Ready Kit			x	S26391-F1200-E200	2,00	
	Win7 Ready Kit		x		S26391-F1210-E100	2,00	
	Win8 Ready Kit		x		S26391-F1210-E200	2,00	
Processor							
	Intel Core i3-3227U 1.9 GHz 3MB			x	S26391-F1201-E322	158,00	
	Intel Core i5-3437U up to 2.9 GHz 3MB			x	S26391-F1201-E343	282,00	
Hard Disks							
	SSD mSATA 64 GB			x	S26391-F1203-E820	177,00	
	SSD mSATA 64 GB FDE		x	x	S26391-F1203-E920	177,00	
	SSD mSATA 64 GB OPAL TCG		x	x	S26391-F1203-E830	177,00	
	SSD mSATA 128 GB			x	S26391-F1203-E821	217,00	
	SSD mSATA 128 GB FDE		x	x	S26391-F1203-E921	265,00	
	SSD mSATA 128 GB OPAL TCG		x	x	S26391-F1203-E831	265,00	
	SSD mSATA 256 GB		x	x	S26391-F1203-E822	268,00	
Communication/Network							
	No WLAN			x	S26391-F1205-E200	2,00	
	Intel Centrino 6205 802.11a/b/g/n (WW)			x	S26391-F1205-E210	22,00	
	Atheros HB116 WLAN 11a/b/g/n (WW)			x	S26391-F1205-E220	10,00	
	No Bluetooth			x	S26391-F1205-E300	2,00	
	Bluetooth Module V4.0			x	S26391-F1205-E310	23,00	
	No WWAN / No GPS			x	S26391-F1205-E500	2,00	
	No UMTS/LTE		x		S26391-F1215-E500	2,00	
	UMTS module Sierra Wireless Gobi 3000		x		S26391-F1215-E525	89,00	
	UMTS Sierra Wireless Gobi 3000 WIN7/WIN8			x	S26391-F1205-E528	89,00	
	LTE module Sierra Wireless MC7710		x		S26391-F1215-E535	145,00	
	LTE Sierra Wireless MC7710 WIN7/WIN8			x	S26391-F1205-E538	145,00	
Multimedia Module							
	HD front Camera front & 5 MP rear Camera		x		S26391-F1210-E510	42,00	
	HD front Camera			x	S26391-F1200-E510	17,00	
	5 MP rear Camera			x	S26391-F1200-E610	32,00	
Mobile Security							
	TPM Module		x		S26391-F1219-E110	8,00	
	No TPM			x	S26391-F1209-E100	3,00	
	TPM Module			x	S26391-F1209-E110	8,00	
	SystemLock3	SystemLock3 Smartcard BIOS Pre-Boot Authentication		x	S26391-F993-E200	18,00	
	SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics		x	S26361-F2011-E740	14,00	
Country kits							
	Country Kit DE			x	S26391-F1208-E100	6,00	
	Country Kit INT			x	S26391-F1208-E200	6,00	
	Country Kit GB			x	S26391-F1208-E300	6,00	
	Country Kit DE		x		S26391-F1218-E100	6,00	
	Country Kit INT		x		S26391-F1218-E200	6,00	
	Country Kit GB		x		S26391-F1218-E300	6,00	
	Warranty Card Poland			x	S26391-F781-E500	2,00	
Power supply							
	3pin AC Adapter 19V/65W slim and light			x	S26391-F1206-E500	15,00	
	Additional battery 2cell 36Wh (5000mAh)		x		S26391-F1216-E100	38,00	
	AC Adapter 19V/60W			x	S26391-F1216-E510	15,00	
	2-pin Power cable EU			x	S26391-F878-E210	5,00	
	2-pin Power cable US			x	S26391-F878-E220	5,00	
	2-pin Power cable GB			x	S26391-F878-E230	5,00	
	3-pin Power cable EU	3pin power cable for EU, Mickey Mouse (MM) connector type (for H720),		x	S26391-F878-E310	4,00	
	3-pin Power Cable US	3pin power cable for US, Mickey Mouse (MM) connector type (for H720)		x	S26391-F878-E320	4,00	
	3-pin Power Cable GB	3pin power cable for GB, Mickey Mouse (MM) connector type (for H720)		x	S26391-F878-E330	5,00	
	3-pin Power Cable IT			x	S26391-F878-E350	4,00	
	3-pin Power Cable CH	3pin power cable for Switzerland, Mickey Mouse (MM) connector type (for H720),		x	S26391-F878-E360	4,00	
	3-pin Power Cable DK			x	S26391-F878-E370	4,00	
Port Replicator							



Fujitsu recommends Windows 8

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
Port Replicator (Continued)							
	Portreplicator with Keyboard DE		x		S26391-F1207-E221	279,00	
	Portreplicator with Keyboard FR		x		S26391-F1207-E222	279,00	
	Portreplicator with Keyboard IT		x		S26391-F1207-E223	279,00	
	Portreplicator with Keyboard GB		x		S26391-F1207-E225	279,00	
	Portreplicator with Keyboard SE/FI		x		S26391-F1207-E226	279,00	
	Portreplicator with Keyboard NO		x		S26391-F1207-E227	279,00	
	Portreplicator with Keyboard DK		x		S26391-F1207-E228	279,00	
	Portreplicator with Keyboard ES		x		S26391-F1207-E230	279,00	
	Portreplicator with Keyboard PT		x		S26391-F1207-E231	279,00	
	Portreplicator with Keyboard CH		x		S26391-F1207-E232	279,00	
	Portreplicator with Keyboard US		x		S26391-F1207-E234	279,00	
	Portreplicator with Keyboard BE		x		S26391-F1207-E236	279,00	
	Portreplicator with Keyboard RU/GB		x		S26391-F1207-E242	279,00	
	Portreplicator with Keyboard HU		x		S26391-F1207-E245	279,00	
	Portreplicator with Keyboard NORD		x		S26391-F1207-E246	279,00	
	Portreplicator with Keyboard TR		x		S26391-F1207-E250	279,00	
	Portreplicator with Keyboard GR		x		S26391-F1207-E251	279,00	
	Portreplicator with Keyboard EE		x		S26391-F1207-E252	279,00	
	Portreplicator with Keyboard AR/GB		x		S26391-F1207-E255	279,00	
	Portreplicator with Keyboard IL		x		S26391-F1207-E257	279,00	
	Portreplicator with Keyboard CZ/SK/US		x		S26391-F1207-E266	279,00	
	Portreplicator with Keyboard IS		x		S26391-F1207-E270	279,00	
	Cradle		x		S26391-F1217-E500	46,00	
OS/Application-SW							
	No Operating System		x		S26361-F2008-E100	4,00	
	License - Windows 8 Pro		x	x	S26361-F2218-E100	116,00	
	License - Windows 8		x	x	S26361-F2218-E103	79,00	
	License - Windows 8 SST		x		S26361-F2218-E113	46,00	
	License EM - Windows 8		x	x	S26361-F2218-E106	60,00	
	Load Win8 Pro (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	x	x	S26361-F2238-E200	4,00	
	Load Win8 Pro (64) NEE+Office2013	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x	x	S26361-F2238-E201	4,00	
	Load Win8 Pro (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x	x	S26361-F2238-E202	4,00	
	Load Win8 (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	x	x	S26361-F2238-E207	4,00	
	Load Win8 (64) NEE+Office2013	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x	x	S26361-F2238-E208	4,00	
	Load Win8 (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x	x	S26361-F2238-E209	4,00	
	Load Win8 (64) EM+Office2013	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,	x	x	S26361-F2238-E213	4,00	
	OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	S26361-F2218-E300	3,00	
	OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	S26361-F2218-E302	3,00	



Fujitsu recommends Windows 8

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
OS/Application-SW (Continued)							
	OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	S26361-F2218-E304	3,00	
	OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	S26361-F2218-E306	3,00	
	OS RDVD Windows 8 (32) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian	x	x	S26361-F2218-E308	3,00	
	OS RDVD Windows 8 (64) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian	x	x	S26361-F2218-E310	3,00	
	OEM Office Home and Student 2013 MPI MM		x	x	S26361-F2010-E291	100,00	
	OEM Office Home and Business 2013 MPI MM		x	x	S26361-F2010-E292	188,00	
	OEM Office Professional 2013 MPI MM		x	x	S26361-F2010-E293	355,00	
	DU-DVD (Win7) LIFEBOOK			x	S26361-F2012-E101	3,00	
	DU-DVD (Win7) LIFEBOOK			x	S26361-F2010-E211	3,00	
	DU-DVD (Win8) LIFEBOOK			x	S26361-F2012-E105	3,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	S26361-F2010-E243	85,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	S26361-F2010-E253	122,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)	x	x	S26361-F2010-E242	85,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)	x	x	S26361-F2010-E252	122,00	
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	S26361-F2010-E244	85,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	S26361-F2010-E254	122,00	



Fujitsu recommends Windows 8

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
OS/Application-SW (Continued)							
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	S26361-F2010-E245	85,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	S26361-F2010-E255	122,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India	x	x	S26361-F2010-E248	85,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x	x	S26361-F2010-E258	122,00	
	Win7 Pro64 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL,	x	x	S26361-F2237-E451	4,00	
	Win7 Pro64 NORDIC+Office2013	Languages: DK, EN, FI, NO, RU, SV,	x	x	S26361-F2237-E452	4,00	
	Win7 Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,	x	x	S26361-F2237-E453	4,00	
	Win7 Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK,	x	x	S26361-F2237-E454	4,00	
	Win7 Pro64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR,	x	x	S26361-F2237-E455	4,00	
	Win7 Pro64 RU+Office2013	Languages: RU,	x	x	S26361-F2237-E456	4,00	
	REC-DVD Win7 Home Premium 64 All MuLi		x		S26361-F2010-E643	3,00	
	REC-DVD Win7 Home Premium 64 RUS	RU		x	S26361-F2010-E642	3,00	
	REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	S26361-F2010-E653	3,00	
	REC-DVD Win7 Professional 64 RUS	RU		x	S26361-F2010-E652	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	S26361-F2010-E753	3,00	
	REC-DVD Win7 Home Premium 32 RU		x		S26361-F2010-E544	3,00	
	REC-DVD Win7 Home Premium 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x		S26361-F2010-E545	3,00	
	REC-DVD Win7 Professional 32 RU		x		S26361-F2010-E554	3,00	
	REC-DVD Win7 Professional 32 All MuLi		x		S26361-F2010-E555	3,00	
	REC-DVD Win7 Home Premium 64 RU		x		S26361-F2010-E644	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi		x		S26361-F2010-E645	3,00	
	REC-DVD Win7 Professional 64 RU		x		S26361-F2010-E654	3,00	



Fujitsu recommends Windows 8

Tablet PC Options

Category	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options matrix							
OS/Application-SW (Continued)							
	REC-DVD Win7 Professional 64 All MuLi		x		S26361-F2010-E655	3,00	
	Win7 HomePremium64 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL,	x	x	S26361-F2237-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2013	Languages: DK, EN, FI, NO, RU, SV,	x	x	S26361-F2237-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,	x	x	S26361-F2237-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK,	x	x	S26361-F2237-E444	4,00	
	Win7 HomePremium64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR,	x	x	S26361-F2237-E445	4,00	
	Win7 HomePremium64 RU+Office2013	Languages: RU,	x	x	S26361-F2237-E446	4,00	
Mouse							
	Mouse 400NB Black		x	x	S26391-F428-E100	7,00	Phased out
	MOUSE M410NB BLACK		x	x	S26391-F453-E100	7,00	
Miscellaneous							
	MAC Address WLAN on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	S26391-F782-E200	2,00	

Fujitsu recommends Windows 8

Positioning Notebooks



**LIFEBOOK S
Series**

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.



**LIFEBOOK E
Series**

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.

Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



**LIFEBOOK P
Series**

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exceptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.



LIFEBOOK NH751

The The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.



Fujitsu recommends Windows 8

LIFEBOOK T902

As a mobile professional, the Fujitsu LIFEBOOK T902 offers you the perfect versatile and flexible Tablet PC. The 33.8 cm (13.3-inch) convertible notebook enables maximum convenience and flexibility with a modular bay for additional battery runtime or storage as well as pen and finger input. In addition, the latest connectivity standard 4G/LTE provides ultimate connectivity, facilitating work and business trips.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T902					
	LB T902 /WIN8 READY/i5-3320M/2x4 GB/DVD/ (Promo)	LB T902 /WIN8 READY/i5-3320M/2x4 GB/DVD/ 500GB 7.2k/CENTR. 6205/BT 4.0/ UMTS ready/2 Mic&FHDCam/TPM/ERASEDISK/ CK Int/BATT/3PIN AC 100W/,	LKN:T9020M0003IT		
	LB T902 /WIN8 READY/i5-3340M/2x4 GB/DVD/ (Promo)	LB T902 /WIN8 READY/i5-3340M/2x4 GB/DVD/ 500GB 7.2k/CENTR. 6205/BT 4.0/ UMTS ready/2 Mic&FHDCam/TPM/ERASEDISK/ CK Int/BATT/3PIN AC 100W/,	LKN:T9020M0004IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T902					
	LIFEBOOK T902 WIN7/WIN8	Base unit with 33.8cm (13.3") TFT wide-view high-bright WSXGA/HD+ LED Display with hardened glass and magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel Chipset QM77 with Intel AMT 8.0 functionality (vPro requires Core i5/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 16 GB Dual Channel DDR3 1600MHz PC-12800 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD 4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, ambient light sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: Smart Card reader slot, SD Card reader, VGA, HDMI, 2x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Tablet pen, pen tether, cleaning cloth, notebook case.	S26391-K363-V200	1.210,00	



Fujitsu recommends Windows 8

LIFEBOOK S752

If you need a reliable notebook for everyday business use, choose the Fujitsu LIFEBOOK S752. Its 35.6 cm (14 -inch) display and useful interfaces offer you convenience in the office. The extendable modular bay for a second battery or hard disk drive lets you increase storage or battery runtime, providing enhanced flexibility. Multiple connectivity options and excellent energy efficiency complete the package.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S752					
	LB S752 /14.0" HD+/i5-3320M/2x4 GB/ (Promo)	LB S752 /14.0" HD+/i5-3320M/2x4 GB/DVD/500GB 7.2k/BT V4.0/UMTS/LTE ready/ WLAN 6205/mic&FHD cam/Fingerprint/TPM/ERASEDISK/CK Int/BATT/AC 19V/80W/CBL EU/	LKN:S7520M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S752					
	LIFEBOOK S752 HM76 Chipset	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , global model, , Please do not forget to configure the AC adapter, AC cable & 1st battery extra. We recommend to use 65W AC adapter for the system. For the usage with Port replicator 80W AC Adapter is required.	S26391-K351-V100	423,00	
	LIFEBOOK S752 Long Lifecycle	Long Lifecycle Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , , Please do not forget to configure the AC adapter, AC cable & 1st battery extra. We recommend to use 65W AC adapter for the system. For the usage with Port replicator or system with i7 CPU80W AC Adapter is required.	S26391-K351-V120	423,00	New product,Orderable from: 26/07/2013



Fujitsu recommends Windows 8

LIFEBOOK S762

If you need a lightweight but fully-equipped notebook for office-based or mobile working, choose the Fujitsu LIFEBOOK S762. This 1.8 kg notebook offers excellent mobility through its small form factor and 33.8 cm (13.3-inch) display. Its modular bay for increased battery runtime, a second hard disk drive or Fujitsu's optional patented bay projector guarantee you maximum flexibility on a business trip.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S762					
	LB S762 /13.3" HD/3360M/2x4 GB/ (Promo)	LB S762 /13.3" HD/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/EC slot/ BT V4.0/UMTS/LTE ready/WLAN 6205/ mic&FHD cam/Fingerprint/TPM/ERASEDISK/	LKN:S7620M0002IT		
Base unit configurations					
LIFEBOOK S762					
	LIFEBOOK S762 HM76	Base unit, Intel HM76 Chipset, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd battery, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 V, Intel High Definition Audio, integrated Touchpad with Gesture support, ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector., Interfaces: 1x ExpressCard (optional), 1x Smart Card Reader (optional), 1x SD Card reader, 1x VGA, 1x Displayport, 2x USB 3.0 (thereof 1x E-SATA/USB combo, 1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN, 1x RJ11 optional, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Global model, , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately., Info: vPro logo requires Intel Core i5-33xx or Core i7-35xx CPU, Intel 6205 W-LAN & TPM module.	S26391-K360-V100	599,00	



Fujitsu recommends Windows 8

LIFEBOOK S782

If you need a solid and reliable notebook for everyday business use, choose the Fujitsu LIFEBOOK S782. The 35.6 cm (14-inch) display and useful interfaces offer you enhanced convenience in the office. The modular bay for a second battery or hard disk drive to extend battery runtime or storage provides you with increased flexibility. Moreover, the solid magnesium display lid gives you enhanced stability.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S782					
	LB S782 /14.0" HD+/3360M/2x4 GB/ (Promo)	LB S782 /14.0" HD+/3360M/2x4 GB/DVD/ 500GB 7.2k/BT V4.0/UMTS/LTE ready/ WLAN 6205/MIC&CAM/Fingerprint/TPM/ERASEDISK/CK Int/BATT/AC 19V/80W/CBL EU/,	LKN:S7820M0002IT		
	LB S782 /14.0" HD/I5-3230M/4 GB/DVD/	LB S782 /14.0" HD/I5-3230M/4 GB/DVD/ 320GB/CENTR. 2200/BT V4.0/MIC&CAM/ Fingerprint/TPM/LOCK CABLE/CK Int/ AC 19V/80W/BATT/CBL EU/PortRep/,	PRJ:S7820M0001IT	1.434,00	Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S782					
	LIFEBOOK S782 QM77 Chipset	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC adapter, AC cable & 1st battery extra. We recommend to use 65W AC adapter for the system. For the usage with Port replicator 80W AC Adapter is required., Info: vPro logo requires Intel Core i5-33xx or Core i7-35xx CPU, Intel 6205 W-LAN & TPM module.	S26391-K358-V300	437,00	



Fujitsu recommends Windows 8

LIFEBOOK S792

If a solid, lightweight and fully-equipped notebook for mobile or office-based working is what you require, Fujitsu LIFEBOOK S792 should be your first choice. This 1.6 kg notebook provides the right balance between mobility and ease of use with its small form factor, 33.8 cm (13.3-inch) display and robust magnesium lid. Its modular bay for increased battery runtime, a second hard disk drive and Fujitsu's optional patented bay projector guarantee you maximum flexibility on business trips.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S792					
LIFEBOOK S792 QM77		Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd battery, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector, Sleeve Case., Interfaces: 1x ExpressCard (optional), 1x Smart Card Reader (optional), 1x SD Card reader, 1x VGA, 1x Displayport, 2x USB 3.0 (thereof 1x E-SATA/USB combo, 1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN, 1x RJ11 optional, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately., Info: vPro logo requires Intel Core i5-33xx or Core i7-35xx CPU, Intel 6205 W-LAN & TPM module.	S26391-K367-V300	633,00	



Fujitsu recommends Windows 8

LIFEBOOK E752

Your Professional Desktop Replacement

If you need a reliable and energy-efficient notebook for daily business use, select the Fujitsu LIFEBOOK E752. The 39.6 cm (15.6-inch) display and useful interfaces offer you enhanced convenience. The modular bay lets you add extra memory or a second battery to increase your flexibility. Moreover, advanced security features protect your valuable company data.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK E752					
	LB E752 /15.6" HD+/i5-3320M/2x4 GB/ (Promo)	LB E752 /15.6" HD+/i5-3320M/2x4 GB/DVD/ 500GB 7.2k/BT V4.0/UMTS/LTE ready/ WLAN 6205/mic&FHD cam/Fingerprint/TPM/ ERASEDISK/CK Int/BATT/AC 19V/80W/CBL EU/,	LKN:E7520M0002IT		
	LB E752VPRO /15.6" HD/i5-3230M/4 GB/DVD/	LB E752VPRO /15.6" HD/i5-3230M/4 GB/DVD/ 320GB/WLAN 6205/DUMMY/TPM/CK Int/BATT/ AC 19V/65W/CBL EU/KB b w/o IT/ COA_W7_MM_PROFES/W7_RDVD_32+64_P ROF/,	PRJ:E7520M0001IT	1.361,00	Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E752					
	LIFEBOOK E752 HM76 Chipset	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , global model, , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V100	450,00	



Fujitsu recommends Windows 8

LIFEBOOK E752

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E752 (Continued)					
	LIFEBOOK E752 HM76 Chipset 10-key	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V110	460,00	
	LIFEBOOK E752 10-key Long Lifecycle	Long Lifecycle Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V120	460,00	New product,Orderable from: 26/07/2013



Fujitsu recommends Windows 8

LIFEBOOK E752

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E752 (Continued)					
	LIFEBOOK E752 QM77 Chipset	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), . Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V200	479,00	
	LIFEBOOK E752 QM77 Chipset 10-key	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), . Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V210	489,00	



Fujitsu recommends Windows 8

LIFEBOOK E782

If you need a solid, reliable notebook to support you in your daily work, choose the Fujitsu LIFEBOOK E782. Its 39.6 cm (15.6-inch) display and useful interfaces offer you convenience in the office. The modular bay for a second battery or hard disk drive lets you extend battery runtime or storage, enhancing your flexibility. In addition, the solid magnesium lid enables increased stability wherever you're working.

Model	Description	Details	Product Code	EUP (€)	Comments
LIFEBOOK E782					
Standard products					
	LB E782 /15.6" FHD/3360M/2x4 GB/ (Promo)	LB E782 /15.6" FHD/3360M/2x4 GB/DVD/ 500GB 7.2k/BT V4.0/UMTS/LTE ready/ WLAN 6205/MIC&CAM/Fingerprint/TPM/ERASEDISK/CK Int/BATT/AC 19V/80W/CBL EU/,	LKN:E7820M0001IT		
	LB E782 /15.6" HD/i7-3632QM/4 GB/DVD/ (Promo)	LB E782 /15.6" HD/i7-3632QM/4 GB/DVD/ 500GB 7.2k/BT V4.0/UMTS GOBI 3000/ WLAN 6205/MIC&CAM/Fingerprint/TPM/ERASEDISK/CK Int/BATT/CBL EU/AC/KB IT/,	LKN:E7820M0003IT		
	LB E782 /15.6" HD+/i5-3230M/4 GB/DVD/	LB E782 /15.6" HD+/i5-3230M/4 GB/DVD/ 500GB 7.2k/BT V4.0/UMTS GOBI 3000/ WLAN 6205/DUMMY/CK Int/AC 19V/80W/ CBL EU/1ST BATT/KB IT/DU-DVD (WinXP) LB/,	PRJ:E7820M0001IT	1.554,00	

Model	Description	Details	Product Code	EUP (€)	Comments
LIFEBOOK E782					
Base unit configurations					
	LIFEBOOK E782 QM77 Chipset 10-key	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and/or Full-HD displays and for usage with port replicator a 80W AC Adapter is required., Info: vPro logo requires Intel Core i5-33xx or Core i7-35xx CPU, Intel 6205 W-LAN & TPM module.	S26391-K357-V310	486,00	



Fujitsu recommends Windows 8

LIFEBOOK P772

The Small Companion to Go

As a frequent traveler, the lightweight but fully-featured Fujitsu LIFEBOOK P772 provides you with the right balance of flexibility and mobility for working on the move. The LIFEBOOK P772 is unique in offering an integrated modular bay in a 30.7 cm (12.1-inch) notebook. The patented bay projector option guarantees you additional presentation convenience on business trips.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK P772					
	LB P772 SC /12.1" WXGA/i5-3320M/2x4 GB/ (Promo)	LB P772 SC /12.1" WXGA/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/BT V4.0/ UMTS/LTE ready/WLAN 6205/mic&FHD cam/ Fingerprint/TPM/ERASEDISK/CK Int/BATT/	LKN:P7720M0002IT		
	LB P772 SC /12.1" WXGA/i5-3340M/2x4 GB/ (Promo)	LB P772 SC /12.1" WXGA/i5-3340M/2x4 GB/ DVD Super Multi/500GB 7.2k/BT V4.0/ UMTS/LTE ready/WLAN 6205/mic&FHD cam/ Fingerprint/TPM/ERASEDISK/CK Int/BATT/	LKN:P7720M0008IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK P772					
	LIFEBOOK P772 SC matt	Base unit matt black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces: 1x Smartcard Reader, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra., Info: vPro logo requires Intel Core i5-33xx/i7 CPU, Intel 6205 W-LAN & TPM module.	S26391-K361-V340	625,00	
	LIFEBOOK P772 EC glossy black	Base unit glossy black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces:1x Express Card, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra., Info: vPro logo requires Intel Core i5-33xx/i7 CPU, Intel 6205 W-LAN & TPM module.	S26391-K361-V320	625,00	



Fujitsu recommends Windows 8

LIFEBOOK P772

LIFEBOOK P772 SC glossy black	Base unit glossy black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces: 1x Smartcard Reader, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra., Info: vPro logo requires Intel Core i5-33xx/i7 CPU, Intel 6205 W-LAN & TPM module.	S26391-K361-V330	625,00
-------------------------------	--	------------------	--------



Fujitsu recommends Windows 8

LIFEBOOK P702

Ultra-Mobile Performance to Go

If you need a versatile and lightweight notebook for your everyday business tasks, the Fujitsu LIFEBOOK P702 should be your first choice. Its small form factor, 30.7 cm (12.1-inch) display and long battery runtime ensure enhanced mobile productivity. The ShockSensor protects your hard disk drive against physical impacts while its robust magnesium lid and various security features guarantee that the notebook is secure both on the move and in the office.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK P702					
LIFEBOOK P702 HM76	Base unit, Chipset Intel i76HM, supports Dual Channel DDR3 1333MHz PC12800 RAM (2 DIMM slots). Mobile Intel HD4000 integrated graphics, S-ATA III HDD interface, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 , integrated Touchpad with Gesture support, LED-Status display, ScrollWheel, G-sensor, application buttons, connector for Kensington Lock, Interfaces: Express Card slot type 34, 1xSmart Card reader: 1x VGA, 1x Displayport, SD Card reader, 2x USB 2.0, 1xUSB 3.0 with Anytime USB Charge, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Global model, , Please do not forget to configure the AC Adapter (65W for notebook; 80W for Portrep), AC cable and 1st Battery extra	S26391-K350-V100	607,00		



Fujitsu recommends Windows 8

LIFEBOOK U772

Business Elegance in Style

The Fujitsu LIFEBOOK U772 Ultrabook™ is the perfect choice for demanding business professionals on business trips and in the office. The stylish and fully-featured notebook offers a unique combination of an outstanding small form factor with a 35.6 cm (14-inch) frameless display at only 1.4 kg, making you a real eye-catcher. Its extended battery runtime, high responsiveness, ultimate security features and optional embedded 4G/LTE or 3G/UMTS offer you the slim mobility you need when on the move. Moreover, the solid magnesium housing provides additional reliability, anywhere..

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK U772					
	LB U772 SILVER /14.0" HD/I5-3337U/4 GB/	LB U772 SILVER /14.0" HD/I5-3337U/4 GB/ SSD Cache 32GB/320GB/CENTR. 6205/BT/ MIC&CAM/FP/CK Int/BATT.45WH/AC/ AC CABLE IT 3-PIN/KB b w/o IT/	PRJ:U7720M0001IT	1.640,00	Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK U772					
	LIFEBOOK U772 silver	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports DDR3 1600MHz PC12800 RAM (1 DIMM slot). Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, G-sensor, LED Status display, Eco button, Kensington Lock connector, Interfaces: 1x SD Card reader, 1x HDMI, 2x USB 3.0 (1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN (mini LAN connector incl. Adapter), 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter and AC Cable extra., Info: vPro logo requires Intel Core i5-34xx/i7 CPU, Intel 6205 W-LAN & TPM module.	S26391-K364-V100	737,00	
	LIFEBOOK U772 red	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports DDR3 1600MHz PC12800 RAM (1 DIMM slot). Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, G-sensor, LED Status display, Eco button, Kensington Lock connector, Interfaces: 1x SD Card reader, 1x HDMI, 2x USB 3.0 (1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN (mini LAN connector incl. Adapter), 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter and AC Cable extra., Info: vPro logo requires Intel Core i5-34xx/i7 CPU, Intel 6205 W-LAN & TPM module.	S26391-K364-V200	737,00	



Fujitsu recommends Windows 8

LIFEBOOK UH552/UH572

UH552: Your Slim and Stylish Partner

For everyday business, the slim and attractive Fujitsu LIFEBOOK UH552 is the ideal device. Its light weight of 1.6 kg, small form factor and 33.8 cm (13.3-inch) anti-glare display offer you the mobility you desire. Its combination of good looks and thin design lets you arouse attention in all situations. Moreover, the notebook provides effective working with optional embedded 3G/UMTS and Computrace® enabled BIOS to keep your data safe.

UH572 Business in a Briefcase

The stylish and ultra-slim Fujitsu LIFEBOOK UH572 Ultrabook™ is the perfect choice for everyday requirements. Its small form factor, 33.8 cm (13.3-inch) display and light weight of only 1.6 kg offer enhanced mobility. An attractive combination of thin design and sleek look with two color options makes the LIFEBOOK UH572 turn heads anywhere. Elaborate security features, optional embedded 3G/UMTS and high responsiveness provide you with enhanced convenience for effective working in all situations.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK UH552					
	LB UH552 silver i5 /4 GB/500GB/ (Promo)	LB UH552 silver i5 /4 GB/500GB/ Intel Centr N2230/CK INT/ AC 19V/65W+EU CBL/KB ISO BL IT/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/	LKN:UH552M0001IT		
Base unit configurations					
LIFEBOOK UH552					
	LIFEBOOK UH552 silver i3	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i3-3217U (1.8 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W slimm stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V130	624,00	
	LIFEBOOK UH552 silver i5	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V150	680,00	
	LIFEBOOK UH552 silver i3 Win8	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i3-3217U (1.8 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W slimm stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V138	617,00	



Fujitsu recommends Windows 8

LIFEBOOK UH552/UH572

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK UH552 (Continued)					
	LIFEBOOK UH552 silver i5 Win8	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V158	674,00	
LIFEBOOK UH552/UB					
	LIFEBOOK UH552/UB silver i3-3217U	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i3-3217U (1.8 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W slimm stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V140	624,00	
	LIFEBOOK UH552/UB silver i5-3317U	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V160	680,00	
LIFEBOOK UH572					
	LIFEBOOK UH572 silver i7	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V170	836,00	
	LIFEBOOK UH572 red i7-3517U	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V270	836,00	
	LIFEBOOK UH572 silver i5-3337U	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3337U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V350	765,00	



Fujitsu recommends Windows 8

LIFEBOOK UH552/UH572

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK UH572 (Continued)					
	LIFEBOOK UH572 red i5-3337U	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3337U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V450	765,00	
	LIFEBOOK UH572 silver i7 Win8	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V178	825,00	
	LIFEBOOK UH572 red i7 Win8	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V278	825,00	



Fujitsu recommends Windows 8

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	Product Code	EUP (€)	Comments
Options matrix																						
Thin Client Kit	Thin Client Upgrade Kit LIFEBOOK	administrative component to avoid non-functional configurations.							x											S26391-F994-E100	3,00	
Approvals/dependencies	US (FCC) approval						x	x	x	x										S26391-F1100-E910	3,00	
	China Energy Label (CEL) S752																			S26391-F1100-E920	4,00	
	China Energy Label (CEL) S762																			S26391-F1100-E922	4,00	
	China Energy Label (CEL) P702																			S26391-F1100-E923	4,00	
	China Energy Label (CEL) U772																			S26391-F1100-E924	4,00	
	China Energy Label (CEL) E752																			S26391-F1100-E925	4,00	
	China Energy Label (CEL) T902																			S26391-F1100-E929	4,00	
	China Energy Label (CEL) E743																			S26391-F1100-E931	4,00	Orderable from: 15/07/2013
	India BIS Certificate LH532	not for Corporate Projects (only for Retail, SMB, education and government)																		S26391-F800-E100	2,00	Orderable from: 19/07/2013
LCD-Display																						
	30.7 cm (12.1") WXGA magnesium LED	30.7 cm (12.1-inch), LED backlight, (WXGA), anti-glare display, magnesium lid, 1280x800 pixel, 200 cd/m																		S26391-F1100-E100	####	
	30.7 cm (12.1") WXGA magnesium LED	30.7 cm (12.1-inch), LED backlight, (WXGA), anti-glare display, compound lid, 1280x800 pixel, 200 cd/m																		S26391-F1100-E200	####	
	33.8 cm (13.3") HD compound LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 200 cd/m, EPEAT Silver certification																		S26391-F1120-E100	79,00	
	33.8 cm (13.3") HD T&L Magnesium LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, Magnesium lid, 1366 x 768 pixel, 300 cd/m, EPEAT Gold certification																		S26391-F1120-E200	####	
	35.6 cm (14.0") HD compound LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 220 cd/m																		S26391-F1140-E100	####	
	35.6 cm (14.0") HD+ compound LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, compound lid, 1600x900 pixel, 220 cd/m																		S26391-F1140-E110	####	
	39.6 cm (15.6") HD compound LED	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 220 cd/m																		S26391-F1150-E100	78,00	
	39.6 cm (15.6") HD+ compound LED	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, compound lid, 1600x900 pixel, 220 cd/m																		S26391-F1150-E110	####	
	Win7 Ready Kit																			S26391-F1180-E100	2,00	
	Win8 Ready Kit																			S26391-F1180-E200	2,00	
	33.8 cm (13.3") HD Magnesium LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, Magnesium lid, 1366 x 768 pixel, 200 cd/m																		S26391-F1240-E100	####	
	35.6 cm (14.0") HD+ magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 250 cd/m																		S26391-F1250-E100	####	
	39.6 cm (15.6") HD magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 200 cd/m																		S26391-F1260-E100	####	
	39.6 cm (15.6") FHD magnesium LED	39.6 cm (15.6-inch), LED backlight, (FHD), anti-glare display, magnesium lid, 1920x1080 pixel, 300 cd/m																		S26391-F1260-E200	####	
	35.6 cm (14.0") HD magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m																		S26391-F1130-E100	####	
	35.6 cm (14.0") HD magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m																		S26391-F1140-E200	####	
	39.6 cm (15.6") HD magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m																		S26391-F1150-E200	####	
	35.6 cm (14.0") HD+ magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 220 cd/m																		S26391-F1140-E210	####	
	39.6 cm (15.6") HD+ magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 220 cd/m																		S26391-F1150-E210	####	
	39.6 cm (15.6") FHD magnesium LED	39.6 cm (15.6-inch), LED backlight, (FHD), anti-glare display, magnesium lid, 1920x1080 pixel, 300 cd/m																		S26391-F1150-E300	####	
Processor																						
	Intel Core i5-3320M up to 3.3GHz 3MB	Intel Core i5-3320M processor (, 2.6 GHz, SLC: 3 MB)																		S26391-F1181-E332	####	
	Intel Core i5-3340M up to 3.4GHz 3MB	Intel Core i5-3340M processor (, 2.7 GHz, SLC: 3 MB)																		S26391-F1181-E334	####	
	Intel Core i7-3540M up to 3.7GHz 4MB	Intel Core i7-3540M processor (, 3.0 GHz, SLC: 4 MB)																		S26391-F1181-E354	####	
	Intel Core i7-3632QM up to 3.2GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)																		S26391-F902-E363	####	
	Intel Core i5-3320M up to 3.3GHz 3MB	Intel Core i5-3320M processor (, 2.6 GHz, SLC: 3 MB)																		S26391-F1111-E332	####	
	Intel Core i7-3632QM up to 3.2GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)																		S26391-F1141-E363	####	
	Intel Core i7-3632QM up to 3.2GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)																		S26391-F1121-E363	####	
	Intel Core i5-3320M up to 3.3GHz 3MB	Intel Core i5-3320M processor (, 2.6 GHz, SLC: 3 MB)																		S26391-F1101-E333	####	
	Intel Core i7-3612QM up to 3.1GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)																		S26391-F902-E361	####	
	Intel Core i7-3540M up to 3.6GHz 4MB	3.00 GHz, up to 3.70 GHz, 4 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT																		S26391-F1121-E354	####	
	Intel Core i7-3520M up to 3.6GHz 4MB	2.90 GHz, up to 3.60 GHz, 4 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT																		S26391-F1121-E352	####	
	Intel Core i5-3360M up to 3.5GHz 3MB	2.80 GHz, up to 3.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT																		S26391-F1121-E336	####	
	Intel Core i3-3110M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																		S26391-F1101-E312	####	
	Intel Core i5-3340M up to 3.4GHz 3MB	2.70 GHz, up to 3.40 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT																		S26391-F1121-E334	####	
	Intel Core i5-3320M up to 3.3GHz 3MB	2.60 GHz, up to 3.30 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT																		S26391-F1121-E332	####	
	Intel Core i5-3230M up to 3.2GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																		S26391-F1121-E323	####	
	Intel Core i7-3687U up to 3.3GHz 4MB	Intel Core i7-3687U processor (, 2.1 GHz, SLC: 4 MB)																		S26391-F1131-E368	####	
	Intel Core i7-3520M up to 3.6GHz 4MB	Intel Core i7-3520M processor (, 2.9 GHz, SLC: 4 MB)																		S26391-F902-E352	####	
	Intel Core i7-3687U up to 3.3GHz 4MB	Intel Core i7-3687U processor (, 2.1 GHz, SLC: 4 MB)																		S26391-F1101-E368	####	



Fujitsu recommends Windows 8

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK AH62	LIFEBOOK AH326FX	LIFEBOOK AH52SL	LIFEBOOK AH62	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK U54	LIFEBOOK U54	LIFEBOOK U72	LIFEBOOK U72	LIFEBOOK UHS2AUB	LIFEBOOK UHS2AUB	Product Code	EUP (€)	Comments
Options matrix																											
OS/Application-SW (Continued)																											
License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.						x																		S26361-F2009-E253	#####	
License EM - Windows 8																									S26361-F2218-E106	60.00	
Load Win8 Pro (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil).									x	x	x	x												S26361-F2238-E200	4.00	
Load Win8 Pro (64) NEE+Office2013	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian.								x	x	x	x													S26361-F2238-E201	4.00	
Load Win8 Pro (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic.								x	x	x	x													S26361-F2238-E202	4.00	
Load Win8 (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil).								x	x	x	x													S26361-F2238-E207	4.00	
Load Win8 (64) NEE+Office2013	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian.								x	x	x	x													S26361-F2238-E208	4.00	
Load Win8 (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic.								x	x	x	x													S26361-F2238-E209	4.00	
Load Win8 (64) EM+Office2013	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian.								x	x	x	x													S26361-F2238-E213	4.00	
OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified								x	x	x	x													S26361-F2218-E300	3.00	
OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified								x	x	x	x													S26361-F2218-E302	3.00	
OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified								x	x	x	x													S26361-F2218-E304	3.00	
OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified								x	x	x	x													S26361-F2218-E306	3.00	
OS RDVD Windows 8 (32) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian								x	x	x	x													S26361-F2218-E308	3.00	
OS RDVD Windows 8 (64) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian								x	x	x	x													S26361-F2218-E310	3.00	
Win7-Load Pro64 MAIN + Office2013	Languages: DE, EN, ES, FR, IT, NL								x	x	x	x													S26361-F2238-E405	4.00	
Win7-Load Pro64 NORDIC+Office2013	Languages: DA, EN, FI, NO, RU, SV								x	x	x	x													S26361-F2238-E406	4.00	
Win7-Load Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR								x	x	x	x													S26361-F2238-E407	4.00	
Win7-Load Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK								x	x	x	x													S26361-F2238-E408	4.00	
Win7-Load Pro64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR								x	x	x	x													S26361-F2238-E409	4.00	
License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).						x																		S26361-F2009-E232	66.00	
RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR								x	x	x	x													S26361-F2218-E500	6.00	
RDVD Downgrade Win7 Pro (32)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR								x	x	x	x													S26361-F2218-E501	6.00	
RDVD Downgrade Win7 Pro (64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR								x	x	x	x													S26361-F2218-E502	6.00	
License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).						x																		S26361-F2009-E242	85.00	
License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).						x																		S26361-F2009-E252	#####	
License - Windows 8 Pro	License - Windows 8 Pro.		x	x	x	x																			S26361-F2208-E100	#####	
License - Windows 8	License - Windows 8		x	x	x	x																			S26361-F2208-E103	79.00	



Fujitsu recommends Windows 8

LIFEBOOK Options

Category / Description	Details	LIFEBOOK A52/AH512	LIFEBOOK A52/AH552	LIFEBOOK AH62	LIFEBOOK AH62GFX	LIFEBOOK AH52SL	LIFEBOOK AH62	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK LHR32	LIFEBOOK N52	LIFEBOOK N52	LIFEBOOK N52	LIFEBOOK P72	LIFEBOOK P72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK U72	LIFEBOOK U72	LIFEBOOK UH52AUB	LIFEBOOK UH72	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																														
License EM - Windows 8	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro, Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe, India and China					x	x							x	x	x								x	x	x	S26361-F2208-E106	60,00		
License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro					x								x	x	x									x	x	S26361-F2009-E234	66,00		
License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro					x								x	x	x									x	x	S26361-F2009-E244	85,00		
License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro					x								x	x	x									x	x	S26361-F2009-E254	#####		
License EM-MEA - Windows 7 Home Basic	EM-MEA: Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe					x								x	x	x									x	x	S26361-F2009-E235	66,00		
License EM-MEA - Windows 7 Home Premium	EM-MEA: Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe					x								x	x	x									x	x	S26361-F2009-E245	85,00		
Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), , Windows 8 Secure Boot is activated. Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x	x		x	x								x	x	x									x	x	S26361-F2208-E200	4,00	Phased out	
Load Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, , Windows 8 Secure Boot is activated. Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.					x								x	x	x									x	x	S26361-F2208-E201	4,00	Phased out	
Load Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, , Windows 8 Secure Boot is activated. Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.					x								x	x	x									x	x	S26361-F2208-E202	4,00	Phased out	
Load Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),					x								x	x	x									x	x	S26361-F2208-E207	4,00	Phased out	



Fujitsu recommends Windows 8

LIFEBOOK Options

Category / Description	Details	LIFEBOOK A52/AH52	LIFEBOOK A52/AH52	LIFEBOOK AH62	LIFEBOOK AH326FX	LIFEBOOK AH52SL	LIFEBOOK AH62	LIFEBOOK E73	LIFEBOOK E74	LIFEBOOK E75	LIFEBOOK E76	LIFEBOOK E79	LIFEBOOK LHS2	LIFEBOOK NS2	LIFEBOOK NH32	LIFEBOOK P72	LIFEBOOK P72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK U54	LIFEBOOK U72	LIFEBOOK UHS2A1B	LIFEBOOK UHS2A1B	Product Code	EUP (€)	Comments	
Options matrix																													
OS/Application-SW (Continued)																													
Load Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian.						x							x	x	x								x	x	x	S26361-F2208-E208	4,00	Phased out
Load Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic.					x									x	x	x							x	x	x	S26361-F2208-E209	4,00	Phased out
Load Win8 (64) EM+Office2010t	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian.					x									x	x	x							x	x	x	S26361-F2208-E213	4,00	Phased out
Load Win8 Pro (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil).					x	x								x	x	x						x	x	x	S26361-F2228-E200	4,00		
Load Win8 Pro (64) NEE+Office2013	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian.					x	x								x	x	x						x	x	x	S26361-F2228-E201	4,00		
Load Win8 Pro (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic.					x	x								x	x	x						x	x	x	S26361-F2228-E202	4,00		
Load Win8 (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil).	x	x	x	x	x									x	x	x						x	x	x	S26361-F2228-E207	4,00		
Load Win8 (64) NEE+Office2013	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian.					x	x								x	x	x						x	x	x	S26361-F2228-E208	4,00		
Load Win8 (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic.					x	x								x	x	x						x	x	x	S26361-F2228-E209	4,00		
Load Win8 (64) EM+Office2013	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian.					x	x								x	x	x						x	x	x	S26361-F2228-E213	4,00		
License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, Sao Tome and Principe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe					x									x	x	x						x	x	x	S26361-F2009-E255	####		
License EM-SEA - Windows 7 Home Basic	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam					x									x	x	x						x	x	S26361-F2009-E236	66,00			
License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam					x									x	x	x						x	x	x	S26361-F2009-E246	85,00		
OEM Office Home and Student 2013 MPI MM								x	x	x	x	x						x	x	x	x	x	x	x	S26361-F2010-E281	####			
License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam					x									x	x	x						x	x	x	S26361-F2009-E256	####		
OEM Office Home and Business 2013 MPI MM								x	x	x	x	x						x	x	x	x	x	x	x	S26361-F2010-E292	####			
OEM Office Professional 2013 MPI MM								x	x	x	x	x						x	x	x	x	x	x	x	S26361-F2010-E293	####			
License EM-LATAM Windows 7 Home Basic	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela					x									x	x	x						x	x	S26361-F2009-E237	66,00			



Fujitsu recommends Windows 8

LIFEBOOK Options

Category / Description	Details	LIFEBOOK A52/AH512	LIFEBOOK A52/AH532	LIFEBOOK AH602	LIFEBOOK AH620	LIFEBOOK AH620FX	LIFEBOOK AH620SL	LIFEBOOK AH622	LIFEBOOK E733	LIFEBOOK E743	LIFEBOOK E752	LIFEBOOK E763	LIFEBOOK E782	LIFEBOOK LHR32	LIFEBOOK N532	LIFEBOOK N532	LIFEBOOK N532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S762	LIFEBOOK S762	LIFEBOOK S762	LIFEBOOK S762	LIFEBOOK S762	LIFEBOOK U54	LIFEBOOK U54	LIFEBOOK U772	LIFEBOOK UH52AUB	LIFEBOOK UH72	Product Code	EUP (€)	Comments				
Options matrix																																				
OS/Application-SW (Continued)																																				
License EM-LATAM Windows7 Home Premium	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela						x							x	x	x													x	x	x	S26361-F2009-E247	85,00			
OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified						x	x							x	x	x													x	x	x	S26361-F2208-E300	3,00		
OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified						x	x							x	x	x													x	x	x	S26361-F2208-E302	3,00		
OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai						x	x							x	x	x													x	x	x	S26361-F2208-E304	3,00		
DU-DVD (WinXP) LIFEBOOK OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai		x	x	x	x	x								x	x	x													x	x	x	S26361-F2012-E102	3,00		
DU-DVD (WinXP) LIFEBOOK OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai		x	x	x	x	x								x	x	x													x	x	x	S26361-F2208-E306	3,00		
DU-DVD (XP) LIFEBOOK 2013 OS RDVD Windows 8 (32) EM																																	S26361-F2012-E106	3,00		
OEM Office Home and Student 2013 MPI MM																																	S26361-F2009-E281	####		
OEM Office Home and Business 2013 MPI MM																																	S26361-F2009-E282	####		
OEM Office Professional 2013 MPI MM																																	S26361-F2009-E283	####		
OS RDVD Windows 8 (64) EM																																	S26361-F2208-E310	3,00		
DU-DVD (Win7) LIFEBOOK																																	S26361-F2012-E101	3,00		
DU-DVD (Win7) LIFEBOOK																																		S26361-F2010-E211	3,00	
DU-DVD (Win7) LIFEBOOK/STYLISTIC 2013																																		S26361-F2012-E107	3,00	
DU-DVD (Win8) LIFEBOOK/STYLISTIC 2012																																		S26361-F2012-E104	3,00	
License EM-LATAM Windows 7 Professional	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela							x																									S26361-F2009-E257	####		
DU-DVD (Win8) LIFEBOOK																																		S26361-F2012-E105	3,00	
DU-DVD (Win8) LIFEBOOK/STYLISTIC 2013																																		S26361-F2012-E108	3,00	
License EM-INDIA Windows 7 Home Basic	EM-INDIA: Select for shipments to: India																																	S26361-F2009-E238	66,00	
License EM-INDIA Windows 7 Home Premium	EM-INDIA: Select for shipments to: India																																	S26361-F2009-E248	85,00	
License EM-INDIA Windows 7 Professional	EM-INDIA: Select for shipments to: India																																	S26361-F2009-E258	####	
Win7-Load Pro64 MAIN + Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), . The BIOS setting for Secure Boot is disabled. Secure and measured boot will not work with Windows 7 Professional. A network based installation in enterprise environment is possible.																																	S26361-F2208-E405	4,00	Phased out
Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), . The BIOS setting for Secure Boot is disabled. Secure and measured boot will not work with Windows 7 Professional. A network based installation in enterprise environment is possible.																																	S26361-F2208-E406	4,00	Phased out
Win7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), . The BIOS setting for Secure Boot is disabled. Secure and measured boot will not work with Windows 7 Professional. A network based installation in enterprise environment is possible.																																	S26361-F2208-E407	4,00	Phased out



Fujitsu recommends Windows 8

LIFEBOOK Options

Category / Description	Details	LIFEBOOK A52/AH512	LIFEBOOK A52/AH52	LIFEBOOK AH62	LIFEBOOK AH62GFX	LIFEBOOK AH52SL	LIFEBOOK AH62	LIFEBOOK E73	LIFEBOOK E74	LIFEBOOK E72	LIFEBOOK E73	LIFEBOOK E73	LIFEBOOK LHS32	LIFEBOOK NS92	LIFEBOOK NH32	LIFEBOOK P72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK U54	LIFEBOOK U54	LIFEBOOK U72	LIFEBOOK UHS2AUB	LIFEBOOK UHS2AUB	LIFEBOOK UHS2AUB	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																													
Win7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional. , A network based installation in enterprise environment is possible.					x							x	x	x											S26361-F2208-E408	4,00	Phased out	
Win7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional. , A network based installation in enterprise environment is possible.						x						x	x	x											S26361-F2208-E409	4,00	Phased out	
Win7-Load Pro64 MAIN+ Office2013	Languages: DE, EN, ES, FR, IT, NL, , ,		x	x									x	x	x											S26361-F2228-E405	4,00		
Win7-Load Pro64 NORDIC+Office2013	Languages: DA, EN, FI, NO, RU, SV, , ,												x	x	x											S26361-F2228-E406	4,00		
Win7-Load Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK, , ,												x	x	x											S26361-F2228-E408	4,00		
Win7-Load Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR, , ,												x	x	x											S26361-F2228-E407	4,00		
Win7-Load Pro64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR, , ,												x	x	x											S26361-F2228-E409	4,00		
Nero 12 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp								x	x	x	x														S26361-F2008-E888	10,00		
Power DVD 10 Playback SW for DVD No Operatino System	Power DVD 10 Playback SW for DVD																									S26361-F2012-E190	10,00		
Win7 HomePremium64 MAIN+Office2010t	MuLI MAIN (Main European MuLI), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application. , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x							x	x	x											S26361-F1818-E100	2,00	Phased out	
Win7 HomePremium64 NORDIC+Office2010t	Preload: MuLI NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application. , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x						x	x	x											S26361-F2109-E442	4,00	Phased out	
Win7 HomePremium64 EM-SE+Office2010t	Preload: MuLI EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application. , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x						x	x	x											S26361-F2109-E443	4,00	Phased out	
Win7 HomePremium64 IBER-NE+Office2010t	Preload: MuLI IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application. , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x						x	x	x											S26361-F2109-E444	4,00	Phased out	
Win7 HomePremium64 SEE+Office2010t	MuLI SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application. , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.												x	x	x											S26361-F2109-E445	4,00	Phased out	
Win7 HomePremium64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application. , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.												x	x	x											S26361-F2109-E446	4,00	Phased out	
Win7 Pro64 MAIN + Office2010t	MuLI MAIN (Main European MuLI), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application. , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x						x	x	x											S26361-F2109-E451	4,00	Phased out	
Win7 Pro64 NORDIC+Office2010t	Preload: MuLI NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application. , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.												x	x	x											S26361-F2109-E452	4,00	Phased out	
Win7 Pro64 EM-SE+Office2010t	Preload: MuLI EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application. , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.												x	x	x											S26361-F2109-E453	4,00	Phased out	



Fujitsu recommends Windows 8

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A52/AH512	LIFEBOOK A52/AH52	LIFEBOOK AH62	LIFEBOOK AH326FX	LIFEBOOK AH52SL	LIFEBOOK AH62	LIFEBOOK E73	LIFEBOOK E74	LIFEBOOK E75	LIFEBOOK E76	LIFEBOOK E77	LIFEBOOK E78	LIFEBOOK LHR32	LIFEBOOK N52	LIFEBOOK N62	LIFEBOOK P72	LIFEBOOK P72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK U54	LIFEBOOK U54	LIFEBOOK U72	LIFEBOOK U72	LIFEBOOK UH52A1B	LIFEBOOK UH72	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)	Win7 Pro64 IBER-NE+Office2010	Preload: MuLI IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) . Note: Included Office 2010 is a 32bit application. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				x									x	x											x	x	S26361-F2109-E454	4,00	Phased out	
	Win7 Pro64 SEE+Office2010	MuLI SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				x									x	x											x	x	S26361-F2109-E455	4,00	Phased out	
	Win7 Pro 64 RUS+Office2010	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				x									x	x											x	x	S26361-F2109-E456	4,00	Phased out	
	Win7 HomeBasic64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				x									x	x											x	x	S26361-F2109-E436	3,00	Phased out	
	Win7 HomeBasic64 EM-SE+Office2010s	Preload: MuLI EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				x									x	x											x		S26361-F2109-E433	3,00	Phased out	
	REC-DVD Win7 Home Premium 64 RUS	RU				x									x	x											x	x	S26361-F2009-E642	3,00		
	REC-DVD Win7 Professional 64 RUS	RU				x									x	x											x	x	S26361-F2009-E652	3,00		
	REC-DVD Win7 Home Premium 64 All MuLI	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR				x									x	x											x	x	S26361-F2009-E643	3,00		
	REC-DVD Win7 Professional 64 All MuLI	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR				x									x	x											x	x	S26361-F2009-E653	3,00		
	REC-DVD Win7 Prof. 32+64bit All MuLI	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR				x																							S26361-F2009-E753	3,00		
	Win7 HomeBasic64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR...				x									x	x											x	x	S26361-F2227-E433	4,00		
	Win7 HomeBasic64 RU+Office2013	Language: RU...				x									x	x											x	x	S26361-F2227-E436	4,00		
	Win7 HomePremium64 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL...				x									x	x											x	x	S26361-F2227-E441	4,00		
	Win7 HomePremium64 NORDIC+Office2013	Languages: DK, EN, FI, NO, RU, SV...				x									x	x											x	x	S26361-F2227-E442	4,00		
	Win7 HomePremium64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR...				x									x	x											x	x	S26361-F2227-E443	4,00		
	Win7 HomePremium64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK...				x									x	x											x	x	S26361-F2227-E444	4,00		
	Win7 HomePremium64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR...				x									x	x											x	x	S26361-F2227-E445	4,00		
	Win7 HomePremium64 RU+Office2013	Language: RU...				x									x	x											x	x	S26361-F2227-E446	4,00		
	Win7 Pro64 MAIN+Office2013					x									x	x											x	x	S26361-F2227-E451	4,00		
	Win7 Pro64 NORDIC+Office2013					x									x	x											x	x	S26361-F2227-E452	4,00		
	Win7 Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR...				x									x	x											x	x	S26361-F2227-E453	4,00		
	Win7 Pro64 IBER-NE+Office2013	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.				x									x	x											x	x	S26361-F2227-E454	4,00		
	License EUMM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.									x	x			x	x											x	x	S26361-F2010-E243	85,00		
	Win7 Pro64 SEE+Office2013	Language: RU...				x									x	x											x	x	S26361-F2227-E455	4,00		
	Win7 Pro64 RU+Office2013	Language: RU...				x									x	x											x	x	S26361-F2227-E456	4,00		
	REC-DVD Win7 Home Basic 64 RUS	RUS				x									x	x											x	x	S26361-F2009-E632	3,00		
	License EUMM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.								x	x	x	x														x	x	S26361-F2010-E253	####		
	License RUS - Windows 7 Home Basic	RUS/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)								x	x				x	x											x	x	S26361-F2010-E232	66,00		
	License RUS - Windows 7 Home Premium	RUS/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)								x	x				x	x											x	x	S26361-F2010-E242	85,00		
	License RUS - Windows 7 Professional	RUS/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)								x	x	x	x														x	x	S26361-F2010-E252	####		
	License EM - Windows 7 Home Basic	EM. Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro								x	x				x	x											x	x	S26361-F2010-E234	66,00		
	License EM - Windows 7 Home Premium	EM. Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro								x	x				x	x											x	x	S26361-F2010-E244	85,00		
	License EM - Windows 7 Professional	EM. Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro								x	x	x	x														x	x	S26361-F2010-E254	####		
	REC-DVD Win7 Home Basic 64 All MuLI	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR				x									x	x											x	x	S26361-F2009-E633	3,00		



Fujitsu recommends Windows 8

LIFEBOOK Options

Category / Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A52/AH52	LIFEBOOK A802	LIFEBOOK A832/8FX	LIFEBOOK A852/8SL	LIFEBOOK A862	LIFEBOOK E73	LIFEBOOK E74	LIFEBOOK E75	LIFEBOOK E76	LIFEBOOK E79	LIFEBOOK L832	LIFEBOOK N52	LIFEBOOK N82	LIFEBOOK P72	LIFEBOOK P72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK S72	LIFEBOOK U54	LIFEBOOK U72	LIFEBOOK U852/4B	LIFEBOOK U872	Product Code	EUP (€)	Comments			
Options matrix																														
OS/Application-SW (Continued)																														
License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe																									S26361-F2010-E235	66.00			
License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe																										S26361-F2010-E245	85.00		
License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe																										S26361-F2010-E255	####		
License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India																										S26361-F2010-E238	66.00		
License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India																										S26361-F2010-E248	85.00		
License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India																										S26361-F2010-E258	####		
Win7 Pro64 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL																										S26361-F2237-E451	4.00		
Win7 Pro64 Nordic+Office2013	Languages: DK, EN, FI, NO, RU, SV																										S26361-F2237-E452	4.00		
Win7 Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR																										S26361-F2237-E453	4.00		
Win7 Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK																										S26361-F2237-E454	4.00		
Win7 Pro64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR																										S26361-F2237-E455	4.00		
Win7 Pro64 RU+Office2013	Languages: RU																										S26361-F2237-E456	4.00		
REC-DVD Win7 Home Basic 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish																											S26361-F2010-E633	3.00	
REC-DVD Win7 Home Basic 64 RUS	RU																											S26361-F2010-E632	3.00	
REC-DVD Win7 Home Premium 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish																											S26361-F2010-E643	3.00	
REC-DVD Win7 Home Premium 64 RUS	RU																											S26361-F2010-E642	3.00	
REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish																											S26361-F2010-E653	3.00	
REC-DVD Win7 Professional 64 RUS	RU																											S26361-F2010-E652	3.00	
REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish																											S26361-F2010-E753	3.00	
Win7 HomeBasic64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR																											S26361-F2237-E433	4.00	
Win7 HomeBasic64 RU+Office2013	Languages: RU																											S26361-F2237-E436	4.00	
Win7 HomePremium64 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL																											S26361-F2237-E441	4.00	
Win7 HomePremium64 Nordic+Office2013	Languages: DK, EN, FI, NO, RU, SV																											S26361-F2237-E442	4.00	
Win7 HomePremium64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR																											S26361-F2237-E443	4.00	
Win7 HomePremium64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK																											S26361-F2237-E444	4.00	
Win7 HomePremium64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR																											S26361-F2237-E445	4.00	
Win7 HomePremium64 RU+Office2013	Languages: RU																											S26361-F2237-E446	4.00	
Mouse																														
Mouse 400NB Black																												S26391-F428-E100	7.00	Phased out
MOUSE M410NB BLACK																												S26391-F453-E100	7.00	
Miscellaneous																														
MAC Address WLAN on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note																											S26391-F782-E200	2.00	
made4you Services																														



Fujitsu recommends Windows 8

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A52/AH512	LIFEBOOK A52/AH532	LIFEBOOK AH602	LIFEBOOK AH620	LIFEBOOK AH620GFX	LIFEBOOK AH620SL	LIFEBOOK AH622	LIFEBOOK E733	LIFEBOOK E743	LIFEBOOK E752	LIFEBOOK E753	LIFEBOOK E782	LIFEBOOK LHS32	LIFEBOOK LHS32	LIFEBOOK N532	LIFEBOOK N532	LIFEBOOK N532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U54	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH52A1B	LIFEBOOK UH72	Product Code	EUP (€)	Comments	
Options matrix																																			
made4you Services (Continued)																																			
	DeskView Load Basic	With DeskView Load Basic you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, Information about hardware components e.g. MAC - address, serial number at time of production via email, . Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,					x	x							x	x	x															DVI:DVL_PACK_BAS	21,00		
	DeskView Load Expert	With DeskView Load Expert you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, . In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email or web service, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Specified Operating system customizing , Extended recovery scenario, . Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,					x	x							x	x	x																DVI:DVL_PACK_EXP	38,50	
	DeskView Load Professional	With DeskView Load Professional you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, . In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, . Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,					x	x							x	x	x																DVI:DVL_PACK_PRO	47,25	



Fujitsu recommends Windows 8

Positioning FUTRO thin clients



FUTRO S100

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.



**FUTRO S450
FUTRO S500**

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Ownership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.



Fujitsu recommends Windows 8

FUTRO S700

The powerful FUTRO S700 is your ideal thin client for server-based computing and virtual workplac solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonomics due to noiseless operation and significantly increased reliability. The outstanding manageability solution makes it easy to administer while reducing total cost of ownership. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
FUTRO S700					
	FUTRO S700 /1GB/DVI/VGA/1GB MSATA/	FUTRO S700 /1GB/DVI/VGA/1GB MSATA/ CK FUTRO INT/ELUX 3 + SC LIC/AC 20V/40W/ CABLE DE/MOUSEM510BLACK/ ,	PRJ:S0700P0001IT	380,00	

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S700					
	FUTRO S700	, FUTRO S700 Base unit: ; Mainboard type D3003-B miniITX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 2 GB, 1 SO DIMM (DDR3, 1066 MHz) slots , ; Graphics: AMD Radeon HD 6250; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, N/A x N/A, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, N/A x N/A, N/A, 1 DP x DisplayPort, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),	S26361-K1040-V100	234,00	



Fujitsu recommends Windows 8

FUTRO S900

The powerful FUTRO S900 is your ideal thin client for server-based computing and virtual workplace solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonomics due to noiseless operation and significantly increased reliability. Additional slots offer the opportunity to meet all demands for the most challenging scenarios and outstanding manageability solution makes it easy to administer while reducing total cost of ownership. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S900	, FUTRO S900 Base unit : Mainboard type D3003-A miniITX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 4 GB, 2 SO DIMM (DDR3, 1066 MHz) slots ; ; Graphics: AMD Radeon HD 6320 (in combination with AMD G-Series G-T56N)AMD Radeon HD 6250 (in combination with AMD G-Series G-T44R)AMD Radeon HD 6290 (in combination with AMD G-Series G-T40N); Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: 1 x (155 mm /) low profile (optional), 1 x PCI slots, 1 x PCI-Express x1; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, N/A x N/A, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, N/A x N/A, N/A, 1 DP x DisplayPort, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),		S26361-K1050-V100	303,00	



Fujitsu recommends Windows 8

FUTRO Accessories

Category	Description	Details	FUTRO A300 eLux	FUTRO A300 WEC	FUTRO A300-e Lux RP	FUTRO C200 i815G V	FUTRO C400	FUTRO DC28-1	FUTRO L420	FUTRO L620	FUTRO S100	FUTRO S200	FUTRO S300	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X915-T	FUTRO Z220	Product Code	EUP (€)	Comments
Accessories & services matrix																							
Graphics																							
	Dual Link DVI cable	2x SL DVI to 1x DL DVI, for connection of one DVI display with a resolution until 2560x1600 pixels,						x													S26361-F2391-L9	22,00	
	Y-cable for dual monitoring	Dual Monitoring support												x	x	x	x				S26361-F2421-L100	39,00	Phased out
	DVI-D Adapter for Dual DVI	Dual Monitoring												x							S26361-F2421-L110	22,00	
	AMD FirePro V3900 1GB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters; optimized firmware for minimisation of noise emission															x				S26361-F2530-L395	134,00	Orderable from: 01/07/2013
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately															x				S26361-F2748-L997	107,00	
	CELSIUS RemoteAccess Dual Card	Host for PCoIP, 2x miniDP, 10/100/1000 Mbps LAN, PCIe x1; contains 2x miniDP/DP cable, 1x internal on/off cable, 1x LAN cable; suited for FUTRO L420 (S26361-K1062-V200)							x	x											S26361-F3565-L2	262,00	
	CELSIUS RemoteAccess Quad Card	Host for PCoIP, 4x miniDP, 10/100/1000 Mbps LAN, PCIe x1; contains 4x miniDP/DP cable, 1x internal on/off cable, 1x LAN cable; suited for FUTRO L620 (S26361-K1062-V300)							x	x											S26361-F3565-L4	433,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor								x						x	x				S26361-F2391-L200	35,00	
	Mini Display Port/DVI-D adapter cable								x	x											S26361-F2391-L8	37,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector							x							x	x	x	x	x	S26361-F2391-L1	19,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors															x				S26361-F2391-L101	32,00	
	DVI/VGA adapter		x	x	x																S26361-F2391-L3	14,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors																x			S26361-F2391-L102	34,00	
	Y-cable for dual monitoring		x	x	x																S26361-F2421-L300	22,00	
Communication/Network																							
	Dual serial card PCIe x1																			x	S26361-F3465-L4	38,00	
	2nd LAN/PoE module																	x	x		S26361-F3466-L1	38,00	
	WLAN 802.11g/Draft																	x	x		S26361-F4525-L10	55,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket.															x		x		S26361-F3465-L1	28,00	
OS/Application-SW																							
	License for eLux RL for FUTRO A300	License for eLux RL including 2 years of software support. (Licenses for SCOUT Enterprise are not included.)	x																		S26361-F2727-L702	40,00	Phased out
	Subscription Key eLux/WES/Scout	Subscription Key for SCOUT Enterprise in combination with eLux and Windows Embedded Standard 7 (WS7P) to prolong the software support for 12 months.	x	x	x						x			x	x	x	x	x	x	x	S26361-F2727-L703	17,00	
	FLUENDO Codec Package	The FLUENDO Codec Package includes the licenses for using multimedia codecs in combination with eLux RL. The codecs itself are pre-installed on our eLux RL operating system. When ordering the FLUENDO Codec Package, you will receive a license key which allows to use the codecs on your Thin Client. . Following codecs are covered: MP3, WMA stereo, AAC stereo, AC3 stereo, WMV, H264, MPEG4 part2 and MPEG2. .	x	x	x					x				x	x	x	x	x	x	S26361-F2727-L704	10,00		
	License for SCOUT 13+	License for SCOUT Enterprise 13 or higher including 1 year of software support. (Licenses for eLux are not included.) . Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.	x	x	x												x	x	x	x	S26361-F2727-L705	48,00	
	License for eLux RP	License for eLux RP including 1 year of software support. (Licenses for SCOUT Enterprise are not included.)															x	x	x	x	S26361-F2727-L755	20,00	
	Windows MPS 2011 CAL							x	x												S26361-F2011-L170	67,00	
	License for PowerTerm WBT	License for PowerTerm InterConnect from Ericom. PowerTerm InterConnect is an emulation suite that allows you to connect to IBM mainframes, IBM AS/400, Unix, VAX/Alpha OpenVMS, Tandem (NSK), HP-3000 and Data General. To use this software, you must have the PowerTerm InterConnect* (powerterm) package installed. The software includes a 30-minute trial period.	x	x	x						x					x	x	x	x	x	S26361-F2600-L144	28,00	
Security																							
	SmartCard Reader	internal																		x	S26361-F1260-L802	33,00	
	SmartCard reader internal USB FUTRO S900	chipcard reader internal built in optional, USB interface, w/o SmartCard																		x	S26361-F1260-L803	28,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license., for orders up to 99 licenses., no software, no data medium																		x	S26361-F2727-L100	20,00	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing	x	x	x				x	x							x	x	x	x	S26381-F11-L100	38,00	
	SmartCard CARDOS V4.4. 1PCS	1 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x	x				x	x							x	x	x	x	S26381-F305-L101	25,00	
	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x	x				x	x							x	x	x	x	S26381-F305-L102	45,00	
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x	x				x	x							x	x	x	x	S26381-F305-L110	204,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7compatible, USB interface	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	S26381-F331-L220	25,00	
	USB SCR 3500	External USB SmartCard Reader, folderable., Reads and write on all ISO 7816, 1-4 compliant SmartCards., CCID compliant, USB Bus powered.																		x	S26381-F350-L100	27,00	
Miscellaneous																							
	Vesa Mounting Kit with Subadapter	Vesa Mounting Kit with Subadapter designed for FUTRO S100 and FUTRO A300 , designed for FUTRO S100 and FUTRO A300; holder for TFT; includes short DVI cable	x	x	x																BDL:VESA-SUB-KIT	86,00	



Fujitsu recommends Windows 8

FUTRO Accessories

Category	Description	Details	FUTRO A300 eLux	FUTRO A300 WEC	FUTRO A300-e Lux RP	FUTRO C200 I915GV	FUTRO C400	FUTRO DC20-1	FUTRO L420	FUTRO L620	FUTRO S100	FUTRO S200	FUTRO S300	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X915-T	FUTRO Z220	Product Code	EUP (€)	Comments	
Miscellaneous (Continued)																								
	VESA Mounting Kit FUTRO Z-Series																				x	S26361-F1051-L10	14,00	
	VESA Mounting Kit FUTRO L-Series								x													S26361-F1051-L15	23,00	
	AC-Adapter 20V/40W																				x	S26361-F1051-L20	17,00	
	Riser Card																					S26361-F2421-L200	22,00	
	AC-Adapter 20V/40W																				x	S26361-F2542-L14	17,00	
	PCI Riser																					S26361-F2542-L19	28,00	
	PCIe Riser																					S26361-F2542-L20	28,00	
	Horizontal foot kit																					S26361-F2542-L290	12,00	
	USB Security Cover																					S26361-F2542-L291	17,00	
	VESA Kit w/ subadapter S4**/5**/7**/9**	Mounting kit for attaching Thin Clients to the rear of TFT displays. Attachable to most LCDs in combination with the included subadapter.																				S26361-F2601-L530	44,00	
	Vesa Kit FUTRO S100 / A300	holder for TFT (15"-20") and PC (max 105x370x400mm)	x	x	x						x											S26361-F2601-L540	44,00	
	DVI cable for VESA Mounting Kit	holder for TFT (15"-20") and PC (max 105x370x400mm)	x	x	x																	S26361-F2601-L541	24,00	
	VESA Kit w/o subadapter S4**/5**/7**/9**	VESA Kit for FUTRO S450-2, FUTRO S550-2, FUTRO S700 and FUTRO S900 w/o VESA subadapter. , , For FUTRO S100 please select S26361-F2601-L540.																				S26361-F2601-L550	44,00	
	VESA subadapter	The VESA sub-adapter will be required in order to support various types of monitors. , , For more details please refer to the Vesa kit compatibility list for FUTRO Smart Zero and Thin Clients. , , https://partners.ts.fujitsu.com/com/products/cli-ents/thin_clients/Pages/white-paper.aspx ,	x	x	x				x		x											S26361-F2601-L600	18,00	
Cables																								
	Cable powercord (IND), 1.8m, black	black, 1.8m, suitable for: India, 3 wire																				T26139-Y1752-L10	4,00	
	power cable EU	black, 2-pole, 1.8 m	x	x	x																	T26139-Y2540-V113	9,00	
	power cable UK	black, 2-pole, 1.8 m	x	x	x																	T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1.8 m	x	x	x																	T26139-Y2540-V313	9,00	
	Cable FTP CAT 5e, 5m	Standard-LAN-cable, RJ45	x	x	x																	T26139-Y2425-M5	10,00	
	Cable FTP CAT 5e, 10m	Standard-LAN-cable, RJ45	x	x	x																	T26139-Y2425-M10	15,00	
Additional Software																								
	OPENFT-CR (Unix systems) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, for openFT V12.0, Attention export restrictions																				U10987-C599	15,00	
	OPENFT-SW-CD (Unix systems) V12.0	Medium for UNIX systems, CD-ROM openFT-SW V12.0																				U10987-C600	36,00	
	OPENFT-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs																				U10987-C601	1.348,00	
	OPENFT-FTAM-1 (Unix systems) V12.0	License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs																				U10987-C613	1.348,00	
	OPENFT-FTP-1 (Unix systems) V12.0	License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs																				U10987-C625	550,00	
	OPENFT-1 (Unix systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																				U10987-C501	1.225,00	
	OPENFT-FTAM-1 (Unix systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																				U10987-C513	1.225,00	
	OPENFT-SW-CD (Unix systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0																				U10987-C500	36,00	
	OPENFT-CR (Unix systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions																				U10987-C499	15,00	



Fujitsu recommends Windows 8

FUTRO Options

Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options matrix										
Approvals/dependencies										
	China (CCC) approval		x	x	x	x		S26361-F2550-E150	3,00	
	China (CCC) approval FUTRO Z						x	S26361-F2550-E180	2,00	Orderable from: 06/09/2013
	Energy Star 5.0			x				S26361-F2600-E170	2,00	
Processor										
	AMD T56N Dual Core Upgrade FUTRO S900	AMD G-Series G-T56N (2 Cores / 2 Threads, 1.65 GHz, SLC: 2 x 512 KB)		x				S26361-F4584-E100	36,00	
	Active heat sink T56N Dual Core Upgrade	N/A		x				S26361-F4584-E110	7,00	
	Passive heat sink T56N Dual Core Upgrade	N/A		x				S26361-F4584-E120	14,00	
	AMD T40N Dual Core Upgrade FUTRO S900	AMD G-Series G-T40N (2 Cores / 2 Threads, 1.00 GHz, SLC: 2 x 512 KB)		x				S26361-F4584-E200	18,00	
	AMD T40N Dual Core Upgrade FUTRO X	N/A			x	x		S26361-F4584-E300	18,00	
Memory										
	1 GB DDR3-1066 SODIMM		x	x				S26361-F4408-E1	22,00	
	2 GB DDR3-1066 SODIMM		x	x				S26361-F4408-E2	27,00	
	2GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM.			x	x		S26361-F4553-E2	28,00	
Graphics										
	No Adapter for VGA/DVI/DP		x	x				S26361-F2391-E10	2,00	
	AMD FirePro V3900 1GB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters; optimized firmware for minimisation of noise emission		x				S26361-F2530-E395	108,00	Orderable from: 01/07/2013
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately		x				S26361-F2748-E997	85,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x	x				S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	x	x	x	x	x	S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors		x				S26361-F2391-E101	17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors		x				S26361-F2391-E102	19,00	
Hard Disks										
	1 GB mSATA		x	x	x	x		S26361-F3666-E1	22,00	
	2 GB mSATA		x	x	x	x		S26361-F3666-E2	39,00	
	4 GB mSATA		x	x	x	x		S26361-F3666-E4	55,00	
	8 GB mSATA		x	x	x	x		S26361-F3666-E8	100,00	
	16 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.		x	x	x		S26361-F3666-E16	179,00	
WebCam										
	Presence sensor + multi media module				x	x		S26361-F1065-E200	33,00	Orderable from: 15/07/2013
	No presence sensor + No multi media				x	x		S26361-F1065-E201	2,00	
Communication/Network										
	WLAN Atheros 802.11a/b/g/n						x	S26361-F1051-E30	22,00	Orderable from: 27/09/2013
	Integrated loudspeaker						x	S26361-F1051-E40	22,00	
	Internal speaker		x	x				S26361-F2542-E13	22,00	
	PCI Riser			x				S26361-F2542-E19	22,00	
	PCIe Riser			x				S26361-F2542-E20	22,00	
	WLAN Atheros HB116 a/g/n				x	x		S26361-F3108-E14	22,00	
	Dual serial card PCIe x1				x			S26361-F3465-E4	23,00	
	2nd LAN/PoE module		x	x				S26361-F3466-E1	36,00	
	WLAN 802.11a/Draft		x	x				S26361-F4525-E10	17,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket.			x			S26361-F3465-E1	16,00	
Country kits										
	Country kit FUTRO Z EU+	Country kit incl. Quick Start Guide (EU+), Safety manual (EU+) and Service Desk and Warranty flyer					x	S26361-F2841-E300	6,00	
	Country kit X9xx Euro-cable EU+	incl. power cord (Euro), safety manual (EU+),		x	x			S26361-F2930-E300	8,00	
	Country kit X9xx GB-cable (INT)	incl. power cord (GB), safety manual (INT),		x	x			S26361-F2930-E302	8,00	
	Country kit X9xx US-cable (INT)	incl. power cord (US), safety manual (INT),			x	x		S26361-F2930-E303	8,00	
	Country kit X9xx (IT)	Italy; incl. power cord (Euro), safety manual (IT),			x	x		S26361-F2930-E304	8,00	
	Country kit FUTRO S EU+	incl. power cord (Euro), safety manual (EU+),	x	x				S26361-F2841-E200	6,00	
	Country kit FUTRO S non EU	incl. power cord (Euro), safety manual (non EU),	x	x				S26361-F2841-E204	6,00	
	Country kit FUTRO Z non EU	Country kit incl. Quick Start Guide (EU+), Safety manual (EU+), Service Desk and Warranty flyer					x	S26361-F2841-E301	6,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x				S26391-F404-E911	2,00	
OneBox-Keyboards										



Fujitsu recommends Windows 8

FUTRO Options

Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options matrix										
OneBox-Keyboards (Continued)										
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x				S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x				S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x				S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x				S26381-K341-E185	27,00	
	KB410 USB GREY JP	KB410 USB, slim value keyboard with japanese layout on 108-key modul in grey. Fixed USB cable 1.8 m.			x	x		S26381-K510-E174	13,00	
	KB410 USB BLACK US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x		S26381-K510-E402	13,00	
	KB410 USB BLACK US ENGLISH 104 key	KB410 USB US 104 key US English layout, slim value keyboard with US layout on 104-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x		S26381-K510-E410	13,00	
	KB410 USB BLACK DE	KB410 USB, slim value keyboard with german layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x		S26381-K510-E420	13,00	
	KB410 USB BLACK GB	KB410 USB, slim value keyboard with english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x		S26381-K510-E465	13,00	
	KB410 USB BLACK IT	KB410 USB, slim value keyboard with italian layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x		S26381-K510-E485	13,00	
	KB410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x		S26381-K515-E402	13,00	
	KB410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x		S26381-K515-E420	13,00	
	KB410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x		S26381-K515-E465	13,00	
	KB410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x		S26381-K515-E485	13,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x	x				S26381-K520-E102	12,00	
	KB520 US ENGLISH 104 key	KB520 keyboard standard 104keys, marble grey, US, cable USB 2m,	x	x				S26381-K520-E110	12,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x	x				S26381-K520-E120	12,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x	x				S26381-K520-E165	12,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x	x				S26381-K520-E185	12,00	
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x	x	x	x		S26381-K560-E402	15,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x	x	x	x		S26381-K560-E420	15,00	



Fujitsu recommends Windows 8

FUTRO Options

Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options matrix										
OneBox-Keyboards (Continued)										
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x	x	x	x		S26381-K560-E465	15,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x	x	x	x		S26381-K560-E485	15,00	
	Wireless Keyboard Set LX900 US	Wireless Keyboard Set LX900 US 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries	x	x	x	x		S26381-K564-E402	35,00	
	Wireless Keyboard Set LX900 DE	Wireless Keyboard Set LX900 DE 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries	x	x	x	x		S26381-K564-E420	35,00	
	Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 GB 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries	x	x	x	x		S26381-K564-E465	35,00	
	Wireless Keyboard Set LX900 IT	Wireless Keyboard Set LX900 IT 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries	x	x	x	x		S26381-K564-E485	35,00	
	PS2 Keyboard Cable 2,0m	Keyboard cable PS2 for KBPC PX ECO, ca. 2,0 m length	x	x	x	x		T26139-Y4530-E1	4,00	
OS/Application-SW										
	Pre-installation 1 of WES7 (WS7P)	Complete pre-installation with all relevant modules., International version (German, English, French and Italian) of Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent, support for modular updates and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for SCOUT Enterprise are not included., Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.	x	x				S26361-F2009-E230	4,00	
	Pre-installation 2 of WES7 (WS7P)	Space-saving pre-installation., International version (German, English, French, Italian and Spanish) of Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent, support for modular updates and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for SCOUT Enterprise are not included., Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.,	x	x				S26361-F2009-E231	4,00	
	License for Win Embedded Std. 7 (WS7P)	License for Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Free modular package updates for 1 year are included. For further updates Subscription Keys eLux/WES/Scout (S26361-F2727-L703) are required. Licenses for SCOUT Enterprise are not included., Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.	x	x				S26361-F2009-E233	88,00	
	Rec.DVD eLux RP	Recovery-DVD for eLux RP. Licenses for eLux or SCOUT Enterprise are not included.,	x	x	x	x		S26361-F2009-E816	3,00	
	Recovery-DVD 1 of WES7 (WS7P)		x	x				S26361-F2009-E817	3,00	
	Recovery-DVD 2 of WES7 (WS7P)		x	x				S26361-F2009-E818	3,00	
	eLux RT pre-inst. w/ license (built-in)	Pre-installed eLux RT with license for eLux RT including 1 year subscription for software support.					x	S26361-F2727-E750	12,00	



Fujitsu recommends Windows 8

FUTRO Options

Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options matrix										
OS/Application-SW (Continued)										
	eLux RT pre-inst. incl. Scout (built-in)	Pre-installed eLux RT with license for eLux RT and Scout Enterprise including 1 year subscription for software support.					x	S26361-F2727-E751	56,00	
	eLux RP pre-installed w/o license	Pre-installed eLux RP. No licenses for eLux or SCOUT Enterprise are included., , Licensing is possible with existing licenses (e.g. in case of exchanging Thin Clients) or with the optional eLux-License S26361-F2727-L755. (If no license is available, the Thin Client can be booted 40 times.),	x	x	x	x		S26361-F2727-E752	4,00	
	eLux RP pre-inst. w/ license (built-in)	Pre-installed eLux RP with license for eLux including 1 year of software support (integrated subscription). , No license for SCOUT Enterprise is included., Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.	x	x	x	x		S26361-F2727-E753	20,00	
	eLux RP pre-inst. incl Scout (built-in)	Pre-installed eLux RP with licenses for eLux and SCOUT Enterprise; including 1 year of software support (integrated subscription),,	x	x	x	x		S26361-F2727-E754	72,00	
	eLux RL3 pre-installed w/ license	Pre-installed eLux RL 3.x with license for eLux and including 2 years of software support. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.)	x	x	x	x		S26361-F2727-E706	38,00	
	eLux RL3 pre-installed incl. Scout	Pre-installed eLux RL 3.x with licenses for eLux and SCOUT Enterprise; including 2 years of software support (integrated subscription).	x	x	x	x		S26361-F2727-E707	72,00	
	Rec.DVD eLux RL3	Recovery-DVD for eLux RL 3.x. No licenses for eLux or Scout EP are included.	x	x	x	x		S26361-F2727-E708	3,00	
	Win Embedded Std 7 SC Multimedia DE	German version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for SCOUT Enterprise are not included.	x	x				S26361-F2009-E219	77,00	
	Win Embedded Std 7 SC Multimedia ENG	English version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for SCOUT Enterprise are not included.	x	x				S26361-F2009-E220	77,00	
	Rec.DVD WES7 SC Multimedia DE	Recovery-DVD for the German version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for Windows Embedded Standard, SCOUT Enterprise or multimedia codecs are not included.	x	x				S26361-F2009-E808	3,00	



Fujitsu recommends Windows 8

FUTRO Options										
Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options matrix										
OS/Application-SW (Continued)										
	Rec.DVD WES7 SC Multimedia ENG	Recovery-DVD for the English version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for Windows Embedded Standard, SCOUT Enterprise or multimedia codecs are not included.	x	x				S26361-F2009-E809	3,00	
	Win Embedded Std. 7 (WS7P) Multimedia	International version (German, English, French and Italian) of Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent, support for modular updates and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Free modular package updates for 1 year are included. For further updates Subscription Keys eLux/WES/Scout (S26361-F2727-L703) are required. Licenses for SCOUT Enterprise are not included., Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.			x	x		S26361-F2009-E221	88,00	
	Rec. DVD WES7 (WS7P) Multimedia	Recovery-DVD for the international version (German, English, French, Italian and Spanish) of Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for Windows Embedded Standard, SCOUT Enterprise or multimedia codecs are not included.,			x	x		S26361-F2009-E810	3,00	
	No Operating System		x	x	x	x		S26361-F1818-E100	2,00	
UPS/Power supply										
	AC-Adapter 20V/40W		x	x				S26361-F2542-E14	8,00	
	PoE for FUTRO X Series				x	x		S26361-F3466-E2	33,00	
	Kein AC-Adapter		x	x				S26361-F2542-E18	2,00	
	AC-Adapter 20V/40W						x	S26361-F1051-E20	8,00	
	Cable powercord (DE...), 1.8m, black	black, 1.8m, suitable for: Germany, France, Austria, etc.	x	x			x	T26139-Y2540-E100	4,00	
	Cable powercord (CN), 1.8m, black	black, 1.8m, suitable for: China, 2 wire.	x	x			x	S26361-F404-E702	6,00	
	Cable powercord (GB), 1.8m, black	black, 1.8m, suitable for: Great Britain, Ireland	x	x			x	T26139-Y2540-E200	4,00	
	Cable powercord (US), 1.8m, black	black, 1.8m, suitable for: US, 2 wire	x	x			x	T26139-Y2540-E300	4,00	
	Cable powercord (IN), 1.8m, black	black, 1.8m, suitable for: India, 2 wire	x	x			x	T26139-Y2540-E600	4,00	
Security										
	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S500 requires internal USB interface		x				S26361-F1260-E802	19,00	
	SmartCard Reader				x	x		S26361-F1260-E803	23,00	
Mouse										
	No Mouse		x	x			x	S26361-F2542-E12	2,00	
	Upgrade Mouse M440 ECO Black				x	x		S26361-F2542-E222	16,00	
	Optical USB mouse M510 grey		x	x			x	S26361-F2542-E223	6,00	
	ECO Mouse M440 black		x	x			x	S26361-F2542-E224	9,00	
	Optical tilt USB mouse M500T grey		x	x				S26361-F2542-E227	12,00	
	Optical USB mouse M510 black		x	x			x	S26361-F2542-E229	6,00	
	Upgrade Mouse GL9000 Blue LED				x	x		S26361-F2542-E231	17,00	
	Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi, Fujitsu logo, USB cable 1,8m,	x	x				S26381-K457-E100	6,00	
Miscellaneous										
	Horizontal foot kit		x	x				S26361-F2542-E290	5,00	
	USB Security Cover	contains 10 covers per order unit,	x	x			x	S26361-F2542-E291	5,00	
	TPM Module				x	x		S26361-F3552-E3	10,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x				S26361-F2542-E90	4,00	
Displays										
	Glare display surface					x		S26361-F1065-E210	2,00	



Fujitsu recommends Windows 8

FUTRO Options										
Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options matrix										
Displays (Continued)										
	Anti-glare display surface					x		S26361-F1065-E220	50,00	
made4you Services										
	DeskView Load Basic	With DeskView Load Basic you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, Information about hardware components e.g. MAC - address, serial number at time of production via email, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	x	x	x	x	DVI:DVL_PACK_BAS	21,00	
	DeskView Load Expert	With DeskView Load Expert you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email or web service, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Specified Operating system customizing , Extended recovery scenario, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	x	x	x	x	DVI:DVL_PACK_EXP	38,50	
	DeskView Load Professional	With DeskView Load Professional you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	x	x	x	x	DVI:DVL_PACK_PRO	47,25	



Fujitsu recommends Windows 8

Positioning ESPRIMO



ESPRIMO C

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.



ESPRIMO E

Put your performance on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands. Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every customer who requires high computing power. It can be positioned either horizontally or vertically.



ESPRIMO P

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.



ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design. With its extremely small and stylish design, the new Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Add an eye catcher to your desk.



ESPRIMO X

PRIMERGY TX tower servers are ideal for use in SMEs or branch offices. They increase operational efficiency by providing rock solid, record-breaking, energy efficient performance. That performance is built on 20-years of pioneering work in Green IT. As a customer, you benefit from a reduction in your organization's environmental impact and lower running costs. The reliability is proven by testing the machines through 5000 boot cycles – far more than other vendors do. PRIMERGY TX servers are also easy to manage via the PRIMERGY ServerView Suite, reducing IT admin workload and costs. Plus, tower to rack conversion kits are available for most TX



Fujitsu recommends Windows 8

ESPRIMO C

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space.

ESPRIMO PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO C710					
ESPRIMO C710	Base unit, proprietary system board D3164, Intel iQ75 chipset with max. 32GB address space, 4x DIMM slots DDR3 1600 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX 20642) / LAN (10/100/1000 Mbit/s Intel 82579V), 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe 3.0 x16 slot, 1x Serial ATA III (6GB/s/NCQ), 2x Serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (90% efficiency), optical USB tilt wheel mouse, internal speaker, , DeskView 10.x client management included., DVI to VGA adapter is part of shipment., , Interfaces: 2x serial external (powered), 2x PS/2, 2x USB 3.0 rear, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 3.0 front, 2x USB 2.0 front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45 , , optional:, Lock in front panel, Intrusion switch, SmartCard Reader	S26361-K1014-V200	309,00		
ESPRIMO C720					
ESPRIMO C720	Base unit, proprietary system board D3224, Chipset Intel Q85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: HD Graphics 4600; audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe 3.0 x16 slot, 3x Serial ATA III (6GB/s/NCQ), 250W wide range power supply (90% efficiency), Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; DVI to VGA adapter is part of shipment., , Interfaces: 2x serial external (powered), 2x PS/2, 2x USB 3.0 rear, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 3.0 front, 2x USB 2.0 front, 1x DisplayPort, 1x DVI-I, audio (3x rear, 2x in front), 1x LAN RJ45 , , optional:, Lock in front panel, Intrusion switch, SmartCard Reader	S26361-K1114-V100	314,00	Orderable from: 15/07/2013	



Fujitsu recommends Windows 8

ESPRIMO E

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either be positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 months, the ESPRIMO E is the right solution for a customer requiring a high quality desktop.

ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO E510					
	ESP E510 E85+ /CORE i5-3470/	ESP E510 E85+ /CORE i5-3470/ 4GB DDR3-1600/500GB SATA III/PAR.INTF./ DUAL PORT/CK I/KB410USBBIT/ COA_W7_MM_PROFES/W7 PRO32 MAIN/,	PRJ:E0510P0001IT	740,00	
	ESP E510 E85+ /CORE i5-3470/	ESP E510 E85+ /CORE i5-3470/ 4GB DDR3-1600/DVD/500GB SATA III/ PAR.INTF./CK I/KB520IT/COA_W7_MM_PROFES/ W7 PRO64 MAIN/,	PRJ:E0510P0002IT	730,00	
ESPRIMO E710					
	ESP E710 E90+ /CORE i5-3570/ (Promo)	ESP E710 E90+ /CORE i5-3570/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB410PS2IT/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7 PRO64 MAIN/,	LKN:E0710P0001IT		
	ESP E710 E85+ /CORE i3-3220/	ESP E710 E85+ /CORE i3-3220/ 2x2GB DDR3-1600/DVD SM/500GB SATA III/ CK I/COA_W7_MM_PROFES/W7 PRO32 MAIN/ W7_RDVD_32+64_PROF/XP DUDVD/,	PRJ:E0710P0001IT	678,00	
ESPRIMO E910					
	ESP E910 0WATT /CORE i7-3770/ (Promo)	ESP E910 0WATT /CORE i7-3770/ 4GB DDR3-1600/DVD SM/1000GB SATA III/ UPGR USB 3.0 ESP E/CK I/KB410PS2IT/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:E0910P0002IT		
	ESP E910 0WATT /CORE i5-3570/ (Promo)	ESP E910 0WATT /CORE i5-3570/ 4GB DDR3-1600/DVD SM/500GB SATA III/ UPGR USB 3.0 ESP E/CK I/KB410PS2IT/ LIC WIN8 PRO/WIN8 PRO64 MAIN/,	LKN:E0910P0004IT		Phased out
	ESP E910 E85+ /CORE i7-3770/	ESP E910 E85+ /CORE i7-3770/ 4GB DDR3-1600/DVD SM/500GB SATA III/ PAR.INTF./CK D/KB410USBBDE/ COA_W7_MM_PROFES/W7 PRO32 MAIN/,	PRJ:E0910P0001IT	1.017,00	

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E410					
	ESPRIMO E410 E85+	ESPRIMO E410 E85+ Base unit: Mainboard type D3120 ATX; Chipset Intel H61, max. 16 GB, 2 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 Mbit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), NCQ AHCI; 280W Max. output of power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DVI-D, 1 x VGA, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0 USB rear, 2x 2.0 USB internal, 1 x Ethernet (RJ-45), 2x PS/2	S26361-K1185-V100	187,00	
ESPRIMO E510					



Fujitsu recommends Windows 8

ESPRIMO E			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
ESPRIMO E510 (Continued)					
	ESPRIMO E510 E85+	ESPRIMO E510 E85+ Base unit: ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0/ 2x 3.0 x USB rear, 2x 2.0/ 2x 3.0 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA,	S26361-K1337-V320	228,00	
ESPRIMO E520					
	ESPRIMO E520 E85+	ESPRIMO E520 E85+ Base unit: ; Mainboard type D3220 ATX; Chipset Intel B85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1x 5.25-inch external bays; 4 x Serial ATA III (6 GBit) NCQ AHCI; 280W Max. output of power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DVI-D, 1 x VGA, 1 x eSATA (optional), 4 x USB 3.0 total, 8 x USB 2.0 total, 2x USB 2.0 front, 4x USB 2.0 / 2x USB 3.0 rear, 2x USB 2.0/ 2x USB 3.0 internal, 1 x Ethernet (RJ-45), 1 x Parallel (optional, 25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1185-V300	233,00	
ESPRIMO E710					



Fujitsu recommends Windows 8

ESPRIMO E			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
ESPRIMO E710 (Continued)					
	ESPRIMO E710 E90+	ESPRIMO E710 E90+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA	S26361-K1337-V230	275,00	
	ESPRIMO E710 E85+	ESPRIMO E710 E85+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA	S26361-K1337-V240	264,00	
ESPRIMO E720					



Fujitsu recommends Windows 8

ESPRIMO E			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
ESPRIMO E720 (Continued)					
	ESPRIMO E720 E90+	ESPRIMO E720 E90+ Base unit: Mainboard type D3221 ATX; Chipset Intel Q85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA III (6 GBit)NCQ AHCI, 1x Serial ATA II (3 GBit); 280W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 x Parallel optional (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1340-V200	279,00	
	ESPRIMO E720 E85+	ESPRIMO E720 E85+ Base unit: Mainboard type D3221 ATX; Chipset Intel Q85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA III (6 GBit)NCQ AHCI, 1x Serial ATA II (3 GBit); 280W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 x Parallel optional (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1340-V210	268,00	
ESPRIMO E910					



Fujitsu recommends Windows 8

ESPRIMO E			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
ESPRIMO E910 (Continued)					
ESPRIMO E910 0-Watt		Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 0-Watt Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA	S26361-K1337-V130	410,00	
ESPRIMO E910 E90+		Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 E90+ Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA	S26361-K1337-V140	388,00	



Fujitsu recommends Windows 8

ESPRIMO E			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
ESPRIMO E910 (Continued)					
	ESPRIMO E910 E85+	Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 E85+ Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA	S26361-K1337-V150	377,00	
ESPRIMO E920					
	ESPRIMO E920 0-Watt	Intel vPro Logo with Core i5 and Core i7 processor; ESPRIMO E920 0-Watt Base unit: Mainboard type D3222 ATX; Chipset Intel Q87, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LM; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA III (6 GBit)NCQ AHCI, RAID 0/1/5/10; Intel Smart Response Technology (depending on CPU); 280W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 x Parallel optional (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1340-V100	419,00	



Fujitsu recommends Windows 8

ESPRIMO E			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
ESPRIMO E920 (Continued)					
ESPRIMO E920 E90+	Intel vPro Logo with Core i5 and Core i7 processor; ESPRIMO E920 E90+ Base unit: Mainboard type D3222 ATX; Chipset Intel Q87, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LM; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA III (6 GBit)NCQ AHCI, RAID 0/1/5/10; Intel Smart Response Technology (depending on CPU); 280W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 x Parallel optional (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1340-V110	397,00		
ESPRIMO E920 E85+	Intel vPro Logo with Core i5 and Core i7 processor; ESPRIMO E920 E85+ Base unit: Mainboard type D3222 ATX; Chipset Intel Q87, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LM; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA III (6 GBit)NCQ AHCI, RAID 0/1/5/10; Intel Smart Response Technology (depending on CPU); 280W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 x Parallel optional (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1340-V120	386,00		



Fujitsu recommends Windows 8

ESPRIMO P

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 month
 ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO P510					
	ESP P510 E85+ /CORE i5-3570/ (Promo)	ESP P510 E85+ /CORE i5-3570/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB410PS2IT/LIC WIN8 PRO/ WIN8 PRO64 MAIN/RDVD WIN8 PRO64/,	LKN:P0510P0006IT		Phased out
	ESP P510 E85+ /CORE i5-3470/	ESP P510 E85+ /CORE i5-3470/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB410PS2IT/LIC WIN8 PRO/ WIN8 PRO64 MAIN/RDVD WIN8 PRO64/,	PRJ:P0510P0001IT	738,00	Phased out
	ESP P510 E85+ /CORE i5-3470/	ESP P510 E85+ /CORE i5-3470/ 4GB DDR3-1600/500GB SATA III/PAR.INTF./ DUAL PORT/CK I/KB410USBBIT/ COA_W7_MM_PROFES/W7 PRO64 MAIN/,	PRJ:P0510P0002IT	740,00	
ESPRIMO P710					
	ESP P710 E90+ /CORE i5-3470/ (Promo)	ESP P710 E90+ /CORE i5-3470/ 4GB DDR3-1600/GF605 DP 1GB FH/DVD SM/ 500GB SATA III/CK I/KB410PS2IT/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:P0710P0002IT		
	ESP P710 E85+ /CORE i5-3470/	ESP P710 E85+ /CORE i5-3470/ 4GB DDR3-1600/DVD SM/250GB SATA III/ PAR.INTF./CK I/KB410PS2IT/ COA_W7_MM_PROFES/W7 PRO64 MAIN/,	PRJ:P0710P0001IT	768,00	
ESPRIMO P910					
	ESP P910 E85+ /CORE i5-3470/	ESP P910 E85+ /CORE i5-3470/ 2x2GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB900IT/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7 PRO64 MAIN/,	PRJ:P0910P0001IT	901,00	
	ESP P910 0WATT /CORE i7-3770/	ESP P910 0WATT /CORE i7-3770/ 4GB DDR3-1600/GF605 DP 1GB FH/DVD SM/ 500GB SATA III/PAR.INTF./CK I/ KB410USBBIT/COA_W7_MM_PROFES/,	PRJ:P0910P0002IT	1.095,00	
	ESP P910 E90+ /CORE i5-3470/	ESP P910 E90+ /CORE i5-3470/ 4GB DDR3-1600/DVD SM/2x500GB SATA III/ HDD SSD CABLE/CK I/KB410PS2IT/ Nero 12 XL/XP DUDVD/DU DVD WIN7+8/NO OS/,	PRJ:P0910P0003IT	862,00	
	ESP P910 E90+ /CORE i5-3470/	ESP P910 E90+ /CORE i5-3470/ 2x2GB DDR3-1600/ATI HD7350/DVD SM/ 500GB SATA III/PAR.INTF./CK I/ KB410USBBIT/DU DVD WIN7+8/XP DUDVD/,	PRJ:P0910P0004IT	958,00	
	ESP P910 E90+ /CORE i5-3470/	ESP P910 E90+ /CORE i5-3470/ 2x4GB DDR3-1600/GT630 2GB FH 0WATT/ DVD SM/1000GB SATA III/PAR.INTF./CK I/ KB410USBBIT/DU DVD WIN7+8/XP DUDVD/,	PRJ:P0910P0005IT	1.057,00	
	ESP P910 E90+ /CORE i5-3470/	ESP P910 E90+ /CORE i5-3470/ 2x2GB DDR3-1600/GF605 DP 1GB FH/DVD SM/ 500GB SATA III/PAR.INTF./CK I/ KB410USBBIT/COA_W7_MM_PROFES/,	PRJ:P0910P0006IT	961,00	New product
	ESP P910 E90+ /CORE i7-3770/	ESP P910 E90+ /CORE i7-3770/ 2x4GB DDR3-1600/GT630 2GB FH 0WATT/ DVD SM/1000GB SATA III/PAR.INTF./CK I/ KB410USBBIT/COA_W7_MM_PROFES/,	PRJ:P0910P0007IT	1.187,00	New product



Fujitsu recommends Windows 8

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO P910 (Continued)					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P400					
	ESPRIMO P400 E85+	ESPRIMO P400 E85+ Base unit: ; Mainboard type D2990 ATX; Chipset Intel H61, max. 16 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 330 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x N/A, 1 x Front audio: headphone, 1 x Front audio: microphone, N/A x N/A, N/A, 1 (DVI-D) x DVI, optional x USB 3.0 total, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x VGA,	S26361-K1017-V300	187,00	Phased out
ESPRIMO P410					
	ESPRIMO P410 E85+	ESPRIMO P410 E85+ Base unit: Mainboard type D3120 ATX; Chipset Intel H61, max. 16 GB, 2 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), NCQ AHCI; 280 W Max. output of power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DVI-D, 1 x VGA, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0 USB rear, 2x 2.0 USB internal, 1 x Ethernet (RJ-45), 2x PS/2	S26361-K1019-V100	187,00	
ESPRIMO P510					



Fujitsu recommends Windows 8

ESPRIMO P			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
ESPRIMO P510 (Continued)					
	ESPRIMO P510 E85+	ESPRIMO P510 E85+ Base unit ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0/ 2x 3.0 x USB rear, 2x 2.0/ 2x 3.0 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1017-V400	228,00	
ESPRIMO P520					
	ESPRIMO P520 E85+	ESPRIMO P520 E85+ Base unit ; Mainboard type D3220 ATX; Chipset Intel B85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same; Graphics: Intel HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bay, 2x 3.5-inch internal bays, 2x 5.25-inch external bays; 4 x Serial ATA III (6 GBit) NCQ AHCI; 280W Max. output of power supply; Optical USB wheel mouse; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DVI-D, 1 x VGA, 1 x eSATA (optional), 4 x USB 3.0 total, 8 x USB 2.0 total, 2x USB 2.0 front, 4x USB 2.0 / 2x USB 3.0 rear, 2x USB 2.0/ 2x USB 3.0 internal, 1 x Ethernet (RJ-45), 1 x Parallel (optional, 25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1019-V300	233,00	
ESPRIMO P710					



Fujitsu recommends Windows 8

ESPRIMO P

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P710 (Continued)					
ESPRIMO P710 E90+	ESPRIMO P710 E90+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter,	S26361-K1015-V230	275,00		
ESPRIMO P710 E85+	ESPRIMO P710 E85+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter,	S26361-K1015-V240	264,00		
ESPRIMO P720					



Fujitsu recommends Windows 8

ESPRIMO P			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
ESPRIMO P720 (Continued)					
	ESPRIMO P720 E90+	ESPRIMO P720 E90+ Base unit: Mainboard type D3221 ATX; Chipset Intel Q85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. Graphics: HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA III (6 GBit)NCQ AHCI, 1x Serial ATA II (3 GBit); 280W max. output power; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 x Parallel optional (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1018-V200	279,00	
	ESPRIMO P720 E85+	ESPRIMO P720 E85+ Base unit: Mainboard type D3221 ATX; Chipset Intel Q85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. Graphics: HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA III (6 GBit)NCQ AHCI, 1x Serial ATA II (3 GBit); 280W max. output power; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 x Parallel optional (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1018-V210	268,00	
ESPRIMO P910					



Fujitsu recommends Windows 8

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P910 (Continued)					
	ESPRIMO P910 0-Watt	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 0-Watt Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter. part of shipment) x VGA.	S26361-K1015-V130	410,00	



Fujitsu recommends Windows 8

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P910 (Continued)					
	ESPRIMO P910 E90+	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 E90+ Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter. part of shipment) x VGA.	S26361-K1015-V140	388,00	



Fujitsu recommends Windows 8

ESPRIMO P					
	Model Description	Details	Product Code	EUP (€)	Comments
	Base unit configurations				
	ESPRIMO P910 (Continued)				
	ESPRIMO P910 E85+	<p>Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 E85+ Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter. part of shipment) x VGA.</p>	S26361-K1015-V150	377,00	



Fujitsu recommends Windows 8

ESPRIMO P			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
ESPRIMO P910 (Continued)					
ESPRIMO P910-L	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910-L Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView Clie, DeskView Instant BIOS Managemen, DeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 2x USB2.0/ 2x USB3.0 in front, 6x USB2.0 / 2x USB3.0 rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA (via DVI	S26361-K1018-V140	410,00	Orderable from: 12/07/2013	
ESPRIMO P920					
ESPRIMO P920 0-Watt	Intel vPro Logo with Core i5 and Core i7 processor; ESPRIMO P920 0-Watt Base unit: Mainboard type D3222 ATX; Chipset Intel Q87, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. Graphics: HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LM; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 6 x Serial ATA III (6 GBit)NCQ AHCI, RAID, Intel Smart Response Technology (depending on CPU); 280W max. output power; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 x Parallel optional (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1018-V100	419,00		



Fujitsu recommends Windows 8

ESPRIMO P			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
ESPRIMO P920 (Continued)					
ESPRIMO P920 E90+		Intel vPro Logo with Core i5 and Core i7 processor; ESPRIMO P920 E90+ Base unit: Mainboard type D3222 ATX; Chipset Intel Q87, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. Graphics: HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LM; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 6 x Serial ATA III (6 GBit)NCQ AHCI, RAID, Intel Smart Response Technology (depending on CPU); 280W max. output power; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 x Parallel optional (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1018-V110	397,00	
ESPRIMO P920 E85+		Intel vPro Logo with Core i5 and Core i7 processor; ESPRIMO P920 E85+ Base unit: Mainboard type D3222 ATX; Chipset Intel Q87, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. Graphics: HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LM; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 6 x Serial ATA III (6 GBit)NCQ AHCI, RAID, Intel Smart Response Technology (depending on CPU); 280W max. output power; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 x Parallel optional (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1018-V120	386,00	



Fujitsu recommends Windows 8

ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design. With its extremely small and stylish design, the Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a fully-fledged PC. Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level. Add an eye catcher to your desk.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO Q510					
ESPRIMO Q510		Base unit, proprietary form factor, Intel iH61 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX20642) / LAN (10/100/1000 Mbit/s Intel 82579LM), 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 70W integrated power supply, optical USB scroll mouse., DVI to VGA adapter part of shipment., Zero Noise for standard office applications (SSD needed)., VESA monitor mounting (incl. screws/bolts) included., , Interfaces: 4x USB 2.0 rear, 2x USB 2.0 in front, 1x HDMI, 1x DVI, high definition audio, 1x LAN RJ45, 1x MultiCard Reader, , optional:, 1 Lock plate	S26361-K1011-V300	295,00	
ESPRIMO Q910					
ESPRIMO Q910		Base unit, proprietary form factor, Intel iQ77 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX20642) / LAN (10/100/1000 Mbit/s Intel 82579LM), 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 65 W integrated power supply, optical USB scroll mouse., , DVI to VGA adapter part of shipment., , Zero Noise for standard office applications (SSD needed)., , VESA monitor mounting (incl. screws/bolts) included., , , Interfaces: 2x USB 2.0 rear, 2x USB 3.0 rear, 2x USB 3.0 in front, 1x DP, 1x DVI, high definition audio, 1x LAN RJ45, 1x MultiCard Reader, , , optional:, , 1 MiniCard for WLAN/Bluetooth module, 1 Intrusion switch, , 1 Lock plate,	S26361-K1011-V200	477,00	
ESPRIMO Q920					
ESPRIMO Q920		Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO Q920; Base unit, mainboard typ proprietary form factor D3233, Intel iQ87 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD 4600) / audio (Realtek ALC671) / LAN (10/100/1000 Mbit/s Intel L217LM), 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally, 1x mSATA internal), 65 W integrated power supply, optical USB scroll mouse; keyboard only optional., , DVI to VGA adapter part of shipment., , Zero Noise for standard office applications (SSD needed)., , VESA monitor mounting included in the housing., , , Interfaces: 2x USB 2.0 rear, 2x USB 3.0 rear, 2x USB 3.0 in front, 1x DP, 1x DVI, high definition audio, 1x LAN RJ45, 1x MultiCard Reader, , , optional:, , 1 MiniCard for WLAN/Bluetooth module, 1 Intrusion switch, , 1 Lock plate,	S26361-K1011-V500	486,00	Orderable from: 29/07/2013



Fujitsu recommends Windows 8

ESPRIMO X

The stylish Fujitsu ESPRIMO X913 has all the advantages of a PC plus a multi-position 58.4 cm (23-inch) LED display (X913-T with touch display) and innovative easy log-in features. Achieve significant TCO savings with DeskView and Intel® vPro™ technology and protect confidential data with the integrated TPM module.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO X913					
ESPRIMO X913	ESPRIMO X913	ESPRIMO X913 Base unit: Intel vPro Logo with Core i5 processors; Mainboard type D3204 proprietary ; Chipset Intel Q77, max. 16 GB, 2 SO DIMM (DDR3, 1600 MHz) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD GraphicsIntel HD Graphics 2000Intel HD Graphics 2500; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: , Drive bays: 0 x 2.5-inch bays; 1 x Serial ATA III (6 GBit) NCQ AHCI; 90 W (integrated in system) Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x N/A, N/A x N/A, optional with camera module x Internal microphones, N/A, 1 x DVI, 4 x USB 3.0 total, 2 x USB 2.0 total, 2x2.0 2x3.0 x USB rear, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN, 1 (optional with WLAN module) x Bluetooth	S26361-K1065-V200	662,00	
ESPRIMO X913-T					
ESPRIMO X913-T	ESPRIMO X913-T	ESPRIMO X913-T Base unit: Intel vPro Logo with Core i5 processors; Mainboard type D3204 proprietary ; Chipset Intel Q77, max. 16 GB, 2 SO DIMM (DDR3, 1600 MHz) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD GraphicsIntel HD Graphics 2000Intel HD Graphics 2500; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: , Drive bays: 0 x 2.5-inch bays; 1 x Serial ATA III (6 GBit) NCQ AHCI; 90 W (integrated in system) Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x N/A, N/A x N/A, optional with camera module x Internal microphones, N/A, 1 x DVI, 4 x USB 3.0 total, 2 x USB 2.0 total, 2x2.0 2x3.0 x USB rear, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN, 1 (optional with WLAN module) x Bluetooth	S26361-K1065-V300	939,00	



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E410	ESPRIMO E50	ESPRIMO E50	ESPRIMO E70	ESPRIMO E70	ESPRIMO E90	ESPRIMO E90	ESPRIMO E90	ESPRIMO P400	ESPRIMO P410	ESPRIMO P50	ESPRIMO P50	ESPRIMO P70	ESPRIMO P70	ESPRIMO P90	ESPRIMO P90	ESPRIMO Q510	ESPRIMO Q510	ESPRIMO Q920	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments	
Options matrix																														
Approvals/dependencies																														
	24/7 extended lifetime																											S26361-F2542-E232	1.00	Orderable from: 01/07/2013
	Housing for 2 full height PCI cards																											S26361-F2542-E427	20.00	
	Fast On		x	x														x	x	x	x	x	x	x	x	x		S26361-F2550-E120	6.00	
	China (CCC) approval							x	x																			S26361-F2550-E150	3.00	
	Green system																											S26361-F2550-E160	2.00	
Processor																														
	Celeron G1610	incl. Intel HD Graphics, 2.60 GHz, 2 MB total cache, dual core/2 threads, LGA1155,	x	x	x				x	x								x	x	x								S26361-F4020-E161	36.00	
	Pentium G2020	incl. Intel HD Graphics, 2.90 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	x	x	x				x	x								x	x	x								S26361-F4050-E202	66.00	
	Pentium G2030	incl. Intel HD Graphics, 3.00 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	x	x	x				x	x								x	x	x								S26361-F4050-E204	66.00	
	Pentium G870	incl. Intel HD Graphics, 3.10 GHz, 3 MB total cache, dual core/2 threads, LGA1155,				x	x		x	x								x	x	x								S26361-F4050-E212	72.00	Phased out
	Pentium G2120	incl. Intel HD Graphics, 3.10 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	x	x	x				x	x								x	x	x								S26361-F4050-E212	72.00	
	Core i3-3220	incl. Intel HD Graphics 2500, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-d	x	x	x				x	x								x	x	x								S26361-F4493-E322	134.00	
	Core i5-3330	incl. Intel HD Graphics 2500, 3.00 GHz, up to 3.2 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-d				x	x											x	x	x								S26361-F4494-E330	204.00	
	Core i5-3470	incl. Intel HD Graphics 2500, 3.20 GHz, up to 3.6 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-d, TXT	x	x	x				x	x								x	x	x								S26361-F4494-E348	235.00	
	Core i5-3570	incl. Intel HD Graphics 2500, 3.40 GHz, up to 3.8 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-d, TXT	x			x	x											x	x	x								S26361-F4494-E357	262.00	
	Core i5-4570	incl. Intel HD Graphics 4600, 3.20 GHz, up to 3.6 GHz, 6 MB total cache, 4C/4T, LGA1150, technologies: VT-d, TXT, x				x	x		x	x								x	x	x								S26361-F4494-E457	244.00	
	Core i5-4670	incl. Intel HD Graphics 4600, 3.40 GHz, up to 3.8 GHz, 6 MB Total Cache, 4C/4T, LGA1150, technologies: VT-d, TXT, x				x	x		x	x								x	x	x								S26361-F4494-E467	270.00	
	Core i7-3770	incl. Intel HD Graphics 4000, 3.40 GHz, up to 3.9 GHz, 8 MB total cache, quad core/8 threads, LGA1155, technologies: VT-d, TXT	x	x	x				x	x								x	x	x								S26361-F4495-E377	365.00	
	Core i7-4770	incl. Intel HD Graphics 4600, 3.40 GHz, up to 3.9 GHz, 8 MB total cache, 4C/8T, LGA1150, technologies: VT-d, TXT, x				x	x		x	x								x	x	x								S26361-F4495-E477	374.00	
	Celeron G1610T	incl. Intel HD Graphics, 2.30 GHz, 2 MB total cache, dual core/2 threads, x																				x	x					S26361-F4020-E162	43.00	
	Pentium G2020T	incl. Intel HD Graphics, 2.50 GHz, 3 MB total cache, dual core/2 threads, x																				x	x					S26361-F4050-E203	72.00	
	Core i3-3220T	incl. Intel HD Graphics 2500, 2.80 GHz, 3 MB total cache, dual core/4 threads, x																				x	x					S26361-F4493-E323	134.00	
	Core i3-3220T	incl. Intel HD Graphics 2500, 2.80 GHz, 3 MB total cache, dual core/4 threads, x																					x					S26361-F4493-E324	134.00	
	Core i3-3240T	incl. Intel HD Graphics 2500, 2.90 GHz, 3 MB total cache, dual core/4 threads, x																					x					S26361-F4493-E325	134.00	New product
	Core i5-3470T	incl. Intel HD Graphics 2500, 2.90 GHz, up to 3.6 GHz, 3 MB Total Cache, Dual Core/4 Threads, LGA1155, VT-d, TXT, x																				x	x					S26361-F4494-E347	235.00	
	Core i5-4570T	incl. Intel HD Graphics 4600, 2.9 GHz, up to 3.6 GHz, 4 MB total cache, dual core/4 threads, LGA1150, technologies: VT-d, TXT, x																										S26361-F4494-E458	244.00	Orderable from: 29/07/2013
	Core i7-4765T	incl. Intel HD Graphics 4600, 2.0 GHz, up to 3.0 GHz, 8 MB total cache, 4C/8T, LGA1150, technologies: VT-d, TXT, x																										S26361-F4495-E476	374.00	Orderable from: 29/07/2013
Memory																														
	2GB DDR3-1333	1 module PC 1333, DIMM, x																										S26361-F3378-E2	28.00	Phased out
	4GB DDR3-1333	1 module PC 1333, DIMM, x																										S26361-F3378-E3	44.00	Phased out
	2GB DDR3-1600	1 module PC 1600, DIMM, x	x	x	x				x	x								x	x									S26361-F3384-E2	28.00	
	4GB DDR3-1600	1 module PC 1600, DIMM, x	x	x	x				x	x								x	x									S26361-F3384-E3	44.00	
	8GB DDR3-1600	1 module PC 1600, DIMM, x	x	x	x				x	x								x	x									S26361-F3384-E4	89.00	
	2GB DDR3-1600	1 module PC 1600, DIMM, x				x	x															x	x					S26361-F3386-E2	28.00	
	4GB DDR3-1600	1 module PC 1600, DIMM, x				x	x															x	x					S26361-F3386-E3	44.00	
	8GB DDR3-1600	1 module PC 1600, DIMM, x				x	x															x	x					S26361-F3386-E4	89.00	
	2GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM, x				x	x															x	x					S26361-F4553-E2	28.00	
	4GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM, x				x	x															x	x					S26361-F4553-E3	44.00	
	8GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM, x				x	x															x	x					S26361-F4553-E4	89.00	
	2GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM, x																					x					S26361-F4585-E2	28.00	Orderable from: 29/07/2013
	4GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM, x																					x					S26361-F4585-E3	44.00	Orderable from: 29/07/2013
	8GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM, x																					x					S26361-F4585-E4	89.00	Orderable from: 29/07/2013
Graphics																														
	ATI Radeon HD7350 1GB FH	Dual DVI-I, DDR3, full height, x												x	x	x												S26361-F3535-E736	42.00	
	NVIDIA GeForce GT630 DisplayPort 2GB FH	PCIe Gen3, DVI-I, dual link, display port, DDR3, full height, x												x	x	x												S26361-F3000-E633	83.00	
	NVIDIA GeForce GT630 DisplayPort 2GB LP	PCIe Gen3, DVI-I, dual link, display port, DDR3, low profile, x				x	x																					S26361-F3000-E631	83.00	
	NVIDIA GeForce GT630 DP 2GB FH "0 Watt"	Display port, DVI-I, dual link, DX11, PCIe gen3, DDR3, full height, x																			x	x	x					S26361-F3000-E637	83.00	
	NVIDIA GeForce GT630 DP 2GB LP "0 Watt"	Display port, DVI-I, dual link, DX11, PCIe gen3, DDR3, low profile, x				x	x																					S26361-F3000-E635	83.00	
	NVIDIA GeForce 605 DisplayPort 1GB FH	DVI-I, display port, DDR3, full height, x												x	x	x												S26361-F3000-E607	45.00	
	NVIDIA GeForce 605 DisplayPort 1GB LP	DVI-I, display port, DDR3, low profile, x				x	x																					S26361-F3000-E605	45.00	
	NVIDIA NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately, x				x	x											x	x	x								S26361-F2748-E38	85.00	
	2nd NVIDIA NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately, x																				x	x					S26361-F2748-E138	85.00	
	NVIDIA NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately, x				x	x																					S26361-F2748-E338	78.00	
	2nd NVIDIA NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately, x																										S26361-F2748-E438	78.00	
	Display Port/DVI-D adaptor cable	for connection of one DVI-D monitor additional DisplayPort output for the integrated INTEL graphics, 3-monitor-support, x				x	x							x	x	x												S26361-F2391-E200	17.00	
	DisplayPort extension card	for connection of one DVI-I monitor, requires DVI-I connector, x																										S26361-F2391-E210	33.00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector, x				x	x							x	x	x												S26361-F2391-E1	6.00	
	LFH59/ 2x DVI-I adaptor cable	for connection of two DVI-I monitors, x				x	x							x	x	x												S26361-F2391-E101	17.00	
	LFH59/ 2x DP adaptor cable	for connection of two DisplayPort monitors, x				x	x							x	x	x												S26361-F2391-E102	19.00	
Removable Media Drives																														
	ODD cover (dummy drive)	necessary when no ODD is configured, x																										S26361-F2542-E53	4.00	
	Cable for 2nd ODD																													



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710	ESPRIMO E720	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO P710	ESPRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH000	ESPRIMO O510	ESPRIMO O810	ESPRIMO O820	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments	
Removable Media Drives (Continued)																														
	DVD SuperMulti SATA Slot-in slim	occupies accessible 5.25"- bay, DVD software must be ordered separately,	x	x																								S26361-F3741-E200	37,00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately			x	x																						S26361-F3418-E510	16,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3420-E510	23,00	
	Blu-ray Triple Writer SATA slim (tray)	occupies 5,25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3716-E100	73,00		
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3077-E50	10,00		
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0. Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,											x														S26361-F3077-E51	13,00		
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0. Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,					x									x											S26361-F3077-E52	13,00		
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay,DVD software must be ordered separately	x	x																							S26361-F3429-E510	30,00		
Hard Disks																														
	SSD SATA III 128GB	2.5" solid state drive with SATA 6GB/s interface, no WinXP support		x	x		x		x		x		x		x		x		x		x		x		x		S26361-F3679-E128	160,00		
	SSD SATA III 256GB	2.5" solid state drive with SATA 6GB/s interface, no WinXP support,		x	x		x		x		x		x		x		x		x		x		x		x		S26361-F3679-E256	282,00		
	HDD SATA II 500GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)																									S26361-F3658-E500	73,00		
	HDD SATA II 320GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)																									S26361-F3658-E320	56,00		
	SSD SATA III 32GB Smart Response cache	mSATA module with SATA 6GB/s interface, occupies 2.5"-bay (internal). Installed as Smart Response cache, additional HDD necessary.											x														S26361-F3794-E32	56,00		
	SSD SATA III 32GB Smart Response cache	mSATA module with SATA 6GB/s interface. Installed as Smart Response cache, additional HDD necessary.																									S26361-F3795-E32	46,00	Orderable from: 29/07/2013	
	SSD SATA III 64GB Smart Response cache	Very fast 2.5" SSD with SATA 6GB/s interface, incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,																									S26361-F3742-E64	88,00		
	SSD SATA III 64GB Smart Response cache	very fast 2.5" SSD with SATA 6GB/s interface, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,																									S26361-F3743-E64	88,00		
	SSD SATA III 128GB	occupies 3.5"-bay (internal), incl. frame, 2.5" solid state drive with SATA 6GB/s interface, no WinXP support	x			x		x		x		x		x		x											S26361-F3680-E128	160,00		
	SSD SATA III 128GB Premium	occupies 3.5"-bay (internal), incl. frame, 2.5" solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,	x						x		x																S26361-F3809-E128	170,00		
	SSD SATA III 128GB Premium	2.5" solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,	x			x		x		x																	S26361-F3808-E128	170,00		
	SSD SATA III 128GB	2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, no WinXP support																									S26361-F3681-E128	160,00		
	SSD SATA III 128GB Premium	occupies 2.5"-bay (internal), incl. easy rails, 2.5" solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,																									S26361-F3810-E128	170,00		
	SSD SATA III 256GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, no WinXP support	x			x		x		x		x		x		x											S26361-F3680-E256	282,00		
	SSD SATA III 256GB Premium	2.5" solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,	x			x		x		x																	S26361-F3808-E256	307,00		
	SSD SATA III 256GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, no WinXP support																									S26361-F3681-E256	282,00		
	SSD SATA III 128GB SED					x																					S26361-F3771-E128	170,00		
	SSD SATA III 128GB SED					x																					S26361-F3772-E128	170,00		
	SSD SATA III 128GB SED					x																					S26361-F3773-E128	170,00		
	SSHD SATA III 500GB 5.4k 2.5"	Solid State Hard Disk, Hybrid drive,				x																					S26361-F3784-E500	90,00		
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x	x	x	x										S26361-F3660-E250	52,00			
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)																									S26361-F3660-E251	52,00		
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x	x	x	x										S26361-F3660-E500	58,00			
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)																									S26361-F3660-E501	58,00		
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x	x	x	x										S26361-F3660-E100	84,00			
	HDD SATA III 2000GB 7.2k AF	occupies 3.5"-bay (internal), Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x	x	x	x										S26361-F3660-E200	150,00			
	HDD SATA II 320GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x	x	x	x										S26361-F3796-E320	56,00			
	HDD SATA II 750GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)																									S26361-F3658-E750	90,00		



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E410	ESPRIMO E510	ESPRIMO E510	ESPRIMO E710	ESPRIMO E710	ESPRIMO E910	ESPRIMO E910	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO P710	ESPRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO P930	ESPRIMO Q510	ESPRIMO Q810	ESPRIMO Q820	ESPRIMO X813	ESPRIMO X913-T	Product Code	EUP (€)	Comments	
Options matrix																														
Hard Disks (Continued)																														
	HDD SATA II 1000GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF).																										S26361-F3658-E100	106,00	
	HDD SATA II 320GB 7.2k 2.5"	supports NCQ and 3GB/s, compatible to SATA technology.	x		x		x		x		x		x		x		x		x		x		x		x		S26361-F3721-E320	65,00		
	HDD SATA III 500GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x	x					x	x	x	x					x	x	x	x							S26361-F3497-E100	99,00		
	Mounting Kit for additional 3.5" drives																		x	x	x						S26361-F4035-E10	6,00		
	Mounting Kit for additional 2.5" drives																		x	x	x						S26361-F4035-E20	6,00		
	Mounting Kit for 2nd HDD/SSD																										S26361-F4035-E30	6,00		
	Upgrade preparation for 2nd 3.5" drive	Easy Rails and cable for future drive upgrades.																									S26361-F4035-E50	6,00		
	Upgrade preparation for 2.5" drive	Easy Rails and cable for future drive upgrades.																									S26361-F4035-E60	6,00		
	Cable for 2nd HDD/ SSD	necessary for the operation of the 2nd HDD or SSD																									S26361-F2581-E30	3,00		
WebCam																														
	No presence sensor + No multi media																											S26361-F1065-E201	2,00	
	Presence sensor + multi media module																											S26361-F1065-E202	33,00	
Communication/Network																														
	WLAN 802.11b/g/n (2x2) und Bluetooth USB 3.0 PCIe x1	FTS D3305, connectors: 1x USB Typ A external, 1x USB Typ A internal, PCIe x1,																										S26361-F3108-E13	14,00	
	Upgrade USB 3.0 front connector																											S26361-F3050-E40	9,00	
	Upgrade USB 3.0 front connector																											S26361-F3050-E50	9,00	
	Upgrade USB 3.0 front connector ESP P																											S26361-F3050-E20	9,00	
	Upgrade USB 3.0 front connector ESP E																											S26361-F3050-E30	9,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0	x	x	x	x	x	x	x	x	x	x																S26361-F3067-E60	17,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2908, 10/100/1000 Mbit/s, Dash manageability, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0																										S26361-F3067-E90	17,00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface, only EU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3108-E5	14,00		
	WLAN 802.11b/g/n (2x2) and Bluetooth	Intel Centrino Wireless-N 2230 (802.11b/g/n, 2x2, single band W-Fi + Bluetooth 4.0), delivers up to 300 Mbps speed in the 2.4 GHz band with multiple streams.																										S26361-F3108-E12	14,00	
	Parallel Interface LP	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot																										S26361-F2542-E30	3,00	
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height																										S26361-F2542-E34	3,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x	x																								S26361-F2542-E60	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot, low profile	x	x																								S26361-F2542-E40	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot, full height																										S26361-F2542-E70	4,00	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3316-E6	25,00		
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3316-E7	26,00		
Country kits																														
	Country kit US-cable (INT)	incl. power cord (US), safety manuals (EU+, non EU)	x	x	x	x	x	x	x	x	x	x																S26361-F2930-E100	8,00	
	Country kit (DE)	Germany; incl. power cord (Euro), safety manual (DE)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F2930-E101	8,00	
	Country kit (IT)	Italy; incl. power cord (IT), safety manual (IT)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F2930-E104	8,00	
	Country kit (GB)	United Kingdom; incl. power cord (GB), safety manual (EN)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F2930-E105	8,00	
	Country kit GB-cable (non EU)	incl. power cord (GB), safety manual (INT)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F2930-E110	8,00	
	Country kit (JP)	Japan; incl. power cord (JP), safety manual (non EU), incl. Japan supplementary sheets																										S26361-F2930-E113	8,00	
	Country kit ESPRIMO Q Euro-cable (INT)	incl. power cord (Euro), safety manual (INT)																										S26361-F2930-E122	8,00	
	Country kit ESPRIMO Q (IT)	incl. power cord (IT), safety manual (IT)																										S26361-F2930-E123	8,00	
	Country kit ESPRIMO Q GB-cable (INT)	incl. power cord (GB), safety manual (INT)																										S26361-F2930-E124	8,00	
	Country kit ESPRIMO Q US-cable (INT)	incl. power cord (US), safety manual (INT)																										S26361-F2930-E127	8,00	
	Country kit ESPRIMO Q (DE)	incl. power cord (Euro), safety manual (INT)																										S26361-F2930-E128	8,00	
	Country kit without power cord (INT)	without power cord, incl. safety manuals (EU+, non EU)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F2930-E135	8,00	
	Country kit Euro-cable (EU+)	incl. power cord (Euro), safety manual (EU+)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F2930-E141	8,00	
	Country kit ESPRIMO Q (JP)	incl. power cord (JP), safety manual (non EU),																										S26361-F2930-E151	8,00	
	Country kit X9xx Euro-cable EU+	incl. power cord (Euro), safety manual (EU+),																										S26361-F2930-E300	8,00	
	Country kit X9xx GB-cable (INT)	incl. power cord (GB), safety manual (INT),																										S26361-F2930-E302	8,00	
	Country kit X9xx US-cable (INT)	incl. power cord (US), safety manual (INT),																										S26361-F2930-E303	8,00	
	Country kit X9xx (IT)	Italy; incl. power cord (Euro), safety manual (IT).																										S26361-F2930-E304	8,00	
	Country kit ESP Q Euro cable PVC free	incl. PVC free power cord (Euro), safety manual (INT).																										S26361-F2950-E100	9,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26391-F404-E911	2,00	
OneBox-Keyboards																														
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	x																S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	x																S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	x																S26381-K341-E165	27,00	



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710	ESPRIMO E720	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO P710	ESPRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH000	ESPRIMO Q510	ESPRIMO Q810	ESPRIMO Q820	ESPRIMO X913	ESPRIMO X915-T	Product Code	EUP (€)	Comments	
Options matrix																													
OneBox-Keyboards (Continued)																													
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K341-E185	27,00		
	KB410 USB GREY JP	KB410 USB, slim value keyboard with japanese layout on 108-key modul in grey. Fixed USB cable 1.8 m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K510-E174	13,00			
	KB410 USB BLACK US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K510-E402	13,00			
	KB410 USB BLACK US ENGLISH 104 key	KB410 USB US 104 key US English layout, slim value keyboard with US layout on 104-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K510-E410	13,00			
	KB410 USB BLACK DE	KB410 USB, slim value keyboard with german layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K510-E420	13,00			
	KB410 USB BLACK GB	KB410 USB, slim value keyboard with english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K510-E465	13,00			
	KB410 USB BLACK IT	KB410 USB, slim value keyboard with italian layout on 105-key modul in black. Fixed USB cable 1.8 m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K510-E485	13,00			
	KB410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K515-E402	13,00			
	KB410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K515-E420	13,00			
	KB410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K515-E465	13,00			
	KB410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K515-E485	13,00			
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E102	12,00			
	KB520 US ENGLISH 104 key	KB520 keyboard standard 104keys, marble grey, US, cable USB 2m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E110	12,00			
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E120	12,00			
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E165	12,00			
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E185	12,00			
	KB BT LX360 US	KB BT LX360 US Bluetooth 2.1 HID standard, 80-keys																						x	S26381-K540-E402	26,00			
	KB BT LX360 DE	KB BT LX360 DE Bluetooth 2.1 HID standard, 80-keys																						x	S26381-K540-E420	26,00			
	KB BT LX360 GB	KB BT LX360 GB Bluetooth 2.1 HID standard, 80-keys																						x	S26381-K540-E465	26,00			
	KB BT LX360 IT	KB BT LX360 IT Bluetooth 2.1 HID standard, 80-keys																						x	S26381-K540-E485	26,00			
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2	x			x						x		x	x						x				S26381-K551-E420	10,00	Phased out		
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K560-E402	15,00			
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K560-E420	15,00			
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K560-E465	15,00			
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K560-E485	15,00			
	Wireless Keyboard Set LX900 US	Wireless Keyboard Set LX900 US 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries																						x	S26381-K564-E402	35,00			
	Wireless Keyboard Set LX900 DE	Wireless Keyboard Set LX900 DE 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries																						x	S26381-K564-E420	35,00			
	Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 GB 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries																						x	S26381-K564-E465	35,00			
	Wireless Keyboard Set LX900 IT	Wireless Keyboard Set LX900 IT 128AES bit-encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries																						x	S26381-K564-E485	35,00			
	PS2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca. 2,0 m length	x	x	x	x	x	x	x	x	x				x	x	x								T26139-Y4530-E1	4,00			
OS/Application-SW																													
	Power DVD 10 Playback SW for DVD	Power DVD 10 Playback SW for DVD	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2012-E180	6,00			
	Power DVD 10 Playback SW for Blu-ray	Power DVD 10 Playback SW for Blu-ray, preloaded XP Prof., short documentation	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2012-E181	23,00			
	SAG CAT Client WIN7 Jutil2																								S26361-F2109-E985	4,00			
	Lizenz EU/MM - Windows 7 Ultimate	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x			x						x		x	x										S26361-F2210-E325	166,00			
	Lizenz EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x			x						x		x	x										S26361-F2009-E243	85,00			
	Nero 12 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E899	10,00			
	Lizenz EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x			x						x		x	x										S26361-F2009-E253	122,00			



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710	ESPRIMO E720	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO P710	ESPRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH300	ESPRIMO Q510	ESPRIMO Q810	ESPRIMO Q820	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments		
Options matrix																														
OS/Application-SW (Continued)																														
	License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x		x		x		x		x		x		x		x		x		x		x		x		S26361-F2009-E232	66,00		
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x		x		x		x		x		x		x		x		x		x		x		x		S26361-F2009-E242	85,00		
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x		x		x		x		x		x		x		x		x		x		x		x		S26361-F2009-E252	122,00		
	Linux	on DVD, open source	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-E894	3,00		
	License - Windows 8 Pro	License - Windows 8 Pro.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E100	116,00		
	License - Windows 8 Pro ZT Taiwan																										S26361-F2208-E101	116,00		
	License - Windows 8 Pro ZT Honokona																										S26361-F2208-E102	116,00		
	License - Windows 8		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E103	79,00		
	License - Windows 8 ZT Taiwan																										S26361-F2208-E104	79,00		
	License - Windows 8 ZT Honokona																										S26361-F2208-E105	79,00		
	License EM - Windows 8	EM. Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro, Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe, India and China	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E106	60,00	
	License EM - Windows 8 ZH																										S26361-F2208-E107	60,00		
	License EM - Windows 7 Home Basic	EM. Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x		x		x		x		x		x		x		x		x		x		x		x		S26361-F2009-E234	66,00		
	License EM - Windows 7 Home Premium	EM. Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x		x		x		x		x		x		x		x		x		x		x		x		S26361-F2009-E244	85,00		
	License EM - Windows 7 Professional	EM. Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x		x		x		x		x		x		x		x		x		x		x		x		S26361-F2009-E254	122,00		
	License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x		x		x		x		x		x		x		x		x		x		x		x		S26361-F2009-E235	66,00		
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x		x		x		x		x		x		x		x		x		x		x		x		S26361-F2009-E245	85,00		



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO P710	ESPRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH000	ESPRIMO Q810	ESPRIMO Q810	ESPRIMO Q820	ESPRIMO X813	ESPRIMO X913-T	Product Code	EUP (€)	Comments		
Options matrix																														
OS/Application-SW (Continued)																														
	Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x				x		x																			S26361-F2208-E200	4,00	Phased out
	Load Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x				x		x																			S26361-F2208-E201	4,00	Phased out
	Load Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x				x		x																			S26361-F2208-E202	4,00	Phased out
	Load Win8 Pro (64) ZT Taiwan+Office2010t	Chinese Traditional Taiwan, English, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually., ,							x								x											S26361-F2208-E203	4,00	Phased out
	Load Win8 Pro (64) ZT HK+Office2010t	Chinese Traditional Hongkong, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.							x								x											S26361-F2208-E204	4,00	Phased out
	Load Win8 Pro (64) TH+Office2010t	Single language: Thai, English, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.							x																			S26361-F2208-E205	4,00	Phased out
	Load Win8 Pro (64) JA	Japanese, English, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.							x																			S26361-F2208-E206	4,00	Phased out
	Load Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	x				x		x																			S26361-F2208-E207	4,00	Phased out
	Load Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x				x		x																			S26361-F2208-E208	4,00	Phased out
	Load Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x				x		x																			S26361-F2208-E209	4,00	Phased out
	Load Win8 (64) ZT Taiwan+Office2010t	Chinese Traditional Taiwan, English,							x																			S26361-F2208-E210	4,00	Phased out
	Load Win8 (64) ZT HK+Office2010t	Chinese Traditional Hongkong,							x																			S26361-F2208-E211	4,00	Phased out
	Load Win8 (64) TZH+Office2010t	Thai, English,							x																			S26361-F2208-E212	4,00	Phased out
	Load Win8 (64) EM+Office2010t	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,	x				x		x																			S26361-F2208-E213	4,00	Phased out
	Load Win8 (64) EM ZH+Office2010t	Single language: Chinese simplified,							x																			S26361-F2208-E214	4,00	Phased out
	Load Win8 (64) JA	Japanese, English,							x																			S26361-F2208-E215	4,00	Phased out
	Load Win8 Pro (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E200	4,00	
	Load Win8 Pro (64) NEE+Office2013	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E201	4,00	
	Load Win8 Pro (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E202	4,00	
	Load Win8 Pro (64) ZT Taiwan+Office2013	Chinese Traditional Taiwan, English,							x																			S26361-F2228-E203	4,00	
	Load Win8 Pro (64) ZT HK+Office2013	Chinese Traditional Hongkong,							x																			S26361-F2228-E204	4,00	
	Load Win8 Pro (64) TH+Office2013	Single language: Thai, English,							x																			S26361-F2228-E205	4,00	
	Load Win8 Pro (64) JA	Japanese, English,							x																			S26361-F2228-E206	4,00	
	Load Win8 (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E207	4,00	



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710	ESPRIMO E720	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO P710	ESPRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH300	ESPRIMO Q810	ESPRIMO Q820	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)																												
Load Win8 (64) NEE+Office2013		North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E208	4,00	
Load Win8 (64) SEE+Office2013		South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E209	4,00	
Load Win8 (64) ZT Taiwan+Office2013		Chinese Traditional Taiwan, English,						x	x																S26361-F2228-E210	4,00		
Load Win8 (64) ZT HK+Office2013		Chinese Traditional Hongkong,						x	x																S26361-F2228-E211	4,00		
Load Win8 (64) TH+Office2013		Thai, English,						x	x																S26361-F2228-E212	4,00		
Load Win8 (64) EM+Office2013		Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E213	4,00	
Load Win8 (64) EM ZH+Office2013		Single language: Chinese simplified,						x	x																S26361-F2228-E214	4,00		
Load Win8 (64) JA		Japanese, English,						x	x																S26361-F2228-E215	4,00		
License EM-MEA - Windows 7 Professional		EM-MEA: Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x			x		x		x		x		x		x		x		x					S26361-F2009-E255	122,00		
License EM-SEA - Windows 7 Home Basic		EM-SEA: Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam	x			x		x		x		x		x		x		x		x					S26361-F2009-E236	66,00		
License EM-LATAM Windows 7 Home Basic		EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthélemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and the Grenadines, South Georgia and Sandwich Islands, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela										x													S26361-F2009-E237	66,00		
OS RDVD Windows 8 Pro (32)		German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E300	3,00	
OS RDVD Windows 8 Pro (32) ZT Taiwan		Chinese Traditional Taiwan, English,																								S26361-F2208-E301	3,00	
OS RDVD Windows 8 Pro (64)		German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E302	3,00	
OS RDVD Windows 8 Pro (64) ZT Taiwan		Chinese Traditional Taiwan, English,																								S26361-F2208-E303	3,00	
OS RDVD Windows 8 (32)		German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai	x			x		x		x		x		x		x		x		x		x		x	x	S26361-F2208-E304	3,00	
OS RDVD Windows 8 (32) ZT Taiwan		Chinese Traditional Taiwan, English,																								S26361-F2208-E305	3,00	
OS RDVD Windows 8 (64)		German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E306	3,00	
OS RDVD Windows 8 (64) ZT Taiwan		Chinese Traditional Taiwan, English,																								S26361-F2208-E307	3,00	
OS RDVD Windows 8 (32) EM			x			x		x		x		x		x		x		x		x		x		x	S26361-F2208-E308	3,00		



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710	ESPRIMO E720	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO F710	ESPRIMO F720	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH000	ESPRIMO Q510	ESPRIMO Q810	ESPRIMO Q820	ESPRIMO X913	ESPRIMO X915-T	Product Code	EUP (€)	Comments	
Options matrix																													
OS/Application SW (Continued)																													
	OS RDVD Windows 8 (32) EM ZH							x																			S26361-F2208-E309	3,00	
	OEM Office Home and Student 2013 MPI MM		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E281	100,00	
	OEM Office Home and Business 2013 MPI MM		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E282	188,00	
	OEM Office Professional 2013 MPI MM		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E283	355,00	
	OS RDVD Windows 8 (64) EM																										S26361-F2208-E310	3,00	
	OS RDVD Windows 8 (64) EM ZH																										S26361-F2208-E311	3,00	
	License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India						x																			S26361-F2009-E238	66,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E248	85,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E258	122,00	
	License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam,						x								x											S26361-F2210-E121	122,00	
	LicenseChinTradTaiwan Win 7 Professional	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan.							x								x										S26361-F2210-E122	122,00	
	License EM-ChinSimpl Win 7 Professional	License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina, Shipment limited to PRChina.							x								x										S26361-F2210-E123	122,00	
	LicenseChinTrad HK - Win7 Professional	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRChina + Japan,							x								x										S26361-F2210-E124	122,00	
	License MM-Japanese -Win 7 Professional	License sticker(COA)MM-Japanese,English, Mature Markets - Japanese, English, Worldwide shipment,							x									x									S26361-F2210-E125	122,00	
	License MM-Thai - Windows 7 Professional	License sticker (COA) MM-Thai, English, Mature Markets - Thai, English, Worldwide shipment,							x									x									S26361-F2210-E126	122,00	
	License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietna,							x									x									S26361-F2210-E221	85,00	
	LicenseChinTradTaiwan Win 7 Home Premium	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan.								x								x									S26361-F2210-E222	85,00	
	License EM-ChinSimpl Win 7 Home Premium	License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina, Shipment limited to PRChina.								x									x								S26361-F2210-E223	85,00	
	License ChinTrad HK - Win 7 Home Premium	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRChina + Japan,								x										x							S26361-F2210-E224	85,00	
	License MM-Thai - Windows 7 Home Premium	License sticker (COA) MM-Thai, English, Mature Markets - Thai, English, Worldwide shipment,									x																S26361-F2210-E226	85,00	
	Win7-Load Pro32 MAIN+Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x		x	x		x		x		x	x	x		x		x		x		x	x	x	x	x	S26361-F2208-E400	4,00	Phased out
	Win7-Load Pro32 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x		x	x		x		x		x	x	x		x		x		x		x	x	x	x	x	S26361-F2208-E401	4,00	Phased out
	Win7-Load Pro32 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x		x	x		x		x		x	x	x		x		x		x		x	x	x	x	x	S26361-F2208-E402	4,00	Phased out
	Win7-Load Pro32 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x		x	x		x		x		x	x	x		x		x		x		x	x	x	x	x	S26361-F2208-E403	4,00	Phased out
	Win7-Load Pro32 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x		x	x		x		x		x	x	x		x		x		x		x	x	x	x	x	S26361-F2208-E404	4,00	Phased out
	Win7-Load Pro64 MAIN + Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), . The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x		x	x		x		x		x	x	x		x		x		x		x	x	x	x	x	S26361-F2208-E405	4,00	Phased out



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO P710	ESPRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH000	ESPRIMO Q510	ESPRIMO Q810	ESPRIMO Q820	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments		
Options matrix OS/Application SW (Continued)	Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), . The BIOS setting for Secure Boot is disabled., Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E406	4,00	Phased out		
	Win7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), . The BIOS setting for Secure Boot is disabled., Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E407	4,00	Phased out		
	Win7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), . The BIOS setting for Secure Boot is disabled., Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E408	4,00	Phased out		
	Win7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), . The BIOS setting for Secure Boot is disabled., Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2208-E409	4,00	Phased out		
	Win7-Load Pro64 TH+Office2010t	Thai, English, . The BIOS setting for Secure Boot is disabled., Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x								x						x				S26361-F2208-E410	4,00	Phased out		
	Win7-Load Pro64 ZT TW+Office2010t	Chinese Traditional Taiwan, English, . The BIOS setting for Secure Boot is disabled., Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x								x							x				S26361-F2208-E411	4,00	Phased out	
	Win7-Load Pro64 ZH+Office2010t	Chinese simplified, . The BIOS setting for Secure Boot is disabled., Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x								x								x				S26361-F2208-E412	4,00	Phased out
	Win7-Load Pro64 ZT HK+Office2010t	Chinese Traditional Hongkong, English, . The BIOS setting for Secure Boot is disabled., Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x								x								x				S26361-F2208-E413	4,00	Phased out
	Win7-Load Pro64 JA	Japanese, English, . The BIOS setting for Secure Boot is disabled., Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					x								x								x				S26361-F2208-E414	4,00	Phased out
	Win7-Load Pro32 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E400	4,00		
	Win7-Load Pro32 NORDIC+Office2013	Languages: DA, EN, FI, NO, RU, SV	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E401	4,00		
	Win7-Load Pro32 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E402	4,00		
	Win7-Load Pro32 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E403	4,00		
	Win7-Load Pro32 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E404	4,00		
	Win7-Load Pro64 MAIN + Office2013	Languages: DE, EN, ES, FR, IT, NL	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E405	4,00		
	Win7-Load Pro64 MAIN + Office2013	Languages: DE, EN, ES, FR, IT, NL	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2248-E405	4,00		
	Win7-Load Pro64 NORDIC+Office2013	Languages: DA, EN, FI, NO, RU, SV	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2248-E406	4,00		
	Win7-Load Pro64 NORDIC+Office2013	Languages: DA, EN, FI, NO, RU, SV	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2228-E406	4,00		
	Win7-Load Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2248-E407	4,00		
	Win7-Load Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2248-E408	4,00		
	Win7-Load Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2248-E408	4,00		
	Win7-Load Pro64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2248-E409	4,00		
	Win7-Load Pro64 TH+Office2013	Thai, English					x								x											S26361-F2228-E410	4,00		
	Win7-Load Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR					x								x											S26361-F2228-E407	4,00		
	Win7-Load Pro64 ZT TW+Office2013	Chinese Traditional Taiwan, English					x								x											S26361-F2228-E411	4,00		
	Win7-Load Pro64 ZH+Office2013	Chinese simplified					x								x											S26361-F2228-E412	4,00		
	Win7-Load Pro64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR					x								x											S26361-F2228-E409	4,00		
	Win7-Load Pro64 ZT HK+Office2013	Chinese Traditional Hongkong, English					x								x											S26361-F2228-E413	4,00		
	Win7-Load Pro64 KO+Office2013	Korean					x								x											S26361-F2228-E415	4,00		
	Win7-Load Pro64 JA	Japanese, English					x								x											S26361-F2228-E414	4,00		
	No Operating System		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E100	2,00		
	Win7 HomePremium64 MAIN+Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x		x		x		x		x		x		x		x		x		x		S26361-F2109-E441	4,00	Phased out		
	Win7 HomePremium64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x		x		x		x		x		x		x		x		x		x		S26361-F2109-E442	4,00	Phased out		



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710	ESPRIMO E720	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P510	ESPRIMO P520	ESPRIMO F710	ESPRIMO F720	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH000	ESPRIMO Q510	ESPRIMO Q810	ESPRIMO Q820	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)	Win7 HomePremium64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x		x		x		x		x		x		x		x		x				S26361-F2109-E443	4,00	Phased out
	Win7 HomePremium64 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x		x		x		x		x		x		x		x		x				S26361-F2109-E444	4,00	Phased out
	Win7 HomePremium64 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x		x		x		x		x		x		x		x		x				S26361-F2109-E445	4,00	Phased out
	Win7 HomePremium64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x		x		x		x		x		x		x		x		x				S26361-F2109-E446	4,00	Phased out
	Win7 Pro32 MAIN+Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x	x		x		x		x	x		x		x		x		x				S26361-F2109-E351	4,00	Phased out
	Win7 Pro32 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x	x		x		x		x	x		x		x		x		x				S26361-F2109-E352	4,00	Phased out
	Win7 Pro32 EM+SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x	x		x		x		x	x		x		x		x		x				S26361-F2109-E353	4,00	Phased out
	Win7 Pro32 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x	x		x		x		x	x		x		x		x		x				S26361-F2109-E354	4,00	Phased out
	Win7 Pro32 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x	x		x		x		x	x		x		x		x		x				S26361-F2109-E355	4,00	Phased out
	Win7 Pro 32 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x		x		x		x		x		x		x		x		x				S26361-F2109-E356	4,00	Phased out
	Win7 Pro64 MAIN + Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x	x		x		x		x	x		x		x		x		x				S26361-F2109-E451	4,00	Phased out



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO P710	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH000	ESPRIMO Q510	ESPRIMO Q810	ESPRIMO Q820	ESPRIMO X913	ESPRIMO X915-T	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)	Win7 Pro64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2109-E452	4,00	Phased out	
	Win7 Pro64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2109-E453	4,00	Phased out	
	Win7 Pro64 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2109-E454	4,00	Phased out	
	Win7 Pro64 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2109-E455	4,00	Phased out	
	Win7 Pro 64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2109-E456	4,00	Phased out	
	RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2208-E500	6,00	
	RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2208-E550 S26361-F2208-E501	6,00 6,00	
	RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2208-E551 S26361-F2208-E502	6,00 6,00	
	RDVD Downgrade Win7 Pro (64)		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2208-E552	6,00		
	RDVD Downgrade Win7 Pro (64) TH				x															x			S26361-F2208-E503	6,00		
	RDVD Downgrade Win7 Pro (64) ZT-TW				x															x			S26361-F2208-E504	6,00		
	RDVD Downgrade Win7 Pro (64) ZH				x															x			S26361-F2208-E505	6,00		
	RDVD Downgrade Win7 Pro (64) ZT-HK				x															x			S26361-F2208-E506	6,00		
	RDVD Downgrade Win7 Pro (64) JA				x															x			S26361-F2208-E507	6,00		
	Win7 HomeBasic32 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2109-E336	3,00	Phased out	
	LoadWin7 Pro64 Thai+Office2010t	Languages: EN, TH (English, Thai), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x							x						x			S26361-F2210-E101	4,00	Phased out
	LoadWin7Pro64 ChinTradTaiwan+Office2010t	Languages: EN, Chinese Traditional Taiwan, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x							x						x			S26361-F2210-E102	4,00	Phased out
	LoadWin7Pro64 ChinSimplified+Office2010t	Languages: Chinese Simplified PRC (People's Republic of China), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x							x						x			S26361-F2210-E103	4,00	Phased out
	LoadWin7Pro64 ChinTradHK+Office2010t	Languages: EN, Chinese Traditional Hongkong, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x							x						x			S26361-F2210-E104	4,00	Phased out
	LoadWin7 Pro64 Japanese	Languages: EN, JP (English, Japanese), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x							x						x			S26361-F2210-E105	4,00	Phased out



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710	ESPRIMO E720	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO F710	ESPRIMO F720	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH000	ESPRIMO Q810	ESPRIMO Q820	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)	LoadWin7 HP64 Thai+Office2010t	Languages: EN, TH (English, Thai), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x									x						x			S26361-F2210-E201	4,00	Phased out	
	LoadWin7 HP64 ChinTradTaiwan+Office2010t	Languages: EN, Chinese Traditional Taiwan, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x									x								S26361-F2210-E202	4,00	Phased out	
	LoadWin7 HP64 ChinSimplified+Office2010t	Languages: Chinese Simplified PRC (People's Republic China), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x									x								S26361-F2210-E203	4,00	Phased out	
	LoadWin7 HP64 ChinTradHK+Office2010t	Languages: EN, Chinese Traditional Hongkong, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x									x								S26361-F2210-E204	4,00	Phased out	
	Win7 HomeBasic32 EM+SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2109-E333	3,00	Phased out	
	Win7 Ultimate64 + Office2010t	Preload: MuLi Ultimate DE/EN, Languages: DE, EN (German, English), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2210-E305	4,00	Phased out	
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2007-E910	3,00		
	Drivers&Utilities DVD (WIN7 + WIN8) ESPR	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2007-E901	3,00	
	REC-DVD Win7 HomeBasic 32bit RUS	RU	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2009-E532	3,00		
	REC-DVD Win7 Home Premium 64 RUS	RU	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2009-E642	3,00		
	REC-DVD Win7 Professional 32 RUS	RU	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2009-E562	3,00		
	REC-DVD Win7 Professional 64 RUS	RU	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2009-E662	3,00		
	REC-DVD Win7 HomeBasic 32bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2009-E533	3,00		
	REC-DVD Win7 Ultimate 64bit	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2210-E315	3,00		
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2009-E643	3,00		
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2009-E553	3,00		
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2009-E663	3,00		
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2009-E753	3,00		
	OS RDVD1 Win7 Pro 64, GB,Thai	Languages: English, Thai, Windows Operating System, Activation with valid license					x										x								S26361-F2210-E111	3,00		
	OS RDVD1 Win7 Pro 64, GB, ChinTradTaiwan	Languages: English, ChineseTraditionalTW, Windows Operating System, Activation with valid license						x									x								S26361-F2210-E112	3,00		
	OS RDVD1 Win7 Pro 64, ChinSimplified	Languages: ChineseSimplifiedPRC, Windows Operating System, Activation with valid license							x																S26361-F2210-E113	3,00		
	OS RDVD1 Win7 Pro 64, GB, ChinTrad HK	Languages: English, ChineseTraditional, Windows Operating System, Activation with valid license						x										x							S26361-F2210-E114	3,00		
	OS RDVD1 Win7 Pro 64 GB, Japanese	Languages: English, Japanese, Windows Operating System, Activation with valid license						x																	S26361-F2210-E115	3,00		
	OS RDVD1 Win7 HP 64, GB,Thai	Languages: English, Thai, Windows Operating System, Activation with valid license						x																	S26361-F2210-E211	3,00		
	OS RDVD1 Win7 HP 64, GB, ChinTradTaiwan	Languages: English, ChineseTraditionalTW, Windows Operating System, Activation with valid license							x																S26361-F2210-E212	3,00		
	OS RDVD1 Win7 HP 64, ChinSimplifiedPRC	Languages: ChineseSimplifiedPRC, Windows Operating System, Activation with valid license								x															S26361-F2210-E213	3,00		
	OS RDVD1 Win7 HP 64, GB, ChinTrad HK	Languages: English, ChineseTraditionalHK, Windows Operating System, Activation with valid license																							S26361-F2210-E214	3,00		
	Win7 Pro32 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2227-E351	4,00		
	Win7 Pro32 NORDIC+Office2013	Languages: DK, EN, FI, NO, RU, SV	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2227-E352	4,00		
	Win7 Pro32 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2227-E353	4,00		
	Win7 Pro32 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2227-E354	4,00		
	Win7 Pro32 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2227-E355	4,00		
	Win7 Pro32 RU+Office2013	Language: RU	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2227-E356	4,00		
	Win7 Pro64 MAIN + Office2013	Languages: DE, EN, ES, FR, IT, NL	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2247-E451	4,00		



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710	ESPRIMO E720	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO P710	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH000	ESPRIMO Q510	ESPRIMO Q810	ESPRIMO Q820	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments		
Options matrix																													
OS/Application-SW (Continued)																													
	Win7 Pro64 NORDIC+Office2013	Languages: DK, EN, FI, NO, RU, SV.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2247-E452	4,00		
	Win7 Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2247-E453	4,00		
	Win7 Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2247-E454	4,00		
	Win7 Pro64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2247-E455	4,00		
	Win7 Pro64 RUH+Office2013	Language: RU.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2247-E456	4,00		
	LoadWin7 Pro64 Thai+Office2013	Language: English, Thai.																								S26361-F2227-E101	4,00		
	LoadWin7Pro64 ChinTradTaiwan+Office2013	Language: GB, ChineseTraditionalTaiwan.																								S26361-F2227-E102	4,00		
	LoadWin7Pro64 ChinSimplified+Office2013	Language: Chin, Simplified PRC.																								S26361-F2227-E103	4,00		
	LoadWin7Pro64 ChinTradHK+Office2013	Language: English, Chin, Traditional HK.																								S26361-F2227-E104	4,00		
	LoadWin7 Pro64 Jaanese	Language: English, Japanese.																								S26361-F2227-E105	4,00		
Security																													
	SmartCard Reader																												
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk, e.g. if the system will be sold. Please notice, that SSD (Solid State Disk) cannot be deleted in a secure method.	x	x				x	x	x	x						x	x	x							x	S26361-F1260-E803	23,00	
																										x	S26361-F2542-E435	30,00	
	SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSD, drive encrypt, smartcard, biometrics	x	x				x	x	x	x						x	x	x							x	S26361-F2277-E740	14,00	
	SystemLock3	SystemLock3 is a UEFI BIOS smartcard pre-boot authentication (PBA) feature.	x	x				x	x	x	x						x	x	x							x	S26361-F2277-E745	18,00	
	Dual SmartCard Reader D321	Combining contact and RFID reader in one for standard SmartCards and contactless RFID cards. Cage for 3.5-inch bay. Connected via onboard USB. Contact reader supports ISO 7816 standard cards. Contactless RFID reader supports ISO 14443 A/B standards as well as HID(R) iCLASS(R), MIFARE(R), ISO 16593 and German ID card (nPA). 2 solution: contactless RFID slot for ID Cards, contact slot for all other cards.																									S26381-F321-E100	35,00	New product
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista/Win7 compatible, USB interface, black, USB cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-F331-E220	23,00	
	KB SCR USA	SmartCard Keyboard USA 104-key layout with class 2 reader on the top. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K528-E110	34,00	
	KB SCR D	SmartCard Keyboard German with class 2 reader on the top of the keyboard. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.																								x	S26381-K528-E120	34,00	
	KB SCR GB	SmartCard Keyboard english layout with class 2 reader on the top. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K528-E165	34,00	
	KB SCR BLACK DE	SmartCard Keyboard black German with class 2 reader on the top of the keyboard. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.																								x	S26381-K528-E420	34,00	
	KB SCR BLACK GB	SmartCard Keyboard black english layout with class 2 reader on the top. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K528-E465	34,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F1260-E520	18,00	
Mouse																													
	Upgrade Mouse Grey USB instead of Black		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2542-E221	6,00	
	Upgrade Mouse M440 ECO Black		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2542-E222	16,00	
	Upgrade Mouse GL9000 Blue LED																									x	S26361-F2542-E231	17,00	
	Upgrade Mouse Laser Grey USB/PS2	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2542-E217	13,00	
Miscellaneous																													
	Internal speaker																										S26361-F2542-E21	6,00	
	Med-Kit ESPRIMO/CELSIUS	Manual and product compliant to IEC 60601-1-2. Preparation for further medical certifications and relevant for integration into medical products.	x																								S26361-F2542-E250	26,00	
	Lock in front panel																										S26361-F2542-E326	6,00	
	Lock plate ESPRIMO Q	to prevent opening of the system unit; Kensington lock (option) necessary.																									S26361-F2542-E338	6,00	
	Lock in front panel	for lock of housing.																									S26361-F2542-E341	6,00	
	Key lock in side door	for lock of housing.																									S26361-F2542-E342	6,00	
	Intrusion switch																										S26361-F2542-E426	4,00	
	Intrusion switch ESPRIMO Q																										S26361-F2542-E428	4,00	
	Rubber feet for vertical position (4)																										S26361-F2542-E480	4,00	
	TPM Module																										S26361-F3552-E3	10,00	
	Monitor outlet cable	necessary to contact monitor directly to the PC																									S26361-F2542-E57	4,00	
	Power cord for monitor (CH)		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E59	4,00		
	Cable for second internal USB device																									S26361-F2581-E10	4,00		
	Lock in front panel C7xx		x	x																						S26361-F2542-E333	6,00		
	Intrusion switch																										S26361-F2542-E322	4,00	
	Key lock in side door	for lock of housing																									S26361-F2542-E323	6,00	
	Feet for vertical position (set)																										S26361-F2542-E200	7,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E90	4,00		
	No TPM / TLS	for countries with import regulations	x	x																						S26361-F3436-E2	3,00		
	DVI/DVI cable	short cable (440mm), for mounting kit.																								S26361-F2581-E11	12,00		
Displays																													
	Anti-glare display surface																										S26361-F1065-E230	50,00	
Keyboard /Mouse																													
	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries																									S26381-K456-E100	15,00	
made4you Services																													



Fujitsu recommends Windows 8

ESPRIMO Options

Category	Description	Details	ESPRIMO C710	ESPRIMO C720	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710	ESPRIMO E720	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO F710	ESPRIMO F720	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH300	ESPRIMO Q510	ESPRIMO Q810	ESPRIMO Q820	ESPRIMO X913	ESPRIMO X913-T	Product Code	EUP (€)	Comments	
Options matrix																													
made4you Services (Continued)																													
	DeskView Load Basic	With DeskView Load Basic you are able to offer customers DeskView Load as a defined package. Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, Information about hardware components e.g. MAC - address, serial number at time of production via email. Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	DVI:DVL_PACK_BAS	21,00		
	DeskView Load Expert	With DeskView Load Expert you are able to offer customers DeskView Load as a defined package. Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email or web service, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Specified Operating system customizing, Extended recovery scenario, Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	DVI:DVL_PACK_EXP	38,50		
	DeskView Load Professional	With DeskView Load Professional you are able to offer customers DeskView Load as a defined package. Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	DVI:DVL_PACK_PRO	47,25		
	Master Key ESPRIMO P_CELSIUS W														x		x									S26361-F2542-E329	10,00		



Fujitsu recommends Windows 8

Positioning CELSIUS workstations



**CELSIUS H
Series**

CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.



**CELSIUS W
Series**

CELSIUS W Series. High-End PC / Entry-Level workstation
If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.



**CELSIUS M
Series**

CELSIUS M Series. Mid-range workstation.
Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.



**CELSIUS R
Series**

CELSIUS R Series. High-end workstation.
You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.



**CELSIUS
RemoteAccess**

CELSIUS RemoteAccess
Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.

(See Accessories page)



Fujitsu recommends Windows 8

CELSIUS H720

If you're a mobile worker looking for a customizable workstation and enhanced productivity, Fujitsu's CELSIUS H720 is the ideal device. This high-quality 39.6 cm (15.6-inch) workstation with comprehensive ISV certifications combines powerful performance with multiple connectivity options for effective mobile working. The modular bay provides individual expandability. Comprehensive protection against physical damage and security threats complete a reliable package.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS H720					
	CELSIUS H720 Dual Core K1000M	Base unit for DualCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K1000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , Li-Ion battery 6.700mAh, , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery., Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., For the portreplicator you need to order an additional 210W AC adaptor and the respective power cord., , Front interfaces: 1 x memory card slot, 1 x wireless switch, 1 x audio in, 1 x audio out, Left side interfaces: 1 x multi bay (ODD, 2nd HD, 2nd Battery, USB-dongle-bay), 1 x Kensington, 1 x Smartcard reader slot, Right side interfaces: 3 x USB 3.0, 1 x eSATA/ 1 x USB 2.0, 1 x Expresscard slot Type 34, 1 x VGA, 1 x RJ45 for LAN, 1 x DisplayPort, 1 x AC adapter, Rear interfaces: -, Interfaces in battery bay: SIM card holder, Interfaces in lower part: 1 x docking connector,	S26391-K365-V100	1.026,00	
	CELSIUS H720 Dual Core K2000M	Base unit for DualCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K2000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , Li-Ion battery 6.700mAh, , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery., Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., For the portreplicator you need to order an additional 210W AC adaptor and the respective power cord., , Front interfaces: 1 x memory card slot, 1 x wireless switch, 1 x audio in, 1 x audio out, Left side interfaces: 1 x multi bay (ODD, 2nd HD, 2nd Battery, USB-dongle-bay), 1 x Kensington, 1 x Smartcard reader slot, Right side interfaces: 3 x USB 3.0, 1 x eSATA/ 1 x USB 2.0, 1 x Expresscard slot Type 34, 1 x VGA, 1 x RJ45 for LAN, 1 x DisplayPort, 1 x AC adapter, Rear interfaces: -, Interfaces in battery bay: SIM card holder, Interfaces in lower part: 1 x docking connector,	S26391-K365-V110	1.195,00	



Fujitsu recommends Windows 8

CELSIUS H720

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS H720 (Continued)					
	CELSIUS H720 Quad Core K1000M	Base unit for QuadCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (4 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K1000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , Li-Ion battery 6.700mAh, , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery., Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., For the portreplicator you need to order an additional 210W AC adaptor and the respective power cord., , Front interfaces: 1 x memory card slot, 1 x wireless switch, 1 x audio in, 1 x audio out, Left side interfaces: 1 x multi bay (ODD, 2nd HD, 2nd Battery, USB-dongle-bay), 1 x Kensington, 1 x Smartcard reader slot, Right side interfaces: 3 x USB 3.0, 1 x eSATA/ 1 x USB 2.0, 1 x Expresscard slot Type 34, 1 x VGA, 1 x RJ45 for LAN, 1 x DisplayPort, 1 x AC adapter, Rear interfaces: -, Interfaces in battery bay: SIM card holder, Interfaces in lower part: 1 x docking connector,	S26391-K365-V200	1.026,00	
	CELSIUS H720 Quad Core K2000M	Base unit for QuadCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (4 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K2000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , Li-Ion battery 6.700mAh, , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery., Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., For the portreplicator you need to order an additional 210W AC adaptor and the respective power cord., , Front interfaces: 1 x memory card slot, 1 x wireless switch, 1 x audio in, 1 x audio out, Left side interfaces: 1 x multi bay (ODD, 2nd HD, 2nd Battery, USB-dongle-bay), 1 x Kensington, 1 x Smartcard reader slot, Right side interfaces: 3 x USB 3.0, 1 x eSATA/ 1 x USB 2.0, 1 x Expresscard slot Type 34, 1 x VGA, 1 x RJ45 for LAN, 1 x DisplayPort, 1 x AC adapter, Rear interfaces: -, Interfaces in battery bay: SIM card holder, Interfaces in lower part: 1 x docking connector,	S26391-K365-V210	1.195,00	



Fujitsu recommends Windows 8

CELSIUS H720

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS H720 (Continued)					
	CELSIUS H720 Quad Core K500M	, Base unit for QuadCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (4 DIMM slots). Modular bay concept for optical drives. 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K1000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , , Li-Ion battery 6.700mAh, , , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery., , Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module., , If you configure the Blu-ray burner it will come with Playback Software included., , For the portreplicator you need to order an additional 210W AC adaptor and the respective power cord., , , Front interfaces: 1 x memory card slot, 1 x wireless switch, 1 x audio in, 1 x audio out, , Left side interfaces: 1 x multi bay (ODD, 2nd HD, 2nd Battery, USB-dongle-bay), 1 x Kensington, 1 x Smartcard reader slot, , Right side interfaces: 3 x USB 3.0, 1 x eSATA/ 1 x USB 2.0, 1 x Expresscard slot Type 34, 1 x VGA, 1 x RJ45 for LAN, 1 x DisplayPort, 1 x AC adapter, , Rear interfaces: -, , Interfaces in battery bay: SIM card holder, , Interfaces in lower	S26391-K365-V500	959,00	
	CELSIUS H720 Quad Core K500M SAG		S26391-K365-V501	959,00	



Fujitsu recommends Windows 8

CELSIUS H910

The Fujitsu CELSIUS H910 delivers high-end workstation power in a 43.9 cm (17.3-inch) notebook form factor. Featuring the 2nd generation Intel® Core™ processors and high-end NVIDIA® graphics, the CELSIUS H910 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as high end CAD, digital content creation, virtualization and Virtual Reality.

Model	Description	Details	Product Code	EUP (€)	Comments
CELSIUS H910					
Base unit configurations					
	CELSIUS H910 Dual Core	Base unit for Intel Dual Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. NVidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , , Left side interfaces: 1 x Kensington, 1 x AC adapter, 1 x USB 3.0, 1 x memory card slot, 1 x Smartcard reader slot , , Right side interfaces: 1 x Audio in, 1 x Audio out, 1 x eSATA, 2 x USB 2.0, 1 x Expresscard slot Type 34/54, , Rear interfaces: 1 x RJ45 for LAN, 1 x USB 2.0, 1 x DisplayPort, 1 x VGA, , Interfaces in battery bay: SIM card holder, , Interfaces in lower part: 1 x docking connector, 1 x battery bay	S26391-K324-V100	777,00	
	CELSIUS H910 Quad Core	Base unit for Intel Quad Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (4 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. NVidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , , Left side interfaces: 1 x Kensington, 1 x AC adapter, 1 x USB 3.0, 1 x memory card slot, 1 x Smartcard reader slot , , Right side interfaces: 1 x Audio in, 1 x Audio out, 1 x eSATA, 2 x USB 2.0, 1 x Expresscard slot Type 34/54, , Rear interfaces: 1 x RJ45 for LAN, 1 x USB 2.0, 1 x DisplayPort, 1 x VGA, , Interfaces in battery bay: SIM card holder, , Interfaces in lower part: 1 x docking connector, 1 x battery bay	S26391-K324-V200	822,00	



Fujitsu recommends Windows 8

CELSIUS H920

If you need ultimate workstation performance in a notebook form-factor, the Fujitsu CELSIUS H920 is your ideal choice. This individually configurable workstation, comprehensively certified for leading ISV applications, helps you maintain an efficient workflow wherever you are. Your productivity is increased by instant network access thanks to multiple embedded connectivity features. A range of hardware protection and software security features provide additional peace of mind.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS H920					
	CELSIUS H920 Dual Core	Base unit for DualCore CPUs Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Fixed optical drive internal 2nd internal hard disk optionally available. NVidia Quadro K3000M OpenGL graphics with 2GB GDDR5 or K4000M OpenGL graphics with 4GB GDDR5 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Li-Ion battery 5.800mAh, , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , Left side interfaces: 1 x Kensington, 1 x AC adapter, 1 x USB 3.0, 1 x memory card slot, 1 x Smartcard reader slot, Right side interfaces: 1 x Audio in, 1 x Audio out, 1 x eSATA, 2 x USB 2.0, 1 x Expresscard slot Type 34/54, Rear interfaces: 1 x RJ45 for LAN, 1 x USB 2.0, 1 x DisplayPort, 1 x VGA, , Interfaces in battery bay: SIM card holder, Interfaces in lower part: 1 x docking connector, 1 x battery bay	S26391-K366-V100	862,00	
	CELSIUS H920 Quad Core	Base unit for DualCore CPUs Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600MHz PC12800 RAM (4 DIMM slots). Fixed optical drive internal 2nd internal hard disk optionally available. NVidia Quadro K3000M OpenGL graphics with 2GB GDDR5 or K4000M OpenGL graphics with 4GB GDDR5 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Li-Ion battery 5.800mAh, , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , Left side interfaces: 1 x Kensington, 1 x AC adapter, 1 x USB 3.0, 1 x memory card slot, 1 x Smartcard reader slot, Right side interfaces: 1 x Audio in, 1 x Audio out, 1 x eSATA, 2 x USB 2.0, 1 x Expresscard slot Type 34/54, Rear interfaces: 1 x RJ45 for LAN, 1 x USB 2.0, 1 x DisplayPort, 1 x VGA, , Interfaces in battery bay: SIM card holder, Interfaces in lower part: 1 x docking connector, 1 x battery bay	S26391-K366-V200	895,00	



Fujitsu recommends Windows 8

CELSIUS M720

If you're looking for reliable performance when using demanding applications, the Fujitsu CELSIUS M720 single-processor workstation meets your needs. It can be individually configured, helping you to enhance your productivity. It features best-in-class noise emissions of only 20 dB for a quiet and efficient working environment. Comprehensive ISV certifications ensure your applications run smoothly. Finally, the convenient cold plug access at front simplifies subsequent expansion.

Model	Description	Details	Product Code	EUP (€)	Comments
CELSIUS M720					
Base unit configurations					
CELSIUS M720		Base unit:, , System board D3128, Chipset: Intel C602; Theseus system management controller, 500 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , Slots:, , 8 DIMM-slots, 4 channels (DDR3 1600Mhz) ; , , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe x4 Gen2 (mechanical PCIe x16), 2x PCIe x4 Gen3 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , , , Onboard I/O devices: , 1x 1Gbit network controller Intel 82579LM, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C604);, SAS 3Gbit controller optional via UpgradeRom (4 Ports, SAS/SATA RAID 0, 1 und 10) , , Bays: , , 2x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio out, 1x audio in, 2x PS/2 for mouse and keyboard,, , , Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle), , , Embedded security (TPM 1.2) - Infineon, , Disable / Hide TPM option, , EraseDisk	S26361-K1399-V115	538,00	
CELSIUS M720 SAG		Base unit:, , System board D3128, Chipset: Intel C602; Theseus system management controller, 500 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , Slots:, , 8 DIMM-slots, 4 channels (DDR3 1600Mhz) ; , , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe x4 Gen2 (mechanical PCIe x16), 2x PCIe x4 Gen3 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , , , Onboard I/O devices: , 1x 1Gbit network controller Intel 82579LM, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C604);, SAS 3Gbit controller optional via UpgradeRom (4 Ports, SAS/SATA RAID 0, 1 und 10) , , Bays: , , 2x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio out, 1x audio in, 2x PS/2 for mouse and keyboard,, , , Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle), , , Embedded security (TPM 1.2) - Infineon, , Disable / Hide TPM option, , EraseDisk	S26361-K1399-V189	538,00	
CELSIUS M720power		Base unit:, , System board D3128, Chipset: Intel C602; Theseus system management controller, 800 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , Slots:, , 8 DIMM-slots, 4 channels(DDR3 1600Mhz) ; , , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe x4 Gen2 (mechanical PCIe x16), 2x PCIe x4 Gen3 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , , , Onboard I/O devices: , 1x 1Gbit network controller Intel 82579LM, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C604);, SAS 3Gbit controller optional via UpgradeRom (4 Ports, SAS/SATA RAID 0, 1 und 10) , , Bays: , , 2x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio out, 1x audio in, 2x PS/2 for mouse and keyboard,, , , Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle), , , Embedded security (TPM 1.2) - Infineon, , Disable / Hide TPM option, , EraseDisk	S26361-K1399-V215	569,00	



Fujitsu recommends Windows 8

CELSIUS R920

Fujitsu's most performing workstation the CELSIUS R920 achieving first-class benchmark results is designed to surpass all your expectations. This reliable, high-end dual processor workstation is individually configurable for the most power hungry, 24/7 operating environments. Best-in-class noise emissions of just 21 dB, and comprehensive ISV certifications that ensure smooth application operation, enhance your productivity. The convenient cold plug access at front simplifies subsequent expansion.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS R920					
CELSIUS R920		Base unit:, , System board D3118, Chipset: Intel C602; Theseus system management controller, 800 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , Slots:, , 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU); , , 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x4 Gen3 (mechanical PCIe x16), 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , , 2nd CPU (CPU1) is needed for the usage of three and/or four PCIe x16 addon cards., , , Onboard I/O devices: , 2x 1Gbit network controller Intel 82579LM & 82574L, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C606);, SAS 3Gbit controller optional via UpgradeRom (8 Ports, SAS/SATA RAID 0, 1 und 10) , , Bays: , , 2x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , Rear interfaces: 2x LAN RJ45, 1x eSATA Gen2, 6x USB 2.0, 1x audio in, 1x audio out, 2x PS/2 for mouse and keyboard., , , Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle), , , Embedded security (TPM 1.2) - Infineon, , Disable / Hide TPM option, , EraseDisk, ,	S26361-K1400-V115	943,00	
CELSIUS R920 SAG		"Base unit:, , System board D3118, Chipset: Intel C602; Theseus system management controller, 1100 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , Slots:, , 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU); , , 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x4 Gen3 (mechanical PCIe x16), 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , , , 2nd CPU (CPU1) is needed for the usage of three and/or four PCIe x16 addon cards., , , , Onboard I/O devices: , , 2x 1Gbit network controller Intel 82579LM & 82574L, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642, , , , SAS upgrade option (Intel C606);, , SAS 3Gbit controller optional via UpgradeRom (8 Ports, SAS/SATA RAID 0, 1 und 10) , , , , Bays: , , , 2x 5,25" und 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] oor [8x 2,5" internal HDD/SSD bays] , , , - all internal HDD bays accessible from the front., , , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , , , Rear interfaces: 2x LAN RJ45, 1x eSATA Gen2, 6x USB 2.0, 1x audio in, 1x audio out, 2x PS/2 for mouse and keyboard., , , , , Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle), , , , , Embedded security (TPM 1.2) - Infineon, , , Disable / Hide TPM option, , , EraseDisk, , , "	S26361-K1400-V189	943,00	
CELSIUS R920power		Base unit:, , System board D3118, Chipset: Intel C602; Theseus system management controller, 1100 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , Slots:, , 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU); , , 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x4 Gen3 (mechanical PCIe x16), 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , , , 2nd CPU (CPU1) is needed for the usage of three and/or four PCIe x16 addon cards., , , , Onboard I/O devices: , 2x 1Gbit network controller Intel 82579LM & 82574L, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C606);, SAS 3Gbit controller optional via UpgradeRom (8 Ports, SAS/SATA RAID 0, 1 und 10) , , , Bays: , , 2x 5,25" und 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] oor [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , , Rear interfaces: 2x LAN RJ45, 1x eSATA Gen2, 6x USB 2.0, 1x audio in, 1x audio out, 2x PS/2 for mouse and keyboard., , , , Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle), , , , Embedded security (TPM 1.2) - Infineon, , Disable / Hide TPM option, , EraseDisk, ,	S26361-K1400-V215	1.022,00	



Fujitsu recommends Windows 8

CELSIUS W420

The Gateway to Workstation Performance

If your application requirements have outgrown the performance of a standard PC, the Fujitsu CELSIUS W420 is designed for you. This attractively-priced, compact workstation is individually configurable and allows easy tool-less expansion for greater working flexibility. Unique low-noise emissions help you increase your productivity.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS W420					
	CELS W420 /CORE i7-3770/4GB DDR3-1600/	CELS W420 /CORE i7-3770/4GB DDR3-1600/ DVD SM/HD CABLE/500GB SATA III/ PAR.INTF./CK I/KB410USBBIT/ COA_W7_MM_PROFES/W7 PRO32 MAIN/,	PRJ:W4200W0001IT	1.031,00	
	CELS W420 /CORE i7-3770/4GB DDR3-1600/	CELS W420 /CORE i7-3770/4GB DDR3-1600/ Q 410/DVD SM/HD CABLE/500GB SATA III/ PAR.INTF./CK I/KB410USBBIT/ COA_W7_MM_PROFES/W7 PRO32 MAIN/,	PRJ:W4200W0002IT	1.124,00	

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W420					
	CELSIUS W420	Base unit, system board D3162, 300 W wide range power supply, optical USB tilt scroll mouse; Chipset: Intel Q77., , Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1600, dual channel), 4 slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 1x PCIe x1, 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: , Intel HD Graphics or HD Graphics 2500 (depending on CPU), network controller Intel 82579LM, Serial ATA controller (6 Ports 2 thereof SATA III; RAID 0, 1 or 5 for HDDs) und HD-audio Conexant CX20642., , Bays:, 7 (2x 5,25" and 2x 3,5" externally accessible, 2x 3,5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays), , Front interfaces:, 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , Rear interfaces:, 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces:, 2x USB 2.0, , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1358-V215	388,00	



Fujitsu recommends Windows 8

CELSIUS W520

Performance That Boosts Your Productivity

If you need a powerful entry-level workstation, Fujitsu's CELSIUS W520 is the ideal choice. Comprehensive ISV certifications ensure your professional applications run smoothly. Your workplace is silent and user-friendly thanks to best-in-class noise emissions. Plus, the cold plug access at the front of the workstation lets you expand your storage capacity or change drives for enhanced working

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W520					
	CELSIUS W520	Base unit, system board D3167, 300 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216; , , , Slots: , , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz); , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; , , , Bays: , , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front); , , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , , Internal interfaces: , , 2x USB 2.0, 1x USB 2.0 with standard connector (switchable in BIOS)., , , Embedded security (TPM 1.2) , , Disable / Hide TPM option	S26361-K1359-V315	492,00	
	CELSIUS W520 SAG	Base unit, system board D3167, 300 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216; , , , Slots: , , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz); , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; , , , Bays: , , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front); , , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , , Internal interfaces: , , 2x USB 2.0, 1x USB 2.0 with standard connector (switchable in BIOS)., , , Embedded security (TPM 1.2) , , Disable / Hide TPM option	S26361-K1359-V389	492,00	
CELSIUS W520power					



Fujitsu recommends Windows 8

CELSIUS W520

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W520power (Continued)					
CELSIUS W520power	Base unit, system board D3167, 500 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216; , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz), , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; , , , Bays: , , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front), , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces: , , 2x USB 2.0, 1x USB 2.0 with standard connector (switchable in BIOS), , , Embedded security (TPM 1.2) , , Disable / Hide TPM option	S26361-K1359-V415	554,00		
CELSIUS W520power-L			S26361-K1359-V420	577,00	Orderable from: 08/07/2013



Fujitsu recommends Windows 8

CELSIUS Accessories														Product Code	EUP (€)	Comments													
Category	Description	Details	CELSIUS C320	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H970	CELSIUS H970-2	CELSIUS M470-2	CELSIUS M720	CELSIUS W370-2	CELSIUS W670-2	CELSIUS R920	CELSIUS R920power	CELSIUS W290	CELSIUS W410	CELSIUS W420	CELSIUS W480	CELSIUS W950	CELSIUS W950power	CELSIUS W520	CELSIUS W520power	CELSIUS W520power				
Accessories & services matrix																													
Graphics (Continued)																													
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters.	x																							S26361-F2856-L996	477.00		
	NVIDIA Quadro K2000D 2GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters...	x																							S26361-F2222-L201	494.00		
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 1-2x DP; PCIe x16; w/o adapters.	x																							S26361-F2856-L405	830.00		
	NVIDIA Quadro K4000 3GB	Connectors: 1x DVI-I dual link and 2x DP, 1x 6pin 12V Stecker, PCIe x16, w/o adapters...	x																							S26361-F2222-L400	847.00		
	NVIDIA Quadro K5000 4GB	Connectors: 1x DVI-I dual link, 1x DVI-D and 2x DP, SLI, stereo; PCIe x16; w/o adapters.	x																							S26361-F2222-L500	2,166.00		
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, PCIe x16, w/o adapters	x																							S26361-F2856-L602	4,153.00		
	AMD FirePro V3900 1 GB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters...	x																							S26361-F2530-L390	123.00		
	AMD FirePro V4900 1 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters.	x																							S26361-F2530-L490	188.00		
	AMD FirePro W5000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters.	x																							S26361-F3300-L500	466.00		
	AMD FirePro W7000 4GB	Connectors: 4x DP; PCIe x16; w/o adapter.																								S26361-F3300-L700	877.00		
	AMD FirePro W8000 4GB	Connectors: 4x DP; PCIe x16, stereo, w/o adapter.																								S26361-F3300-L800	1,633.00		
	CELSIUS RemoteAccess Portal	PCoIP, 2x DVI-I/10/100/1000 Mbps LAN, 4x USB, audio	x																							S26361-K1322-V1	298.00	Phased out	
	CELSIUS RemoteAccess Dual Card	Host for PCoIP, 2x miniDP, 10/100/1000 Mbps LAN, PCIe x1; contains 2x miniDP/DP cable, 1x internal on/off cable, 1x LAN cable; suited for FUTRO L420 (S26361-K1062-V200)	x																							S26361-F3565-L2	262.00		
	CELSIUS RemoteAccess Quad Card	Host for PCoIP, 4x miniDP, 10/100/1000 Mbps LAN, PCIe x1; contains 4x miniDP/DP cable, 1x internal on/off cable, 1x LAN cable; suited for FUTRO L620 (S26361-K1062-V300)	x																							S26361-F3565-L4	433.00		
	NVIDIA Tesla C2075 Computing Processor	Connectors: 1x DVI-I, PCIe x16...	x																							S26361-F2856-L208	2,299.00	Phased out	
	NVIDIA Tesla K20	Computing-processor, no connectors, PCIe x16																								S26361-F2222-L20	3,276.00		
	Intel Xeon Phi Cooressor 5110P		x																							S26361-F4100-L51	3,764.00	Orderable from: 01/07/2013	
	Dislay Port/DVI-D adapter cable	for connection of one DVI-D monitor	x	x																						S26361-F2391-L200	35.00		
	Mini Display Port/DVI-D adapter cable		x																							S26361-F2391-L8	37.00		
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	x																							S26361-F2391-L1	19.00		
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors	x	x																						S26361-F2391-L101	32.00		
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors	x	x																						S26361-F2391-L102	34.00		
	SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCIe card																								S26361-F2542-L95	79.00		
	Power cable for graphics card	for NVIDIA Q4000, K4000, Q5000, K5000, Q6000, Tesla C2075, Tesla K20 and ATI FirePro V7900, W7000, W8000; 6pin to 6pin and 8pin connector + 6pin to 2x6pin connector.																								S26361-F2407-L11	28.00		
Removable Media Drives																													
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5" bay and requires internal USB interface. Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC																									S26361-F3077-L50	26.00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5" bay and requires internal USB 2.0 interface, front connector USB 3.0. Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC																									S26361-F3077-L51	33.00	
	Blu-ray Triple Writer SATA slim (trav)																										S26361-F3716-L100	155.00	
	Blu-ray Triple Writer SATA slim (trav)																										S26361-F3780-L100	155.00	
	DVD-RW Dual Double Layer Super Multi																									S26391-F1164-L200	78.00		
	Blu-ray burner																										S26391-F1164-L400	184.00	
	USB dondle bay module																										S26391-F1164-L700	33.00	
	Weight saver for modular bay																										S26391-F7774-L300	17.00	
	Blu-ray Triple Writer incl. Power DVD 10																										S26391-F894-L200	184.00	
	DVD Super multi (reader/writer)																										S26391-F984-L100	78.00	Phased out
	Blu-ray Triple Writer incl. Power DVD 10																										S26391-F984-L200	184.00	Phased out
	2nd HDD bay module (without HDD)																										S26391-F984-L600	33.00	
	DVD SATA	occupies accessible 5.25" bay, without DVD-video playback software																									S26361-F3418-L510	32.00	
	DVD SuperMulti SATA	occupies accessible 5.25" bay, DVD burning software included (without DVD-video playback software)																									S26361-F3420-L510	40.00	
	DVD SuperMulti SATA slim	occupies accessible 5.25" bay, DVD burning software included (without DVD-video playback software)																									S26361-F3429-L510	58.00	
SCSI/RAID/SAS controller																													
	SAS Controller D2507 (1 S11064e)x4	4 ports incl. cables, PCIe x4																									S26361-F3976-L1	134.00	
	SAS/SATA RAID Controller based on LSI	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports, RAID Levels 0, 1, and 10.	x	x																							S26361-F3976-L2	190.00	
	SAS/SATA RAID Controller based on LSI	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports, RAID levels 0, 1, 5 and 6.	x	x																							S26361-F3976-L3	314.00	
	RAID controller battery-backup-unit	RAID controller battery-backup-unit.	x																								S26361-F3976-L99	129.00	
	4-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 4x onboard SAS (incl. RAID 0,1,10 license).																									S26361-F2581-L49	55.00	
	8-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 8x onboard SAS (incl. RAID 0,1,10 license).																									S26361-F2581-L43	78.00	
Communication/Network																													
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autotdetect, PXE Boot, PCI Express 2.0	x																								S26361-F3067-L60	28.00	
	Dual 1 Gbabit Ethernet PCIe x4		x	x																							S26361-F3067-L80	134.00	
	IB HCA 40Gb 1 Kanal QDR	InfiniBand HCA 40GBs, 1-port, QDR, Appropriate cables: InfiniBand Cu Kabel 40Gb, 4x QSFP, 1m (S26361-F3996-L101) or 3m (S26361-F3996-L103)	x																								S26361-F4475-L102	625.00	
	USB 3.0 PCIe x1	FTS D3305, connectors: 1x USB Typ A external, 1x USB Typ A internal, PCIe x1; FH bracket mounted; LP bracket enclosed.																									S26361-F3060-L10	33.00	
	Dual 10 Gigabit Ethernet PCIe x8	FTS D2755, w/o SFP+ modules, appropriate SFP+ modules: S26361-F3986-L3 or S26361-F3986-L4 SFP+ Module Single Mode Fiber 10GBE LC or SFP+ Twinax cables	x																								S26361-F3067-L70	350.00	
	Dual 1 Gbabit Ethernet PCIe x4 WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface, only EMEA	x																								S26361-F3067-L85	134.00	New product,Orderable from: 01/08/2013
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height																									S26361-F2542-L34	13.00	



Fujitsu recommends Windows 8

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS M730	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS R930	CELSIUS R930power	CELSIUS W290	CELSIUS W410	CELSIUS W420	CELSIUS W480	CELSIUS W510	CELSIUS W520	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments	
Accessories & services matrix																														
Communication/Network (Continued)																														
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot, low profile																					x					S26361-F2542-L40	13.00	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot, full height										x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-L70	19.00	
	Serial Interface FH	1x9 Pin RS-232, occupies internal serial interface and one slot, full height.											x	x													S26361-F2542-L72	26.00		
	Dual serial card PCIe x1	Dual Port RS232 via splitter cable											x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3316-L6	37.00		
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cable											x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3316-L7	42.00		
Rack/Infrastructure																														
	Rack mounting kit CELSIUS (5U)	for CELSIUS W510, W520 (delivery date after 14.01.2013), M470-2, M720 (delivery date after 17.09.2012), R570-2, R670-2 and R920										x	x	x	x	x	x						x	x	x	x		S26361-F2581-L101	247.00	
	RMK-F1_DI_CMA_QRL	Telescopic drop-in rails, 781mm long with cable management arm adapter, full extraction with extension length 815mm, with vario-carrier 1 for rack installation depth (19" pillar distance) between 714mm and 785m, pre-assembled with centre screw		x																							S26361-F2735-L145	85.00		
OS/Application-SW																														
	Drivers&Utilities DVD (XP) CELSIUS		x																									S26361-F2007-L912	22.00	
	Drivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security Trial 90 days			x		x																					S26361-F2010-L199	28.00	
	Drivers&Utilities DVD Mobile H Win7/8								x																			S26361-F2012-L103	28.00	
	Drivers&Utilities DVD (WIN7 + WIN8) CELS	incl. Nero Essentials S, Norton Internet Security	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2007-L909	22.00	
UPS/Power supply																														
	Battery 6cell 6700mAh							x																				S26391-F1166-L100	123.00	
	3pin AC Adapter 19V/150W	3pin AC Adapter 19V/150W for use with CELSIUS H720						x																				S26391-F1166-L220	85.00	
	2nd battery							x																				S26391-F777-L200	145.00	
	2pin AC Adapter 19V/120W							x																				S26391-F896-L700	50.00	
	AC Adapter 19V/210W	3pin AC Adapter 19V/210W for use with CELSIUS H920 or the portreplicator								x																		S26391-F896-L500	95.00	
	Battery 8cell 5800mAh							x		x																		S26391-F896-L700	134.00	
Security																														
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard																			x	x	x	x	x	x	x	S26361-F1260-L521	26.00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard, CELSIUS M, R, V only											x	x	x	x	x	x										S26361-F1260-L522	28.00	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b.64 KByte EEPROM	x	x	x									x		x				x	x	x	x	x	x	x		S26361-F1571-L201	18.00	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b.64 KByte EEPROM	x	x	x									x		x				x	x	x	x	x	x	x		S26361-F1571-L210	122.00	Phased out
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L101	19.00	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L102	29.00	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L103	37.00	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L104	30.00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L105	46.00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L106	57.00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L107	35.00	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L108	56.00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L109	78.00	
	ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L113	48.00	
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L114	77.00	
	ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L115	94.00	
	ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L116	54.00	
	ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L117	88.00	
	ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L118	116.00	
	ATP, ComputraceOne, Abo. 5Y					x	x	x	x																			S26361-F2009-L119	166.00	
	Absolute Track, Abo. 1Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L201	19.00	
	Absolute Track, Abo. 2Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L202	29.00	
	Absolute Track, Abo. 3Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L203	37.00	
	Data Protection, Abo. 1Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L204	30.00	
	Data Protection, Abo. 2Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L205	46.00	
	Data Protection, Abo. 3Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L206	57.00	
	ComputraceOne, Abo. 1Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L207	35.00	
	ComputraceOne, Abo. 2Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L208	56.00	
	ComputraceOne, Abo. 3Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L209	78.00	
	ATP, Data Protection, PE, Abo. 1Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L213	48.00	
	ATP, Data Protection, PE, Abo. 2Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L214	77.00	
	ATP, Data Protection, PE, Abo. 3Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L215	94.00	
	ATP, ComputraceOne, Abo. 1Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L216	54.00	
	ATP, ComputraceOne, Abo. 2Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L217	88.00	
	ATP, ComputraceOne, Abo. 3Y, Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x																			S26361-F2009-L218	116.00	
	ATP, Data Protection, PE, Abo. 5Y					x																						S26361-F2011-L10	133.00	
	ATP, Data Protection, PE, Abo. 5v, Master					x																						S26361-F2011-L11	133.00	
	SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support; SmartLogon plus support				x	x	x	x																			S26361-F2432-L720	48.00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license, for orders up to 99 licenses, no software, no data medium				x								x	x	x	x	x	x									S26361-F2727-L100	20.00	
	SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics				x									x	x	x	x	x									S26361-F2727-L740	42.00	
	Advanced Face Recognition Single License			x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2727-L760	17.00	
	Advanced Face Recognition Multi License			x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2727-L761	17.00	



Fujitsu recommends Windows 8

CELSIUS Accessories			CELSIUS C200	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M100-2	CELSIUS M720	CELSIUS M730	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS R930power	CELSIUS W200	CELSIUS W410	CELSIUS W420	CELSIUS W480	CELSIUS W510	CELSIUS W520	CELSIUS W550power	CELSIUS W550	CELSIUS W550power	Product Code	EUP (€)	Comments	
Category Description			Details																											
Accessories & services matrix																														
Security (Continued)																														
RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing		x		x	x	x	x	x	x	x	x	x	x	x								x	x	x	x	S26381-F11-L100	38.00		
SmartCard CARDOS V4.4. 1PCS	1 SmartCard CardOS 4.4, 68 KByte EEPROM		x				x	x	x	x	x	x	x							x				x		S26381-F305-L101	25.00			
SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x				x		S26381-F305-L102	45.00			
SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x				x		S26381-F305-L110	204.00			
Dual SmartCard Reader D321	Combining contact and RFID reader in one for standard SmartCards and contactless RFID cards. Cage for 3.5-inch bay. Connected via onboard USB. Contact reader supports ISO 7816 standard cards. Contactless RFID reader supports ISO 14443 A/B standards as well as HID(R) (CLASS(R), MIFARE(R)), ISO 18593 and German ID card (IPA). 2 solution: contactless RFID slot for ID Cards, contact slot for all other cards.																							x		S26381-F321-L100	46.00	New product		
Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7compatible, USB interface		x		x	x	x	x	x	x	x	x	x	x	x	x	x			x				x		S26381-F331-L220	25.00			
USB SCR 3500	External USB SmartCard Reader, folderable., Reads and write on all ISO 7816, 1-4 compliant SmartCards., CCID compliant, USB Bus powered.		x			x	x	x	x	x	x									x				x		S26381-F350-L100	27.00			
PalmSecure Sensor STD FAT13M3S1	PalmSecure Sensor STD FAT13M3S1 palmvein sensor for biometric authentication. Component for integration without cable, manual and software					x	x																			S26381-K434-L100	239.00			
PalmSecure SDK	PalmSecure SDK Software Development Kit for PalmSecure PSSDK FAT13S1A04					x	x																			S26381-K434-L201	4.444.00			
PalmSecure U Guide FAT13G2A2L	PalmSecure U Guide FAT13G2A2L special handguide for palmvein sensor					x	x																			S26381-K434-L500	52.00			
PalmSecure Sensor Guide Kit STD	PalmSecure Sensor Guide Kit STD contains an external USB vein sensor for biometric authentication. USB 2.0 bus powered. Set contains: Sensor, holder, Handguide and USB cable in Brown box.					x	x																			S26381-K436-L100	256.00			
Miscellaneous																														
Locking HDD case																				x		x	x	x	x	S26361-F2542-L332	20.00			
LTE upgrade kit	only usable if system was ordered with UMETS Ready Kit					x	x																			S26391-F1105-L530	202.00			
UMTS upgrade kit					x	x																				S26391-F985-L120	112.00			
Rear USB 2.0 connector	2xUSB 2.0																			x	x					S26361-F2438-L215	17.00			
Blanking Plate 5.25" drive bays. 10 pcs.																				x	x	x				S26361-F2542-L326	17.00			
Blanking Plate 3.5" drive bays. 10 pcs.																				x	x	x				S26361-F2542-L327	17.00			
Blanking Plate 5.25" drive bays. 10 pcs.																										S26361-F2542-L325	28.00			
Cables																														
Power cord China	Power cord three-wire CHN; Mickey Mouse C5 connector								x																		S26361-F2542-L51	19.00		
Power cord three-wire CHN	suitable for China and Hong Kono.								x																		S26361-F2581-L350	33.00		
Cable powercord China, 1.8m, black	black, 2-pole, 1.8 m							x																			T26139-Y1751-L10	25.00		
power cable EU	black, 2-pole, 1.8 m						x	x																			T26139-Y2540-V113	9.00		
power cable UK	black, 2-pole, 1.8 m						x	x																			T26139-Y2540-V213	9.00		
power cable US	black, 2-pole, 1.8 m						x	x																			T26139-Y2540-V313	9.00		
Cable for 2, USB device	grey, 1.8m, suitable for: Germany, Austria, Belgium, Netherlands, Finland, France, Italy, Spain, Portugal, Russian, Turkey, 3 wire; Desktop Type C13								x	x	x	x	x	x	x	x	x								x	x	S26361-F2581-L10	22.00		
Cable Powercord (D), 1.8m	grey or black, 1.8m, for USA/CAN (Desktops), 3 wire; Desktop Type C13								x	x	x																T26139-Y1741-V10	4.00		
Cable Powercord (USA, Desktop),1.8m	black, 1.8m, Switch, 3 wire; Desktop Type C13								x	x																	T26139-Y1743-V10	4.00		
Cable Powercord (CH), 1.8m, black	black, 1.8m, suitable for: Great Britain, 3 wire; Desktop Type C13								x	x																	T26139-Y1744-V10	4.00		
Cable Powercord (UK), 1.8m, black	Power cord three-wire US; Mickey Mouse C5 connector								x																		S26361-F2581-L300	17.00		
Power cord three-wire EU	Power cord three-wire EU; Mickey Mouse C5 connector								x	x	x																S26361-F2581-L310	17.00		
Power cord three-wire GB	Power cord three-wire GB; Mickey Mouse C5 connector								x																		S26361-F2581-L320	17.00		
Power cord three-wire CH	Power cord three-wire CH; Mickey Mouse C5 connector								x																		S26361-F2581-L340	17.00		
Additional Software																														
OPENFT-CR (Unix systems) V12.0	CD-ROM openFT-CR V12.0; Cryptographic module, for openFT V12.0; Attention export restrictions		x	x							x	x	x	x	x													U10987-C599	15.00	
OPENFT-SW-CD (Unix systems) V12.0	Medium for UNIX systems, CD-ROM openFT-SW V12.0		x	x							x	x	x	x	x													U10987-C600	36.00	
OPENFT-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x							x	x	x	x	x													U10987-C601	1.348.00	
OPENFT-FTAM-1 (Unix systems) V12.0	License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x							x	x	x	x	x													U10987-C613	1.348.00	
OPENFT-FTP-1 (Unix systems) V12.0	License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x							x	x	x	x	x													U10987-C625	550.00	
OPENFT-CR (WINDOWS) V12.0	CD-ROM openFT-CR V12.0; Cryptographic module, Attention export restrictions		x	x	x						x	x	x	x	x													U11081-C399	15.00	
OPENFT-SW-CD (WINDOWS) V12.0	Medium for Windows systems, CD-ROM openFT-SW V12.0		x	x							x	x	x	x	x													U11081-C400	30.00	
OPENFT-1 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x	x						x	x	x	x	x													U11081-C401	1.348.00	
OPENFT-FTAM-1 (WINDOWS) V12.0	License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x	x						x	x	x	x	x													U11081-C411	1.348.00	
OPENFT-FTP-1 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x	x						x	x	x	x	x													U11081-C421	550.00	
OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x	x						x	x	x	x	x													U11081-C301	1.225.00	
OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x	x						x	x	x	x	x													U11081-C311	1.225.00	
OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0		x	x	x						x	x	x	x	x													U11081-C300	30.00	
OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0; Cryptographic module, Attention export restrictions		x	x	x						x	x	x	x	x													U11081-C299	15.00	
OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x							x	x	x	x	x													U10987-C501	1.225.00	



Fujitsu recommends Windows 8

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS F265	CELSIUS R270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS M730	CELSIUS R5770-2	CELSIUS R6770-2	CELSIUS R920	CELSIUS R920power	CELSIUS W290	CELSIUS W410	CELSIUS W440	CELSIUS W460	CELSIUS W510	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Additional Software (Continued)																													
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x							x	x		x	x	x	x									U10987-C513	1,225.00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0		x	x							x	x		x	x	x	x									U10987-C500	36.00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions		x	x							x	x		x	x	x	x									U10987-C499	15.00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Options matrix																
Approvals/dependencies																
	China (CCC) approval		x				x	x	x	x	x			S26361-F2550-E150	3,00	
	US (FCC) approval			x		x								S26391-F1100-E910	3,00	
	China Energy Label (CEL) H720			x										S26391-F1100-E927	4,00	
	China Energy Label (CEL) H920					x								S26391-F1100-E928	4,00	
	GS approval	non glossy front bezel to fulfill GS approval					x	x						S26361-F2555-E200	3,00	
LCD-Display																
	39.6 cm (15.6") HD+ magnesium LED	1600 x 900 pixels, .		x										S26391-F1160-E100	79,00	
	39.6 cm (15.6") FHD magnesium LED	1920 x 1080 pixels, .		x										S26391-F1160-E200	135,00	
	43.9 cm (17.3") FHD LED	1920 x 1080 pixels, .				x								S26391-F1170-E100	152,00	
	43.9 cm (17.3") FHD LED				x									S26391-F890-E500	152,00	
Processor																
	Intel Core i7-3610QM 2.3GHz 6MB	2.30 GHz, up to 3.30 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x,	x	x										S26391-F1161-E361	279,00	
	Intel Core i7-3630QM 2.40GHz 6MB	2.40 GHz, up to 3.40 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x,	x	x										S26391-F1161-E363	279,00	
	Intel Core i7-3720QM 2.6GHz 6MB	2.60 GHz, up to 3.60 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT,	x	x										S26391-F1161-E372	415,00	
	Intel Core i7-3740QM 2.70GHz 6MB	2.70 GHz, up to 3.70 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT,	x	x										S26391-F1161-E374	415,00	
	Intel Core i7-3820QM 2.7GHz 8MB	2.70 GHz, up to 3.70 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT,	x	x										S26391-F1161-E382	619,00	
	Intel Core i7-3840QM 2.80GHz 8MB	2.80 GHz, up to 3.80 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT,	x	x										S26391-F1161-E384	619,00	
	Intel Core i7-3920XM 2.9GHz 8MB	2.90 GHz, up to 3.80 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT,	x	x										S26391-F1161-E392	1.195,00	
	Intel Core i7-3940XM 3.0GHz 8MB	3.00 GHz, up to 3.90 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT,	x	x										S26391-F1161-E394	1.195,00	
	Intel Core i7-2640M 2.8GHz 4MB	Intel Core i7-2640M _ processor (, 2.8 GHz, SLC: 4 MB)			x									S26391-F981-E264	339,00	
	Intel Core i5-2540M 2.6GHz 3MB	2.60 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT			x									S26391-F981-E254	290,00	
	Intel Core i5-2520M 2.5GHz 3MB	2.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT			x									S26391-F981-E252	264,00	
	Intel Core i7-3540M up to 3.6GHz 4MB	3.00 GHz, up to 3.70 GHz, 4 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT	x	x										S26391-F1121-E354	405,00	
	Intel Core i7-3520M up to 3.6GHz 4MB	2.90 GHz, up to 3.60 GHz, 4 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT,	x	x										S26391-F1121-E352	405,00	
	Intel Core i5-3380M 2.9GHz 3MB	2.90 GHz, up to 3.60 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT,	x	x										S26391-F1121-E338	290,00	
	Intel Core i5-3360M up to 3.5GHz 3MB	2.80 GHz, up to 3.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT,	x	x										S26391-F1121-E336	290,00	
	Intel Core i5-3340M up to 3.4GHz 3MB	2.70 GHz, up to 3.40 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT,	x	x										S26391-F1121-E334	264,00	
	Intel Core i5-3320M up to 3.3GHz 3MB	2.60 GHz, up to 3.30 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT,	x	x										S26391-F1121-E332	264,00	
	Intel Core i7-2820QM 2.3GHz 8MB	2.30 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT			x									S26391-F981-E282	619,00	Phased out
	Intel Core i7-2860QM 2.5GHz 8MB	2.50 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT,			x									S26391-F981-E286	619,00	Phased out
	Xeon E5-1603 2.80GHz 10MB	2.80 GHz, 10 MB Cache, 4 Cores, .					x							S26361-F4537-E603	290,00	
	Xeon E5-1607 3.00GHz 10MB	3.00 GHz, 10 MB Cache, 4 Cores, .					x							S26361-F4537-E607	336,00	
	Xeon E5-1620 3.60GHz 10MB Turbo Boost	3.60 GHz, 10 MB Turbo Boost, 4 Cores, .					x							S26361-F4537-E620	408,00	
	Xeon E5-1650 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 6 Cores, .					x							S26361-F4537-E650	886,00	
	Xeon E5-1660 3.30GHz 15MB Turbo Boost	3.30 GHz, 15 MB Turbo Boost, 6 Cores, .					x							S26361-F4537-E660	1.610,00	
	Xeon E5-2603 1.80GHz 10MB	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, .					x	x						S26361-F4536-E603	290,00	
	2nd Xeon E5-2603	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, .					x							S26361-F4539-E603	290,00	
	Xeon E5-2609 2.40GHz 10MB	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, .					x	x						S26361-F4536-E609	408,00	
	2nd Xeon E5-2609	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, .					x							S26361-F4539-E609	408,00	
	Xeon E5-2620 2.0GHz 15MB Turbo Boost	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, .					x	x						S26361-F4536-E620	523,00	
	2nd Xeon E5-2620	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, .					x							S26361-F4539-E620	523,00	
	Xeon E5-2630 2.3GHz 15MB Turbo Boost	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, .					x	x						S26361-F4536-E630	814,00	
	2nd Xeon E5-2630	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, .					x							S26361-F4539-E630	814,00	
	Xeon E5-2630L 2.0GHz 15MB	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores, .					x	x						S26361-F4535-E630	779,00	
	2nd Xeon E5-2630L	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores, .					x							S26361-F4538-E630	779,00	
	Xeon E5-2637 3.0GHz 5MB Turbo Boost	3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores, .					x	x						S26361-F4536-E637	1.159,00	
	2nd Xeon E5-2637	3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores, .					x							S26361-F4539-E637	1.159,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Processor (Continued)																
	Xeon E5-2640 2.5GHz 15MB Turbo Boost	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,					x	x						S26361-F4536-E640	1.164,00	
	2nd Xeon E5-2640	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,							x					S26361-F4539-E640	1.164,00	
	Xeon E5-2643 3.3GHz 10MB Turbo Boost	3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores, ,					x	x						S26361-F4537-E643	1.164,00	
	2nd Xeon E5-2643	3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores, ,							x					S26361-F4540-E643	1.164,00	
	Xeon E5-2650 2.0GHz 20MB Turbo Boost	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x	x						S26361-F4536-E650	1.450,00	
	2nd Xeon E5-2650	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x					S26361-F4539-E650	1.450,00	
	Xeon E5-2650L 1.8GHz 20MB Turbo Boost	1.80 GHz, 20 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores					x	x						S26361-F4535-E650	1.362,00	
	2nd Xeon E5-2650L	1.80 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores, ,							x					S26361-F4538-E650	1.362,00	
	Xeon E5-2660 2.2GHz 20MB Turbo Boost	2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x	x						S26361-F4536-E660	1.723,00	
	2nd Xeon E5-2660	2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x					S26361-F4539-E660	1.723,00	
	Xeon E5-2665 2.4GHz 20MB Turbo Boost	2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x	x						S26361-F4537-E665	1.885,00	
	2nd Xeon E5-2665	2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x					S26361-F4540-E665	1.885,00	
	Xeon E5-2667 2.9GHz 15MB Turbo Boost	2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores					x	x						S26361-F4537-E667	2.018,00	
	2nd Xeon E5-2667	2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores, ,							x					S26361-F4540-E667	2.018,00	
	Xeon E5-2670 2.6GHz 20MB Turbo Boost	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x	x						S26361-F4537-E670	2.018,00	
	2nd Xeon E5-2670	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x					S26361-F4540-E670	2.018,00	
	Xeon E5-2680 2.7GHz 20MB Turbo Boost	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x	x						S26361-F4537-E680	2.206,00	
	2nd Xeon E5-2680	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x					S26361-F4540-E680	2.206,00	
	Xeon E5-2687W 3.1GHz 20MB Turbo Boost	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x					S26361-F4537-E687	2.475,00	
	2nd Xeon E5-2687W	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x					S26361-F4540-E687	2.508,00	
	Xeon E5-2690 2.9GHz 20MB Turbo Boost	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x	x						S26361-F4537-E690	2.693,00	
	2nd Xeon E5-2690	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x					S26361-F4540-E690	2.726,00	
	Pentium G870	incl. Intel HD Graphics, 3.10 GHz, 3 MB total cache, dual core/2 threads, LGA1155,								x				S26361-F4050-E870	72,00	Phased out
	Core i3-3220	incl. Intel HD Graphics 2500, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,	x						x	x	x			S26361-F4493-E322	134,00	
	Core i5-3470	incl. Intel HD Graphics 2500, 3.20 GHz, up to 3.6 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-d, TXT							x					S26361-F4494-E348	235,00	
	Core i5-3570	incl. Intel HD Graphics 2500, 3.40 GHz, up to 3.8 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-d, TXT							x					S26361-F4494-E357	262,00	
	Core i5-4570	incl. Intel HD Graphics 4600, 3.20 GHz, up to 3.6 GHz, 6 MB total cache, 4C/4T, LGA1150, technologies: VT-d, TXT,									x	x		S26361-F4494-E457	244,00	
	Core i5-4670	inkl. Intel HD Graphics 4600, 3.40 GHz, bis zu 3.8 GHz, 6 MB Total Cache, 4C/4T, LGA1150, Technologien: VT-d, TXT,									x	x		S26361-F4494-E467	270,00	
	Core i7-3770	incl. Intel HD Graphics 4000, 3.40 GHz, up to 3.9 GHz, 8 MB total cache, quad core/8 threads, LGA1155, technologies: VT-d, TXT							x					S26361-F4495-E377	365,00	
	Core i7-4770	incl. Intel HD Graphics 4600, 3.40 GHz, up to 3.9 GHz, 8 MB total cache, 4C/8T, LGA1150, technologies: VT-d, TXT,									x	x		S26361-F4495-E477	374,00	
	Xeon E3-1220v2 3.10GHz 8MB Turbo Boost	3.10/3.50 GHz, 8MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT,	x							x	x			S26361-F4573-E220	264,00	
	Xeon E3-1225v2 3.20GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.20/3.60 GHz, 8 MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT,	x							x	x			S26361-F4573-E225	283,00	
	Xeon E3-1230v2 3.30GHz 8MB Turbo Boost	3.30/3.70 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x							x	x			S26361-F4573-E230	300,00	
	Xeon E3-1240v2 3.40GHz 8MB Turbo Boost	3.40/3.80 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x							x	x			S26361-F4573-E240	325,00	
	Xeon E3-1245v2 3.40GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.40/3.80 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x							x	x			S26361-F4573-E245	339,00	
	Xeon E3-1270v2 3.50GHz 8MB Turbo Boost	3.50/3.90 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x							x	x			S26361-F4573-E270	418,00	
	Xeon E3-1275v2 3.50GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.50/3.90 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x							x	x			S26361-F4573-E275	427,00	
	Xeon E3-1280v2 3.60GHz 8MB Turbo Boost	3.60/4.00 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x							x	x			S26361-F4573-E280	759,00	
	Xeon E3-1220v3 3.10GHz 8MB Turbo Boost	3.10/3.50 GHz, 8 MB Turbo Boost, 4 Cores/4 Threads, Technologies: VT-x, TXT,									x	x		S26361-F4590-E220	264,00	New product, Orderable from: 05/08/2013



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Processor (Continued)																
	Xeon E3-1225v3 3.20GHz 8MB Turbo Boost	incl. Intel HD Graphics P4600, 3.20/3.60 GHz, 8 MB Turbo Boost, 4 Cores/4 Threads, Technologies: VT-x, TXT, ,											x	S26361-F4590-E225	283,00	Orderable from: 05/08/2013
	Xeon E3-1230v3 3.30GHz 8MB Turbo Boost	3.30/3.70 GHz, 8 MB Turbo Boost, 4 Cores/8 Threads, Technologies: VT-x, TXT, ,											x	S26361-F4590-E230	300,00	New product,Orderable from: 05/08/2013
	Xeon E3-1240v3 3.40GHz 8MB Turbo Boost	3.40/3.80 GHz, 8 MB Turbo Boost, 4 Cores/8 Threads, Technologies: VT-x, TXT, ,											x	S26361-F4590-E240	325,00	New product,Orderable from: 05/08/2013
	Xeon E3-1245v3 3.40GHz 8MB Turbo Boost	incl. Intel HD Graphics P4600, 3.40/3.80 GHz, 8 MB Turbo Boost, 4 Cores/8 Threads, Technologies: VT-x, TXT, ,											x	S26361-F4590-E245	339,00	Orderable from: 05/08/2013
	Xeon E3-1270v3 3.50GHz 8MB Turbo Boost	3.50/3.90 GHz, 8 MB Turbo Boost, 4 Cores/8 Threads, Technologies: VT-x, TXT, ,											x	S26361-F4590-E270	418,00	New product,Orderable from: 05/08/2013
	Xeon E3-1275v3 3.50GHz 8MB Turbo Boost	incl. Intel HD Graphics P4600, 3.50/3.80 GHz, 8 MB Turbo Boost, 4 Cores/8 Threads, Technologies: VT-x, TXT, ,											x	S26361-F4590-E275	427,00	Orderable from: 05/08/2013
	Xeon E3-1280v3 3.60GHz 8MB Turbo Boost	3.60/4.00 GHz, 8 MB Turbo Boost, 4 Cores/8 Threads, Technologies: VT-x, TXT, ,											x	S26361-F4590-E280	759,00	New product,Orderable from: 05/08/2013
Memory																
	2GB DDR3-1600 PC3-12800			x										S26391-F1162-E200	30,00	
	2GB DDR3-1600 PC3-12800			x										S26391-F1162-E210	30,00	
	4GB DDR3-1600 PC3-12800			x										S26391-F1162-E400	47,00	
	4GB DDR3-1600 PC3-12800			x										S26391-F1162-E410	47,00	
	8GB DDR3-1600 PC3-12800			x										S26391-F1162-E800	108,00	
	8GB DDR3-1600 PC3-12800			x										S26391-F1162-E810	108,00	
	2GB DDR3-1600 PC3-12800				x									S26391-F1172-E200	30,00	
	2GB DDR3-1600 PC3-12800				x									S26391-F1172-E210	30,00	
	4GB DDR3-1600 PC3-12800				x									S26391-F1172-E400	47,00	
	4GB DDR3-1600 PC3-12800				x									S26391-F1172-E410	47,00	
	8GB DDR3-1600 PC3-12800				x									S26391-F1172-E800	108,00	
	8GB DDR3-1600 PC3-12800				x									S26391-F1172-E810	108,00	
	2GB DDR3-1333 PC3-10600			x										S26391-F892-E200	30,00	
	2GB DDR3-1333 PC3-10600			x										S26391-F892-E210	30,00	
	4GB DDR3-1333 PC3-10600			x										S26391-F892-E400	47,00	
	4GB DDR3-1333 PC3-10600			x										S26391-F892-E410	47,00	
	8GB DDR3-1333 PC3-10600			x										S26391-F892-E800	108,00	
	8GB DDR3-1333 PC3-10600			x										S26391-F892-E810	108,00	
	2GB DDR3-1600	1 module PC 1600, DIMM, ,		x				x	x	x				S26361-F3384-E2	28,00	
	4GB DDR3-1600	1 module PC 1600, DIMM, ,		x				x	x	x				S26361-F3384-E3	44,00	
	8GB DDR3-1600	1 module PC 1600, DIMM, ,		x				x	x	x				S26361-F3384-E4	89,00	
	2GB DDR3-1600	1 module PC 1600, DIMM, ,									x	x		S26361-F3386-E2	28,00	
	4GB DDR3-1600	1 module PC 1600, DIMM, ,									x	x		S26361-F3386-E3	44,00	
	8GB DDR3-1600	1 module PC 1600, DIMM, ,									x	x		S26361-F3386-E4	89,00	
	2GB DDR3-1600	1 module, same number of modules for each processor necessary, ,					x	x						S26361-F3383-E404	28,00	
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,					x	x						S26361-F3383-E414	44,00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,					x	x						S26361-F3383-E415	67,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,					x							S26361-F3383-E416	138,00	
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,		x					x	x				S26361-F3385-E2	44,00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,		x					x	x				S26361-F3385-E3	67,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,		x					x	x				S26361-F3385-E4	138,00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,									x	x		S26361-F3387-E3	67,00	Orderable from: 05/08/2013
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,									x	x		S26361-F3387-E4	138,00	Orderable from: 05/08/2013
	4GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary							x					S26361-F3383-E425	72,00	
	8GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary						x	x					S26361-F3383-E426	149,00	
	16GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary,						x	x					S26361-F3383-E427	255,00	
	32GB DDR3-1333 rg LR ECC	1 module, same number of modules for each processor necessary, only in combination with LRDIMM modules								x				S26361-F3382-E438	896,00	
Graphics																
	NVIDIA Quadro K3000M, 2GB VRAM				x									S26391-F1170-E730	605,00	
	NVIDIA Quadro K4000M, 4GB VRAM				x									S26391-F1170-E740	1,099,00	
	NVIDIA Quadro 3000M				x									S26391-F891-E300	605,00	
	NVIDIA Quadro 4000M				x									S26391-F891-E400	1,099,00	
	NVIDIA Quadro 5010M				x									S26391-F891-E500	2,244,00	
	NVIDIA NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately					x	x	x	x	x	x	x	S26361-F2748-E38	85,00	
	NVIDIA NVS 310 512MB	Connectors: 2x DP, PCIe x16, w/o adapters,					x	x	x	x	x	x	x	S26361-F2748-E315	85,00	
	2nd NVIDIA NVS 310 512MB	Connectors: 2x DP, PCIe x16, w/o adapters,					x	x	x	x	x	x	x	S26361-F2748-E317	85,00	
	3rd NVIDIA NVS 310 512MB	Connectors: 2x DP, PCIe x16, w/o adapters,					x	x						S26361-F2748-E318	85,00	
	NVIDIA NVS 510 2GB	Connectors: 4x miniDP, PCIe x16, containing 4x miniDP/DP adapter cables,					x	x	x	x	x	x	x	S26361-F2748-E515	373,00	
	2nd NVIDIA NVS 510 2GB	Connectors: 4x miniDP, PCIe x16, containing 4x miniDP/DP adapter cables,					x	x				x	x	S26361-F2748-E517	373,00	
	3rd NVIDIA NVS 510 2GB	Connectors: 4x miniDP, PCIe x16, containing 4x miniDP/DP adapter cables,					x	x						S26361-F2748-E518	373,00	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters					x	x	x	x	x			S26361-F2748-E245	392,00	Phased out
	NVIDIA Quadro 410 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters,		x			x	x	x	x	x	x	x	S26361-F2856-E941	93,00	
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe x16; w/o adapters		x			x	x	x	x	x			S26361-F2856-E61	156,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Graphics (Continued)																
	NVIDIA Quadro K600 1GB	Connectors: 1x DVI-I dual link and 1x DP, PCIe x16, w/o adapters,	x				x	x		x	x	x	x	S26361-F2222-E60	162,00	
	2nd NVIDIA Quadro K600 1GB	Connectors: 1x DVI-I dual link and 1x DP, PCIe x16, w/o adapters,					x	x						S26361-F2222-E997	162,00	
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x				x	x	x	x				S26361-F2856-E201	459,00	
	2nd NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,					x	x						S26361-F2856-E203	459,00	
	3rd NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,						x						S26361-F2856-E992	459,00	
	4th NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,						x						S26361-F2856-E993	459,00	
	NVIDIA Quadro K2000 2GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters,	x				x	x		x	x	x		S26361-F2222-E200	476,00	
	2nd NVIDIA Quadro K2000 2GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters,					x	x						S26361-F2222-E202	476,00	
	3rd NVIDIA Quadro K2000 2GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters,						x						S26361-F2222-E203	476,00	
	4th NVIDIA Quadro K2000 2GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters,						x						S26361-F2222-E204	476,00	
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters,	x				x	x	x	x				S26361-F2856-E202	464,00	
	2nd NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters,					x	x						S26361-F2856-E204	464,00	
	NVIDIA Quadro K2000D 2GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters,	x				x	x		x	x	x		S26361-F2222-E201	480,00	
	2nd NVIDIA Quadro K2000D 2GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters					x	x						S26361-F2222-E998	480,00	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x				x	x		x				S26361-F2856-E401	735,00	
	2nd NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,					x	x						S26361-F2856-E402	735,00	
	3rd NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,						x						S26361-F2856-E994	735,00	
	NVIDIA Quadro K4000 3GB	Connectors: 1x DVI-I dual link and 2x DP, 1x 6pin 12V Stecker, PCIe x16, w/o adapters,	x				x	x		x		x		S26361-F2222-E400	752,00	
	2nd NVIDIA Quadro K4000 3GB	Connectors: 1x DVI-I dual link and 2x DP, 1x 6pin 12V Stecker, PCIe x16, w/o adapters, ,					x	x						S26361-F2222-E402	752,00	
	3rd NVIDIA Quadro K4000 3GB	Connectors: 1x DVI-I dual link and 2x DP, 1x 6pin 12V Stecker, PCIe x16, w/o adapters, ,						x						S26361-F2222-E403	752,00	
	NVIDIA Quadro K5000 4GB	Connectors: 1x DVI-I dual link, 1x DVI-D and 2x DP, SLI, stereo; PCIe x16; w/o adapters,					x	x		x				S26361-F2222-E500	1.677,00	
	2nd NVIDIA Quadro K5000 4GB	Connectors: 1x DVI-I dual link, 1x DVI-D and 2x DP, SLI, stereo; PCIe x16; w/o adapters,					x	x						S26361-F2222-E502	1.677,00	
	3rd NVIDIA Quadro K5000 4GB	Connectors: 1x DVI-I dual link, 1x DVI-D and 2x DP, SLI, stereo; PCIe x16; w/o adapters,						x						S26361-F2222-E503	1.677,00	New product
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, PCIe x16, w/o adapters	x				x	x						S26361-F2856-E601	3.590,00	
	2nd NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, PCIe x16, w/o adapters					x	x						S26361-F2856-E602	3.590,00	
	3rd NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, PCIe x16, w/o adapters						x						S26361-F2856-E995	3.590,00	
	AMD FirePro V3900 1 GB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters,	x				x	x	x	x	x	x		S26361-F2530-E390	97,00	
	AMD FirePro V4900 1 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters,	x				x	x	x	x	x	x		S26361-F2530-E490	166,00	
	AMD FirePro W5000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,	x				x	x	x	x	x	x		S26361-F3300-E500	433,00	
	AMD FirePro W7000 4GB	Connectors: 4x DP; PCIe x16; w/o adapter,					x	x		x				S26361-F3300-E700	822,00	
	2nd AMD FirePro W7000 4GB						x	x						S26361-F3300-E702	822,00	
	AMD FirePro W8000 4GB	Connectors: 4x DP; PCIe x16, stereo; w/o adapter,						x						S26361-F3300-E800	1.555,00	
	CELSIUS RemoteAccess Dual Card	Host for PCoIP, 2x miniDP, 10/100/1000 Mbps LAN, PCIe x1; contains 2x miniDP/DP cable, 1x internal on/off cable, 1x LAN cable; suited for FUTRO L420 (S26361-K1062-V200)	x				x	x		x	x	x		S26361-F3565-E2	236,00	
	CELSIUS RemoteAccess Quad Card	Host for PCoIP, 4x miniDP, 10/100/1000 Mbps LAN, PCIe x1; contains 4x miniDP/DP cable, 1x internal on/off cable, 1x LAN cable; suited for FUTRO L620 (S26361-K1062-V300)					x	x		x	x	x		S26361-F3565-E4	406,00	
	NVIDIA Tesla C2075 Computing-Processor	Connectors: 1x DVI-I, PCIe x16,	x				x	x						S26361-F2856-E209	2.176,00	Phased out
	2nd NVIDIA Tesla C2075	Computing-Processor, Connectors: 1x DVI-I, PCIe x16, ,					x	x						S26361-F2856-E998	2.176,00	Phased out
	NVIDIA Tesla K20	Computing-processor, no connectors, PCIe x16					x	x						S26361-F2222-E20	3.162,00	
	2nd NVIDIA Tesla K20	Computing-processor, no connectors, PCIe x16,					x	x						S26361-F2222-E999	3.162,00	
	Intel Xeon Phi Coprocessor 5110P	Computing-processor, no connectors, PCIe x16, only for Linux.	x											S26361-F4100-E51	3.628,00	Orderable from: 01/07/2013
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x				x	x	x	x	x	x		S26361-F2391-E200	17,00	
	Mini Display Port/DVI-D adapter cable		x				x	x	x	x	x	x		S26361-F2391-E8	17,00	
	DisplayPort extension card	additional DisplayPort output for the integrated INTEL graphics, 3-monitor-support,								x				S26361-F2391-E210	33,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	x				x	x	x	x	x	x		S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors					x	x	x	x	x	x		S26361-F2391-E101	17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors					x	x	x	x	x	x		S26361-F2391-E102	19,00	
	SLI bridge for NVIDIA graphics						x	x						S26361-F2542-E95	44,00	
	No graphics in system						x	x	x	x	x	x		S26361-F2748-E998	2,00	

Removable Media Drives



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments	
Removable Media Drives (Continued)																	
	Cable for 2nd ODD													S26361-F2581-E23	4,00		
	Cable for 2nd ODD													S26361-F2581-E24	4,00		
	USB dongle bay module	Bay module for USB software licensing dongles to be put inside the housing., , If USB software licensing dongles are attached to the outer USB ports they can be lost or damaged. This can be prevented by using this USB dongle bay module.,	x				x	x		x	x			S26391-F1164-E700	18,00		
	DVD-RW Dual Double Layer Super Multi						x							S26391-F1174-E200	39,00		
	Blu-ray Triple Writer incl. Power DVD 10						x							S26391-F1174-E400	150,00		
	DVD-RW Dual Double Layer Super Multi						x							S26391-F894-E100	39,00		
	Blu-ray Triple Writer incl. Power DVD 10						x							S26391-F894-E200	150,00		
	DVD-RW Dual Double Layer Super Multi						x							S26391-F1164-E200	39,00		
	Blu-ray burner incl. playback SW						x							S26391-F1164-E400	150,00		
	Weight saver for modular bay						x							S26391-F984-E400	4,00		
	2nd Battery 6cell 41Wh (3,800mAh)						x							S26391-F984-E500	123,00		
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately								x	x			S26361-F3418-E510	16,00		
	DVD SuperMulti SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately								x	x	x		S26361-F3420-E510	23,00		
	Blu-ray Triple Writer SATA slim (tray)	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately					x	x	x	x	x	x		S26361-F3716-E100	73,00		
	DVD SATA	occupies accessible 5.25"- bay,DVD software must be ordered separately					x	x					x	S26361-F3418-E530	16,00		
	DVD SuperMulti SATA	occupies accessible 5.25"- bay, DVD software must be ordered separately					x	x						S26361-F3420-E530	23,00		
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,						x	x	x	x	x		S26361-F3077-E50	10,00		
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,						x	x					S26361-F3077-E51	13,00		
	DVD SuperMulti SATA slim	occupies accessible 5.25"- bay,DVD software must be ordered separately	x											S26361-F3429-E510	30,00		
Hard Disks																	
	SSD SATA III 128GB	2.5" solid state drive with SATA 6GB/s interface, no WinXP support											x	x	S26361-F3679-E128	160,00	
	SSD SATA III 256GB	2.5" solid state drive with SATA 6GB/s interface, no WinXP support,											x	x	S26361-F3679-E256	282,00	
	No Raid						x							S26391-F1177-E500	2,00		
	RAID0 - HDD SATA 2x 500GB 7.2k striping						x							S26391-F1177-E501	188,00		
	RAID0 - HDD SATA 2x 640GB 7.2k striping						x							S26391-F1177-E502	259,00		
	RAID0 - HDD SATA 2x 750GB 7.2k striping						x							S26391-F1177-E504	248,00		
	RAID0 - HDD SATA 2x 1TB 5.4k striping						x							S26391-F1177-E503	280,00		
	RAID0 - SSD SATA III 2x 128GB striping						x							S26391-F1177-E511	370,00		
	RAID0 - SSD SATA III 2x 256GB striping						x							S26391-F1177-E512	697,00		
	Win8 RAID0 SSD SATAIII 2x 128GB striping						x							S26391-F1177-E516	370,00		
	Win8 RAID0 SSD SATAIII 2x 256GB striping						x							S26391-F1177-E517	697,00		
	RAID1 - HDD SATA 2x 500GB 7.2k mirroring						x							S26391-F1177-E601	188,00		
	RAID1 - HDD SATA 2x 750GB 7.2k mirroring						x							S26391-F1177-E604	248,00		
	RAID1 - SSD SATA III 2x 128GB mirroring						x							S26391-F1177-E611	370,00		
	RAID1 - SSD SATA III 2x 256GB mirroring						x							S26391-F1177-E612	697,00		
	Win8 RAID1 SSD SATAIII 2x128GB mirroring						x							S26391-F1177-E616	370,00		
	Win8 RAID1 SSD SATAIII 2x256GB mirroring						x							S26391-F1177-E617	697,00		
	Bracket for mounting of 8x 2.5" HDD							x	x					S26361-F4030-E8	4,00		
	SSD SATA III 32GB Smart Response cache	mSATA module with SATA 6GB/s interface, occupies 2.5"-bay (internal). Installed as Smart Response cache, additional HDD necessary.											x	x	S26361-F3794-E32	56,00	
	SSD SATA III 64GB Smart Response cache	Very fast 2.5" SSD with SATA 6GB/s interface, incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,								x				S26361-F3742-E64	88,00		
	SSD SATA III 64GB Smart Response cache	very fast 2.5" SSD with SATA 6GB/s interface, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,								x	x			S26361-F3744-E64	88,00		
	SSD SATA III 128GB Premium	2.5" solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,											x	x	S26361-F3808-E128	170,00	
	SSD SATA III 128GB	2.5" solid state drive with SATA 6GB/s interface, incl. easy rail., no WinXP support								x				S26361-F3681-E128	160,00		
	SSD SATA III 128GB Premium	occupies 2.5"-bay (internal), incl. easy rails, 2.5" solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,								x				S26361-F3810-E128	170,00		
	SSD SATA III 128GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support	x							x	x			S26361-F3682-E128	160,00		



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Options matrix																
Hard Disks (Continued)																
	2nd SSD SATA III 128GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support								x	x			S26361-F3683-E128	160,00	
	SSD SATA III 128GB Premium	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,	x				x	x		x	x			S26361-F3811-E128	170,00	
	SSD SATA III 128GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support					x	x						S26361-F3758-E128	160,00	
	2nd SSD SATA III 128GB Premium	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,					x	x		x	x			S26361-F3812-E128	170,00	
	SSD SATA III 128GB SED bay	Self-Encrypting Drive (hardware based data encryption), occupies 2.5"-bay (external), 2.5" solid state drive with SATA 6GB/s interface, no WinXP support					x	x						S26361-F3806-E128	170,00	
	2nd SSD SATA III 128GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support					x	x						S26361-F3759-E128	160,00	
	SSD SATA III 128GB bay	occupies 2.5"-bay (external), solid state drive with SATA 6GB/s interface, no WinXP support,					x	x						S26361-F3779-E128	160,00	
	SSD SATA III 128GB Premium bay	occupies 2.5"-bay (external), solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,					x	x						S26361-F3813-E128	170,00	
	SSD SATA III 256GB Premium	2.5" solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,										x	x	S26361-F3808-E256	307,00	
	SSD SATA III 256GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, no WinXP support							x					S26361-F3681-E256	282,00	
	SSD SATA III 256GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, no WinXP support	x							x	x			S26361-F3682-E256	282,00	
	2nd SSD SATA III 256GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, no WinXP support								x	x			S26361-F3683-E256	282,00	
	SSD SATA III 256GB Premium	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,	x			x	x		x	x				S26361-F3811-E256	307,00	
	SSD SATA III 256GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, no WinXP support					x	x						S26361-F3758-E256	282,00	
	2nd SSD SATA III 256GB Premium	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,					x	x		x	x			S26361-F3812-E256	307,00	
	2nd SSD SATA III 256GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, no WinXP support					x	x						S26361-F3759-E256	282,00	
	SSD SATA III 256GB bay	occupies 2.5"-bay (external), solid state drive with SATA 6GB/s interface, no WinXP support,					x	x						S26361-F3779-E256	282,00	
	SSD SATA III 256GB Premium bay	occupies 2.5"-bay (external), solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,					x	x						S26361-F3813-E256	307,00	
	SSD SATA III 512GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support							x			x	x	S26361-F3681-E512	595,00	
	SSD SATA III 512GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support	x							x	x			S26361-F3682-E512	595,00	
	2nd SSD SATA III 512GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support								x	x			S26361-F3683-E512	595,00	
	SSD SATA III 512GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support					x	x						S26361-F3758-E512	595,00	
	2nd SSD SATA III 512GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support					x	x						S26361-F3759-E512	595,00	
	SSD SATA III 512GB bay	occupies 2.5"-bay (external), solid state drive with SATA 6GB/s interface, no WinXP support,					x	x						S26361-F3779-E512	595,00	
	SSD SATA III 128GB SED								x					S26361-F3772-E128	170,00	
	SSD SATA III 128GB SED		x							x	x	x	x	S26361-F3774-E128	170,00	
	2nd SSD SATA III 128GB SED													S26361-F3775-E128	170,00	
	SSHD SATA III 500GB 5.4k 2.5"	Solid State Hard Disk Hybrid drive.										x	x	S26361-F3784-E500	90,00	
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)					x	x	x	x				S26361-F3660-E250	52,00	
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x				x	x	x	x	x	x	x	S26361-F3660-E500	58,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Options matrix																
Hard Disks (Continued)																
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x				x	x	x	x	x	x	x	S26361-F3660-E100	84,00	
	HDD SATA II 320GB 5.4k FDE	HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., full disk encryption		x										S26391-F1163-E320	144,00	
	HDD SATA 320GB 5.4k	HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.			x									S26391-F893-E320	137,00	
	HDD SATA 320GB 5.4k XP optimized	HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., XP optimized			x									S26391-F893-E321	170,00	
	HDD SATA 320GB 5.4k FDE	Not for China, HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., full disk encryption			x									S26391-F893-E328	144,00	
	HDD SATA III 2000GB 7.2k AF	occupies 3.5"-bay (internal), Advanced Format (AF)	x				x	x	x	x	x	x	x	S26361-F3660-E200	150,00	
	HDD SATA II 320GB 7.2k 2.5"	supports NCQ and 3GB/s, compatible to SATA technology,							x	x	x			S26361-F3721-E320	65,00	
	HDD SATA II 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.				x								S26391-F1173-E507	224,00	
	HDD SATA II 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.		x										S26391-F1163-E507	224,00	
	HDD SATA 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.			x									S26391-F893-E507	224,00	
	2x HDD SATA 500GB 7.2k	2 x HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.			x									S26391-F893-E509	287,00	
	HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.		x										S26391-F1163-E647	257,00	
	HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.				x								S26391-F1173-E647	257,00	
	HDD SATA II 750GB 7.2	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.		x										S26391-F1163-E328	239,00	
	HDD SATA II 1000GB 5.4k	HDD SATA, 5400 rpm, 1000 GB, 2.5-inch, S.M.A.R.T.		x										S26391-F1163-E100	255,00	
	HDD SATA II 750GB 7.2					x								S26391-F1173-E707	239,00	
	SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch		x										S26391-F1163-E820	217,00	
	Win8 - SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch		x										S26391-F1163-E821	217,00	
	SSD SATA III 128GB FDE	SSD SATA III FDE, 128 GB, 2.5-inch		x										S26391-F1163-E825	265,00	
	Win8 - SSD SATA III 128GB FDE	SSD SATA III, FDE, 128 GB, 2.5-inch		x										S26391-F1163-E826	265,00	
	SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch		x										S26391-F1163-E835	268,00	
	Win8 - SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch		x										S26391-F1163-E836	268,00	
	SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch		x										S26391-F1163-E845	577,00	
	Win8 - SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch		x										S26391-F1163-E846	577,00	
	mSATA SSD 32GB	Cache module mSATA 32GB for IRST & Express Cache		x										S26391-F1163-E890	85,00	
	HDD SATA II 1000GB 5.4k	HDD SATA, 5400 rpm, 1000 GB, 2.5-inch, S.M.A.R.T.				x								S26391-F1173-E100	255,00	
	HDD SATA III 500GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x				x	x	x	x	x	x	x	S26361-F3497-E100	99,00	
	HDD SATA III 1000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x				x	x	x	x	x	x	x	S26361-F3521-E100	162,00	
	HDD SATA II 2000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x				x	x	x	x	x	x	x	S26361-F3590-E100	277,00	
	HDD SATA III 3000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, bootable only with UEFI-BIOS + 64bit OS, not bootable with RAID0,	x				x	x	x	x	x	x	x	S26361-F3590-E300	349,00	
	HDD SATA III 4000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, bootable only with UEFI-BIOS + 64bit OS, not bootable with RAID0,	x				x	x	x	x	x	x	x	S26361-F3590-E400	450,00	
	HDD SATA III 600GB 10k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology,	x				x	x	x	x				S26361-F3760-E600	388,00	
	2nd HDD SATA III 600GB 10k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology,					x	x	x	x				S26361-F3761-E600	388,00	
	HDD SATA III 500GB 10k BC 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, 10k rpm, business critical HDD,	x				x	x	x	x	x			S26361-F3760-E500	248,00	
	2nd HDD SATA III 500GB 10k BC 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, 10k rpm, business critical HDD,					x	x	x	x				S26361-F3761-E500	248,00	
	HDD SATA III 1000GB 10k BC 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, 10k rpm, business critical HDD,	x				x	x	x	x	x			S26361-F3760-E100	450,00	
	2nd HDD SATA III 1000GB 10k BC 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, 10k rpm, business critical HDD,					x	x	x	x				S26361-F3761-E100	450,00	
	HDD SAS 300GB 15k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, 2.5-inch,	x				x	x						S26361-F3738-E300	328,00	
	2nd HDD SAS 300GB 15k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, 2.5-inch,					x	x						S26361-F3738-E302	328,00	
	HDD SAS 300GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, 2.5-inch,	x				x	x						S26361-F3737-E300	184,00	
	2nd HDD SAS 300GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, 2.5-inch,					x	x						S26361-F3737-E302	184,00	
	HDD SAS 450GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, 2.5-inch,	x				x	x						S26361-F3737-E450	268,00	
	2nd HDD SAS 450GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, 2.5-inch,					x	x						S26361-F3737-E452	268,00	
	HDD SAS 600GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, 2.5-inch,	x				x	x						S26361-F3737-E600	328,00	
	2nd HDD SAS 600GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, 2.5-inch,					x	x						S26361-F3737-E602	328,00	
	Upgrade preparation for 2.5" drive	Easy Rails and cable for future drive upgrades,									x	x		S26361-F4035-E60	6,00	
	Mounting frame for 2.5" HDDs/SSDs	for 2nd HDD/SSD and further HDDs/SSDs,									x	x		S26361-F4035-E70	3,00	Orderable from: 05/08/2013
	SSD SATA 128GB FDE	Not for China, SSD SATA, 128 GB, 2.5-inch, full disk encryption		x										S26391-F893-E820	265,00	
	SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch				x								S26391-F1173-E820	217,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Options matrix																
Hard Disks (Continued)																
	SSD SATA III 128GB 2.5"	SSD SATA III, 128 GB, 2.5-inch		x										S26391-F893-E821	217,00	
	SSD 128GB + HDD 750 GB	1x SSD SATA, 128 GB / 1x HDD SATA, 7200 rpm 750 GB, S.M.A.R.T.		x										S26391-F893-E823	349,00	
	SSD SATA III 128GB FDE	SSD SATA III FDE, 128 GB, 2.5-inch			x									S26391-F1173-E825	265,00	
	SSD 128/HDD 500GB	1x SSD SATA, 128 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.			x									S26391-F893-E825	322,00	
	SSD highspeed 128/HDD 500GB	1x SSD SATA III, 128 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.			x									S26391-F893-E826	322,00	
	SSD SATA 256GB FDE	Not for China!, , , SSD SATA, 256 GB, 2.5-inch, full disk encryption			x									S26391-F893-E830	384,00	
	SSD SATA III 256GB 2.5"	SSD SATA III, 256 GB, 2.5-inch			x									S26391-F893-E831	268,00	
	SSD 256GB + HDD 500 GB	1x SSD SATA, 256 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.			x									S26391-F893-E832	427,00	
	SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch				x								S26391-F1173-E835	268,00	
	SSD SATA 512GB (FDE)	Not for China!, , , SSD SATA 512 GB, 2.5-inch, full disk encryption				x								S26391-F893-E840	1.210,00	
	SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch				x								S26391-F1173-E845	577,00	
	2x SSD SATA 512GB (FDE)	2 x SSD SATA, 512 GB, 2.5-inch, full disk encryption				x								S26391-F893-E849	2.360,00	
	Win8 - SSD SATA III 128GB	SSD SATA III, 512 GB, 2.5-inch				x								S26391-F1173-E821	217,00	
	Win8 - SSD SATA III 128GB FDE	SSD SATA III, 128 GB, 2.5-inch				x								S26391-F1173-E826	265,00	
	Win8 - SSD SATA III 256GB	SSD SATA III, 512 GB, 2.5-inch				x								S26391-F1173-E836	268,00	
	Win8 - SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch				x								S26391-F1173-E846	577,00	
	2nd HDD SATA II 500GB 7.2k						x							S26391-F1173-E957	224,00	
	2nd HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.					x							S26391-F1173-E967	257,00	
	2nd HDD SATA II 750GB 7.2						x							S26391-F1173-E977	239,00	
	2nd HDD SATA II 1000GB 5.4k	HDD SATA, 5400 rpm, 1000 GB, 2.5-inch, S.M.A.R.T.					x							S26391-F1173-E910	255,00	
	2nd SSD SATA III 128GB FDE	SSD SATA III FDE, 128 GB, 2.5-inch				x								S26391-F1173-E980	265,00	
	2nd SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch				x								S26391-F1173-E981	265,00	
	2nd SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch				x								S26391-F1173-E982	268,00	
	2nd SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch				x								S26391-F1173-E985	577,00	
	Win8 - 2nd SSD SATA III 128GB FDE	SSD SATA III, 512 GB, 2.5-inch				x								S26391-F1173-E990	265,00	
	Win8 - 2nd SSD SATA III 128GB	SSD SATA III, 512 GB, 2.5-inch				x								S26391-F1173-E991	217,00	
	Win8 - 2nd SSD SATA III 256GB	SSD SATA III, 512 GB, 2.5-inch				x								S26391-F1173-E992	268,00	
	Win8 - 2nd SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch				x								S26391-F1173-E995	577,00	
	Cable for SATA HDD								x					S26361-F2581-E35	3,00	
	Cable for 4x SAS/SATA HDD	for 5th 8th HDD,				x	x							S26361-F4030-E23	10,00	
	Rails for 2x HDD 3.5"					x	x		x	x				S26361-F4030-E20	4,00	
	Rails for 2x HDD 2.5"					x	x		x	x				S26361-F4030-E40	4,00	
	2.5" Drive Slot Cover					x								S26361-F4030-E50	4,00	
	2.5" HDD Carrier					x								S26361-F4030-E51	7,00	
	3.5" Drive Slot Cover					x								S26361-F4030-E60	4,00	
	3.5" HDD Carrier					x								S26361-F4030-E61	7,00	
SCSI/RAID/SAS controller																
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports, RAID Levels 0, 1, and 10 ,					x	x						S26361-F3976-E2	140,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports, RAID levels 0, 1, 5 and 6		x			x	x						S26361-F3976-E3	238,00	
	RAID Contr BBU Upgrade RAID 5/6	RAID controller battery-backup-unit,		x				x						S26361-F3976-E99	107,00	
	4-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 4x onboard SAS (incl. RAID 0,1,10 license),						x						S26361-F2581-E49	29,00	
	8-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 8x onboard SAS (incl. RAID 0,1,10 license)							x					S26361-F2581-E43	50,00	
Communication/Network																
	Dual 1 Gigabit Ethernet PCIe x4			x			x	x						S26361-F3067-E80	100,00	
	USB 3.0 PCIe x1	FTS D3305, connectors: 1x USB Typ A external, 1x USB Typ A internal; PCIe x1,						x						S26361-F3060-E10	26,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0		x			x	x	x	x				S26361-F3067-E60	17,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2908, 10/100/1000 Mbit/s, Dash manageability, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0								x	x			S26361-F3067-E90	17,00	
	No WLAN			x	x	x								S26391-F955-E210	2,00	
	Intel Centrino 6205 a/b/g/n			x										S26391-F1165-E200	18,00	
	WLAN Advanced Intel Centrino 6205 a/b/g/n					x								S26391-F1175-E200	18,00	
	WLAN Intel Centrino 2200 b/g/n			x										S26391-F1165-E210	12,00	
	WLAN Intel Centrino 2200 b/g/n					x								S26391-F1175-E210	12,00	
	Intel Centrino 6205 802.11a/b/g/n (WW)					x								S26391-F955-E240	22,00	
	No Bluetooth			x										S26391-F955-E310	2,00	
	Bluetooth Module V4.0			x										S26391-F1165-E320	23,00	
	Dual 10 Gigabit Ethernet PCIe x8	FTS D2755, w/o SFP+ modules, appropriate SFP+ modules: S26361-F3986-L3 or S26361-F3986-L4 SFP+ Module Single Mode Fiber 10GBE LC or SFP+ Twinax cables		x			x	x						S26361-F3067-E70	317,00	
	Dual 1 Gigabit Ethernet PCIe x4			x			x	x						S26361-F3067-E85	100,00	New product, Orderable from: 01/08/2013
	InfiniBand HCA 40GB/s, 1-Port, QDR	Appropriate cables: Infiniband Cu Kabel 40GB, 4x QSFP, 1m (S26361-F3996-L101) or 3m (S26361-F3996-L103),		x				x						S26361-F3067-E100	526,00	Phased out
	No UMTS/No LTE	no antennas in the system = no future upgrade possible		x										S26391-F1165-E500	2,00	
	No UMTS/No LTE						x							S26391-F1175-E500	2,00	
	UMTS/LTE ready kit	only antennas included in the system to ensure future upgrade with UMTS/LTE module,		x										S26391-F1165-E510	12,00	
	UMTS/LTE ready kit						x							S26391-F1175-E510	12,00	
	No UMTS + No UMTS Antenna						x							S26391-F895-E510	2,00	
	UMTS Sierra Wireless Gobi 3000					x								S26391-F1165-E520	89,00	
	UMTS Sierra Wireless Gobi 3000						x							S26391-F1175-E520	89,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Options matrix																
Communication/Network (Continued)																
	Win8 - UMTS Sierra Wireless Gobi 3000			x										S26391-F1165-E521	89.00	
	Win8 - UMTS Sierra Wireless Gobi 3000				x									S26391-F1175-E521	89.00	
	UMTS Sierra Wireless Gobi 3000	Not for China!			x									S26391-F895-E525	89.00	
	LTE module Sierra Wireless			x										S26391-F1165-E530	145.00	
	LTE module Sierra Wireless					x								S26391-F1175-E530	145.00	
	Win8 - LTE module Sierra Wireless				x									S26391-F1165-E531	145.00	
	Win8 - LTE module Sierra Wireless						x							S26391-F1175-E531	145.00	
	No Bluetooth							x						S26391-F895-E610	2.00	
	Bluetooth Module V4.0					x								S26391-F1175-E320	23.00	
	Bluetooth Module V3.0						x							S26391-F895-E620	23.00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface; only EU						x	x	x	x	x	x	S26361-F3108-E5	14.00	
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height								x	x	x	x	S26361-F2542-E34	3.00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; full height						x	x	x	x	x	x	S26361-F2542-E70	4.00	
	Serial Interface FH	1x 9 Pin RS-232, occupies internal serial interface and one slot; full height,						x	x					S26361-F2542-E72	9.00	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel						x	x	x	x	x	x	S26361-F3316-E6	25.00	
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel						x	x	x	x	x	x	S26361-F3316-E7	26.00	
Multimedia Module																
	2x Digital array microphones			x										S26391-F1160-E500	8.00	
	2x Digital array mics + 2Mpix Webcam			x										S26391-F1160-E510	26.00	
	Digital microphone					x								S26391-F1170-E500	8.00	
	Digital mic + Webcam					x								S26391-F1170-E510	26.00	
	Digital microphone				x									S26391-F890-E810	8.00	
	Digital mic + Webcam				x									S26391-F890-E820	26.00	
Mobile Security																
	TPM module					x								S26391-F1179-E100	8.00	
	TPM module			x										S26391-F1169-E100	8.00	
	TPM module	Not for China!			x									S26391-F989-E300	8.00	
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk			x	x	x							S26391-F993-E100	23.00	
	SystemLock3	SystemLock3 Smartcard BIOS Pre-Boot Authentication			x		x							S26391-F993-E200	18.00	
	SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics			x		x							S26361-F2011-E740	14.00	
	Kensington Lock cable			x	x	x								S26391-F959-E400	55.00	
Rack-Infrastructure																
	RMK-F1_DI_CMA_QLR	Telescopic drop-in rails, 781mm long with cable management arm adapter, full extraction with extension length 815mm, with vario-carrier 1 for rack installation depth (19" pillar distance) between 714mm and 785m, pre-assembled with centre screw		x										S26361-F2735-E145	85.00	
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket		x										S26361-F4530-E10	5.00	
	Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket		x										S26361-F4530-E11	5.00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.		x										S26361-F1647-E302	65.00	
	Rack Cable Arm 1U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 1U. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.		x										S26361-F2735-E81	20.00	
Country kits																
	Country kit US-cable (INT)	incl. power cord (US), safety manuals (EU+, non EU)		x					x	x	x	x	x	S26361-F2930-E100	8.00	
	Country kit (DE)	Germany; incl. power cord (Euro), safety manual (DE)		x			x	x	x	x	x	x	x	S26361-F2930-E101	8.00	
	Country kit (IT)	Italy; incl. power cord (IT), safety manual (IT)		x			x	x	x	x	x	x	x	S26361-F2930-E104	8.00	
	Country kit (GB)	United Kingdom; incl. power cord (GB), safety manual (EN)		x			x	x	x	x	x	x	x	S26361-F2930-E105	8.00	
	Country kit GB-cable (non EU)	incl. power cord (GB), safety manual (INT)		x			x	x	x	x	x	x	x	S26361-F2930-E110	8.00	
	Country kit (JP)	Japan; incl. power cord (JP), safety manual (non EU), incl. Japan supplementary sheets						x						S26361-F2930-E113	8.00	
	Country kit without power cord (INT)	without power cord, incl. safety manuals (EU+, non EU)		x			x	x	x	x	x	x	x	S26361-F2930-E135	8.00	
	Country kit Euro-cable (EU+)	incl. power cord (Euro), safety manual (EU+)		x			x	x	x	x	x	x	x	S26361-F2930-E141	8.00	
	Country kit (DE)			x										S26391-F1168-E100	8.00	
	Country kit (INT)			x										S26391-F1168-E200	8.00	
	Country kit (GB)			x										S26391-F1168-E300	8.00	
	Country kit (DE)					x								S26391-F1178-E100	8.00	
	Country kit (INT)					x								S26391-F1178-E200	8.00	
	Country kit (GB)					x								S26391-F1178-E300	8.00	
	Country kit (D)					x								S26391-F898-E500	8.00	
	Country kit (GB)					x								S26391-F898-E600	8.00	
	Country kit (INT)					x								S26391-F898-E700	8.00	
	Warranty Card Poland			x	x	x								S26391-F781-E500	2.00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value		x			x	x	x	x	x	x	x	S26391-F404-E911	2.00	
Power supply																



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Options matrix																
Power supply (Continued)																
	Battery 6cell 6700mAh	Lithium-Ion, 10.8V, 72Wh.		x										S26391-F1166-E100	59,00	
	Battery 8cell 5800mAh	Lithium-Ion, 14.4V, 83Wh.			x									S26391-F1176-E100	78,00	
	3pin AC Adapter 19V/210W	3pin AC Adapter 19V/210W for use with H920 notebook system and/or CELSIUS portreplicator, desktop (DT) connector type, ; 3pin AC Adapter 19V/210W for use with CELSIUS H920 or the portreplicator desktop connector type		x		x								S26391-F1176-E210	67,00	
	AC Adapter 19V/210W					x								S26391-F896-E500	67,00	
	Battery 8cell 5800mAh							x						S26391-F896-E700	78,00	
	3pin AC Adapter 19V/150W (H720-MM)	3pin AC Adapter 19V/150W for use with H720 notebook system, Mickey Mouse (MM) connector type,		x										S26391-F1166-E220	55,00	
	3-pin Power cable EU	3pin power cable for EU, Mickey Mouse (MM) connector type (for H720),		x										S26391-F878-E310	4,00	
	3-pin Power Cable US	3pin power cable for US, Mickey Mouse (MM) connector type (for H720)		x										S26391-F878-E320	4,00	
	3-pin Power Cable GB	3pin power cable for GB, Mickey Mouse (MM) connector type (for H720)		x										S26391-F878-E330	5,00	
	AC cable for 3-pin China	3pin power cable for China, Mickey Mouse (MM) connector type (for H720)		x										S26391-F878-E340	7,00	
	3-pin Power Cable CH	3pin power cable for Switzerland, Mickey Mouse (MM) connector type (for H720),		x										S26391-F878-E360	4,00	
	AC cable for 3-pin EU	3pin power cable for EU, DeskTop (DT) connector type (for H920 and/or Portreplicator)		x	x	x								S26391-F878-E410	7,00	
	AC cable for 3-pin US	3pin power cable for US, DeskTop (DT) connector type (for H920 and/or Portreplicator)		x		x								S26391-F878-E420	7,00	
	AC cable for 3-pin GB	3pin power cable for GB, DeskTop (DT) connector type (for H920 and/or Portreplicator)		x	x	x								S26391-F878-E430	7,00	
	AC cable for 3-pin China	3pin power cable for China, DeskTop (DT) connector type (for H920 and/or Portreplicator)		x		x								S26391-F878-E440	7,00	
	AC cable for 3-pin Switzerland	3pin power cable for Switzerland, DeskTop (DT) connector type (for H920 and/or Portreplicator),		x	x	x								S26391-F878-E450	7,00	
Port Replicator																
	Port Replicator			x										S26391-F1167-E100	78,00	
	No Port Replicator			x										S26391-F1167-E200	4,00	
	Port Replicator					x								S26391-F1177-E100	78,00	
	Portreplicator					x								S26391-F897-E100	78,00	
OneBox-Keyboards																
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x				x	x	x	x	x	x	x	S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x				x	x	x	x	x	x	x	S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x				x	x	x	x	x	x	x	S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x				x	x	x	x	x	x	x	S26381-K341-E185	27,00	
	KB410 USB GREY JP	KB410 USB, slim value keyboard with japanese layout on 108-key modul in grey. Fixed USB cable 1.8 m.	x				x	x	x	x	x	x	x	S26381-K510-E174	13,00	
	KB410 USB BLACK US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x	x	x	x	x	S26381-K510-E402	13,00	
	KB410 USB BLACK US ENGLISH 104 key	KB410 USB US 104 key US English layout, slim value keyboard with US layout on 104-key modul in black. Fixed USB cable 1.8 m.					x	x	x	x	x	x	x	S26381-K510-E410	13,00	
	KB410 USB BLACK DE	KB410 USB, slim value keyboard with german layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x	x	x	x	x	S26381-K510-E420	13,00	
	KB410 USB BLACK GB	KB410 USB, slim value keyboard with english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x	x	x	x	x	S26381-K510-E465	13,00	
	KB410 USB BLACK IT	KB410 USB, slim value keyboard with italian layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x	x	x	x	x	S26381-K510-E485	13,00	
	KB410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.					x	x	x	x	x	x	x	S26381-K515-E402	13,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS M420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Options matrix																
OneBox-Keyboards (Continued)																
	KB410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.					x	x	x	x	x	x	x	S26381-K515-E420	13,00	
	KB410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.					x	x	x	x	x	x	x	S26381-K515-E465	13,00	
	KB410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.					x	x	x	x	x	x	x	S26381-K515-E485	13,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x				x	x	x	x	x	x	x	S26381-K520-E102	12,00	
	KB520 US ENGLISH 104 key	KB520 keyboard standard 104keys, marble grey, US, cable USB 2m,	x				x	x	x	x	x	x	x	S26381-K520-E110	12,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x				x	x	x	x	x	x	x	S26381-K520-E120	12,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x				x	x	x	x	x	x	x	S26381-K520-E165	12,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x				x	x	x	x	x	x	x	S26381-K520-E185	12,00	
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2					x	x	x	x				S26381-K551-E420	10,00	Phased out
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x				x	x	x	x	x	x	x	S26381-K560-E402	15,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x				x	x	x	x	x	x	x	S26381-K560-E420	15,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x				x	x	x	x	x	x	x	S26381-K560-E465	15,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x				x	x	x	x	x	x	x	S26381-K560-E485	15,00	
	Keyboard w/ TS 10key DE			x	x	x								S26391-F669-E121	39,00	
	Keyboard w/ TS 10key IT			x	x	x								S26391-F669-E123	39,00	
	Keyboard w/ TS 10key GB			x	x	x								S26391-F669-E125	39,00	
	Keyboard w/ TS 10key US			x	x	x								S26391-F669-E134	39,00	
	Keyboard black w/ TS 10key DE			x	x									S26391-F901-E221	34,00	
	Keyboard black w/ TS 10key IT			x	x									S26391-F901-E223	34,00	
	Keyboard black w/ TS 10key GB			x	x									S26391-F901-E225	34,00	
	Keyboard black w/TS 10key US (enter key)			x	x									S26391-F901-E233	34,00	Orderable from: 01/07/2013
	Keyboard black w/ TS 10key US			x	x									S26391-F901-E234	34,00	
	PS2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca. 2,0 m length					x	x	x	x	x	x	x	T26139-Y4530-E1	4,00	
OS/Application-SW																
	No Operating System			x	x	x								S26361-F2008-E100	4,00	
	Power DVD 10 Playback SW for DVD	Power DVD 10 Playback SW for DVD	x				x	x	x	x	x	x	x	S26361-F2012-E180	6,00	
	Power DVD 10 Playback SW for Blu-ray	Power DVD 10 Playback SW for Blu-ray,	x				x	x	x	x	x	x	x	S26361-F2012-E181	23,00	
	SAG CAT Client WIN7 Jul12	preloaded XP Prof., short documentation					x	x	x					S26361-F2109-E985	4,00	
	License - Windows 8 Pro			x	x									S26361-F2218-E100	116,00	
	Lizenz EU/MM - Windows 7 Ultimate	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x				x	x	x	x	x			S26361-F2210-E325	166,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.					x	x	x	x				S26361-F2009-E243	85,00	
	License - Windows 8			x		x								S26361-F2218-E103	79,00	
	Nero 12 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp	x				x	x	x	x	x	x	x	S26361-F1818-E899	10,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x				x	x	x	x				S26361-F2009-E253	122,00	
	License EM - Windows 8			x		x								S26361-F2218-E106	60,00	
	Load Win8 Pro (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	x											S26361-F2238-E200	4,00	
	Load Win8 Pro (64) NEE+Office2013	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x				x							S26361-F2238-E201	4,00	
	Load Win8 Pro (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x				x							S26361-F2238-E202	4,00	
	Load Win8 (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	x				x							S26361-F2238-E207	4,00	
	Load Win8 (64) NEE+Office2013	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x				x							S26361-F2238-E208	4,00	
	Load Win8 (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x				x							S26361-F2238-E209	4,00	
	Load Win8 (64) EM+Office2013	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,	x				x							S26361-F2238-E213	4,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS M420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																
	OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified		x		x								S26361-F2218-E300	3,00	
	OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified		x		x								S26361-F2218-E302	3,00	
	OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified		x		x								S26361-F2218-E304	3,00	
	OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified		x		x								S26361-F2218-E306	3,00	
	OS RDVD Windows 8 (32) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian		x		x								S26361-F2218-E308	3,00	
	OS RDVD Windows 8 (64) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian		x		x								S26361-F2218-E310	3,00	
	Win7-Load Pro64 MAIN + Office2013	Languages: DE, EN, ES, FR, IT, NL,		x		x								S26361-F2238-E405	4,00	
	Win7-Load Pro64 NORDIC+Office2013	Languages: DA, EN, FI, NO, RU, SV,		x		x								S26361-F2238-E406	4,00	
	Win7-Load Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,		x		x								S26361-F2238-E407	4,00	
	Win7-Load Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK,		x		x								S26361-F2238-E408	4,00	
	Win7-Load Pro64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR,		x		x								S26361-F2238-E409	4,00	
	License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).								x				S26361-F2009-E232	66,00	
	RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x		x								S26361-F2218-E500	6,00	
	RDVD Downgrade Win7 Pro (32)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x		x								S26361-F2218-E501	6,00	
	RDVD Downgrade Win7 Pro (64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x		x								S26361-F2218-E502	6,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).					x	x	x	x				S26361-F2009-E242	85,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).		x			x	x	x	x	x			S26361-F2009-E252	122,00	
	License - Windows 8 Pro	License - Windows 8 Pro,		x					x	x	x	x		S26361-F2208-E100	116,00	
	License - Windows 8 Pro ZT Taiwan												x	S26361-F2208-E101	116,00	
	License - Windows 8 Pro ZT Hongkong												x	S26361-F2208-E102	116,00	
	License - Windows 8			x					x	x	x			S26361-F2208-E103	79,00	
	License - Windows 8 ZT Taiwan												x	S26361-F2208-E104	79,00	
	License - Windows 8 ZT Hongkong												x	S26361-F2208-E105	79,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																
Options matrix	License EM - Windows 8	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro, Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe, India and China	x						x	x	x	x		S26361-F2208-E106	60,00	
	License EM - Windows 8 ZH											x	x	S26361-F2208-E107	60,00	
	License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro							x					S26361-F2009-E234	66,00	
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro				x		x	x	x				S26361-F2009-E244	85,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x			x	x	x	x	x				S26361-F2009-E254	122,00	
	License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe							x					S26361-F2009-E235	66,00	
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe				x		x	x	x				S26361-F2009-E245	85,00	
	Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), , Windows 8 Secure Boot is activated. , Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x						x	x	x			S26361-F2208-E200	4,00	Phased out



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS M420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																
	Load Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x							x	x	x		S26361-F2208-E201	4,00	Phased out
	Load Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x							x	x	x		S26361-F2208-E202	4,00	Phased out
	Load Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil).	x							x	x	x		S26361-F2208-E207	4,00	Phased out
	Load Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x							x	x	x		S26361-F2208-E208	4,00	Phased out
	Load Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x							x	x	x		S26361-F2208-E209	4,00	Phased out
	Load Win8 (64) EM+Office2010t	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,	x							x	x	x		S26361-F2208-E213	4,00	Phased out
	Load Win8 Pro (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil).	x							x	x	x	x	S26361-F2228-E200	4,00	
	Load Win8 Pro (64) NEE+Office2013	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x							x	x	x	x	S26361-F2228-E201	4,00	
	Load Win8 Pro (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x							x	x	x	x	S26361-F2228-E202	4,00	
	Load Win8 Pro (64) ZT Taiwan+Office2013	Chinese Traditional Taiwan, English.											x	S26361-F2228-E203	4,00	
	Load Win8 Pro (64) ZT HK+Office2013	Chinese Traditional Hongkong.											x	S26361-F2228-E204	4,00	
	Load Win8 (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil).	x							x	x	x	x	S26361-F2228-E207	4,00	
	Load Win8 (64) NEE+Office2013	North Eastern Europe: Danish, English, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	x							x	x	x	x	S26361-F2228-E208	4,00	
	Load Win8 (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	x							x	x	x	x	S26361-F2228-E209	4,00	
	Load Win8 (64) ZT Taiwan+Office2013	Chinese Traditional Taiwan, English.											x	S26361-F2228-E210	4,00	
	Load Win8 (64) ZT HK+Office2013	Chinese Traditional Hongkong.											x	S26361-F2228-E211	4,00	
	Load Win8 (64) EM+Office2013	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,	x							x	x	x	x	S26361-F2228-E213	4,00	
	Load Win8 (64) EM ZH+Office2013	Single language: Chinese simplified.											x	S26361-F2228-E214	4,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x				x	x	x	x	x		S26361-F2009-E255	122,00		



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																
	License EM-SEA - Windows 7 Home Basic	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam								x				S26361-F2009-E236	66,00	
	License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam					x		x	x	x			S26361-F2009-E246	85,00	
	OEM Office Home and Student 2013 MPI MM			x	x	x								S26361-F2010-E291	100,00	
	License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam	x				x	x	x	x	x			S26361-F2009-E256	122,00	
	OEM Office Home and Business 2013 MPI MM			x	x	x								S26361-F2010-E292	188,00	
	OEM Office Professional 2013 MPI MM			x	x	x								S26361-F2010-E293	355,00	
	Drivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security Trial 90 days			x									S26361-F2010-E199	3,00	
	OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x						x	x	x	x	x	S26361-F2208-E300	3,00	
	Drivers&Utilities DVD Mobile H Win7/8			x		x								S26361-F2012-E103	3,00	
	OS RDVD Windows 8 Pro (32) ZT Taiwan	Chinese Traditional Taiwan, English											x	x	S26361-F2208-E301	3,00
	OS RDVD Windows 8 Pro (32) ZT Hongkong												x	x	S26361-F2208-E312	3,00
	OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x						x	x	x	x	x	S26361-F2208-E302	3,00	
	OS RDVD Windows 8 Pro (64) ZT Taiwan	Chinese Traditional Taiwan, English											x	x	S26361-F2208-E303	3,00
	OS RDVD Windows 8 Pro (64) ZT Hongkong												x	x	S26361-F2208-E313	3,00
	OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai	x						x	x	x	x	x	S26361-F2208-E304	3,00	
	OS RDVD Windows 8 (32) ZT Taiwan	Chinese Traditional Taiwan, English											x	x	S26361-F2208-E305	3,00
	OS RDVD Windows 8 (32) ZT Hongkong												x	x	S26361-F2208-E314	3,00
	OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finnish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai	x						x	x	x	x	x	S26361-F2208-E306	3,00	
	OS RDVD Windows 8 (64) ZT Taiwan	Chinese Traditional Taiwan, English											x	x	S26361-F2208-E307	3,00
	OS RDVD Windows 8 (64) ZT Hongkong												x	x	S26361-F2208-E315	3,00
	OS RDVD Windows 8 (32) EM		x						x	x	x	x	x	S26361-F2208-E308	3,00	
	OS RDVD Windows 8 (32) EM ZH												x	x	S26361-F2208-E309	3,00
	OEM Office Home and Student 2013 MPI MM		x			x	x	x	x	x	x	x	x	S26361-F2009-E281	100,00	
	OEM Office Home and Business 2013 MPI MM		x			x	x	x	x	x	x	x	x	S26361-F2009-E282	188,00	
	OEM Office Professional 2013 MPI MM		x			x	x	x	x	x	x	x	x	S26361-F2009-E283	355,00	
	OS RDVD Windows 8 (64) EM		x						x	x	x	x	x	S26361-F2208-E310	3,00	
	OS RDVD Windows 8 (64) EM ZH												x	x	S26361-F2208-E311	3,00
	License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India								x				S26361-F2009-E238	66,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India						x	x	x	x			S26361-F2009-E248	85,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x				x	x	x	x	x			S26361-F2009-E258	122,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS M420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																
	Win7-Load Pro32 MAIN+Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x			S26361-F2208-E400	4,00	Phased out
	Win7-Load Pro32 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	x		S26361-F2208-E401	4,00	Phased out
	Win7-Load Pro32 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	x		S26361-F2208-E402	4,00	Phased out
	Win7-Load Pro32 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	x		S26361-F2208-E403	4,00	Phased out
	Win7-Load Pro32 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	x		S26361-F2208-E404	4,00	Phased out
	Win7-Load Pro64 MAIN + Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	x		S26361-F2208-E405	4,00	Phased out
	Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	x		S26361-F2208-E406	4,00	Phased out
	Win7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	x		S26361-F2208-E407	4,00	Phased out
	Win7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	x		S26361-F2208-E408	4,00	Phased out
	Win7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x							x	x	x		S26361-F2208-E409	4,00	Phased out
	Win7-Load Pro32 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL,	x							x	x	x	x	S26361-F2228-E400	4,00	
	Win7-Load Pro32 NORDIC+Office2013	Languages: DA, EN, FI, NO, RU, SV,	x							x	x	x	x	S26361-F2228-E401	4,00	
	Win7-Load Pro32 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,	x							x	x	x	x	S26361-F2228-E402	4,00	
	Win7-Load Pro32 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK,	x							x	x	x	x	S26361-F2228-E403	4,00	
	Win7-Load Pro32 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR,	x							x	x	x	x	S26361-F2228-E404	4,00	
	Win7-Load Pro64 MAIN + Office2013	Languages: DE, EN, ES, FR, IT, NL,	x							x	x	x	x	S26361-F2248-E405	4,00	
	Win7-Load Pro64 NORDIC+Office2013	Languages: DA, EN, FI, NO, RU, SV,	x							x	x	x	x	S26361-F2248-E406	4,00	
	Win7-Load Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,	x							x	x	x	x	S26361-F2248-E407	4,00	
	Win7-Load Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK,	x							x	x	x	x	S26361-F2248-E408	4,00	
	Win7-Load Pro64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR,	x							x	x	x	x	S26361-F2248-E409	4,00	
	Win7-Load Pro64 ZT TW+Office2013	Chinese Traditional Taiwan, English,											x	S26361-F2228-E411	4,00	
	Win7-Load Pro64 ZH+Office2013	Chinese simplified,											x	S26361-F2228-E412	4,00	
	Win7-Load Pro64 ZT HK+Office2013	Chinese Traditional Hongkong, English,											x	S26361-F2228-E413	4,00	
	Win7-Load Pro64 KO+Office2013	Korean,								x				S26361-F2228-E415	4,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																
	Nero 12 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp	x		x									S26361-F2008-E898	10,00	
	Power DVD 10 Playback SW for DVD	Power DVD 10 Playback SW for DVD		x		x								S26361-F2012-E190	10,00	
	No Operating System		x					x	x	x	x	x	x	S26361-F1818-E100	2,00	
	Win7 HomePremium64 MAIN+Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x			S26361-F2109-E441	4,00	Phased out
	Win7 HomePremium64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x			S26361-F2109-E442	4,00	Phased out
	Win7 HomePremium64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x			S26361-F2109-E443	4,00	Phased out
	Win7 HomePremium64 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x			S26361-F2109-E444	4,00	Phased out
	Win7 HomePremium64 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x			S26361-F2109-E445	4,00	Phased out
	Win7 HomePremium64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x			S26361-F2109-E446	4,00	Phased out
	Win7 Pro32 MAIN+Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x	x	x			S26361-F2109-E351	4,00	Phased out
	Win7 Pro32 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x	x	x			S26361-F2109-E352	4,00	Phased out
	Win7 Pro32 EM+SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x	x	x			S26361-F2109-E353	4,00	Phased out



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																
	Win7 Pro32 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x	x	x			S26361-F2109-E354	4,00	Phased out
	Win7 Pro32 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x	x	x			S26361-F2109-E355	4,00	Phased out
	Win7 Pro 32 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x	x	x			S26361-F2109-E356	4,00	Phased out
	Win7 Pro64 MAIN + Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x			x	x	x	x	x	x			S26361-F2109-E451	4,00	Phased out
	Win7 Pro64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x			x	x	x	x	x	x			S26361-F2109-E452	4,00	Phased out
	Win7 Pro64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x			x	x	x	x	x	x			S26361-F2109-E453	4,00	Phased out
	Win7 Pro64 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) . Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x			x	x	x	x	x	x			S26361-F2109-E454	4,00	Phased out
	Win7 Pro64 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x			x	x	x	x	x	x			S26361-F2109-E455	4,00	Phased out
	Win7 Pro 64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x			x	x	x	x	x	x			S26361-F2109-E456	4,00	Phased out
	RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x						x	x	x			S26361-F2208-E500	6,00	
	RDVD Downgrade Win7 Pro (32/64)											x	x	S26361-F2208-E550	6,00	
	RDVD Downgrade Win7 Pro (32)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x						x	x	x			S26361-F2208-E501	6,00	
	RDVD Downgrade Win7 Pro (32)											x	x	S26361-F2208-E551	6,00	
	RDVD Downgrade Win7 Pro (64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x						x	x	x			S26361-F2208-E502	6,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS M420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																
	RDVD Downgrade Win7 Pro (64)															
	RDVD Downgrade Win7 Pro (64) ZT-TW															
	RDVD Downgrade Win7 Pro (64) ZH															
	RDVD Downgrade Win7 Pro (64) ZT-HK															
	Win7 HomeBasic32 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.								x				S26361-F2208-E336	3,00	Phased out
	Win7 HomeBasic32 EM+SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.								x				S26361-F2109-E333	3,00	Phased out
	Win7 Ultimate64 + Office2010t	Preload: MuLi Ultimate DE/EN, Languages: DE, EN (German, English), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x				x	x	x	x	x			S26361-F2210-E305	4,00	Phased out
	Drivers&Utilities DVD (WIN7 + WIN8) CELS	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x				x	x	x	x	x	x	x	S26361-F2007-E909	3,00	
	Drivers&Utilities DVD (XP) CELSIUS		x				x	x	x	x	x			S26361-F2007-E912	3,00	
	REC-DVD Win7 HomeBasic 32bit RUS	RU								x				S26361-F2009-E532	3,00	
	REC-DVD Win7 Home Premium 64 RUS	RU					x	x	x	x				S26361-F2009-E642	3,00	
	REC-DVD Win7 Professional 32 RUS	RU					x	x	x	x				S26361-F2009-E552	3,00	
	REC-DVD Win7 Professional 64 RUS	RU					x	x	x	x				S26361-F2009-E652	3,00	
	REC-DVD Win7 HomeBasic 32bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR								x				S26361-F2009-E533	3,00	
	REC-DVD Win7 Ultimate 64bit	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x				x	x	x	x	x			S26361-F2210-E315	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR					x	x	x	x				S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x				x	x	x	x	x			S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x				x	x	x	x	x			S26361-F2009-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x				x	x	x	x	x			S26361-F2009-E753	3,00	
	Win7 Pro32 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL	x							x	x	x		S26361-F2227-E351	4,00	
	Win7 Pro32 NORDIC+Office2013	Languages: DK, EN, FI, NO, RU, SV	x							x	x	x		S26361-F2227-E352	4,00	
	Win7 Pro32 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR	x							x	x	x		S26361-F2227-E353	4,00	
	Win7 Pro32 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK	x							x	x	x		S26361-F2227-E354	4,00	
	Win7 Pro32 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR	x							x	x	x		S26361-F2227-E355	4,00	
	Win7 Pro32 RU+Office2013	Language: RU	x							x	x	x		S26361-F2227-E356	4,00	
	Win7 Pro64 MAIN + Office2013	Languages: DE, EN, ES, FR, IT, NL	x				x	x	x	x	x			S26361-F2247-E451	4,00	
	Win7 Pro64 NORDIC+Office2013	Languages: DK, EN, FI, NO, RU, SV	x				x	x	x	x	x			S26361-F2247-E452	4,00	
	Win7 Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR	x				x	x	x	x	x			S26361-F2247-E453	4,00	
	Win7 Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK	x				x	x	x	x	x			S26361-F2247-E454	4,00	
	Win7 Pro64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR	x				x	x	x	x	x			S26361-F2247-E455	4,00	
	Win7 Pro64 RU+Office2013	Language: RU	x				x	x	x	x	x			S26361-F2247-E456	4,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x									S26361-F2010-E243	85,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x									S26361-F2010-E253	122,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)	x	x	x									S26361-F2010-E242	85,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)	x	x	x									S26361-F2010-E252	122,00	
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	x									S26361-F2010-E244	85,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS M420	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)															
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	x								S26361-F2010-E254	122,00	
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	x								S26361-F2010-E245	85,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	x								S26361-F2010-E255	122,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India	x	x	x								S26361-F2010-E248	85,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x	x	x								S26361-F2010-E258	122,00	
	Win7 Pro64 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL	x	x									S26361-F2237-E451	4,00	
	Win7 Pro64 NORDIC+Office2013	Languages: DK, EN, FI, NO, RU, SV	x	x									S26361-F2237-E452	4,00	
	Win7 Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR	x	x									S26361-F2237-E453	4,00	
	Win7 Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK	x	x									S26361-F2237-E454	4,00	
	Win7 Pro64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR	x	x									S26361-F2237-E455	4,00	
	Win7 Pro64 RU+Office2013	Languages: RU	x	x									S26361-F2237-E456	4,00	
	REC-DVD Win7 Home Premium 64 All MuLi	RU	x	x	x								S26361-F2010-E643	3,00	
	REC-DVD Win7 Home Premium 64 RUS	RU	x	x	x								S26361-F2010-E642	3,00	
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	x	x								S26361-F2010-E553	3,00	
	REC-DVD Win7 Professional 32 RUS	RU	x	x	x								S26361-F2010-E652	3,00	
	REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	x	x								S26361-F2010-E653	3,00	
	REC-DVD Win7 Professional 64 RUS	RU	x	x	x								S26361-F2010-E652	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	x	x								S26361-F2010-E753	3,00	
	Win7 HomePremium64 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL	x	x									S26361-F2237-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2013	Languages: DK, EN, FI, NO, RU, SV	x	x									S26361-F2237-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR	x	x									S26361-F2237-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK	x	x									S26361-F2237-E444	4,00	
	Win7 HomePremium64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR	x	x									S26361-F2237-E445	4,00	
	Win7 HomePremium64 RU+Office2013	Languages: RU	x	x									S26361-F2237-E446	4,00	
Security															
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk, e.g. if the system will be sold. Please notice, that SSD (Solid State Disk) cannot be deleted in a secure method.							x			x	S26361-F2542-E435	30,00	
	SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics				x	x	x	x	x	x	x	S26361-F2727-E740	14,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Security matrix																
Security (Continued)																
	SystemLock3	SystemLock3 is a UEFI BIOS smartcard pre-boot authentication (PBA) feature.								x	x	x	x	S26361-F2727-E745	18,00	
	Dual SmartCard Reader D321	Combining contact and RFID reader in one for standard SmartCards and contactless RFID cards. Cage for 3.5-inch bay. Connected via onboard USB. Contact reader supports ISO 7816 standard cards. Contactless RFID reader supports ISO 14443 A/B standards as well as HID(R) iCLASS(R), MIFARE(R), ISO 16593 and German ID card (nPA). 2 solution: contactless RFID slot for ID Cards, contact slot for all other cards.											x	S26381-F321-E100	35,00	New product
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista/Win7 compatible, USB interface, black, USB cable					x	x	x	x	x	x	x	S26381-F331-E220	23,00	
	KB SCR USA	SmartCard Keyboard USA 104-key layout with class 2 reader on the top. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.											x	S26381-K528-E110	34,00	
	KB SCR GB	SmartCard Keyboard english layout with class 2 reader on the top. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.											x	S26381-K528-E165	34,00	
	KB SCR BLACK GB	SmartCard Keyboard black english layout with class 2 reader on the top. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.											x	S26381-K528-E465	34,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard					x	x	x	x	x	x	x	S26361-F1260-E520	18,00	
Mouse																
	Upgrade Mouse Grey USB instead of Black		x				x	x	x	x	x	x	x	S26361-F2542-E221	6,00	
	Upgrade Mouse M440 ECO Black		x				x	x	x	x	x	x	x	S26361-F2542-E222	16,00	
	Upgrade Mouse GL9000 Blue LED		x				x	x	x	x	x	x	x	S26361-F2542-E231	17,00	
	Mouse 400NB Black			x	x	x								S26391-F428-E100	7,00	Phased out
	MOUSE M410NB BLACK			x	x	x								S26391-F453-E100	7,00	
	Upgrade Mouse Laser Grey USB/PS2	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling	x				x	x	x	x	x	x	x	S26361-F2542-E217	13,00	
Miscellaneous																
	Med-Kit ESPRIMO/CELSIUS	Manual and product compliant to IEC 60601-1-2. Preparation for further medical certifications and relevant for integration into medical products.					x	x	x	x	x	x	x	S26361-F2542-E250	26,00	
	Key lock in side door	for lock of housing				x	x		x	x				S26361-F2542-E331	6,00	
	Key lock in side door	for lock of housing,	x											S26361-F2542-E339	6,00	
	Key lock in side door	for lock of housing,											x	S26361-F2542-E342	6,00	
	Intrusion switch							x					x	S26361-F2542-E426	4,00	
	Med Kit CELSIUS H		x											S26391-F1169-E500	6,00	
	Med Kit CELSIUS H920				x									S26391-F1179-E500	6,00	
	MAC Address WLAN on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x									S26391-F782-E200	2,00	
	Med Kit CELSIUS H910				x									S26391-F898-E910	6,00	
	No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory	x											S26361-F2735-E111	5,00	
	Power cord for monitor (CH)						x	x	x	x	x	x	x	S26361-F2542-E59	4,00	
	Cable for second internal USB device						x	x	x	x	x	x	x	S26361-F2581-E10	4,00	
	Key lock in side door	for lock of housing								x				S26361-F2542-E323	6,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x				x	x	x	x	x	x	x	S26361-F2542-E90	4,00	
made4you Services																
	DeskView Load Basic	With DeskView Load Basic you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, Information about hardware components e.g. MAC - address, serial number at time of production via email, . Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x				x	x	x	x	x	x	x	DVI:DVL_PACK_BAS	21,00	



Fujitsu recommends Windows 8

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS M420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
Options matrix																
made4you Services (Continued)																
	DeskView Load Expert	With DeskView Load Expert you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, . In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email or web service, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Specified Operating system customizing , Extended recovery scenario, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x				x	x	x	x	x	x	x	DVI:DVL_PACK_EXP	38,50	
	DeskView Load Professional	With DeskView Load Professional you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, . In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, . Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x				x	x	x	x	x	x	x	DVI:DVL_PACK_PRO	47,25	
	Master Key ESPRIMO P, CELSIUS W								x			x	x	S26361-F2542-E329	10,00	



Positioning Displays



P Line

Superior Displays - P Line and XL Line

A feast for your eyes and a pleasure to use for work or multimedia:

- Ultra wide viewing angle and outstanding color performance
- 0.0 watt standby (P Line)
- Maximum connectivity
- Most advanced technical features



XL Line

Advanced Displays - B Line and SL Line

Efficiency for intensive office or entertainment usage:

- Optimum ergonomics (B Line) with height adjust, tilt, swivel and on standard formats as well rotation
- Energy efficient: power save panel EPA 5.0, ECO button, EPEAT Silver
- Ultra high contrast (SL Line)
- High-flexible connectivity:
e.g. 2 x HDMI (on selected models),
DVI (HDCP) for wide screen displays



B Line



SL Line



A/E Line

All-round Displays - A/E Line and L Line

Enter the world of LCD displays at an affordable price:

- Ergonomic or lifestyle design
- TCO'03 or TCO Displays 5.0
- Energy efficient - EPA 5.0, EPEAT Silver



L Line



Displays

P Line

- 0-Watt power save mode*
- Auto Brightness Control*
- UVA (Ultra Wide Viewing Angle)*
- Enhanced ergonomic height adjust stand
- HDMI for wide screen models
- Ready for Manageability
- 5th generation models in new design language
- *: on selected models

XL Line

- Advanced contrast ratio (ACR) up to 20,000:1
- ECO control button
- Video inputs HDMI, DVI and analog

* featured on selected models

B Line

- Energy saving solutions (as of Summer 2009)
 - Cut energy cost by half (versus Energy Star 4.1)
 - ECO operation mode for Energy Star 5.0
 - ECO button - direct access to ECO mode
- Flexible ergonomic stand
- Height Adjust, Tilt, Swivel, Rotation*
- DVI-D and analog interface
- Manageability

SL Line

- High ACR up to 10,000:1
- 2 x HDMI*, DVI*, analog interface
- Glossy black lifestyle design
- Full HD 1080P support*
- 16:9 ideal video format*
- Headphone jack*

A Line

- Energy saving solutions (as of Autumn 2009)
 - Energy Star 5.0
 - Tilt stand
 - Analog interface
 - Ergonomic Design

L Line

- Extra high ACR up to 10,000:1*
- 16:9* ideal video format
- Fast 5 ms response time
- Lifetime extender
- Theme Mode
- Glossy black lifestyle design

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays					
	DISPLAY P23T-6 FPR 3D, UK Cable	DISPLAY P23T-6 FPR 3D, UK Cable , DISPLAY P23T-6 FPR 3D, UK Kabel,	BDL:K1370V170-UK	339,00	
	DISPLAY B19-6 LED, China	DISPLAY B19-6 LED, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY B19-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1374V140-CHN	183,00	
	DISPLAY B19-6 LED, Indonesia	DISPLAY B19-6 LED, Indonesia incl. EU Power Cord and Import Labels , DISPLAY B19-6-6 LED, Indonesia incl. EU Power Cord and Import Labels,	BDL:K1374V140-ID	173,00	
	DISPLAY B19-6 LED, without Power Cord	DISPLAY B19-6 LED, without Power Cord , DISPLAY B19-6 LED without Power Cord	BDL:K1374V140-INT	173,00	
	DISPLAY B19-6 LED, UK Cable	DISPLAY B19-6 LED, UK Cable , DISPLAY B19-6 LED, UK Cable	BDL:K1374V140-UK	173,00	
	DISPLAY B22W-6 LED, China	DISPLAY B22W-6 LED, China for China, incl. Chinese Power Cord and CEL Label , Display B22W-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1375V140-CHN	206,00	
	DISPLAY B22W-6 LED, Indonesia	DISPLAY B22W-6 LED, Indonesia incl. EU Power Cord and Import Labels , DISPLAY B22W-6 LED, Indonesia incl. EU Power Cord and Import Labels	BDL:K1375V140-ID	196,00	
	DISPLAY B22W-6 LED, w/o power cable	DISPLAY B22W-6 LED, w/o power cable , DISPLAY B22W-6 LED, w/o power cable, without Power Cord	BDL:K1375V140-INT	196,00	
	DISPLAY B22W-6 LED, UK Cable	DISPLAY B22W-6 LED, UK Cable , DISPLAY B22W-6 LED, UK Cable	BDL:K1375V140-UK	196,00	
	DISPLAY E22W-6 LED, UK Cable	DISPLAY E22W-6 LED, UK Cable , DISPLAY E22W-6 LED, UK Cable	BDL:K1377V160-UK	150,00	
	DISPLAY B23T-6 LED, China	DISPLAY B23T-6 LED, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY B23T-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1388V140-CHN	212,00	
	DISPLAY B23T-6 LED, w/o power cable	DISPLAY B23T-6 LED, w/o power cable , DISPLAY B23T-6 LED, w/o power cable	BDL:K1388V140-INT	202,00	
	DISPLAY B23T-6 LED, UK Cable	DISPLAY B23T-6 LED, UK Cable , DISPLAY B23T-6 LED, UK Cable	BDL:K1388V140-UK	202,00	



Displays

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays (Continued)					
	DISPLAY E23T-6 LED, UK Cable	DISPLAY E23T-6 LED, UK Cable , DISPLAY E23T-6 LED, UK Cable	BDL:K1389V160-UK	162,00	Phased out
	DISPLAY B22W-6 LED proGREEN, w/o cable	DISPLAY B22W-6 LED proGREEN, w/o cable , DISPLAY B22W-6 LED proGREEN, w/o cable	BDL:K1392V160-INT	184,00	
	DISPLAY B22W-6 LED proGREEN, UK Cable	DISPLAY B22W-6 LED proGREEN, UK Cable , DISPLAY B22W-6 LED proGREEN, UK Cable	BDL:K1392V160-UK	184,00	
	DISPLAY B20T-6 LED, China	DISPLAY B20T-6 LED, China for China, incl. Chinese Power Cord and CEL Label , Display B20T-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1416V140-CHN	159,00	
	DISPLAY B20T-6 LED, Indonesien	DISPLAY B20T-6 LED, Indonesien incl. EU Power Cord and Import Labels , DISPLAY B20T-6 LED, Indonesien incl. EU Power Cord and Import Labels, ,	BDL:K1416V140-ID	149,00	
	DISPLAY B20T-6 LED, w/o power cable	DISPLAY B20T-6 LED, w/o power cable , DISPLAY B20T-6 LED, w/o power cable	BDL:K1416V140-INT	149,00	
	DISPLAY B20T-6 LED, UK Cable	DISPLAY B20T-6 LED, UK Cable , DISPLAY B20T-6 LED, UK Cable	BDL:K1416V140-UK	149,00	
	DISPLAY B24W-6 LED, China	DISPLAY B24W-6 LED, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY B24W-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1427V140-CHN	298,00	
	DISPLAY B24W-6 LED, w/o power cable	DISPLAY B24W-6 LED, w/o power cable , DISPLAY B24W-6 LED, w/o power cable	BDL:K1427V140-INT	288,00	
	DISPLAY B24W-6 LED , UK Cable	DISPLAY B24W-6 LED , UK Cable , DISPLAY B24W-6 LED , UK Cable	BDL:K1427V140-UK	288,00	
	DISPLAY P24W-6 LED, China	DISPLAY P24W-6 LED, China for China, incl. Chinese Power Cord and CEL Label , Display P24W-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1428V140-CHN	406,00	
	DISPLAY P24W-6 LED, Indonesia	DISPLAY P24W-6 LED, Indonesia incl. EU Power Cord and Import Labels , DISPLAY P24W-6 LED, Indonesia incl. EU Power Cord and Import Labels	BDL:K1428V140-ID	396,00	
	DISPLAY P24W-6 LED, w/o power cable	DISPLAY P24W-6 LED, w/o power cable , Display P24W-6 LED without Power Cord	BDL:K1428V140-INT	396,00	
	DISPLAY P24W-6 LED, UK Cable	DISPLAY P24W-6 LED, UK Cable , DISPLAY P24W-6 LED, UK Cable	BDL:K1428V140-UK	396,00	
	DISPLAY E20T-6 LED, China	DISPLAY E20T-6 LED, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY E20T-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1432V160-CHN	138,00	
	DISPLAY E20T-6 LED, Indonesia	DISPLAY E20T-6 LED, Indonesia incl. EU Power Cord and Import Labels , DISPLAY E20T-6 LED, Indonesien incl. EU Power Cord and Import Labels	BDL:K1432V160-ID	128,00	
	DISPLAY E20T-6 LED, w/o power cable	DISPLAY E20T-6 LED, w/o power cable , DISPLAY E20T-6 LED, w/o power cable	BDL:K1432V160-INT	128,00	
	DISPLAY E20T-6 LED UK, UK cable	DISPLAY E20T-6 LED UK, UK cable Cable Powercord (UK), 1.8m, black , DISPLAY E20T-6 LED UK, UK cable, Cable Powercord (UK), 1.8m, black , ,	BDL:K1432V160-UK	128,00	
	DISPLAY P27T-7 LED (IPS), China	DISPLAY P27T-7 LED (IPS), China for China, incl. Chinese Power Cord and CEL Label , DISPLAY P27T-7 LED (IPS), for China, incl. Chinese Power Cord and CEL Label	BDL:K1442V140-CHN	587,00	
	DISPLAY P27T-7 LED (IPS), Indonesien	DISPLAY P27T-7 LED (IPS), Indonesien incl. EU Power Cord and Import Labels , DISPLAY P27T-7 LED (IPS), for Indonesia incl. EU Power Cord and Import Labels	BDL:K1442V140-ID	577,00	
	DISPLAY P27T-7 LED (IPS), w/o powercable	DISPLAY P27T-7 LED (IPS), w/o powercable , DISPLAY P27T-7 LED (IPS), w/o power cable,	BDL:K1442V140-INT	577,00	
	DISPLAY P27T-7 LED IPS, UK Cable	DISPLAY P27T-7 LED IPS, UK Cable , AY P27T-7 LED IPS, UK Cable, ,	BDL:K1442V140-UK	577,00	



Displays

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays (Continued)					
	DISPLAY X23T-1 MHL UK cable	DISPLAY X23T-1 MHL UK cable Cable Powercord (UK), 1.8m, black , DISPLAY X23T-1 MHL UK cable, Cable Powercord (UK), 1.8m, black , , , ,	BDL:K1444V160-UK	239,00	
	DISPLAY B22T-7 LED, China	DISPLAY B22T-7 LED, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY B22T-7 LED,for China, incl. Chinese Power Cord and CEL Label	BDL:K1453V160-CHN	193,00	
	DISPLAY B22T-7 LED proGREEN, Indonesien	DISPLAY B22T-7 LED proGREEN, Indonesien incl. EU Power Cord and Import Labels , DISPLAY B22T-7 LED proGREEN for Indonesia, incl. EU Power Cord and Import Labels , , ,	BDL:K1453V160-ID	183,00	
	DISPLAY B22T-7LED proGREEN,w/o pwcable	DISPLAY B22T-7LED proGREEN,w/o pwcable , DISPLAY B22T-7 LED proGREEN, w/o power cable,	BDL:K1453V160-INT	183,00	
	DISPLAY B22T-7 LED PG, UK Cable	DISPLAY B22T-7 LED PG, UK Cable , DISPLAY B22T-7 LED PG, UK Cable,	BDL:K1453V160-UK	183,00	
	DISPLAY B24T-7 LED proGREEN, China	DISPLAY B24T-7 LED proGREEN, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY B24T-7 LED proGREEN, for China, incl. Chinese Power Cord and CEL Label,	BDL:K1454V160-CHN	215,00	
	DISPLAY B24T-7 LED proGREEN, Indonesien	DISPLAY B24T-7 LED proGREEN, Indonesien incl. EU Power Cord and Import Labels , DISPLAY B24T-7 LED proGREEN , IMP LBL B24T-7 DY /CUZ:IMPDY_B24T7-ID , IMP LBL B24T-7 BOX/CUZ:IMPBX_B24T7-ID	BDL:K1454V160-ID	205,00	
	DISPLAY B24T-7LED proGREEN,w/o pw.cable	DISPLAY B24T-7LED proGREEN,w/o pw.cable , DISPLAY B24T-7 LED proGREEN, w/o power cable	BDL:K1454V160-INT	205,00	
	DISPLAY B24T-7 LED PG, UK Cable	DISPLAY B24T-7 LED PG, UK Cable , DISPLAY B24T-7 LED PG, UK Cable,	BDL:K1454V160-UK	205,00	
	DISPLAY B22W-7 LED, China	DISPLAY B22W-7 LED, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY B22W-7 LED / China, for China, incl. Chinese Power Cord and, CEL Label, ,	BDL:K1472V140-CHN	206,00	New product
	DISPLAY B22W-7 LED, w/o power cable	DISPLAY B22W-7 LED, w/o power cable , DISPLAY B22W-7 LED w/o power cable, ,	BDL:K1472V140-INT	196,00	New product
	DISPLAY B22W-7 LED, UK cable	DISPLAY B22W-7 LED, UK cable Cable Powercord (UK), 1.8m, black , DISPLAY B22W-7 LED / UK Cable, Cable Powercord (UK), 1.8m, black	BDL:K1472V140-UK	196,00	New product
	DISPLAY E22T-7 LED, China	DISPLAY E22T-7 LED, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY E22T-7 LED / China , for China, incl. Chinese Power Cord and CEL Label, , ,	BDL:K1473V160-CHN	152,00	New product
	DISPLAY E22T-7 LED, Indonesia	DISPLAY E22T-7 LED, Indonesia incl. EU Power Cord and Import Labels , DISPLAY E22T-7 LED, Indonesia, incl. EU Power Cord and Import Labels, , ,	BDL:K1473V160-ID	139,00	New product
	DISPLAY E22T-7 LED, w/o power cable	DISPLAY E22T-7 LED, w/o power cable , DISPLAY E22T-7 LED, w/o power cord, , ,	BDL:K1473V160-INT	139,00	New product
	DISPLAY E22T-7 LED, UK cable	DISPLAY E22T-7 LED, UK cable Cable Powercord (UK), 1.8m, black , DISPLAY E22T-7 LED / UK Cable, Cable Powercord (UK), 1.8m, black , ,	BDL:K1473V160-UK	139,00	New product
	DISPLAY B27T-7 LED, UK cable	DISPLAY B27T-7 LED, UK cable Cable Powercord (UK), 1.8m, black , DISPLAY B27T-7 LED UK Cable , Cable Powercord (UK), 1.8m, black, ,	BDL:K1478V140-UK	314,00	New product,Orderable from: 15/08/2013
	DISPLAY P23T-6 LED (NSN Project)	DISPLAY P23T-6 LED (NSN Project) EU Kabel, Premium Line 58.4cm(23") wide Display, IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY B23T-6 LED (NSN Project, EU Kabel, Business Line 58.4cm(23")wide, Display, USB,DP,DVI,VGA 4-in-1 stand, LED Backlight	BDL:SAG-NSNSTD-MON	257,00	



Displays

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays (Continued)					
	DISPLAY B19-6 LED	DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight, DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight	BDL:TOP-B19-6-LED	173,00	
	DISPLAY B22W-6 LED	DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight, DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	BDL:TOP-B22W-6-LED	196,00	
	DISPLAY B23T-6 LED	DISPLAY B23T-6 LED Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight, Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	BDL:TOP-B23T-6-LED	202,00	
	DISPLAY B24W-6 LED	DISPLAY B24W-6 LED Bussines Line 61cm(24")wide Display LED Backlight DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY B24W-6 LED Bussines Line 61cm(24")wide Display LED Backlight DP,DVI,VGA,USB, 4-in-1 stand	BDL:TOP-B24W-6-LED	288,00	
	Display E19-6 LED R	Display E19-6 LED R E-Line 48cm (19") Display VGA, DVI, matt black , DISPLAY E19-6 LED E Line 48.3cm(19") schwarz , VGA, DVI, matt schwarz LED Backlight	BDL:TOP-E19-6-LED	139,00	
	DISPLAY E22T-7 LED, EU cable	DISPLAY E22T-7 LED, EU cable E-Line 54.6cm(21,5")wide Display LED Backlight, matt black HDMI, DVI, VGA, tilt stand, DISPLAY E22T-7 LED, EU cable E-Line 54.6cm(21,5")wide Display LED Backlight, matt black HDMI, DVI, VGA, tilt stand, , , ,	BDL:TOP-E22T-7-LED	139,00	New product
	Display E22W-6 LED R	Display E22W-6 LED R E-Line Runrate 55.9cm (22")wide VGA, DVI, matt black , DISPLAY E22W-6 LED E-Line 55.9cm(22")wide schwarz, VGA, DVI, matt schwarz, LED Backlight	BDL:TOP-E22W-6-LED	150,00	
	DISPLAY P23T-6 LED (IPS)	DISPLAY P23T-6 LED (IPS) Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY P23T-6 LED (IPS) Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand	BDL:TOP-P23T6-LED	257,00	
	DISPLAY P24W-6 LED	DISPLAY P24W-6 LED Premium Line 61cm(24")wide Display IPS Panel, LED Backlight DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY P24W-6 LED Premium Line 61cm(24")wide Display IPS Panel, LED Backlight DP,DVI,VGA,USB, 4-in-1 stand	BDL:TOP-P24W6L-IPS	396,00	
	DISPLAY P27T-7 LED (IPS) EU cable	DISPLAY P27T-7 LED (IPS) EU cable Premium Line 69cm(27")wide Display IPS Panel, LED Backlight, marble grey DP,HDMI,DVI,VGA,USB, 4-in-1 stand, DISPLAY P27T-7 LED (IPS) EU cable Premium Line 69cm(27")wide Display, IPS Panel, LED Backlight, marble grey DP,HDMI,DVI,VGA,USB, 4-in-1 stand, , ,	BDL:TOP-P27T-7-LED	577,00	
	FJ-3D- Glasses	FJ-3D- Glasses 3D Polarization glasses REAL D compatible	FTS:FJ-3D-GLASSES	17,00	
	DISPLAY CBL DVI-D	DISPLAY CBL DVI-D DVI cable single link 1.8m minimum order quantity 100 pcs.	S26361-F1115-V1	5,00	
	DY CBL DisplayPort	DY CBL DisplayPort DisplayPort cable 1.8m minimum order quantity 90 pcs.	S26361-F4527-V1	8,00	
	DISPLAY P23T-6 FPR 3D, EU cable	DISPLAY P23T-6 FPR 3D, EU cable, P-Serie 58,4 cm (23" T), DP, DVI, VGA, USB-Hub, schwarzes Gehäuse, 3D-Display mit Polarisationsfilterbrille	S26361-K1370-V170	339,00	
	DISPLAY P27T-6 IPS, EU cable	DISPLAY P27T-6 IPS, EU cable, Premium Line 69cm(27")wide Display IPS Panel DP,HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1372-V140	566,00	Phased out



Displays

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals	Displays (Continued)				
	DISPLAY B19-6 LED, EU cable	DISPLAY B19-6 LED, EU Kabel, Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight	S26361-K1374-V140	173,00	
	DISPLAY B22W-6 LED, EU cable	DISPLAY B22W-6 LED,EU cable, Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1375-V140	196,00	
	DISPLAY E19-6 LED, EU cable	DISPLAY E19-6 LED, EU cable, E Line 48.3cm(19") black VGA, DVI, matt black LED Backlight	S26361-K1376-V160	139,00	
	DISPLAY E22W-6 LED, EU cable	DISPLAY E22W-6 LED, EU cable, E-Line 55.9cm(22")wide black VGA, DVI, matt black, LED Backlight	S26361-K1377-V160	150,00	
	DISPLAY B23T-6 LED, EU cable	DISPLAY B23T-6 LED, EU cable, Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1388-V140	202,00	
	DISPLAY B22W-6 LED proGREEN, EU cable	DISPLAY B22W-6 LED proGREEN, EU cable, B-Line 55.9cm(22")wide matt black, DVI, VGA, 4-in-1 stand, LED Backlight	S26361-K1392-V160	184,00	
	DISPLAY B20T-6 LED, EU cable	DISPLAY B20T-6 LED, EU Kabel, Business Line 50.8cm(20")wide Display USB,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1416-V140	149,00	
	DISPLAY B24W-6 LED, EU cable	DISPLAY B24W-6 LED, EU cable, Bussines Line 61cm(24")wide Display LED Backlight DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1427-V140	288,00	
	DISPLAY P24W-6 LED, EU cable	DISPLAY P24W-6 LED, EU cable, Premium Line 61cm(24")wide Display IPS Panel. LED Backlight DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1428-V140	396,00	
	DISPLAY E20T-6 LED, EU cable	DISPLAY E20T-6 LED, EU cable, E-Line 50.8cm(20")wide black VGA, DVI, matt black LED Backlight	S26361-K1432-V160	128,00	
	DISPLAY P23T-6P FPR 3D, EU cable	DISPLAY P23T-6P FPR 3D, EU cable, P-Serie 58,4 cm (23") DP, DVI, VGA, USB-hub, black housing 3D-display w.polarization filter glasses	S26361-K1433-V170	257,00	
	DISPLAY P23T-6 LED (IPS), EU cable	DISPLAY P23T-6 LED (IPS), EU cable, Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1441-V141	257,00	
	DISPLAY P27T-7 LED (IPS), EU cable	DISPLAY P27T-7 LED (IPS), EU cable Premium Line 69cm(27")wide Display IPS Panel, LED Backlight, marble grey, DP,HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1442-V140	577,00	
	DISPLAY X23T-1 MHL, EU cable	DISPLAY X23T-1 MHL, EU Kabel, X-Line 58.4 cm (23") 2x HDMI (with MHL), 1x VGA, black, IPS	S26361-K1444-V160	239,00	
	DISPLAY B22T-7 LED proGREEN, EU cable	DISPLAY B22T-7 LED proGREEN, EU cable, Bussines Line 54.6cm(21.5")wide Display, LED Backlight, matt black housing, HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1453-V160	183,00	
	DISPLAY B24T-7 LED proGREEN, EU cable	DISPLAY B24T-7 LED proGREEN, EU cable, Bussines Line 61cm(24")wide Display, LED Backlight, matt black housing, HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1454-V160	205,00	
	DISPLAY B22W-7 LED EU Kabel	DISPLAY B22W-7 LED EU Kabel Business Line 55,9cm(22")wide Display, TN Panel, LED Backlight, marble grey DisplayPort,DVI,VGA,4xUSB,4-in-1 stand, . . .	S26361-K1472-V140	196,00	New product
	DISPLAY E22T-7 LED, EU cable	DISPLAY E22T-7 LED, EU cable, E-Line 54.6cm(21,5")wide Display, LED Backlight, matt black, HDMI, DVI, VGA, tilt stand, . . .	S26361-K1473-V160	139,00	
	DISPLAY B27T-7 LED EU cable	DISPLAY B27T-7 LED EU cable, Business Line 69cm(27") Display,, Ultra Wide View, LED, marble grey, DisplayPort,DVI,VGA,4-in-1 stand	S26361-K1478-V140	314,00	New product,Orderable from: 15/08/2013



Positioning Input Devices & Security devices



Keyboards & Security

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!



Keyboards & mice



Security devices

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from beeing stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.



Input devices and Security

Keyboards

A keyboard is the most important interface between user and computer. All our keyboards are designed to do the job. Reliable, effective and persevering. But what's more: they come in attractive and stylish designs to highlight every working place. There is a choice between wired and wireless keyboards, and also of features like e.g. quick touch buttons or 2 additional USB Ports.

Mice

Mice for every working or private environment. Great choice in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

Security devices

Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu security devices the access to mobile and stationary systems is effectively secured.

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Keyboard /Mouse					
	Bluetooth Mouse V470	Bluetooth Mouse V470, 3 button Wheel Mouse, Laser, Tilt-Wheel-Function, without Dongle, 10m range, pouch, Software (no BT software), batteries, brown box, manual.	LTC:M-RCQ142	35,00	Phased out
	KBPC E USB USA	Ergonomic keyboard USA, MF-II-keyboard, 3 add. Windows keys, fixed USB cable 2m	S26381-K261-L710	50,00	
	KBPC E USB D	Ergonomic keyboard German, MF-II-keyboard, 3 add. Windows keys, fixed USB cable 2m	S26381-K261-L720	50,00	
	KBPC E USB GB	Ergonomic keyboard english, MF-II-keyboard, 3 add. Windows keys, fixed USB cable 2m	S26381-K261-L765	50,00	
	KBPC E USB I	Ergonomic keyboard italian, MF-II-keyboard, 3 add. Windows keys, fixed USB cable 2m	S26381-K261-L785	50,00	
	KB NUM CALC US	Numeric keyboard USB with integrated calculator in retail box	S26381-K272-L410	23,00	Phased out
	KB NUM CALC D	Numeric keyboard USB with integrated calculator in retail box	S26381-K272-L420	23,00	Phased out
	KBPC PX ECO US	keyboard professional USB, USA, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	S26381-K341-L110	36,00	
	KBPC PX ECO D	keyboard professional USB, Germany, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	S26381-K341-L120	36,00	
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	S26381-K341-L165	36,00	
	KBPC PX ECO I	keyboard professional USB, Italy, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	S26381-K341-L185	36,00	
	SPACE EXPLORER	3D motion controller USB, manual, software, case, brown box.	S26381-K425-L100	299,00	Phased out
	Notebook Mouse 400NB Black Retail	Notebook Mouse 400NB Black retail optical 1000 dpi tilt-wheel-function, USB cable 0,85, retail package blister	S26381-K428-L100	9,00	Phased out
	Laser Mouse Combo USB PS2	Laser Mouse Combo USB PS2, 3 button Wheel Mouse with Tilt-Wheel-Function (wheel is 3rd button), 1100 dpi laser sensor, with PS2 adapter, grey with anthracite bottom, 1.8 m USB cable, manual, CD, brown box packed.	S26381-K430-L100	19,00	
	Laser Mouse Combo USB PS2 Black	Laser Mouse Combo USB PS2 black, 3 button Wheel Mouse with Tilt-Wheel-Function (wheel is 3rd button), 1100 dpi laser sensor, with PS2 adapter, 1.8 m USB cable, manual, brown box packed.	S26381-K430-L101	19,00	
	Wireless Laser Mouse WI400	Wireless Laser Mouse WI400, 2.4 GHz technology, interference-free usage among other 2.4 GHz products and extremely reliable due to specially generated IDs. Micro receiver and slot, 2 buttons, Wheel, switchable resolution 800, 1200 and 1600 dpi, Power on / off button, 2 x AAA batteries, manual, Retail box.	S26381-K433-L100	15,00	Phased out
	Blue LED MOUSE GL9000	Blue LED Mouse GL9000, programmable 10 button mouse, Tilt Wheel Technology, adjustable 1000 up to 2000 dpi, USB cable 1.8m, Software CD, manual, Retail box	S26381-K438-L100	19,00	



Input devices and Security

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Keyboard /Mouse (Continued)					
	MOUSE M440 ECO BL	MOUSE M440 ECO Black, optical wheel mouse, black ,wood based material, 1000 dpi, PVC free USB cable 1.8 m, white box	S26381-K450-L200	15,00	
	Notebook Mouse M410	Notebook Mouse M410. Super compact desing for right and left-handers. Black glossy design. 2 Buttons and 1 wheel. 1000 DPI, USB cable 1 m lenght. USB Plug & Play. Retail packed.	S26381-K453-L100	10,00	
	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries	S26381-K456-L100	17,00	
	Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi, USB cable 1,8m, white box	S26381-K457-L100	13,00	
	Mouse M510 Grey	optical mouse with 3 keys, marble grey, 1000 dpi, USB cable 1,8m, white box	S26381-K457-L101	13,00	
	SpaceMouse(TM) Pro	3D motion controller USB, manual, software	S26381-K459-L100	323,00	
	Wireless Notebook Mouse WI610	Wireless Notebook Mouse WI610, 2.4 GHz radio frequency, USB nano receiver, 5 programmable keys with SW, 1000/1500/2000 dpi, tilt function, receiver slot, 1 x AA battery, retail packed.	S26381-K460-L100	19,00	
	Wireless Notebook Mouse WI200	Wireless Notebook Mouse WI200, 1000 DPI optical sensor, 2.4 GHz RF technology, works in multi-user environment. USB nano receiver which is stowable in the mouse. On/Off switch, 1 x AAA battery, Quick Start Guide, Retail package.	S26381-K462-L100	13,00	
	Mouse MC200	Mouse MC200, glossy black, 3 buttons, optical sensor 1.000 DPI, USB cable 1.8 m, retail packed.	S26381-K463-L100	12,00	
	Wireless Notebook Mouse WI410	Wireless Notebook Mouse WI410, Mini-Design glossy black, 3 buttons, 1.000 DPI optical sensor, 2.4 GHz frequency with 10m range, stowable USB Micro receiver, ON/OFF switch, 1 x AAA battery, retail packed.	S26381-K464-L100	15,00	
	Wireless Mouse Touch WI910	Wireless Mouse Touch WI910, Carbon look, switch able DPI up to 2.000 DPI, optical Sensor, 2.4 GHz frequency with up to 10 m range, stow able USB Micro receiver, ON/OFF switch, 2 x AA batteries, retail packed.	S26381-K465-L100	22,00	
	KB410 USB Black US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	S26381-K510-L402	16,00	
	KB410 USB BLACK US ENGLISH 104 key	KB410 USB, slim value keyboard with US layout on 104-key modul in black. Fixed USB cable 1.8 m.	S26381-K510-L410	16,00	
	KB410 USB Black DE	KB410 USB, slim value keyboard with layout Germany on 105-key modul in black. Fixed USB cable 1.8 m.	S26381-K510-L420	16,00	
	KB410 USB Black GB	KB410 USB, slim value keyboard with layout UK 105-key modul in black. Fixed USB cable 1.8 m.	S26381-K510-L465	16,00	
	KB410 USB Black IT	KB410 USB, slim value keyboard with layout Italy 105-key modul in black. Fixed USB cable 1.8 m.	S26381-K510-L485	16,00	
	KB410 PS2 BLACK US	KB410 PS2 BLACK US, SLIM value Keyboard black USA, PS2	S26381-K515-L402	17,00	
	KB410 PS2 BLACK DE	KB410 PS2 BLACK DE, SLIM value Keyboard black with german layout, PS2	S26381-K515-L420	17,00	
	KB410 PS2 BLACK DE/US	KB410 PS2 BLACK DE US, SLIM value Keyboard black with german and US layout, PS2	S26381-K515-L422	17,00	
	KB410 PS2 BLACK GB	KB410 PS2 BLACK GB, SLIM value Keyboard black with english, PS2	S26381-K515-L465	17,00	
	KB410 PS2 BLACK IT	KB410 PS2 BLACK IT, SLIM value Keyboard black with italian layout, PS2	S26381-K515-L485	17,00	
	KB520 US	KB520 USB USA, standard keyboard USA , marble grey	S26381-K520-L102	18,00	
	KB520 US ENGLISH 104 key	KB520 USB USA, standard keyboard USA 104 keys , marble grey	S26381-K520-L110	18,00	
	KB520 DE	KB520 USB, standard keyboard german , marble grey	S26381-K520-L120	18,00	
	KB520 GB	KB520 USB, standard keyboard Greatbritain UK , marble grey	S26381-K520-L165	18,00	
	KB520 IT	KB520 USB, standard keyboard Italy , marble grey	S26381-K520-L185	18,00	
	KB SCR USA	SmartCard keyboard USA with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L110	38,00	
	KB SCR D	SmartCard keyboard german with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L120	38,00	
	KB SCR GB	SmartCard keyboard english with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L165	38,00	



Input devices and Security

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Keyboard /Mouse (Continued)					
	KB SCR I	SmartCard keyboard italian with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L185	38,00	
	KB SCR BLACK US	SmartCard keyboard black USA with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0 105 keys	S26381-K528-L402	38,00	
	KB SCR BLACK DE	SmartCard keyboard black german with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L420	38,00	
	KB SCR BLACK GB	SmartCard keyboard black english with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L465	38,00	
	KB SCR BLACK IT	SmartCard keyboard black italian with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L485	38,00	
	KB SCR eSIG USA	SmartCard keyboard USA with class 2 reader on the top, CCID, Secure Pin Entry, Common Criteria EAL 3+, SigG, VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K529-L110	45,00	
	KB SCR eSIG D	SmartCard keyboard german with class 2 reader on the top, CCID, Secure Pin Entry, Common Criteria EAL 3+, SigG, VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K529-L120	45,00	
	KB SCR eSIG GB	SmartCard keyboard english with class 2 reader on the top, CCID, Secure Pin Entry, Common Criteria EAL 3+, SigG, VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K529-L165	45,00	
	KB SCR eSIG I	SmartCard keyboard italian with class 2 reader on the top, CCID, Secure Pin Entry, Common Criteria EAL 3+, SigG, VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K529-L185	45,00	
	Touchpad TP400	Touchpad TP400 Bluetooth Multitouch Touchpad for gesture input specially for Windows 8, brown box packed,	S26381-K530-L200	35,00	
	KB BT LX360 US	Funktastatur Bluetooth LX360 US, BT 2.1 HID standard,80-keys without receiver, this must be integrated in the system, 2 x AAA batteries, manual and safety notes, brown box	S26381-K540-L402	39,00	
	KB BT LX360 DE	Funktastatur Bluetooth LX360 DE, BT 2.1 HID standard,80-keys without receiver, this must be integrated in the system, 2 x AAA batteries, manual and safety notes, brown box	S26381-K540-L420	39,00	
	KB BT LX360 GB	Funktastatur Bluetooth LX360 GB, BT 2.1 HID standard,80-keys without receiver, this must be integrated in the system, 2 x AAA batteries, manual and safety notes, brown box	S26381-K540-L465	39,00	
	KB BT LX360 IT	Funktastatur Bluetooth LX360 IT, BT 2.1 HID standard,80-keys without receiver, this must be integrated in the system, 2 x AAA batteries, manual and safety notes, brown box	S26381-K540-L485	39,00	
	KB400 PS2 D	KB400 PS2 D, SLIM value Keyboard black Germany, PS2	S26381-K551-L420	15,00	Phased out
	Keyboard KB900 USB USA	Keyboard KB900 american layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K560-L402	22,00	
	Keyboard KB900 USB D	Keyboard KB900 german layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K560-L420	22,00	
	Keyboard KB900 USB GB	Keyboard KB900 english layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K560-L465	22,00	
	Keyboard KB900 USB I	Keyboard KB900 italian layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K560-L485	22,00	
	Keyboard KB910 Backlight USA	Keyboard KB910 US layout, backlight keys, brightness adjustable in 3 steps, spill proof. multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K562-L402	30,00	



Input devices and Security

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Keyboard /Mouse (Continued)					
	Keyboard KB900 Backlight D	Keyboard KB910 German layout, backlight keys, brightness adjustable in 3 steps, spill proof. multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K562-L420	30,00	
	Wireless Keyboard Set LX900 US	Wireless Keyboard Set LX900 US, 128AES bit-encryption, spill-proof, micro receiver, programmable laser mouse, CD, manual, batteries, retail box	S26381-K564-L402	44,00	
	Wireless Keyboard Set LX900 DE	Wireless Keyboard Set LX900 Germany, 128AES bit-encryption, spill-proof, micro receiver, programmable laser mouse, CD, manual, batteries, retail box	S26381-K564-L420	44,00	
	Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 GB, 128AES bit-encryption, spill-proof, micro receiver, programmable laser mouse, CD, manual, batteries, retail box	S26381-K564-L465	44,00	
	Wireless Keyboard Set LX900 IT	Wireless Keyboard Set LX900 Italy, 128AES bit-encryption, spill-proof, micro receiver, programmable laser mouse, CD, manual, batteries, retail box	S26381-K564-L485	44,00	
	Wireless KB Mouse Set LX390 US	Wireless keyboard & mouse set LX390 US black, optical RF Mouse 1.000 dpi, 2.4 GHz frequency, micro receiver, 1 x AAA and 1 x AA batteries enclosed. QuickStart guide. Safety and recycling notes, CE declaration for R&TTE devices, retail box.	S26381-K590-L402	18,00	
	Wireless KB Mouse Set LX390 DE	Wireless keyboard & mouse set LX390 DE black, optical RF Mouse 1.000 dpi, 2.4 GHz frequency, micro receiver, 1 x AAA and 1 x AA batteries enclosed. QuickStart guide. Safety and recycling notes, CE declaration for R&TTE devices, retail box.	S26381-K590-L420	18,00	
	Wireless KB Mouse Set LX390 DE/US	Wireless keyboard & mouse set LX390 DE US black, optical RF Mouse 1.000 dpi, 2.4 GHz frequency, micro receiver, 1 x AAA and 1 x AA batteries enclosed. QuickStart guide. Safety and recycling notes, CE declaration for R&TTE devices, retail box.	S26381-K590-L422	18,00	
	Wireless KB Mouse Set LX390 GB	Wireless keyboard & mouse set LX390 GB black, optical RF Mouse 1.000 dpi, 2.4 GHz frequency, micro receiver, 1 x AAA and 1 x AA batteries enclosed. QuickStart guide. Safety and recycling notes, CE declaration for R&TTE devices, retail box.	S26381-K590-L465	18,00	
	Wireless KB Mouse Set LX390 IT	Wireless keyboard & mouse set LX390 IT black, optical RF Mouse 1.000 dpi, 2.4 GHz frequency, micro receiver, 1 x AAA and 1 x AA batteries enclosed. QuickStart guide. Safety and recycling notes, CE declaration for R&TTE devices, retail box.	S26381-K590-L485	18,00	
	WASHABLE KB K310 USB DE	Washable USB keyboard with german layout. 12 multifunction keys, 1.8 m cable, brown box.	TAV:LTC-YU0016-DE	30,00	
	KB410 PS2 BLACK US MED	KB410 PS2 BLACK US MED Siemens HC Project keyboard	TAV:X515BL402MD3	18,00	
	KB410 PS2 BLACK DE MED	KB410 PS2 BLACK DE MED Siemens HC Project keyboard	TAV:X515BL420MD3	18,00	
	KB410 PS2 BLACK GB MED	KB410 PS2 BLACK GB MED Siemens HC Project keyboard	TAV:X515BL465MD3	18,00	
	KB410 PS2 BLACK IT MED	KB410 PS2 BLACK IT MED Siemens HC Project keyboard	TAV:X515BL485MD3	18,00	
	KB900 MED US	KB900 MED US Siemens HC Variant 4m Leitung USB, white box	TAV:X560BL402MD3	25,00	
	KB900 MED DE	KB900 MED DE Siemens HC Variant 4m Leitung USB, white box	TAV:X560BL420MD3	25,00	
	KB900 MED GB	KB900 MED GB Siemens HC Variant 4m Leitung USB, white box	TAV:X560BL465MD3	25,00	
	KB900 MED IT	KB900 MED IT Siemens HC Variant 4m Leitung USB, white box	TAV:X560BL485MD3	25,00	
	Keyboard cable PS2 4m round	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2	T26139-Y2530-V104	7,00	
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug length 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1	7,00	
	Keyboard cable with PS2 connector	Keyboard cable with PS/2 plug; length 2m; for KBPC PX	T26139-Y4530-V1	7,00	



Positioning PRIMERGY Tower Servers



PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.



PRIMERGY TX100S3p

PRIMERGY TX100 S3p

The PRIMERGY TX100 S3p is ideal for SMEs, looking for a first server with Intel® Xeon® support. With a maximum of 32 GB of RAM, and excellent processor performance, it offers more than enough performance for all classic server tasks, such as file, print, web or office applications. The dual onboard gigabit LAN, makes it easier to do business 24x7. Moreover, the TX100 S3p is incredibly silent making it an excellent choice for any office environment. With its optional 0-Watt functionality and a choice of two highly efficient power supply units, the TX100 S3p minimizes costs and the environmental impact.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX100 S3p					
PY TX100S3p/LFF/Standard PSU	"Floorstand BU without processor and RAM, incl. standard power supply module, standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; onboard. graphics controller; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for easy change 3.5" SATA HDDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., "		S26361-K1410-V103	330,00	
PY TX100S3p/LFF/0-Watt PSU	"Floorstand BU without processor and RAM, incl. 0-Watt power supply module, standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; onboard. graphics controller; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for easy change 3.5" SATA HDDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., "		S26361-K1410-V203	350,00	



PRIMERGY TX120 S3p

PRIMERGY TX120 S3p: For small environments with high demands. It is the perfect server for environments where space, high server functionality and low TCO are crucial. The TX120 S3p is an excellent choice for smaller retail premises, branch offices, or in other contexts where strict legal controls apply, e.g. medical, legal or financial services. Besides sporting a power supply with 94% efficiency and 0-watt functionality, the TX120 S3p keeps running costs and the environmental impacts low. The unique combination of ultra-compact form factor, Intel® Xeon® processor E3 series performance, high availability features and low TCO, make it ideal for demanding environments where space is scarce.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX120 S3p					
PY TX120S3p/SFF	Floorstand BU without processor and RAM, incl. standard power supply module, lockable covers, standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2,5" hot plug HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.		S26361-K1380-V103	355,00	
PY TX120S3p/LFF	Floorstand BU without processor and RAM, incl. standard power supply module, lockable covers, standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 2x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 2 drive bays for easy change 3.5" SATA HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.		S26361-K1380-V203	345,00	



PRIMERGY TX140 S1p

PRIMERGY TX140 S1p

PRIMERGY TX140 S1p: the expandable SME allrounder. It is ideal for SME or branch customers looking for a classic file, print, mail, or database server, with high scalability, and best availability through optional redundant power supplies. As the company evolves, so too does the TX140 S1p. Storing up to 12 TB of data, the TX140 S1p can easily handle large files. At a later stage, the TX140 S1p can be included in a rack cabinet with dedicated storage systems. From here, customers can fully take advantage of the extensive connectivity options, Intel® Xeon® E3 series performance, and high serviceability via the optional front service LAN port. The TX140 S1p: an excellent long-term investment.

Model	Description	Details	Product Code	EUP (€)	Comments
PRIMERGY TX140 S1p					
Base unit configurations					
PY TX140S1p/f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.		S26361-K1379-V103	440,00	
PY TX140S1p/r/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller mandatory; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.		S26361-K1379-V203	460,00	
PY TX140S1p/r/LFF/Standard PSU	Rack based server 19" (5U) BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.		S26361-K1379-V303	450,00	
PY TX140S1p/r/SFF/standard PSU	Rack based server 19" (5U) BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller mandatory; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.		S26361-K1379-V403	460,00	
PY TX140S1p/f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for SAS, otherwise optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.		S26361-K1379-V503	540,00	
PY TX140S1p/r/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for more than 4 HDs or SAS, otherwise optional; 8 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.		S26361-K1379-V603	580,00	



PRIMERGY TX140 S1p

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX140 S1p (Continued)					
	PY TX140S1p/r/LFF/hot plug PSU	Rack BU 19" (5U) without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for SAS, otherwise optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V703	560,00	
	PY TX140S1p/r/SFF/hot plug PSU	rack based BU 19" (5U) without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for more than 4 HDs or SAS, otherwise optional; 8 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V803	600,00	



PRIMERGY TX150 S7

The PRIMERGY TX150 S7: the right system for SMEs or non-mission-critical decentralized infrastructures where the main focus is on expandability and availability. The expandability and availability come from the 6 expansion slots (5 of which PCIe Gen 2) and up to 8x 2.5" hot-plug hard disks. Increase the system's availability and energy efficiency through the use of optional redundant power supplies boasting up to 89% energy efficiency. The TX150 S7 also offers up to the latest generation Intel® Xeon® processor 3400 series single processor platform, delivering excellent energy-efficient performance at an attractive price. The PRIMERGY TX150 S7: the one processor tower server – maximized.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX150 S7					
	PY TX150S7f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V101	560,00	Phased out
	PY TX150S7f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V201	585,00	Phased out
	PY TX150S7f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V301	600,00	Phased out
	PY TX150S7f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V401	625,00	Phased out
	PY TX150S7r/LFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V601	605,00	Phased out
	PY TX150S7r/SFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V801	645,00	Phased out



PRIMERGY TX150 S8

The PRIMERGY TX150 S8 stands for reliable and expandable server performance for SMEs, branch offices and virtualized environments. New to the PRIMERGY TX150 platform: The Intel® Xeon® E5 processor family provides a maximum of expandability in an one-socket server. Future demand is perfectly covered by 5 PCIe Gen2/3 expansion slots, up to 96 GB of memory and up to 16 hard disk drives. At the same time the optional redundant power supply units and fans ensure stable and reliable computing. And of course: Fujitsu's innovative Cool-safe™ concept together with processors of the Intel® Xeon® E5-1400 and E5-2400 family guarantee best energy efficient performance.

Model	Description	Details	Product Code	EUP (€)	Comments
PRIMERGY TX150 S8					
Base unit configurations					
	PY TX150S8f/LFF/Standard PSU	Floorstand BU without processor and memory, incl. 1 standard power supply, lockable front bezel, 3 standard fans; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V101	665,00	
	PY TX150S8f/LFF/for hot-plug PSU	Floorstand BU without processor and memory and without a power supply, lockable front bezel, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V201	550,00	
	PY TX150S8f/SFF/Standard PSU	Floorstand BU without processor and memory, incl. 1 standard power supply, lockable front bezel, 3 standard fans; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V301	695,00	
	PY TX150S8f/SFF/for hot-plug PSU	Floorstand BU without processor and memory and without power supply, lockable front bezel, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V401	580,00	
	PY TX150S8r/LFF/Standard PSU	Rack optimized BU without processor and memory, incl. 1 standard power supply, 3 standard fans; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V501	680,00	



PRIMERGY TX150 S8

Model	Description	Details	Product Code	EUP (€)	Comments
PRIMERGY TX150 S8 (Continued)					
	Base unit configurations				
PY TX150S8r/LFF/for hot-plug PSU	Rack optimized BU without processor and memory and without a power supply, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.		S26361-K1424-V601	565,00	
PY TX150S8r/SFF/Standard PSU	Rack optimized BU without processor and memory incl. 1 standard power supply, 3 standard fans; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.		S26361-K1424-V701	710,00	
PY TX150S8r/SFF/for hot-plug PSU	Rack optimized BU without processor, memory and without power supply, 3 standard fans; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.		S26361-K1424-V801	600,00	



PRIMERGY TX200 S7

The PRIMERGY TX200 S7: a perfect server for SMEs, branch offices or virtualized environments in an attractive design. It offers dual processor performance combined with expandability and energy efficiency. With up to 16 2.5-inch hard disk drives, you can save on an external storage unit. The high energy efficiency minimizes costs. Moreover, a maximum of 192 GB of memory, redundancy features, and the Intel® Xeon® E5-2400 processor family performance allow you to make a great start into virtualization. The PRIMERGY TX200 S7 also lends itself as a database or communication server.

A tower to rack conversion kit protects your investment's lifetime. This great system strikes the right balance between price and performance.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX200 S7					
	PY TX200S7f/LFF/Standard PSU	Floorstand BU without processor and memory, incl. 1 standard power supply, lockable front bezel, 3 standard fans; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V101	825,00	
	PY TX200S7f/LFF/ for hot-plug PSU	Floorstand BU without processor and memory and without a power supply, lockable front bezel, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V201	710,00	
	PY TX200S7f/SFF/Standard PSU	Floorstand BU without processor and memory, incl. 1 standard power supply, lockable front bezel, 3 standard fans; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V301	855,00	
	PY TX200S7f/SFF/for hot-plug PSU	Floorstand BU without processor and memory and without power supply, lockable front bezel, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V401	740,00	
	PY TX200S7r/LFF/Standard PSU	Rack optimized BU without processor and memory; with 1 standard power supply, 3 standard fans; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates	S26361-K1404-V501	840,00	
	PY TX200S7r/LFF/for hot-plug PSU	Rack optimized BU without processor and memory and without a power supply, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V601	725,00	



PRIMERGY TX200 S7

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX200 S7 (Continued)					
	PY TX200S7r/SFF/Standard PSU	Rack optimized BU without processor and memory, incl. 1 standard power supply, 3 standard fans; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V701	870,00	
	PY TX200S7r/SFF/for hot-plug PSU	Rack optimized BU without processor and memory and without a power supply, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with graphic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates	S26361-K1404-V801	760,00	



PRIMERGY TX300 S7

The PRIMERGY TX300 S7 is a no compromise tower server with maximum levels of performance, expandability and availability. It combines the performance of Intel® Xeon® processors E5 family with up to two 6GB general-purpose computing on graphics processing units (GPGPU) for computationally intensive applications.

The expandability is excellent thanks to the 10 expansion slots and up to 24 2.5-inch hard disks. Thanks to the high availability offered by a choice of LAN cards, redundant fans and up to 4 hot-plug power supplies, the TX300 S7 is suited to database, virtualization or high performance computing scenarios. Moreover, the TX300 S7 power supplies reach energy efficiency levels of 94%, minimizing running costs and the environmental impact.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX300 S7					
PY TX300S7 LFF	Floorstand BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1390-V101	1.080,00	
PY TX300S7 SFF	Floorstand BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1390-V201	1.080,00	



Tower Servers Accessories																						
Tape Kit LT05HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																			S26361-F3627-L1	2,220.00	
SCSI/RAID/SAS controller																						
68-Pin Kit for accessible drives	Cable with terminator																					
RAID Ctrl BBU Upgrade S244ELP LSI	BBU Upgrade for LSI S244ELP																					
RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctrl. F3257 256MB and 512MB																					
RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI" incl. cable 16cm, 55cm, 70cm																					
RAID Contr BBU Upgrade for RAID 5/6 C	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI" incl. cable 16cm, 55cm, 70cm																					
RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports																					
SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile																					
SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R																					
SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile																					
SAS Ctrl 6G 8ext PCIe FH/LP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2008																					
RAID (CAR) F. TX100 S3	TFM module for "RAID Ctrl SAS 6G 1GB (D3116)"																					
TFM Module for FBU option on D3116	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 25/55/70cm cable																					
RAID Ctrl FBU option w/ 25/55/70cm cable	CacheCade 2.0 and FastPath license key																					
MegaRAID Advanced Software Options Int	CacheCade 2.0 and FastPath license key																					
MegaRAID Advanced Software Options ext.	RAID-Ctrl, LSI MegaRAID SAS 5286CV-8e, PCIe 3.0 x8, 1GB Cache with ECC, 8 external ports, optional FBU, FH and LP bracket																					
RAID Ctrl SAS 6G 8Port ex 1GB LSI V3	optional BBU for LSI MegaRAID SAS880E RAID-Ctrl, LSI MegaRAID SAS880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU																					
RAID Ctrl SAS 8Port ext remote BBU LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU																					
RAID Ctrl SAS 8Port ex 512M FH/LP LSI	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports																					
RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports																					
RAID CABLE TX100 S2	für nachträgliche Hochrüstung mit einem RAID Controller																					
RAID Ctrl SAS 6G 8Port ex 1GB FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS2285-8e, PCIe 3.0 x8, 1GB Cache with ECC, 8 external ports, optional FBU, FH and LP bracket																					
RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port																					
RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports																					
RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports																					
RAID Ctrl SAS 6G 1GB (D3116C)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 3.0 x8, 8 internal ports																					
SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS.																					
Fibre Channel																						
FC Ctrl 2x4GB/s QLE2462 MMF LC	QLE2462, 4GB/s, 2 channel FC controller, PCIe x4, full height, MMF LC interface. This controller is in PRIMERGY server not certified for Microsoft Cluster.																					
FC CTRL 8GBIT/S LPE1250 MMF LC FH	1 channel 8GB/s FC controller, PCI intergrace, PCIe 2.0 x8, Optics: 8GB short wave lasers with LC type connectors																					
FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/s FC controller, PCI intergrace, PCIe 2.0 x8, Optics: 8GB short wave lasers with LC type connectors																					
PFC EP LPe16000	1 channel 16GB/s FC controller, PCI intergrace, PCIe 3.0 x8; backwards compatible to PCIe 2.0. Optics: 16GB short wave lasers with LC type connectors. Bracket: low profile bracket mounted, full height bracket attached																					
PFC EP LPe16002	2 channel 16GB/s FC controller, PCI intergrace, PCIe 3.0 x8; backwards compatible to PCIe 2.0. Optics: 16GB short wave lasers with LC type connectors. Bracket: low profile bracket mounted, full height bracket attached																					
FC Ctrl 4GB/s LPe1150 MMF LC	LPe1150, 4GB/s, 1-channel FC controller, PCIe x4, MMF LC interface																					
FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/s FC controller, PCI intergrace, PCIe 2.0 x8, backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors																					
FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/s FC controller, PCI intergrace, PCIe 2.0 x8, backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors																					
Communication/Network																						
Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter																					
Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu Io	Intel Pro 1000PT 2 Port Server Adapter																					
Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter																					
Eth Ctrl 1x1GBit PCIe Pro/1000PT LC Io	Intel® Pro 1000PT 1 Port Server Adapter																					
Eth Ctrl 1x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full height bracket																					
Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu Io	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket																					
Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter																					
Eth Ctrl 1x1GBit PCIe CT Desktop Cu Io	Intel® GBit CT 1 Port Desktop Adapter Io																					
Eth Ctrl 4x1GBit Cu PCIe x4 D3045	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu PCIe x4 D3045, Based on Intel LAN controller chip 82579AM, Usable with original Intel driver kit																					
Eth Ctrl 2x1GBit Cu PCIe x4 D3035	Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCIe x4 D3035, Based on Intel LAN controller chip 82579AM2, Usable with original Intel driver kit																					
Eth Ctrl 2x10GBase-T PCIe x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBase-T PCIe x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable with original Intel driver kit																					
Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu Io	Intel® Pro 1000PT 1 Port Server Adapter																					
FCoE Ctrl 10GB/s 2 channel OCE10102 MMF	2 Channel 10GB/s FCoE Controller, PCIe 2.0 x8, SFP+ for opt. module or Twinax cable																					
Category Description																						
Accessories & services matrix																						
Communication/Network (Continued)																						
Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82579ENS, Usable with original Intel® driver kit																					
Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit																					
Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables																					
Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+																					
Shared 10GB Management LAN kit	SFP+ module only for use in FCoE Ctrl OCE10102																					
SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCE10102																					
IB HCA 40GB 1 Kanal QDR	InfiniBand HCA 40GB/s, 1-port, QDR, Appropriate cables: InfiniBand Cu Kabel 40GB, 4x QSFP, 1m (S26361-F3996-L101) or 3m (S26361-F3996-L103)																					



Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX200 S8	PRIMERGY TX200 S9	PRIMERGY TX200 S10	Product Code	EUR (€)	Comments							
Tower Servers Accessories	HCA 40GB 1 port ODR enhanced	InfiniBand HCA 40GB/s, 1-port, ODR, enhanced																																	S26361-F4475-L103	685,00					
	HCA 40GB 2 port ODR enhanced	InfiniBand HCA 40GB/s, 2-port, ODR, enhanced																																		S26361-F4475-L203	1.060,00				
Tower Servers Accessories	Eth. Ctrl 2x1 GbE PCI-X PRO/1000MT Cu Parallel Interface LP	Intel Pro 1000MT 2 Port Server Adapter 1x 25 Pin D-Sub parallel, occupies internal parallel interface and one slot	x	x																															S26361-F3011-L1	225,00	Phased out				
																																				S26361-F2542-L30	13,00				
Rack-Infrastructure	Conversion kit TX100 S6 Floor-> Rack	for conversion of a floorstand BU to rack BU																																		S26361-F17291-250	175,00	Phased out			
	Conversion kit Floor BU to Rack BU	for conversion of a floorstand BU to rack BU																																			S26361-F17291-260	100,00			
	Conversion kit PRY TX200 S5 Floor-> Rack	for conversion of a floorstand BU to rack BU																																			S26361-F2618-L260	100,00			
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	Telescopic full extract, drop-in mount., vario-cable for toolless mounting, max. load 50 kg., Rack installation depth (19" pillar distance) between 714mm and 785mm																																			S26361-F2735-L202	65,00			
	Rack Mount Kit F2-C S7 LV	Rack Mount Kit (RMK) for server more than 2 height units (U) or max 50 Kg (P2) with Quick-Release-Lever (QRL), Drop in telescope rails (DI) 781mm long, full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cables management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).																																			S26361-F2735-L285	100,00			
	Rack Mount Kit F2 S7 LV	Rack Mount Kit (RMK) for server max. 2 height units (U) or max. 35 Kg (P1) with Quick-Release-Lever (QRL), Drop in telescope rails (DI) 736mm long, full extraction 815mm, Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).																																			S26361-F2735-L286	100,00			
	Adapter angle PC/DC-Rack, 3U till 200Kg case not see. MS=1-5mm	Adapter angle PC/DC-Rack, 3U till 200Kg Content: 5U																																				S26361-F2735-L31	30,00		
	Conversion Kit TX200S7/150S8 std.to red.	for conversion of a std. BU to red. BU																																				S26361-F2794-L1500	50,00		
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks																																				S26361-F3699-L1	110,00		
	1 U cable arm, dragged	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks, dragged for PRIMECENTER and 3rd-party racks																																				S26361-F3699-L1	110,00		
Rack Cable Management Arm 2U	Loss Delivery Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER and 3rd-party racks, can only be mounted at RMKs with CMA adapter.																																				S26361-F2735-L8	40,00			
cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.																																					S26361-F2735-L62	30,00		
																																						S26361-F2201-L20	50,00		
PRIMERGY-Software	IRMC advanced pack	, On top of standard IRMC features, the IRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage. , Advanced Video Redirection (AVR) , System-independent graphics and text console redirection, including the keyboard and mouse. , Remote access to permit boot monitoring, BIOS administration and interaction with the operating system. , Remote Storage. , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options: , Reading/writing of data. , Booting from Remote Storage. , Installation of drivers or small applications. , Remote BIOS update (BIOS update via USB). , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device: , Floppy disk. , CD-ROM / DVD-ROM. , USB memory device (e.g.																																				S26361-F1790-L240	305,00		
	IRMC S2 advanced pack	, On top of standard IRMC features, the IRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage. , Advanced Video Redirection (AVR) , System-independent graphics and text console redirection, including the keyboard and mouse. , Remote access to permit boot monitoring, BIOS administration and interaction with the operating system. , Remote Storage. , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options: , Reading/writing of data. , Booting from Remote Storage. , Installation of drivers or small applications. , Remote BIOS update (BIOS update via USB). , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device: , Floppy disk. , CD-ROM / DVD-ROM. , USB memory device (e.g.																																				S26361-F1790-L241	305,00		
Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX200 S8	PRIMERGY TX200 S9	PRIMERGY TX200 S10	Product Code	EUR (€)	Comments							
Accessories & services matrix																																									
PRIMERGY-Software (Continued)																																									
	IRMC S3 advanced pack	, On top of standard IRMC features, the IRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage. , Advanced Video Redirection (AVR) , System-independent graphics and text console redirection, including the keyboard and mouse. , Remote access to permit boot monitoring, BIOS administration and interaction with the operating system. , Remote Storage. , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options: , Reading/writing of data. , Booting from Remote Storage. , Installation of drivers or small applications. , Remote BIOS update (BIOS update via USB). , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device: , Floppy disk. , CD-ROM / DVD-ROM. , USB memory device (e.g.																																					S26361-F1790-L242	305,00	
	VMware STD AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA . . . , Mandatory 1 year Service Pack needed!																																				S26361-F2341-L760	6.710,00		
	VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA . . . , Mandatory 3 year Service Pack needed!																																				S26361-F2341-L761	6.710,00		
	VMware vCloud Suite STD w/o SP-1yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard. Mandatory 1 year Support Pack needed!																																				S26361-F2341-L766	4.805,00		
	VMware vCloud Suite STD w/o SP-3 yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard. Mandatory 3 years Support Pack needed!																																				S26361-F2341-L767	4.805,00		
	VMware vCloud Suite ADV w/o SP-1yr	Each vCloud Advanced Suite includes Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced. , Mandatory 1 year Support Pack																																				S26361-F2341-L768	7.205,00		
	VMware vCloud Suite ADV w/o SP-3 yr	Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced. , Mandatory 3 years Support Pack																																				S26361-F2341-L769	7.205,00		



Tower Servers Accessories

Category	Description	Details	PRIMERGY-Software (Continued)	Product Code	EUP (€)	Comments
DG/DE Kit WinSvr 2008 R2 SP1 Standard	DG/DE Kit WinSvr 2008 R2 SP1 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for Special Release to eva.nierobats.fujitsu.com.	x x x x x x x x x x x x		S26361-F2567-L482	70.00	
DG/DE Kit WinSvr 2008 SP2 Datacenter	DG/DE Kit WinSvr 2008 SP2 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for Special Release to eva.nierobats.fujitsu.com.	x x x x x x x x x x x x		S26361-F2567-L483	70.00	
DG/DE Kit WinSvr 2008 SP2 Enterprise	DG/DE Kit WinSvr 2008 SP2 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for Special Release to eva.nierobats.fujitsu.com.	x x x x x x x x x x x x		S26361-F2567-L484	70.00	
DG/DE Kit WinSvr 2008 SP2 Standard	DG/DE Kit WinSvr 2008 SP2 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for Special Release to eva.nierobats.fujitsu.com.	x x x x x x x x x x x x		S26361-F2567-L485	70.00	
ServerView Deployment Mgr 6 Single Lic.	Single license for operation of one client server (managed node) - no software!	x x x x x x x x x x x x		U15000-C302	140.00	
ServerView Dept. Mgr. 6 Single Upgrade	for upgrades of one x single license to version 6.x - no software!	x x x x x x x x x x x x		U15000-C303	70.00	
PRIMERGY MultiPath MPIO Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO, CD-ROM and License.	x x x x x x x x x x x x		S26361-F2565-L592	445.00	
PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003, CD-ROM and License.	x x x x x x x x x x x x		S26361-F2565-L593	885.00	
PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath, CD-ROM and License.	x x x x x x x x x x x x		S26361-F2565-L594	445.00	
PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003, CD-ROM and License.	x x x x x x x x x x x x		S26361-F2565-L595	885.00	
Win Svr 2008 R2 SP1 Foundation 1CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD. License.	x x x x x x x x x x x x		S26361-F2567-L301	175.00	
Win Svr 2008 R2 SP1 Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dct (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD. License.	x x x x x x x x x x x x		S26361-F2567-L331	2,895.00	
Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License for 1 device, License.	x x x x x x x x x x x x		S26361-F2567-L340	88.00	
Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License for 5 devices, License.	x x x x x x x x x x x x		S26361-F2567-L341	395.00	
Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License for 1 user, License.	x x x x x x x x x x x x		S26361-F2567-L342	98.00	
Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License for 5 users, License.	x x x x x x x x x x x x		S26361-F2567-L343	450.00	
Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT, ROK Recovery DVD Media Kit, COA, License	x x x x x x x x x x x x		S26361-F2567-L360	790.00	
Win Svr 2008 R2 SP1 Enterpr w/10CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD. License.	x x x x x x x x x x x x		S26361-F2567-L321	1,820.00	
Win Svr 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD. License.	x x x x x x x x x x x x		S26361-F2567-L311	570.00	
Win SBS Standard 2011 w/5CAL ROK EN	Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L350	655.00	
Win SBS Standard 2011 w/5CAL ROK DE	Windows Small Business Server Standard 2011 with 5 CAL, ROK, German, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L351	655.00	
Win SBS Standard 2011 w/5CAL ROK IT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L352	885.00	
Win SBS Standard 2011 w/5CAL ROK FR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, French, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L353	655.00	
PRIMERGY-Software (Continued)						
Win SBS Standard 2011 w/5CAL ROK ES	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L354	655.00	
Win SBS Standard 2011 w/5CAL ROK CS	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L355	655.00	
Win SBS Standard 2011 w/5CAL ROK PT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Portuguese, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L356	655.00	
Win SBS Standard 2011 w/5CAL ROK NL	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L357	655.00	
Win SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L358	660.00	
Win SBS Standard 2011 w/5CAL ROK HU	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L359	660.00	
Win SBS 2011 Prem Add-On w/5CAL ROK EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L370	955.00	
Win SBS 2011 Prem Add-On w/5CAL ROK DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L371	950.00	
Win SBS 2011 Prem Add-On w/5CAL ROK IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L372	950.00	
Win SBS 2011 Prem Add-On w/5CAL ROK FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L373	950.00	
Win SBS 2011 Prem Add-On w/5CAL ROK ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish, DVD Media set, COA, License	x x x x x x x x x x x x		S26361-F2567-L374	950.00	
Win SBS 2011 CAL Suite (1 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 Device); multi-language CAL.	x x x x x x x x x x x x		S26361-F2567-L380	47.00	
Win SBS 2011 CAL Suite (1 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User); multi-language CAL.	x x x x x x x x x x x x		S26361-F2567-L381	47.00	
Win SBS 2011 CAL Suite (5 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Devices); multi-language CAL.	x x x x x x x x x x x x		S26361-F2567-L382	215.00	
Win SBS 2011 CAL Suite (5 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Users); multi-language CAL.	x x x x x x x x x x x x		S26361-F2567-L383	215.00	
Win SBS 2011 Prem Add-on CAL (1 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 Device); multi-language CAL.	x x x x x x x x x x x x		S26361-F2567-L384	58.00	
Win SBS 2011 Prem Add-on CAL (1 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 User); multi-language CAL.	x x x x x x x x x x x x		S26361-F2567-L385	58.00	
Win SBS 2011 Prem Add-on CAL (5 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Devices); multi-language CAL.	x x x x x x x x x x x x		S26361-F2567-L386	275.00	
Win SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Users); multi-language CAL.	x x x x x x x x x x x x		S26361-F2567-L387	275.00	
Win Svs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x x x x x x x x x x x x		S26361-F2567-L391	25.00	
Win Svs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x x x x x x x x x x x x		S26361-F2567-L390	25.00	
PRIMERGY ServerView Suite subscription.	Subscription for 1 year with about 10 releases. The subscription is licensed only for PRIMERGY servers.	x x x x x x x x x x x x		U15000-C176	215.00	
ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x x x x x x x x x x x x		U15000-C289	25.00	



Tower Servers Accessories

Category	Description	Details																Product Code	EU P (€)	Comments
Accessories & services matrix																				
PRIMERGY-Software (Continued)																				
	Debian FSE Standard Support 1 year																	S26361-F2346-L420	57,00	
	Debian FSE Standard Support 3 years																	S26361-F2346-L421	95,00	
	Debian FSE Priority Support 1 year																	S26361-F2346-L422	195,00	
	Debian FSE Priority Support 3 years																	S26361-F2346-L423	495,00	
	UBUNTU FSE Standard Support 1 year																	S26361-F2346-L424	57,00	
	UBUNTU FSE Standard Support 3 years																	S26361-F2346-L425	95,00	
	UBUNTU FSE Priority Support 1 year																	S26361-F2346-L426	195,00	
	UBUNTU FSE Priority Support 3 years																	S26361-F2346-L427	495,00	
	VMware Upgrade ESXi to STD w/o SP-1yr																	S26361-F2341-S701	895,00	
	VMware Upgrade ESXi to STD w/o SP-3yr																	S26361-F2341-S702	895,00	
	VMware Upgrade ESXi to ENT w/o SP-1yr																	S26361-F2341-S703	2.585,00	
	VMware Upgrade ESXi to ENT w/o SP-3yr																	S26361-F2341-S704	2.585,00	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr																	S26361-F2341-S705	3.145,00	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr																	S26361-F2341-S706	3.145,00	
	VMware vSphere STD w/o SP-1yr																	S26361-F2341-L707	960,00	
	VMware vSphere STD w/o SP-3yr																	S26361-F2341-L708	960,00	
	VMware vSphere ENT w/o SP-1yr																	S26361-F2341-L709	2.760,00	
	VMware vSphere ENT w/o SP-3yr																	S26361-F2341-L710	2.760,00	
	VMware vSphere ENT-PL w/o SP-1yr																	S26361-F2341-L711	3.365,00	
	VMware vSphere ENT-PL w/o SP-3yr																	S26361-F2341-L712	3.365,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr																	S26361-F2341-L732	16.830,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr																	S26361-F2341-L733	16.830,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr																	S26361-F2341-L734	21.110,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr																	S26361-F2341-L735	21.110,00	
	VMware Essentials-PL w/o SP-1yr																	S26361-F2341-L740	3.320,00	
	VMware Essentials-PL w/o SP-3yr																	S26361-F2341-L741	3.320,00	
	VMware Upgrade STD to ENT w/o SP-1yr																	S26361-F2341-S716	1.855,00	
	VMware Upgrade STD to ENT w/o SP-3yr																	S26361-F2341-S717	1.855,00	
	VMware Upgrade STD to ENT-PL w/o SP-1yr																	S26361-F2341-S718	2.475,00	
	VMware Upgrade STD to ENT-PL w/o SP-3yr																	S26361-F2341-S719	2.475,00	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr																	S26361-F2341-S720	614,00	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr																	S26361-F2341-S721	614,00	
	VMware Upgrade VCS FND to STD w/o SP-1yr																	S26361-F2341-S728	3.465,00	
	VMware Upgrade VCS FND to STD w/o SP-3yr																	S26361-F2341-S729	3.465,00	
	VMware vSphere 5 Media Kit OEM																	S26361-F2341-L300	80,00	
	VMware vSphere Embedded UFM Device DIS																	S26361-F2341-D431	60,00	
	VMware vSphere STD w/o SP-1yr																	S26361-F2341-D707	895,00	
	VMware vSphere STD w/o SP-3yr																	S26361-F2341-D708	895,00	
	VMware vSphere ENT w/o SP-1yr																	S26361-F2341-D709	2.585,00	
	VMware vSphere ENT w/o SP-3yr																	S26361-F2341-D710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr																	S26361-F2341-D711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr																	S26361-F2341-D712	3.145,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr																	S26361-F2341-D732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr																	S26361-F2341-D733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr																	S26361-F2341-D734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr																	S26361-F2341-D735	19.750,00	
	VMware Essentials-PL w/o SP-1yr																	S26361-F2341-D740	3.105,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 SSp	PRIMERGY TX120 SSp	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix												
Approvals/dependencies												
	ENABLING LOW NOISE MODE TX150 TX200							x	x	S26361-F3776-E2	3,00	
	ENABLING LOW NOISE MODE TX300								x	S26361-F3776-E3	3,00	
Processor												
	Intel Pentium G640 2C/2T 2.80 GHz 3 MB	Intel Pentium processor G640 (2C/2T, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink	x	x	x					S26361-F3579-E264	105,00	Phased out
	Intel Pentium G2120 2C/2T 3.10 GHz 3 MB	Intel Pentium processor G2120 (2C/2T, 3.10 GHz, TLC: 3 MB, Turbo: No, 1600 MHz, 55 W) without heat sink	x	x	x					S26361-F3580-E221	125,00	
	Intel Core i3-3220 2C/4T 3.30 GHz 3 MB	Intel Core i3-3220 processor (2C/4T, 3.30 GHz, TLC: 3 MB, Turbo: No, 1600 MHz, 55 W) without heat sink	x	x	x					S26361-F3580-E222	190,00	
	Intel Xeon E3-1220Lv2 2C/4T 2.30GHz 3MB	Intel Xeon processor E3-1220Lv2 (2C/4T, 2.30 GHz, TLC: 3 MB, Turbo: Yes, 1600 MHz, 17 W) without heat sink			x					S26361-F3580-E312	335,00	
	Intel Xeon E3-1265Lv2 4C/8T 2.50GHz 8 MB	Intel Xeon processor E3-1265Lv2 (4C/8T, 2.50 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 45 W) without heat sink			x	x				S26361-F3580-E316	480,00	
	Intel Xeon E3-1220v2 4C/4T 3.10 GHz 8 MB	Intel Xeon processor E3-1220v2 (4C/4T, 3.10 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x	x	x					S26361-F3580-E322	335,00	
	Intel Xeon E3-1230v2 4C/8T 3.30 GHz 8 MB	Intel Xeon processor E3-1230v2 (4C/8T, 3.30 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x	x	x					S26361-F3580-E323	370,00	
	Intel Xeon E3-1270v2 4C/8T 3.50 GHz 8 MB	Intel Xeon processor E3-1270v2 (4C/8T, 3.50 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink				x				S26361-F3580-E327	530,00	
	Intel Xeon E5-2403 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x	x		S26361-F3684-E180	260,00	
	Intel Xeon E5-2407 4C/4T 2.20 GHz 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x	x		S26361-F3684-E220	320,00	
	Intel Xeon E5-2420 6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x	x		S26361-F3723-E190	490,00	
	Intel Xeon E5-2430 6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x	x		S26361-F3723-E220	660,00	
	Intel Xeon E5-2440 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x	x		S26361-F3723-E240	1.000,00	
	Intel Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink					x	x		S26361-F3724-E210	1.210,00	
	Intel Xeon E5-2470 8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink						x		S26361-F3724-E230	1.655,00	
	Intel Xeon E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink					x	x		S26361-F3725-E200	790,00	
	Intel Pentium 1403 2C/2T 2.60 GHz 5 MB	Intel Pentium processor 1403 (2C/2T, 2.60 GHz, TLC: 5 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x			S26361-F3726-E260	290,00	
	Intel Xeon E5-1410 4C/8T 2.80 GHz 10 MB	Intel Xeon processor E5-1410 (4C/8T, 2.80 GHz, TLC: 10 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink					x			S26361-F3751-E280	550,00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink						x		S26361-F3685-E180	295,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink						x		S26361-F3685-E240	400,00	
	Intel Pentium G6950 2C 2.80 GHz 3 MB	Intel Pentium processor G6950 (2C, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 73 W) without heat sink				x				S26361-F3588-E280	170,00	Phased out
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x		S26361-F3676-E200	540,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x		S26361-F3676-E230	775,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x		S26361-F3676-E250	1.105,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink						x		S26361-F3686-E200	1.320,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink						x		S26361-F3686-E220	1.590,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink						x		S26361-F3686-E260	1.830,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix												
Processor (Continued)												
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink							x	S26361-F3686-E270	2.055,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink							x	S26361-F3686-E290	2.420,00	
	Intel Core i3-540 2C/4T 3.06 GHz 4 MB	Intel Core i3-540 processor (2C/4T, 3.06 GHz, TLC: 4 MB, Turbo: No, 1333 MHz, 73 W) without heat sink				x				S26361-F3587-E306	215,00	Phased out
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink							x	S26361-F3687-E290	1.830,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink							x	S26361-F3687-E300	1.105,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink							x	S26361-F3687-E330	1.105,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink							x	S26361-F3688-E180	1.320,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink							x	S26361-F3688-E200	845,00	
	Intel Xeon X3430 4C/4T 2.40 GHz 8 MB	Intel Xeon processor X3430 (4C/4T, 2.40 GHz, TLC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W) without heat sink				x				S26361-F3578-E343	370,00	Phased out
	Intel Xeon X3450 4C/8T 2.66 GHz 8 MB	Intel Xeon processor X3450 (4C/8T, 2.66 GHz, TLC: 8 MB, Turbo: 1/1/4/4, 1333 MHz, 95 W) without heat sink				x				S26361-F3578-E345	455,00	Phased out
Memory												
	2GB (1x2GB) 1Rx8 DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	x	x	x					S26361-F3719-E513	50,00	
	4GB (1x4GB) 2Rx8 DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	x	x	x					S26361-F3719-E514	75,00	
	8GB (1x8GB) 2Rx8 DDR3-1600 U ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	x	x	x					S26361-F3719-E515	130,00	
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM				x				S26361-F3335-E514	50,00	Phased out
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM				x				S26361-F3335-E515	75,00	Phased out
	2 GB DDR3 1333 MHz PC3-10600 rg s/d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM				x				S26361-F3336-E514	45,00	Phased out
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM				x				S26361-F3336-E515	85,00	Phased out
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM				x				S26361-F3336-E516	145,00	Phased out
Memory Modules												
	Independent Mode Installation	No specific memory RAS features are defined				x	x	x		S26361-F3694-E10	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory							x	S26361-F3694-E2	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory				x	x			S26361-F3695-E2	5,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory						x		S26361-F3694-E1	5,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory					x	x		S26361-F3695-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory,							x	S26361-F3694-E3	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory,					x	x		S26361-F3695-E3	5,00	
	2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM					x	x	x	S26361-F3694-E513	50,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM					x	x	x	S26361-F3694-E514	75,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC								x	S26361-F3695-E514	95,00	
	4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F3696-E514	85,00	
	8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F3696-E515	125,00	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM					x	x	x	S26361-F3697-E514	95,00	
	8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM					x	x	x	S26361-F3697-E515	145,00	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM					x	x	x	S26361-F3697-E516	260,00	
	16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM							x	S26361-F3698-E516	400,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 SSp	PRIMERGY TX120 SSp	PRIMERGY TX140 S1P	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix												
Memory Modules (Continued)												
	32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM							x	S26361-F3698-E517	885,00	
Graphics												
	PY NVIDIA Tesla K20 GPGPU	NVIDIA Tesla K20 PCIe-x16 GPGPU card for TX300 S7ff ; RX350 S7ff; for HPC purposes no Graphic Output							x	S26361-F2222-E22	4.475,00	
	PY NVIDIA Tesla K20X GPGPU	NVIDIA Tesla K20X PCIe-x16 GPGPU card for TX300 S7ff ; RX350 S7ff; for HPC purposes no Graphic Output							x	S26361-F2222-E24	6.450,00	
	Front-VGA Interface	2nd optional VGA interface front side							x	S26361-F2571-E26	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCI-e x1 graphic card	x	x	x	x	x	x	x	S26361-F2748-E537	135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCI-e x1 graphic card, low profile		x						S26361-F2748-E637	135,00	
	PY NVIDIA Tesla C2075 GPGPU	NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte for TX300 S7 / RX350 S7							x	S26361-F2856-E997	2.675,00	
	PY GPGPU Cable Kit	Cable Kit to install up to 2 GPGPUs; Includes an universal PCI card holder and screws							x	S26361-F3736-E1	80,00	
	PY K20 / K20X mounting kit	Mounting and Cable Kit to install up to 2 NVIDIA K20 or K20X GPGPU cards; Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x GPGPU K20 or K20X							x	S26361-F3736-E2	95,00	
	PY Intel Xeon Phi mounting kit	Mounting and Cable Kit to install up to 2 Intel Xeon Phi 5110P or 7120P Co-Processor cards; Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x Xeon Phi 5110P or 7120P							x	S26361-F3736-E5	95,00	
	Intel Xeon Phi Co-Processor 5110P	Intel Xeon Phi 5110P PCIe-x16 Co-Processor card for CX270 S2; TX300 S7ff ; RX350 S7ff; for HPC purposes no Graphic Output							x	S26361-F4100-E511	3.895,00	
Removable Media Drives												
	MountingKit DVD(sI)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD						x	x	S26361-F2826-E106	90,00	
	Mounting Kit for 8x SAS SFF HDD	Extension Box for 8x 2.5" hotplug HDD						x	x	S26361-F2826-E426	130,00	
	MountingKit DVD(sI)+4x SAS/SATA LFF HDD	for slim DVD, 4x HDD							x	S26361-F2826-E436	110,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height	x	x		x	x			S26361-F3641-E4	165,00	
	USB3.0 PCIe x1 adapter card	USB 3.0 adapter card to connect one internal USB 3.0 RDX drive and one external USB 3.0 device.	x	x	x	x	x	x	x	S26361-F3749-E1	25,00	
	MountingKit DVD(sI) + LSD	for slim DVD, 1x Local Service Display						x	x	S26361-F2826-E205	30,00	
	MountingKit DVD(sI)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display					x			S26361-F2826-E204	30,00	
	ExtensionKit 4x SAS LFF HDD	HDD Extension for 4x LFF hotplug HDD							x	S26361-F2826-E335	80,00	
	MountingKit DVD(sI)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD							x	S26361-F2826-E105	65,00	
	ExtensionKit 8x SAS SFF HDD	HDD Extension for 8x SFF hotplug HDD							x	S26361-F2826-E325	90,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black		x		x	x	x	x	S26361-F3269-E2	95,00	
	MountingKit 8x SAS SFF HDD	Extension Box for 8x 2.5" hotplug HDD							x	S26361-F2826-E425	90,00	
	MountingKit DVD(sI)+4x SAS LFF HDD	for slim DVD, 4x HDD							x	S26361-F2826-E435	90,00	
	SAS Expander 2x4 In / 6x4 Out	SAS Expander 2x4 In / 6x4 Out							x	S26361-F3668-E1	255,00	
	Adapter Kit for 2nd RAID Controller	Adapter Kit for 2nd RAID Controller							x	S26361-F3673-E1	20,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height		x		x	x	x	x	S26361-F3641-E2	165,00	
	USB3.0 PCIe x1 adapter card lp	USB 3.0 adapter card to connect one internal USB 3.0 RDX drive and one external USB 3.0 device		x						S26361-F3749-E201	25,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x	x	x	x	x	x	x	S26361-F3266-E2	35,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x	x	x	x	x	x	x	S26361-F3267-E2	60,00	
	RDX 320 5.25"	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel., With 320GB Cartridge	x	x	x	x	x	x	x	S26361-F3750-E324	285,00	
	RDX 320 3.5"	RDX Drive USB 3.0 100MB/s 3.5" intern with 320GB cartridge, USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.		x						S26361-F3750-E325	285,00	
	RDX 500 5.25"	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel., With 500GB Cartridge	x	x	x	x	x	x	x	S26361-F3750-E504	375,00	
	RDX 500 3.5"	RDX Drive USB 3.0 100MB/s 3.5" intern with 500GB cartridge, USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.		x						S26361-F3750-E505	375,00	
	RDX 1000 5.25"	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel., With 1000GB Cartridge	x	x	x	x	x	x	x	S26361-F3750-E604	420,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 SSp	PRIMERGY TX120 SSp	PRIMERGY TX140 S1P	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Removable Media Drives (Continued)												
	RDX 1000 3.5"	RDX Drive USB 3.0 100MB/s 3.5" intern with 1000GB cartridge, USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.	x							S26361-F3750-E605	420,00	
	RDX Drive USB3.0 5.25" internal	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.	x	x	x	x	x	x	x	S26361-F3750-E4	210,00	
	RDX Drive USB 3.0 3.5" internal	RDX Drive USB 3.0 100MB/s 3.5" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black beze.		x						S26361-F3750-E5	210,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge	x	x	x	x	x	x	x	S26361-F3324-E4	505,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge		x						S26361-F3324-E5	505,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge	x	x	x	x	x	x	x	S26361-F3325-E4	735,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge		x						S26361-F3325-E2	735,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge			x	x	x	x	x	S26361-F3561-E4	1.410,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge			x	x	x	x	x	S26361-F3626-E2	1.825,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge			x	x	x	x	x	S26361-F3627-E1	2.220,00	
Hard Disks												
	HD SATA 3G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic				x				S26361-F3293-E250	160,00	
	HD SATA 6G 4TB 7.2K NO HOT P 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x						S26361-F3671-E400	670,00	Orderable from: 23/08/2013
	HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic			x	x	x			S26361-F3700-E250	160,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, economic			x	x	x			S26361-F3700-E500	205,00	
	HD SATA 6G 250GB 7.2K NO HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x	x						S26361-F3701-E250	160,00	
	HD SATA 6G 500GB 7.2K NO HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x	x						S26361-F3701-E500	205,00	
	HD SATA 1TB 5.4K 2.5" HOT PL ECO	HDD SATA, 320 GB, 5400 rpm, non hot plug, 2.5-inch, economic			x		x			S26361-F3797-E100	255,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical			x		x	x	x	S26361-F3670-E500	210,00	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical		x	x		x	x	x	S26361-F3708-E250	225,00	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical		x	x		x	x	x	S26361-F3708-E500	255,00	
	HD SAS 6G 1TB 7.2K HOT PL 3.5" BC	HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x		x	x	x	S26361-F5241-E100	325,00	Orderable from: 04/07/2013
	HD SAS 6G 2TB 7.2K HOT PL 3.5" BC	HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x		x	x	x	S26361-F5241-E200	485,00	Orderable from: 04/07/2013
	HD SAS 6G 3TB 7.2K HOT PL 3.5" BC	HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x		x	x	x	S26361-F5241-E300	760,00	Orderable from: 04/07/2013
	HD SAS 6G 4TB 7.2K HOT PL 3.5" BC	HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x		x	x	x	S26361-F5241-E400	870,00	Orderable from: 04/07/2013
	HD SATA 6G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x		x	x	x	S26361-F3670-E100	255,00	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical		x	x		x	x	x	S26361-F3708-E100	410,00	
	HD SATA 6G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x		x	x	x	S26361-F3670-E200	440,00	
	SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	S26361-F5225-E100	465,00	
	SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	S26361-F5225-E200	995,00	
	SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	S26361-F5225-E400	2.205,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x	x	x	S26361-F5247-E130	255,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x	x	x	S26361-F5247-E145	370,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x	x	x	S26361-F5247-E160	450,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x	x	x	S26361-F5247-E190	635,00	
	HD SATA 6G 3TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x		x	x	x	S26361-F3670-E300	600,00	
	HD SATA 6G 4TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x		x	x	x	S26361-F3670-E400	670,00	Orderable from: 23/08/2013



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix												
Hard Disks (Continued)												
	HD SATA 6G 500GB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x						S26361-F3671-E500	210,00	
	HD SAS 6G 500GB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical		x	x		x	x	x	S26361-F5228-E500	270,00	
	HD SATA 3G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical			x	x				S26361-F3294-E500	210,00	
	HD SATA 6G 1TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x						S26361-F3671-E100	250,00	
	HD SAS 6G 1TB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical		x	x		x	x	x	S26361-F5228-E100	450,00	
	HD SATA 6G 2TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x						S26361-F3671-E200	440,00	
	HD SATA 3G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x				S26361-F3294-E100	250,00	
	HD SATA 6G 3TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x						S26361-F3671-E300	600,00	
	HD SATA 3G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x			x	S26361-F3294-E200	440,00	
	HD SATA 3G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x				S26361-F3601-E250	225,00	
	HD SATA 3G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x				S26361-F3601-E500	255,00	
	HD SATA 3G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical				x				S26361-F3601-E100	410,00	
	HD SAS 6G 300GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x	x	x	x	x	S26361-F4005-E530	370,00	
	HD SAS 6G 450GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x	x	x	x	x	S26361-F4005-E545	395,00	
	HD SAS 6G 600GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x	x	x	x	x	S26361-F4005-E560	430,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise		x	x	x	x	x		S26361-F4482-E130	255,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise		x	x	x	x	x		S26361-F4482-E145	370,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise		x	x	x	x	x		S26361-F4482-E160	450,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise		x	x	x	x	x	x	S26361-F4482-E190	635,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise		x	x	x	x	x		S26361-F4482-E514	295,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise		x	x	x	x	x	x	S26361-F4482-E530	495,00	
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise					x	x	x	S26361-F4541-E100	1.795,00	Phased out
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise					x	x	x	S26361-F4541-E400	6.180,00	
	SSD SAS 6G 100GB MLC HOT PL 2.5" EP PERF	SSD (Solid State Drives), 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise					x	x	x	S26361-F4581-E100	900,00	
	SSD SAS 6G 200GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise					x	x	x	S26361-F4581-E200	1.700,00	
	SSD SAS 6G 400GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise					x	x	x	S26361-F4581-E400	3.375,00	
SCSI/RAID/SAS controller												
	SATA-HDD Upgrade 5.-8. HDD	Trigger to the request of a PCI based SAS controller			x					S26361-F2826-E140	5,00	
	RAID Contr BBU Upgrade for RAID 5/6 C16	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"					x	x		S26361-F3257-E216	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C55	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"	x	x	x	x				S26361-F3257-E255	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C70	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"							x	S26361-F3257-E270	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports	x	x	x					S26361-F3257-E4	110,00	
	SAS Ctrl 6G 8ext PCIe	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e			x	x	x	x	x	S26361-F3628-E1	265,00	
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP		x						S26361-F3628-E201	265,00	
	TFM Module for FBU option on D3116	TFM module for "RAID Ctrl SAS 6G 1GB (D3116)"	x	x	x		x	x	x	S26361-F3669-E100	170,00	
	RAID Ctrl FBU option with 25cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 25cm cable	x				x	x		S26361-F3669-E125	115,00	
	RAID Ctrl FBU option with 70cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 70, cm cable							x	S26361-F3669-E170	115,00	
	RAID Ctrl SAS 6G 8Port ex 1GB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe2.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH bracket					x	x		S26361-F3713-E1	800,00	
	RAID Ctrl SAS 6G 8Port ex 1GB FH LSI V3	RAID-Ctrl, LSI MegaRAID SAS 9286CV-8e, PCIe3.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH bracket					x	x		S26361-F3713-E3	800,00	Orderable from: 15/07/2013
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,					x	x	x	S26361-F3674-E1	85,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 SSp	PRIMERGY TX120 SSp	PRIMERGY TX140 S1P	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments	
Options matrix													
SCSI/RAID/SAS controller (Continued)													
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports		x	x	x	x	x	x	S26361-F3554-E8	175,00		
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x	x	x	S26361-F3554-E512	390,00		
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports					x	x	x	S26361-F3669-E1	435,00		
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU			x	x	x	x	x	S26361-F3593-E1	595,00		
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU			x					S26361-F3593-E201	595,00		
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports	x	x	x					S26361-F3669-E2	435,00		
	RAID Ctrl SAS 6G 1GB (D3116C)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 3.0 x8, 8 internal ports	x	x	x		x	x	x	S26361-F3669-E3	435,00		
	MegaRAID Advanced Software Options int.	CacheCade 2.0 and FastPath license key	x	x	x		x	x	x	S26361-F3669-E660	270,00	New product,Orderable from: 15/07/2013	
	MegaRAID Advanced Software Options ext.	CacheCade 2.0 and FastPath license key						x	x	S26361-F3669-E661	270,00	New product,Orderable from: 15/07/2013	
	RAID Ctrl FBU option with 55cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 5, 5cm cable		x	x					S26361-F3669-E155	115,00		
Fibre Channel													
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors							x	x	S26361-F3961-E1	860,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors							x	x	S26361-F3961-E2	1.385,00	
	PFC EP LPe16000	1 channel 16GBit/s FC controller, PCI intergace: PCIe 3.0 x8; backwards compatible to PCIe 2.0, Optics: 16GB short wave lasers with LC type connectors						x	x	S26361-F4994-E1	1.525,00		
	PFC EP LPe16002	2 channel 16GBit/s FC controller, PCI intergace: PCIe 3.0 x8; backwards compatible to PCIe 2.0, Optics: 16GB short wave lasers with LC type connectors						x	x	S26361-F4994-E2	2.375,00		
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors						x	x	S26361-F3631-E1	955,00		
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors						x	x	S26361-F3631-E2	1.540,00		
Connection Blades													
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.		x	x	x	x	x	x	S26361-F3986-E3	410,00		
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for single mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to 10km.		x	x	x	x	x	x	S26361-F3986-E4	1.190,00		
Communication/Network													
	Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel LAN controller chip 82576NS, Usable with original Intel driver kit, Extends the available two onboard 1GB LAN connectors with two additional 1GB LAN connectors.							x	S26361-F3610-E702	210,00		
	Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit, Extends the available two onboard 1GB LAN connectors with two additional 1GB LAN connectors., Due to missing VMware certification of this controller the , D2735 must be used in VMware installations							x	S26361-F3740-E701	210,00		
	Upgrade-Kit to 6x GBit on-board	Upgrade-Kit to 6x GBit on-board, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors.							x	S26361-F3611-E701	390,00	New product,Orderable from: 15/07/2013	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 SSp	PRIMERGY TX120 SSp	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Communication/Network (Continued)												
	Upgrade-Kit to 6x GBit on-board	Upgrade-Kit to 6x GBit on-board, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors., Due to missing VMware certification of this controller the , D2745 must be used in VMware installations							x	S26361-F3739-E701	390,00	
	Upgrade-Kit to 2xGB and 2x10GB on-board	Upgrade-Kit to 2x GBit and 2x 10GB on-board, Based on Intel LAN controller chip 82599, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with two additional 10GB LAN connectors (SFP+).							x	S26361-F3629-E702	525,00	
	Shared 10GB Management LAN kit								x	S26361-F3629-E750	25,00	
	Eth Ctrl 4x1GBit Cu PCIe x4 D3045	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu PCIe x4 D3045, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit., Due to missing VMware certification of this controller the , D2745 must be used in VMware installations			x	x	x	x	x	S26361-F3739-E1	390,00	
	Eth Ctrl 2x1GBit Cu PCIe x4 D3035	Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCIe x4 D3035, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit., Due to missing VMware certification of this controller the , D2735 must be used in VMware installations	x		x	x	x	x	x	S26361-F3740-E1	210,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter				x				S26361-F3241-E1	90,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter				x			x	S26361-F3242-E1	240,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter	x		x	x	x	x	x	S26361-F3516-E1	45,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu Ip	Intel® GBit CT 1 Port Desktop Adapter Ip			x					S26361-F3516-E201	45,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu Ip	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu Ip, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit			x					S26361-F3610-E202	210,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu Ip	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu Ip, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit			x					S26361-F3611-E201	390,00	New product,Orderable from: 15/07/2013
	Eth Ctrl 4x1GBit Cu PCIe x4 D3045 Ip	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu PCIe x4 D3045, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit., Due to missing VMware certification of this controller the , D2745 must be used in VMware installations			x					S26361-F3739-E201	390,00	
	Eth Ctrl 2x1GBit Cu PCIe x4 D3035 Ip	Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCIe x4 D3035, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit., Due to missing VMware certification of this controller the , D2735 must be used in VMware installations			x					S26361-F3740-E201	210,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+			x	x	x	x	x	S26361-F3629-E2	525,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ Ip	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ Ip			x					S26361-F3629-E202	525,00	
	FCoE Ctrl 10GB/s 2 channel OCE10102 MMF	2 Channel 10GBit/s FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable							x	S26361-F3592-E2	1.335,00	
	Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable with original Intel driver kit			x					S26361-F3752-E202	890,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCE10102							x	S26361-F3592-E108	405,00	
	Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable with original Intel driver kit			x		x	x	x	S26361-F3752-E2	890,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit	x		x	x	x	x	x	S26361-F3610-E2	210,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit			x	x	x	x	x	S26361-F3611-E1	390,00	New product,Orderable from: 15/07/2013
	IB HCA 40GB 1 port QDR	InfiniBand HCA 40GB/s, 1-port, QDR							x	S26361-F4475-E102	625,00	
	PIB EP QLE7340e	Intel InfiniBand HCA 40GB/s, 1-port, QDR, QLE7340 CK							x	S26361-F4475-E122	375,00	New product,Orderable from: 15/07/2013
	PIB EP QLE7342e	Intel InfiniBand HCA 40GB/s, 2-port, QDR, QLE7342 CK							x	S26361-F4475-E222	420,00	New product,Orderable from: 15/07/2013
	IB HCA 40GB 1 port QDR enhanced	InfiniBand HCA 40GB/s, 1-port, QDR, enhanced							x	S26361-F4475-E103	685,00	
	IB HCA 40GB 2 port QDR enhanced	InfiniBand HCA 40GB/s, 2-port, QDR, enhanced							x	S26361-F4475-E203	1.060,00	
	IB HCA 56GB 1 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR							x	S26361-F4533-E102	1.040,00	
	IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 2-port, FDR							x	S26361-F4533-E202	1.605,00	

Rack-Infrastructure



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Rack-Infrastructure (Continued)												
	Rack Mount Kit F2-C S7 LV	Rack Mount Kit (RMK) for server more than 2 height units (U) or max. 50 Kg (F2) with Quick-Release-Lever (QRL). Drop in telescope rails (DI) 781mm long, full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).						x	x	S26361-F2735-E285	100,00	
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket						x	x	S26361-F4530-E10	5,00	
	Mounting 2U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket						x	x	S26361-F4530-E12	5,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely pre-mounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.			x	x	x	x		SNP-SY-F1647E301-P	130,00	
	Rack Cable Arm 2U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.						x	x	S26361-F2735-E82	30,00	
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks			x	x				S26361-F2735-E7	30,00	
	Cable mgmt. lateral for asym. PC racks M	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER M1 racks						x	x	S26361-F2735-E71	30,00	
	cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.			x	x				S26361-F2201-E20	50,00	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	telescopic full extraction, drop-in mount.; vario-carrier for toolless mounting.; max. load 50 kg., Rack installation depth (19" pillar distance) between 714mm and 785mm			x	x				S26361-F2735-E202	65,00	
Country kits												
	CCC Certification for China	CCC Certification for China	x	x	x		x	x	x	S26361-F3301-E120	10,00	
	region kit APAC/EMEA/India	Region-kit APAC/EMEA/ India	x	x	x		x	x	x	S26361-F1452-E100	10,00	
	region-kit America	Region-kit America	x	x	x		x	x	x	S26361-F1452-E130	10,00	
OneBox-Keyboards												
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	S26381-K341-E185	27,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x	x	x	x	x	x	x	S26381-K520-E102	12,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x	x	x	x	x	x	x	S26381-K520-E120	12,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x	x	x	x	x	x	x	S26381-K520-E165	12,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x	x	x	x	x	x	x	S26381-K520-E185	12,00	
PRIMERGY-Software												



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 SSp	PRIMERGY TX120 SSp	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	iRMC S2 advanced pack	" On top of standard iRMC features, the iRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage, , Advanced Video Redirection (AVR) , - System-independent graphics and text console redirection, including the keyboard and mouse, - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system, , Remote Storage , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options:., - Reading/writing of data, - Booting from Remote Storage, - Installation of drivers or small applications, - Remote BIOS update (BIOS update via USB) , , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device:., - Floppy disk, - CD-ROM /				x				S26361-F1790-E241	305,00	
	iRMC S3 advanced pack	" On top of standard iRMC features, the iRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage, , Advanced Video Redirection (AVR) , - System-independent graphics and text console redirection, including the keyboard and mouse, - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system, , Remote Storage , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options:., - Reading/writing of data, - Booting from Remote Storage, - Installation of drivers or small applications, - Remote BIOS update (BIOS update via USB) , , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device:., - Floppy disk, - CD-ROM / DVD-ROM, - USB memory device (e.g.	x	x			x	x	x	S26361-F1790-E242	305,00	
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-L596	2.770,00	
	WinSvr 2012 Lanuage Pack DVD	WinSvr 2012 Lanuage Pack DVD	x	x	x		x	x	x	S26361-F2567-E400	25,00	
	WinSvr 2012 Datacenter 2CPU OEM	WinSvr 2012 Datacenter 2CPU OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.	x	x	x	x	x	x	x	S26361-F2567-E410	2.890,00	
	WinSvr 2012 Standard 2CPU/2VM OEM	WinSvr 2012 Standard 2CPU&2VM OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.	x	x	x	x	x	x	x	S26361-F2567-E420	590,00	
	WinSvr 2012 Standard AddLic 2CPU/2VM OEM	WinSvr 2012 Standard Additional License 2CPU&2VM No Media/Key OEM. SACOA License. End User License Terms.	x	x	x	x	x	x	x	S26361-F2567-E421	590,00	
	WinSvr 2012 Essentials 2CPU OEM MUL	Windows Server 2012 Essentials, OEM, Multilingual, DVD Media, COA, License, Languages: English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.	x	x	x	x	x	x		S26361-F2567-E430	305,00	
	WinSvr 2012 Foundation 1CPU OEM	WinSvr 2012 Foundation 1CPU OEM. Multilingual. OEM DVD, COA License. End User License Terms.	x	x	x	x	x			S26361-F2567-E440	175,00	
	WinStorageSvr 2012 Std 2CPU/2VM OEM	Windows Storage Server 2012 Standard 2CPU&2VM OEM. Multilingual. OEM DVD, COA License. End User License Terms. No CALs required	x	x	x		x	x	x	S26361-F2567-E450	440,00	
	WinStorageSvr 2012 Std AddLic 2CPU OEM	Windows Storage Server 2012 Standard Additional License 2CPU&2VM OEM. Step-up license to add 2 CPU sockets / 2 VMs. No media/key	x	x	x		x	x	x	S26361-F2567-E451	440,00	
	WinSvr CAL 2012 50Device	Windows Server 2012 CAL 50 Device	x	x	x	x	x	x	x	S26361-F2567-E460	1.095,00	
	WinSvr CAL 2012 50User	Windows Server 2012 CAL 50 User	x	x	x	x	x	x	x	S26361-F2567-E461	1.270,00	
	WinSvr CAL 2012 10Device	Windows Server 2012 CAL 10 Device	x	x	x	x	x	x	x	S26361-F2567-E462	225,00	
	WinSvr CAL 2012 10User	Windows Server 2012 CAL 10 User	x	x	x	x	x	x	x	S26361-F2567-E463	255,00	
	WinSvr CAL 2012 5Device	Windows Server 2012 CAL 5 Device	x	x	x	x	x	x	x	S26361-F2567-E464	115,00	
	WinSvr CAL 2012 5User	Windows Server 2012 CAL 5 User	x	x	x	x	x	x	x	S26361-F2567-E465	135,00	
	WinSvr CAL 2012 1Device	Windows Server 2012 CAL 1 Device	x	x	x	x	x	x	x	S26361-F2567-E466	25,00	
	WinSvr CAL 2012 1User	Windows Server 2012 CAL 1 User	x	x	x	x	x	x	x	S26361-F2567-E467	29,00	
	WinSvr RDS CAL 2012 5Device	Windows Server 2012 RDS CAL 5 Device	x	x	x	x	x	x	x	S26361-F2567-E470	415,00	
	WinSvr RDS CAL 2012 5User	Windows Server 2012 RDS CAL 5 User,	x	x	x	x	x	x	x	S26361-F2567-E471	480,00	
	WinSvr RDS CAL 2012 1Device	Windows Server 2012 RDS CAL 1 Device,	x	x	x	x	x	x	x	S26361-F2567-E472	83,00	
	WinSvr RDS CAL 2012 1User	Windows Server 2012 RDS CAL 1 User,	x	x	x	x	x	x	x	S26361-F2567-E473	96,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x	x	x	S26361-F2567-E480	35,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x	x	x	S26361-F2567-E481	35,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard	DG/DE Kit WinSvr 2008 R2 SP1 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x	x	x	S26361-F2567-E482	35,00	
	DG/DE Kit WinSvr 2008 SP2 Datacenter	DG/DE Kit WinSvr 2008 SP2 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x	x	x	S26361-F2567-E483	35,00	
	DG/DE Kit WinSvr 2008 SP2 Enterprise	DG/DE Kit WinSvr 2008 SP2 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x	x	x	S26361-F2567-E484	35,00	
	DG/DE Kit WinSvr 2008 SP2 Standard	DG/DE Kit WinSvr 2008 SP2 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x	x	x	S26361-F2567-E485	35,00	
	Citrix VIAB, 10 CCU, 1yr SWM	Citrix VIAB, 10 CCU, 1yr SWM; VDI-in-a-Box, 10 Concurrent Users; 1 year Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S500	1.560,00	
	Citrix VIAB, 50 CCU, 1yr SWM	Citrix VIAB, 50 CCU, 1yr SWM; VDI-in-a-Box, 50 Concurrent Users; 1 year Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S501	7.800,00	
	Citrix VIAB, 101 CCU, 1yr SWM	Citrix VIAB, 101 CCU, 1yr SWM; VDI-in-a-Box, 101 Concurrent Users; 1 year Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S502	#####	
	Citrix VIAB, 251 CCU, 1yr SWM	Citrix VIAB, 251 CCU, 1yr SWM; VDI-in-a-Box, 251 Concurrent Users; 1 year Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S503	#####	
	Citrix VIAB, 10 CCU, 3yr SWM	Citrix VIAB, 10 CCU, 3yr SWM; VDI-in-a-Box, 10 Concurrent Users; 3 years Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S510	2.120,00	
	Citrix VIAB, 50 CCU, 3yr SWM	Citrix VIAB, 50 CCU, 3yr SWM; VDI-in-a-Box, 50 Concurrent Users; 3 years Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S511	#####	
	Citrix VIAB, 101 CCU, 3yr SWM	Citrix VIAB, 101 CCU, 3yr SWM; VDI-in-a-Box, 101 Concurrent Users; 3 years Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S512	#####	
	Citrix VIAB, 251 CCU, 3yr SWM	Citrix VIAB, 251 CCU, 3yr SWM; VDI-in-a-Box, 251 Concurrent Users; 3 years Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S513	#####	
	Citrix VIAB, EDU, 10 CCU, 1yr SWM	Citrix VIAB, EDU, 10 CCU, 1yr SWM; VDI-in-a-Box, 10 Concurrent Educational Users; 1 year Citrix Software Maintenance; SW and Lizenze key per Download;						x	x	S26361-F4583-S520	1.030,00	
	Citrix VIAB, EDU, 50 CCU, 1yr SWM	Citrix VIAB, EDU, 50 CCU, 1yr SWM; VDI-in-a-Box, 50 Concurrent Educational Users; 1 year Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S521	5.160,00	
	Citrix VIAB, EDU, 101 CCU, 1yr SWM	Citrix VIAB, EDU, 101 CCU, 1yr SWM; VDI-in-a-Box, 101 Concurrent Educational Users; 1 year Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S522	9.700,00	
	Citrix VIAB, EDU, 251 CCU, 1yr SWM	Citrix VIAB, EDU, 251 CCU, 1yr SWM; VDI-in-a-Box, 251 Concurrent Educational Users; 1 year Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S523	#####	
	Citrix VIAB, EDU, 10 CCU, 3yr SWM	Citrix VIAB, EDU, 10 CCU, 3yr SWM; VDI-in-a-Box, 10 Concurrent Educational Users; 3 years Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S530	1.560,00	
	Citrix VIAB, EDU, 50 CCU, 3yr SWM	Citrix VIAB, EDU, 50 CCU, 3yr SWM; VDI-in-a-Box, 50 Concurrent Educational Users; 3 years Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S531	7.800,00	
	Citrix VIAB, EDU, 251 CCU, 3yr SWM	Citrix VIAB, EDU, 251 CCU, 3yr SWM; VDI-in-a-Box, 251 Concurrent Educational Users; 3 years Citrix Software Maintenance; SW and Lizenze key per Download						x	x	S26361-F4583-S533	#####	
	VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory					x	x	x	U15000-C311	320,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 SSp	PRIMERGY TX120 SSp	PRIMERGY TX140 S1P	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory					x	x	x	U15000-C312	1.910,00	
	VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory					x	x	x	U15000-C313	3.835,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-E593	885,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-E595	885,00	
	Win Srv 2008 R2 SP1 Foundation 1CPU OEM	Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x				S26361-F2567-E301	175,00	
	Win Srv 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E331	2.895,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E321	1.820,00	
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E311	590,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E350	660,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E351	660,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E352	685,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E353	685,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E354	685,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E355	685,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E356	685,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E357	685,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E358	660,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E359	660,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E370	955,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E371	970,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E372	985,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E373	985,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x	x	x	x	S26361-F2567-E374	985,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x	x	x	x	x	x	x	S26361-F2567-E391	25,00	
	Win Svrs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x	x	x	x	x	S26361-F2567-E390	25,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.							x	S26361-F2567-E366	30,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.							x	S26361-F2567-E368	30,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.						x	x	S26361-F2567-E360	790,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
Options matrix	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							x	S26361-F2567-E361	400,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							x	S26361-F2567-E363	110,00	
	SUSE Linux ES 1-2 SOCK Server 1Y	SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	x	x	x	x	x	x	x	S26361-F2348-S101	290,00	
	SUSE Linux ES 1-2 SOCK Server 3Y	SUSE Linux ES 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	x	x	x	x	x	x	x	S26361-F2348-S102	790,00	
	SUSE Linux ES 1-2 SOCK Server 5Y	SUSE Linux ES 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years	x	x	x	x	x	x	x	S26361-F2348-S103	1.160,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt. 1Y	SUSE Linux ES 1-2SOC Serv+Virt. 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year	x	x	x	x	x	x	x	S26361-F2348-S111	440,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	x	x	x	x	x	x	x	S26361-F2348-S112	1.180,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years	x	x	x	x	x	x	x	S26361-F2348-S113	1.760,00	
	SUSE Linux ES HAE 1-2 SOCK 1Y	SUSE Linux ES HAE 1-2SOC 1Y, 1-2 CPU Sockets, high availability extension, subscription for 1 year	x	x	x	x	x	x	x	S26361-F2348-S121	590,00	
	SUSE Linux ES HAE 1-2 SOCK 3Y	SUSE Linux ES HAE 1-2SOC 3Y, 1-2 CPU Sockets, high availability extension, subscription for 3 years	x	x	x	x	x	x	x	S26361-F2348-S122	1.570,00	
	SUSE Linux ES HAE 1-2 SOCK 5Y	SUSE Linux ES HAE 1-2SOC 5Y, 1-2 CPU Sockets, high availability extension, subscription for 5 years	x	x	x	x	x	x	x	S26361-F2348-S123	2.330,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 1Y	SUSE Linux ES4SAP 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	x	x	x	x	x	x	x	S26361-F2348-S401	1.280,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 3Y	SUSE Linux ES4SAP 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	x	x	x	x	x	x	x	S26361-F2348-S402	3.450,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 5Y	SUSE Linux ES4SAP 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years	x	x	x	x	x	x	x	S26361-F2348-S403	5.200,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year	x	x	x	x	x	x	x	S26361-F2348-S411	1.920,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	x	x	x	x	x	x	x	S26361-F2348-S412	5.200,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years	x	x	x	x	x	x	x	S26361-F2348-S413	7.700,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	x	x	x	x	x	x	x	S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	x	x	x	x	x	x	x	S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	x	x	x	x	x	x	x	S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	x	x	x	x	x	x	x	S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	x	x	x	x	x	x	x	S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	x	x	x	x	x	x	x	S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	x	x	x	x	x	x	x	S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	x	x	x	x	x	x	x	S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	x	x	x	x	x	x	x	S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	x	x	x	x	x	x	x	S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x	x	x	x	x	x	x	S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x	x	x	x	x	x	x	S26361-F2346-S116	3.615,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 SSp	PRIMERGY TX120 SSp	PRIMERGY TX140 S1P	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	S26361-F2346-S172	380,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download						x	x	S26361-F2341-S980	1.050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download						x	x	S26361-F2341-S981	2.630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download						x	x	S26361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download						x	x	S26361-F2341-S983	2.000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download						x	x	S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download						x	x	S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download						x	x	S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download						x	x	S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download						x	x	S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download						x	x	S26361-F2341-S989	1.460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download						x	x	S26361-F2341-S990	3.750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download						x	x	S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)				x	x	x	x	S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for max 32GB RAM - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License				x	x	x	x	S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E708	895,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 SSp	PRIMERGY TX120 SSp	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E712	3.145,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E732	#####	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E733	#####	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E734	#####	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E735	#####	
	VMware STD AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E760	6.295,00	
	VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E761	6.295,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-S737	4.495,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S738	1.345,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-S739	1.345,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E740	3.105,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E741	3.105,00	
	VMware vCloud Suite STD w/o SP-1yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard.- Mandatory 1 year Support Pack needed!				x	x	x	x	S26361-F2341-E766	4.495,00	
	VMware vCloud Suite STD w/o SP-3 yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard.- Mandatory 3 years Support Pack needed!				x	x	x	x	S26361-F2341-E767	4.495,00	
	VMware vCloud Suite ADV w/o SP-1yr	Each vCloud Advanced Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced.- Mandatory 1 year Support Pack				x	x	x	x	S26361-F2341-E768	6.745,00	
	VMware vCloud Suite ADV w/o SP-3 yr	Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced. , Mandatory 3 years Support Pack				x	x	x	x	S26361-F2341-E769	6.745,00	
	VMware vCloud Suite ENT w/o SP-1yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 1 year Support Pack needed!				x	x	x	x	S26361-F2341-E770	#####	
	VMware vCloud Suite ENT w/o SP-3 yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 3 years Support Pack needed!				x	x	x	x	S26361-F2341-E771	#####	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 1 year VMware Sub. - no Support				x	x	x	x	S26361-F2341-S800	504,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 3 year VMware Sub. - no Support				x	x	x	x	S26361-F2341-S801	600,00	
	VMware vSphere OPs MA STD w/o SP-1yr	VMware vSphere OPs MA Standard for 1 CPU - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E850	1.565,00	New product
	VMware vSphere OPs MA STD w/o SP-3yr	VMware vSphere OPs MA Standard for 1 CPU - Mandatory 3 years Service Pack needed!				x	x	x	x	S26361-F2341-E851	1.565,00	New product
	VMware vSphere OPs MA ENT w/o SP-1yr	VMware vSphere OPs MA Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E852	3.265,00	New product
	VMware vSphere OPs MA ENT w/o SP-3yr	VMware vSphere OPs MA Enterprise for 1 CPU - Mandatory 3 years Service Pack needed!				x	x	x	x	S26361-F2341-E853	3.265,00	New product
	VMware vSphere OPs MA ENT-PL w/o SP-1yr	VMware vSphere Operations Management Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E854	3.815,00	New product
	VMware vSphere OPs MA ENT-PL w/o SP-3yr	VMware vSphere Operations Management Enterprise-Plus for 1 CPU - Mandatory 3 years Service Pack needed!				x	x	x	x	S26361-F2341-E855	3.815,00	New product
	VMware vSOM STD AK (6CPU) w/o SP-1yr	VMware vSphere STD with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD, - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E860	8.985,00	New product
	VMware vSOM STD AK (6CPU) w/o SP-3yr	VMware vSphere STD with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD, - Mandatory 3 years Service Pack needed!				x	x	x	x	S26361-F2341-E861	8.985,00	New product
	VMware vSOM END AK(6CPU)w/o SP-1yr	VMware vSphere ENT with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD + VDP ADV, , - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E862	#####	New product
	VMware vSOM END AK(6CPU)w/o SP-3yr	VMware vSphere ENT with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD + VDP ADV, , - Mandatory 3 years Service Pack needed!				x	x	x	x	S26361-F2341-E863	#####	New product
	VMware vSOM END-PL AK(6CPU)w/o SP-1yr	VMware vSphere ENT-PL with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD + VDP ADV, , - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E864	#####	New product
	VMware vSOM END-PL AK(6CPU)w/o SP-3yr	VMware vSphere ENT-PL with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD + VDP ADV, , - Mandatory 3 years Service Pack needed!				x	x	x	x	S26361-F2341-E865	#####	New product
	VMware UG ESS to STD-AK w/o SP-1yr	VMware UG ESS to STD-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S866	8.765,00	New product
	VMware UG ESS to STD-AK w/o SP-3yr	VMware UG ESS to STD-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 3 years Service Pack needed!				x	x	x	x	S26361-F2341-S867	8.765,00	New product
	VMware UG ESS to ENT-AK w/o SP-1yr	VMware UG ESS to ENT-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S868	#####	New product
	VMware UG ESS to ENT-AK w/o SP-3yr	VMware UG ESS to ENT-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 3 years Service Pack needed!				x	x	x	x	S26361-F2341-S869	#####	New product
	VMware UG ESS to EPL-AK w/o SP-1yr	VMware UG ESS to EPL-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S870	#####	New product
	VMware UG ESS to EPL-AK w/o SP-3yr	VMware UG ESS to EPL-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 3 years Service Pack needed!				x	x	x	x	S26361-F2341-S871	#####	New product
	VMware UG ESS-PL to STD-AK w/o SP-1yr	VMware UG ESS-PL to STD-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S872	5.445,00	New product
	VMware UG ESS-PL to STD-AK w/o SP-3yr	VMware UG ESS-PL to STD-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 3 years Service Pack needed!				x	x	x	x	S26361-F2341-S873	5.445,00	New product
	VMware UG ESS-PL to ENT-AK w/o SP-1yr	VMware UG ESS-PL to ENT-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S874	#####	New product
	VMware UG ESS-PL to ENT-AK w/o SP-3yr	VMware UG ESS-PL to ENT-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 3 years Service Pack needed!				x	x	x	x	S26361-F2341-S875	#####	New product



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 SSp	PRIMERGY TX120 SSp	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	VMware UG ESS-PL to EPL-AK w/o SP-1yr	VMware UG ESS-PL to EPL-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S876	#####	New product
	VMware UG ESS-PL to EPL-AK w/o SP-3yr	VMware UG ESS-PL to EPL-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 3 years Service Pack needed!				x	x	x	x	S26361-F2341-S877	#####	New product
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-S802	4.969,00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-S803	6.610,00	
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-S804	4.810,00	
	VMware UG vSp STD -<gt/> vClu Suite STD	VMware Upgrade vSphere Standard to vCloud Suite Standard for 1 CPU , - Mandatory 1 year Support Pack needed!				x	x	x	x	S26361-F2341-S772	3.955,00	
	VMware UG vSp STD -<gt/> vClu Suite STD	VMware Upgrade vSphere Standard to vCloud Suite Standard for 1 CPU , - Mandatory 3 years Support Pack needed!				x	x	x	x	S26361-F2341-S773	3.955,00	
	VMware UG vSp STD -<gt/> vClu Suite ADV	VMware Upgrade vSphere Standard to vCloud Suite Advanced for 1 CPU , - Mandatory 1 year Support Pack needed!				x	x	x	x	S26361-F2341-S774	6.295,00	
	VMware UG vSp STD -<gt/> vClu Suite ADV	VMware Upgrade vSphere Standard to vCloud Suite Advanced for 1 CPU , - Mandatory 3 years Support Pack needed!				x	x	x	x	S26361-F2341-S775	6.295,00	
	VMware UG vSp STD -<gt/> vClu Suite ENT	VMware Upgrade vSphere Standard to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!				x	x	x	x	S26361-F2341-S776	9.895,00	
	VMware UG vSp STD -<gt/> vClu Suite ENT	VMware Upgrade vSphere Standard to vCloud Suite Enterprise for 1 CPU , - Mandatory 3 years Support Pack needed!				x	x	x	x	S26361-F2341-S777	9.895,00	
	VMware UG vSp ENT -<gt/> vClu Suite STD	VMware Upgrade vSphere Enterprise to vCloud Suite Standard for 1 CPU , - Mandatory 1 year Support Pack needed!				x	x	x	x	S26361-F2341-S778	2.095,00	
	VMware UG vSp ENT -<gt/> vClu Suite STD	VMware Upgrade vSphere Enterprise to vCloud Suite Standard for 1 CPU , - Mandatory 3 years Support Pack needed!				x	x	x	x	S26361-F2341-S779	2.095,00	
	VMware UG vSp ENT -<gt/> vClu Suite ADV	VMware Upgrade vSphere Enterprise to vCloud Suite Advanced for 1 CPU , - Mandatory 1 year Support Pack needed!				x	x	x	x	S26361-F2341-S780	4.575,00	
	VMware UG vSp ENT -<gt/> vClu Suite ADV	VMware Upgrade vSphere Enterprise to vCloud Suite Advanced for 1 CPU , - Mandatory 3 year Support Pack needed!				x	x	x	x	S26361-F2341-S781	4.575,00	
	VMware UG vSp ENT -<gt/> vClu Suite ENT	VMware Upgrade vSphere Enterprise to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!				x	x	x	x	S26361-F2341-S782	8.525,00	
	VMware UG vSp ENT -<gt/> vClu Suite ENT	VMware Upgrade vSphere Enterprise to vCloud Suite Enterprise for 1 CPU , - Mandatory 3 year Support Pack needed!				x	x	x	x	S26361-F2341-S783	8.525,00	
	VMware UG vSp ENT -<gt/> vClu Suite STD	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Standard for 1 CPU , - Mandatory 1 year Support Pack needed!				x	x	x	x	S26361-F2341-S784	1.485,00	
	VMware UG vSp ENT -<gt/> vClu Suite STD	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Standard for 1 CPU , - Mandatory 3 year Support Pack needed!				x	x	x	x	S26361-F2341-S785	1.485,00	
	VMware UG vSp ENT -<gt/> vClu Suite ADV	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Advanced for 1 CPU , - Mandatory 1 year Support Pack needed!				x	x	x	x	S26361-F2341-S786	3.955,00	
	VMware UG vSp ENT -<gt/> vClu Suite ADV	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Advanced for 1 CPU , - Mandatory 3 year Support Pack needed!				x	x	x	x	S26361-F2341-S787	3.955,00	
	VMware UG vSp ENT -<gt/> vClu Suite ENT	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!				x	x	x	x	S26361-F2341-S788	7.915,00	
	VMware UG vSp ENT -<gt/> vClu Suite ENT	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!				x	x	x	x	S26361-F2341-S789	7.915,00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-S805	6.104,00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-S806	#####	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-S807	#####	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-S808	#####	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-S809	#####	
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S742	1.220,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-S743	1.220,00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S744	#####	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-S745	#####	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware Horizon View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S750	2.030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware Horizon View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-S751	2.030,00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware Horizon View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-S752	#####	
	VMware View PRE 100 CLI w/o SP-3yr	VMware Horizon View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-S753	#####	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-S810	3.992,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-S811	5.309,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-S812	1.275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-S813	1.701,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-S815	4.963,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-S817	1.586,00	
UPS/Power supply												
	Power Supply Module 450W (hot plug)	for PS redundancy				x				S26113-F540-E11	170,00	Phased out
	Power Supply Dummy						x	x	x	S26113-F574-E99	5,00	
	Fan upgrade kit hot-plug redundancy	consists of two additional fans for fan redundancy							x	S26361-F3667-E1	45,00	
	Modular PSU 800W platinum hp	800W modular Power Supply Module , hot plug, platinum (94% efficiency)						x	x	S26113-F574-E10	260,00	
	Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)			x		x	x	x	S26113-F575-E10	225,00	
	Cable powercord (D...), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	T26139-Y1740-E10	10,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m			x				x	T26139-Y1968-E100	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	T26139-Y1742-E10	10,00	
	Cable powercord (UK, S), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	T26139-Y1744-E10	10,00	
	Cable powercord (It), 1.8m, grey	suitable for I	x	x	x	x	x	x	x	T26139-Y1745-E10	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	x	x	x	x	x	x	x	T26139-Y3850-E10	2,00	
Mouse												
	Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi, Fujitsu logo, USB cable 1,8m,	x	x	x	x	x	x	x	S26381-K457-E100	6,00	
	Mouse M510 Grey	optical mouse with 3 keys, marble grey, 1000 dpi, USB cable 1,8m	x	x	x	x	x	x	x	S26381-K457-E101	6,00	
Miscellaneous												
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order				x				S26361-F1647-E410	25,00	
	LocalView Option Kit S2	LCD display with adapter				x	x	x	x	S26361-F2557-E105	70,00	
	LocalView Option Kit S2	LCD display with installation kit					x	x	x	S26361-F2557-E106	70,00	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter				x				S26361-F2557-E202	25,00	
	Service LAN Option	ntegriert in die vordere Bedieneinheit	x	x			x	x	x	S26361-F2571-E27	20,00	
	TX140S1p E-Star Fam2 certification	Limits configurations in accordance with Energy Star Server 1.0, for SATA/SAS LFF base unit with std PSU and 4 core CPUs only							x	S26361-F3301-E142	3,00	
	TX150S7 E-Star Fam1 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with std PSU with dual core CPUs only				x				S26361-F3301-E151	3,00	Phased out
	TX150S7 E-Star Fam2 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with red PSU with Xeon based CPUs only				x				S26361-F3301-E152	3,00	Phased out



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 SSp	PRIMERGY TX120 SSp	PRIMERGY TX140 S1P	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix												
Miscellaneous (Continued)												
	Energy Star 5.0 Compliancy	Limited configuration in accordance with Energy Star 5.0, SAS configuration: , max P8400, 1GB RAM, 2x SAS HDD, only IRM graphics, SATA configuration: , max. T9400, 8GB RAM, 2x SATA HDD + 2 SATA/Backup, 2x LAN, only IRM graphics	x							S26361-F3301-E5	2,00	
	Energy Star 5.0 E85+ Compliancy		x							S26361-F3301-E6	2,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x	x	x	x	S26361-F3552-E1	50,00	
	Serial port option	Cable with 9 pin D-SUB interface				x				S26361-F2571-E10	30,00	
	No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory			x	x	x	x		S26361-F2735-E111	5,00	
SW Data Center Products												
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x					x	x	S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x					x	x	S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x					x	x	S26361-F2341-E915	#####	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x					x	x	S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x					x	x	S26361-F2341-E924	#####	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x					x	x	S26361-F2341-E925	#####	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x					x	x	S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x					x	x	S26361-F2341-E934	#####	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x					x	x	S26361-F2341-E935	#####	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x					x	x	S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x					x	x	S26361-F2341-E961	#####	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x					x	x	S26361-F2341-E962	#####	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x					x	x	S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x					x	x	S26361-F2341-E964	#####	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x					x	x	S26361-F2341-E965	#####	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x					x	x	S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x					x	x	S26361-F2341-E967	#####	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x					x	x	S26361-F2341-E968	#####	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix												
SW Data Center Products (Continued)												
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x					x	x	S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x					x	x	S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x					x	x	S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x					x	x	S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x					x	x	S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x					x	x	S26361-F2341-S925	#####	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x					x	x	S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x					x	x	S26361-F2341-S934	#####	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x					x	x	S26361-F2341-S935	#####	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x					x	x	S26361-F2341-S960	1.580,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x					x	x	S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x					x	x	S26361-F2341-S962	#####	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	S26361-F2341-S963	2.630,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	S26361-F2341-S964	#####	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	S26361-F2341-S965	#####	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	S26361-F2341-S968	#####	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)				x	x	x	x	U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)				x	x	x	x	U11420-C936	100,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License (1 Server) V3				x	x	x	x	U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License (1 Server) V3				x	x	x	x	U11420-C955	0,01	
	SVRORDVD V31 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V3.1 for Windows&Linux&Solaris				x	x	x	x	U11420-C957	50,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3				x	x	x	x	U11420-C966	779,00	
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3				x	x	x	x	U11420-C967	5.538,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)												
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3				x	x	x	x	U11420-C969	#####	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3				x	x	x	x	U11420-C960	1.530,00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3				x	x	x	x	U11420-C961	#####	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3				x	x	x	x	U11420-C963	#####	
	SVRORCESVR V3 (WIN/LIN) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3				x	x	x	x	U11420-C978	751,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3				x	x	x	x	U11420-C979	5.845,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3				x	x	x	x	U11420-C981	#####	



Positioning PRIMERGY Rack Servers



**PRIMERGY
RX100 S6**

The RX100 S6 meets the needs of business applications with its technical developments, such as Quad-Core Intel® Xeon® processor 3400 series and the upcoming generation of Intel® Dual-Core CPUs, integrated RAID 0/1/5/6 and a memory of up to 32 GB. It unites the advantages of low-cost SATA or SAS /SSD hard disk technology with a space-saving 1U chassis and a depth



**PRIMERGY
RX200 S5**

More for less with regard to data center energy-efficiency. Energy consumption and cooling in data centers is a “burning” issue. The innovative PRIMERGY Cool-safe™ system design of the new RX200 S5 rack server generation provides the right answers.



**PRIMERGY
RX300 S5**

Virtualized environments are the top application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, several operating systems plus the installed applications have to run simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization.



**PRIMERGY
RX330 S1**

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY Rack portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone AMD Opteron Quad-Core based application server and for server farms in scale-out environments with medium needs for



**PRIMERGY
RX600 S4**

4 Socket Multi-Core Xeon 7400 series rack server Performance, capacity and stability for your critical applications. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent “best-in-class” efficiency.



**PRIMECENTER
SME**

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.



PRIMERGY RX100 S7

PRIMERGY RX100 S7: for SMEs and data centers, looking for high availability, scalability and low TCO - in a 1U chassis. SME customers will find the RX100 S7 to be a highly versatile tool, which can be used as a web, file or print server. Data center customers can build on the RX100 S7 as a scalable entry-level virtualization platform, which offers up to Intel® Xeon® processor performance, optional redundant fan and hot-plug power supplies (with up to 94% efficiency!) and onboard dual gigabit LAN. The optional front service LAN will make the lives of data center staff easier too. PRIMERGY RX100 S7: Rack virtualization starts here!

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX100 S7p					
	PY RX100S7p/LFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V103	495,00	
	PY RX100S7p/LFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V203	510,00	
	PY RX100S7p/SFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 Ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V303	505,00	
	PY RX100S7p/SFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V403	520,00	



PRIMERGY RX200 S7

The Fujitsu PRIMERGY RX200 S7 is a rack server that provides high performance, expandability and energy efficiency in 1U space saving housing. Thus, the PRIMERGY RX200 S7 is ideal for virtualization and cloud, small databases as well as for high performance computing thanks to the top performance of the new Intel® Xeon® E5 product family. Moreover, the RX200 S7 delivers a great expandability, by supporting up to 768 GB of memory, eight hard disk drives and cost-saving Modular LAN options to ensure future requirements are met and budgets are saved.

Thanks to the highly efficient power supply units with an efficiency rate of 94% and the new power management this will result in lower operational

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX200 S7					
PY RX200S7 4x2.5	Rack based server 19" (1U), BU without processor and RAM, without hot plug power supply module, 4 hot plug double-fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack		S26361-K1386-V101	980,00	
PY RX200S7 8x2.5	Rack based server 19" (1U), BU without processor and RAM, without hot plug power supply module, 4 hot plug double-fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack		S26361-K1386-V201	980,00	



PRIMERGY RX300 S7

The Fujitsu PRIMERGY RX300 S7 is a dual socket rack server, focusing on versatility and scalability. The new modular concept supports excellent expandability with up to 16 hard disk drives, up to 7 PCIe Gen 3 cards and up to 768GB RAM, all in one single 2U rack housing. Furthermore, the new Intel® Xeon® E5 product family delivers the top performance to ensure today's demand while being prepared for future requirements thanks to the upgrade kits as well as the cost-saving Modular LAN options. Thanks to the power supply units with 94% efficiency and the new power management this will result in lower operational costs. This 2U power house is the right choice for all types of business applications and consolidations

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX300 S7					
	PY RX300S7 6x3.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1373-V101	1.090,00	
	PY RX300S7 2.5" expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs expandable; ServerView Suite Software Pack	S26361-K1373-V401	940,00	
	PY RX300S7 8x2.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1373-V201	1.090,00	
	PY RX300S7 12x2.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1373-V301	1.275,00	



PRIMERGY RX350 S7

The PRIMERGY RX350 S7 is a 4U rack server with maximum levels of performance, expandability and availability. It combines the performance of Intel® Xeon® processors E5 family with up to two 6GB general-purpose computing on graphics processing units (GPGPU) for computationally intensive applications. The new modular concept supports excellent expandability with up to 24 hard disk drives, up to 10 PCIe Gen 3 cards and up to 768GB memory. Moreover the 4 hot-plug, power supply units with up to 94% efficiency and the new power management, will result in lower operational costs. Thanks to the upgrade kits as well as the cost-saving Modular LAN options, the RX350 is prepared for future requirements. RX350 is ideal for database, consolidation or high performance computing scenarios.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX350 S7					
PY RX350S7 LFF	Rack based server 19" (4U), BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1390-V301	1.090,00	
PY RX350S7 SFF	Rack based server 19" (4U), BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1390-V401	1.090,00	



PRIMECENTER M1

The trend to consolidation as a result of virtualization and optimization require environments that are more flexible and reliable. Decades of data center experience at Fujitsu result in the latest 19-inch Rack Family. The new Fujitsu PRIMECENTER racks are the foundation for meeting IT data center requirements. The PRIMECENTER Racks are the basis for building perfect data center infrastructures. The PRIMECENTER 19-inch Racks can be used to install Fujitsu solutions as well as third-party products. They meet all requirements for flexibility thanks to the multiple configuration options, cooling and maintenance features. In addition a broad portfolio of optional rack accessories complete the efficient rack infrastructure solutions.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack					
	PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U), Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V220	1.805,00	
	PRIMECENTER M1 Rack 742S 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U), Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V240	2.055,00	
	PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U), Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V310	1.645,00	
Base unit configurations					
PRIMECENTER M1 Rack					
Model	Description	Details	Product Code	EUP (€)	Comments



PRIMECENTER M1

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack (Continued)					
	PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V220	1.995,00	
	PRIMECENTER M1 Rack 742S 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V240	2.300,00	
	PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V310	1.835,00	
	PRIMECENTER M1 Rack 624S 24U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 624 S /24U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation., For tilting security an additional tilting protection is required.	S26361-K827-V320	1.935,00	
	PRIMECENTER M1 Rack 642S 42U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 642 S /42U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V340	2.185,00	



PRIMECENTER M1

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack (Continued)					
PRIMECENTER M1 Rack 724A 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 A /24U).. Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 4x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V120	1.995,00		
PRIMECENTER M1 Rack 742A 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 A /42U).. Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 6x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V140	2.300,00		



Rack Servers Accessories

Table with columns: Category, Description, Details, and Product Code. Rows include Removable Media Drives (Continued), SCSI/RAID/SAS controller, Fibre Channel, and Communication Network.



Rack Servers Accessories

Category	Description	Details	PRIMERGY R3100	PRIMERGY R3100 S2	PRIMERGY R3100 S3	PRIMERGY R3100 S4	PRIMERGY R3100 S5	PRIMERGY R3100 S6	PRIMERGY R3100 S7	PRIMERGY R3100 S7a	PRIMERGY R3200	PRIMERGY R3200 S2	PRIMERGY R3200 S3	PRIMERGY R3200 S4	PRIMERGY R3200 S5	PRIMERGY R3200 S6	PRIMERGY R3200 S7	PRIMERGY R3200 S8	PRIMERGY R3200	PRIMERGY R3200 S2	PRIMERGY R3200 S3	PRIMERGY R3200 S4	PRIMERGY R3200 S5	PRIMERGY R3200 S6	PRIMERGY R3200 S7	PRIMERGY R3200 S7	PRIMERGY R3200 S8	PRIMERGY R3200	PRIMERGY R3200 S2	PRIMERGY R3200 S3	PRIMERGY R3200 S4	PRIMERGY R3200 S5	PRIMERGY R3200 S6	PRIMERGY R3200 S7	PRIMERGY R3200 S8	PRIMERGY R3200	Product Code	EUP (€)	Comments									
PRIMERGY-Software (Continued)	IRMC advanced pack	On top of standard IRMC features, the IRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage. , Advanced Video Redirection (AVR) . - System-independent graphics and text console redirection, including the keyboard and mouse. - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system. , Remote Storage , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options: - Reading/writing of data. - Booting from Remote Storage. - Installation of drivers or small applications. - Remote BIOS update (BIOS update via USB). , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device: - Floppy disk . - CD-ROM / DVD-ROM. - USB memory device (e.g.																																				S26361-F1790-L240	305,00									
	IRMC S2 advanced pack	On top of standard IRMC features, the IRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage. , Advanced Video Redirection (AVR) . - System-independent graphics and text console redirection, including the keyboard and mouse. - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system. , Remote Storage , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options: - Reading/writing of data. - Booting from Remote Storage. - Installation of drivers or small applications. - Remote BIOS update (BIOS update via USB). , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device: - Floppy disk . - CD-ROM / DVD-ROM. - USB memory device (e.g.						x	x																														S26361-F1790-L241	305,00								
	IRMC S3 advanced pack	On top of standard IRMC features, the IRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage. , Advanced Video Redirection (AVR) . - System-independent graphics and text console redirection, including the keyboard and mouse. - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system. , Remote Storage , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options: - Reading/writing of data. - Booting from Remote Storage. - Installation of drivers or small applications. - Remote BIOS update (BIOS update via USB). , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device: - Floppy disk . - CD-ROM / DVD-ROM. - USB memory device (e.g.						x	x																														S26361-F1790-L242	305,00								
	VMware STD AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA . . . - Mandatory 1 year Service Pack needed!																																						S26361-F2341-L760	6.710,00							
	VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA . . . - Mandatory 3 year Service Pack needed!																																						S26361-F2341-L761	6.710,00							
	VMware vCloud Suite STD w/o SP-1yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard - Mandatory 1 year Support Pack needed!																																							S26361-F2341-L766	4.805,00						
	VMware vCloud Suite STD w/o SP-3 yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard - Mandatory 3 years Support Pack needed!																																							S26361-F2341-L767	4.805,00						
	VMware vCloud Suite ADV w/o SP-1yr	Each vCloud Advanced Suite includes Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced - Mandatory 1 year Support Pack needed!																																								S26361-F2341-L768	7.205,00					
	VMware vCloud Suite ADV w/o SP-3 yr	Each vCloud Advanced Suite includes Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced - Mandatory 3 years Support Pack needed!																																								S26361-F2341-L769	7.205,00					
	VMware vCloud Suite ENT w/o SP-1yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 1 year Support Pack needed!																																									S26361-F2341-L770	11.060,00				
	VMware vCloud Suite ENT w/o SP-3 yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 3 years Support Pack needed!																																									S26361-F2341-L771	11.060,00				
	VMware vSphere OPs MA STD w/o SP-1yr	VMware vSphere OPs MA Standard for 1 CPU - Mandatory 1 year Service Pack needed!																																										S26361-F2341-L850	1.675,00	New product		
	VMware vSphere OPs MA STD w/o SP-3yr	VMware vSphere OPs MA Standard for 1 CPU - Mandatory 3 years Service Pack needed!																																									S26361-F2341-L851	1.675,00	New product			
	VMware vSphere OPs MA ENT w/o SP-1yr	VMware vSphere OPs MA Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!																																										S26361-F2341-L852	3.495,00	New product		
	VMware vSphere OPs MA ENT w/o SP-3yr	VMware vSphere OPs MA Enterprise for 1 CPU - Mandatory 3 years Service Pack needed!																																										S26361-F2341-L853	3.495,00	New product		
	VMware vSphere OPs MA ENT-PL w/o SP-1yr	VMware vSphere Operations Management Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!																																											S26361-F2341-L854	4.080,00	New product	
	VMware vSphere OPs MA ENT-PL w/o SP-3yr	VMware vSphere Operations Management Enterprise-Plus for 1 CPU - Mandatory 3 years Service Pack needed!																																											S26361-F2341-L855	4.080,00	New product	
	VMware vSOM STD AK (6CPU) w/o SP-1yr	VMware vSphere STD with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD. - Mandatory 1 year Service Pack needed!																																												S26361-F2341-L860	9.615,00	New product
	VMware vSOM STD AK (6CPU) w/o SP-3yr	VMware vSphere STD with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD. - Mandatory 3 years Service Pack needed!																																											S26361-F2341-L861	9.615,00	New product	
	VMware vSOM END AK(6CPU)w/o SP-1yr	VMware vSphere ENT with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD + vDP ADV. - Mandatory 1 year Service Pack needed!																																												S26361-F2341-L862	22.095,00	New product
	VMware vSOM END AK(6CPU)w/o SP-3yr	VMware vSphere ENT with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD + vDP ADV. - Mandatory 3 years Service Pack needed!																																											S26361-F2341-L863	22.095,00	New product	



Rack Servers Accessories

Table with columns: Category, Description, Details, VMware vCloud Enterprise Suite, VMware vSphere OPs MA STD, VMware vSphere OPs MA ENT, VMware vSphere OPs MA ENT-PL, VMware vSOM STD AK, VMware vSOM END AK, VMware vSOM END-PL AK, CA Client Automation, CA Server Automation Base Configuration, CA AutomSuite for DataCenters BaseConfig, CA ServiceDeskManager Full LicenseConcur, ARCServe r11.5 WIN Client Agent UNIX, ARCServe r11.5 WIN Client Agent Windows, ManageNow for NSM Base, ManageNow for NSM Remote Manager, ManageNow for NSM Portal, ManageNow for NSM HP InsightMtr, ManageNow for NSM HP InsightMtr Inter, ManageNow for NSM ETERNUS Storage Monit, ManageNow for NSM FTFRN RS CS Monit, ManageNow for NSM Hardware Monitor, ManageNow for NSM SAN Monitor up to 640, ManageNow for NSM SAN Monitor more as 640, ManageNow for NSM VMware, ManageNow for NSM IIPS, ManageNow for NSM Microsoft Cluster, ManageNow for NSM BaseFrameMonit BF200, ManageNow for NSM BaseFrameMonit BF40h, ManageNow for NSM Connector CA, ManageNow for NSM Connector MS SCOM, ManageNow for NSM Connector HP OV NNM, ManageNow for NSM Connector I ntrc Mtr, ManageNow for NSM Con_Srv_ParM, ManageNow for NSM Connector QoS, ManageNow for NSM Connector EMC CC, ManageNow for NSM Connector NetAoc OM, ManageNow for NSM Data Media, ManageNow for ITCM Manager ObjectLicns, ManageNow for ITCM Manager License, ManageNow for ITCM Win7 OS Install Lic, ManageNow for ITCM Vista OS Install Lic, ManageNow for ITCM WinXP Prod OSInstal in, ManageNow for ITCM Win2003Svr OSInstal in, ManageNow for ITCM Win2008Svr OSInstal in, ManageNow for ITCM Win7082SvrOSInstal in, ManageNow for ITCM SLES10.1 OS Inst Lic, ManageNow for ITCM SLES9 OS Inst Lic, ManageNow for ITCM data medium, IUPS Power, RX100 S7 conversion kit to hot-plug PSU, Power Supply Module 800W gold ho, Power Supply Module 850W (two power cord), Power Supply Module 2.000W, Modular PSU 800W platinum hp, Modular PSU 800W platinum hp new rev, Modular PSU 450W platinum hp, Power Supply Module 2.000W, Modular PSU DC -48V 800W gold hp, Fan upgrade kit hot-plug redundancy, Cable powercord -48V DC, 4m, black, Powercord (D...), 1.5m, grey.



Rack Servers Accessories

Table with columns: Category, Description, Details, and a grid of product codes (PRMERY 03100 to 03200), Product Code, EUP (€), and Comments. Rows include UPS/Power supply, Miscellaneous, FC/IP/Infrastructure, Media, Cables, and Additional Software.



Rack Servers Accessories

Category	Description	Details	PRIMERGY R3100	PRIMERGY R3100 S2	PRIMERGY R3100 S3	PRIMERGY R3100 S4	PRIMERGY R3100 S5	PRIMERGY R3100 S6	PRIMERGY R3100 S7	PRIMERGY R3100 S7s	PRIMERGY R3200	PRIMERGY R3200 S2	PRIMERGY R3200 S3	PRIMERGY R3200 S4	PRIMERGY R3200 S5	PRIMERGY R3200 S6	PRIMERGY R3200 S7	PRIMERGY R3200 S8	PRIMERGY R3220	PRIMERGY R3300	PRIMERGY R3300 S2	PRIMERGY R3300 S3	PRIMERGY R3300 S4	PRIMERGY R3300 S5	PRIMERGY R3300 S6	PRIMERGY R3300 S7	PRIMERGY R3300 S8	PRIMERGY R3300 S9	PRIMERGY R3300 S1	PRIMERGY R3300 S2	PRIMERGY R3300 S3	PRIMERGY R3300 S4	PRIMERGY R3300 S5	PRIMERGY R3300 S6	PRIMERGY R3300 S7	PRIMERGY R3300 S8	PRIMERGY R3300 S9	PRIMERGY R3300 S10	Product Code	EUP (€)	Comments			
Additional Software (Continued)	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x						x	x																													U11081-C207	710,00		
	OPENFT-F1AM-1 (WINDOWS) V10.0	License openFT-F1AM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x						x	x									x	x	x																		U11081-C212	1,225,00		
	OPENFT-F2AM-2 (WINDOWS) V10.0	License openFT-F2AM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x						x	x									x	x	x																		U11081-C213	1,994,00		
	OPENFT-F3AM-3 (WINDOWS) V10.0	License openFT-F3AM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x						x	x									x	x	x																		U11081-C214	3,988,00		
	OPENFT-F1AM-1-U (WINDOWS) V10.0	Upd license openFT-F1AM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x						x	x									x	x	x																		U11081-C217	710,00		
	OPENFT-CR (WINDOWS) V12.0	CD-ROM openFT-CR V12.0. Cryptographic module. Attention: export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U11081-C399	15,00		
	OPENFT-SW-CD (WINDOWS) V12.0	Medium for Windows systems, CD-ROM openFT-SW V12.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U11081-C400	30,00			
	OPENFT-1 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U11081-C401	1,348,00			
	OPENFT-2 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x									x	x	x																		U11081-C402	2,193,00		
	OPENFT-3 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x									x	x	x																		U11081-C403	4,387,00		
	OPENFT-F1AM-1 (WINDOWS) V12.0	License openFT-F1AM (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U11081-C411	1,348,00			
	OPENFT-F2AM-2 (WINDOWS) V12.0	License openFT-F2AM (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x									x	x	x																			U11081-C412	2,193,00	
	OPENFT-F3AM-3 (WINDOWS) V12.0	License openFT-F3AM (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x									x	x	x																			U11081-C413	4,387,00	
	OPENFT-F1P-1 (WINDOWS) V12.0	License openFT-F1P (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U11081-C421	550,00			
	OPENFT-F2P-2 (WINDOWS) V12.0	License openFT-F2P (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x									x	x	x																			U11081-C422	895,00	
	OPENFT-F3P-3 (WINDOWS) V12.0	License openFT-F3P (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x									x	x	x																			U11081-C423	1,791,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U11081-C301	1,225,00			
	OPENFT-F1AM-1 (WINDOWS) V11.0	License openFT-F1AM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U11081-C311	1,225,00			
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x									x	x	x																			U11081-C302	1,994,00	
	OPENFT-F2AM-2 (WINDOWS) V11.0	License openFT-F2AM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x									x	x	x																			U11081-C312	1,994,00	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x									x	x	x																			U11081-C303	3,988,00	
	OPENFT-F3AM-3 (WINDOWS) V11.0	License openFT-F3AM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x									x	x	x																			U11081-C313	3,988,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U11081-C300	30,00			
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0. Cryptographic module. Attention: export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U11081-C299	15,00			
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U10987-C501	1,225,00			
	OPENFT-F1AM-1 (UNIX systems) V11.0	License openFT-F1AM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U10987-C513	1,225,00			
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x									x	x	x																			U10987-C502	1,994,00	Phased out
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x									x	x	x																			U10987-C503	3,988,00	Phased out
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U10987-C500	36,00			
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0. Cryptographic module, for openFT V11.0, Attention: export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U10987-C499	15,00			



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Approvals/dependencies												
	ENABLING LOW NOISE MODE RX300				x					S26361-F3776-E1	3,00	
	ENABLING LOW NOISE MODE TX300					x				S26361-F3776-E3	3,00	
Processor												
	Intel Pentium G640 2C/2T 2.80 GHz 3 MB	Intel Pentium processor G640 (2C/2T, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink	x							S26361-F3579-E264	105,00	Phased out
	Intel Pentium G2120 2C/2T 3.10 GHz 3 MB	Intel Pentium processor G2120 (2C/2T, 3.10 GHz, TLC: 3 MB, Turbo: No, 1600 MHz, 55 W) without heat sink	x							S26361-F3580-E221	125,00	
	Intel Core i3-3220 2C/4T 3.30 GHz 3 MB	Intel Core i3-3220 processor (2C/4T, 3.30 GHz, TLC: 3 MB, Turbo: No, 1600 MHz, 55 W) without heat sink	x							S26361-F3580-E222	190,00	
	Intel Xeon E3-1220Lv2 2C/4T 2.30GHz 3MB	Intel Xeon processor E3-1220Lv2 (2C/4T, 2.30 GHz, TLC: 3 MB, Turbo: Yes, 1600 MHz, 17 W) without heat sink	x							S26361-F3580-E312	335,00	
	Intel Xeon E3-1265Lv2 4C/8T 2.50GHz 8 MB	Intel Xeon processor E3-1265Lv2 (4C/8T, 2.50 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 45 W) without heat sink	x							S26361-F3580-E316	480,00	
	Intel Xeon E3-1220v2 4C/4T 3.10 GHz 8 MB	Intel Xeon processor E3-1220v2 (4C/4T, 3.10 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x							S26361-F3580-E322	335,00	
	Intel Xeon E3-1230v2 4C/8T 3.30 GHz 8 MB	Intel Xeon processor E3-1230v2 (4C/8T, 3.30 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x							S26361-F3580-E323	370,00	
	Intel Xeon E3-1270v2 4C/8T 3.50 GHz 8 MB	Intel Xeon processor E3-1270v2 (4C/8T, 3.50 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x							S26361-F3580-E327	530,00	
	Intel Xeon E7-2803 6C/12T 1.73 GHz 18 MB	Intel Xeon processor E7-2803 (6C/12T, 1.73 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 105 W) incl. heat sink						x		S26361-F3999-E280	865,00	
	Intel Xeon E7-2850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-2850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E285	2.880,00	
	Intel Xeon E7-4807 6C/12T 1.86 GHz 18 MB	Intel Xeon processor E7-4807 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink						x		S26361-F3999-E480	1.250,00	
	Intel Xeon E7-4820 8C/16T 2.00 GHz 18 MB	Intel Xeon processor E7-4820 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1/2, 5.86 GT/s, 105 W) incl. heat sink						x		S26361-F3999-E482	1.725,00	
	Intel Xeon E7-4830 8C/16T 2.13 GHz 24 MB	Intel Xeon processor E7-4830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink						x		S26361-F3999-E483	2.260,00	
	Intel Xeon E7-4850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-4850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E485	2.995,00	
	Intel Xeon E7-4860 10C/20T 2.26GHz 24MB	Intel Xeon processor E7-4860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E486	4.165,00	
	Intel Xeon E7-4870 10C/20T 2.40GHz 30MB	Intel Xeon processor E7-4870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E487	5.085,00	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel Xeon processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E837	2.745,00	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel Xeon processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F4471-E837	2.745,00	
	Intel Xeon E7-8830 8C/16T 2.13 GHz 24 MB	Intel Xeon processor E7-8830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink						x		S26361-F4471-E883	2.750,00	
	Intel Xeon E7-8850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-8850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F4471-E885	3.725,00	
	Intel Xeon E7-8860 10C/20T 2.26GHz 24MB	Intel Xeon processor E7-8860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F4471-E886	4.935,00	
	Intel Xeon E7-8870 10C/20T 2.40GHz 30MB	Intel Xeon processor E7-8870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F4471-E887	5.615,00	
	CPU MEMORY Riser Board	CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3						x		S26361-F4524-E100	2.015,00	
	CPU Mezzanine Board RX500 S7	CPU Mezzanine Board for two additional CPU's and 24 DIMM Modules					x			S26361-F4570-E100	600,00	
	Intel Xeon E5-4603 4C/8T 2.00 GHz 10 MB	Intel Xeon processor E5-4603 (4C/8T, 2.00 GHz, TLC: 10 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1066 MHz, 95 W) incl. heat sink					x			S26361-F4570-E603	725,00	
	Intel Xeon E5-4607 6C/12T 2.20 GHz 12 MB	Intel Xeon processor E5-4607 (6C/12T, 2.20 GHz, TLC: 12 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1066 MHz, 95 W) incl. heat sink					x			S26361-F4570-E607	1.135,00	
	Intel Xeon E5-4610 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-4610 (6C/12T, 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x			S26361-F4570-E610	1.525,00	
	Intel Xeon E5-4617 6C/6T 2.90 GHz 15 MB	Intel Xeon processor E5-4617 (6C/6T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink					x			S26361-F4570-E617	2.030,00	
	Intel Xeon E5-4620 8C/16T 2.20 GHz 16 MB	Intel Xeon processor E5-4620 (8C/16T, 2.20 GHz, TLC: 16 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x			S26361-F4570-E620	2.030,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Processor (Continued)												
	Intel Xeon E5-4640 8C/16T 2.40 GHz 20 MB	Intel Xeon processor E5-4640 (8C/16T, 2.40 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink						x		S26361-F4570-E640	3.305,00	
	Intel Xeon E5-4650 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-4650 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink							x	S26361-F4570-E650	4.365,00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x	x				S26361-F3685-E180	295,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x	x				S26361-F3685-E240	400,00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x					S26361-F3689-E180	295,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x					S26361-F3689-E240	400,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink			x	x				S26361-F3676-E200	540,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink			x	x				S26361-F3676-E230	775,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink			x	x				S26361-F3676-E250	1.105,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink			x					S26361-F3690-E200	540,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink			x					S26361-F3690-E230	775,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink			x					S26361-F3690-E250	1.105,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink			x	x				S26361-F3686-E200	1.320,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink			x	x				S26361-F3686-E220	1.590,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. heat sink			x	x				S26361-F3686-E260	1.830,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink			x	x				S26361-F3686-E270	2.055,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink			x	x				S26361-F3686-E290	2.420,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink			x					S26361-F3691-E200	1.320,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink			x					S26361-F3691-E220	1.590,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. heat sink			x					S26361-F3691-E260	1.830,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink			x					S26361-F3691-E270	2.055,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink			x					S26361-F3691-E290	2.420,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink			x	x				S26361-F3687-E290	1.830,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink			x	x				S26361-F3687-E300	1.105,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink			x	x				S26361-F3687-E330	1.105,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink			x					S26361-F3692-E290	1.830,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink			x					S26361-F3692-E300	1.105,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink			x					S26361-F3692-E330	1.105,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink			x	x				S26361-F3688-E180	1.320,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Processor (Continued)												
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink		x	x					S26361-F3688-E200	845,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink		x						S26361-F3693-E180	1.320,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink		x						S26361-F3693-E200	845,00	
Memory												
	2GB (1x2GB) 1Rx8 DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	x							S26361-F3719-E513	50,00	
	4GB (1x4GB) 2Rx8 DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	x							S26361-F3719-E514	75,00	
	8GB (1x8GB) 2Rx8 DDR3-1600 U ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	x							S26361-F3719-E515	130,00	
	Memory Board RX600 S6	Memory board for up to two set's of DDR3 LV memory (with 4 DIMMs each)						x		S26361-F3990-E600	265,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory							x	S26361-F4472-E3	5,00	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F4523-E642	340,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F4523-E643	500,00	
	128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM							x	S26361-F4523-E646	3.945,00	
	64GB 4x16 DDR3 LV 1600 MHz PC3-12800 rg	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM							x	S26361-F4523-E647	1.040,00	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F4523-E942	340,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F4523-E943	500,00	
	128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM							x	S26361-F4523-E946	3.945,00	
	64GB 4x16 DDR3 LV 1600 MHz PC3-12800 rg	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM							x	S26361-F4523-E947	1.040,00	
	Spare Mode Installation	BIOS setup for Spare mode, preinstallation ex factory							x	S26361-F4003-E1	5,00	
	Interleaving Mode Installation	BIOS setup for Interleaving mode, preinstallation ex factory							x	S26361-F4003-E2	5,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory							x	S26361-F4003-E3	5,00	
Memory Modules												
	Independent Mode Installation	No specific memory RAS features are defined	x	x	x	x				S26361-F3694-E10	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory	x	x	x	x				S26361-F3694-E2	5,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory		x	x	x	x			S26361-F3694-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory.		x	x	x	x			S26361-F3694-E3	5,00	
	2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x	x	x				S26361-F3694-E513	50,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x	x	x				S26361-F3694-E514	75,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC			x	x	x	x			S26361-F3695-E514	95,00	
	4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM		x	x	x				S26361-F3696-E514	85,00	
	8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM		x	x	x				S26361-F3696-E515	125,00	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM		x	x	x	x			S26361-F3697-E514	95,00	
	8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM		x	x	x	x			S26361-F3697-E515	145,00	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM		x	x	x	x			S26361-F3697-E516	260,00	
	16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM		x	x	x	x			S26361-F3698-E516	400,00	
	32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM		x	x	x	x			S26361-F3698-E517	885,00	
Graphics												
	PY NVIDIA Tesla K20 GPGPU	NVIDIA Tesla K20 PCIe-x16 GPGPU card for TX300 S7ff ; RX350 S7ff; for HPC purposes no Graphic Output					x			S26361-F2222-E22	4.475,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Graphics (Continued)												
	PY NVIDIA Tesla K20X GPGPU	NVIDIA Tesla K20X PCIe-x16 GPGPU card for TX300 S7ff ; RX350 S7ff; for HPC purposes no Graphic Output				x				S26361-F2222-E24	6.450,00	
	Front-VGA Interface	2nd optional VGA interface front side		x	x	x	x			S26361-F2571-E26	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card			x					S26361-F2748-E537	135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile	x	x	x					S26361-F2748-E637	135,00	
	PY NVIDIA Tesla C2075 GPGPU	NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte for TX300 S7 / RX350 S7				x				S26361-F2856-E997	2.675,00	
	PY GPGPU Cable Kit	Cable Kit to install up to 2 GPGPUs; Includes an universal PCI card holder and screws				x				S26361-F3736-E1	80,00	
	PY K20 / K20X mounting kit	Mounting and Cable Kit to install up to 2 NVIDIA K20 or K20X GPGPU cards; Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x GPGPU K20 or K20X				x				S26361-F3736-E2	95,00	
	PY Intel Xeon Phi mounting kit	Mounting and Cable Kit to install up to 2 Intel Xeon Phi 5110P or 7120P Co-Processor cards; Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x Xeon Phi 5110P or 7120P				x				S26361-F3736-E5	95,00	
	Intel Xeon Phi Co-Processor 5110P	Intel Xeon Phi 5110P PCIe-x16 Co-Processor card for CX270 S2; TX300 S7ff ; RX350 S7ff; for HPC purposes no Graphic Output				x				S26361-F4100-E511	3.895,00	
Removable Media Drives												
	USB3.0 PCIe x1 adapter card	USB 3.0 adapter card to connect one internal USB 3.0 RDX drive and one external USB 3.0 device.				x	x	x		S26361-F3749-E1	25,00	
	Config 2: 4x 2.5" HDD	RX300S7 with config 2: 4x 2.5" HDD			x					S26361-F1373-E420	90,00	
	MountingKit DVD(sI) + LSD	for slim DVD, 1x Local Service Display				x				S26361-F2826-E205	30,00	
	Config 3: 4x 2.5" HDD + LTO	RX300S7 with config 3: 4x 2.5" HDD + LTO			x					S26361-F1373-E430	175,00	
	ExtensionKit 4x SAS LFF HDD	HDD Extension for 4x LFF hotplug HDD				x				S26361-F2826-E335	80,00	
	Config 5: 8x 2.5" HDD + 3.5" drive	RX300S7 with config 5: 8x 2.5" HDD + 3.5" drive			x					S26361-F1373-E450	230,00	
	MountingKit DVD(sI)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD				x				S26361-F2826-E105	65,00	
	Config 6: 8x 2.5" HDD + LTO	RX300S7 with config 6: 8x 2.5" HDD + LTO			x					S26361-F1373-E460	230,00	
	ExtensionKit 8x SAS SFF HDD	HDD Extension for 8x SFF hotplug HDD				x				S26361-F2826-E325	90,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black	x	x	x	x	x	x	x	S26361-F3269-E2	95,00	
	Config 8: 16x 2.5" HDD	RX300S7 with config 8: 16x 2.5" HDD				x				S26361-F1373-E480	425,00	
	MountingKit 8x SAS SFF HDD	Extension Box for 8x 2.5" hotplug HDD				x				S26361-F2826-E425	90,00	
	MountingKit DVD(sI)+4x SAS LFF HDD	for slim DVD, 4x HDD				x				S26361-F2826-E435	90,00	
	SAS Expander 2x4 In / 6x4 Out	SAS Expander 2x4 In / 6x4 Out				x				S26361-F3668-E1	255,00	
	Adapter Kit for 2nd RAID Controller	Adapter Kit for 2nd RAID Controller				x				S26361-F3673-E1	20,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height	x	x	x	x	x	x	x	S26361-F3641-E2	165,00	
	USB3.0 PCIe x1 adapter card Ip	USB 3.0 adapter card to connect one internal USB 3.0 RDX drive and one external USB 3.0 device	x	x	x					S26361-F3749-E201	25,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel				x				S26361-F3266-E2	35,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel				x				S26361-F3267-E2	60,00	
	RDX 320 5.25"	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel., With 320GB Cartridge				x	x	x		S26361-F3750-E324	285,00	
	RDX 320 3.5"	RDX Drive USB 3.0 100MB/s 3.5" intern with 320GB cartridge, USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.			x					S26361-F3750-E325	285,00	
	RDX 500 5.25"	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel., With 500GB Cartridge				x	x	x		S26361-F3750-E504	375,00	
	RDX 500 3.5"	RDX Drive USB 3.0 100MB/s 3.5" intern with 500GB cartridge, USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.			x					S26361-F3750-E505	375,00	
	RDX 1000 5.25"	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel., With 1000GB Cartridge				x	x	x		S26361-F3750-E604	420,00	
	RDX 1000 3.5"	RDX Drive USB 3.0 100MB/s 3.5" intern with 1000GB cartridge, USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.			x					S26361-F3750-E605	420,00	
	RDX Drive USB3.0 5.25" internal	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.				x	x	x		S26361-F3750-E4	210,00	
	RDX Drive USB 3.0 3.5" internal	RDX Drive USB 3.0 100MB/s 3.5" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black beze.			x					S26361-F3750-E5	210,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge				x	x	x		S26361-F3324-E4	505,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Removable Media Drives (Continued)												
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge		x						S26361-F3324-E5	505,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB cable, with description (G/US), with cleaning cartridge			x					S26361-F3324-E7	555,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge				x	x	x		S26361-F3325-E4	735,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge			x					S26361-F3325-E2	735,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge			x	x	x	x		S26361-F3561-E4	1.410,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge			x	x	x	x		S26361-F3626-E2	1.825,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge			x	x	x	x		S26361-F3627-E1	2.220,00	
Hard Disks												
	HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic	x							S26361-F3700-E250	160,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, economic	x							S26361-F3700-E500	205,00	
	HD SATA 1TB 5.4K 2.5" HOT PL ECO	HDD SATA, 320 GB, 5400 rpm, non hot plug, 2.5-inch, economic	x							S26361-F3797-E100	255,00	
	PCIe-SSD 365GB MLC			x	x			x		S26361-F4522-E351	5.020,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F3670-E500	210,00	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x					S26361-F3708-E250	225,00	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x					S26361-F3708-E500	255,00	
	ioTurbine	VFcache Software incl. virtualisation, VFcache Software for one physical server		x	x		x	x	x	S26361-F4522-S100	3.170,00	
	ioTurbine support silver 1 year	Service subscription for one VFcache SW license		x	x		x	x	x	S26361-F4522-S101	485,00	
	ioTurbine support silver 3 years	Service subscription for one VFcache SW license		x	x		x	x	x	S26361-F4522-S103	1.295,00	
	ioTurbine support silver 5 years	Service subscription for one VFcache SW license		x	x		x	x	x	S26361-F4522-S105	1.905,00	
	ioTurbine support gold 1 year	Service subscription for one VFcache SW license		x	x		x	x	x	S26361-F4522-S111	645,00	
	ioTurbine support gold 3 years	Service subscription for one VFcache SW license		x	x		x	x	x	S26361-F4522-S113	1.745,00	
	ioTurbine support gold 5 years	Service subscription for one VFcache SW license		x	x		x	x	x	S26361-F4522-S115	2.555,00	
	HD SAS 6G 1TB 7.2K HOT PL 3.5" BC	HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F5241-E100	325,00	Orderable from: 04/07/2013
	HD SAS 6G 2TB 7.2K HOT PL 3.5" BC	HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F5241-E200	485,00	Orderable from: 04/07/2013
	HD SAS 6G 3TB 7.2K HOT PL 3.5" BC	HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F5241-E300	760,00	Orderable from: 04/07/2013
	HD SAS 6G 4TB 7.2K HOT PL 3.5" BC	HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F5241-E400	870,00	Orderable from: 04/07/2013
	HD SATA 6G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F3670-E100	255,00	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical	x		x	x				S26361-F3708-E100	410,00	
	directCache	VFcache Software without virtualisation, VFcache Software for one physical server		x	x		x	x	x	S26361-F4522-S200	3.170,00	
	directCache support silver 1 year	Service subscription for one VFcache SW license		x	x		x	x	x	S26361-F4522-S201	485,00	
	directCache support silver 3 years	Service subscription for one VFcache SW license		x	x		x	x	x	S26361-F4522-S202	1.295,00	
	directCache support silver 5 years	Service subscription for one VFcache SW license		x	x		x	x	x	S26361-F4522-S203	1.905,00	
	directCache support gold 1 year	Service subscription for one VFcache SW license		x	x		x	x	x	S26361-F4522-S204	645,00	
	directCache support gold 3 years	Service subscription for one VFcache SW license		x	x		x	x	x	S26361-F4522-S205	1.745,00	
	directCache support gold 5 years	Service subscription for one VFcache SW license		x	x		x	x	x	S26361-F4522-S206	2.555,00	
	HD SATA 6G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F3670-E200	440,00	
	PCIe-SSD 785GB MLC	PCIe SSD, 785 GB, MLC, Flash drive		x	x		x	x	x	S26361-F4522-E781	#####	
	SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	S26361-F5225-E100	465,00	
	SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	S26361-F5225-E200	995,00	
	SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	S26361-F5225-E400	2.205,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise		x	x	x				S26361-F5247-E130	255,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise		x	x	x				S26361-F5247-E145	370,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Hard Disks (Continued)												
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise		x	x	x				S26361-F5247-E160	450,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise		x	x	x				S26361-F5247-E190	635,00	
	HD SATA 6G 3TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F3670-E300	600,00	
	HD SATA 6G 4TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F3670-E400	670,00	Orderable from: 23/08/2013
	PCIe-SSD 1.2TB MLC	PCIe SSD, 1.2 TB, MLC, Flash drive		x	x		x	x	x	S26361-F4522-E121	#####	
	HD SAS 6G 500GB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x	x	x	x	x	S26361-F5228-E500	270,00	
	HD SAS 6G 1TB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x	x	x	x	x	S26361-F5228-E100	450,00	
	HD SATA 3G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x	x				S26361-F3294-E200	440,00	
	HD SAS 6G 300GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x				S26361-F4005-E530	370,00	
	HD SAS 6G 450GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x				S26361-F4005-E545	395,00	
	HD SAS 6G 600GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x				S26361-F4005-E560	430,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x		x	x	x	S26361-F4482-E130	255,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x		x	x	x	S26361-F4482-E145	370,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x		x	x	x	S26361-F4482-E160	450,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x		x	x	x	S26361-F4482-E190	635,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x		x	x	x	S26361-F4482-E514	295,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x		x	x	x	S26361-F4482-E530	495,00	
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise		x	x		x	x	x	S26361-F4541-E100	1.795,00	Phased out
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise		x	x		x	x	x	S26361-F4541-E400	6.180,00	
	SSD SAS 6G 100GB MLC HOT PL 2.5" EP PERF	SSD (Solid State Drives), 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise		x	x		x	x	x	S26361-F4581-E100	900,00	
	SSD SAS 6G 200GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise		x	x		x	x	x	S26361-F4581-E200	1.700,00	
	SSD SAS 6G 400GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise		x	x		x	x	x	S26361-F4581-E400	3.375,00	
SCSI/RAID/SAS controller												
	RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"							x	S26361-F3257-E170	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C16	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"		x	x					S26361-F3257-E216	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C55	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"	x	x						S26361-F3257-E255	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C70	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"				x			x	S26361-F3257-E270	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports	x						x	S26361-F3257-E4	110,00	
	SAS Ctrl 6G 8ext PCIe	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e				x	x	x	x	S26361-F3628-E1	265,00	
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP	x	x	x					S26361-F3628-E201	265,00	
	TFM Module for FBU option on D3116	TFM module for "RAID Ctrl SAS 6G 1GB (D3116)",	x	x	x	x	x	x	x	S26361-F3669-E100	170,00	
	RAID Ctrl FBU option with 25cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 25cm cable		x	x					S26361-F3669-E125	115,00	
	RAID Ctrl FBU option with 70cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 70, cm cable				x	x			S26361-F3669-E170	115,00	
	RAID Ctrl SAS 6G 8Port ex 1GB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe2.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH bracket				x	x			S26361-F3713-E1	800,00	
	RAID Ctrl SAS 6G 8Port ex 1GB FH LSI V3	RAID-Ctrl, LSI MegaRAID SAS 9286CV-8e, PCIe3.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH bracket				x	x	x	x	S26361-F3713-E3	800,00	Orderable from: 15/07/2013
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,		x	x	x	x			S26361-F3674-E1	85,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x	x	x	S26361-F3554-E8	175,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports	x	x	x	x		x	x	S26361-F3554-E512	390,00	
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports		x	x	x	x			S26361-F3669-E1	435,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
SCSI/RAID/SAS controller (Continued)												
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU				x		x	x	S26361-F3593-E1	595,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU	x	x	x					S26361-F3593-E201	595,00	
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports	x	x				x		S26361-F3669-E2	435,00	
	RAID Ctrl SAS 6G 1GB (D3116C)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 3.0 x8, 8 internal ports	x	x	x	x		x		S26361-F3669-E3	435,00	
	RAID Ctrl SAS 6G 8Port ex 1GB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe2.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, LP bracket		x	x					S26361-F3713-E201	800,00	
	RAID Ctrl SAS 6G 8Port ex 1GB LP LSI V3	RAID-Ctrl, LSI MegaRAID SAS 9286CV-8e, PCIe3.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, LP bracket		x	x					S26361-F3713-E203	800,00	Orderable from: 15/07/2013
	MegaRAID Advanced Software Options int.	CacheCade 2.0 and FastPath license key	x	x	x	x	x	x		S26361-F3669-E660	270,00	New product,Orderable from: 15/07/2013
	MegaRAID Advanced Software Options ext.	CacheCade 2.0 and FastPath license key		x	x	x	x	x		S26361-F3669-E661	270,00	New product,Orderable from: 15/07/2013
	RAID Ctrl FBU option with 55cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 5, 5cm cable	x	x				x		S26361-F3669-E155	115,00	
Fibre Channel												
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors				x	x	x	x	S26361-F3961-E1	860,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors				x	x	x	x	S26361-F3961-E2	1.385,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC LP	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors	x	x	x					S26361-F3961-E201	860,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors	x	x	x					S26361-F3961-E202	1.385,00	
	PFC EP LPe16000	1 channel 16GBit/s FC controller, PCI intergace: PCIe 3.0 x8; backwards compatible to PCIe 2.0, Optics: 16GB short wave lasers with LC type connectors				x	x	x	x	S26361-F4994-E1	1.525,00	
	PFC EP LPe16002	2 channel 16GBit/s FC controller, PCI intergace: PCIe 3.0 x8; backwards compatible to PCIe 2.0, Optics: 16GB short wave lasers with LC type connectors				x		x	x	S26361-F4994-E2	2.375,00	
	PFC EP LPe16000 LP	1 channel 16GBit/s FC controller, PCI intergace: PCIe 3.0 x8; backwards compatible to PCIe 2.0, Optics: 16GB short wave lasers with LC type connectors	x	x	x					S26361-F4994-E201	1.525,00	
	PFC EP LPe16002 LP	2 channel 16GBit/s FC controller, , PCI intergace: PCIe 3.0 x8; backwards compatible to PCIe 2.0, , Optics: 16GB short wave lasers with LC type connectors	x	x	x					S26361-F4994-E202	2.375,00	
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors				x	x	x	x	S26361-F3631-E1	955,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors				x	x	x	x	S26361-F3631-E2	1.540,00	
	FC Ctrl 8GB/s 1 channel QLE2560MMF LC LP	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors	x	x	x					S26361-F3631-E201	955,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers with LC type connectors	x	x	x					S26361-F3631-E202	1.540,00	
Connection Blades												
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.	x	x	x	x	x	x	x	S26361-F3986-E3	410,00	
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for single mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to 10km.	x	x	x	x	x	x	x	S26361-F3986-E4	1.190,00	
Communication/Network												
	Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel LAN controller chip 82576NS, Usable with original Intel driver kit, Extends the available two onboard 1GB LAN connectors with two additional 1GB LAN connectors.		x	x	x	x			S26361-F3610-E702	210,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Communication/Network (Continued)												
	Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit, Extends the available two onboard 1GB LAN connectors with two additional 1GB LAN connectors., Due to missing VMware certification of this controller the , D2735 must be used in VMware installations		x	x	x	x			S26361-F3740-E701	210,00	
	Upgrade-Kit to 6x GBit on-board	Upgrade-Kit to 6x GBit on-board, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors.		x	x	x	x			S26361-F3611-E701	390,00	New product,Orderable from: 15/07/2013
	Upgrade-Kit to 6x GBit on-board	Upgrade-Kit to 6x GBit on-board, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors., Due to missing VMware certification of this controller the , D2745 must be used in VMware installations		x	x	x	x			S26361-F3739-E701	390,00	
	Upgrade-Kit to 2xGB and 2x10GB on-board	Upgrade-Kit to 2x GBit and 2x 10GBit on-board, Based on Intel LAN controller chip 82599, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with two additional 10GB LAN connectors (SFP+).		x	x	x	x			S26361-F3629-E702	525,00	
	Shared 10GB Management LAN kit			x	x	x	x			S26361-F3629-E750	25,00	
	Eth Ctrl 4x1GBit Cu PCIe x4 D3045	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu PCIe x4 D3045, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit., Due to missing VMware certification of this controller the , D2745 must be used in VMware installations				x	x	x	x	S26361-F3739-E1	390,00	
	Eth Ctrl 2x1GBit Cu PCIe x4 D3035	Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCIe x4 D3035, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit., Due to missing VMware certification of this controller the , D2735 must be used in VMware installations				x	x	x	x	S26361-F3740-E1	210,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter				x	x	x	x	S26361-F3242-E1	240,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel® Pro 1000PF 1 Port Server Adapter	x	x	x					S26361-F3242-E201	240,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter				x				S26361-F3516-E1	45,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel® GBit CT 1 Port Desktop Adapter lp	x	x	x					S26361-F3516-E201	45,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu lp	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu lp, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit	x	x	x					S26361-F3610-E202	210,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu lp	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu lp, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit	x	x	x					S26361-F3611-E201	390,00	New product,Orderable from: 15/07/2013
	Eth Ctrl 4x1GBit Cu PCIe x4 D3045 lp	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu PCIe x4 D3045, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit., Due to missing VMware certification of this controller the , D2745 must be used in VMware installations	x	x	x					S26361-F3739-E201	390,00	
	Eth Ctrl 2x1GBit Cu PCIe x4 D3035 lp	Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCIe x4 D3035, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit., Due to missing VMware certification of this controller the , D2735 must be used in VMware installations	x	x	x					S26361-F3740-E201	210,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+				x	x	x	x	S26361-F3629-E2	525,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ lp	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ lp	x	x	x					S26361-F3629-E202	525,00	
	FCoE Ctrl 10GB/s 2 channel OCE10102 MMF	2 Channel 10GBit/s FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable				x	x	x	x	S26361-F3592-E2	1.335,00	
	FCoE Ctrl 10GB/s 2 channel OCE10102 MMF	2 Channel 10GBit/s FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable	x	x	x					S26361-F3592-E202	1.335,00	
	Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable with original Intel driver kit	x	x	x					S26361-F3752-E202	890,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCE10102	x	x	x	x	x	x	x	S26361-F3592-E108	405,00	
	Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBBase-T PCIe x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable with original Intel driver kit				x	x	x	x	S26361-F3752-E2	890,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit				x	x	x	x	S26361-F3610-E2	210,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Communication/Network (Continued)												
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit				x	x	x	x	S26361-F3611-E1	390,00	New product,Orderable from: 15/07/2013
	IB HCA 40GB 1 port QDR PIB EP QLE7340e	InfiniBand HCA 40GB/s, 1-port, QDR, Intel InfiniBand HCA 40GB/s, 1-port, QDR, QLE7340 CK		x	x	x	x	x	x	S26361-F4475-E102 S26361-F4475-E122	625,00 375,00	New product,Orderable from: 15/07/2013
	PIB EP QLE7342e	Intel InfiniBand HCA 40GB/s, 2-port, QDR, QLE7342 CK		x	x	x	x			S26361-F4475-E222	420,00	New product,Orderable from: 15/07/2013
	IB HCA 40GB 1 port QDR enhanced	InfiniBand HCA 40GB/s, 1-port, QDR, enhanced		x	x	x	x			S26361-F4475-E103	685,00	
	IB HCA 40GB 2 port QDR enhanced	InfiniBand HCA 40GB/s, 2-port, QDR, enhanced		x	x	x	x			S26361-F4475-E203	1.060,00	
	IB HCA 56GB 1 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR		x	x	x	x			S26361-F4533-E102	1.040,00	
	IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 2-port, FDR		x	x	x	x			S26361-F4533-E202	1.605,00	
Rack-Infrastructure												
	RMK-F1_DI_CMA_QRL	Telescopic drop-in rails, 781mm long with cable management arm adapter, full extraction with extension length 815mm, with vario-carrier 1 for rack installation depth (19" pillar distance) between 714mm and 785m, pre-assembled with centre screw	x	x	x					S26361-F2735-E145	85,00	
	Rack Mount Kit F1-C S7 LV	Rack Mount Kit (RMK) for server max. 2 height units (U) or max. 35 Kg (F1) with Quick-Release-Lever (QRL). Drop in telescope rails (DI), full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).	x	x	x					S26361-F2735-E175	115,00	
	Rack Mount Kit F2-C S7 LV	Rack Mount Kit (RMK) for server more than 2 height units (U) or max. 50 Kg (F2) with Quick-Release-Lever (QRL). Drop in telescope rails (DI) 781mm long, full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).				x	x	x		S26361-F2735-E285	100,00	
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket	x	x	x	x	x	x	x	S26361-F4530-E10	5,00	
	Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket	x	x	x					S26361-F4530-E11	5,00	
	Mounting 2U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket				x				S26361-F4530-E12	5,00	
	Mounting 3U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket					x	x	x	S26361-F4530-E13	5,00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x	x						S26361-F1647-E302	65,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.			x	x	x	x	x	SNP:SY-F1647E301-P	130,00	
	Rack Cable Arm 1U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 1U. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.	x	x						S26361-F2735-E81	20,00	
	Rack Cable Arm 2U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.			x	x	x	x		S26361-F2735-E82	30,00	
	Cable mgmt. lateral for asym. PC racks M	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER M1 racks			x	x	x	x		S26361-F2735-E71	30,00	
	cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.						x	x	S26361-F2201-E20	50,00	
	Cable mgmt. RX900 für asym. 19" Racks	Cable mgmt. RX900 for asym. 19" Rack							x	S26361-F2735-E17	30,00	
	Rack Mount Kit for RX900								x	S26361-F2735-E109	180,00	
Country kits												
	CCC Certification for China	CCC Certification for China	x	x	x	x				S26361-F3301-E120	10,00	
	region kit APAC/EMEA/India	Region-kit APAC/EMEA/ India	x	x	x	x	x	x	x	S26361-F1452-E100	10,00	
	region-kit America	Region-kit America	x	x	x	x	x	x	x	S26361-F1452-E130	10,00	
PRIMERGY-Software												



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	FJ HANA POWER V1.1 Media-Set	Fujitsu Power Appliance for SAP HANA Platform - Media set,							x	D:HANA-MEDIA-10	80,00	
	Fujitsu Power Appliance for SAP HANA	Fujitsu Power Appliance for SAP HANA Software base license. Covers first 512 GB RAM.,							x	D:HANA-SW-001	4.000,00	
	Fujitsu Power Appliance for SAP HANA	1 year back level support for Fujitsu Power Appliance for SAP HANA Software base license (D:HANA-SW-001),.							x	D:HANA-SW-001-W1	1.090,00	
	Fujitsu Power Appliance for SAP HANA	3 year back level support for Fujitsu Power Appliance for SAP HANA Software base license (D:HANA-SW-001),.							x	D:HANA-SW-001-W3	3.240,00	
	Fujitsu Power Appliance for SAP HANA	Fujitsu Power Appliance for SAP HANA Software license extension package I. Covers the range of 512 GB up to 4 TB RAM in steps of 256 GB.,							x	D:HANA-SW-002	2.200,00	
	Fujitsu Power Appliance for SAP HANA	1 year back level support of Fujitsu Power Appliance for SAP HANA Software license extension package I (D:HANA-SW-002),.							x	D:HANA-SW-002-W1	600,00	
	Fujitsu Power Appliance for SAP HANA	3 year back level support of Fujitsu Power Appliance for SAP HANA Software license extension package I (D:HANA-SW-002),.							x	D:HANA-SW-002-W3	1.782,00	
	Fujitsu Power Appliance for SAP HANA	Fujitsu Power Appliance for SAP HANA Software license extension package II. Covers the range of 4 TB up to 16 TB RAM in steps of 256 GB.,							x	D:HANA-SW-003	1.000,00	
	Fujitsu Power Appliance for SAP HANA	1 year back level support of Fujitsu Power Appliance for SAP HANA Software license extension package II (D:HANA-SW-003),.							x	D:HANA-SW-003-W1	274,00	
	Fujitsu Power Appliance for SAP HANA	3 year back level support of Fujitsu Power Appliance for SAP HANA Software license extension package II (D:HANA-SW-003),.							x	D:HANA-SW-003-W3	810,00	
	iRMC S2 advanced pack	*, On top of standard iRMC features, the iRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage, , Advanced Video Redirection (AVR) , - System-independent graphics and text console redirection, including the keyboard and mouse, - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system, , Remote Storage , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options:, - Reading/writing of data, - Booting from Remote Storage, - Installation of drivers or small applications, - Remote BIOS update (BIOS update via USB) , , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device:, - Floppy disk, - CD-ROM /							x	S26361-F1790-E241	305,00	
	iRMC S3 advanced pack	, On top of standard iRMC features, the iRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage, , Advanced Video Redirection (AVR) , - System-independent graphics and text console redirection, including the keyboard and mouse, - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system, , Remote Storage , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options:, - Reading/writing of data, - Booting from Remote Storage, - Installation of drivers or small applications, - Remote BIOS update (BIOS update via USB) , , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device:, - Floppy disk, - CD-ROM / DVD-ROM, - USB memory device (e.g.	x	x	x	x	x			S26361-F1790-E242	305,00	
	HPC Cluster Suite Basic Edition Media			x	x					S26361-F2349-S100	25,00	
	HPC Cluster Suite Advanced Edition Media			x	x					S26361-F2349-S200	25,00	
	ooB HDD monitoring by iRMC	This option enables the out-of-band monitoring function of the HDD by iRMC. In this case HDD will be monitored without any Server Management agents.		x						S26361-F2557-E301	20,00	
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-L596	2.770,00	
	WinSvr 2012 Language Pack DVD	WinSvr 2012 Language Pack DVD	x	x	x	x	x	x	x	S26361-F2567-E400	25,00	
	WinSvr 2012 Datacenter 2CPU OEM	WinSvr 2012 Datacenter 2CPU OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.	x	x	x	x	x	x	x	S26361-F2567-E410	2.890,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	WinSvr 2012 Datacenter AddLic 2CPU OEM	WinSvr 2012 Datacenter Additional License 2CPU No Media/Key OEM. SACOA License. End User License Terms.						x	x	S26361-F2567-E411	2,890,00	
	WinSvr 2012 Standard 2CPU/2VM OEM	WinSvr 2012 Standard 2CPU&2VM OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.	x	x	x	x	x	x	x	S26361-F2567-E420	590,00	
	WinSvr 2012 Standard AddLic 2CPU/2VM OEM	WinSvr 2012 Standard Additional License 2CPU&2VM No Media/Key OEM. SACOA License. End User License Terms.	x	x	x	x	x	x	x	S26361-F2567-E421	590,00	
	WinSvr 2012 Essentials 2CPU OEM MUL	Windows Server 2012 Essentials, OEM, Multilingual, DVD Media, COA, License, Languages: English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.	x	x						S26361-F2567-E430	305,00	
	WinSvr 2012 Foundation 1CPU OEM	WinSvr 2012 Foundation 1CPU OEM. Multilingual. OEM DVD, COA License. End User License Terms.	x							S26361-F2567-E440	175,00	
	WinStorageSvr 2012 Std 2CPU/2VM OEM	Windows Storage Server 2012 Standard 2CPU&2VM OEM. Multilingual. OEM DVD, COA License. End User License Terms. No CALs required	x	x	x	x				S26361-F2567-E450	440,00	
	WinStorageSvr 2012 Std AddLic 2CPU OEM	Windows Storage Server 2012 Standard Additional License 2CPU&2VM OEM. Step-up license to add 2 CPU sockets / 2 VMs. No media/key	x	x	x	x				S26361-F2567-E451	440,00	
	WinSvr CAL 2012 50Device	Windows Server 2012 CAL 50 Device	x	x	x	x	x	x	x	S26361-F2567-E460	1,095,00	
	WinSvr CAL 2012 50User	Windows Server 2012 CAL 50 User	x	x	x	x	x	x	x	S26361-F2567-E461	1,270,00	
	WinSvr CAL 2012 10Device	Windows Server 2012 CAL 10 Device	x	x	x	x	x	x	x	S26361-F2567-E462	225,00	
	WinSvr CAL 2012 10User	Windows Server 2012 CAL 10 User	x	x	x	x	x	x	x	S26361-F2567-E463	255,00	
	WinSvr CAL 2012 5Device	Windows Server 2012 CAL 5 Device	x	x	x	x	x	x	x	S26361-F2567-E464	115,00	
	WinSvr CAL 2012 5User	Windows Server 2012 CAL 5 User	x	x	x	x	x	x	x	S26361-F2567-E465	135,00	
	WinSvr CAL 2012 1Device	Windows Server 2012 CAL 1 Device	x	x	x	x	x	x	x	S26361-F2567-E466	25,00	
	WinSvr CAL 2012 1User	Windows Server 2012 CAL 1 User	x	x	x	x	x	x	x	S26361-F2567-E467	29,00	
	WinSvr RDS CAL 2012 5Device	Windows Server 2012 RDS CAL 5 Device	x	x	x	x	x	x	x	S26361-F2567-E470	415,00	
	WinSvr RDS CAL 2012 5User	Windows Server 2012 RDS CAL 5 User.	x	x	x	x	x	x	x	S26361-F2567-E471	480,00	
	WinSvr RDS CAL 2012 1Device	Windows Server 2012 RDS CAL 1 Device.	x	x	x	x	x	x	x	S26361-F2567-E472	83,00	
	WinSvr RDS CAL 2012 1User	Windows Server 2012 RDS CAL 1 User.	x	x	x	x	x	x	x	S26361-F2567-E473	96,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x	x	x	S26361-F2567-E480	35,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x	x	x	S26361-F2567-E481	35,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard	DG/DE Kit WinSvr 2008 R2 SP1 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x	x	x	S26361-F2567-E482	35,00	
	DG/DE Kit WinSvr 2008 SP2 Datacenter	DG/DE Kit WinSvr 2008 SP2 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x	x	x	S26361-F2567-E483	35,00	
	DG/DE Kit WinSvr 2008 SP2 Enterprise	DG/DE Kit WinSvr 2008 SP2 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x	x	x	S26361-F2567-E484	35,00	
	DG/DE Kit WinSvr 2008 SP2 Standard	DG/DE Kit WinSvr 2008 SP2 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	x	x	x	x	x	S26361-F2567-E485	35,00	
	Citrix VIAB, 10 CCU, 1yr SWM	Citrix VIAB, 10 CCU, 1yr SWM, VDI-in-a-Box, 10 Concurrent Users, 1 year Citrix Software Maintenance, SW and License key per Download		x	x	x	x	x		S26361-F4583-S500	1,560,00	
	Citrix VIAB, 50 CCU, 1yr SWM	Citrix VIAB, 50 CCU, 1yr SWM, VDI-in-a-Box, 50 Concurrent Users, 1 year Citrix Software Maintenance, SW and License key per Download		x	x	x	x	x		S26361-F4583-S501	7,800,00	
	Citrix VIAB, 101 CCU, 1yr SWM	Citrix VIAB, 101 CCU, 1yr SWM, VDI-in-a-Box, 101 Concurrent Users, 1 year Citrix Software Maintenance, SW and License key per Download		x	x	x	x	x		S26361-F4583-S502	#####	
	Citrix VIAB, 251 CCU, 1yr SWM	Citrix VIAB, 251 CCU, 1yr SWM, VDI-in-a-Box, 251 Concurrent Users, 1 year Citrix Software Maintenance, SW and License key per Download		x	x	x	x	x		S26361-F4583-S503	#####	
	Citrix VIAB, 10 CCU, 3yr SWM	Citrix VIAB, 10 CCU, 3yr SWM, VDI-in-a-Box, 10 Concurrent Users, 3 years Citrix Software Maintenance, SW and License key per Download		x	x	x	x	x		S26361-F4583-S510	2,120,00	
	Citrix VIAB, 50 CCU, 3yr SWM	Citrix VIAB, 50 CCU, 3yr SWM, VDI-in-a-Box, 50 Concurrent Users, 3 years Citrix Software Maintenance, SW and License key per Download		x	x	x	x	x		S26361-F4583-S511	#####	
	Citrix VIAB, 101 CCU, 3yr SWM	Citrix VIAB, 101 CCU, 3yr SWM, VDI-in-a-Box, 101 Concurrent Users, 3 years Citrix Software Maintenance, SW and License key per Download		x	x	x	x	x		S26361-F4583-S512	#####	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Citrix VIAB, 251 CCU, 3yr SWM	Citrix VIAB, 251 CCU, 3yr SWM;; VDI-in-a-Box, 251 Concurrent Users;; 3 years Citrix Software Maintenance;; SW and Lizenze key per Download		x	x	x	x	x		S26361-F4583-S513	#####	
	Citrix VIAB, EDU, 10 CCU, 1yr SWM	Citrix VIAB, EDU, 10 CCU, 1yr SWM;; VDI-in-a-Box, 10 Concurrent Educational Users;; 1 year Citrix Software Maintenance;; SW and Lizenze key per Download;		x	x	x	x	x		S26361-F4583-S520	1.030,00	
	Citrix VIAB, EDU, 50 CCU, 1yr SWM	Citrix VIAB, EDU, 50 CCU, 1yr SWM;; VDI-in-a-Box, 50 Concurrent Educational Users;; 1 year Citrix Software Maintenance;; SW and Lizenze key per Download		x	x	x	x	x		S26361-F4583-S521	5.160,00	
	Citrix VIAB, EDU, 101 CCU, 1yr SWM	Citrix VIAB, EDU, 101 CCU, 1yr SWM;; VDI-in-a-Box, 101 Concurrent Educational Users;; 1 year Citrix Software Maintenance;; SW and Lizenze key per Download		x	x	x	x	x		S26361-F4583-S522	9.700,00	
	Citrix VIAB, EDU, 251 CCU, 1yr SWM	Citrix VIAB, EDU, 251 CCU, 1yr SWM;; VDI-in-a-Box, 251 Concurrent Educational Users;; 1 year Citrix Software Maintenance;; SW and Lizenze key per Download		x	x	x	x	x		S26361-F4583-S523	#####	
	Citrix VIAB, EDU, 10 CCU, 3yr SWM	Citrix VIAB, EDU, 10 CCU, 3yr SWM;; VDI-in-a-Box, 10 Concurrent Educational Users;; 3 years Citrix Software Maintenance;; SW and Lizenze key per Download		x	x	x	x	x		S26361-F4583-S530	1.560,00	
	Citrix VIAB, EDU, 50 CCU, 3yr SWM	Citrix VIAB, EDU, 50 CCU, 3yr SWM;; VDI-in-a-Box, 50 Concurrent Educational Users;; 3 years Citrix Software Maintenance;; SW and Lizenze key per Download		x	x	x	x	x		S26361-F4583-S531	7.800,00	
	Citrix VIAB, EDU, 251 CCU, 3yr SWM	Citrix VIAB, EDU, 251 CCU, 3yr SWM;; VDI-in-a-Box, 251 Concurrent Educational Users;; 3 years Citrix Software Maintenance;; SW and Lizenze key per Download		x	x	x	x	x		S26361-F4583-S533	#####	
	VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory		x	x	x	x			U15000-C311	320,00	
	VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory		x	x	x	x			U15000-C312	1.910,00	
	VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory		x	x	x	x			U15000-C313	3.835,00	
	FF4S V5.1A Media-Set	FlexFrame V5.1A media set			x					U21348-C5100	80,00	
	FF4S V5.2A Media-Set	FlexFrame V5.2A media set			x					U21348-C5200	80,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x		S26361-F2565-E593	885,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x		S26361-F2565-E595	885,00	
	Win Svr 2008 R2 SP1 Foundation 1CPU OEM	Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x							S26361-F2567-E301	175,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x		S26361-F2567-E331	2.895,00	
	Win Svr 2008 R2 SP1 Datactr 4CPU OEM	Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.					x	x		S26361-F2567-E333	5.790,00	
	Win Svr 2008 R2 SP1 Datactr 8CPU OEM	Win Srv 2008 R2 SP1 Dtc (8 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.						x		S26361-F2567-E335	#####	
	HPC Cluster Suite Basic aca -16N 1Y	HPC Cluster Suite Basic aca -16N 1Y subscription per node (head and compute node)	x	x						S26361-F2349-S110	95,00	
	Win Svr 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x		S26361-F2567-E321	1.820,00	
	HPC Cluster Suite Basic aca -64N 1Y	HPC Cluster Suite Basic aca -64N 1Y subscription per node (head and compute node)	x	x						S26361-F2349-S111	85,00	
	Win Svr 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x		S26361-F2567-E311	590,00	
	HPC Cluster Suite Basic aca 65+N 1Y	HPC Cluster Suite Basic aca 65+N 1Y subscription per node (head and compute node)	x	x						S26361-F2349-S112	75,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E350	660,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E351	660,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E352	685,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E353	685,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E354	685,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E355	685,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E356	685,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E357	685,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E358	660,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E359	660,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E370	955,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E371	970,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E372	985,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E373	985,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E374	985,00	
	Identifier	FlexFrame Identifier, has to be ordered one time per FF configuration			x					D:FF4SAP-ID-V041	0,01	
	HPC Cluster Suite Basic aca -16N 3Y	HPC Cluster Suite Basic aca -16N 3Y subscription per node (head and compute node)		x	x					S26361-F2349-S113	255,00	
	HPC Cluster Suite Basic aca -64N 3Y	HPC Cluster Suite Basic aca -64N 3Y subscription per node (head and compute node)		x	x					S26361-F2349-S114	225,00	
	HPC Cluster Suite Basic aca 65+N 3Y	HPC Cluster Suite Basic aca 65+N 3Y subscription per node (head and compute node)		x	x					S26361-F2349-S115	200,00	
	HPC Cluster Suite Basic aca -16N 5Y	HPC Cluster Suite Basic aca -16N 5Y subscription per node (head and compute node)		x	x					S26361-F2349-S116	370,00	
	HPC Cluster Suite Basic aca -64N 5Y	HPC Cluster Suite Basic aca -64N 5Y subscription per node (head and compute node)		x	x					S26361-F2349-S117	330,00	
	HPC Cluster Suite Basic aca 65+N 5Y	HPC Cluster Suite Basic aca 65+N 5Y subscription per node (head and compute node)		x	x					S26361-F2349-S118	295,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x	x	x	x	x	x	x	S26361-F2567-E391	25,00	
	FF-CN-SW RTU	FlexFrame ControlNode Right to use			x					U21348-C101	5.451,65	
	HPC Cluster Suite Basic com -16N 1Y	HPC Cluster Suite Basic com -16N 1Y subscription per node (head and compute node)		x	x					S26361-F2349-S120	165,00	
	Win Svrs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x	x	x	x	x	S26361-F2567-E390	25,00	
	HPC Cluster Suite Basic com -64N 1Y	HPC Cluster Suite Basic com -64N 1Y subscription per node (head and compute node)		x	x					S26361-F2349-S121	150,00	
	HPC Cluster Suite Basic com 65+N 1Y	HPC Cluster Suite Basic com 65+N 1Y subscription per node (head and compute node)		x	x					S26361-F2349-S122	130,00	
	HPC Cluster Suite Basic com -16N 3Y	HPC Cluster Suite Basic com -16N 3Y subscription per node (head and compute node)		x	x					S26361-F2349-S123	455,00	
	HPC Cluster Suite Basic com -64N 3Y	HPC Cluster Suite Basic com -64N 3Y subscription per node (head and compute node)		x	x					S26361-F2349-S124	405,00	
	HPC Cluster Suite Basic com 65+N 3Y	HPC Cluster Suite Basic com 65+N 3Y subscription per node (head and compute node)		x	x					S26361-F2349-S125	360,00	
	HPC Cluster Suite Basic com -16N 5Y	HPC Cluster Suite Basic com -16N 5Y subscription per node (head and compute node)		x	x					S26361-F2349-S126	665,00	
	HPC Cluster Suite Basic com -64N 5Y	HPC Cluster Suite Basic com -64N 5Y subscription per node (head and compute node)		x	x					S26361-F2349-S127	590,00	
	HPC Cluster Suite Basic com 65+N 5Y	HPC Cluster Suite Basic com 65+N 5Y subscription per node (head and compute node)		x	x					S26361-F2349-S128	530,00	
	FF-CN back level support 1 year	1 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.			x					U21348-C101-W1	1.470,00	
	FF Staging Identifier	FlexFrame staging identifier. Has to be ordered one time per configuration for preinstall and test of the configuration in the factory			x					U21348-C105	0,01	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	HPC Cluster Suite Advanced aca -16N 1Y	HPC Cluster Suite Advanced aca -16N 1Y subscription per node (head and compute node)		x	x					S26361-F2349-S210	275,00	
	HPC Cluster Suite Advanced aca -64N 1Y	HPC Cluster Suite Advanced aca -64N 1Y subscription per node (head and compute node)		x	x					S26361-F2349-S211	245,00	
	HPC Cluster Suite Advanced aca 65+N 1Y	HPC Cluster Suite Advanced aca 65+N 1Y subscription per node (head and compute node)		x	x					S26361-F2349-S212	220,00	
	HPC Cluster Suite Advanced aca -16N 3Y	HPC Cluster Suite Advanced aca -16N 3Y subscription per node (head and compute node)		x	x					S26361-F2349-S213	745,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.		x	x	x	x			S26361-F2567-E366	30,00	
	HPC Cluster Suite Advanced aca -64N 3Y	HPC Cluster Suite Advanced aca -64N 3Y subscription per node (head and compute node)		x	x					S26361-F2349-S214	670,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.		x	x	x	x			S26361-F2567-E368	30,00	
	HPC Cluster Suite Advanced aca 65+N 3Y	HPC Cluster Suite Advanced aca 65+N 3Y subscription per node (head and compute node)		x	x					S26361-F2349-S215	595,00	
	HPC Cluster Suite Advanced aca -16N 5Y	HPC Cluster Suite Advanced aca -16N 5Y subscription per node (head and compute node)		x	x					S26361-F2349-S216	1.100,00	
	HPC Cluster Suite Advanced aca -64N 5Y	HPC Cluster Suite Advanced aca -64N 5Y subscription per node (head and compute node)		x	x					S26361-F2349-S217	985,00	
	HPC Cluster Suite Advanced aca 65+N 5Y	HPC Cluster Suite Advanced aca 65+N 5Y subscription per node (head and compute node)		x	x					S26361-F2349-S218	875,00	
	HPC Cluster Suite Advanced com -16N 1Y	HPC Cluster Suite Advanced com -16N 1Y subscription per node (head and compute node)		x	x					S26361-F2349-S220	415,00	
	FF-CN back level support 3 years	3 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.			x					U21348-C101-W3	4.415,84	
	HPC Cluster Suite Advanced com -64N 1Y	HPC Cluster Suite Advanced com -64N 1Y subscription per node (head and compute node)		x	x					S26361-F2349-S221	350,00	
	HPC Cluster Suite Advanced com 65+N 1Y	HPC Cluster Suite Advanced com 65+N 1Y subscription per node (head and compute node)		x	x					S26361-F2349-S222	295,00	
	HPC Cluster Suite Advanced com -16N 3Y	HPC Cluster Suite Advanced com -16N 3Y subscription per node (head and compute node)		x	x					S26361-F2349-S223	1.135,00	
	HPC Cluster Suite Advanced com -64N 3Y	HPC Cluster Suite Advanced com -64N 3Y subscription per node (head and compute node)		x	x					S26361-F2349-S224	955,00	
	HPC Cluster Suite Advanced com 65+N 3Y	HPC Cluster Suite Advanced com 65+N 3Y subscription per node (head and compute node)		x	x					S26361-F2349-S225	805,00	
	HPC Cluster Suite Advanced com -16N 5Y	HPC Cluster Suite Advanced com -16N 5Y subscription per node (head and compute node)		x	x					S26361-F2349-S226	1.670,00	
	HPC Cluster Suite Advanced com -64N 5Y	HPC Cluster Suite Advanced com -64N 5Y subscription per node (head and compute node)		x	x					S26361-F2349-S227	1.410,00	
	HPC Cluster Suite Advanced com 65+N 5Y	HPC Cluster Suite Advanced com 65+N 5Y subscription per node (head and compute node)		x	x					S26361-F2349-S228	1.185,00	
	HPC Cluster Suite Open Edition Media	HPC Cluster Suite Open Edition Media		x	x					S26361-F2349-S300	25,00	
	HPC Cluster Suite Open Edition	HPC Cluster Suite Open Edition per node (head and compute node)		x	x					S26361-F2349-S310	65,00	
	FF4S RBAC Package Small	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 10 application nodes.			x					U21348-C108	1.099,00	
	FF-CN RBAC S back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.			x					U21348-C108-W1	272,00	
	FF-CN RBAC S back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.			x					U21348-C108-W3	742,00	
	FF4S RBAC Package Medium	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 50 application nodes.			x					U21348-C109	5.500,00	
	Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		x	x					S26361-F2346-C851	57,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 1 year.		x	x					S26361-F2346-C951	157,00	
	PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1-Year.		x	x					S26361-F2346-S951	8,00	
	PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten) 5x9 level3 Support 1 Jahr.		x	x					S26361-F2346-C961	466,00	
	PCM Fujitsu Enterprise Services 1y	Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 1 year.		x	x					S26361-F2346-S961	8,00	
	Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		x	x					S26361-F2346-C852	170,00	
	FF-CN RBAC M back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.			x					U21348-C109-W1	1.362,00	
	FF4S RBAC Package Large	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for more than 50 application nodes.			x					U21348-C110	#####	
	PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 3 years.		x	x					S26361-F2346-C952	470,00	
	PCM Fujitsu Basic Services 3Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 3 years.		x	x					S26361-F2346-S952	8,00	
	PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node) 5x9 level3 support 3 years.		x	x					S26361-F2346-C962	1.394,00	
	PCM Fujitsu Enterprise Services 3Y	, Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 3 years.		x	x					S26361-F2346-S962	8,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x	x	x	x			S26361-F2567-E360	790,00	
	FF-CN RBAC M back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.			x					U21348-C109-W3	3.713,00	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x	x	x	x			S26361-F2567-E361	400,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x	x	x	x			S26361-F2567-E363	110,00	
	FF-CN RBAC L back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC large option.			x					U21348-C110-W1	2.723,00	
	FF-CN RBAC L back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC large option.			x					U21348-C110-W3	7.425,00	
	FF-AN RTU for RX600 S5/S6	FF4SAP RTU						x		U21348-C231	#####	
	FF-AN RTU for RX900/RX800	FlexFrame ApplicationNode RTU for RX800 or RX900							x	U21348-C241	#####	
	FF RTU RX300 S6/7, BX620 S6, BX92x S2/3	FlexFrame ApplicationNode RTU for RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2.		x	x					U21348-C291	4.785,00	
	FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			x					U21348-C291-W1	1.357,00	
	FF-AN Accounting RTU RX600	FF4SAP Accounting RTU						x		U21348-C233	5.260,00	
	FF-AN Accounting RTU RX900/RX800	FlexFrame Application Node Accounting RTU for RX800 or RX900							x	U21348-C243	#####	
	FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			x					U21348-C291-W3	3.876,00	
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.		x	x					U21348-C293	2.393,00	
	FF-AN Messenger RTU RX600 and BX960	FF4SAP Messenger RTU						x		U21348-C234	5.260,00	
	FF-AN Messenger RTU	FF4SAP Application Node Messenger Expert Right to use for RX800 or RX900							x	U21348-C244	#####	
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2		x	x					U21348-C294	2.393,00	
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Standard licenses.. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)						x		U21348-C434	5.339,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)			x					U21348-C494	2.590,00	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)						x		U21348-C435	#####	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)			x					U21348-C495	5.970,00	
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service packages (SnS)						x		U21348-C436	#####	
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)			x					U21348-C496	7.090,00	
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary VMware vSphere licenses and support contracts have to be ordered via the local VMware contacts., These licenses can also be ordered, when the customer already has its own VMware vSphere licenses and support.						x		U21348-C430	1.759,00	
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary VMware vSphere licenses and support contracts have to be ordered via the local VMware contacts., These licenses can also be ordered, when the customer already has its own VMware vSphere licenses and support			x					U21348-C490	800,00	
	SUSE Linux ES 1-2 SOCK Server 1Y	SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	x	x	x	x				S26361-F2348-S101	290,00	
	SUSE Linux ES 1-2 SOCK Server 3Y	SUSE Linux ES 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	x	x	x	x				S26361-F2348-S102	790,00	
	SUSE Linux ES 1-2 SOCK Server 5Y	SUSE Linux ES 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years	x	x	x	x				S26361-F2348-S103	1.160,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt. 1Y	SUSE Linux ES 1-2SOC Serv+Virt. 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year	x	x	x	x				S26361-F2348-S111	440,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	x	x	x	x				S26361-F2348-S112	1.180,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years	x	x	x	x				S26361-F2348-S113	1.760,00	
	SUSE Linux ES HAE 1-2 SOCK 1Y	SUSE Linux ES HAE 1-2SOC 1Y, 1-2 CPU Sockets, high availability extension, subscription for 1 year	x	x	x	x				S26361-F2348-S121	590,00	
	SUSE Linux ES HAE 1-2 SOCK 3Y	SUSE Linux ES HAE 1-2SOC 3Y, 1-2 CPU Sockets, high availability extension, subscription for 3 years	x	x	x	x				S26361-F2348-S122	1.570,00	
	SUSE Linux ES HAE 1-2 SOCK 5Y	SUSE Linux ES HAE 1-2SOC 5Y, 1-2 CPU Sockets, high availability extension, subscription for 5 years	x	x	x	x				S26361-F2348-S123	2.330,00	
	SUSE Linux ES 4 SOCK Server 1Y	SUSE Linux ES 4SOC Server 1Y, 4 CPU Sockets, one physical server, subscription for 1 year					x	x		S26361-F2348-S201	580,00	
	SUSE Linux ES 4 SOCK Server 3Y	SUSE Linux ES 4SOC Server 3Y, 4 CPU Sockets, one physical server, subscription for 3 years					x	x		S26361-F2348-S202	1.580,00	
	SUSE Linux ES 4 SOCK Server 5Y	SUSE Linux ES 4SOC Server 5Y, 4 CPU Sockets, one physical server, subscription for 5 years					x	x		S26361-F2348-S203	2.320,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	SUSE Linux ES 4 SOCK Serv+Virt 1Y	SUSE Linux ES 4SOC Serv+Virt 1Y, 4 CPU Sockets, unlimited virtualization, subscription for 1 year					x	x		S26361-F2348-S211	880,00	
	SUSE Linux ES 4 SOCK Serv+Virt 3Y	SUSE Linux ES 4SOC Serv+Virt 3Y, 4 CPU Sockets, unlimited virtualization, subscription for 3 years					x	x		S26361-F2348-S212	2.360,00	
	SUSE Linux ES 4 SOCK Serv+Virt 5Y	SUSE Linux ES 4SOC Serv+Virt 5Y, 4 CPU Sockets, unlimited virtualization, subscription for 5 years					x	x		S26361-F2348-S213	3.520,00	
	SUSE Linux ES HAE 4 SOCK 1Y	SUSE Linux ES HAE 4SOC 1Y, 4 CPU Sockets, high availability extension, subscription for 1 year					x	x		S26361-F2348-S221	1.170,00	
	SUSE Linux ES HAE 4 SOCK 3Y	SUSE Linux ES HAE 4SOC 3Y, 4 CPU Sockets, high availability extension, subscription for 3 years					x	x		S26361-F2348-S222	3.140,00	
	SUSE Linux ES HAE 4 SOCK 5Y	SUSE Linux ES HAE 4SOC 5Y, 4 CPU Sockets, high availability extension, subscription for 5 years					x	x		S26361-F2348-S223	4.650,00	
	SUSE Linux ES 8 SOCK Server 1Y	SUSE Linux ES 8SOC Server 1Y, 8 CPU Sockets, one physical server, subscription for 1 year							x	S26361-F2348-S301	1.160,00	
	SUSE Linux ES 8 SOCK Server 3Y	SUSE Linux ES 8SOC Server 3Y, 8 CPU Sockets, one physical server, subscription for 3 years							x	S26361-F2348-S302	3.160,00	
	SUSE Linux ES 8 SOCK Server 5Y	SUSE Linux ES 8SOC Server 5Y, 8 CPU Sockets, one physical server, subscription for 5 years							x	S26361-F2348-S303	4.640,00	
	SUSE Linux ES 8 SOCK Serv+Virt 1Y	SUSE Linux ES 8SOC Serv+Virt 1Y, 8 CPU Sockets, unlimited virtualization, subscription for 1 year							x	S26361-F2348-S311	1.760,00	
	SUSE Linux ES 8 SOCK Serv+Virt 3Y	SUSE Linux ES 8SOC Serv+Virt 3Y, 8 CPU Sockets, unlimited virtualization, subscription for 3 years							x	S26361-F2348-S312	4.720,00	
	SUSE Linux ES 8 SOCK Serv+Virt 5Y	SUSE Linux ES 8SOC Serv+Virt 5Y, 8 CPU Sockets, unlimited virtualization, subscription for 5 years							x	S26361-F2348-S313	7.100,00	
	SUSE Linux ES HAE 8 SOCK 1Y	SUSE Linux ES HAE 8SOC 1Y, 8 CPU Sockets, high availability extension, subscription for 1 year							x	S26361-F2348-S321	2.330,00	
	SUSE Linux ES HAE 8 SOCK 3Y	SUSE Linux ES HAE 8SOC 3Y, 8 CPU Sockets, high availability extension, subscription for 3 years							x	S26361-F2348-S322	6.300,00	
	SUSE Linux ES HAE 8 SOCK 5Y	SUSE Linux ES HAE 8SOC 5Y, 8 CPU Sockets, high availability extension, subscription for 5 years							x	S26361-F2348-S323	9.300,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 1Y	SUSE Linux ES4SAP 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	x	x	x	x				S26361-F2348-S401	1.280,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 3Y	SUSE Linux ES4SAP 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	x	x	x	x				S26361-F2348-S402	3.450,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 5Y	SUSE Linux ES4SAP 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years	x	x	x	x				S26361-F2348-S403	5.200,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year	x	x	x	x				S26361-F2348-S411	1.920,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	x	x	x	x				S26361-F2348-S412	5.200,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years	x	x	x	x				S26361-F2348-S413	7.700,00	
	SUSE Linux ES4SAP 4 SOCK Server 1Y	SUSE Linux ES4SAP 4SOC Server 1Y, 4 CPU Sockets, one physical server, subscription for 1 year					x	x		S26361-F2348-S421	2.560,00	
	SUSE Linux ES4SAP 4 SOCK Server 3Y	SUSE Linux ES4SAP 4SOC Server 3Y, 4 CPU Sockets, one physical server, subscription for 3 years					x	x		S26361-F2348-S422	6.900,00	
	SUSE Linux ES4SAP 4 SOCK Server 5Y	SUSE Linux ES4SAP 4SOC Server 5Y, 4 CPU Sockets, one physical server, subscription for 5 years					x	x		S26361-F2348-S423	#####	
	SUSE Linux ES4SAP 4 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 4SOC Serv+Virt 1Y, 4 CPU Sockets, unlimited virtualization, subscription for 1 year					x	x		S26361-F2348-S431	3.840,00	
	SUSE Linux ES4SAP 4 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 4SOC Serv+Virt 3Y, 4 CPU Sockets, unlimited virtualization, subscription for 3 years					x	x		S26361-F2348-S432	#####	
	SUSE Linux ES4SAP 4 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 4SOC Serv+Virt 5Y, 4 CPU Sockets, unlimited virtualization, subscription for 5 years					x	x		S26361-F2348-S433	#####	
	SUSE Linux ES4SAP 8 SOCK Server 1Y	SUSE Linux ES4SAP 8SOC Server 1Y, 8 CPU Sockets, one physical server, subscription for 1 year							x	S26361-F2348-S441	5.200,00	
	SUSE Linux ES4SAP 8 SOCK Server 3Y	SUSE Linux ES4SAP 8SOC Server 3Y, 8 CPU Sockets, one physical server, subscription for 3 years							x	S26361-F2348-S442	#####	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix	PRIMERGY-Software (Continued)											
	SUSE Linux ES4SAP 8 SOCK Server 5Y	SUSE Linux ES4SAP 8SOC Server 5Y, 8 CPU Sockets, one physical server, subscription for 5 years							x	S26361-F2348-S443	#####	
	SUSE Linux ES4SAP 8 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 8SOC Serv+Virt 1Y, 8 CPU Sockets, unlimited virtualization, subscription for 1 year							x	S26361-F2348-S451	7.700,00	
	SUSE Linux ES4SAP 8 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 8SOC Serv+Virt 3Y, 8 CPU Sockets, unlimited virtualization, subscription for 3 years							x	S26361-F2348-S452	#####	
	SUSE Linux ES4SAP 8 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 8SOC Serv+Virt 5Y, 8 CPU Sockets, unlimited virtualization, subscription for 5 years							x	S26361-F2348-S453	#####	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	x	x	x	x	x			S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	x	x	x	x	x			S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	x	x	x	x	x			S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	x	x	x	x	x			S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	x	x	x	x	x			S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	x	x	x	x	x			S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	x	x	x	x	x			S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	x	x	x	x	x			S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	x	x	x	x	x			S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	x	x	x	x	x			S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x	x	x	x	x			S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x	x	x	x	x			S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	x	x	x	x	x			S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	x	x	x	x	x			S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	x	x	x	x	x			S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years	x	x	x	x	x			S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year	x	x	x	x	x			S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	x	x	x	x	x			S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	x	x	x	x	x			S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	x	x	x	x	x			S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	x	x	x	x	x			S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	x	x	x	x	x			S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	x	x	x	x	x			S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x	x	x	x	x			S26361-F2346-S172	380,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 1 year						x	x	S26361-F2346-S201	663,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 3 years						x	x	S26361-F2346-S202	1.778,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 1 year						x	x	S26361-F2346-S203	994,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 3 years						x	x	S26361-F2346-S204	2.668,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 1 year						x	x	S26361-F2346-S205	1.657,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 3 years						x	x	S26361-F2346-S206	4.449,00	
	Red Hat ELS 8SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 1 year							x	S26361-F2346-S301	1.325,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	Red Hat ELS 8SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 3 years							x	S26361-F2346-S302	3.556,00	
	Red Hat ELS 8SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 1 year							x	S26361-F2346-S303	1.988,00	
	Red Hat ELS 8SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 3 years							x	S26361-F2346-S304	5.338,00	
	Red Hat ELS 8SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Standard Support 1 year							x	S26361-F2346-S305	3.315,00	
	Red Hat ELS 8SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Standard Support 3 years							x	S26361-F2346-S306	8.897,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 1 year					x	x		S26361-F2346-S211	1.077,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 3 years					x	x		S26361-F2346-S212	2.891,00	
	Red Hat ELS 4SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 1 year					x	x		S26361-F2346-S213	1.616,00	
	Red Hat ELS 4SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 3 years					x	x		S26361-F2346-S214	4.338,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 1 year					x	x		S26361-F2346-S215	2.694,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 3 years					x	x		S26361-F2346-S216	7.231,00	
	Red Hat ELS 8SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Premium Support 1 year							x	S26361-F2346-S311	2.155,00	
	Red Hat ELS 8SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Premium Support 3 years							x	S26361-F2346-S312	5.782,00	
	Red Hat ELS 8SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 1 year							x	S26361-F2346-S313	3.232,00	
	Red Hat ELS 8SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 3 years							x	S26361-F2346-S314	8.675,00	
	Red Hat ELS 8SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Premium Support 1 year							x	S26361-F2346-S315	5.388,00	
	Red Hat ELS 8SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Premium Support 3 years							x	S26361-F2346-S316	#####	
	Red Hat EL HA 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 1 year					x	x		S26361-F2346-S221	441,00	
	Red Hat EL HA 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 3 years					x	x		S26361-F2346-S222	1.214,00	
	Red Hat EL HA 8SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 1 year							x	S26361-F2346-S321	882,00	
	Red Hat EL HA 8SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 3 years							x	S26361-F2346-S322	2.427,00	
	Red Hat EL RS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 1 year						x		S26361-F2346-S231	883,00	
	Red Hat EL RS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 3 years						x		S26361-F2346-S232	2.430,00	
	Red Hat EL RS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (8 sockets) I3 Support 1 year					x	x		S26361-F2346-S331	1.767,00	
	Red Hat EL RS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (8 sockets) I3 Support 3 years					x	x		S26361-F2346-S332	4.860,00	
	Red Hat EL SFS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 1 year					x	x		S26361-F2346-S241	220,00	
	Red Hat EL SFS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 3 years					x	x		S26361-F2346-S242	605,00	
	Red Hat EL SFS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (8 sockets) I3 Support 1 year							x	S26361-F2346-S341	440,00	
	Red Hat EL SFS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (8 sockets) I3 Support 3 years							x	S26361-F2346-S342	1.211,00	
	Red Hat EL LB 4SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 1 year					x	x		S26361-F2346-S251	220,00	
	Red Hat EL LB 4SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 3 years					x	x		S26361-F2346-S252	605,00	
	Red Hat EL LB 8SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (8 sockets) I3 Support 1 year							x	S26361-F2346-S351	440,00	
	Red Hat EL LB 8SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (8 sockets) I3 Support 3 years							x	S26361-F2346-S352	1.211,00	
	Red Hat EL HPN 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 1 year					x	x		S26361-F2346-S261	220,00	
	Red Hat EL HPN 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 3 years					x	x		S26361-F2346-S262	605,00	
	Red Hat EL HPN 8SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 1 year							x	S26361-F2346-S361	440,00	
	Red Hat EL HPN 8SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 3 years							x	S26361-F2346-S362	1.211,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Red Hat EL EUS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 1 year					x	x		S26361-F2346-S271	275,00	
	Red Hat EL EUS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 3 years					x	x		S26361-F2346-S272	757,00	
	Red Hat EL EUS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) I3 Support 1 year							x	S26361-F2346-S371	551,00	
	Red Hat EL EUS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) I3 Support 3 years							x	S26361-F2346-S372	1.515,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S980	1.050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S981	2.630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S983	2.000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S989	1.460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S990	3.750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)	x	x	x	x	x	x	x	S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for max 32GB RAM - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License	x	x	x	x	x	x	x	S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E712	3.145,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E732	#####	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E733	#####	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E734	#####	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E735	#####	
	VMware STD AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E760	6.295,00	
	VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E761	6.295,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S737	4.495,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S738	1.345,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S739	1.345,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E740	3.105,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E741	3.105,00	
	VMware vCloud Suite STD w/o SP-1yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard.- Mandatory 1 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E766	4.495,00	
	VMware vCloud Suite STD w/o SP-3 yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard.- Mandatory 3 years Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E767	4.495,00	
	VMware vCloud Suite ADV w/o SP-1yr	Each vCloud Advanced Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced.- Mandatory 1 year Support Pack	x	x	x	x	x	x	x	S26361-F2341-E768	6.745,00	
	VMware vCloud Suite ADV w/o SP-3 yr	Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced. , Mandatory 3 years Support Pack	x	x	x	x	x	x	x	S26361-F2341-E769	6.745,00	
	VMware vCloud Suite ENT w/o SP-1yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 1 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E770	#####	
	VMware vCloud Suite ENT w/o SP-3 yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 3 years Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E771	#####	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 1 year VMware Sub. - no Support	x	x	x	x	x	x	x	S26361-F2341-S800	504,00	
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 3 year VMware Sub. - no Support	x	x	x	x	x	x	x	S26361-F2341-S801	600,00	
	VMware vSphere OPs MA STD w/o SP-1yr	VMware vSphere OPs MA Standard for 1 CPU - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E850	1.565,00	New product
	VMware vSphere OPs MA STD w/o SP-3yr	VMware vSphere OPs MA Standard for 1 CPU - Mandatory 3 years Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E851	1.565,00	New product
	VMware vSphere OPs MA ENT w/o SP-1yr	VMware vSphere OPs MA Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E852	3.265,00	New product
	VMware vSphere OPs MA ENT w/o SP-3yr	VMware vSphere OPs MA Enterprise for 1 CPU - Mandatory 3 years Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E853	3.265,00	New product
	VMware vSphere OPs MA ENT-PL w/o SP-1yr	VMware vSphere Operantions Management Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E854	3.815,00	New product
	VMware vSphere OPs MA ENT-PL w/o SP-3yr	VMware vSphere Operantions Management Enterprise-Plus for 1 CPU - Mandatory 3 years Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E855	3.815,00	New product



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	VMware vSOM STD AK (6CPU) w/o SP-1yr	VMware vSphere STD with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCOps STD, - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E860	8.985,00	New product
	VMware vSOM STD AK (6CPU) w/o SP-3yr	VMware vSphere STD with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCOps STD, - Mandatory 3 years Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E861	8.985,00	New product
	VMware vSOM END AK(6CPU)/w/o SP-1yr	VMware vSphere ENT with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCOps STD + VDP ADV, , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E862	#####	New product
	VMware vSOM END AK(6CPU)/w/o SP-3yr	VMware vSphere ENT with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCOps STD + VDP ADV, , - Mandatory 3 years Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E863	#####	New product
	VMware vSOM END-PL AK(6CPU)/w/o SP-1yr	VMware vSphere ENT-PL with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCOps STD + VDP ADV, , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E864	#####	New product
	VMware vSOM END-PL AK(6CPU)/w/o SP-3yr	VMware vSphere ENT-PL with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCOps STD + VDP ADV, , - Mandatory 3 years Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E865	#####	New product
	VMware UG ESS to STD-AK w/o SP-1yr	VMware UG ESS to STD-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S866	8.765,00	New product
	VMware UG ESS to STD-AK w/o SP-3yr	VMware UG ESS to STD-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 3 years Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S867	8.765,00	New product
	VMware UG ESS to ENT-AK w/o SP-1yr	VMware UG ESS to ENT-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S868	#####	New product
	VMware UG ESS to ENT-AK w/o SP-3yr	VMware UG ESS to ENT-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 3 years Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S869	#####	New product
	VMware UG ESS to EPL-AK w/o SP-1yr	VMware UG ESS to EPL-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S870	#####	New product
	VMware UG ESS to EPL-AK w/o SP-3yr	VMware UG ESS to EPL-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 3 years Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S871	#####	New product
	VMware UG ESS-PL to STD-AK w/o SP-1yr	VMware UG ESS-PL to STD-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S872	5.445,00	New product
	VMware UG ESS-PL to STD-AK w/o SP-3yr	VMware UG ESS-PL to STD-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 3 years Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S873	5.445,00	New product
	VMware UG ESS-PL to ENT-AK w/o SP-1yr	VMware UG ESS-PL to ENT-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S874	#####	New product
	VMware UG ESS-PL to ENT-AK w/o SP-3yr	VMware UG ESS-PL to ENT-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 3 years Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S875	#####	New product
	VMware UG ESS-PL to EPL-AK w/o SP-1yr	VMware UG ESS-PL to EPL-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S876	#####	New product
	VMware UG ESS-PL to EPL-AK w/o SP-3yr	VMware UG ESS-PL to EPL-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 3 years Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S877	#####	New product
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S802	4.969,00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S803	6.610,00	
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S804	4.810,00	
	VMware UG vSp STD -<gt/> vClu Suite STD	VMware Upgrade vSphere Standard to vCloud Suite Standard for 1 CPU, - Mandatory 1 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S772	3.955,00	
	VMware UG vSp STD -<gt/> vClu Suite STD	VMware Upgrade vSphere Standard to vCloud Suite Standard for 1 CPU, - Mandatory 3 years Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S773	3.955,00	
	VMware UG vSp STD -<gt/> vClu Suite ADV	VMware Upgrade vSphere Standard to vCloud Suite Advanced for 1 CPU, - Mandatory 1 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S774	6.295,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	VMware UG vSp STD -<gt/> vClu Suite ADV	VMware Upgrade vSphere Standard to vCloud Suite Advanced for 1 CPU , - Mandatory 3 years Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S775	6.295,00	
	VMware UG vSp STD -<gt/> vClu Suite ENT	VMware Upgrade vSphere Standard to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S776	9.895,00	
	VMware UG vSp STD -<gt/> vClu Suite ENT	VMware Upgrade vSphere Standard to vCloud Suite Enterprise for 1 CPU , - Mandatory 3 years Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S777	9.895,00	
	VMware UG vSp ENT -<gt/> vClu Suite STD	VMware Upgrade vSphere Enterprise to vCloud Suite Standard for 1 CPU , - Mandatory 1 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S778	2.095,00	
	VMware UG vSp ENT -<gt/> vClu Suite STD	VMware Upgrade vSphere Enterprise to vCloud Suite Standard for 1 CPU , - Mandatory 3 years Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S779	2.095,00	
	VMware UG vSp ENT -<gt/> vClu Suite ADV	VMware Upgrade vSphere Enterprise to vCloud Suite Advanced for 1 CPU , - Mandatory 1 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S780	4.575,00	
	VMware UG vSp ENT -<gt/> vClu Suite ADV	VMware Upgrade vSphere Enterprise to vCloud Suite Advanced for 1 CPU , - Mandatory 3 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S781	4.575,00	
	VMware UG vSp ENT -<gt/> vClu Suite ENT	VMware Upgrade vSphere Enterprise to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S782	8.525,00	
	VMware UG vSp ENT -<gt/> vClu Suite ENT	VMware Upgrade vSphere Enterprise to vCloud Suite Enterprise for 1 CPU , - Mandatory 3 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S783	8.525,00	
	VMware UG vSp ENTP -<gt/> vClu Suite STD	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Standard for 1 CPU , - Mandatory 1 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S784	1.485,00	
	VMware UG vSp ENTP -<gt/> vClu Suite STD	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Standard for 1 CPU , - Mandatory 3 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S785	1.485,00	
	VMware UG vSp ENTP -<gt/> vClu Suite ADV	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Advanced for 1 CPU , - Mandatory 1 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S786	3.955,00	
	VMware UG vSp ENTP -<gt/> vClu Suite ADV	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Advanced for 1 CPU , - Mandatory 3 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S787	3.955,00	
	VMware UG vSp ENTP -<gt/> vClu Suite ENT	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S788	7.915,00	
	VMware UG vSp ENTP -<gt/> vClu Suite ENT	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S789	7.915,00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S805	6.104,00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S806	#####	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S807	#####	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S808	#####	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S809	#####	
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S742	1.220,00	
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S743	1.220,00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S744	#####	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S745	#####	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware Horizon View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S750	2.030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware Horizon View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S751	2.030,00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware Horizon View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S752	#####	
	VMware View PRE 100 CLI w/o SP-3yr	VMware Horizon View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S753	#####	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S810	3.992,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S811	5.309,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S812	1.275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S813	1.701,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S815	4.963,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S817	1.586,00	
	VMware vCloud Director 25 VM's	VMware vCloud Director 25 VM Pack Manage 25 VM's - for use in Dynamic Infrastructures		x						S26361-F2341-S820	5.227,00	
	VMware vCenter Chargeback 25 VM's	VMware Chargeback 25 VM Pack Monitor 25 VM's - for use in Dynamic Infrastructures		x						S26361-F2341-S821	1.671,00	
UPS/Power supply												
	Power Supply Module 850W (w/o power cord)	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold), without power cord							x	S26113-F561-E20	300,00	
	Modular PSU 800W platinum hp new rev	800W modular Power Supply Module , hot plug, platinum (94% efficiency) new Revision						x		S26113-F574-E11	260,00	
	Power Supply Dummy			x	x	x	x			S26113-F574-E99	5,00	
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)							x	S26113-F608-E10	890,00	
	Fan upgrade kit hot-plug redundancy	consists of two additional fans for fan redundancy				x				S26361-F3667-E1	45,00	
	Modular PSU 800W platinum hp	800W modular Power Supply Module , hot plug, platinum (94% efficiency)		x	x	x				S26113-F574-E10	260,00	
	Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)	x	x	x	x				S26113-F575-E10	225,00	
	Modular PSU DC -48V 800W gold hp	DC -48V gold modular PSU hp with redundancy option			x					S26113-F609-E10	345,00	
	Cable powercord -48V DC, 4m, black				x					T26139-Y4024-E10	50,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m	x	x	x	x	x	x		T26139-Y1968-E100	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x		T26139-Y1742-E10	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	x	x	x	x	x	x		T26139-Y3850-E10	2,00	
Miscellaneous												
	Fan upgrade kit 2nd CPU	Fan upgrade RX200S7 for 2nd CPU, incl. 2 fans		x						S26361-F1386-E120	45,00	
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x	x	x				x	S26361-F1647-E410	25,00	
	LocalView Option Kit S2	LCD display with adapter				x				S26361-F2557-E105	70,00	
	LocalView Option Kit S2	LCD display with installation kit				x	x			S26361-F2557-E106	70,00	
	Service LAN Option	ntegriert in die vordere Bedieneinheit		x	x	x	x			S26361-F2571-E27	20,00	
	Opt. Front VGA + Service LAN	VGA and Service LAN connector, instead of Local Service Panel	x							S26361-F2571-E37	50,00	
	Serial port option	Cable for 2nd RS-232-C 9 pin interface		x						S26361-F3120-E3	40,00	
	RX100 S7p E-STAR FAM2 certification	Limits configurations in accordance with Energy Star Server 1.0, for SATA LFF base unit with std PSU and 4 core CPUs only	x							S26361-F3301-E112	3,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x	x	x	x	S26361-F3552-E1	50,00	
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)	x							S26361-F2557-E204	30,00	
	No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory	x	x	x	x	x	x	x	S26361-F2735-E111	5,00	
SW Data Center Products												
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E915	#####	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E924	#####	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E925	#####	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
SW Data Center Products (Continued)												
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-E934	#####	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-E935	#####	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E961	#####	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E962	#####	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E964	#####	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E965	#####	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E967	#####	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E968	#####	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S925	#####	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S934	#####	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S935	#####	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-S960	1.580,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
SW Data Center Products (Continued)												
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S962	#####	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S963	2.630,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S964	#####	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S965	#####	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S968	#####	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)	x			x	x	x	x	U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)	x			x	x	x	x	U11420-C936	100,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License (1 Server) V3	x	x	x	x	x	x	x	U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License (1 Server) V3	x	x	x	x	x	x	x	U11420-C955	0,01	
	SVRORDVD V31 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V3.1 for Windows&Linux&Solaris	x	x	x	x	x	x	x	U11420-C957	50,00	
	SVRORNSODVD V31 (LINUX) MED DVD	ServerView Resource Orchestrator Network Service (NS) Option Media Pack V3.1 for Linux			x					U11420-C958	50,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3	x	x	x	x	x	x		U11420-C966	779,00	
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3	x	x	x	x	x	x		U11420-C967	5.538,00	
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3	x	x	x	x	x	x		U11420-C969	#####	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 8C	ServerView Resource Orchestrator VE Server License (1 Server) 8CPU Class V3							x	U11420-C970	1.988,00	
	SVRORNSO V3 (LINUX) RTU 1VM	ServerView Resource Orchestrator Network Service (NS) Option License V3 for Linux			x					U11420-C990	2.308,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3	x	x	x	x	x	x		U11420-C960	1.530,00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3	x	x	x	x	x	x		U11420-C961	#####	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3	x	x	x	x	x	x		U11420-C963	#####	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 8C	ServerView Resource Orchestrator CE Server License (1 Server) 8CPU Class V3							x	U11420-C964	3.060,00	
	SVRORCESVR V3 (WIN/LIN) UGRU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3	x	x	x	x	x	x		U11420-C978	751,00	
	SVRORCESVR V3 (WIN/LIN) UGRU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3	x	x	x	x	x	x		U11420-C979	5.845,00	
	SVRORCESVR V3 (WIN/LIN) UGRU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3	x	x	x	x	x	x		U11420-C981	#####	
	SVRORCESVR V3 (WIN/LIN) UGRU 1SVR 8C	ServerView Resource Orchestrator CE Server License (1 Server) 8CPU Class Upgrade from ROR VE V3							x	U11420-C982	1.072,00	
Solution Identifier												
	ID HANA APPLIANCE SINGLE NODE RX600	HANA Single Node V1.0 Solution Identifier RX600							x	FTS:HANA-ID-V101	0,01	
	ID HANA APPLIANCE MULTI NODE RX600	HANA Multi Node V1.0 Solution Identifier RX600							x	FTS:HANA-ID-V201	0,01	
	ID HANA APPLIANCE SINGLE NODE RX900	HANA Single Node V1.0 Solution Identifier RX900							x	FTS:HANA-ID-V301	0,01	
	ID HANA APPLIANCE MULTI NODE RX900	HANA Multi Node V1.0 Solution Identifier RX900							x	FTS:HANA-ID-V401	0,01	
	HPC Solution Identifier			x	x					FTS:HPC-ID-V001	30,00	
	HPC Head Node Inst. ex works incl ICR	Please note configuration hints		x	x					S26361-F3638-E1	1.205,00	
	HPC Compute Node Inst. ex works incl ICR	Please note configuration hints	x	x						S26361-F3638-E2	205,00	



Positioning PRIMERGY Blade Servers



**PRIMERGY
BX900 S1**

The PRIMERGY BX900 S1 is a rack unit that has an installed height of 10U and accommodates 1 to 18 server blades and 1 to 6 storage blades. The energy-efficient Intel Nehalem Quad-Core processors are used in the server blades. Ethernet, Fibre Channel and Infiniband networks are accessed via 8 switch bays. Switches from Cisco, Brocade and Emulex can be used. With its transfer rate of 6.4 Gb/s, the midplane used is the fastest on the market. 100V and 200V power supplies are available. This hardware platform is ideal for server consolidation and virtualization in the datacenter.



**PRIMERGY
BX600 S3**

The PRIMERGY Blade Ecosystem provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. PRIMERGY BX600 S3 can be equipped with up to ten Intel or AMD server blades, and are excellently suited for consolidation projects and for front- and mid-tier applications requiring enterprise-class availability, extreme flexibility and power efficiency. Due to its versatile design the system is ideal suited for smaller and mid market companies.



**PRIMERGY
SX650**

This storage blade for PRIMERGY BX600 offers an easy and cost effective opportunity for server consolidation. Rack and tower servers with high capacity of local hard disks are operating primarily in the area of small and medium enterprises. Very often it is essential having local access on large amounts of data; this for example applies to the wide area of Computer Aided Engineering (CAE), where smaller workgroups locally have to work on and create very large models. Operation within confined environments as file servers as well as for Microsoft SharePoint Servers and Microsoft SQL Servers are popular usage cases.



**PRIMERGY
SX940 S1**


The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.



**PRIMERGY
BladeFrame BF200**

PRIMERGY BladeFrame is the platform to set up an application-independent and service-oriented IT infrastructure. The Processing Area Network (PAN) combines stateless servers (pBlades) with unique virtualization and management software, thus reducing the existing infrastructure complexity and providing a dynamic, high-availability system.

PRIMERGY BladeFrame uses the PAN architecture to manage a pool of computing, storage and network resources which can be dynamically allocated depending on business requirements. The PAN Manager is the central instance for configuring, managing and monitoring both the physical as well as virtual servers. With the PAN Manager a server is no longer a device with a defined configuration, operating system and application, but a software-based definition that can be dynamically assigned as needed. The PAN architecture thus expands the benefits of server virtualization and provides an integrated concept for high-availability (N+1 failover) and disaster recovery. The result is considerable savings in operational and total costs.



**PRIMERGY
BladeFrame BF400 S2**



PRIMERGY BX400 S1

The Fujitsu PRIMERGY BX400 is a fully-featured blade system built from the ground up to be userfriendly and versatile, helping you meet large-scale computing and storage requirements. It provides an optimum combination of up to eight server or storage blades in a small enclosure, supported by a comprehensive set of solutions and services.

	Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations						
PRIMERGY BX400 S1						
	PY BX400 S1 System Unit	6 U Systemunit without Server Blades, 1x MMB, 1xPSU without power cord, ServerView Suite, All empty slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)		S26361-K1335-V201	3.265,00	



PRIMERGY BX920 S3

The Fujitsu PRIMERGY BX920 S3 is a dual-socket server blade which offers the ideal balance of performance and cost-efficiency. It is designed for large enterprise data centers, midsized businesses and branch offices and delivers efficient compute power that is suitable for mainstream business applications and virtual client computing scenarios.

The server blade leverages CPUs of the latest Intel® Xeon® processor E5-2400 product family utilizing enhanced QuickPath Interconnect architecture. By packing two processors, two hot-plug disk drives, up to 384 GB of DDR3 memory, and a flexible dual-channel 10 Gigabit Converged Network Adapter on board, the PRIMERGY BX920 S3 server blade delivers highest performance to ensure today's demand while being prepared for future requirements. In addition, the PRIMERGY BX920 S3 server blade is equipped with the state-of-the-art integrated Remote Management Controller (iRMC S3) which enables extensive control even at remote locations. With its wide range of processor, disk and memory options, it provides IT managers with the performance and scalability they need for all their applications. The optimal and secure support of I/O-intensive applications like terminal servers is ensured by the optional use of a RAID controller with a write-back cache on board, optionally protected by a

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX920 S3					
PY BX920 S3	Dual Server Blade	Dual Server Blade, base unit without processor and memory, for PRIMERGY BX900 S1 and BX400 S1	S26361-K1406-V200	1.165,00	



PRIMERGY BX924 S3

The Fujitsu PRIMERGY BX924 S3 is designed from the ground up to set a new standard for versatility and scalability in a dual-socket server blade. It offers scalable performance to meet highest requirements of extensive virtualization/consolidation scenarios on the one hand, and demanding high performance computing applications on the other hand. Packed with advanced features, the PRIMERGY BX924 S3 allows doing more with a two-processor server than ever before. Two Intel® Xeon® E5-2600 processors, 24 high-speed memory modules for up to 768 GB capacity, flexible 10 Gbit/s Emulex® CNA components as well as additional slots

for mezzanine cards clearly emphasizing the approach as the perfect high-end server blade. Although servers are being booted more and more via network, this system is enabled for local boot, too. This may optionally be realized with the use of solid state drives (SSD) or a hard disk drive. While virtualization allows consolidating your IT resources, it often leads to increased expenses of the server administration. Thus the PRIMERGY BX924 S3 delivers state-of-the-art management capabilities with the integrated Remote Management Controller (iRMC S3) which offers the next generation of remote management functionality. The result is the ability to make your work faster, no matter whether your server is located in the server-room next door or in another

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX924 S3					
	PY BX924 S3 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for PRIMERGY BX900 S1 and BX400 S1	S26361-K1407-V200	1.345,00	



PRIMERGY SX910 S1

The PRIMERGY SX910 S1 Storage Blade Tape module can be used to archive and backup local data in the PRIMERGY BX400 and 900 system units. The SX910 S1 Storage Blade Tape can be equipped with one LTO tape drive. It requires a blade slot in the PRIMERGY blade enclosure. The built-in tape drive is operated via an integrated SAS Controller. It can be connected to a BX9xx Server Blade which is located directly left to it.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX910 S1					
	PY SX910 S1 Storage Blade Tape	1 x tape drive, max 1x SAS Controller, 5,25-inch half-height tape drive	S26361-K1290-V200	1.350,00	



PRIMERGY SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades.

A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BBU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX940 S1					
	PY SX940 S1 Storage Blade Disk	max. 4x SAS/SATA HDD/SSD, max. 2x SAS Controller	S26361-K1292-V200	965,00	



PRIMERGY SX960 S1

The Fujitsu PRIMERGY SX960 Storage Blade offers direct-attached storage for the PRIMERGY BX Blade Server with support of up to 10 hot-plug SAS or SATA hard disks. The storage blade can be inserted, like a server blade, in the front of the blade server housing. It can be hot-plugged and used with various types of server blades. The BX Blade Servers' midplanes offer PCI Express connections to the adjacent server blades, enabling top-quality memory access without using additional cables. The PRIMERGY SX960 Storage Blade has an onboard LSI MegaRAID controller with 512 MB Write Back Cache and optional Battery Backup Unit, for top performance and data security.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX960 S1					
	PY SX960 S1 Storage Blade Disk	max. 10x SAS/SATA HDD/SSD, max. 1x SAS Mega RAID Controller, The SX960S1 can be installed max. 2x in BX400/900	S26361-K1382-V202	1.650,00	



PRIMERGY SX980 Sx

PRIMERGY SX storage blades are installed together with PRIMERGY server blades in the PRIMERGY BX chassis. The introduction of storage blades is a simple and low-priced way to consolidate servers. Above all, small and medium-sized companies usually have rack and tower servers which offer a high degree of capacity regarding local hard disks. The use of storage blades equipped with tape drives is a simple and quick method to backup system data locally. Having local access to large amounts of data is often necessary, for example, in the world of computer-aided engineering (CAE), where smaller local workgroups have to access and create very large models. Examples for using storage blades are operation within limited environments as a file server or for Microsoft® SharePoint portals..

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX980 S1					
	PY SX980 S1 JBOD Blade	Up to 10x SAS HDD / SSD. Can be installed max. 2x in BX400 and 6x in BX900	S26361-K1383-V210	1.420,00	
PRIMERGY SX980 S2					
	PY SX980 S2 JBOD Blade	Up to 10x SAS HDD / SSD. Can be installed max. 2x in BX400 and 6x in BX900	S26361-K1383-V220	1.695,00	



Blade Servers Accessories

Table with columns: Category, Description, Details, Product Code, EUP (€), Comments. Rows include VMware vSphere OPA MA ENT w/o SP-3yr, WinSvr 2012 Datacenter 2CPU ROK, WinSvr 2012 Standard 2CPU/2VM ROK, WinStorageSvr 2012 Std 2CPU/2VM ROK, WinSvr CAL 2012 50Device, WinSvr CAL 2012 10User, WinSvr CAL 2012 5Device, WinSvr CAL 2012 5User, WinSvr CAL 2012 1User, WinSvr RDS CAL 2012 5Device, WinSvr RDS CAL 2012 5User, WinSvr RDS CAL 2012 1Device, WinSvr RDS CAL 2012 1User, WinSvr 2008 R2 SP1 Datacenter, WinSvr 2008 R2 SP1 Enterprise, WinSvr 2008 R2 SP1 Standard, WinSvr 2008 SP2 Datacenter, WinSvr 2008 SP2 Enterprise, WinSvr 2008 SP2 Standard, ServerView Deployment Mgr 6 Single Lic, ServerView Depl. Mgr 6 Single Upgrade, PRIMERGY MultiPath MPIO Upgrade to 5.01, PRIMERGY MultiPath MPIO 5.01, PRIMERGY MultiPath Upgrade to 5.01, PRIMERGY MultiPath 5.01, Win Svr 2008 R2 SP1 Datactr 2CPU ROK, Win Svr 2008 R2 SP1 Datactr 4CPU ROK, Win Server 2008 RDS CAL (1 Device), Win Server 2008 RDS CAL (5 Device), Win Server 2008 RDS CAL (1 User), Win Server 2008 RDS CAL (5 User), Win HPC Svr 2008 R2 Suite ROK, Win Svr 2008 R2 SP1 Enterpr w10CAL ROK.



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Options matrix																					
LCD-Display																					
	PY BX400 Front Panel	BX400 Front Panel w/o LCD Display						x											S26361-F4474-E400	55.00	
	PY BX400 LCD Unit Rack	Bx400 LCD Unit Rack							x										S26361-F4474-E200	185.00	
	PY BX400 Floorstand Kit	PY BX400 Floorstand Kit						x											S26361-F4474-E500	1.290.00	
Processor																					
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x						S26361-F4543-E180	295.00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x						S26361-F4543-E240	400.00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x						S26361-F4544-E200	540.00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x						S26361-F4544-E230	775.00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x						S26361-F4544-E250	1.105.00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink											x						S26361-F4545-E200	1.320.00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink											x						S26361-F4545-E220	1.590.00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink											x						S26361-F4545-E260	1.830.00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink											x						S26361-F4545-E270	2.055.00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink											x						S26361-F4545-E290	2.420.00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink											x						S26361-F4546-E290	1.830.00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink											x						S26361-F4546-E300	1.105.00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink											x						S26361-F4546-E330	1.105.00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink											x						S26361-F4547-E180	1.320.00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink											x						S26361-F4547-E200	845.00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x						S26361-F4548-E180	295.00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x						S26361-F4548-E240	400.00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x						S26361-F4549-E200	540.00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x						S26361-F4549-E230	775.00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x						S26361-F4549-E250	1.105.00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink											x						S26361-F4550-E200	1.320.00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink											x						S26361-F4550-E220	1.590.00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink											x						S26361-F4550-E260	1.830.00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink											x						S26361-F4550-E270	2.055.00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink											x						S26361-F4550-E290	2.420.00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Processor (Continued)																					
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink																	S26361-F4551-E290	1.830,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink																	S26361-F4551-E300	1.105,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink																	S26361-F4551-E330	1.105,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink																	S26361-F4552-E180	1.320,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink																	S26361-F4552-E200	845,00	
	Intel Xeon E5-2403 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	S26361-F4560-E180	260,00	
	2nd Xeon E5-2403 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	S26361-F4564-E180	260,00	
	Intel Xeon E5-2407 4C/4T 2.20 GHz 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	S26361-F4560-E220	320,00	
	2nd Xeon E5-2407 4C/4T 2.20 GHz 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	S26361-F4564-E220	320,00	
	Intel Xeon E5-2420 6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																	S26361-F4561-E190	490,00	
	2nd Xeon E5-2420 6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																	S26361-F4565-E190	490,00	
	Intel Xeon E5-2430 6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																	S26361-F4561-E220	660,00	
	2nd Xeon E5-2430 6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																	S26361-F4565-E220	660,00	
	Intel Xeon E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink																	S26361-F4563-E200	790,00	
	2nd Xeon E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink																	S26361-F4567-E200	790,00	
	Intel Xeon E5-2440 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																	S26361-F4561-E240	1.000,00	
	2nd Xeon E5-2440 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																	S26361-F4565-E240	1.000,00	
	Intel Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																	S26361-F4562-E210	1.210,00	
	2nd Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																	S26361-F4566-E210	1.210,00	
	Intel Xeon E5-2450L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2450L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink																	S26361-F4563-E180	1.270,00	
	2nd Xeon E5-2450L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2450L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink																	S26361-F4567-E180	1.270,00	
	Intel Xeon E5-2470 8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																	S26361-F4562-E230	1.655,00	
	2nd Xeon E5-2470 8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																	S26361-F4566-E230	1.655,00	
Memory Modules																					
	Independent Mode Installation	No specific memory RAS features are defined																	S26361-F3694-E10	5,00	
	Independent Mode Installation	No specific memory RAS features are defined																	S26361-F3695-E10	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory																	S26361-F3694-E2	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory																	S26361-F3695-E2	5,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory																	S26361-F3694-E1	5,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory																	S26361-F3695-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory,																	S26361-F3694-E3	5,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Memory Modules (Continued)																					
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory,																	S26361-F3695-E3	5,00	
	2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM								x	x								S26361-F3694-E613	50,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM								x	x								S26361-F3694-E614	75,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM								x	x								S26361-F3695-E614	95,00	
	4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x								S26361-F3696-E614	85,00	
	8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x								S26361-F3696-E615	125,00	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM								x	x								S26361-F3697-E614	95,00	
	8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1600 MHz, PC3-12800, DIMM								x	x								S26361-F3697-E615	145,00	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3, registered, ECC, 1600 MHz, PC3-12800, DIMM								x	x								S26361-F3697-E616	260,00	
	16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM								x	x								S26361-F3698-E616	400,00	
	32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM								x	x								S26361-F3698-E617	885,00	
Removable Media Drives																					
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black								x									S26361-F3269-E2	95,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height								x									S26361-F3641-E2	165,00	
	RDX 320 5.25"	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable, 1.6" fitting height, black bezel., With 320GB Cartridge																	S26361-F3750-E324	285,00	
	RDX 500 5.25"	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable, 1.6" fitting height, black bezel., With 500GB Cartridge																	S26361-F3750-E504	375,00	
	RDX 1000 5.25"	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable, 1.6" fitting height, black bezel., With 1000GB Cartridge																	S26361-F3750-E604	420,00	
	RDX Drive USB3.0 5.25" internal	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable, 1.6" fitting height, black bezel.																	S26361-F3750-E4	210,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit, 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge																	S26361-F3324-E4	505,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, black bezel, with cleaning cartridge																	S26361-F3325-E4	735,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																	S26361-F3561-E4	1.410,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																	S26361-F3626-E2	1.825,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																	S26361-F3627-E1	2.220,00	
Hard Disks																					
	HD SATA 1TB 5.4K 2.5" NO HOT PL ECO	HDD SATA, 320 GB, 5400 rpm, non hot plug, 2.5-inch, economic																	S26361-F3798-E100	255,00	
	disk mounting kit onboard PCH	BX924 S3 Drive mounting kit																	S26361-F4008-E3	85,00	
	disk mounting kit SAS Mezz card	BX924 S3 Drive mounting kit																	S26361-F4008-E4	85,00	
	SSD SAS 6G 100GB MLC NO HP 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, MLC, non hot plug, 2.5-inch, enterprise																	S26361-F4580-E100	900,00	
	SSD SAS 6G 200GB MLC NO HP 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, MLC, non hot plug, 2.5-inch, enterprise																	S26361-F4580-E200	1.700,00	
	SSD SAS 6G 400GB MLC NO HP 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, MLC, non hot plug, 2.5-inch, enterprise																	S26361-F4580-E400	3.375,00	
	SSD SATA 6G 100GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, non hot plug, 2.5-inch, enterprise																	S26361-F5124-E100	465,00	
	SSD SATA 6G 200GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, non hot plug, 2.5-inch, enterprise																	S26361-F5124-E200	995,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Hard Disks (Continued)																					
	SSD SATA 6G 400GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, non hot plug, 2.5-inch, enterprise																	S26361-F5124-E400	2.205,00	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical							x										S26361-F3708-E250	225,00	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical							x										S26361-F3708-E500	255,00	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical							x										S26361-F3708-E100	410,00	
	SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise							x					x	x				S26361-F5225-E100	465,00	
	SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise							x					x	x				S26361-F5225-E200	995,00	
	SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise							x					x	x				S26361-F5225-E400	2.205,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise							x										S26361-F5247-E130	255,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise							x										S26361-F5247-E145	370,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise							x										S26361-F5247-E160	450,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise							x										S26361-F5247-E190	635,00	
	HD SAS 6G 500GB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical							x						x	x	x		S26361-F5228-E500	270,00	
	HD SAS 6G 1TB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical							x						x	x	x		S26361-F5228-E100	450,00	
	HD SATA 3G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical												x	x				S26361-F3601-E250	225,00	
	HD SATA 3G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical												x	x				S26361-F3601-E500	255,00	
	HD SATA 3G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical												x	x				S26361-F3601-E100	410,00	
	HD SAS 3G 300GB 10K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise												x	x				S26361-F3292-E130	470,00	
	HD SAS 3G 450GB 10K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise												x					S26361-F3292-E145	630,00	
	HD SAS 3G 600GB 10K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise												x					S26361-F3292-E160	735,00	
	HD SAS 3G 146GB 15K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise												x	x				S26361-F3292-E514	485,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise							x					x	x	x	x		S26361-F4482-E130	255,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise							x					x	x	x	x		S26361-F4482-E145	370,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise							x					x	x	x	x		S26361-F4482-E160	450,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise							x					x	x	x	x		S26361-F4482-E190	635,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise							x					x	x	x	x		S26361-F4482-E514	295,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise							x					x	x	x	x		S26361-F4482-E530	495,00	
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise															x	x	S26361-F4541-E100	1.795,00	Phased out
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise															x	x	S26361-F4541-E400	6.180,00	
	SSD SAS 6G 100GB MLC HOT PL 2.5" EP PERF	SSD (Solid State Drives), 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise							x					x	x	x	x		S26361-F4581-E100	900,00	
	SSD SAS 6G 200GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise							x					x	x	x	x		S26361-F4581-E200	1.700,00	
	SSD SAS 6G 400GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise							x					x	x	x	x		S26361-F4581-E400	3.375,00	
SCSI/RAID/SAS controller																					
	RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"													x	x			S26361-F3257-E116	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports													x	x			S26361-F3257-E4	110,00	
	PY FBU Module	FBU Upgrade for LSI SAS2208							x										S26361-F4531-E10	125,00	
	PY SAS RAID HDD Module w/o cache	SAS RAID HDD Module based on LSI MegaRAID SAS2208, PCIe 2.0 x8, SAS 2.0, without Cache							x										S26361-F4531-E100	435,00	
	PY RAID HDD Module Connection Kit	SAS HDD backplane for BX920S3 to connect to SAS RAID HDD Module. Thereby RAID 0,1 functionality can be realized on BX920S3.							x										S26361-F4531-E50	30,00	
	PY SAS RAID HDD Module	SAS RAID HDD Module based on LSI MegaRAID SAS2208, PCIe 2.0 x8, SAS 2.0, 512MB Cache							x										S26361-F4531-E512	655,00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS.							x	x									S26361-F3674-E1	85,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports													x				S26361-F3554-E8	175,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Options matrix																					
SCSI/RAID/SAS controller (Continued)																					
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports													x	x			S26361-F3554-E512	390,00	
	RAID Ctrl SAS 6G 1GB (D3116C)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 3.0 x8, 8 internal ports														x			S26361-F3669-E3	435,00	
Connection Blades																					
	FC SFP MMF 4GB LC (Brocade)	Brocade hot-pluggable SFP module, 4 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector												x					S26361-F3873-E104	130,00	
	FC SFP+ MMF 8GB LC (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector												x					S26361-F3873-E109	165,00	
	FC SFP SMF 4GB LC 4km (Brocade)	Brocade hot-pluggable SFP module (4km), 4 GB/s Long-Wavelength Laser (SWL), Single-Mode Fiber with LC connector												x					S26361-F3873-E204	525,00	
	FC SFP+ SMF 8GB LC 10km (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Long-Wavelength Laser (LWL), Single-Mode Fiber with LC connector												x					S26361-F3873-E208	1.575,00	
	1 GBE Copper Brocade SFP (for IP)	1 GBE Copper SFP (RJ45) for IP switch												x					S26361-F3873-E401	285,00	
	PY CB Eth Switch/IBP 1GB 36/12	LAN Connection Blade for Fujitsu PRIMERGYBX400 and BX900 Blade Servers., Usable as L2 LAN switch, Intelligent Blade Panel (IBP) or End Host Mode (EHM) module., , Interfaces., internal: 36x 1Gbit/s Eth (downlinks), external: 8x RJ45 1Gbit/s Eth, 4x SFP 1Gbit/s Eth						x	x										S26361-K1304-V100	3.030,00	
	PY CB Eth Switch/IBP 1GB 36/8+2	LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., Usable as L2 LAN switch, Intelligent Blade Panel (IBP) or End Host Mode (EHM) module., , Interfaces., internal: 36x 1Gbit/s Eth (downlinks), external: 8x RJ45 1Gbit/s Eth, 2x SFP+ 10Gbit/s Eth						x	x										S26361-K1304-V101	5.555,00	
	PY CB Eth Switch/IBP 10GB 18/8	10Gbit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., Usable as L2 LAN switch, Intelligent Blade Panel (IBP) or End Host Mode (EHM) module., , Interfaces., internal: 18x 10Gbit/s Eth (downlinks), external: 8x SFP+ 10Gbit/s Eth						x	x										S26361-K1304-V200	8.335,00	
	PY CB FC SW 8G 18/8 26 Enterpr (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are: - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - License for Fabric Watch, - License for Advanced Performance Monitor, - License for ISL Trunking, - License for Extended Fabric, - License for Adaptive Networking, - License for Server Application Optimization, - 4 x Brocade hot-pluggable SFP+ module, 8 Gbit/sec Short-Wavelength Laser (SWL), LC connector						x	x										S26361-K1305-V126	15.350,00	
	PY CB FC Switch 8GB 18/8 14 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are: - License for 14 Ports with DPOD (Dynamic Ports on Demand), Automatically enables ports on an embedded blade when the server is, powered on and does not require a predefined assignment of port; , determined by the total number of ports in use and the number of, purchased dynamic ports., - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 Gbit/sec Short-Wavelength Laser (SWL), LC connector						x	x										S26361-K1305-V14	7.675,00	
	PY CB FC Switch 8GB 18/8 26 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are: - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 Gbit/sec Short-Wavelength Laser (SWL), LC connector						x	x										S26361-K1305-V26	11.310,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Options matrix																					
Connection Blades (Continued)																					
	PY CB IB Switch 40GB 18/18	InfiniBand Connection Blade for Fujitsu PRIMERGY BX900 blade server., , Double wide, Single height, , Quad Data Rate (QDR x4), , Interfaces:, , intern: 18x (downlinks), , extern: 18x QSFP connectors (uplink)						x	x										S26361-K1336-V200	11.920,00	
	PY CB FC Pass Thru 8G 18/18	Fibre Channel Pass Thru Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, with 18 downlinks and 18 uplinks, all paths are 100% independent from each other and support 4GB/8GB Fibre Channel speed with autonegotiation						x	x										S26361-K1363-V18	4.090,00	
	PY CB Eth Pass Thru 1/10G 18/18	1/10Gbit/s Ethernet Pass Thru Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, with 18 downlinks and 18 uplinks, all paths are 100% decoupled from other each other and support 1GB/10GB Ethernet speed						x	x										S26361-K1365-V18	4.545,00	
	PY CB Eth Switch/IBP 1GB 18/6	1GB LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP), , Interfaces:, internal: 18x 1Gbit/s Eth (downlinks), external: 6x RJ45 1Gbit/s Eth						x	x										S26361-K1366-V100	2.070,00	
	PY CB SAS Switch 6GB 18/6	6GB SAS Connection Blade for Fujitsu PRIMERGY BX400 /BX900 Blade Server., Will be used for connection between Server Blades and SX980 and/or between Server Blades and external storage devices., , Interfaces:, internal: 18x 6GB SAS, external: 6x 6GB SAS						x	x										S26361-K1391-V300	1.730,00	
	PY CB IB Switch 56GB 18/18	InfiniBand Connection Blade for Fujitsu PRIMERGY BX900 blade server., , Double wide, Single height, , Fourteen Data Rate (FDR x4), , Interfaces:, intern: 18x (downlinks), extern: 18x QSFP connectors (uplink)							x										S26361-K1423-V200	13.940,00	
	PY CB DCB SW 10GB 18/6 Base (Brocade)	Ethernet / DCB Switch 10Gbit/s 18/6 (Brocade VDX 2730 Base) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are:, - License for 24 Ports Ethernet / DCB, - License for 2 node VCS, Fibre Channel and FCoE requires additional licenses, contains NO SFP+ modules, , external interfaces:, 6 Ports 10Gbit/s Eth. Ports for SFP/SFP+ modules, 6 Ports 8/4Gbit/s FC Ports for SFP/SFP+ modules (not enabled)						x	x										S26361-K1429-V100	11.455,00	
	PY CB DCB SW 10GB 18/6/6 Enterprise (Br)	Ethernet / DCB Switch 10Gbit/s 18/6 (Brocade VDX 2730 Enterprise) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are:, - License for 24 Ports Ethernet / DCB, - License for VCS with more than 2 nodes, - License for Fibre-Channel Ports, - Livense for FCoE, contains NO SFP+ modules, , external interfaces:, 6 PORTS 10Gbit/s Eth. Ports for SFP/SFP+ modules, 6 Ports 8/4Gbit/s FC Ports for SFP/SFP+ modules						x	x										S26361-K1429-V200	17.410,00	
	PY CB Eth FEX B22F 10GB 16/8	10Gbit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., The Cisco FEX B22F is designed for attachment to switches of the Cisco Nexus 5000 family., , Interfaces:, intern:16x 10Gbit/s Eth (downlinks), extern: 8x SFP+ 10Gbit/s						x	x										S26361-K1440-V100	8.730,00	
	PY CB Eth FEX B22F with 16 FET 10GB 16/8	10Gbit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., The Cisco FEX B22F is designed for attachment to switches of the Cisco Nexus 5000 family. , The included 16 FET modules are only for Ultra Short Range connection between the FEX B22F and the parent switch., , Interfaces:, intern:16x 10Gbit/s Eth (downlinks), extern: 8x SFP+ 10Gbit/s Eth						x	x										S26361-K1440-V110	13.860,00	
	SFP Module GBE RJ45	SFP module 1GB Ethernet with RJ45 connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades.											x						S26361-F3986-E1	200,00	
	SFP Module Multi Mode Fiber GBE LC	SFP module 1GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades											x						S26361-F3986-E2	110,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Options matrix																					
Connection Blades (Continued)																					
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.											x						S26361-F3986-E3	410,00	
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for single mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to 10km.											x						S26361-F3986-E4	1.190,00	
	Eth SFP+ MMF 10GB LC (Brocade)	Brocade hot-pluggable SFP+ module, 10 GB/s Short-Wavelength Laser (SWL), Short Range (SR), Multi-Mode Fiber with LC connector											x						S26361-F3873-E310	410,00	
	SFP+ Module MMF Cisco 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Cisco products., For multi-mode short-range fiber optic cables up to 300m.											x						S26361-F4571-E201	1.715,00	
	SFP+ Module SMF Cisco 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Cisco products., For single-mode long-range fiber optic cables up to 10km.											x						S26361-F4571-E202	3.860,00	
Mezzanine Cards																					
	PY IB CX2 Mezz Card 40GB 2 Port	InfiniBand Mezzanine Card, 2-channel , 40GB/s, PCIe x8							x	x									S26361-F3992-E2	1.230,00	
	PY IB CX3 Mezz Card 56GB 2 Port	InfiniBand Mezzanine Card, 2 port , 56GB/s, PCIe x8							x	x									S26361-F4534-E1	1.820,00	
	PY Eth Mezz Card 1GB 4 Port	4 Channel GBE Mezzanine Card, 2 Intel 82575EB LAN Controller							x	x									S26361-F3331-E1	560,00	
	PY Eth Mezz Card 10GB 2 Port	2 Channel 10GBE Mezzanine Card, Intel 82599EB LAN Controller							x	x									S26361-F3997-E1	595,00	
	PY FC Mezz Card 8GB 2 Port (MC-FC82E)	Fibre Channel mezzanine module, MC-FC82E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex HBA LPe12002.							x	x									S26361-F3874-E1	765,00	
	PY CNA Mezz Card 2x10GB 2 channel	CNA mezzanine module, MC-CNA112E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex CNA OCe11102., The CNA cards has 2 10GB Ethernet interfaces to the backplane and support the Data-Center-Bringing (Data Center Ethernet) protocol. In addition the Fibre Channel over Ethernet (FCoE) protocol is fully handled in hardware on the card.							x	x									S26361-F3592-E532	900,00	
	PY SAS HBA Mezz Card 6GB	SAS HBA Mezzanine Card based on LSI Chipset SAS2008, PCIe 2.0 x8, SAS 2.0,							x	x									S26361-F4480-E1	195,00	
	PY SAS RAID Mezz Card 6GB	SAS RAID Mezzanine Card based on LSI MegaRAID SAS2108, PCIe 2.0 x8, SAS 2.0										x							S26361-F4481-E1	355,00	
	SSD Connection Kit	SSD backplane for BX924S3 to connect to SAS mezzanine cards										x							S26361-F4481-E30	75,00	
	PY SAS Expander Mezzanine Card	SAS Expander Mezzanine Card										x							S26361-F4531-E30	160,00	
	PY Enhanced Mezz Bracket/Riser	Enhanced Mezzanine Bracket/Riser										x							S26361-F4531-E60	20,00	
Rack-Infrastructure																					
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket						x	x					x					S26361-F4530-E10	5,00	
	Mounting BX server in asymmetrical racks	Rack server mounting in asymmetrical PRIMECENTER racks with 10U support bracket								x									S26361-F4530-E14	5,00	
	Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket												x					S26361-F4530-E11	5,00	
	Mounting 3U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket						x											S26361-F4530-E13	5,00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.												x					S26361-F1647-E302	65,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.						x	x										SNP-SY-F1647E301-P	130,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Options matrix																					
Rack-Infrastructure (Continued)																					
	Blade Installation in System Unit	Service for installation of a server blade into the system unit ex works Augsburg. With ordering this service, the system unit will be delivered completely pre-mounted and tested ex works.							x	x				x	x	x	x	x	S26361-F2749-E1	10,00	
	Serverblade single package/delivery	Serverblade single package/delivery, incl. test, Service without integration ex works							x	x				x	x	x	x	x	S26361-F2749-E2	45,00	
Country kits																					
	region kit APAC/EMEA/India	Region-kit APAC/EMEA/ India						x	x				x						S26361-F1452-E100	10,00	
	region-kit America	Region-kit America						x	x				x						S26361-F1452-E130	10,00	
PRIMERGY-Software																					
	BWA-Identifier	BWA V3.0 solution identifier						x											BWA:IDENT-V003	1,00	
	DIB-Entry/Enterpr, Upgrade Identifier	DI Blocks Entry/Standard upgrade identifier. It identifies that all following order codes for upgrades belong to the DI Blocks.						x		x									S26361-DI009-E101	10,00	
	DIB-Entry/Enterprise, RTU CPU-Capacity	DI Blocks Entry/Standard RTU CPU-Capacity - Right to Use (RTU) per Blade compute power., separate Right to Use for each Blade in the DI Blocks								x									S26361-DI009-E200	2.260,00	
	DIVC-Entry/Enterpr, Upgrade Identifier	DI-vCloud Entry/Enterprise upgrade identifier. It identifies that all following order codes for upgrades belong to the DI-vCloud block.						x		x									S26361-DI010-E101	10,00	
	DIVC-Entry/Enterprise, RTU CPU-Capacity	DI-vCloud Entry/Enterprise RTU CPU-Capacity - Right to Use (RTU) per Blade compute power., separate Right to Use for each Blade in the DI-vCloud block								x									S26361-DI010-E200	2.260,00	
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.							x	x									S26361-F2565-L596	2.770,00	
	WinSvr 2012 Datacenter 2CPU OEM	WinSvr 2012 Datacenter 2CPU OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.							x	x									S26361-F2567-E410	2.890,00	
	WinSvr 2012 Standard 2CPU/2VM OEM	WinSvr 2012 Standard 2CPU&2VM OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.							x	x									S26361-F2567-E420	590,00	
	WinSvr 2012 Standard AddLic 2CPU/2VM OEM	WinSvr 2012 Standard Additional License 2CPU&2VM No Media/Key OEM. SACO License. End User License Terms.								x	x								S26361-F2567-E421	590,00	
	WinStorageSvr 2012 Std 2CPU/2VM OEM	Windows Storage Server 2012 Standard 2CPU&2VM OEM. Multilingual. OEM DVD, COA License. End User License Terms. No CALs required							x	x									S26361-F2567-E450	440,00	
	WinStorageSvr 2012 Std AddLic 2CPU OEM	Windows Storage Server 2012 Standard Additional License 2CPU&2VM OEM. Step-up license to add 2 CPU sockets / 2 VMs. No media/key							x	x									S26361-F2567-E451	440,00	
	WinSvr CAL 2012 50Device	Windows Server 2012 CAL 50 Device							x	x									S26361-F2567-E460	1.095,00	
	WinSvr CAL 2012 50User	Windows Server 2012 CAL 50 User							x	x									S26361-F2567-E461	1.270,00	
	WinSvr CAL 2012 10Device	Windows Server 2012 CAL 10 Device							x	x									S26361-F2567-E462	225,00	
	WinSvr CAL 2012 10User	Windows Server 2012 CAL 10 User							x	x									S26361-F2567-E463	255,00	
	WinSvr CAL 2012 5Device	Windows Server 2012 CAL 5 Device							x	x									S26361-F2567-E464	115,00	
	WinSvr CAL 2012 5User	Windows Server 2012 CAL 5 User							x	x									S26361-F2567-E465	135,00	
	WinSvr CAL 2012 1Device	Windows Server 2012 CAL 1 Device							x	x									S26361-F2567-E466	25,00	
	WinSvr CAL 2012 1User	Windows Server 2012 CAL 1 User							x	x									S26361-F2567-E467	29,00	
	WinSvr RDS CAL 2012 5Device	Windows Server 2012 RDS CAL 5 Device							x	x									S26361-F2567-E470	415,00	
	WinSvr RDS CAL 2012 5User	Windows Server 2012 RDS CAL 5 User							x	x									S26361-F2567-E471	480,00	
	WinSvr RDS CAL 2012 1Device	Windows Server 2012 RDS CAL 1 Device							x	x									S26361-F2567-E472	83,00	
	WinSvr RDS CAL 2012 1User	Windows Server 2012 RDS CAL 1 User							x	x									S26361-F2567-E473	96,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.							x	x									S26361-F2567-E480	35,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.							x	x									S26361-F2567-E481	35,00	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard	DG/DE Kit WinSvr 2008 R2 SP1 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.							x	x									S26361-F2567-E482	35,00	
	DG/DE Kit WinSvr 2008 SP2 Datacenter	DG/DE Kit WinSvr 2008 SP2 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.							x	x									S26361-F2567-E483	35,00	
	DG/DE Kit WinSvr 2008 SP2 Enterprise	DG/DE Kit WinSvr 2008 SP2 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.							x	x									S26361-F2567-E484	35,00	
	DG/DE Kit WinSvr 2008 SP2 Standard	DG/DE Kit WinSvr 2008 SP2 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.							x	x									S26361-F2567-E485	35,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																					
Egenera PAN Builder for BX900		<p>1) The PAN Builder software license authorizes the use of the base PAN Manager software platform as specified in the applicable end user documentation and is required for every PAN pNode to be provisioned and managed by PAN Manager software. A PAN Builder license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. . 2) PAN Builder licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Builder license is not issued for a specific authorized pNode unit, but rather authorizes the use of the licensed functionality on any one (1) authorized pNode that meets the applicable processor socket limitation at a time, 3) The PAN vmBuilder/vBlade license is included as part of the PAN Builder License and authorizes the use of vmBuilder software for any pNode with a valid PAN Builder License. This license authorizes the user to partition a physical authorized pNode into multiple partitions called PAN vNodes or vNodes and to use such other functionality as is described in the applicable end user documentation. A PAN vmBuilder license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager, 4) Access to the PAN software and the license key to run this functionality will be delivered after activation of</p>						x		x									S26361-F4583-S100	2.525,00	
Egenera PAN Server Portability for BX900		<p>1) The PAN Server Portability software license is an optional add-on product to the PAN Builder license. This license authorizes the use of PAN Manager software to automatically move a pServer from one pNode to another pNode within a single PAN environment and such other functionality as is described in the applicable end user documentation. A PAN environment is defined by the number of pNodes supported by a particular redundant pair of PAN Controllers in a Fujitsu BX900 System configured for PAN Manager. A PAN Server Portability license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. . 2) PAN Server Portability licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Server Portability license is not issued for a specific authorized pNode unit, but rather authorizes the use of the licensed functionality on any one (1) authorized pNode that meets the applicable processor socket limitation at a time. . 3) A PAN Server Portability license is required for any pNode containing a pServer instance that is intended to be automatically relocated to another authorized pNode. Configuring a pServer running on an authorized pNode licensed for PAN Server Portability functionality to fail over to another authorized pNode having up to the licensed number of processor sockets within the same PAN environment does not by itself require a separate PAN Server Portability license for the target authorized pNode. Rather, the license will follow the pServer</p>						x		x									S26361-F4583-S110	2.020,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments	
PRIMERGY-Software (Continued)																						
	Egenera PAN Portability for BX900	1) The PAN Portability software license is an optional add-on product to the PAN Builder license. This license authorizes the use of PAN Manager software to configure a backup hardware environment and such other functionality as is described in the applicable end user documentation. This capability allows a PAN environment at one geographic location to act as a disaster recovery facility for one or more PAN environment(s) at other locations. A PAN environment is defined by the number of pNodes supported by a particular redundant pair of PAN Controllers in a Fujitsu BX900 System configured for PAN Manager. A PAN Portability license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. , 2) PAN Portability licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Portability license is not issued for a specific authorized pNode unit, but rather authorizes the use of the licensed functionality on any one (1) authorized pNode that meets the applicable processor socket limitation at a time. Configuring a pServer to fail over from an authorized pNode in one PAN environment to an authorized pNode in a different PAN environment requires that separate PAN Portability licenses be available for each of the source authorized pNode and the target authorized pNode (i.e., the license will not follow the pServer failover from source to target). 3) Access to the PAN software and the license key to run this functionality will be delivered after activation of the mandatory.							x											S26361-F4583-S120	3.030,00	
	Egenera PAN Manager Advanced for BX900	1) Egenera Software Licensing : General Each blade in a PAN environment requires either a PAN Manager Advanced or a PAN Manager Enterprise license. PAN Manager(Advanced/Enterprise) is licensed on a blade basis. There is no dependency or limit on the number of processors, sockets or memory for a blade. Each PAN Environment (a single instance of PAN Manager software hosted on OPServers) enables up to four (4) PAN Domains (BX900 Chassis) to be added to the PAN Environment. , 2) The Pan Manager Advanced license enables all PAN Manager functionality except disaster recovery. PAN Advanced allows users to discover resources, create server profiles, partition resources, monitor resources, provision blades with server profiles, configure high availability (automated failover) for blades, designate blades as spares for failover. PAN Manager Advanced licenses are not tied to a specific blade in the PAN environment. Rather, PAN Manager Advanced licenses create a pool of licenses to be used within a single PAN environment. A PAN Advanced license is a perpetual license. , 3) Access to the PAN software and the license key to run this							x											S26361-F4583-S200	3.845,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-181 Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)	Egenera PAN Manager Enterprise for BX900	<p>1) Egenera Software Licensing : General Each blade in a PAN environment requires either a PAN Manager Advanced or a PAN Manager Enterprise license. PAN Manager(Advanced/Enterprise) is licensed on a blade basis. There is no dependency or limit on the number of processors, sockets or memory for a blade. Each PAN Environment (a single instance of PAN Manager software hosted on OPServers) enables up to four (4) PAN Domains (BX900 chassis) to be added to the PAN Environment. , , 2) PAN Manager Enterprise The Pan Manager Enterprise license enables all PAN Manager Advanced functionality PLUS disaster recovery protection. PAN Manager Enterprise licenses are not tied to a specific blade in the PAN environment. Rather, PAN Manager Enterprise licenses create a pool of licenses to be used within a single PAN environment. The maximum number of blades that can be protected for disaster recovery is equal to the number of PAN Enterprise Licenses available in the PAN Environment. The PAN Manager disaster recovery solution relies on storage replication processes of third party products to ensure all PAN Manager Archive files are available at the target recovery site. PAN Manager Archives include all PAN Manager licenses. These licenses are transferred to the disaster recovery site(as part of storage replication) and are used to deploy the primary site PAN Environment at the recovery site. Blades at the disaster recovery site only require PAN Manager Advanced licenses. A PAN Enterprise license is a perpetual license. , 3) Access to the PAN software and the license key to run this functionality will be delivered.</p>						x		x									S26361-F4583-S210	6.250,00	
	Egenera PAN Manager Upgr. to Enterprise	<p>1) Egenera Software Licensing : General Each blade in a PAN environment requires either a PAN Manager Advanced or a PAN Manager Enterprise license. PAN Manager(Advanced/Enterprise) is licensed on a blade basis. There is no dependency or limit on the number of processors, sockets or memory for a blade. Each PAN Environment (a single instance of PAN Manager software hosted on OPServers) enables up to four (4) PAN Domains (BX900 chassis) to be added to the PAN Environment. , , 2) This SKU is required to upgrade PAN Advanced functionality to PAN Enterprise functionality. The PAN Advanced License is replaced with a PAN Enterprise License. , 3) PAN Manager Enterprise The Pan Manager Enterprise license enables all PAN Manager Advanced functionality PLUS disaster recovery protection. PAN Manager Enterprise licenses are not tied to a specific blade in the PAN environment. Rather, PAN Manager Enterprise licenses create a pool of licenses to be used within a single PAN environment. The maximum number of blades that can be protected for disaster recovery is equal to the number of PAN Enterprise Licenses available in the PAN Environment. The PAN Manager disaster recovery solution relies on storage replication processes of third party products to ensure all PAN Manager Archive files are available at the target recovery site. PAN Manager Archives include all PAN Manager licenses. These licenses are transferred to the disaster recovery site(as part of storage replication) and are used to deploy the primary site PAN Environment at the recovery site. Blades at the disaster recovery site only</p>						x		x									S26361-F4583-S220	2.405,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																					
	Egenera PAN Domain Manager License	1) Egenera Software Licensing : General Each blade in a PAN environment requires either a PAN Manager Advanced or a PAN Manager Enterprise license. PAN Manager(Advanced/Enterprise) is licensed on a blade basis. There is no dependency or limit on the number of processors, sockets or memory for a blade. Each PAN Environment (a single instance of PAN Manager software hosted on OPServers) enables up to four (4) PAN Domains (BX900 chassis) to be added to the PAN Environment. , , 2) The PAN Domain Manager enables the expansion of PAN Environments to include more than four(4) PAN Domains. A PAN Environment is a single instance of PAN Manager hosted on two(2) physical servers or a single virtual machine and all blades are within the same ethernet VLAN Name Space in the datacenter infrastructure. The PAN Manager software instance installed on the OP Server(s) includes four(4) PAN Domain Manager licenses at no charge allowing for expansion of PAN Environments up to a maximum of four(4) PAN Domains. Each additional PAN Domain requires a PAN Domain License. The maximum number of PAN Domains in a PAN Environment is sixteen(16). A PAN Domain for the BX900 is defined as a single BX900 chassis configured for PAN Manager. , 3) Access to the PAN software and the license						x	x										S26361-F4583-S230	4.810,00	
	Citrix VIAB, 10 CCU, 1yr SWM	Citrix VIAB, 10 CCU, 1yr SWM,; VDI-in-a-Box, 10 Concurrent Users,; 1 year Citrix Software Maintenance,; SW and Lizenze key per Download								x	x								S26361-F4583-S500	1.560,00	
	Citrix VIAB, 50 CCU, 1yr SWM	Citrix VIAB, 50 CCU, 1yr SWM,; VDI-in-a-Box, 50 Concurrent Users,; 1 year Citrix Software Maintenance,; SW and Lizenze key per Download								x	x								S26361-F4583-S501	7.800,00	
	Citrix VIAB, 101 CCU, 1yr SWM	Citrix VIAB, 101 CCU, 1yr SWM,; VDI-in-a-Box, 101 Concurrent Users,; 1 year Citrix Software Maintenance,; SW and Lizenze key per Download								x	x								S26361-F4583-S502	14.790,00	
	Citrix VIAB, 251 CCU, 1yr SWM	Citrix VIAB, 251 CCU, 1yr SWM,; VDI-in-a-Box, 251 Concurrent Users,; 1 year Citrix Software Maintenance,; SW and Lizenze key per Download								x	x								S26361-F4583-S503	34.340,00	
	Citrix VIAB, 10 CCU, 3yr SWM	Citrix VIAB, 10 CCU, 3yr SWM,; VDI-in-a-Box, 10 Concurrent Users,; 3 years Citrix Software Maintenance,; SW and Lizenze key per Download								x	x								S26361-F4583-S510	2.120,00	
	Citrix VIAB, 50 CCU, 3yr SWM	Citrix VIAB, 50 CCU, 3yr SWM,; VDI-in-a-Box, 50 Concurrent Users,; 3 years Citrix Software Maintenance,; SW and Lizenze key per Download								x	x								S26361-F4583-S511	10.600,00	
	Citrix VIAB, 101 CCU, 3yr SWM	Citrix VIAB, 101 CCU, 3yr SWM,; VDI-in-a-Box, 101 Concurrent Users,; 3 years Citrix Software Maintenance,; SW and Lizenze key per Download								x	x								S26361-F4583-S512	20.120,00	
	Citrix VIAB, 251 CCU, 3yr SWM	Citrix VIAB, 251 CCU, 3yr SWM,; VDI-in-a-Box, 251 Concurrent Users,; 3 years Citrix Software Maintenance,; SW and Lizenze key per Download								x	x								S26361-F4583-S513	46.790,00	
	Citrix VIAB, EDU, 10 CCU, 1yr SWM	Citrix VIAB, EDU, 10 CCU, 1yr SWM,; VDI-in-a-Box, 10 Concurrent Educational Users,; 1 year Citrix Software Maintenance,; SW and Lizenze key per Download;								x	x								S26361-F4583-S520	1.030,00	
	Citrix VIAB, EDU, 50 CCU, 1yr SWM	Citrix VIAB, EDU, 50 CCU, 1yr SWM,; VDI-in-a-Box, 50 Concurrent Educational Users,; 1 year Citrix Software Maintenance,; SW and Lizenze key per Download								x	x								S26361-F4583-S521	5.160,00	
	Citrix VIAB, EDU, 101 CCU, 1yr SWM	Citrix VIAB, EDU, 101 CCU, 1yr SWM,; VDI-in-a-Box, 101 Concurrent Educational Users,; 1 year Citrix Software Maintenance,; SW and Lizenze key per Download								x	x								S26361-F4583-S522	9.700,00	
	Citrix VIAB, EDU, 251 CCU, 1yr SWM	Citrix VIAB, EDU, 251 CCU, 1yr SWM,; VDI-in-a-Box, 251 Concurrent Educational Users,; 1 year Citrix Software Maintenance,; SW and Lizenze key per Download								x	x								S26361-F4583-S523	22.290,00	
	Citrix VIAB, EDU, 10 CCU, 3yr SWM	Citrix VIAB, EDU, 10 CCU, 3yr SWM,; VDI-in-a-Box, 10 Concurrent Educational Users,; 3 years Citrix Software Maintenance,; SW and Lizenze key per Download								x	x								S26361-F4583-S530	1.560,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Options matrix																					
PRIMERGY-Software (Continued)																					
	Citrix VIAB, EDU, 50 CCU, 3yr SWM	Citrix VIAB, EDU, 50 CCU, 3yr SWM,; VDI-in-a-Box, 50 Concurrent Educational Users,; 3 years Citrix Software Maintenance,; SW and License key per Download																	S26361-F4583-S531	7.800,00	
	Citrix VIAB, EDU, 251 CCU, 3yr SWM	Citrix VIAB, EDU, 251 CCU, 3yr SWM,; VDI-in-a-Box, 251 Concurrent Educational Users,; 3 years Citrix Software Maintenance,; SW and License key per Download																	S26361-F4583-S533	33.130,00	
	VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory						x	x	x	x								U15000-C311	320,00	
	VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory						x	x	x	x								U15000-C312	1.910,00	
	VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory							x	x	x								U15000-C313	3.835,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.								x	x								S26361-F2565-E593	885,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.								x	x								S26361-F2565-E595	885,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.																	S26361-F2567-E331	2.895,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.																	S26361-F2567-E321	1.820,00	
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.																	S26361-F2567-E311	590,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License																	S26361-F2567-E350	660,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License																	S26361-F2567-E351	660,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License																	S26361-F2567-E352	685,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License																	S26361-F2567-E353	685,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License																	S26361-F2567-E354	685,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License																	S26361-F2567-E355	685,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License																	S26361-F2567-E356	685,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License																	S26361-F2567-E357	685,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License																	S26361-F2567-E358	660,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License																	S26361-F2567-E359	660,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License																	S26361-F2567-E370	955,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License																	S26361-F2567-E371	970,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License																	S26361-F2567-E372	985,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License																	S26361-F2567-E373	985,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License																	S26361-F2567-E374	985,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.																	S26361-F2567-E391	25,00	
	Win Svrs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.																	S26361-F2567-E390	25,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																					
	Win HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.							x	x									S26361-F2567-E366	30,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.							x	x									S26361-F2567-E368	30,00	
	Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year							x	x									S26361-F2346-C851	57,00	
	PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 1 year.							x	x									S26361-F2346-C951	157,00	
	PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1-Year.							x	x									S26361-F2346-S951	8,00	
	PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten) 5x9 level3 Support 1 Jahr.							x	x									S26361-F2346-C961	466,00	
	PCM Fujitsu Enterprise Services 1y	Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 1 year.							x	x									S26361-F2346-S961	8,00	
	Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year							x	x									S26361-F2346-C852	170,00	
	PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 3 years.							x	x									S26361-F2346-C952	470,00	
	PCM Fujitsu Basic Services 3Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 3 years.							x	x									S26361-F2346-S952	8,00	
	PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node) 5x9 level3 support 3 years.							x	x									S26361-F2346-C962	1.394,00	
	PCM Fujitsu Enterprise Services 3Y	, Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 3 years.							x	x									S26361-F2346-S962	8,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							x	x									S26361-F2567-E360	790,00	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							x	x									S26361-F2567-E361	400,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							x	x									S26361-F2567-E363	110,00	
	FF RTU RX300 S6/7, BX620 S6, BX92x S2/3	FlexFrame ApplicationNode RTU for RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2.							x	x									U21348-C291	4.785,00	
	FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.							x	x									U21348-C291-W1	1.357,00	
	FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.							x	x									U21348-C291-W3	3.876,00	
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.							x	x									U21348-C293	2.393,00	
	FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.							x	x									U21348-C292-W1	678,00	
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2							x	x									U21348-C294	2.393,00	
	FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – SAN option.							x	x									U21348-C292-W3	1.938,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																					
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)							x	x									U21348-C494	2.590,00	
	FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.								x	x								U21348-C293-W1	678,00	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)							x	x									U21348-C495	5.970,00	
	FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.							x	x									U21348-C293-W3	1.938,00	
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)							x	x									U21348-C496	7.090,00	
	FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.							x	x									U21348-C294-W1	678,00	
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary VMware vSphere licenses and support contracts have to be ordered via the local VMware contacts., These licenses can also be ordered, when the customer already has its own VMware vSphere licenses and support							x	x									U21348-C490	800,00	
	FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.							x	x									U21348-C294-W3	1.938,00	
	FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.							x	x									U21348-C490-W1	132,00	
	SUSE Linux ES 1-2 SOCK Server 1Y	SUSE Linux ES 1-2S0C Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year							x	x									S26361-F2348-S101	290,00	
	SUSE Linux ES 1-2 SOCK Server 3Y	SUSE Linux ES 1-2S0C Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years							x	x									S26361-F2348-S102	790,00	
	SUSE Linux ES 1-2 SOCK Server 5Y	SUSE Linux ES 1-2S0C Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years							x	x									S26361-F2348-S103	1.160,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt. 1Y	SUSE Linux ES 1-2S0C Serv+Virt. 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year							x	x									S26361-F2348-S111	440,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES 1-2S0C Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years							x	x									S26361-F2348-S112	1.180,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES 1-2S0C Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years							x	x									S26361-F2348-S113	1.760,00	
	SUSE Linux ES HAE 1-2 SOCK 1Y	SUSE Linux ES HAE 1-2S0C 1Y, 1-2 CPU Sockets, high availability extension, subscription for 1 year							x	x									S26361-F2348-S121	590,00	
	SUSE Linux ES HAE 1-2 SOCK 3Y	SUSE Linux ES HAE 1-2S0C 3Y, 1-2 CPU Sockets, high availability extension, subscription for 3 years							x	x									S26361-F2348-S122	1.570,00	
	SUSE Linux ES HAE 1-2 SOCK 5Y	SUSE Linux ES HAE 1-2S0C 5Y, 1-2 CPU Sockets, high availability extension, subscription for 5 years							x	x									S26361-F2348-S123	2.330,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX400 S2	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																						
	SUSE Linux ES4SAP 1-2 SOCK Server 1Y	SUSE Linux ES4SAP 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year								x	x									S26361-F2348-S401	1.280,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 3Y	SUSE Linux ES4SAP 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years									x	x								S26361-F2348-S402	3.450,00	
	SUSE Linux ES4SAP 1-2 SOCK Server 5Y	SUSE Linux ES4SAP 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years									x	x								S26361-F2348-S403	5.200,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year									x	x								S26361-F2348-S411	1.920,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years									x	x								S26361-F2348-S412	5.200,00	
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years									x	x								S26361-F2348-S413	7.700,00	
	FF-AN VMware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.									x	x								U21348-C490-W3	360,00	
	SUSE Linux ES BX400 Server+Virt 1J	SUSE Linux ES BX400 1Y, SUSE Linux Enterp. Server for BX400 Blade Chassis, unlimited virtualization, subscription for 1 year							x											S26361-F2348-S141	1.760,00	
	SUSE Linux ES BX400 Server+Virt 3J	SUSE Linux ES BX400 3Y, SUSE Linux Enterp. Server for BX400 Blade Chassis, unlimited virtualization, subscription for 3 years							x											S26361-F2348-S142	4.720,00	
	SUSE Linux ES BX400 Server+Virt 5J	SUSE Linux ES BX400 5Y, SUSE Linux Enterp. Server for BX400 Blade Chassis, unlimited virtualization, subscription for 5 years							x											S26361-F2348-S143	7.100,00	
	SUSE Linux ES BX900 Server+Virt 1J	SUSE Linux ES BX900 1Y, SUSE Linux Enterp. Server for BX900 Blade Chassis, unlimited virtualization, subscription for 1 year								x										S26361-F2348-S151	3.960,00	
	SUSE Linux ES BX900 Server+Virt 3J	SUSE Linux ES BX900 3Y, SUSE Linux Enterp. Server for BX900 Blade Chassis, unlimited virtualization, subscription for 3 years									x									S26361-F2348-S152	10.700,00	
	SUSE Linux ES BX900 Server+Virt 5J	SUSE Linux ES BX900 5Y, SUSE Linux Enterp. Server for BX900 Blade Chassis, unlimited virtualization, subscription for 5 years									x									S26361-F2348-S153	15.900,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year									x	x								S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years										x	x							S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year										x	x							S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years											x	x						S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year											x	x						S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years												x	x					S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year											x	x						S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years												x	x					S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year												x	x					S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years													x	x				S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year														x	x			S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years														x	x			S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year														x	x			S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years															x	x		S26361-F2346-S122	607,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																					
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year																	S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years																	S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year																	S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years																	S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year																	S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years																	S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year																	S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years																	S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year																	S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years																	S26361-F2346-S172	380,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download																	S26361-F2341-S980	1.050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download																	S26361-F2341-S981	2.630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download																	S26361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download																	S26361-F2341-S983	2.000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download																	S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download																	S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download																	S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download																	S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download																	S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download																	S26361-F2341-S989	1.460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download																	S26361-F2341-S990	3.750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download																	S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)																	S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for max 32GB RAM - Mandatory 1 year Service Pack needed!																	S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield.Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield.Backup-Restore - No License																	S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU - Mandatory 1 year Service Pack needed!																	S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU - Mandatory 3 year Service Pack needed!																	S26361-F2341-E708	895,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																					
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU - Mandatory 3 year Service Pack needed!							x	x									S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 3 year Service Pack needed!							x	x									S26361-F2341-E712	3.145,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-E732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!							x	x									S26361-F2341-E733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-E734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!							x	x									S26361-F2341-E735	19.750,00	
	VMware STD AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-E760	6.295,00	
	VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 3 year Service Pack needed!							x	x									S26361-F2341-E761	6.295,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!							x	x									S26361-F2341-S737	4.495,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-S738	1.345,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!							x	x									S26361-F2341-S739	1.345,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-E740	3.105,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 3 year Service Pack needed!							x	x									S26361-F2341-E741	3.105,00	
	VMware vCloud Suite STD w/o SP-1yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard.- Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-E766	4.495,00	
	VMware vCloud Suite STD w/o SP-3 yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard.- Mandatory 3 years Support Pack needed!							x	x									S26361-F2341-E767	4.495,00	
	VMware vCloud Suite ADV w/o SP-1yr	Each vCloud Advanced Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced.- Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-E768	6.745,00	
	VMware vCloud Suite ADV w/o SP-3 yr	Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced. , Mandatory 3 years Support Pack needed!							x	x									S26361-F2341-E769	6.745,00	
	VMware vCloud Suite ENT w/o SP-1yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-E770	10.350,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																					
	VMware vCloud Suite ENT w/o SP-3 yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 3 years Support Pack needed!							x	x									S26361-F2341-E771	10.350,00	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 1 year VMware Sub. - no Support							x	x									S26361-F2341-S800	504,00	
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 3 year VMware Sub. - no Support							x	x									S26361-F2341-S801	600,00	
	VMware vSphere OPs MA STD w/o SP-1yr	VMware vSphere OPs MA Standard for 1 CPU - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-E850	1.565,00	New product
	VMware vSphere OPs MA STD w/o SP-3yr	VMware vSphere OPs MA Standard for 1 CPU - Mandatory 3 years Service Pack needed!							x	x									S26361-F2341-E851	1.565,00	New product
	VMware vSphere OPs MA ENT w/o SP-1yr	VMware vSphere OPs MA Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-E852	3.265,00	New product
	VMware vSphere OPs MA ENT w/o SP-3yr	VMware vSphere OPs MA Enterprise for 1 CPU - Mandatory 3 years Service Pack needed!							x	x									S26361-F2341-E853	3.265,00	New product
	VMware vSphere OPs MA ENT-PL w/o SP-1yr	VMware vSphere Operations Management Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-E854	3.815,00	New product
	VMware vSphere OPs MA ENT-PL w/o SP-3yr	VMware vSphere Operations Management Enterprise-Plus for 1 CPU - Mandatory 3 years Service Pack needed!							x	x									S26361-F2341-E855	3.815,00	New product
	VMware vSOM STD AK (6CPU) w/o SP-1yr	VMware vSphere STD with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD. - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-E860	8.985,00	New product
	VMware vSOM STD AK (6CPU) w/o SP-3yr	VMware vSphere STD with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD. - Mandatory 3 years Service Pack needed!							x	x									S26361-F2341-E861	8.985,00	New product
	VMware vSOM END AK(6CPU)w/o SP-1yr	VMware vSphere ENT with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD + VDP ADV, , - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-E862	20.650,00	New product
	VMware vSOM END AK(6CPU)w/o SP-3yr	VMware vSphere ENT with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD + VDP ADV, , - Mandatory 3 years Service Pack needed!							x	x									S26361-F2341-E863	20.650,00	New product
	VMware vSOM END-PL AK(6CPU)w/o SP-1yr	VMware vSphere ENT-PL with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD + VDP ADV, , - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-E864	25.150,00	New product
	VMware vSOM END-PL AK(6CPU)w/o SP-3yr	VMware vSphere ENT-PL with Operations Management Acceleration Kit for 6 CPU inc VC-STD + vCops STD + VDP ADV, , - Mandatory 3 years Service Pack needed!							x	x									S26361-F2341-E865	25.150,00	New product
	VMware UG ESS to STD-AK w/o SP-1yr	VMware UG ESS to STD-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-S866	8.765,00	New product
	VMware UG ESS to STD-AK w/o SP-3yr	VMware UG ESS to STD-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 3 years Service Pack needed!							x	x									S26361-F2341-S867	8.765,00	New product
	VMware UG ESS to ENT-AK w/o SP-1yr	VMware UG ESS to ENT-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-S868	20.450,00	New product
	VMware UG ESS to ENT-AK w/o SP-3yr	VMware UG ESS to ENT-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 3 years Service Pack needed!							x	x									S26361-F2341-S869	20.450,00	New product
	VMware UG ESS to EPL-AK w/o SP-1yr	VMware UG ESS to EPL-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-S870	24.950,00	New product
	VMware UG ESS to EPL-AK w/o SP-3yr	VMware UG ESS to EPL-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCops-STD, Mandatory 3 years Service Pack needed!							x	x									S26361-F2341-S871	24.950,00	New product



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Options matrix																					
PRIMERGY-Software (Continued)																					
	VMware UG ESS-PL to STD-AK w/o SP-1yr	VMware UG ESS-PL to STD-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-S872	5.445,00	New product
	VMware UG ESS-PL to STD-AK w/o SP-3yr	VMware UG ESS-PL to STD-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 3 years Service Pack needed!							x	x									S26361-F2341-S873	5.445,00	New product
	VMware UG ESS-PL to ENT-AK w/o SP-1yr	VMware UG ESS-PL to ENT-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-S874	18.350,00	New product
	VMware UG ESS-PL to ENT-AK w/o SP-3yr	VMware UG ESS-PL to ENT-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 3 years Service Pack needed!							x	x									S26361-F2341-S875	18.350,00	New product
	VMware UG ESS-PL to EPL-AK w/o SP-1yr	VMware UG ESS-PL to EPL-AK w/o SP-1yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-S876	23.250,00	New product
	VMware UG ESS-PL to EPL-AK w/o SP-3yr	VMware UG ESS-PL to EPL-AK w/o SP-3yr, One purchase per customer site only!, for 6, CPU inc VC-STD + vCOps-STD, Mandatory 3 years Service Pack needed!							x	x									S26361-F2341-S877	23.250,00	New product
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.							x	x									S26361-F2341-S802	4.969,00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.							x	x									S26361-F2341-S803	6.610,00	
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.							x	x									S26361-F2341-S804	4.810,00	
	VMware UG vSp STD -<gt/> vClu Suite STD	VMware Upgrade vSphere Standard to vCloud Suite Standard for 1 CPU , - Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-S772	3.955,00	
	VMware UG vSp STD -<gt/> vClu Suite STD	VMware Upgrade vSphere Standard to vCloud Suite Standard for 1 CPU , - Mandatory 3 years Support Pack needed!							x	x									S26361-F2341-S773	3.955,00	
	VMware UG vSp STD -<gt/> vClu Suite ADV	VMware Upgrade vSphere Standard to vCloud Suite Advanced for 1 CPU , - Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-S774	6.295,00	
	VMware UG vSp STD -<gt/> vClu Suite ADV	VMware Upgrade vSphere Standard to vCloud Suite Advanced for 1 CPU , - Mandatory 3 years Support Pack needed!							x	x									S26361-F2341-S775	6.295,00	
	VMware UG vSp STD -<gt/> vClu Suite ENT	VMware Upgrade vSphere Standard to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-S776	9.895,00	
	VMware UG vSp STD -<gt/> vClu Suite ENT	VMware Upgrade vSphere Standard to vCloud Suite Enterprise for 1 CPU , - Mandatory 3 years Support Pack needed!							x	x									S26361-F2341-S777	9.895,00	
	VMware UG vSp ENT -<gt/> vClu Suite STD	VMware Upgrade vSphere Enterprise to vCloud Suite Standard for 1 CPU , - Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-S778	2.095,00	
	VMware UG vSp ENT -<gt/> vClu Suite STD	VMware Upgrade vSphere Enterprise to vCloud Suite Standard for 1 CPU , - Mandatory 3 years Support Pack needed!							x	x									S26361-F2341-S779	2.095,00	
	VMware UG vSp ENT -<gt/> vClu Suite ADV	VMware Upgrade vSphere Enterprise to vCloud Suite Advandeds for 1 CPU , - Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-S780	4.575,00	
	VMware UG vSp ENT -<gt/> vClu Suite ADV	VMware Upgrade vSphere Enterprise to vCloud Suite Advandeds for 1 CPU , - Mandatory 3 year Support Pack needed!							x	x									S26361-F2341-S781	4.575,00	
	VMware UG vSp ENT -<gt/> vClu Suite ENT	VMware Upgrade vSphere Enterprise to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-S782	8.525,00	
	VMware UG vSp ENT -<gt/> vClu Suite ENT	VMware Upgrade vSphere Enterprise to vCloud Suite Enterprise for 1 CPU , - Mandatory 3 year Support Pack needed!							x	x									S26361-F2341-S783	8.525,00	
	VMware UG vSp ENTP -<gt/> vClu Suite STD	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Standard for 1 CPU , - Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-S784	1.485,00	
	VMware UG vSp ENTP -<gt/> vClu Suite STD	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Standard for 1 CPU , - Mandatory 3 year Support Pack needed!							x	x									S26361-F2341-S785	1.485,00	
	VMware UG vSp ENTP -<gt/> vClu Suite ADV	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Advanced for 1 CPU , - Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-S786	3.955,00	
	VMware UG vSp ENTP -<gt/> vClu Suite ADV	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Advanced for 1 CPU , - Mandatory 3 year Support Pack needed!							x	x									S26361-F2341-S787	3.955,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																					
	VMware UG vSp ENTP -<gt/> vClu Suite ENT	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-S788	7.915,00	
	VMware UG vSp ENTP -<gt/> vClu Suite ENT	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!							x	x									S26361-F2341-S789	7.915,00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.							x	x									S26361-F2341-S805	6.104,00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.							x	x									S26361-F2341-S806	12.573,00	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.							x	x									S26361-F2341-S807	16.740,00	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.							x	x									S26361-F2341-S808	12.169,00	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.							x	x									S26361-F2341-S809	15.454,00	
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-S742	1.220,00	
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!							x	x									S26361-F2341-S743	1.220,00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-S744	12.195,00	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!							x	x									S26361-F2341-S745	12.195,00	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware Horizon View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-S750	2.030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware Horizon View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!							x	x									S26361-F2341-S751	2.030,00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware Horizon View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!							x	x									S26361-F2341-S752	20.295,00	
	VMware View PRE 100 CLI w/o SP-3yr	VMware Horizon View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!							x	x									S26361-F2341-S753	20.295,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.							x	x									S26361-F2341-S810	3.992,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.							x	x									S26361-F2341-S811	5.309,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.							x	x									S26361-F2341-S812	1.275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.							x	x									S26361-F2341-S813	1.701,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.							x	x									S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.							x	x									S26361-F2341-S815	4.963,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.							x	x									S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.							x	x									S26361-F2341-S817	1.586,00	
UPS/Power supply																					
	PY BX400 PSU (1600W/1100W) w/o powercord	PY BX400 Power Supply (1600 W/1100 W) without power cable						x											S26113-F607-E201	500,00	
	PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans							x										S26361-F3962-E100	285,00	
	PY BX400 Fan Unit	BX400 Fan Unit with 2 Fans						x											S26361-F4474-E100	155,00	
	BX900 PSU 2.880W silver w/o power cord	BX900 Power supply 100-240V AC, w/o power cord							x										S26113-F606-E250	680,00	
	BX900 PSU 2.880W platinum hp w/o power c	BX900 Power Supply 2.880W platinum hp							x										S26113-F606-E300	870,00	
	Power Cord 16A IEC320 C19->C20, 3.5m	Power cord with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)						x	x										S26361-F3151-E301	30,00	
	Power Cord 16A IEC320 C19->C20 1 m	Power cord 16A IEC320 C20 -> IEC320 C19 length 1 meter						x											S26361-F3151-E10	30,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Options matrix																					
UPS/Power supply (Continued)																					
	Power Cord IEC320 C19 -> IEC 320 C14	Power cord with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)						x											S26361-F3151-E351	10,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m												x					T26139-Y1968-E100	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd											x						T26139-Y1742-E10	10,00	
	Power cord IEC320 C19 -> IEC320 C14	Power cord with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)						x											S26361-F3151-E350	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China						x	x				x						T26139-Y3850-E10	2,00	
	Power cord 16A IEC320 C19->C20, 3.5m	with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)						x											S26361-F3151-E300	30,00	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->CEE 7/7 (Schuko)						x											S26361-F3151-E100	30,00	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C20 -> 16A CEE (IEC309, blue), length 3,5m						x	x										S26361-F3151-E200	30,00	
	Power cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C20 -> US NEMA L6-20p						x											S26361-F3151-E500	60,00	
Miscellaneous																					
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order						x	x				x						S26361-F1647-E410	25,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!							x	x									S26361-F3552-E1	50,00	
FC/IP-Infrastructure																					
	S/W, 10 Gigabit Ethernet 1Y Maintenance	S/W, 10 Gigabit Ethernet 1 year Maintenance, Brocade number: BR-DCX10GE-01-M		x	x														B:BR-DCX10GE-01-M	16.543,00	
	S/W, 10 Gigabit Ethernet 2Y Maintenance	S/W, 10 Gigabit Ethernet 2 years Maintenance, Brocade number: BR-DCX10GE-01-M-2		x	x														B:BR-DCX10GE-02-M	17.412,00	
	S/W, 10 Gigabit Ethernet 3Y Maintenance	S/W, 10 Gigabit Ethernet 3 years Maintenance, Brocade number: BR-DCX10GE-01-M-3		x	x														B:BR-DCX10GE-03-M	18.232,00	
	S/W, 10 Gigabit Ethernet 4Y Maintenance	S/W, 10 Gigabit Ethernet 4 years Maintenance, Brocade number: BR-DCX10GE-01-M-4		x	x														B:BR-DCX10GE-04-M	19.117,00	
	S/W, 10 Gigabit Ethernet 5Y Maintenance	S/W, 10 Gigabit Ethernet 5Y Maintenance, Brocade number: BR-DCX10GE-01-M-5		x	x														B:BR-DCX10GE-05-M	20.002,00	
	S/W,Advanced Extension 1Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 1 year SUP included, Brocade number BR-DCXAEX-01-M			x														B:BR-DCXAEX-01-M	7.316,00	
	S/W,Advanced Extension 2Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 2 years SUP included, Brocade number BR-DCXAEX-01-M-2			x														B:BR-DCXAEX-02-M	8.441,00	
	S/W,Advanced Extension 3Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 3 years SUP included, Brocade number BR-DCXAEX-01-M-3			x														B:BR-DCXAEX-03-M	9.504,00	
	S/W,Advanced Extension 4Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 4 years SUP included, Brocade number BR-DCXAEX-01-M-4			x														B:BR-DCXAEX-04-M	10.651,00	
	S/W,Advanced Extension 5Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 5 year SUP included, Brocade number: BR-DCXAEX-01-M-5			x														B:BR-DCXAEX-05-M	11.798,00	
	S/W, Advanced Accelerator for FICON 1Y M	S/W, Advanced Accelerator for FICON 1 year Maintenance, Brocade Number: BR-DCXAFI-01-M				x													B:BR-DCXAFI-01-M	27.142,00	
	S/W, Advanced Accelerator for FICON 2Y M	S/W, Advanced Accelerator for FICON 2 years Maintenance, Brocade Number: BR-DCXAFI-01-M-2				x													B:BR-DCXAFI-02-M	31.321,00	
	S/W, Advanced Accelerator for FICON 3Y M	S/W, Advanced Accelerator for FICON 3 years Maintenance, Brocade Number:BR-DCXAFI-01-M-3				x													B:BR-DCXAFI-03-M	35.267,00	
	S/W, Advanced Accelerator for FICON 4Y M	S/W, Advanced Accelerator for FICON 4 years Maintenance, Brocade Number: BR-DCXAFI-01-M-4				x													B:BR-DCXAFI-04-M	39.522,00	
	S/W, Advanced Accelerator for FICON 5Y M	S/W, Advanced Accelerator for FICON 5 years Maintenance, Brocade number: BR-DCXAFI-01-M-5				x													B:BR-DCXAFI-05-M	43.776,00	
	Integrated Routing (Inkl.-M), SUS 1 Year	Integrated Routing,1 year Maintenance., Brocadenumber: BR-DCXIR-01-M			x														B:BR-DCXIR-01-M	21.920,00	
	Integrated Routing (Inkl.-M), SUS 2years	Integrated Routing,2 years Maintenance., Brocadenumber: BR-DCXIR-02-M			x														B:BR-DCXIR-02-M	22.950,00	
	Integrated Routing (Inkl.-M), SUS 3years	Integrated Routing,3 years Maintenance., Brocadenumber: BR-DCXIR-03-M			x														B:BR-DCXIR-03-M	23.922,00	
	Integrated Routing (Inkl.-M), SUS 4years	Integrated Routing, 4 year Maintenance., Brocadenumber: BR-DCXIR-04-M			x														B:BR-DCXIR-04-M	24.969,00	
	Integrated Routing (Inkl.-M), SUS 5years	Integrated Routing 5 years Maintenance, , Brocade number: BR-DCXIR-01-M-5			x														B:BR-DCXIR-05-M	26.018,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
FC/IP-Infrastructure (Continued)																					
	FS8-18 Uppg(adv.crypto f.disk,1/DCX chas)	FS8-18 Upgrade (adv.crypto f.disk,1x per DCX chassis) , Brocade number: BR-ENCPRF48-01	x																B:BR-ENCPRF48-01	72.141,00	
	Maintenance Extension 1 year	Maintenance renewal for one further year (period 1 year).Only the first order possible!	x	x															B:SVC-MAINT	294,00	Phased out
	BR SFP, SWL (MMF), 4GB/s 150m, 1-Pack	1x SFP Multi Mode Fibre, 4 GB/s 150 m , (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)			x														D:FCSFP-B-MM4G	100,00	
	BR SFP SWL (SMF) 4 GB/s 4 km,1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 4km , (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)				x													D:FCSFP-B-SM4-04	460,00	
	BR SFP, LWL (SMF), 4GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)				x													D:FCSFP-B-SM4-10	826,00	
	BR SFP SWL (SMF), 4 GB/s 30 km,1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 30km , (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)				x													D:FCSFP-B-SM4-30	1.530,00	
	1 GBE Copper SFP (for IP)	1 GBE Copper SFP			x														D:FCSFP-COP-1GBE	481,00	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km , , Not usable for 8 GB/s Switches!			x														D:FCSFP-SM4G-30	1.859,00	Phased out
	PY BX900 Management Blade S1	Redundant Management Blade						x	x										S26361-F3962-E500	790,00	
	BR SFP, SWL(MMF), 8GB/s 50m,100m, 1-Pack	1x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000163 branded SFP)	x		x	x													B:XBR-000163	93,00	
	BR SFP, SWL(MMF), 8GB/s 50m,100m, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000164 branded SFP)					x												B:XBR-000164	667,00	
	BR SFP, LWL (SMF), 8GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 8 GB/s, 10km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000153 branded SFP)				x	x												B:XBR-000153	1.394,00	
	BR SFP, LWL (SMF), 8GB/s 10Km, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000172 branded SFP)						x											B:XBR-000172	7.610,00	
	BR SFP, LWL (SMF), 8GB/s 25Km, 1-Pack	1xSFP Single Mode Fibre, 8 GB/s, 25km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000174 branded SFP)						x											B:XBR-000174	4.072,00	
	BR Mini-SFP,SWL(MMF)8GB/s50m,100m,1-Pack	1x Mini-SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000160 branded SFP)						x											B:XBR-000160	199,00	
	BR SFP, SWL (MMF), 4GB/s 150m, 1-Pack	1x SFP Multi Mode Fibre, 4 GB/s 150 m , (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000139 branded SFP)			x	x													B:XBR-000139	122,00	
	BR SFP, LWL (SMF), 4GB/s 4Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 4km , (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000142 branded SFP)					x												B:XBR-000142	640,00	
	BR SFP, LWL (SMF), 4GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000144 branded SFP)						x											B:XBR-000144	1.169,00	
	BR SFP, SWL (MMF), 4GB/s 150m, 8-Pack	8x SFP Multi Mode Fibre, 4 GB/s 150 m , (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000141 branded SFP)						x											B:XSM-000141	411,00	
	BR SFP, LWL (SMF), 4GB/s 4Km, 8-Pack	8xSFP Single Mode Fibre, 4 GB/s, 4km , (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000143 branded SFP)						x											B:XSM-000143	3.336,00	
	Brocade FRU, SFP, LWL, 4G, 30km	1xSFP Single Mode Fibre, 4 GB/s, 30km , (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000146 branded SFP)						x											B:XSM-000146	1.688,00	
	BR SFP, LWL (SMF), 4GB/s 10Km, 8-Pack	8x SFP+ Multi Mode Fibre, 4 GB/s, 50 / 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000157 branded SFP)						x											B:XSM-000157	6.077,00	
	Brocade SFP+, SR, 10GE, 1-PK, BR	1x SFP+ Multi Mode Fibre, SR, 10 GE, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000180 branded SFP)		x	x														B:XBR-000180	534,00	
	Brocade SFP+, SR, 10GE, 8-PK, BR	SFP+, SR, 10GE, 8-PK, BR , (Brocade XBR-000181 branded SFP)		x															B:XBR-000181	2.985,00	
	Brocade SFP+, LR, 10GE, 1-PK, BR	SFP+, LR, 10GE, 1-PK, BR , (Brocade XBR-000182 branded SFP)		x	x														B:XBR-000182	1.438,00	
	Brocade SFP+, LR, 10GE, 8-PK, BR	SFP+, LR, 10GE, 8-PK, BR , (Brocade XBR-000181 branded SFP)		x															B:XBR-000183	10.494,00	
	Brocade SFP, 1GE COPPER, 1-PK, ROHS	1x SFP+ Multi Mode Fibre, 1 GE, 50 / 100 m , (Brocade XBR-000190 branded SFP)				x													B:XBR-000190	338,00	
	BR SFP+,SWL (MMF),16GB/s 50m,100m,1-Pack	1x SFP+,Sort Wave Lenghs,16GB/s, , (Brocade XBR-000192 branded SFP)						x											B:XBR-000192	461,00	
Cables																					
	Direct Attached SFP+ Copper, 1m, 1-Pack	Brocade direct Attached cable SFP+, Copper, 1m, 1x, (Brocade XBR-TWX-0101 branded SFP)		x															B:XBR-TWX-0101	128,00	
	Direct Attached SFP+ Copper, 3m, 1-Pack	Brocade direct Attached cable SFP+, Copper, 3m, 1x, (Brocade XBR-TWX-0301 branded SFP)		x															B:XBR-TWX-0301	159,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
Cables (Continued)																					
	Direct Attached SFP+ Copper, 5m, 1-Pack	Brocade direct Attached cable SFP+, Copper, 5m, 1x, (Brocade XBR-TWX-0501 branded SFP)		x															B:XBR-TWX-0501	208,00	
SW Data Center Products																					
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download								x	x								S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download								x	x								S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download								x	x								S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download								x	x								S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download								x	x								S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download								x	x								S26361-F2341-E925	24.580,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download								x	x								S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download								x	x								S26361-F2341-E934	18.750,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download								x	x								S26361-F2341-E935	37.500,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download								x	x								S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download								x	x								S26361-F2341-E961	10.830,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download								x	x								S26361-F2341-E962	21.670,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x								S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x								S26361-F2341-E964	17.290,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x								S26361-F2341-E965	34.580,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x								S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x								S26361-F2341-E967	11.040,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x								S26361-F2341-E968	22.080,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download								x	x								S26361-F2341-S913	790,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)																					
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download							x	x									S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download							x	x									S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download							x	x									S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download							x	x									S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download							x	x									S26361-F2341-S925	18.750,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download							x	x									S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download							x	x									S26361-F2341-S934	14.580,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download							x	x									S26361-F2341-S935	29.170,00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download							x	x									S26361-F2341-S960	1.580,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download							x	x									S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download							x	x									S26361-F2341-S962	15.830,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x									S26361-F2341-S963	2.630,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x									S26361-F2341-S964	13.130,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x									S26361-F2341-S965	26.250,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x									S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x									S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x									S26361-F2341-S968	13.750,00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)							x	x									U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)							x	x									U11420-C936	100,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License (1 Server) V3							x	x	x	x							U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License (1 Server) V3							x	x	x	x							U11420-C955	0,01	
	SVRORDVD V31 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V3.1 for Windows&Linux&Solaris							x	x	x	x							U11420-C957	50,00	
	SVRORNODVD V31 (LINUX) MED DVD	ServerView Resource Orchestrator Network Service (NS) Option Media Pack V3.1 for Linux							x	x		x							U11420-C958	50,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)																					
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3						x	x	x	x								U11420-C966	779,00	
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3						x	x	x	x								U11420-C967	5.538,00	
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3						x	x	x	x								U11420-C969	12.462,00	
	SVRORNSO V3 (LINUX) RTU 1VM	ServerView Resource Orchestrator Network Service (NS) Option License V3 for Linux						x	x		x								U11420-C990	2.308,00	
	SVRORCEDRO V3 (WIN/LIN) RTU 1SVR	ServerView Resource Orchestrator DR Option License (1 Server) V3						x	x	x	x								U11420-C953	3.777,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3						x	x	x	x								U11420-C960	1.530,00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3						x	x	x	x								U11420-C961	11.383,00	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3						x	x	x	x								U11420-C963	25.659,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3						x	x	x	x								U11420-C978	751,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3						x	x	x	x								U11420-C979	5.845,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3						x	x	x	x								U11420-C981	13.198,00	
Services																					
	FCIP Port Blade POH Support 1Y Extended	FCIP Port Blade POH Support 1 year Extended																	D:POH-BLFCIP-1-EXT	3.070,00	
	FCIP Port Blade POH Support 1Y Renewal	FCIP Port Blade POH Support 1 year Renewal																	D:POH-BLFCIP-1-UPG	3.643,00	
Solution identifier																					
	HPC Compute Node Inst. ex works incl ICR	Please note configuration hints								x	x								S26361-F3638-E2	205,00	