

Cherry G83-6000 Colour Keyboards

Long Travel keyboard available in various colours



Description

Examples for usage:

Standard keyboard available in various colours and with colourful buttons for all standard PC-applications. A must-have for users who want to stand out from the masses.

Special features:

- Keyboard available in various colours based on the proven original model G83-6105.
- A choice of colourful buttons can be ordered.
- For IBM- compatible systems or Windows, available for different countries on request.
- Membrane contactile switch in silicon technology with soft stroke characteristic for high performance.
- Life span of each button over 20 million key strokes.
- Lasered inscription of keytops prevents from rub-off and enables easy cleaning.

Specification**Mechanical data**

Color:	or or
Dimensions:	458 x 170 x 35 mm
Weight:	1 kg
Housing:	Plastic
Color:	black / grey or alu / grey or black / yellow
Cable Length:	180 cm

Keys

Number of Keys:	105
Keyboard Layout:	German or Europe

Electric Data

Interface:	PS/2
Operating Voltage:	+5 V

Environment

Operating Temperature:	from 0 °C to +50 °C
Storage Temperature:	from -20 °C to +60 °C

Additional Information

Order No.	Article	
KS2038	G83-6105-LRNDE-2	PS/2, German,
KS2114	G83-6105-LRNEU-2	PS/2, Europe,
KS2039	G83-6105-LRNDE-3	PS/2, German,
KS2115	G83-6105-LRNEU-3	PS/2, Europe,
KS2040	G83-6105-LRNDE-4	PS/2, German, black / grey
KS2117	G83-6105-LRNEU-4	PS/2, Europe, black / grey
KS2041	G83-6105- LRNDE-5	PS/2, German, alu / grey
KS2118	G83-6105- LRNEU-5	PS/2, Europe, alu / grey
KS2043	G83-6105- LRNDE-6	PS/2, German, black / yellow
KS2119	G83-6105- LRNEU-6	PS/2, Europe, black / yellow

KS2164	G83-6258-LRNDE	PS/2, Europe,
--------	----------------	---------------

Accessories

Order No.	Article	
ZS1148	Skin-Cherry G83-6105 Serie Win95-Europa 	key skin Win95, deutsch
ZS1168	Skin-Cherry G83-6000 Win95-US 	key skin Win95, US
ZK1029	COM 9255 	adapter PS/2 to AT

sales@www.tastaturen.com **Anrufen:** (0 89) 89 43 99-0 **Faxen:** (0 89) 89 43 99-11