


LED Fixture Dimmer Compatibility









Last Updated 20 January 2021




How to find your fixture in the data table pages below

Find your Fixture Description printed on your Fixture

or Find the Model and product code (PC) on back of the package right above the UPC bar code

Use this information to find your fixture in the data tables in the following pages





		2
		GE Lighting
Fixture Description	Model on Package	Product Code
UNCBR09PD040D93CWTLDK	UNCBR09PD040D93CWTLDKUC1P	93127765
UNCBR12PD057D93CWTLDK	UNCBR12PD057D93CWTLDKUC1P	93127776



What do the results in the data table mean?

We measure 2 things:

- How low can the light dim compared to the maximum light output?
- Can you see the lights flicker when they are dimmed?

What do the colors mean?

	Dimming Depth	Observable Flickering?
Excellent	10%	< 30% of people see flicker at lowest depth
Good	13%	< 50% of people see flicker at lowest depth
Compatible (industry standard)	20%	~ 50% of people see flicker at lowest depth
Not suitable	> 20%	> 50% of people see flickering near lowest depth

IMPORTANT NOTICE – Because dimming equipment, applications, and conditions of use are many, varied, and beyond our control, this information necessarily is based on limited sample sizes and testing, and Savant Technologies LLC does not represent or warrant the suitability of a fixture for any particular application or use in any particular equipment. This information may be updated and changed at any time without notice as new equipment and information is developed.



Undercabinet Fixtures

(Linear – 9, 12, 18, 24 and 36 inches)



									Lutron Maestro	Lutron Diva	Legrand	Legrand radiant		Leviton Decora		Legrand tru-
		GE Lighting	Lutron Diva	Lutron Diva CL	Lutron Maestro	C by GE with	Leviton Sureslide	Lutron Caseta	Sensor	Reverse Phase	radiant	multilocation	Leviton	Digital Bluetooth	Eaton Decorator	universal
Fixture Description	Model on Package	Product Code	DV-600	DVCL-153	MACL-153	neutral	6633	PD-6WCL	MSCL-153P	DVRP-253	RHCL453	HCL453	Sureslide 6672	DDL06	DAL06P	RH703
UNCBR09PD036D930WTLDK	UNCBR09PD036D930WTLDK-US1P	93129592	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Good	Compatible	Not tested	Compatible	Not tested	Excellent
UNCBR09PD036D9RVWTLDK	UNCBR09PD036D9RVWTLDK-US1	93129585	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Good	Compatible	Not tested	Compatible	Not tested	Excellent
UNCBR09PD040D93CWTLDK	UNCBR09PD040D93CWTLDKUC1P	93127765	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Compatible	Not tested	Good	Compatible	Not tested	Excellent
UNCBR12DW052D930WTN	UNCBR12DW052D930WTN1P	93129094	Good	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Good	Not suitable	Not tested	Not suitable	Not tested	Not suitable
UNCBR12DW052D930WTN	UNCBR12DW052D930WTN-US1P	93129580	Good	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Good	Not suitable	Not tested	Not suitable	Not tested	Not suitable
UNCBR12PD052D930WTLDK	UNCBR12PD052D930WTLDK-US1P	93129593	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Good	Compatible	Excellent	Compatible	Not tested	Not tested
UNCBR12PD052D9RVWTLDK	UNCBR12PD052D9RVWTLDK-US1	93129586	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Good	Compatible	Excellent	Compatible	Not tested	Not tested
UNCBR12PD057D93CWTLDK	UNCBR12PD057D93CWTLDKUC1P	93127776	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Compatible	Compatible	Good	Compatible	Not tested	Not tested
UNCBR18DW090D930WTN	UNCBR18DW090D930WTN1P	93129095	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Compatible	Compatible	Good	Not suitable	Not tested	Not tested
UNCBR18DW090D930WTN	UNCBR18DW090D930WTN-US1P	93129581	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Compatible	Compatible	Good	Not suitable	Not tested	Not tested
UNCBR18PD085D930WTLDK	UNCBR18PD085D930WTLDK-US1P	93129594	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Not tested	Not tested	Not tested	Not tested	Not tested	Not tested
UNCBR18PD085D93CWTLDK	UNCBR18PD085D93CWTLDKUC1P	93127778	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Excellent	Compatible	Compatible	Compatible		Not tested
UNCBR18PD085D9RVWTLDK	UNCBR18PD085D9RVWTLDK-US1	93129587	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Not tested	Not tested	Not tested	Not tested	Not tested	Not tested
UNCBR24DW118D930WTN	UNCBR24DW118D930WTN1P	93129096	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Excellent	Not suitable	Not tested	Not suitable	Not tested	Not tested
UNCBR24DW118D930WTN	UNCBR24DW118D930WTN-US1P	93129582	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Excellent	Not suitable	Not tested	Not suitable	Not tested	Not tested
UNCBR24PD111D930WTLDK	UNCBR24PD111D930WTLDK-US1P	93129595	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Good	Compatible	Good	Compatible	Not tested	Not tested
UNCBR24PD111D93CWTLDK	UNCBR24PD111D93CWTLDKUC1P	93127779	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Good	Compatible	Compatible	Compatible	Not tested	Not tested
UNCBR24PD111D9RVWTLDK	UNCBR24PD111D9RVWTLDK-US1	93129588	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Good	Compatible	Good	Compatible	Not tested	Not tested
UNCBR36PD144D930WTLDK	UNCBR36PD144D930WTLDK-US1P	93129596	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Excellent	Compatible	Excellent	Compatible	Not tested	Not tested
UNCBR36PD144D9RVWTLDK	UNCBR36PD144D9RVWTLDK-US1	93129589	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Excellent	Compatible	Excellent	Compatible	Not tested	Not tested
UNCBR36PD167D93CWTLDK	UNCBR36PD167D93CWTLDKUC1P	93127780	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Excellent	Compatible	Good	Compatible	Not suitable	Not tested

IMPORTANT NOTICE – Because dimming equipment, applications, and conditions of use are many, varied, and beyond our control, this information necessarily is based on limited sample sizes and testing, and Savant Technologies LLC does not represent or warrant the suitability of a fixture for any particular application or use in any particular equipment. This information may be updated and changed at any time without notice as new equipment and information is developed.

Ceiling Fixtures and Undercabinet Pucks







									Lutron Maestro	Lutron Diva	Legrand	Legrand radiant		Leviton Decora		Legrand tru-
		GE Lighting	Lutron Diva	Lutron Diva CL	Lutron Maestro	C by GE with	Leviton Sureslide	Lutron Caseta	Sensor	Reverse Phase	radiant	multilocation	Leviton	Digital Bluetooth	Eaton Decorator	universal
Fixture Description	Model on Package	Product Code	DV-600	DVCL-153	MACL-153	neutral	6633	PD-6WCL	MSCL-153P	DVRP-253	RHCL453	HCL453	Sureslide 6672	DDL06	DAL06P	RH703
FLM18DW240D95CGMN	FLM18DW240D95CGMN-1	93129190	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Not tested	Compatible	Excellent	Compatible	Not tested	Not tested
FLM19DW240D95CWTNF	FLM19DW240D95CWTNF-1	93129081	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Not tested	Compatible	Excellent	Compatible	Not tested	Not tested
UNCPK03PJ030D93CBNLDO	UNCPK03PJ030D93CBNLDO3P	93129105	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Not tested	Not tested	Not tested	Not tested	Not suitable	Not suitable
UNCPK03PJ030D93CBNLDO	UNCPK03PJ030D93CBNLDO5P	93129111	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Not tested	Not tested	Not tested	Not tested	Not suitable	Not suitable
UNCPK03PJ030D93CBNLDO	UNCPK03PJ030D93CBNLDO-US3P	93129605	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Not tested	Not tested	Not tested	Not tested	Not suitable	Not suitable
UNCPK03PJ030D93CBNLDO	UNCPK03PJ030D93CBNLDO-US5P	93129607	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Not tested	Not tested	Not tested	Not tested	Not suitable	Not suitable
UNCPK03PJ030D93CWTLDO	UNCPK03PJ030D93CWTLDO3P	93129103	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Not tested	Not tested	Not tested	Not tested	Not suitable	Not suitable
UNCPK03PJ030D93CWTLDO	UNCPK03PJ030D93CWTLDO5P	93129104	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Not tested	Not tested	Not tested	Not tested	Not suitable	Not suitable
UNCPK03PJ030D93CWTLDO	UNCPK03PJ030D93CWTLDO-US3P	93129573	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Not tested	Not tested	Not tested	Not tested	Not suitable	Not suitable
UNCPK03PJ030D93CWTLDO	UNCPK03PJ030D93CWTLDO-US5P	93129606	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Not tested	Not tested	Not tested	Not tested	Not tested	Not suitable	Not suitable
				· 						-						

IMPORTANT NOTICE – Because dimming equipment, applications, and conditions of use are many, varied, and beyond our control, this information necessarily is based on limited sample sizes and testing, and Savant Technologies LLC does not represent or warrant the suitability of a fixture for any particular application or use in any particular equipment. This information may be updated and changed at any time without notice as new equipment and information is developed.