



Powerful, flexible, easy, innovative!

HP t5630w Thin Client

The HP t5630w Thin Client delivers great value with a familiar Windows experience at the right performance level. Windows® Embedded Standard operating system combined with a full-featured browser, HP Remote Graphics Software, HP Remote Desktop Protocol Enhancements Software, Enhanced Write Filter, Symantec Endpoint Protection, terminal emulations, native dual monitor and widescreen support make the HP t5630w the optimum choice for business environments requiring a cost-effective thin client with flexibility and power.

Easy to deploy and manage

Reduce the cost and complexity of managing your thin client deployments. Choose from a portfolio of industry standard management solutions from SMB to Enterprise.

More secure

Store critical user data and applications more securely on a centralized server. Enhanced Write Filter and Symantec Endpoint Protection provide multilayered security. Add smart cards for more secure access to your network. Two USB ports inside a secure compartment help safeguard USB devices.

Performance and features at a great price

You will appreciate the full, rich multimedia and USB redirection capabilities of the HP t5630w. It supports industry-leading brokers for quick and easy access to a variety of VDI solutions. Enjoy years of reliable use with solid-state design and industry-standard architecture.

Designed with the environment in mind

Designed for energy efficiency, HP thin clients help save you money. HP's hardware return and recycling

program, Planet Partners™ operates in more than 40 countries, regions and territories worldwide. Specialized bulk packaging has 24-packs of thin clients bundled together to reduce the amount of packaging.

Global sales and support

HP thin clients are backed by HP global service and support through our network of 50,000 IT pros in over 100 countries.



HP t5630w Thin Client

Operating system	Windows Embedded Standard
Browser	Microsoft® Internet Explorer 7.0
Processor	VIA Eden 1 GHz
Memory	2 GB Flash, 1 GB DDR2 SODIMM (64 MB of system RAM is reserved for video graphics usage)
Video	VIAChrome9 HC3 Integrated Graphics with support for high-resolution monitors up to 1920 x 1440 or up to 32-bit color depth, 64 MB of graphics memory
Ports and jacks	USB or PS/2, local and/or network printer support
I/O and peripheral support	6 USB 2.0 ports (two in front, two in rear, two in secure USB compartment), 1 VGA, 1 DVI-D, 2 PS/2, 1 serial, 1 parallel, 1 RJ-45
Connectivity	10/100/1000 Gigabit Ethernet (RJ-45), TCP/IP with DNS and DHCP, Point-to-Point Protocol (PPP), Point-to-Point over Ethernet (PPPoE), Point-to-Point Tunneling Protocol (PPTP), Layer-2 Tunneling Protocol (L2TP), Wake on LAN (WOL), PXE, Server Network Time Protocol (SNTP), Simple Network Management Protocol (SNMP)
Emulations	Built in dual monitor support (VGA and DVI-D native)
Networking / communication	Altiris Deployment Solution (full client license), HP Device Manager, HP ThinState for image capture and redeploy, support for HP Client Automation
Software included	Citrix ICA 11.x, Microsoft RDP 6.1, Windows Media Player 11, Enhanced Write Filter, Symantec Endpoint Protection, HP Remote Graphics Software Receiver 5.2, HP RDP Multimedia and USB Redirection Enhancement Software, HP TeemTalk Terminal Emulator 7.1, HP Universal Print Driver (available as a free download), ThinPrint .print TCP client (available as add-on)
Server OS compatibility / support	Windows 2000/2003 Server families, Windows 2000/2003 Server Terminal Services, Windows Server 2008, Windows 2000 Advanced Server, Windows 2000 Advance Server Terminal Services, Citrix Presentation Server (up to 4.0), Citrix Metaframe Presentation Server 3.0, Citrix Metaframe XP Presentation Server, Citrix Metaframe 1.x, VMware Virtual Desktop Infrastructure using RDP
Dimensions (W x D x H)	5.20 x 21.59 x 21.97 cm with stand
Weight	1.54 kg with stand
Power	Worldwide auto-sensing 100-240 VAC, 50-60 Hz energy-saving automatic power-down, surge-tolerant 50W power supply
Operating temperature	10 to 40° C
Non-operating temperature	-30 to 60° C
Warranty	3 years pick-up and return service (Certain restrictions apply)

© 2009 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are trademarks of the Microsoft group of companies in the U.S. and other countries.



Recommended accessories and services

HP Quick Release



A secure and easy-to-use mounting solution for your VESA-compliant HP flat panel monitors, thin clients and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace.

Product number: EM870AA

HP Quick Release and VESA Side Panels



A secure and easy-to-use mounting solution for your Black Glossy HP thin clients, compatible HP flat panel monitors and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace.

Product number: FV248AA

HP USB Smart Card Keyboard



An innovative full-sized keyboard that uses Smartcard technology to prevent unauthorised access to your desktop PC and business networks.

Product number: ED707AA

Kensington Security Lock



Peace of mind in an instant. This handy cable lock device attaches itself to your hardware and is then secured to an anchor point in your workspace, ensuring your hardware remains exactly where it should.

Product number: PC766A

3 years Next Day Exchange, excluding external Monitor, HW Support



HP provides quick replacement of your failed hardware unit the day after it goes down, if the problem can't be resolved remotely. Offers a convenient, cost-saving alternative to onsite hardware repair for your HP product.

Product number: U4847E

