DEPARTMENT OF THE INTERIOR

Fish and Wildlife Service

50 CFR Part 17

[Docket No. FWS-R9-ES-2008-0063; 92300-1113-0000-9B]

RIN 1018-AU62

Endangered and Threatened Wildlife and Plants; Amending the Formats of the Lists of Endangered and Threatened Wildlife and Plants

AGENCY: Fish and Wildlife Service,

Interior.

ACTION: Final rule.

SUMMARY: We, the U.S. Fish and Wildlife Service, amend the format of the Lists of Endangered and Threatened Wildlife and Plants (Lists) to reflect current practices and standards that will make the regulations and Lists easier to understand. The Lists, in the new format, are included in their entirety and have been updated to correct identified errors.

DATES: This rule is effective August 4, 2016.

FOR FURTHER INFORMATION CONTACT: Don Morgan, Ecological Services Program, U.S. Fish and Wildlife Service, 5275 Leesburg Pike, Falls Church, VA 22041; telephone 703–358–2171. If you use a telecommunications device for the deaf (TDD), call the Federal Information Relay Service (FIRS) at 800–877–8339.

SUPPLEMENTARY INFORMATION:

Background

The Lists of Endangered and Threatened Wildlife and Plants (Lists), found in title 50 of the Code of Federal Regulations (CFR) at 50 CFR 17.11 for wildlife and 50 CFR 17.12 for plants, contain the names of endangered species and threatened species officially listed pursuant to the Endangered Species Act of 1973, as amended (16 U.S.C. 1531 *et seq.*, (ESA)). The most recent compilation of Lists appeared in the 2015 edition of title 50 CFR, which was issued in early 2016. That compilation included regulatory amendments effective as of October 1, 2015.

The species were placed on the Lists as the result of rulemaking promulgated by the U.S. Fish and Wildlife Service (FWS), by the National Marine Fisheries Service (NMFS) of the Department of Commerce's National Oceanic and Atmospheric Administration, or by both agencies via joint rulemaking actions. References to "Services" in the text of §§ 17.11 and 17.12 refer to both of these agencies.

The Lists represent the official Federal Government record of which species are listed and where they are considered listed under the ESA. The Lists also contain information regarding other designations and regulations issued under specific provisions of the ESA, such as section 4(d) regarding threatened species, section 10(j) regarding experimental populations, and critical habitat.

Over time, we have noted numerous unintentional errors, ambiguous entries, and confusing format and column titles in the Lists. After detailed research on the origin, history, and purpose of the Lists, we determined that the format, references, and standards needed to be updated to better reflect current practices and standards. Consequently, we published a proposed rule in the Federal Register on August 5, 2008, to address these observed problems and make corrections to enhance the clarity of the Lists (73 FR 45383). In the rule portion of this document, we set forth the corrected Lists in entirety in the new format.

Summary of Changes From Proposed Rule

The following adjustments have been made which are different from the

proposed document. We have decreased the total columns to 5 instead of 8 for both Lists by removing the "Historical range" columns, and combining the "When listed", "Critical habitat" and "Special rules" columns.

History of the Lists of Endangered and Threatened Species

The first endangered species list was published March 11, 1967 (32 FR 4001), pursuant to the Endangered Species Preservation Act of 1966, and included only two columns, Common Name and Scientific Name, In 1970, after passage of the Endangered Species Conservation Act in 1969, that list was added to title 50 CFR in the newly created part 17. In 1971, that list was divided into two separate lists with appendix A being the "Ü.S. List of Endangered Foreign Fish and Wildlife" with three columns (Common Name, Scientific Name, and Where Found) and appendix D being the "United States' List of Endangered Native Fish and Wildlife" with only the original two columns (Common Name and Scientific Name).

In 1974, after enactment of the ESA, the two appendices were moved to § 17.11 and § 17.12, with appendix A becoming § 17.11 (Foreign) and appendix D becoming § 17.12 (Native). In 1975, the two lists were combined into one list at § 17.11 (Wildlife), and the columns were expanded from three to eight (Common Name, Scientific Name, Population, Known Distribution, Portion of Range Where Endangered or Threatened, Status, When Listed, and Special Rules). See figure 1, below. The footnote system denoting "When Listed" found in the current CFR was created with 11 footnotes. Section 17.12 was reserved for "Endangered and Threatened Plants".

FIGURE 1—FORMAT FOR THE ESA LIST FOR WILDLIFE IN THE 1975 VERSION OF 50 CFR 17.11

Species			Range				
Common name	Scientific name	Population	Known distribution	Portion of range where endangered or threatened	Status	When listed	Special rules

In 1977, § 17.12 was populated with only seven columns (Common Name, Scientific Name, Known Distribution, Portion of Range Where Threatened or Endangered, Status, When Listed, and Special Rules). See figure 2, below. The § 17.12 List had its own footnote system, which was only one footnote at that time.

FIGURE 2—FORMAT FOR THE ESA LIST FOR PLANTS IN THE 1977 VERSION OF 50 CFR 17.12

Species		Ra				
Common name	Scientific name	Known distribution	Portion of range where threatened or endangered	Status	When listed	Special rules

In 1980, the Lists underwent the last major formatting change prior to this current rulemaking action. A proposed rule was published on August 15, 1979 (44 FR 47862), proposing to include the following columns for § 17.11 (Wildlife): Common name, Scientific name, Historic range, Population where endangered or threatened, Status, When

listed, Critical habitat, and Special rules; and the following columns for § 17.12 (Plants): Scientific name, Common name, Historic range, Status, When listed, Critical habitat, and Special rules. A final rule that published on February 27, 1980 (45 FR 13010), set forth the following columns for § 17.11: Common name, Scientific

name, Historic range, Vertebrate population where endangered or threatened, Status, When listed, Critical habitat, and Special rules. The final rule adopted the columns for § 17.12 as they had appeared in the proposed rule. See figures 3 and 4.

FIGURE 3—FORMAT FOR THE ESA LIST FOR WILDLIFE IN THE 1980 VERSION OF 50 CFR 17.11

Species				Vertebrate			Critical	Special
Common name	Scientific name	Historic range		population where endangered or threatened	Status	When listed	habitat	Special rules
Figu	FIGURE 4—FORMAT FOR THE ESA LIST FOR PLANTS IN THE 1980 VERSION OF 50 CFR 17.12							
Species			Llistavia Danga		Status	When listed	Critical	Special rules
Common name	Scien	ific name	Ame Historic Range		Status	vviien listeu	habitat	rules

Neither the August 1979 proposed rule nor the February 1980 final rule included the entire contents of the Lists. The Lists in their entirety were published in the new format with corrections to technical errors on May 20, 1980 (45 FR 33767). On September 30, 1994 (59 FR 49848), the family grouping of the plants, which had resided in the scientific name column, was moved to a new column named "Family." See figure 5.

FIGURE 5—FORMAT FOR THE ESA LIST FOR PLANTS IN THE 1994 VERSION OF 50 CFR 17.12

Species		Historic range	Family	Status	When listed	Critical	Special
Common name	Scientific name	Thistone range	i aiiiiy	Status	Wileii iistea	habitat	rules

Rule Purpose

Through this rulemaking, we are changing the format of the Lists to include current practices and standards, thereby ensuring that the regulations and Lists are easy for the public to understand. We are also standardizing entries and correcting numerous errors and ambiguous entries. Technical corrections in this rulemaking include updating or correcting footnotes, references to certain other applicable portions of title 50 CFR, synonyms, and the spelling of species' names. We also provide more current common names. Textual descriptions of the List format, such as the meaning of the column titles, are included within these changes to the regulations at §§ 17.11 and 17.12. None of the changes are regulatory in nature with respect to the entities on the List; these changes are for the purpose of clarity. These revisions do not alter

species' protections or status in any way. Such actions would require separate rulemaking actions following the procedures of 50 CFR part 424.

Renaming and Reorganizing the Lists' Columns

With this rule, we are renaming, reorganizing, and removing columns in the Lists to clarify the types of information being presented. The following paragraphs describe the new columns.

Changing "When Listed" to "Listing Citations and Applicable Rules"

For both Lists, we are replacing the column heading "When listed" with "Listing citations and applicable rules." This column currently contains footnote numbers referencing a table of citations for final listing rules. When we proposed the changes to the format of

the Lists in 1979 that instituted this footnote system, the Lists contained only 44 footnotes. The Lists now have more than 800 footnotes, and, consequently, the footnote system has become hard for us to manage and for the public to use. To correct this situation, we are replacing the footnote numbers that currently populate this column with the actual Federal Register citation (volume and document starting page number) and publication date of the listing rule and other applicable rulemaking actions. We are also correcting any errors contained in the previous footnotes or referenced citations. For example, some existing footnotes included the wrong date, wrong page numbers, or were missing a citation reference. Please note that all the referenced citations are available through the Services' Web sites for each listed species (http://www.fws.gov/

endangered/ and http:// www.nmfs.noaa.gov/pr/species/esa/ listed.htm).

Moving "Critical Habitat" and "Special Rules" Entries Into New "Listing Citations and Applicable Rules" Column

These columns provide the citations for pertinent regulations for the listed species and were created solely for the convenience of the public. To consolidate these purely navigational columns, we are combining the "Special rules," "Critical habitat," and "When listed" columns into the renamed "Listing citations and applicable rules" column. Superscripts utilized in this column are identified in the revised regulatory text at §§ 17.11(f)(1) and 17.12(f)(1). For additional information concerning these entries and downloadable maps of proposed and designated critical habitat, please visit the Services' Web sites (http:// www.fws.gov/endangered/ and http:// www.nmfs.noaa.gov/pr/species/esa/ listed.htm).

Changing "Vertebrate Population Where Endangered or Threatened" and "Family" to "Where Listed"

We originally published the entries for invertebrate species indicating "not applicable" (shown as "NA") in the column "Vertebrate population where endangered or threatened" because that column applied only to distinct population segments of vertebrate species. In the October 1, 2000, edition of the CFR, in the Lists found at § 17.11(h), all of the entries for invertebrate species within the column "Vertebrate population where endangered or threatened" were erroneously changed to "Entire." While it is generally true that the invertebrate species are listed wherever found thus, throughout their entire range, except where listed as experimental populations, it is more accurate to state that this column is not applicable since it pertains to vertebrate populations. The error was purely editorial; it in no way changed any of the applicable provisions of law. As indicated in the prior regulations at § 17.11(e), all individuals of the invertebrate species are protected wherever found, regardless of whether "NA" or "Entire" appeared in the column. However, amendments to the Act in 1982 included the addition of section 10(i) which allows for the designation of reintroduced populations of listed species as "experimental populations." Under section 10(j) of the Act and our regulations at 50 CFR 17.81, the Service may designate as an experimental

population a population of endangered or threatened species that has been or will be released into suitable natural habitat outside the species' current natural range. The format of the Lists published in 1980, prior to the 1982 amendments, did not envision this change and therefore did not provide specifically for indicating experimental population designations. When the Service published regulations regarding experimental population at 50 CFR 17.80 (49 FR 33885, August 27, 1984), we stated that experimental population designations would be indicated by a separate line in the Lists at §§ 17.11 and 17.12. Thus, the location information for experimental population designations of listed species began to be placed in the column originally intended to indicate species listed as distinct population segments of vertebrate species. Additionally, as the Service began to expand our use of section 10(j) in recovery of listed species, we also included location information for experimental population designations of invertebrate species, causing an inconsistency between the column's title and its application.

To address these issues, for the wildlife list (§ 17.11(h)) only, we are replacing the column heading "Vertebrate population where endangered or threatened" with "Where listed," to more broadly accommodate the information regarding the geographic specificity of both distinct population segments of vertebrate species and experimental population designations. Thus, the new name "Where listed" better reflects the data within the column. We are also changing all the current "NA" entries to "Wherever found" to reflect the change in the column title. All current entries that have the word "Entire" will be changed to "Wherever found" to standardize all entries to the same format. And, lastly, we will no longer use the "ditto" system (shown as "do" in the current tables) to indicate duplicative information.

For the plants list (§ 17.12(h)), we are replacing the "Family" column with a "Where listed" column to standardize both Lists to identical columns and structure. We are also populating each entry for that column with "Wherever found" because the ESA protection for all of the plants currently on the list applies to all individuals of a plant species wherever found. Future additions to the list may have a more limited entry under the "Where listed" column if experimental populations of plant species are designated. Including the "Where listed" column in the List of plants facilitates our ability to

provide more specific information in the future, if applicable. While we are no longer including a plant species' taxonomic family in order to standardize the format between the Lists, information regarding a species taxonomy is readily available through links provided on our species profile pages. A link to the Integrated Taxonomic Information System (ITIS), which displays the taxonomic hierarchy of a species, including its family name, is provided on each species' profile page accessible through the Services' Web sites (http://www.fws.gov/endangered/ and http://www.nmfs.noaa.gov/pr/ species/esa/listed.htm) or information is available directly through the ITIS. (These amendments to the Lists are editorial in nature and involve no substantive changes to the List of Endangered and Threatened Wildlife found at 50 CFR 17.11(h) or the List of **Endangered and Threatened Plants** found at 50 CFR 17.12(h), nor to any applicable regulations. While we have changed the name of the column to better reflect its current content, we do not intend to change the use of this column. Unless the column is used to define a distinct population segment of a vertebrate species or an experimental population designation of any taxa, the entry in this column will be "Wherever found," indicating that the protections of the Act will apply to all individuals of the species wherever found.

Adding ESU and DPS Subtitles to "Common Name"

The ESA defines "species" to include any "distinct population segment of any species of vertebrate fish or wildlife which interbreeds when mature." (16 U.S.C. 1532(16)). NMFS's Evolutionarily Significant Unit (ESU) policy (56 FR 58612, November 20, 1991) defines how it will apply this definition of "species" in evaluating Pacific salmon stocks for listing under the ESA. The Services' interagency Policy Regarding the Recognition of Distinct Vertebrate Population Segments (DPS) (61 FR 4721, February 7, 1996) clarifies their interpretation of the phrase "distinct population segment of any species of vertebrate fish or wildlife" for the purpose of listing, delisting, and reclassifying species under the ESA. Currently, the "Vertebrate population where endangered or threatened" column distinguishes the different ESU and DPS entries for the same species by describing the geographic area where it is found, but without providing a name for the population or indicating it is an ESU or DPS listing. We are adding the ESU or DPS subtitle to the Common

Name column in brackets to clarify when it is an ESU or DPS listing.

Removing Historic Range Columns

The "Historic range" column is not required by the ESA (see section 4(c)(1)) and is part of the "other data in the list" currently referenced in 50 CFR 17.11(d) and 17.12(d) as "nonregulatory in nature" and "provided for the information of the reader." However, since its creation in 1980, it has been a source of contention and confusion, leading to questions of how it is defined; its regulatory use; what time period it represents; and should it instead be changed to "Historical Range". These and similar concerns were raised in the 1980 reformat (see 45 FR 13011, February 27, 1980), for which the Services took the following position regarding suggestions for specific criteria to define this column: "In light of this broad diversity and the guidance of both the Act and the legislative history, the Services find it inadvisable to establish new criteria as suggested. The Services will continue to consider

this issue, however, and will propose criteria at a later date, if warranted.' Given prior concerns regarding this column in the 1980 reformat and continued long-standing confusion regarding its use and meaning, we revisited this issue in making our final determination on this action. The Services have consistently indicated that information provided regarding historic range is purely informational and does not alter or imply any limitation on the application of the prohibitions in the Act or implementing rules. Additionally, historic range information often only represented the Service's best approximation of historic range based on the scientific literature, given that past range was not always well or thoroughly documented for many species. We also indicated that only the columns entitled "Common Name," "Scientific Name," and "Vertebrate Population Where Endangered or Threatened" define the species of wildlife for purposes of implementing the Act. Despite this, the column "Historic range" column

continued to be a point of confusion with regard to where protections of the Act apply to a species. Based on concerns raised by commenters on the 2008 proposed rule (See "Summary of Comments Received") and to help alleviate confusion to the public, the Services have decided to remove the "Historic range" column from both tables. However, to provide further clarification regarding where protections of the Act apply, we state in our revised §§ 17.11(d) and 17.12(d) that unless the new "where listed" column indicates a distinct population segment of a vertebrate species, or an experimental population, prohibitions of the Act apply to all individuals of the species, wherever found. Please note that the general information regarding the historic range of a species, as previously provided in this column, is discussed in listing determinations and is available in the listing rule documents provided in the "Listing citations and applicable rules" column. See figures 6 and 7 for the new format of the tables.

FIGURE 6—New FORMAT FOR THE ESA LIST FOR WILDLIFE (COLUMN HEADINGS) IN 50 CFR 17.11

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules				
Figure 7—	FIGURE 7—NEW FORMAT FOR THE ESA LIST FOR PLANTS (COLUMN HEADINGS) IN 50 CFR 17.12							
Scientific name Common name Where listed Status Listing citations and approach cable rules								

Updating Standards for Scientific Nomenclature References

For species' nomenclature (scientific and common names), we are changing the primary source upon which we rely. The current text introducing the lists in §§ 17.11 and 17.12 references two standards for scientific nomenclature: The International Code of Zoological Nomenclature and The International Code of Botanical Nomenclature. Respectfully, instead of referencing those International Codes, the Service now relies, to the extent practicable, on the Integrated Taxonomic Information System (ITIS), which incorporates both of the International Code standards and the standard references adopted for the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES).

ITIS is an authoritative taxonomic database (http://www.itis.gov) maintained by a partnership of U.S.,

Canadian, and Mexican agencies; other organizations; and taxonomic specialists. The U.S. partners include the National Oceanic and Atmospheric Administration of the Department of Commerce; the U.S. Fish and Wildlife Service, U.S. Geological Survey, and National Park Service of the Department of the Interior; the Environmental Protection Agency; the Agricultural Research Service and Natural Resources Conservation Service of the Department of Agriculture; the Smithsonian Institution; and NatureServe (a nonprofit organization representing the Natural Heritage programs in the States).

CITES is an international convention among 182 signatory countries (Parties) to ensure that international trade in specimens of wild animals and plants does not threaten their survival (50 CFR part 23). The CITES Parties have adopted standard nomenclatural and taxonomic references for species included in the CITES Appendices, which are listed in the most recent CITES resolution on standard nomenclature. (http://www.cites.org/ eng/res/index.shtml)

Removing Unnecessary Examples, Updating Regulations, and Removing Entries Pursuant to Court Order

Upon review of the regulations connected to the Lists, we noted that § 17.50 had three examples that were pre-1980 table format. Rather than update them to the new format, we determined that these examples are not necessary and are, therefore, removing them. We have also determined that the introductory paragraph of § 17.52 should read as set forth in the rule portion of this document to provide more specific cross-references within part 17. The revised language specifies the sections in part 17 that may include language that differs from the provisions in § 17.52. These changes to the regulations are nonsubstantive.

Additionally, in 50 CFR 17.11(h), the List of Endangered and Threatened Wildlife, we are removing the Beringia DPS of the bearded seal to comply with the U.S. District Court for the District of Alaska's decision vacating the December 28, 2012, final rule by NMFS that listed the Beringia DPS of the *Erignathus* barbatus nauticus subspecies of the bearded seal as a threatened species (77 FR 76740) (Alaska Oil & Gas Ass'n v. Pritzker, 4:13-cv-00018-RRB, 2014 WL 3726121, 2014 U.S. Dist. Lexis 101446 (D. Alaska July 25, 2014), appeal docketed, No. 14-35806 (9th Cir. 2014)). NMFS has appealed the district court's decision to the U.S. Court of Appeals for the Ninth Circuit, but as a result of the court decision the species is not currently listed. Depending on the outcome of that litigation, we may issue a technical rule to reinstate the listing.

We are removing the Arctic subspecies of the ringed seal to comply with the U.S. District Court for the District of Alaska's decision vacating the December 28, 2012, final rule by NMFS that listed the Arctic subspecies of the ringed seal, Phoca hispida hispida, as a threatened species (77 FR 76706) (Alaska Oil & Gas Ass'n v. NMFS, 4:14– cv-00029-RRB, 2016 WL 1125744, 2016 U.S. Dist. Lexis 34848 (D. Alaska Mar. 17, 2016), appeal docketed, No. 16-35380 (9th Cir. 2016)). NMFS has appealed the district court's decision to the U.S. Court of Appeals for the Ninth Circuit, but as a result of the court decision the species is not currently listed. Depending on the outcome of that litigation, we may issue a technical rule to reinstate the listing.

We are removing slickspot peppergrass from the List of Endangered and Threatened Plants to comply with the decision of the U.S. District Court for the District of Idaho (Otter v. Salazar, Case No. 1:11-cv-358-CWD, 2012 U.S. Dist. Lexis 111743 (D. Idaho Aug. 8, 2012)) vacating the previous listing rule (74 FR 52014; October 8, 2009). The Service has already proposed to reinstate the listing (79 FR 8416; February 12, 2014) and will make a final determination shortly. This is a clerical change to comply with a court order, and not a final listing determination on the outstanding new proposal to list.

Summary of Comments Received

In our proposed rule (73 FR 45383, August 5, 2008), we requested that all interested parties submit information, data, and comments regarding the format of the Lists. The comment period ended September 4, 2008. During the 30-day comment period, we received a total of 14 comments, of which we consider 8 to be substantive. The

following paragraphs discuss the comments received.

Solicitor's Opinion and "Where Listed"

Several commenters were concerned that changing the "Vertebrate population where endangered or threatened" and "Family" columns to "Where listed" would allow for applying the protections of the Act to only limited geographic areas of a species' range. Commenters expressed concern that the proposed rule was an attempt to codify the March 16, 2007, opinion of the Solicitor of the Department of the Interior regarding "The Meaning of In Danger of Extinction Throughout All or a Significant Portion of the Range'," which would have allowed in some cases applying protections to less than all members of the species (i.e., applying protections only to a portion of a species' range). As explained above, the intent of altering the column heading was to better align the column's title and definition with the current use of the column to indicate both distinct population segments of vertebrate species and experimental population designations for all taxa (invertebrates and plants as well as vertebrate species); we did not intend to alter its use. While this rulemaking never attempted to "codify" the 2007 opinion of the Solicitor, we believe the underlying concerns of the commenters have nevertheless been resolved by subsequent developments. Two district court decisions have addressed whether the ESA's language allows the Services to list or protect less than all members of a defined species: Defenders of Wildlife v. Salazar, 729 F. Supp. 2d 1207 (D. Mont. 2010), concerning FWS's delisting of the Northern Rocky Mountain gray wolf (74 FR 15123, Apr. 12, 2009); and WildEarth Guardians v. Salazar, 2010 U.S. Dist. LEXIS 105253 (D. Ariz. Sept. 30, 2010), concerning the Service's 2008 finding on a petition to list the Gunnison's prairie dog (73 FR 6660, Feb. 5, 2008). The courts concluded that reading the ESA's language to allow protecting only a portion of a species' range is inconsistent with the definition of "species," which forecloses listing any population that does not qualify as a taxonomic species, subspecies, or DPS. These two decisions held that the "significant portion of its range" language may not be used as a basis for listing less than all members of a species. Rather, the ESA's language requires rangewide listing of species whenever they are endangered or threatened in a significant portion of the

range, even if they are healthy in other areas.

On May 4, 2011, the Solicitor of the U.S. Department of the Interior ("Interior") withdrew the 2007 opinion. On July 1, 2014, the Service published a new policy to clarify the interpretation of the phrase "significant portion of its range" in the ESA as it applies to decisions to list species as threatened or endangered (79 FR 37578). This policy stated that if a species is determined to be neither endangered nor threatened throughout all its range and a subsequent analysis reveals it is endangered or threatened within a significant portion of that range, then the entire species will be listed as an endangered species or threatened species and the Act's protections apply to all individuals of the species wherever found. To address this concern and to further clarify how the "Where listed" column will be used and protections applied, we have added language to §§ 17.11(d) and 17.12(d) to indicate that except when providing a geographic description of a DPS or ESU, or an experimental population designation, "Wherever found" will be used to indicate the Act's protections apply to all individuals of the species, wherever found.

Historic Range Column

One commenter suggested that the "Historic range" column is not "nonregulatory" nor "for informational purposes only" because it reinforced that a listed species may only receive protections in a portion of its range if it were found to be threatened or endangered in a significant portion of its current range.

Response: We disagree. The "Historic range" column is not required by the ESA (see section 4(c)(1)) and is part of the "other data in the list" currently referenced in 50 CFR 17.11(d) and 17.12(d) as "nonregulatory in nature" and "provided for the information of the reader." Similar concerns were addressed in the 1980 reformat (see 45 FR 13011, February 27, 1980.). Please note that the general information regarding the historic range of a species, as previously provided in this column, is discussed in listing determinations and is available in the listing rule documents provided in the "Listing citations and applicable rules" column.

Where Listed Column

Several commenters suggested that, by changing "Vertebrate population where endangered or threatened" to "Where Listed," the Service was limiting the protection of the listed species.

Response: We disagree. None of the changes encompassed in this rule are substantive in nature or in any way alter protections for listed species. As noted earlier in this rule, such actions would require separate rulemaking actions following the procedures of 50 CFR part 424. As stated previously, by changing "Vertebrate population where endangered or threatened" to "Where Listed," the Service is allowing for the inclusion of invertebrate species and invertebrate experimental population entries that have been in the table since 2001. Also, by replacing "endangered or threatened" with "listed," the Service is allowing for all the statuses recognized by the "Status" column. See §§ 17.11(d) and 17.12(d).

Several commenters also suggested that defining the "Where listed" column as "the geographic area where the species is listed for purposes of the Act" also narrowed the protection of the listed species.

Response: While we understand the concern, this was not our intent. This column is intended only to provide a geographic description for distinct population segments of vertebrate, and invertebrate, vertebrate and plant experimental population designations. We added this column to § 17.12 to allow for indicating plant experimental population designations. Again, as we explain above, except for DPSs and experimental population designations, entries in this column will be "Wherever found." None of the changes encompassed in this rule are substantive in nature or in any way alter protections for listed species. Such actions would require separate rulemaking actions following the procedures of 50 CFR part

ITIS and CITES

One commenter suggested that relying on the Integrated Taxonomic Information System (ITIS) could pose problems by being more limiting than, and not as comprehensive as, the previous standards, especially for foreign species.

Response: We addressed the adoption of the previous standards in our rule of February 27, 1980 (45 FR 13010, 13012). At that time, we stated that: "In deciding which alternative taxonomic interpretations to accept, the Director will rely on the professional judgment available both within the Service and the scientific community and from the most recent taxonomic studies available pertaining to the subject species. However, no criteria other than these very general ones can be established for acceptance of taxonomic treatments. As a matter of practice, the Services review

current taxonomic literature in considering the appropriateness of present and proposed listings. Although professional societies maintain lists of accepted taxa for some taxonomic groups, this is not true of all groups. The Services will rely on the generally accepted lists of taxa when they are available." This is still the Services' current standard, as indicated in our regulations. See 50 CFR 424.11(a), which states that the Secretary must rely on standard taxonomic distinctions and the biological expertise of the Department and the scientific community in determining whether a particular taxon or population is a species for the purposes of the Act. To the cases where ITIS may not be sufficiently comprehensive, we may consult other sources or experts regarding appropriate taxonomic interpretations.

The Services have determined that ITIS is a reviewer of current taxonomic literature and maintains generally accepted lists of taxa that are determined to be both valid and verified. As such, to the extent practicable, the Services, in combination with the professional judgment available both within the Services and the scientific community (§ 424.11(a)), will utilize ITIS and, for international species not covered by ITIS, the taxonomic nomenclature adopted for use under CITES. In cases where taxonomy is in dispute or there is a newly described taxa that might not be updated in ITIS, we will use our own best professional judgment and the expertise of the scientific community.

Need for Immediate Effective Date

We find good cause pursuant to 5 U.S.C. 553(d)(3) to make this rule effective upon the date set forth in **DATES** due to the continual changes being made to the Lists via new rulemaking actions. To ensure that we provide the most accurate and up-to-date information to the public, we must set forth the Lists in their entirety as soon as possible. The public would not be served by a 30-day delay in the effective date, particularly because this rule does not affect any legal rights.

Required Determinations

Regulatory Planning and Review (Executive Orders 12866 and 13563)

Executive Order 12866 provides that the Office of Information and Regulatory Affairs (OIRA) in the Office of Management and Budget will review all significant rules. OIRA has determined that this rule is not significant. Executive Order 13563 reaffirms the principles of E.O. 12866 while calling for improvements in the nation's regulatory system to promote predictability, to reduce uncertainty, and to use the best, most innovative, and least burdensome tools for achieving regulatory ends.

The executive order directs agencies to consider regulatory approaches that reduce burdens and maintain flexibility and freedom of choice for the public where these approaches are relevant, feasible, and consistent with regulatory objectives. E.O. 13563 emphasizes further that regulations must be based on the best available science and that the rulemaking process must allow for public participation and an open exchange of ideas. We have developed this final rule in a manner consistent with these requirements.

Regulatory Flexibility Act

The Department of the Interior certifies that this rule will not have a significant economic effect on a substantial number of small entities under the Regulatory Flexibility Act (RFA) (5 U.S.C. 601 et seq.). The changes we are making are intended primarily to update the standards of scientific naming used in the Lists of Endangered and Threatened Wildlife and Plants and to clarify language in our regulations. These changes will not have a substantive impact on the scope of the regulation, and thus would not affect businesses or other small entities as defined in the RFA.

Small Business Regulatory Enforcement Fairness Act (SBREFA)

This rule is not a major rule under 5 U.S.C. 804(2), the Small Business Regulatory Enforcement Fairness Act. This rule:

- 1. Will not have an annual effect on the economy of \$100 million or more.
- 2. Will not cause a major increase in costs or prices for consumers; individual industries; Federal, State, or local government agencies; or geographic regions.
- 3. Will not have significant adverse effects on competition, employment, investment, productivity, innovation, or the ability of U.S.-based enterprises to compete with foreign-based enterprises.

Unfunded Mandates Reform Act

This rule will not impose an unfunded mandate on State, local, or tribal governments or the private sector of more than \$100 million per year. This rule will not have a significant or unique effect on State, local, or tribal governments or the private sector. Our rule simply reorganizes and clarifies

existing regulations and provides new standard references for species' nomenclature. A statement containing the information required by the Unfunded Mandates Reform Act (2 U.S.C. 1531 *et seq.*) is not required.

Takings (E.O. 12630)

In accordance with E.O. 12630, this rule will not have significant takings implications. We are only reorganizing and clarifying existing regulations and providing new standard references for species' nomenclature. This action will, therefore, not interfere with constitutionally protected private property rights. A takings implication assessment is not required.

Federalism (E.O. 13132)

In accordance with E.O. 13132, this rule does not have sufficient Federalism implications to warrant the preparation of a Federalism Assessment. As our rule involves reorganizing and clarifying existing regulations, and providing new standard references for species' nomenclature, we do not expect it will have any effect on State or local governments or their activities. A Federalism Assessment is not required.

Civil Justice Reform (E.O. 12988)

In accordance with E.O. 12988, the Department of the Interior has determined that this rule does not unduly burden the judicial system and that it meets the requirements of sections 3(a) and 3(b)(2) of the Order.

Paperwork Reduction Act of 1995 (PRA)

This rule does not contain any information collection requirements for which Office of Management and Budget approval is required under the PRA (44 U.S.C. 3501 et seq.). We may not conduct or sponsor and you are not required to respond to a collection of information unless it displays a currently valid OMB control number.

National Environmental Policy Act

We have analyzed this rule in accordance with the criteria of the National Environmental Policy Act (NEPA) and the Department of the Interior Manual. This rule does not constitute a major Federal action significantly affecting the quality of the human environment. We have determined this rule is categorically excluded under the Department of the Interior's NEPA regulations in 43 CFR 46.210(i). This categorical exclusion addresses policies, directives, regulations, and guidelines that are of an administrative, financial, legal, technical, or procedural nature.

Government-to-Government Relationship With Tribes

Under the President's memorandum of April 29, 1994, "Government-to-Government Relations with Native American Tribal Governments" (59 FR 22951), and the Department of the Interior's Manual at 512 DM 2, we have evaluated possible effects on federally recognized Indian Tribes and have determined that there are no effects. Our rule will simply reorganize and clarify existing regulations and provide new standards references for species' nomenclature.

Energy Supply, Distribution, or Use

Executive Order 13211 requires agencies to prepare Statements of Energy Effects when undertaking certain actions that significantly affect energy supply, distribution, and use. This rule revises the formats of the Lists of Endangered and Threatened Wildlife and Plants and will not significantly affect energy supplies, distribution, or use. Therefore, this action is not a significant energy action, and no Statement of Energy Effects is required.

Author

Michael Franz, Ecological Services, Headquarters, compiled this document.

List of Subjects in 50 CFR Part 17

Endangered and threatened species, Exports, Imports, Reporting and recordkeeping requirements, Transportation.

Regulation Promulgation

For the reasons set forth in the preamble, we amend part 17, subchapter B of chapter I, title 50 of the Code of Federal Regulations, as set forth below:

PART 17—[AMENDED]

■ 1. The authority citation for part 17 continues to read as follows:

Authority: 16 U.S.C. 1361–1407; 1531–1544; and 4201–4245, unless otherwise noted.

■ 2. Revise § 17.11 to read as follows:

§ 17.11 Endangered and threatened wildlife.

(a) The list in paragraph (h) of this section contains the wildlife species determined by the Service or the National Marine Fisheries Service (NMFS) of the Department of Commerce's National Oceanic and Atmospheric Administration (hereafter in this section referred to as "the Services") to be endangered species or threatened species. It also contains the wildlife species treated as endangered species or threatened species because

- they are similar in appearance to and may be confused with endangered or threatened species (see §§ 17.50 through 17.52). The "Common name," "Scientific name," "Where listed," and "Status" columns provide regulatory information; together, they identify listed wildlife species within the meaning of the Act and describe where they are protected. When a taxon has more than one entry, the "Where listed" or "Status" column will identify its status in each relevant geographic area. The listing of a particular taxon includes all lower taxonomic units.
- (b) "Common name" column.
 Although common names are included, they cannot be relied upon for identification of any specimen, since they may vary greatly in local usage. In cases where confusion might arise, one or more synonyms are provided in parentheses within the "Common name" column. If a species has been listed as an Evolutionarily Significant Unit (ESU) or a Distinct Vertebrate Population Segment (DPS), the ESU or DPS names will be provided in brackets "[]" following the common name.
- (c) "Scientific name" column. The Services use the most recently accepted scientific name. In cases where confusion might arise, one or more synonyms are provided in parentheses within the "Scientific name" column. The Services rely, to the extent practicable, on the Integrated Taxonomic Information System (ITIS) to determine a species' scientific name. ITIS incorporates the naming principles established by the International Code of Zoological Nomenclature (see paragraph (g) of this section). If the scientific name in ITIS differs from the scientific name adopted for use under the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES), the CITES nomenclature is provided in brackets "[]" within the "Scientific name" column following the ITIS nomenclature.
- (d) "Where listed" column. The "Where listed" column sets forth the geographic area where the species is listed for purposes of the Act. Except when providing a geographic description of a DPS or ESU, or an experimental population designation, "Wherever found" will be used to indicate the Act's protections apply to all individuals of the species, wherever found.
- (e) "Status" column. Within the "Status" column, the following abbreviations are used:

Abbreviation	Regulatory status the abbreviation represents
E T	Endangered species. Threatened species.
E (S/A)	Endangered based on simi- larity of appearance to an existing listed species.
T (S/A)	Threatened based on similarity of appearance to an existing listed species.
XE	Essential experimental population (See subpart H of this part).
XN	Nonessential experimental population (See subpart H of this part).

- (f) "Listing Citations and Applicable Rules" column. The "Listing Citations and Applicable Rules" column is nonregulatory in nature and is provided for informational and navigational purposes only.
- (1) Within the "Listing Citations and Applicable Rules" column, the following superscripts are used:

Superscript	Description of citation or rule				
N	NMFS Lead	listing	citation	(NMFS	

Superscript	Description of citation or rule
J	Both FWS and NMFS listing citation (Joint Jurisdiction).
CH	Critical habitat rule.
4d	Species-specific "4(d)" rule (a rule issued under the authority of section 4(d) of the Act).
10j	Species-specific "10(j)" rule (a rule issued under the authority of section 10(j) of the Act).

- (2) Listing citations contain the volume, document starting page number, and publication date of the **Federal Register** publication(s) in which a species was given status, listed, or reclassified. At least since 1973, these documents have included a statement indicating the basis for the listing, as well as the effective date(s) of the listing or other rules that changed how the species was identified in the List in paragraph (h) of this section.
- (3) "Critical habitat" and "Speciesspecific" rules superscripts provide cross-references to other sections in this part or part 222, 223, or 226 of chapter II of this title where critical habitat and species-specific rules are found. The species-specific superscripts also

- identify experimental populations. Experimental populations (superscript "10j") are a separate citation, with one of the following symbols in the "Status" column: "XE" for an essential experimental population and "XN" for a nonessential experimental population.
- (4) This column is for reference and navigational purposes only. All other appropriate rules in this part, parts 217 through 226 of chapter II of this title, and part 402 of chapter IV of this title apply, if no species-specific rules are referenced. In addition, other rules in this title could relate to such species (for example, port-of-entry requirements). The references in the "Listing Citations and Applicable Rules" column do not comprise a comprehensive list of all regulations that the Services might apply to the species or to the regulations of other Federal agencies or State or local governments.
- (g) The Services will rely to the extent practicable on ITIS (http://www.itis.gov) and standard references adopted for CITES (http://cites.org).
- (h) The "List of Endangered and Threatened Wildlife" is provided in the table in this paragraph (h):

		F F		
Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Mammals				
Addax	Addax nasomaculatus	Wherever found	E	70 FR 52319; 9/2/2005.
Anoa, lowland	Bubalus depressicornis	Wherever found		35 FR 8491; 6/2/1970.
Anoa, mountain	Bubalus quarlesi	Wherever found	Ē	41 FR 24061; 6/14/1976.
Antelope, giant sable	Hippotragus niger variani	Wherever found	Ē	41 FR 24061; 6/14/1976.
Antelope, Tibetan	Panthalops hodgsonii	Wherever found		71 FR 15620; 3/29/2006.
Argali [All populations except Kyrgyzstan, Mongolia, and Tajikistan].		Wherever found except Kyrgyzstan, Mongolia, and Tajikistan.		41 FR 24061; 6/14/1976, 57 FR 28014; 6/23/1992.
Argali [Kyrgyzstan, Mongolia, and Tajikistan]	Ovis ammon	Kyrgyzstan, Mongolia, and Tajikistan	Т	41 FR 24061; 6/14/1976, 57 FR 28014; 6/23/1992, 50 CFR 17.40(j) 4d.
Armadillo, giant	Priodontes maximus	Wherever found	E	41 FR 24061; 6/14/1976.
Armadillo, pink fairy	Chlamyphorus truncatus	Wherever found	E	35 FR 8491; 6/2/1970.
Ass, African wild	Equus africanus	Wherever found	E	35 FR 8491; 6/2/1970, 42 FR 15971; 3/
,	,			24/1977.
Ass, Asian wild	Equus hemionus	Wherever found	Ē	35 FR 8491; 6/2/1970.
Avahi	Avahi laniger (=entire genus)	Wherever found		35 FR 8491; 6/2/1970.
Aye-aye	Daubentonia madagascariensis	Wherever found		35 FR 8491; 6/2/1970.
Babirusa	Babyrousa babyrussa	Wherever found	E	41 FR 24061; 6/14/1976.
Baboon, gelada	Theropithecus gelada	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR
-				17.40(c) ^{4d} .
Bandicoot, barred	Perameles bougainville	Wherever found	E	35 FR 18319; 12/2/1970.
Bandicoot, desert	Perameles eremiana	Wherever found	E	38 FR 14678; 6/4/1973.
Bandicoot, lesser rabbit	Macrotis leucura	Wherever found	E	35 FR 18319; 12/2/1970.
Bandicoot, pig-footed	Chaeropus ecaudatus	Wherever found	Ē	35 FR 18319; 12/2/1970.
Bandicoot, rabbit	Macrotis lagotis	Wherever found		35 FR 18319; 12/2/1970.
Banteng	Bos javanicus	Wherever found		35 FR 8491; 6/2/1970.
Bat, Bulmer's fruit (flying fox)	Aproteles bulmerae	Wherever found	Ė	
				49 FR 2779; 1/23/1984.
Bat, bumblebee	Craseonycteris thonglongyai	Wherever found		49 FR 2779; 1/23/1984.
Bat, Florida bonneted	Eumops floridanus	Wherever found		78 FR 61003; 10/2/2013.
Bat, gray	Myotis grisescens	Wherever found	E	41 FR 17736; 4/28/1976.
Bat, Hawaiian hoary		Wherever found	E	35 FR 16047; 10/13/1970.
Bat, Indiana	Myotis sodalis	Wherever found	E	32 FR 4001; 3/11/1967, 50 CFR 17.95(a) ^{CH} .
Bat, lesser long-nosed	Leptonycteris curasoae yerbabuenae	Wherever found	E	53 FR 38456; 9/30/1988.
Bat, little Mariana fruit	Pteropus tokudae	Wherever found	E	49 FR 33881; 8/27/1984.
Fruit Bat, Mariana (=fanihi, Mariana flying fox)	Pteropus mariannus mariannus	Wherever found	Т	49 FR 33881; 8/27/1984, 70 FR 1190; 1/6/2005, 50 CFR 17.95(a) ^{CH} .
Bat, Mexican long-nosed	Leptonycteris nivalis	Wherever found	E	53 FR 38456; 9/30/1988.
Bat, northern long-eared	Myotis septentrionalis	Wherever found	Ī	80 FR 17973; 4/2/2015, 50 CFR
•			'	17.40(o) ^{4d} .
Bat, Ozark big-eared	Corynorhinus (=Plecotus) townsendii ingens.	Wherever found	E	44 FR 69206; 11/30/1979.
Bat, Pacific sheath-tailed (Mariana subspecies) (Payeyi, Paischeey).	Emballonura semicaudata rotensis	Wherever found	E	80 FR 59423; 10/1/2015.
Bat, Rodrigues fruit (flying fox)	Pteropus rodricensis	Wherever found	E	49 FR 2779; 1/23/1984.
Bat, Singapore roundleaf horseshoe	Hipposideros ridleyi	Wherever found	Ē	49 FR 2779; 1/23/1984.
Bat, Virginia big-eared	Corynorhinus (=Plecotus) townsendii virginianus.	Wherever found		44 FR 69206; 11/30/1979, 50 CFR 17.95(a) ^{CH} .
Dear Delivebieten		M/h a ray car fay and	E	
Bear, Baluchistan	Ursus thibetanus gedrosianus	Wherever found	-	51 FR 17977; 5/16/1986.
Bear, brown [Italy]	Ursus arctos arctos	Italy		41 FR 24062; 6/14/1976, 41 FR 26019; 6/24/1976.
Bear, brown	Ursus arctos pruinosus	Wherever found	ΙE	41 FR 24062; 6/14/1976.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Bear, grizzly [Lower 48 States DPS]	Ursus arctos horribilis	U.S.A., conterminous (lower 48) States,	Т	32 FR 4001; 3/11/1967, 35 FR 16047;
		except where listed as an experimental population.		10/13/1970, 40 FR 31734; 7/28/1975, 72 FR 14866; 3/29/2007, 50 CFR 17.40(b) 4d.
Bear, grizzly	Ursus arctos horribilis	U.S.A. (portions of ID and MT, see § 17.84(I)).		70 FR 69854; 11/17/2005, 50 CFR 17.84(I) ^{10j} .
Bear, Mexican grizzly	Ursus arctos	Mexico	E T	35 FR 8491; 6/2/1970. 73 FR 28212; 5/15/2008, 50 CFR
Beaver (Mongolia)	Castor fiber birulai	Wherever found	E	17.40(q) ^{4d} , 50 CFR 17.95(a) ^{CH} . 41 FR 24062; 6/14/1976.
Bison, wood	Bison bison athabascae	Wherever found, except where listed as an experimental population.		35 FR 8491; 6/2/1970, 77 FR 26191; 5/ 3/2012.
Bison, wood	Bison bison athabascae	U.S.A. (Alaska)	XN	79 FR 26175; 5/7/2014, 50 CFR 17.84(x) 10j.
Bobcat, Mexican	Lynx (=Felis) rufus escuinapae Damaliscus pygarus (=dorcas) dorcas	Wherever foundWherever found		41 FR 24062; 6/14/1976. 41 FR 24062; 6/14/1976.
Camel, Bactrian	Camelus bactrianus	Wherever found	Ē	41 FR 24062; 6/14/1976.
Caribou, woodland [Southern Selkirk Mountains DPS].	Rangifer tarandus caribou	Canada (southeastern British Columbia bounded by the Canada-U.S. border, Columbia River, Kootenay River, Koo- tenay Lake, and Kootenai River), U.S. (ID, WA).		48 FR 1722; 1/14/1983, 48 FR 49245; 10/25/1983, 49 FR 7390; 2/29/1984, 50 CFR 17.95(a) ^{CH} .
Cat, Andean	Felis jacobita	Wherever found		41 FR 24062; 6/14/1976.
Cat, Asian golden (=Temminck's) Cat, black-footed	Catopuma (=Felis) temminckii	Wherever foundWherever found		41 FR 24062; 6/14/1976. 41 FR 24062; 6/14/1976.
Cat, flat-headed	Prionailurus (=Felis) planiceps	Wherever found	E	41 FR 24062; 6/14/1976.
Cat, Iriomote	Prionailurus (=Felis) bengalensis	Wherever found	E	44 FR 37124; 6/25/1979.
Cat, leopard	iriomotensis. Prionailurus (=Felis) bengalensis bengalensis.	Wherever found	E	41 FR 24062; 6/14/1976.
Cat, marbled	Pardofelis (=Felis) marmorata	Wherever found	E	41 FR 24062; 6/14/1976.
Cat, Pakistan sand	Felis margarita scheffeli	Wherever found		49 FR 2779; 1/23/1984.
Cat, tiger	Leopardus (=Felis) tigrinus Rupicapra rupicapra ornata	Wherever foundWherever found	E	37 FR 6476; 3/30/1972.
Cheetah	Acinonyx jubatus	Wherever found	E	41 FR 24062; 6/14/1976. 35 FR 8491; 6/2/1970, 37 FR 6476; 3/ 30/1972.
Chimpanzee	Pan troglodytes	Wherever found	E	41 FR 45990; 10/19/1976, 55 FR 9129; 3/12/1990, 80 FR 34500; 6/16/2015.
Chimpanzee, pygmy	Pan paniscus	Wherever found	E	41 FR 45990; 10/19/1976, 55 FR 9129; 3/12/1990.
Chinchilla	Chinchilla brevicaudata boliviana	Wherever found	E	41 FR 24062; 6/14/1976.
Civet, Malabar large-spotted Deer, Bactrian	Viverra civettina (=megaspila c.) Cervus elaphus bactrianus	Wherever foundWherever found	E	44 FR 37124; 6/25/1979. 44 FR 37124; 6/25/1979.
Deer, Bactrian	Cervus elaphus barbarus	Wherever found		44 FR 37124; 6/25/1979.
Deer, Calamianes (=Philippine)	Axis porcinus calamianensis	Wherever found	E	41 FR 24062; 6/14/1976.
Deer, Cedros Island mule	Odocoileus hemionus cedrosensis	Wherever found	E	40 FR 44149; 9/25/1975.
Deer, Columbian white-tailed [Columbia River DPS].	Odocoileus virginianus leucurus	Columbia River (Clark, Cowlitz, Pacific, Skamania, and Wahkiakum Counties, WA, and Clatsop, Columbia, and Mult- nomah Counties, OR).	E	32 FR 4001; 3/11/1967, 68 FR 43647; 7/ 24/2003.
Deer, Corsican red	Cervus elaphus corsicanus	Wherever found		44 FR 37124; 6/25/1979.
Deer, Eld's brow-antlered Deer, Formosan sika	Cervus eldi	Wherever found		35 FR 8491; 6/2/1970.
Deer, Indochina hog	Axis (=Cervus) porcinus annamiticus	Wherever foundWherever found	E	44 FR 37124; 6/25/1979. 41 FR 24062: 6/14/1976.
Deer, key	Odocoileus virginianus clavium	Wherever found		32 FR 4001; 3/11/1967.
Deer, Kuhl's (=Bawean)	Axis porcinus kuhli	Wherever found		35 FR 8491; 6/2/1970.
Deer, marsh Deer, McNeill's	Blastocerus dichotomus Cervus elaphus macneilii	Wherever foundWherever found		35 FR 8491; 6/2/1970. 35 FR 8491; 6/2/1970.
Deer, musk	Moschus spp. (all species)	Afghanistan, Bhutan, Burma, China (Tibet, Yunnan), India, Nepal, Paki- stan, Sikkim.		41 FR 24062; 6/14/1976.
Deer, North China sika	Cervus nippon mandarinus	Wherever found	E	44 FR 37124; 6/25/1979.
Deer, pampas	Ozotoceros bezoarticus	Wherever found	E	41 FR 24062; 6/14/1976.
Deer, Persian fallow Deer, Ryukyu sika	Dama mesopotamica (=dama m.) Cervus nippon keramae	Wherever foundWherever found		35 FR 8491; 6/2/1970. 44 FR 37124; 6/25/1979.
Deer, Shansi sika	Cervus nippon grassianus	Wherever found	E	44 FR 37124; 6/25/1979.
Deer, South China sika	Cervus nippon kopschi	Wherever found	E	44 FR 37124; 6/25/1979.
Deer, swamp Deer, Visayan	Cervus duvauceli	Wherever foundWherever found	E	35 FR 8491; 6/2/1970. 53 FR 33990; 9/1/1988.
Deer, Yarkand	Cervus elaphus yarkandensis	Wherever found	Ē	44 FR 37124; 6/25/1979.
Dhole	Cuon alpinus	Wherever found	E	35 FR 8491; 6/2/1970.
Dibbler	Antechinus apicalis	Wherever found	E	35 FR 18319; 12/2/1970.
Dog, African wild Dolphin, Chinese river	Lipotes vexillifer	Wherever foundWherever found	E	49 FR 2779; 1/23/1984. 54 FR 22906; 5/30/1989 N, 54 FR
Dolphin, South Asian River (Indus River sub-	Platanista gangetica minor	Wherever found	E	22905; 5/30/1989. 55 FR 50835; 12/11/1990 N, 56 FR
species). Drill Dugong	Mandrillus (=Papio) leucophaeus Dugong dugon	Wherever found	E E	1463; 1/14/1991. 41 FR 45990; 10/19/1976. 35 FR 18319; 12/2/1970, 68 FR 70185;
Duilean Iontinue	Canhalanhua isastisti	Whenever form	_	12/17/2003.
Duiker, Jentink's Eland, western giant	Cephalophus jentinki Taurotragus derbianus derbianus derbianus	Wherever foundWherever found	E	44 FR 37124; 6/25/1979. 44 FR 37124; 6/25/1979.
Elephant, African	Loxodonta africana	Wherever found	T	44 FR 3/124; 6/25/1979. 43 FR 20499; 5/12/1978, 50 CFR 17.40(e) 4d.
Elephant, Asian	Elephas maximus	Wherever found	E	41 FR 24062; 6/14/1976.
Ferret, black-footed	Mustela nigripes	Wherever found, except where listed as an experimental population.	E	32 FR 4001; 3/11/1967, 35 FR 8491; 6/ 2/1970, 56 FR 41473; 9/21/1979, 59 FR 42682; 8/18/1994, 59 FR 42696; 8/18/1994, 61 FR 11320/3/20/1996, 63 FR 52824; 10/1/1998, 65 FR 60879; 10/13/2000, 68 FR 26498; 5/16/2003, 80 FR 66821; 10/30/2015.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Ferret, black-footed	. Mustela nigripes	U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see § 17.84(g)(9)).	XN	56 FR 41473; 8/21/1991, 59 FR 42682; 8/18/1994, 59 FR 42696; 8/18/1994, 61 FR 11320; 3/20/1996, 63 FR 52824; 10/1/1998, 65 FR 60879; 10/ 13/2000, 68 FR 26498; 5/16/2003, 80 FR 66821; 10/30/2015, 50 CFR
Fav. northern quift	Vidnes valey hehes	Canada	_	17.84(g) ¹⁰ j.
Fox, northern swift		Canada	E E	35 FR 8491; 6/2/1970. 32 FR 4001; 3/11/1967.
Fox, San Miguel Island		Wherever found	Ē	69 FR 10335; 3/5/2004, 50 CFR
-			_	17.95(a) ^{CH} .
Fox, Santa Catalina Island	. Urocyon littoralis catalinae	Wherever found	E	69 FR 10335; 3/5/2004, 50 CFR 17.95(a) ^{CH} .
Fox, Santa Cruz Island	. Urocyon littoralis santacruzae	Wherever found	E	69 FR 10335; 3/5/2004, 50 CFR 17.95(a) ^{CH} .
Fox, Santa Rosa Island	. Urocyon littoralis santarosae	Wherever found	E	69 FR 10335; 3/5/2004, 50 CFR 17.95(a) ^{CH} .
Fox, Simien		Wherever found		44 FR 37124; 6/25/1979.
Gazelle, Arabian		Wherever found		44 FR 37124; 6/25/1979.
Gazelle, Clark's		Wherever found		35 FR 8491, 6/2/1970. 70 FR 52319; 9/2/2005, 35 FR 8491; 6/
Gazelle, daria	. Gazena dama	Wherever lound	-	2/1970.
Gazelle, Moroccan		Wherever found		35 FR 8491; 6/2/1970.
Gazelle, mountain (=Cuvier's)		Wherever found		35 FR 8491; 6/2/1970.
Gazelle, Pelzeln's		Wherever found	E	44 FR 37124; 6/25/1979.
Gazelle, sand		Wherever found		44 FR 37124; 6/25/1979.
Gazelle, Saudi Arabian		Wherever found	E E	44 FR 37124; 6/25/1979. 35 FR 8491; 6/2/1970.
Gibbons		Wherever found	E	35 FR 8491; 6/2/1970. 35 FR 8491; 6/2/1970, 41 FR 24062; 6/
			-	14/1976.
Goral		Wherever found	E	41 FR 24062; 6/14/1976.
Gorilla	. Gorilla gorilla	Wherever found	E	35 FR 8491; 6/2/1970.
Hare, hispid		Wherever found	E	41 FR 24062; 6/14/1976.
Hartebeest, Swayne's	. Alcelaphus buselaphus swaynei	Wherever found	E	35 FR 8491; 6/2/1970, 41 FR 24062; 6/
Hartebeest, Tora	. Alcelaphus buselaphus tora	Wherever found	E	14/1976. 41 FR 24062; 6/14/1976.
Hog, pygmy		Wherever found		35 FR 8491; 6/2/1970.
Horse, Przewalski's		Wherever found	E	41 FR 24062; 6/14/1976.
Huemul, north Andean		Wherever found	E	41 FR 24062; 6/14/1976.
Huemul, south Andean		Wherever found		41 FR 24062; 6/14/1976.
Hutia, Cabrera's		Wherever found	E	51 FR 17977; 5/16/1986.
Hutia, dwarf Hutia, large-eared		Wherever found	E E	51 FR 17977; 5/16/1986. 51 FR 17977; 5/16/1986.
Hutia, little earth		Wherever found		51 FR 17977; 5/16/1986.
Hyena, Barbary		Wherever found	Ē	35 FR 8491; 6/2/1970.
Hyena, brown		Wherever found		35 FR 8491, 6/2/1970.
Ibex, Pyrenean		Wherever found		35 FR 8491; 6/2/1970.
Ibex, Walia		Wherever found	E	35 FR 8491; 6/2/1970.
Impala, black-faced		Wherever found	E	35 FR 8491; 6/2/1970.
Indri Jaguar		Wherever found	E E	35 FR 8491; 6/2/1970. 37 FR 6476; 3/30/1972, 62 FR 39147; 7/
Jaguarundi, Guatemalan		Wherever found	E	22/1997, 50 CFR 17.95(a) ^{CH} . 41 FR 24062; 6/14/1976.
Jaguarundi, Gulf Coast		Wherever found	E	41 FR 24062; 6/14/1976.
Jaguarundi, Panamanian	cacomitli Herpailurus (=Felis) yagouaroundi	Wherever found	E	41 FR 24062; 6/14/1976.
Jaguarundi, Sinaloan	panamensis Herpailurus (=Felis) yagouaroundi	Wherever found	E	41 FR 24062; 6/14/1976.
Kangaroo rat, Fresno	tolteca. Dipodomys nitratoides exilis	Wherever found	E	50 FR 4222; 1/30/1985, 50 CFR
Kangaroo rat, giant		Wherever found	E	17.95(a) ^{CH} . 52 FR 283; 1/5/1987.
Kangaroo rat, Morro Bay		Wherever found	E	35 FR 16047; 10/13/1970, 50 CFR 17.95(a) CH.
Kangaroo rat, San Bernardino Merriam's		Wherever found	E	63 FR 3835; 1/27/1988, 63 FR 51005; 9/ 24/1988, 50 CFR 17.95(a) ^{CH} .
Kangaroo rat, Stephens'		Wherever found	E	53 FR 38465; 9/30/1988.
Kangaroo rat, Tipton Kangaroo, Tasmanian forester		Wherever found	E E	53 FR 25608; 7/8/1988. 38 FR 14678; 6/4/1973.
Kangaroo, Tasmanian lorester		Australia	-	65 FR 26762: 5/9/2000.
Kouprey		Wherever found		35 FR 8491; 6/2/1970.
Langur, capped	. Trachypithecus (=Presbytis) pileatus	Wherever found	E	41 FR 24062; 6/14/1976.
Langur, Douc	. Pygathrix nemaeus	Wherever found	E	35 FR 8491; 6/2/1970.
Langur, Francois'		Wherever found	E	41 FR 45990; 10/19/1976.
Langur, golden Langur, gray (=entellus)		Wherever found	E	41 FR 24062; 6/14/1976. 41 FR 24062; 6/14/1976.
Langur, gray (=enterius) Langur, long-tailed		Wherever found		41 FR 45990; 10/19/1976, 50 CFR
Langur, Pagi IslandLangur, purple-faced		Wherever foundWherever found	E T	17.40(c) ^{4d} . 35 FR 8491; 6/2/1970. 41 FR 45990; 10/19/1976, 50 CFR
Lechwe, red		Wherever found	T	17.40(c) ^{4d} . 35 FR 8491; 6/2/1970, 41 FR 24062; 6/
Lemurs	. Lemuridae (incl. genera Lemur, Phaner,	Wherever found	E	14/1976, 45 FR 65132; 10/1/1980. 35 FR 8491; 6/2/1970, 41 FR 24062; 6/
	Hapalemur, Lepilemur, Microcebus, Allocebus, Cheirogaleus, Varecia).			14/1976, 41 FR 26019; 6/24/1976.
Leopard	. Panthera pardus	Wherever found, except where it is listed	E	35 FR 8491; 6/2/1970, 37 FR 6476; 3/
Leopard [Southern Africa populations]	. Panthera pardus	as threatened. In Africa, in the wild, south of, and including, the following countries:	Т	30/1972, 47 FR 4204; 1/28/1982. 35 FR 8491: 6/2/1970, 37 FR 6476; 3/ 30/1972, 47 FR 4204; 1/28/1982, 50
Leopard, clouded	. Neofelis nebulosa	Gabon, Congo, Zaire, Uganda, Kenya. Wherever found	E	30/19/2, 4/ FR 4204; 1/28/1982, 50 CFR 17.40(f) ^{4d} . 35 FR 8491; 6/2/1970, 41 FR 24062; 6/
Leopard, snow	. Uncia (=Panthera) uncia	Wherever found		14/1976. 37 FR 6476; 3/30/1972.
Linsang, spotted	Prionodon pardicolor	Wherever found	ΙE	41 FR 24062; 6/14/1976.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
-				
Lion	Panthera leo leoPanthera leo melanochaita	Wherever found	E	80 FR 79999; 12/23/2015. 80 FR 79999; 12/23/2015, 50 CFR
	, and our no moral contains			17.40(r) ^{4d} .
Loris, lesser slow	Nycticebus pygmaeus	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR
Lynx, Canada [Contiguous U.S. DPS]	Lynx canadensis	Where found within contiguous U.S.A	т	17.40(c) ^{4d} . 65 FR 16053; 3/24/2000, 50 CFR
Lynx, Spanish	Felis pardina	Wherever found	E	17.40(k) ^{4d} , 50 CFR 17.95(a) ^{CH} . 35 FR 8491; 6/2/1970.
Macaque, Formosan rock	Macaca cyclopis	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) 4d.
Macaque, Japanese		Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) 4d.
Macaque, lion-tailed Macaque, stump-tailed	Macaca silenus Macaca arctoides	Wherever found	E T	35 FR 8491; 6/2/1970. 41 FR 45990; 10/19/1976, 50 CFR
Macaque, Toque	Macaca sinica	Wherever found	Т	17.40(c) ^{4d} . 41 FR 45990; 10/19/1976, 50 CFR
Manatee, Amazonian	Trichechus inunguis	Wherever found	E	17.40(c) ^{4d} . 35 FR 8491; 6/2/1970.
Manatee, West African		Wherever found	-	44 FR 42910; 7/20/1979.
Manatee, West Indian	Trichechus manatus	Wherever found	E	32 FR 4001; 3/11/1967, 35 FR 8491; 6/ 2/1970, 50 CFR 17.108(a), 50 CFR 17.95(a) ^{CH} .
Mandrill	Mandrillus (=Papio) sphinx	Wherever found	E	41 FR 45990; 10/19/1976.
Mangabey, Tana River Mangabey, white-collared	Cercocebus galeritus galeritus Cercocebus torquatus	Wherever found	E E	35 FR 8491; 6/2/1970.
Margay		Wherever found		41 FR 45990; 10/19/1976. 37 FR 6476; 3/30/1972.
Markhor, chiltan (=wild goat)	Capra falconeri (=aegagrus) chiltanensis	Wherever found	Ē	41 FR 24062; 6/14/1976.
Markhor, straight-horned	Capra falconeri megaceros	Wherever found	Т	41 FR 24062; 6/14/1976, 79 FR 60365;
Marmonet buff booded	Callithring flaviagns	Whorever found	_	10/7/2014, 50 CFR 17.40(d) ^{4d} .
Marmoset, buff-headed	Callithrix flaviceps	Wherever found	E E	49 FR 2779; 1/23/1984. 41 FR 45990; 10/19/1976.
Marmoset, Goeldi's		Wherever found	Ē	35 FR 8491; 6/2/1970.
Marmoset, white-eared (=buffy tufted-ear)	Callithrix aurita (=jacchus a.)	Wherever found	E	51 FR 17977; 5/16/1986.
Marmot, Vancouver Island		Wherever found	Ē	49 FR 2779; 1/23/1984.
Marsupial, eastern jerboa		Wherever found		35 FR 18319; 6/2/1970. 35 FR 18319; 6/2/1970.
Marsupial-mouse, large desert		Wherever found		35 FR 18319; 6/2/1970.
Marten, Formosan yellow-throated	Martes flavigula chrysospila	Wherever found	Ē	35 FR 8491; 6/2/1970.
Monkey, black colobus	Colobus satanas	Wherever found	E	41 FR 45990; 10/19/1976.
Monkey, black howler	Alouatta pigra	Wherever found	Т	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) 4d.
Monkey, Diana	Cercopithecus diana	Wherever found	E	41 FR 45990; 10/19/1976.
Monkey, Guizhou snub-nosed	Rhinopithecus brelichi	Wherever found		55 FR 39414; 9/27/1990.
Monkey, L'hoest's Monkey, mantled howler	Cercopithecus Ihoesti	Wherever found	E E	41 FR 45990; 10/19/1976. 41 FR 24062; 6/14/1976.
Monkey, Preuss' red colobus	Procolobus (=Colobus) preussi (=badius	Wherever found	Ē	49 FR 2779; 1/23/1984.
Monkey, proboscis	p.). Nasalis larvatus	Wherever found	E	41 FR 24062; 6/14/1976.
Monkey, red-backed squirrel	Saimiri oerstedii	Wherever found	E	35 FR 8491; 6/2/1970.
Monkey, red-bellied		Wherever found	E	41 FR 45990; 10/19/1976.
Monkey, red-eared nose-spotted Monkey, Sichuan snub-nosed	Cercopithecus erythrotis	Wherever found	E E	41 FR 45990; 10/19/1976. 55 FR 39414; 9/27/1990.
Monkey, spider	Ateles geoffroyi frontatus	Wherever found	Ē	35 FR 8491; 6/2/1970.
Monkey, spider	Ateles geoffroyl panamensis	Wherever found	E	35 FR 8491; 6/2/1970.
Monkey, Tana River red colobus	(=badius r.).	Wherever found	E	35 FR 8491; 6/2/1970.
Monkey, Tonkin snub-nosed	Rhinopithecus avunculus	Wherever found	E	41 FR 45990; 10/19/1976, 55 FR 39414; 9/27/1990.
Monkey, woolly spider	Brachyteles arachnoides	Wherever found	E	35 FR 8491; 6/2/1970.
Monkey, yellow-tailed woolly	Lagothrix flavicauda	Wherever found	E	41 FR 45990; 10/19/1976.
Monkey, Yunnan snub-nosed Monkey, Zanzibar red colobus	1	Wherever found	E	55 FR 39414; 9/27/1990. 35 FR 8491; 6/2/1970.
Mountain beaver, Point Arena	kirki.	Wherever found	E	
Mouse, Alabama beach		Wherever found	Ē	56 FR 64716; 12/12/1991. 50 FR 23872; 6/6/1985, 50 CFR
Mouse, Anastasia Island beach	Peromyscus polionotus phasma	Wherever found	E	17.95(a) ^{CH} . 54 FR 20598; 5/12/1989.
Mouse, Australian native		Wherever found	Ē	41 FR 24062; 6/14/1976.
Mouse, Australian native	Zyzomys pedunculatus	Wherever found	E	41 FR 24062; 6/14/1976.
Mouse, Choctawhatchee beach	Peromyscus polionotus allophrys	Wherever found	E	50 FR 23872; 6/6/1985, 50 CFR 17.95(a) ^{CH} .
Mouse, Field's	Pseudomys fieldi	Wherever found	E	35 FR 18319; 12/2/1970.
Mouse, Gould's	Pseudomys gouldii Peromyscus gossypinus allapaticola	Wherever found	E	38 FR 14678; 6/4/1973. 48 FR 43040; 9/21/1983, 49 FR 34504;
	, , , ,			8/31/1984.
Mouse, New Holland Mouse, New Mexico meadow jumping	Pseudomys novaehollandiaeZapus hudsonius luteus	Wherever found	E E	35 FR 18319; 12/2/1970. 79 FR 33119; 6/10/2014, 50 CFR
	,			17.95(a) ^{CH} .
Mouse, Pacific pocket	Perognathus longimembris pacificus	Wherever found	E	59 FR 5306; 2/3/1994, 59 FR 49752; 9/ 29/1994.
Mouse, Perdido Key beach	Peromyscus polionotus trissyllepsis	Wherever found	E	50 FR 23872; 6/6/1985, 50 CFR 17.95(a) ^{CH} .
Mouse, Preble's meadow jumping	Zapus hudsonius preblei	Wherever found	Т	63 FR 26517; 5/13/1998, 78 FR 31679; 5/24/2013, 50 CFR 17.40(I) ^{4d} , 50 CFR 17.95(a) ^{CH} .
Mouse, salt marsh harvest	Reithrodontomys raviventris	Wherever found	E	35 FR 16047; 10/13/1970.
Mouse, Shark Bay	Pseudomys praeconis	Wherever found	E	35 FR 18319; 12/2/1970.
Mouse, Shortridge's		Wherever found	E	35 FR 18319; 12/2/1970.
Mouse, smoky Mouse, southeastern beach		Wherever found	E T	35 FR 18319; 12/2/1970. 54 FR 20598; 5/12/1989.
Mouse, St. Andrew beach	Peromyscus polionotus peninsularis	Wherever found	Ė	63 FR 70053; 12/18/1998, 50 CFR
Mouse, western	Pseudomys occidentalis	Wherever found	E	17.95(a) ^{CH} . 35 FR 18319; 12/2/1970.
Muntjac, Fea's	Muntiacus feae	Wherever found	E	44 FR 37124; 6/25/1979.
Native-cat, eastern	Dasyurus viverrinus	Wherever found	E	38 FR 14678; 6/4/1973.
Numbat	Myrmecobius fasciatus	Wherever found	E	35 FR 18319; 12/2/1970, 38 FR 14678;
	1	ı	I	6/4/1973.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Ocelot	Leopardus (=Felis) pardalis	Wherever found	E	37 FR 6476; 3/30/1972, 47 FR 31670; 7/ 21/1982.
Orangutan	Pongo pygmaeus	Wherever found	E	35 FR 8491; 6/2/1970.
Oryx, Arabian	Oryx leucoryx	Wherever found	Ē	35 FR 8491; 6/2/1970.
Oryx, scimitar-horned	Oryx dammah	Wherever found	Ē	70 FR 52319; 9/2/2005.
Otter, Cameroon clawless	Aonyx congicus (=congica) microdon	Wherever found	Ē	35 FR 8491; 6/2/1970.
Otter, giant	Pteronura brasiliensis	Wherever found	Ē	35 FR 8491; 6/2/1970.
Otter, long-tailed	Lontra (=Lutra) longicaudis (incl.	Wherever found	Ē	35 FR 8491; 6/2/1970, 41 FR 24062; 6/
Ottor, long tailou	platensis).	Wholever lound	-	24/1976.
Otter, marine	Lontra (=Lutra) felina	Wherever found	E	41 FR 24062; 6/24/1976.
Otter, northern sea [Southwest Alaska DPS]	Enhydra lutris kenyoni	Southwest Alaska, from Attu Island to Western Cook Inlet, including Bristol Bay, the Kodiak Archipelago, and the	Ť	70 FR 46366; 8/9/2005, 50 CFR 17.40(p) 4d, 50 CFR 17.95(a) CH.
0		Barren Islands.	_	44 55 04000 04444050
Otter, southern river	Lontra (=Lutra) provocax	Wherever found	E	41 FR 24062; 6/14/1976.
Otter, southern sea	Enhydra lutris nereis	Wherever found	<u>T</u>	42 FR 2965; 1/14/1977.
Panda, giant	Ailuropoda melanoleuca	Wherever found		49 FR 2779; 1/23/1984.
Pangolin, Temnick's ground	Manis temmincki	Wherever found		41 FR 24062; 6/14/1976.
Panther, Florida	Puma (=Felis) concolor coryi	Wherever found		32 FR 4001; 3/11/1967.
Planigale, little	Planigale ingrami subtilissima	Wherever found		35 FR 18319; 12/2/1970.
Planigale, southern	Planigale tenuirostris	Wherever found		35 FR 18319; 12/2. 1970.
Pocket gopher, Olympia	Thomomys mazama pugetensis	Wherever found		79 FR 19759; 4/9/2014, 50 CFR 17.40(a) ^{4d} , 50 CFR 17.95(a) ^{CH} .
Pocket gopher, Roy Prairie	Thomomys mazama glacialis	Wherever found	T	79 FR 19759; 4/9/2014, 50 CFR 17.40(a) 4d.
Pocket gopher, Tenino	Thomomys mazama tumuli	Wherever found	T	79 FR 19759; 4/9/2014, 50 CFR 17.40(a) ^{4d} , 50 CFR 17.95(a) ^{CH} .
Pocket gopher, Yelm	Thomomys mazama yelmensis	Wherever found	T	79 FR 19759; 4/9/2014, 50 CFR 17.40(a) 4d, 50 CFR 17.95(a) CH.
Porcupine, thin-spined	Chaetomys subspinosus	Wherever found	E	35 FR 8491; 6/2/1970.
Porpoise, Gulf of California harbor (cochito,	Phocoena sinus	Wherever found	E	50 FR 1056; 1/9/1985 N, 50 FR 1056; 1/
vaquita).				9/1985.
Possum, Leadbeater's	Gymnobelideus leadbeateri	Wherever found	E	51 FR 17977; 5/16/1986.
Possum, mountain pygmy	Burramys parvus	Wherever found	E	35 FR 18319; 12/2/1970.
Possum, scaly-tailed	Wyulda squamicaudata	Wherever found	E	35 FR 18319; 12/2/1970.
Prairie dog, Mexican	Cynomys mexicanus	Wherever found	E	35 FR 8491; 6/2/1970.
Prairie dog, Utah	Cynomys parvidens	Wherever found	T	38 FR 14678; 6/4/1973, 49 FR 22330; 5/
-				29/1984, 50 CFR 17.40(g) 4d.
Pronghorn, peninsularPronghorn, Sonoran	Antilocapra americana peninsularis Antilocapra americana sonoriensis	Wherever found	E E	40 FR 44149; 9/25/1975. 32 FR 4001; 3/11/1967, 35 FR 8491; 6/
		an experimental population.	-	2/1970.
Pronghorn, Sonoran	Antilocapra americana sonoriensis	In Arizona, an area north of Interstate 8 and south of Interstate 10, bounded by the Colorado River on the west and Interstate 10 on the east; and an area south of Interstate 8, bounded by Highway 85 on the west, Interstates 10 and 19 on the east, and the U.SMexico border on the south.	XN	76 FR 25593; 5/5/2011, 50 CFR 17.84(v) ¹⁰].
Pudu Puma (=mountain lion)	Pudu pudu Puma (=Felis) concolor (all subsp. ex-	Wherever found	E T(S/A)	41 FR 24062; 6/14/1976. 56 FR 40265; 8/14/1991, 50 CFR
Duma Casta Disan	cept coryi).	M/h a ray (a r fay) and	_	17.40(h) ^{4d} .
Puma, Costa Rican	Puma (=Felis) concolor costaricensis	Wherever found	E	41 FR 24062; 6/14/1976.
Puma (=cougar), eastern	Puma (=Felis) concolor couguar	Wherever found		38 FR 14678; 6/4/1973.
Quokka	Setonix brachyurus	Wherever found	E	38 FR 14678; 6/4/1973.
Rabbit, Columbia Basin pygmy [Columbia Basin	Brachylagus idahoensis	U.S.A. (WA—Douglas, Grant, Lincoln,	E	68 FR 10388; 3/5/2003.
DPS].		Adams, Benton Counties).	_	
Rabbit, Lower Keys		Wherever found		55 FR 25588; 6/21/1990.
Rabbit, riparian brush	Sylvilagus bachmani riparius	Wherever found		65 FR 8881; 2/23/2000.
Rabbit, Ryukyu	Pentalagus furnessi	Wherever found		44 FR 37124; 6/25/1979.
Rabbit, volcano	Romerolagus diazi	Wherever found	E	35 FR 8491; 6/2/1970.
Rat, false water	Xeromys myoides	Wherever found	E	35 FR 18319; 12/2/1970.
Rat, stick-nest	Leporillus conditor	Wherever found	E	38 FR 14678; 6/4/1970.
Rat-kangaroo, brush-tailed	Bettongia penicillata	Wherever found		35 FR 18319; 12/2/1970.
Rat-kangaroo, desert (=plain)	Caloprymnus campestris	Wherever found		35 FR 18319; 12/2/1970.
Rat-kangaroo, Gaimard's	Bettongia gaimardi	Wherever found		38 FR 14678; 6/4/1970.
Rat-kangaroo, Lesuer's	Bettongia lesueur	Wherever found		35 FR 18319; 12/2/1970.
Rat-kangaroo, Queensland	Bettongia tropica	Wherever found	E	35 FR 18319; 12/2/1970.
Rhinoceros, black	Diceros bicornis	Wherever found	E	45 FR 47352; 7/14/1980.
Rhinoceros, great Indian	Rhinoceros unicornis	Wherever found	E	35 FR 18319; 12/2/1970.
Rhinoceros, Javan	Rhinoceros sondaicus	Wherever found	E	35 FR 8491; 6/2/1970.
Rhinoceros, northern white	Ceratotherium simum cottoni	Wherever found	E	35 FR 8491; 6/2/1970.
Rhinoceros, southern white	Ceratotherium simum simum	Wherever found	T(S/A)	79 FR 28847; 5/20/2014.
Rhinoceros, Sumatran	Dicerorhinus sumatrensis	Wherever found	E	35 FR 8491; 6/2/1970.
Rice rat [Lower FL Keys DPS]	Oryzomys palustris natator	Lower FL Keys (west of Seven Mile Bridge).	E	56 FR 19809; 4/30/1990, 50 CFR 17.95(a) ^{CH} .
Saiga, Mongolian (antelope)	Saiga tatarica mongolica	Wherever found	E	41 FR 24062; 6/14/1976.
Saki, southern bearded	Chiropotes satanas satanas	Wherever found	Ē	51 FR 17977; 5/16/1986.
Saki, white-nosed	Chiropotes albinasus	Wherever found	Ē	35 FR 8491; 6/2/1970.
Sea lion, Steller [Western DPS]	Eumetopias jubatus	Western DPS—see 50 CFR 224.101		55 FR 13488; 4/10/1990, 55 FR 50005; 12/4/1990, 62 FR 24345; 5/5/1997 N, 62 FR 30772; 6/5/1997, 50 CFR 226.202 ^{CH} , 50 CFR 224.103.
Seal, bearded [Beringia DPS]	Erignathus barbatus nauticus	Beringia DPS—see 50 CFR 223.102	Т	77 FR 76739; 12/28/2012 N, 79 FR 42687; 7/23/2014.
Seal, bearded [Okhotsk DPS]	Erignathus barbatus nauticus	Okhotsk DPS—see 50 CFR 223.102	Т	77 FR 76739; 12/28/2012 N, 79 FR 42687; 7/23/2014.
Seal, Guadalupe fur	Arctocephalus townsendi	Wherever found	Т	32 FR 4001; 3/11/1967, 35 FR 16047; 10/13/1970, 50 FR 51251; 12/16/1985, 55 FR 14051; 3/23/1999 N, 50 CFR 223.201 ^{4d} .
Seal, Hawaiian monk	Neomonachus schauinslandi	Wherever found	E	41 FR 51611; 11/23/1976, 55 FR 14051;
	(=Monachus schauinslandi).	1		3/23/1999 N, 50 CFR 226.201 CH.
Seal, Mediterranean monk	Monachus monachus	Wherever found	E	35 FR 8491; 6/2/1970, 55 FR 14051; 3/ 23/1999 N.
	•	•	•	

Common name	Colontific name	Where listed	Ctatus	Listing situtions and applicable wiles
Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Seal, ringed (Arctic subspecies)	Phoca (=Pusa) hispida hispida	Wherever found	T	77 FR 76705; 12/28/2012 N, 79 FR 42687; 7/23/2014.
Seal, ringed (Baltic subspecies)	Phoca (=Pusa) hispida botnica	Wherever found	Т	77 FR 76705; 12/28/2012 N, 79 FR 42687; 7/23/2014.
Seal, ringed (Ladoga subspecies)	Phoca (=Pusa) hispida ladogensis	Wherever found	E	77 FR 76705; 12/28/2012 N, 79 FR 42687; 7/23/2014.
Seal, ringed (Okhotsk subspecies)	Phoca (=Pusa) hispida ochotensis	Wherever found	Т	77 FR 76705; 12/28/2012 N, 79 FR 42687; 7/23/2014.
Seal, ringed (Saimaa subspecies)	Phoca hispida saimensis	Wherever found	E	58 FR 26920; 5/6/1993 N, 58 FR 40538;
Seal, spotted [Southern DPS]	Phoca largha	Southern DPS—see 50 CFR 223.102	Т	7/28/1993. 75 FR 65239; 10/22/2010 N, 76 FR
				20558; 4/13/2011, 79 FR 42687; 7/23/ 2014, 50 CFR 223.212 ^{4d} .
Seledang Serow	Bos gaurus (=Capricornis)	Wherever foundWherever found	E	35 FR 8491; 6/2/1970. 41 FR 26019; 6/24/1976.
Serval, Barbary	sumatraensis. Leptailurus (=Felis) serval constantina	Wherever found	E	35 FR 8491; 6/2/1970.
Shapo	Ovis vignei vignei	Wherever found	E	41 FR 26019; 6/24/1976.
Sheep, Peninsular bighorn [Peninsular CA DPS]	Ovis canadensis nelsoni	U.S.A. (CA) Peninsular Ranges	E	63 FR 13134; 3/18/1998, 50 CFR 17.95(a) ^{CH} .
Sheep, Sierra Nevada bighorn	Ovis canadensis sierrae	U.S.A. (CA)—Sierra Nevada	E	64 FR 19300; 4/20/1999, 65 FR 20; 1/3/ 2000, 73 FR 45534; 8/5/2008, 50 CFR 17.95(a) ^{CH} .
ShouShrew, Buena Vista Lake	Cervus elaphus wallichi Sorex ornatus relictus	Wherever found	E	35 FR 8491; 6/2/1970. 67 FR 10101; 3/6/2002, 50 CFR
				17.95(a) ^{CH} .
Siamang Sifakas	Symphalangus syndactylus Propithecus spp	Wherever foundWherever found	E	41 FR 24062; 6/14/1976. 35 FR 18319; 12/2/1970.
Sloth, Brazilian three-toed Solenodon, Cuban	Bradypus torquatus	Wherever found	E	35 FR 8491; 6/2/1970.
Solenodon, Cuban	Solenodon cubanus	Wherever found	E	35 FR 8491; 6/2/1970. 35 FR 8491; 6/2/1970.
Squirrel, Carolina northern flying	Glaucomys sabrinus coloratus	Wherever found	E	50 FR 26999; 7/1/1985.
Squirrel, Mount Graham red	Tamiasciurus hudsonicus grahamensis	Wherever found	E	52 FR 20994; 6/3/1987, 50 CFR 17.95(a) ^{CH} .
Squirrel, northern Idaho ground	Spermophilus brunneus brunneus	Wherever found	Ţ	65 FR 17780; 4/5/2000.
Stag, BarbaryStag, Kashmir	Cervus elaphus barbarus Cervus elaphus hanglu	Wherever foundWherever found	E E	35 FR 8491; 6/2/1970. 35 FR 8491; 6/2/1970.
Suni, Zanzibar	Neotragus moschatus moschatus	Wherever found	Ē	44 FR 37124; 6/25/1979.
Tahr, Arabian	Hemitragus jayakari	Wherever found	E	44 FR 37124; 6/25/1979.
Tamarin, goldon-rumped	Bubalus mindorensis Leontopithecus spp.	Wherever found	E E	35 FR 18319; 12/2/1970. 35 FR 8491; 6/2/1970.
Tamarin, golden-rumped Tamarin, pied	Saguinus bicolor	Wherever found	Ē	41 FR 45990; 10/19/1976.
Tamarin, white-footed	Saguinus leucopus	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR
Tapir, Asian	Tapirus indicus	Wherever found	E	17.40(c) ^{4d} . 41 FR 24062; 6/14/1976.
Tapir, Central American	Tapirus bairdii	Wherever found	E	35 FR 8491; 6/2/1970.
Tapir, mountain Tapir, South American (=Brazilian)	Tapirus pinchaque Tapirus terrestris	Wherever found	E	35 FR 8491; 6/2/1970. 35 FR 8491; 6/2/1970.
Tarsier, Philippine	Tarsius syrichta	Wherever found	Ť	41 FR 45990; 10/19/1976, 50 CFR
Tiger	Panthera tigris	Wherever found	E	17.40(c) ^{4d} . 35 FR 8491; 6/2/1970, 37 FR 6476; 3/ 30/1972.
Tiger, Tasmanian	Thylacinus cynocephalus	Wherever found		35 FR 8491; 6/2/1970.
Uakari (all species) Urial	Cacajao spp Ovis musimon ophion	Wherever found	E E	35 FR 8491; 6/2/1970. 41 FR 24062; 6/14/1976.
Vicuna [Argentina, Bolivia, Chile and Peru]	Vicugna vicugna	Wherever found, except Ecudator	T	35 FR 8491; 6/2/1970, 67 FR 37695; 5/
Vicuna [Ecuador DPS]	Vicugna vicugna	Ecuador	E	30/2002, 50 CFR 17.40(m) ^{4d} . 35 FR 8491; 6/2/1970, 67 FR 37695; 5/ 30/2002.
Vole, Amargosa	Microtus californicus scirpensis	Wherever found	E	49 FR 45160; 11/15/1984, 50 CFR 17.95(a) ^{CH} .
Vole, Florida salt marsh	Microtus pennsylvanicus dukecampbelli	Wherever found	E	56 FR 1457; 1/14/1991.
Vole, Hualapai MexicanWallaby, banded hare	Microtus mexicanus hualpaiensis Lagostrophus fasciatus	Wherever found	E E	52 FR 36776; 10/1/1987. 35 FR 18319; 12/2/1970.
Wallaby, brindled nail-tailed	Onychogalea fraenata	Wherever found		35 FR 18319; 12/2/1970.
Wallaby, crescent nail-tailed	Onychogalea lunata	Wherever found	E	35 FR 18319; 12/2/1970.
Wallaby, Parma	Macropus parma	Wherever found		35 FR 18319; 12/2/1970.
Wallaby, western hare Wallaby, yellow-footed rock	Lagorchestes hirsutus Petrogale xanthopus	Wherever found	E E	35 FR 18319; 12/2/1970. 38 FR 14678; 6/4/1973.
Whale, beluga [Cook Inlet DPS]	Delphinapterus leucas	Cook Inlet DPS—see 50 CFR 224.101	Ē	73 FR 62919; 10/22/2008 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/ 2014, 50 CFR 226.220 CH.
Whale, blue	Balaenoptera musculus	Wherever found	Ē	35 FR 8491; 6/2/1970.
Whale, false killer [Main Hawaiian Islands Insular	Balaena mysticetus Pseudorca crassidens	Wherever found	E E	35 FR 8491; 6/2/1970. 77 FR 70915; 11/28/2012 N, 79 FR
DPS].		see 50 CFR 224.101.		42687; 7/23/2014.
Whale, finbackWhale, gray [Western North Pacific DPS]	Balaenoptera physalus Eschrichtius robustus	Wherever found	E E	35 FR 8491; 6/2/1970. 35 FR 8491; 6/2/1970, 59 FR 31094; 6/
Whale, humpback	Megaptera novaeangliae	CFR 224.101. Wherever found	E	16/1994 N, 79 FR 42687; 7/23/2014. 35 FR 8491; 6/2/1970, 50 CFR 224.103.
Whale, killer [Southern Resident DPS]	Orcinus orca	Southern Resident DPS—see 50 CFR		70 FR 69903; 11/18/2005 N, 72 FR
		224.101.		16284; 4/4/2007, 76 FR 20558; 4/13/ 2011, 79 FR 42687; 7/23/2014, 80 CFR 7380; 2/10/2015 N, 50 CFR
Whale, North Atlantic right	Eubalaena glacialis	Wherever found	E	224.103, 50 CFR 226.206 ^{CH} . 35 FR 8491; 6/2/1970, 73 FR 12024; 3/ 6/2008 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR
Ma 1 N 11 D 15 11			_	224.103, 50 CFR 226.203 CH.
Whale, North Pacific right	Eubalaena japonica	Wherever found	E	35 FR 8491; 6/2/1970, 73 FR 12024; 3/ 6/2008 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.215 ^{CH} .
Whale, sei	Balaenoptera borealis	Wherever found	E	226.215 ^{GH} . 35 FR 8491; 6/2/1970.
Whale, Southern right	Eubalaena australis	Wherever found	Ē	35 FR 8491; 6/2/1970, 73 FR 12024; 3/
	I	I	I	6/2008 N, 76 FR 20558; 4/13/2011.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Whale, sperm	Physeter catodon (=macrocephalus)	Wherever found	Е	35 FR 8491; 6/2/1970.
Wolf, gray	Canis lupus	U.S.A.: All of AL, AR, CA, CO, CT, DE,	E	32 FR 4001; 3/11/1967, 38 FR 14678; 6/
		FL, GA, IA, IN, IL, KS, KY, LA, MA, MD,		4/1973, 41 FR 17736; 4/28/1976, 41
		ME, MI, MO, MS, NC, ND, NE, NH, NJ,		FR 24062; 6/14/1976, 43 FR 9607; 3/
		NV, NY, OH, OK, PA, RI, SC, SD, TN,		9/1978, 80 FR 9218; 2/20/2015, 50
		TX, VA, VT, WI, and WV; and portions		CFR 17.95(a) ^{CH} .
		of AZ, NM, OR, UT, and WA as follows:		
		(1) Northern AZ (that portion north		
		of the centerline of Interstate		
		Highway 40);		
		(2) Northern NM (that portion north		
		of the centerline of Interstate		
		Highway 40);		
		(3) Western OR (that portion of OR west of the centerline of Highway		
		395 and Highway 78 north of		
		Burns Junction and that portion of		
		OR west of the centerline of High-		
		way 95 south of Burns Junction);		
		(4) Most of Utah (that portion of UT		
		south and west of the centerline		
		of Highway 84 and that portion of		
		UT south of Highway 80 from		
		Echo to the UT/WY Stateline);		
		and		
		(5) Western WA (that portion of WA		
		west of the centerline of Highway		
		97 and Highway 17 north of Mesa		
		and that portion of WA west of		
		the centerline of Highway 395		
		south of Mesa). Mexico.		
Wolf, gray [MN DPS]	Canis lupus	U.S.A. (MN)	Т	43 FR 9607; 3/9/1978, 50 CFR
, g.a., [2. 0]			١.	17.40(d) ^{4d} , 50 CFR 17.95(a) ^{CH} .
Wolf, gray [Northern Rocky Mountain DPS]	Canis lupus	Northern Rocky Mountain DPS-U.S.A.	XN	59 FR 60252; 11/22/1994, 59 FR 60266;
Tren, gray [reminent ribony meaniant 21 0]	Carne rapas	(WY—see § 17.84(i) and (n)).	/	11/22/1994, 70 FR 1286; 1/16/2005,
		(*** 555 3 ***5 *(*) 4.14 (**)).		73 FR 4720; 1/28/2008, 50 CFR
				17.84(i) ^{10j} , 50 CFR 17.84(n) ^{10j} .
Wolf, maned	Chrysocyon brachyurus	Wherever found	E	35 FR 18319; 12/2/1970.
Wolf, Mexican	Canis lupus baileyi	Wherever found, except where included		40 FR 17590; 4/21/1975, 80 FR 2488; 1/
, , , , , , , , , , , , , , , , , , , ,		in an experimental population as set		16/2015.
		forth in § 17.84(k).		
Wolf, Mexican	Canis lupus baileyi	U.S.A. (portions of AZ and NM)—see	XN	63 FR 1752; 1/12/1998, 80 FR 2512; 1/
	, ,	§ 17.84(k).		16/2015, 50 CFR 17.84(k) 10j.
Wolf, red	Canis rufus	Wherever found, except where listed as	E	32 FR 4001; 3/11/1967, 51 FR 41790;
		an experimental population.		11/19/1986, 56 FR 56325; 11/4/1991,
				60 FR 18941; 4/13/1995.
Wolf, red	Canis rufus	U.S.A. (portions of NC and TN-see	XN	51 FR 41790; 11/19/1986, 56 FR 56325;
		§ 17.84(c)(9)).		11/4/1991, 60 FR 18941; 4/13/1995,
		- ,,,,,,		50 CFR 17.84(c) 10j.
Wombat, Queensland hairy-nosed (incl. Bar-	Lasiorhinus krefftii (formerly L. barnardi	Wherever found	E	35 FR 18319; 12/2/1970, 38 FR 14678;
nard's).	and L. gillespiei).			6/4/1973.
Woodrat, Key Largo	Neotoma floridana smalli	Wherever found	E	48 FR 43040; 9/21/1983, 49 FR 34504;
				8/31/1984.
Woodrat, riparian (San Joaquin Valley)	Neotoma fuscipes riparia	Wherever found		65 FR 8881; 2/23/2000.
Yak, wild	Bos mutus (=grunniens m.)	Wherever found		35 FR 8491; 6/2/1970.
Zebra, Grevy's	Equus grevyi	Wherever found	T	44 FR 49218; 8/21/1979.
Zebra, Hartmann's mountain	Equus zebra hartmannae	Wherever found	T	44 FR 49218; 8/21/1979 46 FR 11665;
	l _		_	2/10/1981.
Zebra, mountain	Equus zebra zebra	Wherever found	E	41 FR 24062; 6/14/1976 46 FR 11665;
P.oo.				2/10/1981.
BIRDS	Lambantilaa dukti	M/h a va va v fa v n -1	_	70 ED 50050: 0/44/0044
Adjutant, greater	Leptoptilos dubius	Wherever found	E	76 FR 50052; 8/11/2011.
Akekee (honeycreeper)	Loxops caeruleirostris	Wherever found	E	75 FR 18960; 4/13/2010 50 CFR
Akona Hawaii	Lavana aggingua	Whorever found	E	17.95(b) ^{CH} .
Akepa, Hawaii	Loxops coccineus	Wherever foundWherever found	E	35 FR 16047; 10/13/1970.
Akepa, MauiAkialoa. Kauai	Hemianathus steineaeri	Wherever found	E	35 FR 16047; 10/13/1970. 32 FR 4001; 3/11/1967.
AkiapolaauAkiapolaau	Hemignathus stejnegeri Hemignathus wilsoni	Wherever found	E	32 FR 4001; 3/11/1967. 32 FR 4001; 3/11/1967.
Akikiki (honeycreeper)	Oreomystis bairdi	Wherever found	E	75 FR 18960: 4/13/2010 50 CFR
ruman (noneyoreeper)	Orooniyada ballul	**************************************	-	75 FR 18960; 4/13/2010 50 CFR
Albatross, Amsterdam	Diomedea amsterdamensis	Wherever found	E	60 FR 2899; 1/12/1995.
Albatross, short-tailed	Phoebastria (=Diomedea) albatrus	Wherever found	Ē	35 FR 8491; 6/2/1970, 65 FR 46643; 7/
, 1041.000, OHOR (41104			-	31/2000.
Alethe, Thyolo	Alethe choloensis	Wherever found	E	60 FR 2899; 1/12/1995.
Antpitta, brown-banded	Grallaria milleri	Wherever found	Ē	78 FR 64637; 10/29/2013.
Antwren, black-hooded	Formicivora erythronotos	Wherever found	Ē	75 FR 81794; 12/28/2010.
Blackbird, yellow-shouldered	Agelaius xanthomus	Wherever found	Ē	41 FR 51019; 11/19/1976, 50 CFR
, ,	3	. ,	-	17.95(b) ^{CH} .
Bobwhite, masked (quail)	Colinus virginianus ridgwayi	Wherever found	E	32 FR 4001; 3/11/1967, 35 FR 8491; 6/
. (4)				2/1970.
Booby, Abbott's	Papasula (=Sula) abbotti	Wherever found	E	41 FR 24062; 6/14/1976.
Bristlebird, western	Dasyornis longirostris (=brachypterus l.)	Wherever found	Ē	35 FR 8491; 6/2/1970.
Bristlebird, western rufous	Dasyornis broadbenti littoralis	Wherever found	E	41 FR 24062; 6/14/1976.
Bulbul, Mauritius olivaceous	Hypsipetes borbonicus olivaceus	Wherever found	E	35 FR 8491; 6/2/1970.
Bullfinch, Sao Miguel (finch)	Pyrrhula pyrrhula murina	Wherever found	E	35 FR 8491; 6/2/1970.
Bush-shrike, Ulugura	Malaconotus alius	Wherever found	Ŧ	60 FR 2899; 1/12/1995.
Bushwren, New Zealand	Xenicus longipes	Wherever found	Ė	35 FR 8491; 6/2/1970.
Bustard, great Indian	Ardeotis (=Choriotis) nigriceps	Wherever found	Ē	35 FR 8491; 6/2/1970.
Cahow	Pterodroma cahow	Wherever found	Ē	35 FR 8491; 6/2/1970.
Capercaillie, Cantabrian	Tetrao urogallus cantabricus	Wherever found	Ē	76 FR 50052; 8/11/2011.
Caracara, crested, (Audubon's) [FL DPS]	Polyborus plancus audubonii	U.S.A. (FL)	Ť	52 FR 25229; 7/6/1987.
Caracara, cresieu, randunon si iri izrai		Wherever found	Ė	77 FR 43434; 7/24/2012.
	Cinclodes aricomae			
Cinclodes, royal	Cinclodes aricomae	Wherever found	E	79 FR 35870; 6/24/2014.
Cinclodes, royal				

-				
Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Cockatoo, white	Cacatua alba	Wherever found	Т	79 FR 35870; 6/24/2014 50 CFR 17.41(c) ^{4d} .
Cockatoo, yellow-crested	Cacatua sulphurea	Wherever found	E	79 FR 35870; 6/24/2014.
Condor, Andean	Vultur gryphus	Wherever found	Ē	35 FR 18319; 12/2/1970.
Condor, California	Gymnogyps californianus	U.S.A. only, except where listed as an	Ē	32 FR 4001; 3/11/1967, 61 FR 54045;
Condon, Camorna	Cymnegype camermanae	experimental population.	-	10/16/1996, 50 CFR 17.95(b) ^{CH} .
Condor, California	Gymnogyps californianus	U.S.A. (specific portions of Arizona, Ne-	XN	61 FR 54045; 10/16/1996, 50 CFR
Condon, Camonna	ayımınıngype camermanas illinininininin	vada, and Utah)—see § 17.84(j).	/"'	17.84(j) ^{10j} .
Coot, Hawaiian	Fulica americana alai	Wherever found	E	35 FR 16047/10/13/1970.
Cotinga, banded	Cotinga maculata	Wherever found	Ē	41 FR 24062; 6/14/1976.
Cotinga, white-winged	Xipholena atropurpurea	Wherever found	E	41 FR 24062; 6/14/1976.
Courser, Jerdon's	Rhinoptilus bitorquatus	Wherever found	E	76 FR 50052; 8/11/2011.
Crane, black-necked	Grus nigricollis	Wherever found	E	41 FR 24062; 6/14/1976.
Crane, Cuba sandhill	Grus canadensis nesiotes	Wherever found	E	41 FR 24062; 6/14/1976.
Crane, hooded	Grus monacha	Wherever found	E	35 FR 18319; 12/2/1970.
Crane, Japanese	Grus japonensis	Wherever found	E	35 FR 8491; 6/2/1970.
Crane, Mississippi sandhill	Grus canadensis pulla	Wherever found	E	38 FR 14678; 6/4/1973, 50 CFR 17.95(b) ^{CH} .
Crane, Siberian white	Grus leucogeranus	Wherever found	E	35 FR 18319; 12/2/1970.
Crane, white-naped	Grus vipio	Wherever found	E	41 FR 24062; 6/14/1976.
Crane, whooping	Grus americana	Wherever found, except where listed as	E	32 FR 4001; 3/11/1967, 35 FR 8491; 3/
3		an experimental population.		9/1978 50 CFR 17.95(b) CH.
Crane, whooping	Grus americana	U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN,	XN	58 FR 5561; 1/22/1993, 62 FR 38932; 7/
3		IA, KY, LA, MI, MN, MS, MO, NC,		21/1997, 66 FR 33903; 6/26/2001, 76
		NM, OH, SC, TN, UT, VA, WI, WV,		FR 6066; 2/3/2011, 50 CFR
		western half of WY).		17.84(h) ¹⁰ j.
Creeper, Hawaii	Oreomystis mana	Wherever found	E	40 FR 44149; 9/25/1975.
Creeper, Molokai	Paroreomyza flammea	Wherever found	Ē	35 FR 16047; 10/13/1970.
Creeper, Oahu	Paroreomyza maculata	Wherever found	Ē	35 FR 16047; 10/13/1970.
Crow, Hawaiian	Corvus hawaiiensis	Wherever found	E	32 FR 4001; 3/11/1967.
Crow, Mariana	Corvus kubaryi	Wherever found	E	49 FR 33881; 8/27/1984, 50 CFR
,				17.95(b) ^{CH} .
Crow, white-necked	Corvus leucognaphalus	Wherever found	E	56 FR 13598; 4/3/1991.
Cuckoo, yellow-billed [Western DPS]	Coccyzus americanus	Western DPS: U.S.A. (AZ. CA. CO	Ī	79 FR 59991; 10/3/2014.
		(western), ID, MT (western), NM	-	1
		(western), NV, OR, TX (western), UT,		
		WA, WY (western)); Canada (British		
		Columbia (southwestern); Mexico		
		(Baja California, Baja California Sur,		
		Chihuahua, Durango (western),		
		Sinaloa, Sonora).		
Cuckoo-shrike, Mauritius	Coquus typicus	Wherever found	E	35 FR 8491; 6/2/1970.
Cuckoo-shrike, Reunion	Coquus newtoni	Wherever found	Ē	35 FR 8491; 6/2/1970.
Curassow, blue-billed	Crax alberti	Wherever found	Ē	78 FR 64637; 10/29/2013.
Curassow, razor-billed	Mitu mitu mitu	Wherever found	ΙĒ	41 FR 24062; 6/14/1976.
Curassow, red-billed	Crax blumenbachii	Wherever found	Ē	35 FR 18319; 12/2/1970.
Curassow, Trinidad white-headed	Pipile pipile pipile	Wherever found	Ē	35 FR 8491; 6/2/1970.
Curlew, Eskimo	Numenius borealis	Wherever found	Ē	32 FR 4001; 3/11/1967, 35 FR 8491; 6/
,			-	2/1970.
Curlew, slender-billed	Numenius tenuirostris	Wherever found	E	76 FR 50052; 8/11/2011.
Dove, cloven-feathered	Drepanoptila holosericea	Wherever found	E	35 FR 8491; 6/2/1970.
Dove, Grenada gray-fronted	Leptotila rufaxilla wellsi	Wherever found	Ē	35 FR 8491; 6/2/1970.
Duck, Hawaiian	Anas wyvilliana	Wherever found	Ē	32 FR 4001; 3/11/1967.
Duck, Laysan	Anas laysanensis	Wherever found	E	32 FR 4001; 3/11/1967.
Duck, pink-headed	Rhodonessa caryophyllacea	Wherever found	E	41 FR 24062; 6/14/1976.
Duck, white-winged wood	Cairina scutulata	Wherever found	E	35 FR 8491; 6/2/1970.
Eagle, Greenland white-tailed	Haliaeetus albicilla groenlandicus	Wherever found	E	41 FR 24062; 6/14/1976.
Eagle, harpy	Harpia harpyja	Wherever found	E	41 FR 24062; 6/14/1976.
Eagle, Madagascar sea	Haliaeetus vociferoides	Wherever found	E	60 FR 2899; 1/12/1995.
Eagle, Madagascar serpent	Eutriorchis astur	Wherever found		60 FR 2899; 1/12/1995.
Eagle, Philippine	Pithecophaga jefferyi	Wherever found	E	35 FR 8491; 6/2/1970.
Eagle, Spanish imperial	Aquila heliaca adalberti	Wherever found	Ē	35 FR 8491; 6/2/1970.
Egret, Chinese	Egretta eulophotes	Wherever found	E	35 FR 8491; 6/2/1970.
Eider, spectacled	Somateria fischeri	Wherever found	T	58 FR 27474; 5/10/1993, 50 CFR
· · · · · · · · · · · · · · · · · · ·				17.95(b) ^{CH} .
Eider, Steller's [AK Breeding DPS]	Polysticta stelleri	U.S.A. (AK breeding population only)	Т	62 FR 31748; 6/11/1997, 50 CFR
- ,				17.95(b) ^{CH} .
Elepaio, Oahu	Chasiempis ibidis	Wherever found	E	65 FR 20760; 4/18/2000, 50 CFR
Follow Francisco a	Fotos managina	\A#======= .	_	17.95(b) ^{CH} .
Falcon, Eurasian peregrine	Falco peregrinus peregrinus	Wherever found	E	41 FR 24062; 6/14/1976.
Falcon, northern aplomado	Falco femoralis septentrionalis	Wherever found, except where listed as	E	51 FR 6686; 2/25/1986.
Falcon, northern aplomado	Falco femoralis septentrionalis	an experimental population. U.S.A. (AZ, NM)	XN	71 FR 42298; 7/26/2006, 50 CFR
*				17.84(p) ^{10j} .
Finch, Laysan (honeycreeper)	Telespyza cantans	Wherever found	E	32 FR 4001; 3/11/1967.
Finch, Nihoa (honeycreeper)	Telespyza ultima	Wherever found	Ē	32 FR 4001; 3/11/1967.
Fire-eye, fringed-backed	Pyriglena atra	Wherever found	E	75 FR 81794; 12/28/2010.
Flamingo, Andean	Phoenicoparrus andinus	Wherever found	E	75 FR 50814; 8/17/2010.
Flycatcher, Euler's	Empidonax euleri johnstonei	Wherever found	E	35 FR 8491; 6/2/1970.
Flycatcher, Seychelles paradise	Terpsiphone corvina	Wherever found	E	35 FR 8491; 6/2/1970.
Flycatcher, southwestern willow	Empidonax traillii extimus	Wherever found	E	60 FR 10695; 2/27/1995, 50 CFR
				17.95(b) ^{CH} .
Flycatcher, Tahiti	Pomarea nigra	Wherever found	E	35 FR 8491; 6/2/1970.
Fody, Mauritius	Foudia rubra	Wherever found	E	60 FR 2899; 1/12/1995.
Fody, Rodrigues	Foudia flavicans	Wherever found	E	60 FR 2899; 1/12/1995.
Fody, Seychelles (weaver-finch)	Foudia sechellarum	Wherever found	E	35 FR 8491; 6/2/1970.
Francolin, Djibouti	Francolinus ochropectus	Wherever found	E	60 FR 2899; 1/12/1995.
Frigatebird, Andrew's	Fregata andrewsi	Wherever found	E	41 FR 24062; 6/14/1976.
	Gallinula chloropus (=galeata)	Wherever found	E	32 FR 4001; 3/11/1967.
Gallinule, Hawaiian common (Alae ula)				
Gallinule, Hawaiian common (Alae ula)	sandvicensis.		I —	1
Gallinule, Hawaiian common (Alae ula)	sandvicensis. Polioptila californica californica	Wherever found	T	58 FR 16742; 3/30/1993, 50 CFR
Gnatcatcher, coastal California	Polioptila californica californica			17.41(b) 4d, 50 CFR 17.95(b) CH.
Gnatcatcher, coastal California	Polioptila californica californica Branta (=Nesochen) sandvicensis	Wherever found	E	17.41(b) ^{4d} , 50 CFR 17.95(b) ^{CH} . 32 FR 4001; 3/11/1967.
Gnatcatcher, coastal California	Polioptila californica californica Branta (=Nesochen) sandvicensis Accipiter fasciatus natalis	Wherever found	E E	17.41(b) ^{4d} , 50 CFR 17.95(b) ^{CH} . 32 FR 4001; 3/11/1967. 35 FR 8491; 6/2/1970.
Gnatcatcher, coastal California	Polioptila californica californica Branta (=Nesochen) sandvicensis	Wherever found	E	17.41(b) ^{4d} , 50 CFR 17.95(b) ^{CH} . 32 FR 4001; 3/11/1967.

			I	
Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Grackle, slender-billed	Quisicalus palustris	Wherever found	E	35 FR 8491; 6/2/1970.
Grasswren, Eyrean (flycatcher)	Amytornis goyderi	Wherever found	E	35 FR 8491; 6/2/1970.
Grebe, AlaotraGrebe, Atitlan	Tachybaptus rufoflavatusPodilymbus qiqas	Wherever foundWherever found	E E	60 FR 2899; 1/12/1995. 35 FR 8491; 6/2/1970.
Grebe, Junín	Podiceps taczanowskii	Wherever found	E	77 FR 43434: 7/24/2012.
Greenshank, Nordmann's	Tringa guttifer	Wherever found	Ė	41 FR 24062; 6/14/1976.
Ground-cuckoo, southeastern rufous-vented	Neomorphus geoffroyi dulcis	Wherever found	Ē	75 FR 81794; 12/28/2010.
Guan, cauca	Penelope perspicax	Wherever found	E	78 FR 64637; 10/29/2013.
Guan, horned	Oreophasis derbianus	Wherever found	E	35 FR 8491; 6/2/1970.
Guan, white-winged	Penelope albipennis	Wherever found	E	55 FR 39858; 9/28/1990.
Guineafowl, white-breasted	Agelastes meleagrides	Wherever found	Τ	60 FR 2899; 1/12/1995.
Gull, Audouin's	Larus audouinii	Wherever found	E	35 FR 8491; 6/2/1970.
Gull, relict	Larus relictus	Wherever found	E	41 FR 24062; 6/14/1976.
Hawk, Galapagos	Buteo galapagoensis	Wherever foundWherever found	E	35 FR 8491; 6/2/1970.
Hawk, Hawaiian Hawk, Puerto Rican broad-winged	Buteo solitarius Buteo platypterus brunnescens	Wherever found	Ē	32 FR 4001; 3/11/1967. 59 FR 46710; 9/9/1994.
Hawk, Puerto Rican sharp-shinned	Accipiter striatus venator	Wherever found	Ē	59 FR 46710; 9/9/1994.
Hermit, hook-billed (hummingbird)	Ramphodon (=Glaucis) dohrnii	Wherever found	Ē	41 FR 24062; 6/14/1976.
Hermit, Margaretta's	Phaethornis malaris margarettae	Wherever found	Ē	75 FR 81794; 12/28/2010.
Honeycreeper, crested (Akohekohe)	Palmeria dolei	Wherever found	Ē	32 FR 4001; 3/11/1967, 50 CFR
				17.95(b) ^{CH} .
Honeyeater, helmeted	Lichenostomus melanops cassidix (=Meliphaga c.).	Wherever found	E	35 FR 18319; 12/2/1970.
Hornbill, helmeted	Buceros (=Rhinoplax) vigil	Wherever found	E	41 FR 24062; 6/14/1976.
Hummingbird, Honduran emerald	Amazilia luciae	Wherever found	E	80 FR 45086; 7/29/2015.
Ibis, giant	Pseudibis gigantea	Wherever found	E	73 FR 3146; 1/16/2008.
Ibis, Japanese crested	Nipponia nippon	Wherever found	E	35 FR 8491; 6/2/1970.
lbis, northern bald	Geronticus eremita	Wherever found	E	55 FR 39858; 9/28/1990.
Kagu	Rhynochetos jubatus	Wherever found	E	35 FR 8491; 6/2/1970.
Kakapo	Strigops habroptilus	Wherever found	E	35 FR 8491; 6/2/1970.
Kestrel, Mauritius	Falco punctatus	Wherever found	E	35 FR 8491; 6/2/1970.
Kestrel, Seychelles	Falco araea	Wherever found	E	35 FR 8491; 6/2/1970.
Kingfisher, Guam Micronesian	Halcyon cinnamomina cinnamomina	Wherever found	E	49 FR 33881; 8/27/1984, 69 FR 62943; 10/28/2004, 50 CFR 17.95(b) ^{CH} .
Kite. Cuba hook-billed	Chondrohierax uncinatus wilsonii	Wherever found	E	35 FR 8491; 6/2/1970.
Kite, Grenada hook-billed	Chondrohierax uncinatus mirus	Wherever found	Ē	35 FR 8491: 6/2/1970.
Kite, snail (Everglade)	Rostrhamus sociabilis plumbeus	U.S.A. (FL)	Ē	32 FR 4001; 3/11/1967, 50 CFR
· · · · · · · · · · · · · · · · · · ·		()	_	17.95(b) ^{CH} .
Knot, rufa red	Calidris canutus rufa	Wherever found	Т	79 FR 73705; 12/11/2014.
Kokako (wattlebird)	Callaeas cinerea	Wherever found	E	35 FR 8491; 6/2/1970.
Lark, Raso	Alauda razae	Wherever found	E	60 FR 2899; 1/12/1995.
Lark, streaked horned	Eremophila alpestris strigata	Wherever found	T	78 FR 61451; 10/3/2013, 50 CFR
				17.41(a) ^{4d} , 50 CFR 17.95(b) ^{CH} .
Macaw, blue-throated	Ara glaucogularis	Wherever found	E	78 FR 61208; 10/3/2013.
Macaw, glaucous	Anodorhynchus glaucus	Wherever found	E	41 FR 24062; 6/14/1976.
Macaw, great green	Ara ambiguus	Wherever found	E	80 FR 59975; 10/2/2015.
Macaw, indigo	Anodorhynchus leari	Wherever found	Ē	41 FR 24062; 6/14/1976.
Macaw, little blue	Cyanopsitta spixii	Wherever found	E	41 FR 24062; 6/14/1976.
Macaw, military	Ara militaris	Wherever found Wherever found	E E	80 FR 59975; 10/2/2015.
Magpie-robin, Seychelles (thrush)	Copsychus sechellarum	Wherever found	Ē	35 FR 8491; 6/2/1970. 60 FR 2899; 1/12/1995.
Malkoha, red-faced (cuckoo)	Phaenicophaeus pyrrhocephalus	Wherever found	Ė	35 FR 8491; 6/2/1970.
Megapode, Maleo	Macrocephalon maleo	Wherever found	Ē	35 FR 8491; 6/2/1970.
Megapode, Micronesian (=La Perouse's)	Megapodius laperouse	Wherever found	Ē	35 FR 8491; 6/2/1970.
Merganser, Brazilian	Mergus octosetaceus	Wherever found	E	75 FR 81794; 12/28/2010.
Millerbird, Nihoa (old world warbler)	Acrocephalus familiaris kingi	Wherever found	E	32 FR 4001; 3/11/1967.
Mockingbird, Socorro	Mimus Graysoni	Wherever found	E	73 FR 3146; 1/16/2008.
Moorhen, Mariana common	Gallinula chloropus guami	Wherever found	E	49 FR 33881; 8/27/1984.
Murrelet, marbled [CA, OR, WA DPS]	Brachyramphus marmoratus	U.S.A. (CA, OR, WA)	T	57 FR 45337; Oct 1/1992, 50 CFR
Nightiar, Puerto Rican	Caprimulaus noctitherus	Wherever found	E	17.95(b) ^{CH} . 38 FR 14678: 6/4/1973.
Nukupuu, Kauai	Hemignathus hanapepe	Wherever found	Ē	32 FR 4001; 3/11/1967, 35 FR 16047;
				10/13/1970.
Nukupuu, Maui	Hemignathus affinis	Wherever found	E	35 FR 16047; 10/13/1970.
Nuthatch, Algerian	Sitta ledanti	Wherever found	E	60 FR 2899; 1/12/1995.
'O'o, Kauai (honeyeater)	Moho braccatus	Wherever found	E	32 FR 4001; 3/11/1967.
Ostrich, Arabian	Struthio camelus syriacus	Wherever found	E	35 FR 8491; 6/2/1970.
Ostrich, West African	Struthio camelus spatzi	Wherever found	E	35 FR 8491; 6/2/1970.
'O'u (honeycreeper)	Psittirostra psittacea	Wherever foundWherever found	E	32 FR 4001; 3/11/1967. 35 FR 8491; 6/2/1970.
Owl, Anjouan scops Owl, giant scops	Otus rutilus capnodes Mimizuku (=Otus) gurneyi	Wherever found	E	
Owl, Madagascar red	Tyto soumagnei	Wherever found	E	41 FR 24062; 6/14/1976. 55 FR 39858; 9/28/1990.
Owl, Mexican spotted	Strix occidentalis lucida	Wherever found	T	55 FR 39858; 9/28/1990. 58 FR 14248; 3/16/1993 50 CFR
•				17.95(b) ^{CH} .
Owl, northern spotted	Strix occidentalis caurina	Wherever found	Т	55 FR 26114; 6/26/1990, 50 CFR
Owl, Seychelles scops	Otus magicus (=insularis) insularis	Wherever found	E	17.95(b) ^{CH} . 35 FR 8491; 6/2/1970.
Owlet, Morden's	Otus ireneae	Wherever found	E	35 FR 8491; 6/2/1970.
Oystercatcher, Canarian black	Haematopus meadewaldoi	Wherever found	Ē	60 FR 2899; 1/12/1995.
Palila (honeycreeper)	Loxioides bailleui	Wherever found	Ē	32 FR 4001; 3/11/1967, 50 CFR
(17.95(b) ^{CH} .
Paradise-flycatcher, caerulean	Eutrichomyias rowleyi	Wherever found	E	73 FR 3146; 1/16/2008.
Parakeet, blue-throated (=ochre-marked)	Pyrrhura cruentata	Wherever found	E	35 FR 8491; 6/2/1970.
Parakeet, Forbes'	Cyanoramphus auriceps forbesi	Wherever found	E	35 FR 8491; 6/2/1970.
Parakeet, golden	Aratinga guarouba	Wherever found	E	41 FR 24062; 6/14/1976.
Parakeet, golden-shouldered	Psephotus chrysopterygius	Wherever found	E	35 FR 8491; 6/2/1970.
	Psittacula echo	Wherever found	E	35 FR 8491; 6/2/1970.
Parakeet, Mauritius	Cyanoramphus cookii (=novaezelandiae	Wherever found	E	55 FR 39858; 9/28/1990.
				I
Parakeet, Norfolk Island	c.).		l _	
Parakeet, Norfolk Island	c.). Neophema chrysogaster	Wherever found	Ē	35 FR 18319; 12/2/1970.
Parakeet, Norfolk Island Parakeet, orange-bellied Parakeet, paradise	c.). Neophema chrysogaster Psephotus pulcherrimus	Wherever found	E	35 FR 18319; 12/2/1970.
Parakeet, Norfolk Island Parakeet, orange-bellied Parakeet, paradise Parakeet, scarlet-chested	c.). Neophema chrysogaster Psephotus pulcherrimus Neophema splendida	Wherever foundWherever found	E E	35 FR 18319; 12/2/1970. 35 FR 18319; 12/2/1970.
Parakeet, Mauritius Parakeet, Norfolk Island Parakeet, orange-bellied Parakeet, paradise Parakeet, scarlet-chested Parakeet, turquoise Parakeet, Urquoise	c.). Neophema chrysogaster Psephotus pulcherrimus Neophema splendida Neophema pulchella	Wherever found	E E E	35 FR 18319; 12/2/1970. 35 FR 18319; 12/2/1970. 35 FR 8491; 6/2/1970.
Parakeet, Norfolk Island Parakeet, orange-bellied Parakeet, paradise Parakeet, scarlet-chested	c.). Neophema chrysogaster Psephotus pulcherrimus Neophema splendida	Wherever foundWherever found	E E	35 FR 18319; 12/2/1970. 35 FR 18319; 12/2/1970.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Parrot, imperial	Amazona imperialis	Wherever found	E	35 FR 8491; 6/2/1970.
Parrot, night (=Australian)	Geopsittacus occidentalis	Wherever found	Ē	35 FR 8491; 6/2/1970.
Parrot, Puerto Rican	Amazona vittata	Wherever found	E	32 FR 4001; 3/11/1967.
Parrot, red-browed	Amazona rhodocorytha	Wherever found	E	35 FR 8491; 6/2/1970.
Parrot, red-capped	Pionopsitta pileata	Wherever found	E	41 FR 24062; 6/14/1976.
Parrot, red-necked	Amazona arausiaca	Wherever found	E	44 FR 37124; 6/25/1979.
Parrot, red-spectacled	Amazona pretrei pretrei	Wherever found	E	41 FR 24062; 6/14/1976.
Parrot, red-tailed	Amazona brasiliensis	Wherever found	E	55 FR 39858; 9/28/1990.
Parrot, Seychelles lesser vasa	Coracopsis nigra barklyi	Wherever found	E	60 FR 2899; 1/12/1995.
Parrot, St. Vincent	Amazona guildingii	Wherever found	E	35 FR 8491; 6/2/1970. 35 FR 8491; 6/2/1970.
Parrot, thick-billed	Rhynchopsitta pachyrhyncha	Mexico	Ē	35 FR 8491; 6/2/1970.
Parrot, vinaceous-breasted	Amazona vinacea	Wherever found	Ē	41 FR 24062; 6/14/1976.
Parrot, yellow-billed	Amazona collaria	Wherever found	T	78 FR 15624; 3/12/2013, 50 CFR
Parrotbill, Maui (Kiwikiu)	Pseudonestor xanthophrys	Wherever found	E	17.41(c) ^{4d} . 32 FR 4001; 3/11/1967, 50 CFR 17.95(b) ^{CH} .
Penguin, African	Spheniscus demersus	Wherever found	E	75 FR 59645; 9/28/2010.
Penguin, erect-crested	Eudyptes sclateri	Wherever found	<u>T</u>	75 FR 45497; 8/3/2010.
Penguin, Fiordland crested	Eudyptes pachyrhynchus	Wherever found	T	75 FR 45497; 8/3/2010.
Penguin, Galapagos	Spheniscus mendiculus	Wherever found		35 FR 8491; 6/2/1970.
Penguin, Humboldt	Spheniscus humboldti	Wherever found	T	75 FR 45497; 8/3/2010.
Penguin, southern rockhopper [New Zealand-Australia DPS].	Eudyptes chrysocome	New Zealand-Australia DPS, associated with the Campbell Plateau and Macquarie Island.	Т	76 FR 9681; 2/22/2011.
Penguin, white-flippered	Eudyptula minor albosignata	Wherever found	Т	75 FR 45497; 8/3/2010.
Penguin, yellow-eyed	Megadyptes antipodes	Wherever found	Ť	75 FR 45497; 8/3/2010.
Petrel, Chatham	Pterodroma axillaris	Wherever found	Ė	74 FR 46914; 9/14/2009.
Petrel, Fiji	Pseudobulweria macgillivrayi	Wherever found		74 FR 46914; 9/14/2009.
Petrel, Galapagos	Pterodroma phaeopygia	Wherever found	T	75 FR 235; 1/5/2010.
Petrel, Hawaiian	Pterodroma sandwichensis	Wherever found	Ė	32 FR 4001; 3/11/1967.
Petrel, Madeira	Pterodroma madeira	Wherever found	E	60 FR 2899; 1/12/1995.
Petrel, magenta	Pterodroma magentae	Wherever found	E	74 FR 46914; 9/14/2009.
Petrel, Mascarene black	Pterodroma aterrima	Wherever found	Ē	60 FR 2899; 1/12/1995.
Pheasant, bar-tailed	Syrmaticus humaie	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, Blyth's tragopan	Tragopan blythii	Wherever found		35 FR 8491; 6/2/1970.
Pheasant, brown eared	Crossoptilon mantchuricum	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, Cabot's tragopan	Tragopan caboti	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, cheer	Catreus wallichii	Wherever found	E	55 FR 39858; 9/28/1990.
Pheasant, Chinese monal	Lophophorus Ihuysii	Wherever found		35 FR 8491; 6/2/1970.
Pheasant, Edward's	Lophura edwardsi	Wherever found		35 FR 8491; 6/2/1970.
Pheasant, Elliot's	Syrmaticus ellioti	Wherever found		41 FR 24062; 6/14/1976.
Pheasant, imperial	Lophura imperialis	Wherever found		35 FR 8491; 6/2/1970.
Pheasant, Mikado	Syrmaticus mikado	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, Palawan peacock	Polyplectron emphanum	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, Sclater's monal	Lophophorus sclateri	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, Swinhoe's	Lophura swinhoii	Wherever found		35 FR 8491; 6/2/1970.
Pheasant, western tragopan	Tragopan melanocephalus	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, white eared	Crossoptilon crossoptilon	Wherever found	E	35 FR 18319; 12/2/1970.
Pigeon, Azores wood	Columba palumbus azorica	Wherever found	E	35 FR 8491; 6/2/1970.
Pigeon, Chatham Island	Hemiphaga novaeseelandiae chathamensis.	Wherever found	E	35 FR 8491; 6/2/1970.
Pigeon, Marquesan imperial	Ducula galeata	Wherever found	E	76 FR 50052; 8/11/2011. 41 FR 24062; 6/14/1976.
Pigeon, Mindoro imperial (=zone-tailed)	Ducula mindorensis	Wherever found	E	
Pigeon, pink	Columba mayeriColumba inornata wetmorei	Wherever found	E E	60 FR 2899; 1/12/1995.
Pigeon, Puerto Rican plain		Wherever found	-	35 FR 16047; 10/13/1970. 60 FR 2899; 1/12/1995.
Pigeon, white-tailed laurel	Columba junoniae Pipile jacutinga	Wherever found	Ė	41 FR 24062; 6/14/1976.
Pitta, Gurney's	Pitta gurneyi	Wherever found		73 FR 3146; 1/16/2008.
Pitta, Koch's	Pitta kochi	Wherever found		41 FR 24062; 6/14/1976.
Plantcutter, Peruvian	Phytotoma raimondii	Wherever found	ΙĒ	77 FR 43434; 7/24/2012.
Plover, New Zealand shore	Thinornis novaeseelandiae	Wherever found	Ē	35 FR 8491; 6/2/1970.
Plover, piping [Great Lakes watershed DPS]	Charadrius melodus	Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and		50 FR 50726; 12/11/1985, 50 CFR 17.95(b) ^{CH} .
Plover, piping [Atlantic Coast and Northern Great	Charadrius melodus	Canada (Ont.). Wherever found, except those areas	т	50 FR 50726; 12/11/1985, 50 CFR
Plains populations].		where listed as endangered.		17.95(b) ^{CH} .
Plover, western snowy [Pacific Coast population DPS].	Charadrius alexandrinus nivosus	Pacific Coast population DPS—U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast).	Т	58 FR 12864; 3/5/1993, 50 CFR 17.95(b) ^{CH} .
Pochard, Madagascar	Aythya innotata	Wherever found	E	60 FR 2899; 1/12/1995.
Poʻouli (honeycreeper)	Melamprosops phaeosoma	Wherever found	Ē	40 FR 44149; 9/25/1975.
Prairie-chicken, Attwater's greater	Tympanuchus cupido attwateri	Wherever found	Ē	32 FR 4001; 3/11/1967.
Puffleg, black-breasted	Eriocnemis nigrivestis	Wherever found	Ē	75 FR 43844; 7/27/2010.
Quail, Merriam's Montezuma	Cyrtonyx montezumae merriami	Wherever found	Ē	41 FR 24062; 6/14/1976.
Quetzel, resplendent	Pharomachrus mocinno	Wherever found	Ē	41 FR 24062; 6/14/1976.
Rail, Aukland Island	Rallus pectoralis muelleri	Wherever found	Ē	35 FR 8491; 6/2/1970.
Rail, California clapper	Rallus longirostris obsoletus	Wherever found	Ē	35 FR 16047; 10/13/1970.
Rail, Guam	Rallus owstoni	Wherever found, except where listed as an experimental population.	E	49 FR 14354; 4/11/1984, 49 FR 33881; 8/27/1984, 54 FR 43966; 10/30/1989.
Rail, Guam	Rallus owstoni	Rota	XN	54 FR 43966; 10/30/1989, 50 CFR 17.84(f) ¹⁰ j.
Rail, JunínRail, light-footed clapper	Laterallus tuerosi	Wherever found		77 FR 43434; 7/24/2012. 34 FR 5034; 3/8/1969, 35 FR 16047; 10/ 13/1970.
Rail, Lord Howe wood	Gallirallus (=Tricholimnas) sylvestris	Wherever found	E	41 FR 24062; 6/14/1976.
Rail, Yuma clapper	Rallus longirostris yumanensis	U.S.A. only		32 FR 4001; 3/11/1967.
Rhea, lesser (incl. Darwin's)	Rhea (=Pterocnemia) pennata	Wherever found		35 FR 8491; 6/2/1970.
Robin, Chatham Island	Petroica traversi	Wherever found	E	35 FR 8491; 6/2/1970.
Robin, dappled mountain	Arcanator orostruthus	Wherever found	Ţ	60 FR 2899; 1/12/1995.
Robin, scarlet-breasted (flycatcher)	Petroica multicolor multicolor	Wherever found		35 FR 8491; 6/2/1970.
Rockfowl, grey-necked	Picathartes oreas	Wherever found	E	35 FR 8491; 6/2/1970.
Rockfowl, white-necked	Picathartes gymnocephalus	Wherever found		35 FR 8491; 6/2/1970.
Roller, long-tailed ground	Uratelornis chimaera	Wherever found		35 FR 8491; 6/2/1970.
Sage-grouse, Gunnison	Centrocercus minimus	Wherever found	T	79 FR 69191; 11/20/2014, 50 CFR
	ı	I	I	17.95(b) ^{CH} .

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
				J 11
Scrub-bird, noisy	Atrichornis clamosus	Wherever found	E	35 FR 8491; 6/2/1970.
Scrub-jay, Florida	Aphelocoma coerulescens	Wherever found	T	52 FR 20715; 6/3/1987.
Shama, Cebu black (thrush)	Copsychus niger cebuensis	Wherever found	E	35 FR 8491; 6/2/1970.
Shearwater, Heinroth's	Puffinus heinrothi	Wherever found	Ī	75 FR 235; 1/5/2010.
Shearwater, Newell's Townsend's	Puffinus auricularis newelli	Wherever found	T	40 FR 44149; 9/25/1975.
Shrike, San Clemente loggerhead	Lanius ludovicianus mearnsi	Wherever found	E	42 FR 40682; 8/11/1977.
Siskin, red	Carduelis cucullata	Wherever found		41 FR 24062; 6/14/1976.
Sparrow, Cape Sable seaside	Ammodramus maritimus mirabilis	Wherever found	E	32 FR 4001; 3/11/1967, 50 CFR
0 51:1			_	17.95(b) ^{CH} .
Sparrow, Florida grasshopper	Ammodramus savannarum floridanus	Wherever found	E	51 FR 27492; 7/31/1986.
Sparrow, San Clemente sage	Amphispiza belli clementeae	Wherever found	T E	42 FR 40682; 8/11/1977.
Sparrowhawk, Anjouan Island	Accipiter francesii pusillus	Wherever foundWherever found		35 FR 8491; 6/2/1970. 35 FR 8491: 6/2/1970.
Starling, Ponape mountain	Leucopsar rothschildi	Wherever found	E	35 FR 8491; 6/2/1970. 35 FR 8491; 6/2/1970.
Stilt, black	Himantopus novaezelandiae	Wherever found	Ē	73 FR 3146: 1/16/2008.
Stilt, Hawaiian	Himantopus mexicanus (=himantopus)	Wherever found	Ē	35 FR 16047; 10/13/1970.
Suit, HawaiiaH	knudseni.	Wilelevel louild	-	33 111 10047, 10/13/1970.
Stork, oriental white	Ciconia boyciana (=ciconia b.)	Wherever found	E	35 FR 8491; 6/2/1970.
Stork, wood [Southeast U.S. DPS]	Mycteria americana	U.S.A. (AL, FL, GA, MS, NC, SC)	۱Ŧ	49 FR 7332; 2/28/1984, 79 FR 37077; 6/
ctorit, moda [codaridade cici bi o]	myotona amenoana miimi	0.00 to (1.12), 1.21, 00 to (1.10), 1.10, 1.10, 1.10	-	30/2014.
Sunbird, Marungu	Nectarinia prigoginei	Wherever found	E	60 FR 2899; 1/12/1995.
Swiftlet, Mariana gray	Aerodramus vanikorensis bartschi	Wherever found		49 FR 33881; 8/27/1984.
Tanager, cherry-throated	Nemosia rourei	Wherever found	Ē	75 FR 81794; 12/28/2010.
Teal, Campbell Island flightless	Anas aucklandica nesiotis	Wherever found	Ē	41 FR 24062; 6/14/1976.
Tern, California least	Sterna antillarum browni	Wherever found		35 FR 16047; 10/13/1970, 35 FR 8491;
,				6/2/1970.
Tern, least [Interior DPS]	Sterna antillarum	U.S.A. (AR, CO, IA, IL, IN, KS, KY, LA-	E	50 FR 21784; 5/28/1985.
-		Miss. R. and tribs. N of Baton Rouge,		
		MS-Miss. R., MO, MT, ND, NE, NM,		
		OK, SD, TN, TX-except within 50		
		miles of coast).		
Tern, roseate [Northeast U.S. nesting population	Sterna dougallii dougallii	U.S.A. (Atlantic Coast south to NC),	E	52 FR 42064; 11/2/1987.
DPS].		Canada (Newf., N.S, Que.), Bermuda.		
Tern, roseate [Western Hemisphere DPS]	Sterna dougallii dougallii	Western Hemisphere and adjacent	Т	52 FR 42064; 11/2/1987.
		oceans, incl. U.S.A. (FL, PR, VI),		
		where not listed as endangered.		
Thicketbird, long-legged	Trichocichla rufa	Wherever found	E	73 FR 3146; 1/16/2008.
Thrasher, white-breasted	Ramphocinclus brachyurus	Wherever found	E	35 FR 8491; 6/2/1970.
Thrush, large Kauai	Myadestes myadestinus	Wherever found	E	35 FR 16047; 10/13/1970.
Thrush, Molokai	Myadestes lanaiensis rutha	Wherever found		35 FR 16047; 10/13/1970.
Thrush, New Zealand (wattlebird)	Turnagra capensis	Wherever found	E	35 FR 8491; 6/2/1970.
Thrush, small Kauai	Myadestes palmeri	Wherever found	E	32 FR 4001; 3/11/1967.
Thrush, St. Lucia forest	Cichlherminia Iherminieri sanctaeluciae	Wherever found		75 FR 50814; 8/17/2010.
Thrush, Taita	Turdus olivaceous helleri	Wherever found	Ē	60 FR 2899; 1/12/1995.
Tinamou, solitary	Tinamus solitarius	Wherever found	E	41 FR 24062; 6/14/1976.
Tit-spinetail, white-browed	Leptasthenura xenothorax	Wherever found		77 FR 43434; 7/24/2012.
Tit-tyrant, ash-breasted	Anairetes alpinus	Wherever found	E	77 FR 43434; 7/24/2012.
Tody-tyrant, Kaempfer's	Hemitriccus kaempferi	Wherever found	T	75 FR 81794; 12/28/2010. 52 FR 28780; 8/3/1987, 50 CFR
Towhee, Inyo California	Pipilo crissalis eremophilus	Wherever found	'	52 FR 28780; 8/3/1987, 50 CFR 17.95(b) ^{CH} .
Tree-finch, medium	Camarhynchus pauper	Wherever found	E	75 FR 43853; 7/27/2010.
Trembler, Martinique (thrasher)	Cinclocerthia ruficauda gutturalis	Wherever found		35 FR 8491; 6/2/1970.
Turaco, Bannerman's	Tauraco bannermani	Wherever found	E	60 FR 2899; 1/12/1995.
Turtle-dove, Seychelles	Streptopelia picturata rostrata	Wherever found		60 FR 2899; 1/12/1995.
Vanga, Pollen's	Xenopirostris polleni	Wherever found		60 FR 2899; 1/12/1995.
Vanga, Van Dam's	Xenopirostris damii	Wherever found	Ι ΄	60 FR 2899; 1/12/1995.
Vireo, black-capped	Vireo atricapillus	Wherever found		52 FR 37420; 10/6/1987.
Vireo, least Bell's	Vireo bellii pusillus	Wherever found		51 FR 16474; 5/2/1986, 50 CFR
,	· · · · · · · · · · · · · · · · · · ·		-	17.95(b) ^{CH} .
Wanderer, plain (collared-hemipode)	Pedionomous torquatus	Wherever found	E	38 FR 14678; 6/4/1973.
Warbler, Aldabra (old world warbler)	Nesillas aldabranus	Wherever found	E	60 FR 2899; 1/12/1995.
Warbler (wood), Bachman's	Vermivora bachmanii	Wherever found	Ē	32 FR 4001; 3/11/1967, 35 FR 8491; 6/
, ,				2/1970.
Warbler (wood), Barbados yellow	Dendroica petechia petechia	Wherever found	E	35 FR 8491; 6/2/1970.
Warbler, elfin-woods	Setophaga angelae	Wherever found	Т	81 FR 40534; 6/22/2016, 50 CFR
				17.41(e) ^{4d} .
Warbler (wood), golden-cheeked	Dendroica chrysoparia	Wherever found	E	55 FR 18844; 5/4/1990, 55 FR 53153;
M 11 (N 12 " "	5		_	12/27/1990.
Warbler (wood), Kirtland's	Dendroica kirtlandii	Wherever found	E	32 FR 4001; 3/11/1967, 35 FR 8491; 6/
	l. ,,		_	2/1970.
Warbler, Eiao Marquesas reed-	Acrocephalus percernis aquilonis	Wherever found	Ē	76 FR 50052; 8/11/2011.
Warbler, nightingale reed, (old world warbler)	Acrocephalus Iuscinia	Wherever found	E	35 FR 8491; 6/2/1970, 35 FR 18319; 12/
w.u. 5 !!	1		_	2/1970.
Warbler, Rodrigues (old world warbler)	Bebrornis rodericanus	Wherever found	E	35 FR 8491; 6/2/1970.
Warbler (wood), Semper's	Leucopeza semperi	Wherever found	E	35 FR 8491; 6/2/1970.
Warbler, Seychelles (old world warbler)	Bebrornis sechellensis	Wherever found		35 FR 8491; 6/2/1970.
Wattle-eye, banded	Platysteira laticincta	Wherever found	E E	60 FR 2899; 1/12/1995.
Weaver, Clarke's	Ploceus golandi	Wherever found		60 FR 2899; 1/12/1995.
White eve bridged	Psophodes nigrogularis	Wherever found		35 FR 8491; 6/2/1970.
White-eye, bridled	Zosterops conspicillatus conspicillatus	Wherever found	E E	49 FR 33881; 8/27/1984.
White-eye, Norfolk Island	Zosterops albogularis	Wherever found	E	41 FR 24062; 6/14/1976.
White-eye, Ponape greater		Wherever found	E	35 FR 8491; 6/2/1970.
White-eye, Rota bridled	Zosterops rotensis	vviielevel louliū	=	69 FR 3022; 1/22/2004, 50 CFR 17.95(b) ^{CH} .
White-eve Sevehollos	Zosterops modesta	Wherever found	E	
White-eye, Seychelles				35 FR 8491; 6/2/1970.
Woodpecker, inperial	Campephilus imperialis	Wherever found	E E	35 FR 8491; 6/2/1970.
Woodpecker, ivory-billed	Campephilus principalis	vviidievel louliu	-	32 FR 4001; 3/11/1967, 35 FR 8491; 6/
Woodpecker, red-cockaded	Picoides borealis	Wherever found	E	2/1970. 35 FR 16047: 10/13/1970
Woodpecker, red-cockaded	Dryocopus javensis richardsi	Wherever found		35 FR 16047; 10/13/1970. 35 FR 8491; 6/2/1970.
Wood-quail, gorgeted	Odontophorus strophium	Wherever found		78 FR 64637; 10/29/2013.
Woodstar, Chilean	Eulidia yarrellii	Wherever found	E	75 FR 50814; 8/17/2010.
Woodstar, Esmeraldas	Chaetocercus berlepschi	Wherever found	Ē	78 FR 64637; 10/29/2013.
Wren, Guadeloupe house	Troglodytes aedon quadeloupensis	Wherever found		35 FR 8491; 6/2/1970.
Wren, St. Lucia house	Troglodytes aedon mesoleucus	Wherever found		35 FR 8491; 6/2/1970.
. ,			-	: = :=:, =:=::=: * !

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
	Solomino mamo	Timere ileied	Ciaiao	
REPTILES Alligator, American	Alligator mississippiensis	Wherever found	T(S/A)	32 FR 4001; 3/11/1967, 40 FR 44412; 9/
Alligator, American	Alligator mississippiensis	Wherever lound	1(3/A)	26/1975, 42 FR 2071; 1/10/1977, 44
				FR 37130; 6/25/1979, 44 FR 59080;
				10/12/1979, 46 FR 40664; 8/10/1981,
				48 FR 46332; 10/12/1983, 50 FR 25672; 6/20/1985, 52 FR 21059; 6/4/
				1987, 50 CFR 17.42(a) ^{4d} .
Alligator, Chinese	Alligator sinensis	Wherever found	E	41 FR 24062; 6/14/1976.
Anole, Culebra Island giant	Anolis roosevelti	Wherever found	E	42 FR 37371; 7/21/1977, 50 CFR 17.95(c) ^{CH} .
Boa, Jamaican	Epicrates subflavus	Wherever found	E	35 FR 8491; 6/2/1970.
Boa, Mona	Epicrates monensis monensis	Wherever found	Т	43 FR 4618; 2/3/1978, 50 CFR
Dec Durate Disease	Followskin in company	W/Is a reason for and	_	17.95(c) ^{CH} .
Boa, Puerto Rican	Epicrates inornatus Bolveria multocarinata	Wherever found	E	35 FR 16047; 10/13/1970. 45 FR 18009; 3/20/1980.
Boa, Round Island (unnamed)	Casarea dussumieri	Wherever found		45 FR 18009; 3/20/1980.
Boa, Virgin Islands tree	Epicrates monensis granti	Wherever found	E	35 FR 16047; 10/13/1970, 44 FR 70677;
Caiman, Apaporis River	Caiman crocodilus apaporiensis	Wherever found	E	12/7/1979. 41 FR 24062; 6/14/1976.
Caiman, black	Melanosuchus niger	Wherever found		41 FR 24062; 6/14/1976. 41 FR 24062; 6/14/1976.
Caiman, broad-snouted [Bolivia, Brazil, Paraguay,	Caiman latirostris	Bolivia, Brazil, Paraguay, Uruguay		41 FR 24062; 6/14/1976.
Uruguay DPS].			_	TO TO 00100 0/05/0010 TO 05D
Caiman, broad-snouted [Argentina DPS]	Caiman latirostris	Argentina	Т	78 FR 38162; 6/25/2013, 50 CFR 17.42(c) 4d.
Caiman, brown	Caiman crocodilus fuscus (includes	Wherever found	T(S/A)	65 FR 25867; 5/4/2000, 50 CFR
	Caiman crocodilus chiapasius).		` '	17.42(c) ^{4d} .
Caiman, common	Caiman crocodilus crocodilus	Wherever found	T(S/A)	65 FR 25867; 5/4/2000, 50 CFR
Caiman, yacare	Caiman yacare	Wherever found	Т	17.42(c) ^{4d} . 35 FR 8491; 6/2/1970, 65 FR 25867; 5/
Jaman, yacare	Caman yacare	vviierever rouriu	'	4/2000, 50 CFR 17.42(c) ^{4d} .
Chuckwalla, San Esteban Island	Sauromalus varius	Wherever found		45 FR 18009; 3/20/1980.
Crocodile, African dwarf	Osteolaemus tetraspis tetraspis	Wherever found		41 FR 24062; 6/14/1976.
Crocodile, African slender-snouted	Crocodylus cataphractus	Wherever found		37 FR 6476; 3/30/1972. 40 FR 44149; 9/25/1975, 44 FR 75074;
Crocodile, American [Non-o.s. populations]	Crocodylus aculus	Wherever lound, except in O.S.A. (FL)	-	12/18/1979 72 FR 13027; 3/20/2007.
Crocodile, American [FL DPS]	Crocodylus acutus	U.S.A. (FL)	Т	40 FR 44149; 9/25/1975, 72 FR 13027;
	,			3/20/2007, 50 CFR 17.95(c) CH.
Crocodile, Ceylon mugger	Crocodylus palustris kimbula	Wherever found		41 FR 24062; 6/14/1976.
Crocodile, Congo dwarf Crocodile, Cuban	Osteolaemus tetraspis osborni Crocodylus rhombifer	Wherever found		41 FR 24062; 6/14/1976. 35 FR 8491; 6/2/1970.
Crocodile, mugger	Crocodylus palustris palustris	Wherever found		41 FR 24062; 6/14/1976.
Crocodile, Nile	Crocodylus niloticus	Wherever found		35 FR 8491; 6/2/1970, 52 FR 23148; 6/
				17/1987, 53 FR 38451; 9/30/1988, 58
				FR 49870; 9/23/1993, 61 FR 32356;
Crocodile, Orinoco	Crocodylus intermedius	Wherever found	E	6/24/1996, 50 CFR 17.42(c) ^{4d} . 35 FR 8491; 6/2/1970.
Crocodile, Philippine	Crocodylus novaeguineae mindorensis	Wherever found		41 FR 24062; 6/14/1976.
Crocodile, saltwater [All populations except	Crocodylus porosus	Wherever found, except Papua New	E	44 FR 75074; 12/18/1979, 61 FR
Papua New Guinea and Australia].	Crandidus navasus	Guinea and Australia.	_	32356;6/24/1996.
Crocodile, saltwater [Australia DPS]	Crocodylus porosus	Australia	T	44 FR 75074; 12/18/1979, 61 FR 32356; 6/24/1996, 50 CFR 17.42(c) ^{4d} .
Crocodile, Siamese	Crocodylus siamensis	Wherever found	E	41 FR 24062; 6/4/1976.
Gartersnake, narrow-headed	Thamnophis rufipunctatus	Wherever found		79 FR 38677; 7/8/2014.
Gartersnake, northern Mexican	Thamnophis eques megalops	Wherever found	Т	79 FR 38677; 7/8/2014, 50 CFR
Gavial	Gavialis gangeticus	Wherever found	E	17.42(g) ^{4d} . 35 FR 8491; 6/2/1970.
Gecko, day	Phelsuma edwardnewtoni	Wherever found		35 FR 8491; 6/2/1970.
Gecko, Monito	Sphaerodactylus micropithecus	Wherever found		47 FR 46090; 10/15/1982, 50 CFR
0 1 5 111 11	8		_	17.95(c) ^{CH} .
Gecko, Round Island day	Phelsuma guentheri Cyrtodactylus serpensinsula	Wherever found	E T	35 FR 8491; 6/2/1970. 48 FR 28460; 6/22/1983.
Iguana, Acklins ground	Cyclura rileyi nuchalis	Wherever found		48 FR 28460; 6/22/1983.
Iguana, Allen's Cay	Cyclura cychlura inornata	Wherever found	T	48 FR 28460; 6/22/1983.
Iguana, Andros Island ground	Cyclura cychlura cychlura	Wherever found		48 FR 28460; 6/22/1983.
Iguana, Anegada groundIguana, Barrington land	Cyclura pinguis Conolophus pallidus	Wherever found		35 FR 8491; 6/2/1970. 35 FR 8491; 6/2/1970.
Iguana, Cayman Brac ground	Cyclura nubila caymanensis	Wherever found	T	48 FR 28460; 6/22/1983.
Iguana, Cuban ground	Cyclura nubila nubila	Wherever found (exluding population in-		48 FR 28460; 6/22/1983.
		troduced in Puerto Rico).	_	10 FB 00400 6/22/22
Iguana, Exuma Island	Cyclura cychlura figginsi	Wherever found	T	48 FR 28460; 6/22/1983.
Iguana, Fiji bandedIguana, Fiji crested	Brachylophus fasciatus Brachylophus vitiensis	Wherever found	E E	45 FR 18009; 3/20/1980. 45 FR 18009; 3/20/1980.
Iguana, Grand Cayman ground	Cyclura nubila lewisi	Wherever found	E	48 FR 28460; 6/22/1983.
Iguana, Jamaican	Cyclura collei	Wherever found	E	48 FR 28460; 6/22/1983.
Iguana, Mayaguana	Cyclura carinata bartschi	Wherever found	T	48 FR 28460; 6/22/1983.
Iguana, Mona ground	Cyclura stejnegeri	Wherever found	Т	43 FR 4618; 2/3/1978, 50 CFR 17.95(c) CH.
Iguana, Turks and Caicos	Cyclura carinata carinata	Wherever found	Т	48 FR 28460; 6/22/1983.
Iguana, Watling Island ground	Cyclura rileyi rileyi	Wherever found	E	48 FR 28460; 6/22/1983.
Iguana, White Cay ground	Cyclura rileyi cristata	Wherever found	Ţ	48 FR 28460; 6/22/1983.
Lizard, blunt-nosed leopard	Gambelia silus	Wherever found	E T	32 FR 4001; 3/11/1967.
Lizard, Coachella Valley fringe-toed	Uma inornata	Wherever found	'	45 FR 63812; 9/25/1980, 50 CFR 17.95(c) ^{CH} .
Lizard, Hierro giant	Gallotia simonyi simonyi	Wherever found	E	49 FR 7394; 2/29/1984.
Lizard, Ibiza wall	Podarcis pityusensis	Wherever found	T	49 FR 7394; 2/29/1984.
Lizard, Maria Island ground	Cnemidophorus vanzoi	Wherever found	E	56 FR 49469; 9/30/1991.
Lizard, St. Croix ground	Ameiva polops	Wherever found	E	42 FR 28543; 6/3/1977, 50 CFR 17.95(c) ^{CH} .
Monitor, desert	Varanus griseus	Wherever found	E	41 FR 24062; 6/14/1976.
Monitor, Indian (=Bengal)	Varanus bengalensis	Wherever found	Ē	41 FR 24062; 6/14/1976.
Monitor, Komodo Island	Varanus komodoensis	Wherever found	E	41 FR 24062; 6/14/1976.
Monitor, yellow	Varanus flavescens	Wherever found	E	41 FR 24062; 6/14/1976.
Pinesnake, black	Pituophis melanoleucus lodingi	Wherever found	T	80 FR 60467; 10/6/2015, 50 CFR
Python, Indian	Python molurus molurus	Wherever found	F	17.42(h) ^{4d} . 41 FR 24062; 6/14/1976.
, yaron, mulan	. r yaron moiaras moiaras	* ************************************		1 7 1 1 1 LTOOL, 0/14/13/0.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Rattlesnake, Aruba Island	Crotalus unicolor	Wherever found	T	48 FR 28460; 6/22/1983.
Rattlesnake, New Mexican ridge-nosed	Crotalus willardi obscurus	Wherever found	Т	43 FR 34476; 8/4/1978, 50 CFR 17.95(c) ^{CH} .
Sea turtle, green [Central North Pacific DPS]	Chelonia mydas	Green sea turtles originating from the Central North Pacific Ocean, bounded by the following coordinates: 41° N., 169° E. in the northwest; 41° N., 143° W. in the northeast; 9° N., 125° W. in the southeast; and 9° N., 175° W. in the southwest Pacific coast of Mexico.	Т	81 FR 20057; 4/6/2016 J, 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, green [Central South Pacific DPS]	Chelonia mydas	Green sea turtles originating from the Central South Pacific Ocean, bounded by the following coordinates: 9° N., 175° W. in the northwest; 9° N., 125° W. in the northeast; 40° S., 96° W. in the southeast; 40° S., 176° E. in the southwest; and 13° S., 171° E. in the west.	E	81 FR 20057; 4/6/2016 J, 50 CFR 224.104.
Sea turtle, green [Central West Pacific DPS]	Chelonia mydas	Green sea turtles originating from the Central West Pacific Ocean, bounded by the following coordinates: 41° N., 146° E. in the northwest; 41° N., 175° W. in the east; 13° S., 171° E. in the southeast; along the northern coast of the island of New Guinea; and 4.5° N., 129° E. in the west.	E	81 FR 20057; 4/6/2016 J, 50 CFR 224.104.
Sea turtle, green [East Indian—West Pacific DPS]	Chelonia mydas	Green sea turtles originating from the Eastern Indian and Western Pacific Oceans, bounded by the following lines and coordinates: 41° N. Lat. in the north, 41° N., 146° E. in the north-east; 4.5° N., 129° E. in the southeast; along the southern coast of the island of New Guinea; along the western coast of Australia (west of 142° E. Long.); 40° S. Lat. in the south; and 84° E. Long. in the east.		81 FR 20057; 4/6/2016 ³ , 50 CFR 17.42(b) ^{4d} , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, green [East Pacific DPS]	Chelonia mydas	Green sea turtles originating from the East Pacific Ocean, bounded by the following lines and coordinates: 41° N., 143° W. in the northwest; 41° N. Lat. in the north; along the western coasts of the Americas; 40° S. Lat. in the south; and 40° S., 96° W. in the southwest.	Т	81 FR 20057; 4/6/2016 ^J , 50 CFR 17.42(b) ^{4d} , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, green [Mediterranean DPS]	Chelonia mydas	Green sea turtles originating from the Mediterranean Sea, bounded by 5.5° W. Long. in the west.	E	81 FR 20057; 4/6/2016 J, 50 CFR 224.104.
Sea turtle, green [North Atlantic DPS]	Chelonia mydas	Green sea turtles originating from the North Atlantic Ocean, bounded by the following lines and coordinates: 48° N. Lat. in the north, along the western coasts of Europe and Africa (west of 5.5° W. Long.); north of 19° N. Lat. in the east; bounded by 19° N., 65.1° W. to 14° N., 65.1° W. then 14° N., 77° W. in the south and west; and along the eastern coasts of the Americas (north of 7.5° N., 77° W.).	Т	81 FR 20057; 4/6/2016 ^J , 50 CFR 17.42(b) ^{4d} , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, green [North Indian DPS]	Chelonia mydas	Green sea turtles originating from the North Indian Ocean, bounded by: Africa and Asia in the west and north; 84° E. Long. in the east; and the equator in the south.	Т	81 FR 20057; 4/6/2016 J, 50 CFR 17.42(b) 4d, 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, green [South Atlantic DPS]	Chelonia mydas	Green sea turtles originating from the South Atlantic Ocean, bounded by the following lines and coordinates: along the northern and eastern coasts of South America (east of 7.5° N., 65.1° W.); 14° N., 77° W. to 14° N., 65.1° W. to 19° N., 65.1° W. in the north and west; 19° N. Lat. in the northeast; 40° S., 19° E. in the southeast; and 40° S. Lat. in the south.	Т	81 FR 20057; 4/6/2016 J, 50 CFR 17.42(b) 4d, 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, green [Southwest Indian DPS]	Chelonia mydas	Green sea turtles originating from the Southwest Indian Ocean, bounded by the following lines: the equator to the north; 84° E. Long. to the east; 40° S. Lat. to the south; and 19° E. Long (and along the eastern coast of Africa) in the west.	Т	81 FR 20057; 4/6/2016 ^{-J} , 50 CFR 17.42(b) ^{4d} , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, green [Southwest Pacific DPS]	Chelonia mydas	Green sea turtles originating from the Southwest Pacific Ocean, bounded by the following lines and coordinates: along the southern coast of the island of New Guinea and the Torres Strait (east of 142° E Long.); 13° S., 171° E. in the northeast; 40° S., 176° E. in the southeast; and 40° S., 142° E. in the southwest.	Т	81 FR 20057; 4/6/2016 ³ , 50 CFR 17.42(b) ^{4d} , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, hawksbill	Eretmochelys imbricata	Wherever found	Е	35 FR 8491; 6/2/1970 J, 50 CFR 224.104 ^{4d} , 50 CFR 17.95(c) ^{CH} , 50 CFR 226.209 ^{CH} .

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
		Wherever found	E	
Sea turtle, Kemp's ridley Sea turtle, leatherback	Lepidochelys kempii Dermochelys coriacea	Wherever found	E	35 FR 18319; 12/2/1970 J, 50 CFR 224.104 ^{4d} . 35 FR 8491; 6/2/1970 J, 50 CFR
			_	224.104 ^{4d} , 50 CFR 17.95(c) ^{CH} , 50 CFR 226.207 ^{CH} .
Sea turtle, loggerhead [Mediterranean Sea DPS]	Caretta caretta	Mediterranean Sea DPS—Loggerhead sea turtles originating from the Mediterranean Sea east of 5°36′ W. Long.	E	76 FR 58868; 9/22/2011 J, 50 CFR 224.104 ^{4d} .
Sea turtle, loggerhead [North Indian Ocean DPS]	Caretta caretta	North Indian Ocean DPS—Loggerhead sea turtles originating from the North Indian Ocean north of the equator and	E	76 FR 58868; 9/22/2011 J, 50 CFR 224.104 ^{4d} .
Sea turtle, loggerhead [North Pacific Ocean DPS]	Caretta caretta	south of 30° N. Lat. North Pacific Ocean DPS—Loggerhead sea turtles originating from the North Pacific north of the equator and south	E	76 FR 58868; 9/22/2011 J, 50 CFR 224.104 ^{4d} .
Sea turtle, loggerhead [Northeast Atlantic Ocean DPS].	Caretta caretta	of 60° N. Lat. Northeast Atlantic Ocean DPS—Logger- head sea turtles originating from the Northeast Atlantic Ocean north of the equator, south of 60° N. Lat., and east of 40° W. Long., except in the vicinity	Е	76 FR 58868; 9/22/2011 ^J , 50 CFR 224.104 ^{4d} .
Sea turtle, loggerhead [Northwest Atlantic Ocean DPS].	Caretta caretta	of the Strait of Gibraltar where the eastern boundary is 5°36' W. Long. Northwest Atlantic Ocean DPS—Logger- head sea turtles originating from the Northwest Atlantic Ocean north of the equator, south of 60° N. Lat., and	Т	76 FR 58868; 9/22/2011 ^J , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207, 50 CFR 17.95(c) ^{CH} , 50 CFR 226.223 ^{CH} .
Sea turtle, loggerhead [South Atlantic Ocean DPS].	Caretta caretta	west of 40° W. Long South Atlantic Ocean DPS—Loggerhead sea turtles originating from the South Atlantic Ocean south of the equator, north of 60° S. Lat., west of 20° E.	Т	76 FR 58868; 9/22/2011 ^J , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, loggerhead [South Pacific Ocean DPS]	Caretta caretta	Long., and east of 67° W. Long. South Pacific Ocean DPS—Loggerhead sea turtles originating from the South Pacific south of the equator, north of 60° S. Lat., west of 67° W. Long., and east of 141° E. Long.	E	76 FR 58868; 9/22/2011 J, 50 CFR 224.104 ^{4d} .
Sea turtle, loggerhead [Southeast Indo-Pacific Ocean DPS].	Caretta caretta	Southeast Indo-Pacific Ocean DPS— Loggerhead sea turtles originating from the Southeast Indian Ocean south of the equator, north of 60° S. Lat., and east of 80° E. Long.; South Pacific Ocean south of the equator, north of 60° S. Lat., and west of 141°	Т	76 FR 58868; 9/22/2011 J, 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, loggerhead [Southwest Indian Ocean DPS].	Caretta caretta	E. Long. Southwest Indian Ocean DPS—Logger- head sea turtles originating from the Southwest Indian Ocean north of the equator, south of 30° N. Lat., east of	Т	76 FR 58868; 9/22/2011 ^J , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, olive ridley [Pacific coast of Mexico breeding DPS].	Lepidochelys olivacea	20° E. Long., and west of 80° E. Long. Breeding colony populations on Pacific coast of Mexico.	E	43 FR 32800; 7/28/1978 J, 50 CFR 224.104 ^{4d} .
Sea turtle, olive ridley	Lepidochelys olivacea	Wherever found except when listed as endangered under 50 CFR 224.101.	Т	43 FR 32800; 7/28/1978 J, 50 CFR 17.42(b) 4d, 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Skink, blue-tail mole	Eumeces egregius lividus	Wherever found	Т	52 FR 42658; 11/6/1987, 50 CFR 17.42(b) ^{4d} .
Skink, Round Island	Leiolopisma telfairi	Wherever found	T	48 FR 28460; 6/22/1983. 52 FR 42658; 11/6/1987, 50 CFR 17.42(b) 4d.
Skink, Slevin's (Gualiik halumtanu, Gholuuf) Snake, Atlantic salt marsh	Emoia slevini Nerodia clarkii taeniata	Wherever foundWherever found	E	80 FR 59423; 10/1/2015. 42 FR 60743; 11/29/1977.
Snake, copperbelly water [Northern DPS]	Nerodia erythrogaster neglecta	U.S.A. (IN north of 40° N. Lat., MI, OH)	Т	62 FR 4183; 1/29/1997.
Snake, eastern indigo	Drymarchon corais couperi	Wherever found	T	43 FR 4026; 1/31/1978. 58 FR 54053; 10/20/1993.
Snake, Maria Island	Liophus ornatus	Wherever found	Ė	56 FR 49469; 9/30/1991.
Snake, San Francisco garter	Thamnophis sirtalis tetrataenia	Wherever found	E	32 FR 4001; 3/11/1967.
Tartaruga	Podocnemis expansa	Wherever found		35 FR 8491; 6/2/1970.
Terrapin, river	Batagur baska	Wherever found	E	35 FR 8491; 6/2/1970.
Tomistoma	Tomistoma schlegelii	Wherever found	E	41 FR 24062; 6/14/1976.
Tortoise, angulated	Geochelone yniphora	Wherever found	E	41 FR 24062; 6/14/1976.
Tortoise, Bolson	Gopherus flavomarginatus Gopherus agassizii	Wherever found	E T	44 FR 23062; 4/17/1979. 45 FR 55654; 8/20/1980, 54 FR 32326; 8/4/1989, 55 FR 12178; 4/2/1990, 50 CFR 17.95(c) ^{CH} .
Tortoise, desert	Gopherus agassizii	AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ.	T(S/A)	55 FR 12178; 4/2/1990, 50 CFR 17.42(e) 4d.
Tortoise, Galapagos	Geochelone nigra (=elephantopus) Gopherus polyphemus	Wherever found		35 FR 8491; 6/2/1970. 52 FR 25376; 7/7/1987.
Tortoise, Madagascar radiated	Geochelone radiata	Wherever found	E	35 FR 8491; 6/2/1970.
Tracaja Tuatara	Podocnemis unifilis	Wherever found	E	35 FR 8491; 6/2/1970. 35 FR 8491; 6/2/1970, 65 FR 16053; 3/ 24/2000.
Tuatara, Brother's Island	Sphenodon guntheri	Wherever found	E	35 FR 8491; 6/2/1970, 65 FR 16053; 3/ 24/2000.
Turtle, Alabama redbellied	Pseudemys alabamensis	Wherever found	E	52 FR 22939; 6/16/1987.
Turtle, aquatic box	Terrapene coahuila	Wherever found	E	38 FR 14678; 6/4/1973.
Turtle, black softshell Turtle, bog (=Muhlenberg) [Northen DPS]	Trionyx nigricans Clemmys muhlenbergii	Wherever found, except GA, NC, SC, TN, VA.	E T	41 FR 24062; 6/14/1976. 62 FR 59605; 11/4/1997.
Turtle, bog (=Muhlenberg)	Clemmys muhlenbergii	U.S.A. (GA, NC, SC, TN, VA)	T(S/A)	62 FR 59605; 11/4/1997, 50 CFR 17.42(f) 4d.
Turtle, Brazilian sideneck	Phrynops hogei	Wherever found	ΙE	56 FR 49469; 9/30/1991.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Turtle, Burmese peacock	Morenia ocellata	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, Cat Island	Trachemys terrapen	Cat Island in the Bahamas		56 FR 49469; 9/30/1991.
Turtle, Central American river	Dermatemys mawii	Wherever found	E	48 FR 28460; 6/22/1983.
Turtle, Cuatro Cienegas softshell	Trionyx ater	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, flattened musk [Black Warrior River DPS]	Sternotherus depressus	Black Warrior R. system upstream from Bankhead Dam.		52 FR 22418; 6/11/1987.
Turtle, geometric	Psammobates geometricus	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, Inagua Island	Trachemys stejnegeri malonei	Wherever found	E	56 FR 49469; 9/30/1991.
Turtle, Indian sawback	Kachuga tecta tecta	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, Indian softshell	Trionyx gangeticus	Wherever found	Ē	41 FR 24062; 6/14/1976.
Turtle, peacock softshell	Trionyx hurum	Wherever found	Ē	41 FR 24062; 6/14/1976.
Turtle, Plymouth redbelly	Pseudemys rubriventris bangsi	Wherever found	Ē	45 FR 21828; 4/2/1980, 50 CFR 17.95(c) ^{CH} .
Turtle, ringed map	Graptemys oculifera	Wherever found	т	51 FR 45907; 12/23/1986.
Turtle, short-necked or western swamp	Pseudemydura umbrina	Wherever found	E	35 FR 8491; 6/2/1970.
Turtle, South American red-lined	Trachemys scripta callirostris	Wherever found	E	56 FR 49469; 9/30/1991.
Turtle, spotted pond	Geoclemys hamiltonii	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, three-keeled Asian	Melanochelys tricarinata	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, yellow-blotched map	Graptemys flavimaculata	Wherever found	Т	56 FR 1459; 1/14/1991.
Viper, Lar Valley	Vipera latifii	Wherever found	E	48 FR 28460; 6/22/1983.
Whipsnake, Alameda (=striped racer)	Masticophis lateralis euryxanthus	Wherever found	Ī	62 FR 64306; 12/5/1997 50 CFR
vinponano, viamoda (=ompod racer)	Wastioophilo lateralio caryxantinas	Wholever loans	l	17.95(c) ^{CH} .
AMPHIBIANS	Eleuthorodoch duo iganori	Wherever found	Т	
Coqui, golden	Eleutherodactylus jasperi	Wherever found	'	42 FR 58756; 11/11/1977, 50 CFR 17.95(d) ^{CH} .
Coqui, Ilanero	Eleutherodactylus juanariveroi	Wherever found	E	77 FR 60777; 10/4/2012, 50 CFR
Frog, California red-legged	Rana draytonii	Wherever found	т	17.95(d) ^{CH} . 61 FR 25813; 5/23/1996, 50 CFR
5 000			_	17.43(b) ^{4d} , 50 CFR 17.95(d) ^{CH} .
Frog, Chiricahua leopard	Rana chiricahuensis	Wherever found	Т	67 FR 40790; 6/13/2002, 50 CFR 17.43(b) 4d.
Frog, dusky gopher	Rana sevosa (= Lithobates sevosus)	Wherever found	E	66 FR 63002; 12/4/2001, 50 CFR 17.95(d) CH.
Frog, Goliath	Conraua goliath	Wherever found	Т	59 FR 63261; 12/8/1994.
Frog, Israel painted	Discoglossus nigriventer	Wherever found	Ē	35 FR 8491; 6/2/1970.
Frog, mountain yellow-legged [Northern California	Rana muscosa	Northern California DPS-U.S.A., north-	Ē	79 FR 24255; 4/29/2014.
DPS].	Tidad Tidadada IIII	ern California.	-	70 111 2 1200, 1/20/201 11
Frog, mountain yellow-legged [Southern Cali-	Rana muscosa	Southern California DPS—U.S.A., south-	E	67 FR 44382; 7/2/2002, 50 CFR
fornia DPS].	Tiana mascosa	ern California.	-	17.95(d) ^{CH} .
Frog, Oregon spotted	Rana pretiosa	Wherever found	Т	79 FR 51657; 8/29/2014, 50 CFR
For a December colder	A4-4	NA/Is a very set of a constant	_	17.95(d) ^{CH} .
Frog, Panamanian golden	Atelopus varius zeteki	Wherever found	E	41 FR 24062; 6/14/1976.
Frog, Sierra Nevada yellow-legged	Rana sierraeLeiopelma hamiltoni	Wherever found	E E	79 FR 24255; 4/29/2014.
Frog, Stephen Island	Eleutherodactylus cooki	Wherever found	T	35 FR 8491; 6/2/1970.
Guajon	Eledinerodaciylus cooki	Wherever lourid	'	62 FR 31757; 6/11/1997, 50 CFR 17.95(d) ^{CH} .
Hellbender, Ozark	Cryptobranchus alleganiensis bishopi	Wherever found	E	76 FR 61956; 10/6/2011.
Salamander, Austin blind	Eurycea waterlooensis	Wherever found	Ē	78 FR 51277; 8/20/2013 50 CFR
	_		_	17.95(d) ^{CH} .
Salamander, Barton Springs	Eurycea sosorum	Wherever found	E	62 FR 23377; 4/30/1997.
Salamander, California tiger [Santa Barbara	Ambystoma californiense	Santa Barbara County DPS-U.S.A.	E	65 FR 3109; 1/19/2000, 65 FR 57242; 9/
County DPS].		(CA-Santa Barbara County).	_	21/2000, 50 CFR 17.95(d) CH.
Salamander, California tiger [Central California	Ambystoma californiense	Central California DPS-U.S.A. (CA-	T	69 FR 47248; 8/4/2004, 50 CFR
DPS].		Central California).	l _	17.43(c) ^{4d} , 50 CFR 17.95(d) ^{CH} .
Salamander, California tiger [Sonoma County	Ambystoma californiense	Sonoma County DPS-U.S.A. (CA-	E	67 FR 47739; 7/22/2002, 68 FR 13520;
DPS].		Sonoma County).	_	3/19/2003, 50 CFR 17.95(d) CH.
Salamander, Cheat Mountain	Plethodon nettingi	Wherever found	Ţ	54 FR 34464; 8/18/1989.
Salamander, Chinese giant	Andrias davidianus (=davidianus d.)	Wherever found	E	41 FR 24062; 6/14/1976.
Salamander, desert slender	Batrachoseps aridus	Wherever found		38 FR 14678; 6/4/1973.
Salamander, frosted flatwoods	Ambystoma cingulatum	Wherever found	T	64 FR 15691; 4/1/1999, 50 CFR
Salamander, Georgetown	Eurycea naufragia	Wherever found	Т	17.95(d) ^{CH} . 79 FR 20107; 4/11/2014, 50 CFR
	 		_	17.43(e) ^{4d} .
Salamander, Japanese giant	Andrias japonicus (=davidianus j.) Plethodon neomexicanus	Wherever found	E	41 FR 24062; 6/14/1976.
,		Wherever found		78 FR 55599; 9/10/2013, 50 CFR 17.95(d) ^{CH} .
Salamander, Jollyville Plateau	Eurycea tonkawae	Wherever found	Т	78 FR 51277; 8/20/2013, 50 CFR
Salamander, Red Hills	Phaeognathus hubrichti	Wherever found	т	17.95(d) ^{CH} . 41 FR 53032; 12/3/1976.
Salamander, reticulated flatwoods	Ambystoma bishopi	Wherever found	Ė	74 FR 6700; 2/10/2009, 50 CFR
		l	l_	17.95(d) ^{CH} .
Salamander, Salado	Eurycea chisholmensis	Wherever found	T T	79 FR 20107; 4/11/2014. 45 FR 47355; 7/14/1980, 50 CFR
				17.43(a) ^{4d} , 50 CFR 17.95(d) ^{CH} .
Salamander, Santa Cruz long-toed	Ambystoma macrodactylum croceum	Wherever found	E	32 FR 4001; 3/11/1967.
Salamander, Shenandoah	Plethodon shenandoah	Wherever found		54 FR 34464; 8/18/1989.
Salamander, Sonoran tiger	Ambystoma tigrinum stebbinsi	Wherever found	E	62 FR 665; 1/6/1997.
Salamander, Texas blind	Typhlomolge rathbuni	Wherever found		32 FR 4001; 3/11/1967.
Toad, arroyo (=arroyo southwestern)	Anaxyrus californicus	Wherever found	E	59 FR 64859; 12/16/1994, 50 CFR
T 10	5.6		_	17.95(d) ^{CH} .
Toad, Cameroon	Bufo superciliaris	Wherever found	E	41 FR 24062; 6/14/1976.
Toad, Houston	Bufo houstonensis	Wherever found	E	35 FR 16047; 10/13/1970, 50 CFR 17.95(d) ^{CH} .
Toad, Monte Verde golden	Bufo periglenes	Wherever found	E	41 FR 24062; 6/14/1976.
Toad, Puerto Rican crested	Peltophryne lemur	Wherever found	🕆	52 FR 28828; 8/4/1987.
Toad, Wyoming	Bufo hemiophrys baxteri	Wherever found		49 FR 1992; 1/17/1984.
Toad, Yosemite	Anaxyrus canorus	Wherever found	T	79 FR 24255; 4/29/2014.
Toads, African viviparous	Nectophrynoides spp	Wherever found	Ė	79 FR 24255; 4/29/2014. 41 FR 24062; 6/14/1976.
FISHES				·
Ala Balik (trout)	Salmo platycephalus	Wherever found	E	35 FR 8491; 6/2/1970.
Ayumodoki (loach)	Hymenophysa curta	Wherever found		35 FR 8491; 6/2/1970.
Blindcat, Mexican (catfish)	Prietella phreatophila	Wherever found		35 FR 8491; 6/2/1970.
Bocaccio [Puget Sound-Georgia Basin DPS]	Sebastes paucispinis	Puget Sound-Georgia Basin DPS-see		75 FR 22276; 4/28/2010 N, 76 FR
·		50 CFR 224.101.		20558; 4/13/2011, 79 FR 42687; 7/23/
				2014, 50 CFR 226.224 CH.
Bonytongue, Asian	Scleropages formosus	Wherever found	ΙE	41 FR 24062; 6/14/1976.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Catfish (Thailand)	Pangasius sanitwongsei	Wherever found	E E	35 FR 8491; 6/2/1970. 35 FR 8491; 6/2/1970.
Catfish, Thailand giant Catfish, Yaqui	Pangasianodon gigas Ictalurus pricei	Wherever found	-	49 FR 34490; 8/31/1984, 50 CFR
ounon, ruqui	rotation de prices initiation	The state of the s		17.44(h) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Cavefish, Alabama	Speoplatyrhinus poulsoni	Wherever found	E	42 FR 45526; 9/9/1977, 53 FR 37968; 9/
Cavafiah Ozark	Amblyopsis rosae	Wherever found	Т	28/1988, 50 CFR 17.95(e) ^{CH} .
Cavefish, OzarkChub, bonytail	Gila elegans	Wherever found	Ė	49 FR 43965; 11/1/1984. 45 FR 27710; 4/23/1980, 50 CFR
5.02, 55.1, tal.	ana orogano	The state of the s	-	17.95(e) ^{CH} .
Chub, Borax Lake	Gila boraxobius	Wherever found	E	45 FR 35821; 5/28/1980, 47 FR 43957;
0 0			_	10/5/1982, 50 CFR 17.95(e) ^{CH} .
Chub, Chihuahua	Gila nigrescens	Wherever found	T	48 FR 46053; 10/11/1983, 50 CFR 17.44(q) 4d.
Chub, Gila	Gila intermedia	Wherever found	E	70 FR 66664; 11/2/2005, 50 CFR
				17.95(e) ^{CH} .
Chub, humpback	Gila cypha	Wherever found	E	32 FR 4001; 3/11/1967, 50 CFR
Chub, Hutton tui	Gila bicolor ssp.	Wherever found	Т	17.95(e) ^{CH} . 50 FR 12302; 3/28/1985, 50 CFR
Chab, Hattori tai	Gila bicoloi sop.	Wholever loans	'	17.44(j) ^{4d} .
Chub, Mohave tui		Wherever found	E	35 FR 16047; 10/13/1970.
Chub, Owens tui	Gila bicolor snyderi	Wherever found	E	50 FR 31592; 8/5/1985, 50 CFR
Chub, Pahranagat roundtail	Gila robusta jordani	Wherever found	E	17.95(e) ^{CH} . 35 FR 16047; 10/13/1970.
Chub, slender	Erimystax cahni	Wherever found, except where listed as		42 FR 45526; 9/9/1977, 50 CFR
		an experimental population.		17.44(c) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Chub, slender	Erimystax cahni	U.S.A. (TN—specified portions of the	XN	72 FR 52434; 9/13/2007, 50 CFR
		French Broad and Holston Rivers; see § 17.84(s)(1)(i)).		17.84(sr) ^{10j} .
Chub, Sonora	Gila ditaenia	Wherever found	Т	51 FR 16042; 4/30/1986, 50 CFR
,				17.44(o) 4d, 50 CFR 17.95(e) CH.
Chub, spotfin	Erimonax monachus	Wherever found, except where listed as	Т	42 FR 45526; 9/9/1977, 50 CFR
Chub, spotfin	Erimonax monachus	an experimental population. U.S.A. (TN—specified portions of the	XN	17.44(c) ^{4d} , 50 CFR 17.95(e) ^{CH} . 67 FR 52420; 8/12/2002, 50 CFR
, opo		Tellico River; see § 17.84(m)(1)(i)).	/	17.84(m) ^{10j} .
Chub, spotfin	Erimonax monachus	U.S.A. (AL, TN-specified portions of	XN	70 FR 1286; 1/6/2005, 50 CFR
Objets an efficient	Friedrich	Shoal Creek; see § 17.84(m)(1)(ii)).	VAL	17.84(m) ^{10j} .
Chub, spotfin	Erimonax monachus	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see	XN	72 FR 52434; 9/13/2007, 50 CFR 17.84(m) 10j.
		§ 17.84(m)(1)(iii)).		17.04(11)
Chub, Virgin River	Gila robusta semidnuda	Wherever found	E	54 FR 35305; 8/24/1989, 50 CFR
0.1.7			_	17.95(e) ^{CH} .
Chub, Yaqui	Gila purpurea	Wherever found	E	49 FR 34490; 8/31/1984, 50 CFR 17.95(e) ^{CH} .
Cicek (minnow)	Acanthorutilus handlirschi	Wherever found	E	35 FR 8491; 6/2/1970.
Cui-ui		Wherever found	E	32 FR 4001; 3/11/1967.
Dace, Ash Meadows speckled	Rhinichthys osculus nevadensis	Wherever found	E	47 FR 19995; 5/10/1982, 48 FR 608; 1/
				5/1983, 48 FR 40178; 9/2/1983, 50 CFR 17.95(e) ^{CH} .
Dace, blackside	Phoxinus (=Chrosomus),	Wherever found	Т	52 FR 22580; 6/12/1987.
	cumberlandensis.			
Dace, Clover Valley speckled Dace, desert		Wherever found	E	54 FR 41448; 10/10/1989. 32 FR 4001: 3/11/1967. 35 FR 16047:
Dace, desert	Elementitys acros	Wherever lound	'	10/13/1970, 50 FR 50304; 12/10/1985,
				50 CFR 17.44(m) ^{4d} , 50 CFR
			_	17.95(e) ^{CH} .
Dace, Foskett speckled	Rhinichthys osculus ssp	Wherever found	Т	50 FR 12302; 3/28/1985, 50 CFR 17.44(j) ^{4d} .
Dace, Independence Valley speckled	Rhinichthys osculus lethoporus	Wherever found	E	54 FR 41448; 10/10//1989, 54 FR
,				47861; 11/17/1989.
Dace, Kendall Warm Springs	1	Wherever found	E	35 FR 16047; 10/13/1970.
Dace, laurel	Chrosomus saylori	Wherever found	E	76 FR 48722; 8/9/2011, 50 CFR 17.95(e) ^{CH} .
Dace, Moapa	Moapa coriacea	Wherever found	E	32 FR 4001; 3/11/1967.
Darter, amber		Wherever found	E	50 FR 31597; 8/5/1985, 50 CFR
Destar haves	Eth to	M/Is a reason for and	_	17.95(e) ^{CH} .
Darter, bayou	Etheostoma rubrum	Wherever found	T	40 FR 44149; 9/25/1975, 50 CFR 17.44(b) 4d.
Darter, bluemask	Etheostoma akatulo	Wherever found	E	58 FR 68480; 12/27/1993.
Darter, boulder	Etheostoma wapiti	Wherever found, except where listed as	Ē	53 FR 33996; 9/1/1988.
Deuten hendelen	Est	an experimental population.	VAL	70 FD 1000: 1/0/0005 F0 OFD
Darter, boulder	Etheostoma wapiti	Shoal Creek (from Shoal Creek mile 41.7 (66.7 km)) at the mouth of Long	XN	70 FR 1286; 1/6/2005, 50 CFR 17.84(o) 10j.
		Branch, Lawrence County, TN, down-		17.0 1(0)
		stream to the backwaters of Wilson		
		Reservoir (Shoal Creek mile 14 (22 km)) at Goose Shoals, Lauderdale		
		County, AL, including the lower 5		
		miles (8 km) of all tributaries that enter		
D		this reach.	_	50 FD 05505 40/00/1551
Darter, Cherokee		Wherever found	T E	59 FR 65505; 12/20/1994. 76 FR 48722; 8/9/2011, 50 CFR
Sator, Camponala			-	17.95(e) ^{CH} .
Darter, diamond	Crystallaria cincotta	Wherever found	E	78 FR 45074; 7/26/2013, 50 CFR
Dortor dualytoil	Ethoodoma paranus	Wherever found, except where listed as	_	17.95(e) ^{CH} .
Darter, duskytail	Etheostoma percnurum	wherever found, except where listed as an experimental population.	=	58 FR 25758; 4/27/1993.
Darter, duskytail	Etheostoma percnurum	U.S.A. (TN—specified portions of the	XN	67 FR 52420; 8/12/2002, 50 CFR
		Tellico River; see § 17.84(p)(1)(i)).		17.84(q) ^{10j} .
Darter, duskytail	Etheostoma percnurum	U.S.A. (TN—specified portions of the	XN	72 FR 52434; 9/13/2007, 50 CFR
		French Broad and Holston Rivers; see § 17.84(q)(1)(ii)).		17.84(q) ^{10j} .
Darter, Etowah	Etheostoma etowahae	Wherever found	E	59 FR 65505; 12/20/1994.
Darter, fountain		Wherever found	E	35 FR 16047; 10/13/1970, 50 CFR
Dortor goldling	Paraina auralinaata	Wherever found	_	17.95(e) ^{CH} .
Darter, goldline	Percina aurolineata	* ************************************	1.1	57 FR 14786; 4/22/1992.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Darter, leopard	Percina pantherina	Wherever found	Т	43 FR 3711; 1/27/1978, 50 CFR
Darter, Maryland	Etheostoma sellare	Wherever found	E	17.44(d) ^{4d} , 50 CFR 17.95(e) ^{CH} . 32 FR 4001; 3/11/1967, 50 CFR
Darter, Niangua	Etheostoma nianguae	Wherever found	Т	17.95(e) ^{CH} . 50 FR 24649; 6/12/1985, 50 CFR
Darter, Okaloosa	Etheostoma okaloosae	Wherever found	Т	17.44(k) ^{4d} , 50 CFR 17.95(e) ^{CH} . 38 FR 14678; 6/4/1973, 76 FR 18087; 4/
Darter, relict	Etheostoma chienense	Wherever found	E	1/2011, 50 CFR 17.44(bb) ^{4d} . 58 FR 68480; 12/27/1993.
Darter, rush	Etheostoma phytophilum Etheostoma boschungi	Wherever found	T	76 FR 48722; 8/9/2011, 50 CFR 17.95(e) ^{CH} . 42 FR 45526; 9/9/1977, 50 CFR
Darter, snail	Percina tanasi	Wherever found	- T	17.44(c) ^{4d} , 50 CFR 17.95(e) ^{CH} . 40 FR 47505; 10/9/1975, 49 FR 27510;
Darter, vermilion	Etheostoma chermocki	Wherever found	E	7/5/1984. 66 FR 59367; 11/28/2001, 50 CFR
Darter, watercress	Etheostoma nuchale	Wherever found	E	17.95(e) ^{CH} . 35 FR 16047; 10/13/1970.
Darter, yellowcheek	Etheostoma moorei	Wherever found	Ē	76 FR 48722; 8/9/2011, 50 CFR
Eulachon [Southern DPS]	Thaleichthys pacificus	Southern DPS—see 50 CFR 223.102	Т	17.95(e) ^{CH} . 75 FR 13012; 3/18/2010 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.222 ^{CH} .
Gambusia, Big Bend	Gambusia gaigei	Wherever found	E	32 FR 4001; 3/11/1967.
Gambusia, Clear Creek	Gambusia heterochir	Wherever found	E	32 FR 4001; 3/11/1967. 35 FR 16047; 10/13/1970.
Gambusia, San Marcos	Gambusia georgei	Wherever found	Ē	45 FR 47355; 7/14/1980, 50 CFR
Goby, tidewater	Eucyclogobius newberryi	Wherever found	E	17.95(e) ^{CH} . 59 FR 5494; 2/4/1994, 50 CFR
Logperch, Conasauga	Percina jenkinsi	Wherever found	Е	17.95(e) ^{CH} . 50 FR 31597; 8/5/1985, 50 CFR
Logperch, Roanoke	Percina rex	Wherever found	E	17.95(e) ^{CH} . 54 FR 34468; 8/18/1989.
Madtom, Chucky	Noturus crypticus	Wherever found	Ē	76 FR 48722; 8/9/2011, 50 CFR
Madtom, Neosho	Noturus placidus	Wherever found	T E	17.95(e) ^{CH} . 55 FR 21148; 5/22/1990. 58 FR 25758; 4/27/1993.
		an experimental population.		
Madtom, pygmy	Noturus stanauli	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see § 17.84(t)(1)(i)).		72 FR 52434; 9/13/2007, 50 CFR 17.84(t) ^{10j} .
Madtom, Scioto	Noturus trautmani	Wherever found, except where listed as	E E	40 FR 44149; 9/25/1975. 49 FR 43065; 10/26/1984, 50 CFR
Madtom, smoky	Noturus baileyi	an experimental population. U.S.A. (TN—specified portions of the Tellico River; see § 17.84(r)(1)(i)).	XN	17.95(e) ^{CH} . 67 FR 52420; 8/12/2002, 50 CFR 17.84(r) ¹⁰ j.
Madtom, yellowfin	Noturus flavipinnis	Wherever found, except where listed as an experimental population.	Т	42 FR 45526; 9/9/1977, 50 CFR 17.44(c) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Madtom, yellowfin	Noturus flavipinnis	U.S.A. (TN, VA—specified portions of the Holston River and watershed; see § 17.84(e)(1)(i)).	XN	53 FR 29335; 8/4/1988, 50 CFR 17.84(e) ¹⁰ j.
Madtom, yellowfin	Noturus flavipinnis	U.S.A. (TN—specified portions of the Tellico River; see § 17.84(e)(1)(ii)).	XN	67 FR 52420; 8/12/2002, 50 CFR 17.84(e) 10j.
Madtom, yellowfin	Noturus flavipinnis	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see § 17.84(e)(1)(iii)).	XN	72 FR 52434; 9/13/2007, 50 CFR 17.84(e) 10.
Minnow, Devils River	Dionda diaboli	Wherever found	Т	64 FR 56596; 10/20/1999, 50 CFR 17.95(e) ^{CH} .
Minnow, loach	Rhinichthys cobitis	Wherever found	E	51 FR 39468; 10/28/1986, 77 FR 10810; 2/23/2012, 50 CFR 17.95(e) CH.
Minnow, Rio Grande silvery	Hybognathus amarus	Wherever found, except where listed as an experimental population.	E	59 FR 36988; 7/20/1994, 50 CFR 17.95(e) ^{CH} .
Minnow, Rio Grande silvery	Hybognathus amarus	Rio Grande, from Little Box Canyon (approximately 10.4 river miles downstream of Fort Quitman, TX) to	XN	73 FR 74357; 12/8/2008, 50 CFR 17.84(u) ¹⁰ .
		Amistad Dam; and on the Pecos River, from its confluence with Inde- pendence Creek to its confluence with		
Nokogigi (aattiah)	Carachagrua iahikawai	the Rio Grande.	_	25 ED 9401: 6/9/1079
Nekogigi (catfish)	Coreobagrus ichikawaiPtychocheilus lucius	Wherever found, except where listed as an experimental population.	E	35 FR 8491; 6/2/1970. 32 FR 4001; 3/11/1967, 50 FR 30188; 7/ 24/1985, 50 CFR 17.95(e) ^{CH} .
Pikeminnow, Colorado	Ptychocheilus lucius	Salt and Verde R. drainages, AZ	XN	50 FR 30188; 7/24/1985, 50 CFR 17.84(b) 10].
Poolfish, Pahrump	Empetrichthys latos	Wherever found	E	32 FR 4001; 3/11/1967.
Pupfish, Ash Meadows Amargosa	Cyprinodon nevadensis mionectes	Wherever found	E	47 FR 19995; 5/10/1982, 48 FR 608; 1/ 5/1983, 48 FR 40178; 9/2/1983, 50 CFR 17.95(e) CH.
Pupfish, Comanche Springs	Cyprinodon elegans	Wherever found	E	32 FR 4001; 3/11/1967.
Pupfish, desert	Cyprinodon macularius	Wherever found	E	51 FR 10842; 3/31/1986, 50 CFR
Pupfish, Devils Hole	Cyprinodon diabolis	Wherever foundWherever found	E E	17.95(e) ^{CH} . 32 FR 4001; 3/11/1967. 45 FR 54678; 8/15/1980, 50 CFR
• • •			E	17.95(e) ^{CH} .
Pupfish, Owens Pupfish, Warm Springs	Cyprinodon radiosus Cyprinodon nevadensis pectoralis	Wherever foundWherever found	E	32 FR 4001; 3/11/1967. 35 FR 16047; 10/13/1970.
Rockfish, canary [Puget Sound-Georgia Basin DPS].	Sebastes pinniger	Puget Sound–Georgia Basin DPS—see 50 CFR 223.102.		75 FR 22276; 4/28/2010 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014.
Rockfish, yelloweye [Puget Sound-Georgia Basin DPS].	Sebastes ruberrimus	Puget Sound-Georgia Basin DPS—see 50 CFR 223.102.	Т	75 FR 22276; 4/28/2010 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014.
Salmon, Atlantic [Gulf of Maine DPS]	Salmo salar	Gulf of Maine DPS—see 50 CFR 224.101.	E	65 FR 69459; 11/17/2000 J, 74 FR 29344; 6/19/2009 J, 76 FR 20558; 4/ 13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.217 CH.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Salmon, Chinook [California Coastal ESU]	Oncorhynchus tshawytscha	California Coastal ESU—see 50 CFR	Т	64 FR 50394; 9/16/1999 N, 64 FR
		223.102.		72960; 12/29/1999, 70 FR 37160, 6/ 28/2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.211 ^{CH} .
Salmon, Chinook [Central Valley spring-run ESU]	Oncorhynchus tshawytscha	Central Valley spring-run ESU—see 50 CFR 223.102.	Т	64 FR 50394; 9/16/1999 ^N , 64 FR 72960; 12/29/1999, 70 FR 37160, 6/ 28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR
Salmon, Chinook [Central Valley spring-run ESU—XN].	Oncorhynchus tshawytscha	Central Valley spring-run ESU–XN—see 50 CFR 223.102.	XN	223.203 ^{4d} , 50 CFR 226.211 ^{CH} . 78 FR 79622; 12/31/2013 ^N , 79 FR 42687; 7/23/2014, 50 CFR 223.301 ¹⁰ .
Salmon, Chinook [Lower Columbia River ESU]	Oncorhynchus tshawytscha	Lower Columbia River ESU—see 50 CFR 223.102.	Т	64 FR 14308; 3/24/1999 N 64 FR 41835; 8/2/1999, 70 FR 37160, 6/28/2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 4d, 50 CFR 226.212 CPL
Salmon, Chinook [Puget Sound ESU]	Oncorhynchus tshawytscha	Puget Sound ESU—see 50 CFR 223.102.	Т	64 FR 14308; 3/24/1999 N, 64 FR 41835; 8/2/1999, 70 FR 37160, 6/28/ 2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} .
Salmon, Chinook [Sacramento River winter-run ESU].	Oncorhynchus tshawytscha	Sacramento River winter-run ESU—see 50 CFR 224.101.	E	55 FR 12191; 4/2/1990 N, 55 FR 12831; 4/6/1990, 55 FR 46515; 11/4/1990 N, 55 FR 49623; 11/30/1990, 59 FR 440; 1/4/1994 N, 59 FR 13836; 3/23/1994, 70 FR 37160; 6/28/2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/ 2014, 50 CFR 226.204 CH.
Salmon, Chinook [Snake River fall-run ESU]		Snake River fall-run ESU—see 50 CFR 223.102.	Т	57 FR 14653; 4/22/1992 N, 58 FR 49880; 9/23/1993, 59 FR 42529; 8/18/ 1994 N, 59 FR 54840; 11/2/1994, 70 FR 37160, 6/28/2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 dd, 50 CFR 226.205 CH.
Salmon, Chinook [Snake River spring/summer- run ESU].	Oncorhynchus tshawytscha	Snake River spring/summer-run ESU— see 50 CFR 223.102.	Т	57 FR 14653; 4/22/1992 N, 58 FR 49880; 9/23/1993, 59 FR 42529; 8/18/ 1994 N, 59 FR 54840; 11/2/1994, 70 FR 37160, 6/28/2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 d, 50 CFR 226.205 CH.
Salmon, Chinook [Upper Columbia River spring- run ESU].	Oncorhynchus tshawytscha	Upper Columbia River spring-run ESU—see 50 CFR 224.101.	E	64 FR 14308; 3/24/1999, 64 FR 41835; 8/2/1999, 70 FR 37160; 6/28/ 2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.212 CH.
Salmon, Chinook [Upper Columbia River spring- run ESU–XN].	Oncorhynchus tshawytscha	Upper Columbia River spring-run ESU- XN—see 50 CFR 223.102.	XN	79 FR 40004, 7/11/2014 N, 79 FR 52576; 9/4/2014, 50 CFR 223.301 10j.
Salmon, Chinook [Upper Willamette River ESU]	Oncorhynchus tshawytscha	Upper Willamette River ESU—see 50 CFR 223.102.		64 FR 14308; 3/24/1999 N, 64 FR 41835; 8/2/1999, 76 FR 20558; 4/13/ 2011, 79 FR 42687; 7/23/2014, 50 CFR 223.2034d, 50 CFR 226.212 CH.
Salmon, chum [Columbia River ESU]		Columbia River ESU—see 50 CFR 223.102.		64 FR 14508; 3/25/1999 N, 64 FR 41835; 8/2/1999, 70 FR 37160; 6/28/ 2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} .
Salmon, chum [Hood Canal summer-run ESU]	Oncorhynchus keta	Hood Canal summer-run ESU—see 50 CFR 223.102.	Т	64 FR 14508; 3/25/1999, 64 FR 41835; 8/2/1999, 70 FR 37160; 6/28/ 2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 4d, 50 CFR 226.212 CH.
Salmon, coho [Central California Coast ESU]	Oncorhynchus kisutch	Central California Coast ESU—see 50 CFR 224.101.	E	61 FR 56138; 10/31/1996 N, 61 FR 59028; 11/20/1996, 70 FR 37160; 6/ 28/2005 N, 77 FR 19552; 4/2/2012 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.210 CH.
Salmon, coho [Lower Columbia River ESU]	Oncorhynchus kisutch	Lower Columbia River ESU—see 50 CFR 223.102.		70 FR 37160; 6/28/2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/ 2014, 50 CFR 223.203 ^{4d} .
Salmon, coho [Oregon Coast ESU]	Oncorhynchus kisutch	Oregon Coast ESU—see 50 CFR 223.102.		75 FR 29489; 5/26/2010 N, 76 FR 20558; 4/13/2011, 76 FR 35755; 6/20/ 2011 N, 79 FR 42687; 7/23/2014, 50 CFR 223.20344, 50 CFR 226.212 CH.
Salmon, coho [Southern Oregon-Northern California Coast ESU].	Oncorhynchus kisutch	Southern Oregon—Northern California Coast ESU—see 50 CFR 223.102.	Т	62 FR 24588; 5/6/1997 N, 62 FR 33038; 6/18/1997, 70 FR 37160; 6/28/2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.210 CH.
Salmon, sockeye [Ozette Lake ESU]	Oncorhynchus nerka	Ozette Lake ESU—see 50 CFR 223.102	Т	64 FR 14528; 3/25/1999 N, 64 FR 41835; 8/2/1999, 70 FR 37160; 6/28/ 2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH}
Salmon, sockeye [Snake River ESU]	Oncorhynchus nerka	Snake River ESU—see 50 CFR 224.101	E	26.20.50 CFR 25.2125". 56 FR 58619; 11/20/1991 N, 57 FR 212; 1/3/1992, 70 FR 37160; 6/28/2005 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.205 CH.
Sawfish, dwarf	Pristis clavata	Wherever found	E	79 FR 73978; 12/12/2014N, 79 FR 3914; 1/26/2015.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Sawfish, green	Pristis zijsron	Wherever found	E	79 FR 73978; 12/12/2014 N, 79 FR
Sawfish, largetooth	Pristis pristis (formerly Pristis perotteti, Pristis pristis, and Pristis microdon).	Wherever found	E	3914; 1/26/2015. 76 FR 40822; 9/12/2011 N, 79 FR 42687; 7/23/2014, 79 FR 73978; 12/
Sawfish, narrow	Anoxypristis cuspidata	Wherever found	E	12/2014 N, 79 FR 3914; 1/26/2015. 79 FR 73978; 12/12/2014 N, 79 FR
Sawfish, smalltooth [Non-U.S. DPS]	Pristis pectinata	Non-U.S. DPS—Smalltooth sawfish orig-	E	3914; 1/26/2015. 79 FR 73978; 12/12/2014 N, 79 FR
Sawfish, smalltooth [U.S. DPS]	Pristis pectinata	inating from non-U.S. waters. U.S. DPS—Smalltooth sawfish originating from U.S. waters.	E	3914; 1/26/2015. 68 FR 15674; 4/1/2003 N, 70 FR 69464; 11/16/2005, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR
Sculpin, grotto	Cottus specus	Wherever found	E	226.218 ^{CH} . 78 FR 58938; 9/25/2013, 50 CFR
Sculpin, pygmy	Cottus pygmaeus	Wherever found	т	17.95(e) ^{CH} . 54 FR 39846; 9/28/1989, 50 CFR 17.44(u) ^{4d} .
Shark, scalloped hammerhead [Central & SW Atlantic DPS].	Sphyrna lewini	Central & SW Atlantic DPS—see 50 CFR 223.102.	Т	79 FR 38214; 7/3/2014 N, 79 FR 52576; 9/4/2014.
Shark, scalloped hammerhead [Eastern Atlantic DPS].	Sphyrna lewini	Eastern Atlantic DPS—see 50 CFR 224.101.	E	79 FR 38214; 7/3/2014 N, 79 FR 52576; 9/4/2014.
Shark, scalloped hammerhead [Eastern Pacific DPS].	Sphyrna lewini	Eastern Pacific DPS—see 50 CFR 224.101.	E	79 FR 38214; 7/3/2014 N, 79 FR 52576; 9/4/2014.
Shark, scalloped hammerhead [Indo-West Pacific DPS].	Sphyrna lewini	Indo-West Pacific DPS—see 50 CFR 223.102.	Т	79 FR 38214; 7/3/2014 N, 79 FR 52576; 9/4/2014.
Shiner, Arkansas River [Arkansas River Basin DPS].	Notropis girardi	Arkansas River Basin (AR, KS, NM, OK, TX).	Т	63 FR 64772; 11/23/1998, 50 CFR 17.95(e) ^{CH} .
Shiner, beautiful	Cyprinella formosa	Wherever found	Т	49 FR 34490; 8/31/1984, 50 CFR 17.44(h) 4d, 50 CFR 17.95(e) CH.
Shiner, blue	Cyprinella caerulea Notropis cahabae	Wherever found	T E	57 FR 14786; 4/22/1992. 55 FR 42961; 10/25/1990.
Shiner, Cape Fear	Notropis mekistocholas	Wherever found	E	52 FR 36034; 9/25/1987, 50 CFR 17.95(e) ^{CH} .
Shiner, palezone	Notropis albizonatus Notropis simus pecosensis	Wherever foundWherever found	E T	58 FR 25758; 4/27/1993. 52 FR 5295; 2/20/1987, 50 CFR
Shiner, sharpnose	Notropis oxyrhynchus	Wherever found	E	17.44(r) ^{4d} , 50 CFR 17.95(e) ^{CH} . 79 FR 45273; 8/4/2014, 50 CFR
Shiner, smalleye	Notropis buccula	Wherever found	E	17.95(e) ^{CH} . 79 FR 45273; 8/4/2014, 50 CFR
Shiner, Topeka	Notropis topeka	Wherever found, except where listed as	E	17.95(e) ^{CH} . 63 FR 69008; 12/15/1998, 50 CFR
Shiner, Topeka	Notropis topeka	an experimental population. U.S.A. (MO—specified portions of Little Creek, Big Muddy Creek, and Spring Creek watersheds in Adair, Gentry, Harrison, Putnam, Sullivan, and Worth	XN	17.95(e) ^{CH} . 78 FR 42702; 7/17/2013, 50 CFR 17.84(d) ¹⁰ .
Silverside, Waccamaw	Menidia extensa	Counties; see § 17.84(d)(1)(i)). Wherever found	Т	52 FR 11277; 4/8/1987, 50 CFR
Smelt, delta	Hypomesus transpacificus	Wherever found	т	17.44(s) ^{4d} , 50 CFR 17.95(e) ^{CH} . 58 FR 12854; 3/5/1993, 50 CFR
Spikedace	Meda fulgida	Wherever found	E	17.95(e) ^{CH} . 51 FR 23769; 7/1/1986, 77 FR 10810; 2/
Spinedace, Big Spring	Lepidomeda mollispinis pratensis	Wherever found	т	23/2012, 50 CFR 17.95(e) ^{CH} . 50 FR 12298; 3/28/1985, 50 CFR
Spinedace, Little Colorado	Lepidomeda vittata	Wherever found	Т	17.44(i) ^{4d} , 50 CFR 17.95(e) ^{CH} . 32 FR 4001; 3/11/1967, 35 FR 16047; 10/13/1970, 52 FR 35034; 9/16/1987, 50 CFR 17.44(t) ^{4d} , 50 CFR
Spinedace, White River	Lepidomeda albivallis	Wherever found	E	17.95(e) ^{CH} . 50 FR 37194; 9/12/1985, 50 CFR
Springfish, Hiko White River	Crenichthys baileyi grandis	Wherever found	E	17.95(e) ^{CH} . 50 FR 39123; 9/27/1985, 50 CFR
Springfish, Railroad Valley	Crenichthys nevadae	Wherever found	т	17.95(e) ^{CH} . 51 FR 10857; 3/31/1986, 50 CFR 17.44(n) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Springfish, White River	Crenichthys baileyi baileyi	Wherever found	E	50 FR 39123; 9/27/1985, 50 CFR 17.95(e) ^{CH} .
Steelhead [California Central Valley DPS]	Oncorhynchus mykiss	California Central Valley DPS—see 50 CFR 223.102.	Т	63 FR 13347; 3/19/1998 N, 63 FR 32996; 6/17/1998, 71 FR 834; 1/5/ 2006 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR
Steelhead [Central California Coast DPS]	Oncorhynchus mykiss	Central California Coast DPS—see 50 CFR 223.102.	Т	223.203 ^{4d} , 50 CFR 226.211 ^{CH} . 62 FR 43937; 8/18/1997 ^N , 63 FR 32996; 6/17/1998, 71 FR 834; 1/5/2006 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR
Steelhead [Lower Columbia River DPS]	Oncorhynchus mykiss	Lower Columbia River DPS—see 50 CFR 223.102.	Т	223.203 ^{4d} , 50 CFR 226.211 ^{CH} , 63 FR 13347; 3/19/1998 ^N , 63 FR 32996; 6/17/1998, 76 FR 20558; 4/13/ 2011, 79 FR 42687; 7/23/2014, 50
Steelhead [Middle Columbia River DPS]	Oncorhynchus mykiss	Middle Columbia River DPS—see 50 CFR 223.102.	Т	CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} , 64 FR 14517; 3/25/1999 ^N , 64 FR 41835; 8/2/1999, 71 FR 834; 1/5/ 2006 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR
Steelhead [Middle Columbia River DPS—XN]	Oncorhynchus mykiss	Middle Columbia River DPS—XN—see	XN	223.203 ^{4d} , 50 CFR 226.212 ^{CH} . 78 FR 2893, 1/15/2013 ^N , 79 FR 42687;
Steelhead [Northern California DPS]	Oncorhynchus mykiss	50 CFR 223.102. Northern California DPS—see 50 CFR		7/23/2014, 50 CFR 223.301 ^{10j} . 65 FR 36075; 6/7/2000 ^N , 65 FR 54177;
		223.102.	·	9/7/2000, 71 FR 834; 1/5/2006 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.211 ^{CH} .
Steelhead [Puget Sound DPS]	Oncorhynchus mykiss	Puget Sound DPS—see 50 CFR 223.102.	Т	72 FR 26722; 5/11/2007 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/ 2014, 50 CFR 223.203 4d.

Commo:	Calcabiff	Whore Pater	Oteter	Listing stations and applicable on t
Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Steelhead [Snake River Basin DPS]	Oncorhynchus mykiss	Snake River Basin DPS—see 50 CFR 223.102.	Т	62 FR 43937; 8/18/1997 N, 63 FR 32996; 6/17/1998, 71 FR 834; 1/5/ 2006 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 4d, 50 CFR 226.212 CH.
Steelhead [South Central California Coast DPS]	Oncorhynchus mykiss	South-Central California Coast DPS—see 50 CFR 223.102.	Т	62 FR 43937; 8/18/1997 N, 63 FR 32996; 6/17/1998, 71 FR 834; 1/5/ 2006 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 4d, 50 CFR 226.211 CH.
Steelhead [Southern California DPS]	Oncorhynchus mykiss	Southern California DPS—see 50 CFR 224.101.	E	225.203 °, 30 CFR 226.211 °N. 62 FR 43937; 8/18/1997 N, 63 FR 32996; 6/17/1998, 71 FR 834; 1/5/ 2006 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.211 °H.
Steelhead [Upper Columbia River DPS]	Oncorhynchus mykiss	Upper Columbia River DPS—see 50 CFR 223.102.	Т	220.211 °C 18 43937; 8/18/1997 °N, 63 FR 32996; 6/17/1998, 71 FR 834; 1/5/2006 °N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 °C H.
Steelhead [Upper Willamette River DPS]	Oncorhynchus mykiss	Upper Willamette River DPS—see 50 CFR 223.102.	Т	64 FR 14517; 3/25/1999 ¹ , 64 FR 41835; 8/2/1999, 71 FR 834; 1/5/ 2006 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ⁴ d, 50 CFR 226.212 ^{CH} .
Stickleback, unarmored threespine Sturgeon, Adriatic	Gasterosteus aculeatus williamsoni Acipenser naccarii	Wherever found	E E	35 FR 16047; 10/13/1970. 79 FR 31222; 6/2/2014 N, 79 FR 52576;
Sturgeon, Alabama	Scaphirhynchus suttkusi	Wherever found	E	9/4/2014. 65 FR 26438; 5/5/2000, 50 CFR
				17.95(e) ^{CH} .
Sturgeon, Atlantic (Atlantic subspecies)[Carolina DPS]. Sturgeon, Atlantic (Atlantic sub-	Acipenser oxyrinchus oxyrinchus Acipenser oxyrinchus oxyrinchus	Carolina DPS—see 50 CFR 224.101 Chesapeake Bay DPS—see 50 CFR		77 FR 5914; 2/6/2012 ^N , 79 FR 42687; 7/23/2014. 77 FR 5880; 2/6/2012 ^N , 79 FR 42687;
species)[Chesapeake Bay DPS]. Sturgeon, Atlantic (Atlantic subspecies)[Gulf of	Acipenser oxyrinchus oxyrinchus	224.101. Gulf of Maine DPS—see 50 CFR	T	7/ FR 5880, 2/6/2012 N, 79 FR 42687; 7/23/2014. 77 FR 5880; 2/6/2012 N, 79 FR 42687;
Maine DPS]. Sturgeon, Atlantic (Atlantic subspecies)[New York	Acipenser oxyrinchus oxyrinchus	223.102. New York Bight DPS—see 50 CFR	E.	7/23/2014, 50 CFR 223.211 ^{4d} . 77 FR 5880; 2/6/2012 ^N , 79 FR 42687;
Bight DPS]. Sturgeon, Atlantic (Atlantic subspecies)[South At-	Acipenser oxyrinchus oxyrinchus	224.101. South Atlantic DPS—see 50 CFR	E	7/23/2014. 77 FR 5914; 2/6/2012 N, 79 FR 42687;
lantic DPS]. Sturgeon, Atlantic (Gulf subspecies)	Acipenser oxyrinchus desotoi	224.101. Wherever found	Т	7/23/2014. 56 FR 49653; 9/30/1991 N, 56 FR
Cargosi, Amarico (dan Casapesico) illininininin	, reperied exymente decide minimum		·	49658; 9/30/1991, 50 CFR 17.44 ^{4d} , 50 CFR 17.95(e) ^{CH} , 50 CFR 226.214 ^{CH} .
Sturgeon, beluga	Huso huso	Wherever found	Т	69 FR 18499; 4/8/2004, 50 CFR 17.44(y) 4d.
Sturgeon, Chinese	Acipenser sinensis	Wherever found	E	79 FR 31222; 6/2/2014 N, 79 FR 52576; 9/4/2014.
Sturgeon, European	Acipenser sturio	Wherever found	E	79 FR 31222; 6/2/2014 N, 79 FR 52576; 9/4/2014.
Sturgeon, green [Southern DPS]	Acipenser medirostris	Southern DPS—see 50 CFR 223.102	Т	71 FR 26835; 5/9/2006, 76 FR 20558; 4/ 13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.210 ^{4d} , 50 CFR 226.219 ^{CH} .
Sturgeon, Kaluga	Huso dauricus	Wherever found	E	79 FR 31222; 6/2/2014 N, 79 FR 52576; 9/4/2014.
Sturgeon, pallid	Scaphirhynchus albusAcipenser mikadoi	Wherever found		55 FR 36641; 9/6/1990. 79 FR 31222; 6/2/2014 N, 79 FR 52576; 9/4/2014.
Sturgeon, shovelnose		Wherever found	E T (S/A)	32 FR 4001; 3/11/1967. 75 FR 53598; 9/1/2010, 50 CFR
Sturgeon, white [Kootenai River DPS]	Acipenser transmontanus	Kootenai River DPS—U.S.A. (ID, MT), Canada (BC), (Kootenai R. system).	E	17.44(aa) ^{4d} . 59 FR 45989; 9/6/1994, 50 CFR 17.95(e) ^{CH} .
Sucker, June	Chasmistes liorus	Wherever found	E	51 FR 10851; 3/31/1986, 50 CFR 17.95(e) ^{CH} .
Sucker, Lost River	Deltistes luxatus	Wherever found	E	53 FR 27130; 7/18/1988, 50 CFR 17.95(e) ^{CH} .
Sucker, razorback	Xyrauchen texanus	Wherever found	E	56 FR 54957; 10/23/1991, 50 CFR 17.95(e) ^{CH} .
Sucker, Santa Ana [Three CA river basins DPS]	Catostomus santaanae	Los Angeles River basin, San Gabriel River basin, Santa Ana River basin.	Т	65 FR 19686; 4/12/2000, 50 CFR 17.95(e) ^{CH} .
Sucker, shortnose	Chasmistes brevirostris	Wherever found	E	53 FR 27130; 7/18/1988, 50 CFR 17.95(e) ^{CH} .
Sucker, Warner	Catostomus warnerensis	Wherever found	Т	50 FR 39117; 9/27/1985, 50 CFR 17.44(I) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Sucker, Zuni bluehead	Catostomus discobolus yarrowi	Wherever found	E	79 FR 43131; 7/24/2014, 50 CFR 17.95(e) ^{CH} .
Sunfish, spring pygmy Tango, Miyako (Tokyo bitterling)	Elassoma alabamae	Wherever foundWherever found	T E	78 FR 60766; 10/2/2013. 35 FR 8491; 6/2/1970.
Temoleh, Ikan (minnow)	Probarbus jullieni	Wherever found	E	41 FR 24062; 6/14/1976.
Topminnow, Gila (incl. Yaqui)	Poeciliopsis occidentalis	U.S.A. only		32 FR 4001; 3/11/1967.
Totoaba (seatrout or weakfish) Trout, Apache	Cynoscion macdonaldi Oncorhynchus apache	Wherever found	E T	44 FR 29478; 5/21/1979. 32 FR 4001; 3/11/1967, 40 FR 29863; 7/
Trout, bull [Lower 48 States DPS]	Salvelinus confluentus	U.S.A., coterminous (lower 48 states), except where listed as an experimental population.	Т	16/1975, 50 CFR 17.44(a) ^{4d} . 63 FR 31647; 6/10/1998, 63 FR 42757; 8/11/1998, 64 FR 17110; 4/8/1999, 64 FR 58910; 11/1/1999, 50 CFR 17.44(w) ^{4d} , 50 CFR 17.44(x) ^{4d} , 50
Trout, bull	Salvelinus confluentus	Clackamas River subbasin and the mainstem Willamette River, from Wil- lamette Falls to its points of con- fluence with the Columbia River, in-	XN	CFR 17.95(e) ^{CH} . 76 FR 35979; 6/21/2011, 50 CFR 17.84(v) ¹⁰ .
Trout, Gila	Oncorhynchus gilae	cluding Multnomah Channel. Wherever found	Т	32 FR 4001; 3/11/1967, 71 FR 40657; 7/ 18/2006, 50 CFR 17.44(z) 4d.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Trout, greenback cutthroat	. Oncorhynchus clarkii stomias	Wherever found	Т	32 FR 4001; 3/11/1967, 43 FR 16343; 4/
Trout, Lahontan cutthroat	Oncorhynchus clarkii henshawi	Wherever found	т	18/1978, 50 CFR 17.44(f) ^{4d} . 35 FR 16047; 10/13/1970, 40 FR 29863;
Trout, Little Kern golden	Oncorhynchus aguabonita whitei	Wherever found	т	7/16/1975, 50 CFR 17.44(a) 4d. 43 FR 15427; 4/13/1978, 50 CFR
Trout, Paiute cutthroat	Oncorhynchus clarkii seleniris	Wherever found	Т	17.44(e) ^{4d} , 50 CFR 17.95(e) ^{CH} . 32 FR 4001; 3/11/1967, 40 FR 29863; 7/
Woundfin		Wherever found, except where listed as	E	16/1975, 50 CFR 17.44(a) ^{4d} . 35 FR 16047; 10/13/1970, 50 FR 30188;
Woundfin		an experimental population. Gila R. drainage, AZ, NM	XN	7/24/1985, 50 CFR 17.95(e) ^{CH} . 50 FR 30188; 7/24/1985, 50 CFR
CLAMS				17.84(b) ^{10j} .
Acornshell, southern	Epioblasma othcaloogensis	Wherever found	E	58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .
Bankclimber, purple	Elliptoideus sloatianus	Wherever found	Т	63 FR 12664; 3/16/1998, 50 CFR 17.95(f) ^{CH} .
Bean, Choctaw	. Villosa choctawensis	Wherever found	E	77 FR 61663; 10/10/2012, 50 CFR 17.95(f) ^{CH} .
Bean, Cumberland	Villosa trabalis	Wherever found, except where listed as	E	41 FR 24062; 6/14/1976.
Bean, Cumberland	Villosa trabalis	an experimental population. U.S.A. (AL—specified portions of the	XN	66 FR 32250; 6/14/2001, 50 CFR
Bean, Cumberland	Villosa trabalis	Tennessee River; see § 17.85(a)(1)). U.S.A. (TN—specified portions of the	XN	17.85(a) ¹⁰ . 72 FR 52434; 9/13/2007, 50 CFR
		French Broad and Holston Rivers; see § 17.85(b)(1)).		17.85(b) ^{10j} .
Bean, Purple	, , ,	Wherever found	E	62 FR 1647; 1/10/1997, 50 CFR 17.95(f) ^{CH} .
Blossom, green		Wherever found	E E	41 FR 24062; 6/14/1976. 41 FR 24062; 6/14/1976.
Blossom, tubercled	,	an experimental population. U.S.A. (AL—specified portions of the		66 FR 32250; 6/14/2001, 50 CFR
Blossom, turgid	,	Tennessee River; see § 17.85(a)(1)). Wherever found, except where listed as		17.85(a) ¹⁰ . 41 FR 24062; 6/14/1976.
Blossom, turgid	,	an experimental population. U.S.A. (AL—specified portions of the		66 FR 32250; 6/14/2001, 50 CFR
Blossom, yellow	, ,	Tennessee River; see § 17.85(a)(1)). Wherever found, except where listed as		17.85(a) ^{10j} . 41 FR 24062; 6/14/1976.
•	,	an experimental population.		
Blossom, yellow	,	U.S.A. (AL—specified portions of the Tennessee River; see § 17.85(a)(1)).		66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .
Purple cat's paw (pearlymussel)		Wherever found, except where listed as an experimental population.		55 FR 28209; 7/10/1990.
Purple cat's paw (pearlymussel)		U.S.A. (AL—specified portions of the Tennessee River; see § 17.85(a)(1)).		66 FR 32250; 6/14/2001, 50 CFR 17.85(a) 10.
Catspaw, white (pearlymussel)		Wherever found	E	41 FR 24062; 6/14/1976. 58 FR 5638; 1/22/1993.
Clubshell		an experimental population. U.S.A. (AL—specified portions of the	XN	66 FR 32250; 6/14/2001, 50 CFR
Clubshell, black		Tennessee River; see § 17.85(a)(1)). Wherever found	E	17.85(a) ¹⁰ i. 52 FR 11162; 4/7/1987.
Clubshell, ovate		Wherever found	Ē	58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .
Clubshell, southern	. Pleurobema decisum	Wherever found	E	58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .
Combshell, Cumberlandian	Epioblasma brevidens	Wherever found, except where listed as an experimental population.	E	62 FR 1647; 1/10/1997, 50 CFR 17.95(f) ^{CH} .
Combshell, Cumberlandian	Epioblasma brevidens	U.S.A. (AL—specified portions of the Tennessee River; see § 17.85(a)(1)).	XN	17.95(f) 66 FR 32250; 6/14/2001, 50 CFR 17.85(a) 10j.
Combshell, Cumberlandian	. Epioblasma brevidens	U.S.A. (TN-specified portions of the	XN	72 FR 52434; 9/13/2007, 50 CFR
Combaball	Faighteens (Duar	French Broad and Holston Rivers; see § 17.85(b)(1).	_	17.85(b) ^{10j} .
Combshell, southern		Wherever found	E E	52 FR 11162; 4/7/1987. 77 FR 61663; 10/10/2012, 50 CFR
Ebonyshell, round	. Fusconaia rotulata	Wherever found	E	17.95(f) ^{CH} . 58 FR 14330; 3/17/1993, 50 CFR
Elktoe, Appalachian	. Alasmidonta raveneliana	Wherever found	E	17.95(f) ^{CH} . 59 FR 60324; 11/23/1994, 50 CFR
Elktoe, Cumberland	. Alasmidonta atropurpurea	Wherever found	E	17.95(f) ^{CH} . 62 FR 1647; 1/10/1997, 50 CFR
Fanshell	, ,	Wherever found, except where listed as	E	17.95(f) ^{CH} . 55 FR 25591; 6/21/1990.
Fanshell		an experimental population. U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see		72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ¹⁰ j.
Fatmucket, Arkansas		§ 17.85(b)(1)). Wherever found	Т	55 FR 12797; 4/5/1990.
Heelsplitter, inflated	Potamilus inflatus	Wherever found	T E	55 FR 39868; 9/28/1990. 58 FR 34926; 6/30/1993, 50 CFR
Higgins eye (pearlymussel)	3	Wherever found	E	17.95(f) ^{CH} . 41 FR 24062; 6/14/1976.
Kidneyshell, fluted		Wherever found	Ē	78 FR 59269; 9/26/2013, 50 CFR 17.95(f) ^{CH} .
Kidneyshell, southern	. Ptychobranchus jonesi	Wherever found	E	77 FR 61663; 10/10/2012, 50 CFR 17.95(f) ^{CH} .
Kidneyshell, triangular	Ptychobranchus greenii	Wherever found	E	17.95(1) 611. 58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .
Lampmussel, Alabama	Lampsilis virescens	Wherever found, except where listed as	E	17.95(f) CH. 41 FR 24062; 6/14/1976.
Lampmussel, Alabama	Lampsilis virescens	an experimental population. U.S.A. (AL—specified portions of the	XN	66 FR 32250; 6/14/2001, 50 CFR
Lilliput, pale		Tennessee River; see § 17.85(a)(1)). Wherever found	E	17.85(a) ^{10j} . 41 FR 24062; 6/14/1976.
Mapleleaf, winged (mussel)		Wherever found, except where listed as an experimental population.		56 FR 28345; 6/20/1991.
Mapleleaf, winged (mussel)	. Quadrula fragosa	U.S.A. (AL—specified portions of the Tennessee River; see § 17.85(a)(1)).	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) 10j.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Moccasinshell, Alabama	Medionidus acutissimus	Wherever found	Т	58 FR 14330; 3/17/1993, 50 CFR
Moccasinshell, Coosa	Medionidus parvulus	Wherever found	E	17.95(f) ^{CH} . 58 FR 14330; 3/17/1993, 50 CFR
Moccasinshell, Gulf	Medionidus penicillatus	Wherever found	E	17.95(f) ^{CH} . 63 FR 12664: 3/16/1998. 50 CFR
Moccasinshell, Ochlockonee	Medionidus simpsonianus	Wherever found	E	17.95(f) ^{CH} . 63 FR 12664; 3/16/1998, 50 CFR
,	,			17.95(f) ^{CH} .
Monkeyface, Appalachian (pearlymussel)	Quadrula sparsa	Wherever found, except where listed as an experimental population.	E	41 FR 24062; 6/14/1976.
Monkeyface, Appalachian (pearlymussel)	Quadrula sparsa	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1)).	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) 10j.
Monkeyface, Cumberland	Quadrula intermedia	Wherever found, except where listed as	E	41 FR 24062; 6/14/1976.
Monkeyface, Cumberland	Quadrula intermedia	an experimental population. U.S.A. (AL—specified portions of the	XN	66 FR 32250; 6/14/2001, 50 CFR
Monkeyface, Cumberland	Quadrula intermedia	Tennessee River; see § 17.85(a)(1)). U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see	XN	17.85(a) ^{10j} . 72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Mucket, Neosho	Lampsilis rafinesqueana	§ 17.85(b)(1)). Wherever found	E	78 FR 57076; 9/17/2013, 50 CFR 17.95(f) ^{CH} .
Mucket, orangenacre	Lampsilis perovalis	Wherever found	Т	58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .
Mucket, pink (pearlymussel)	Lampsilis abrupta	Wherever found	E	41 FR 24062; 6/14/1976.
Mussel, oyster	Epioblasma capsaeformis	Wherever found, except where listed as an experimental population.		62 FR 1647; 1/10/1997, 50 CFR 17.95(f) ^{CH} .
Mussel, oyster	Epioblasma capsaeformis	U.S.A. (AL—specified portions of the Tennessee River; see § 17.85(a)(1)).	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) 10j.
Mussel, oyster	Epioblasma capsaeformis	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1)).	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) 10].
Mussel, rayed bean	Villosa fabalis Leptodea leptodon	Wherever found	E E	77 FR 8632; 2/14/2012. 66 FR 51322; 10/9/2001.
Pearlshell, Alabama	Margaritifera marrianae	Wherever found	Ē	77 FR 61663; 10/10/2012, 50 CFR
Pearlshell, Louisiana	Margaritifera hembeli	Wherever found	Т	17.95(f) ^{CH} . 53 FR 3567; 2/5/1988, 58 FR 49935; 9/
Pearlymussel, birdwing	Lemiox rimosus	Wherever found, except where listed as	E	24/1993. 41 FR 24062; 6/14/1976.
Pearlymussel, birdwing	Lemiox rimosus	an experimental population. U.S.A. (AL—specified portions of the	XN	66 FR 32250; 6/14/2001, 50 CFR
Pearlymussel, birdwing	Lemiox rimosus	Tennessee River; see § 17.85(a)(1)). U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see	XN	17.85(a) ¹⁰ . 72 FR 52434; 9/13/2007, 50 CFR
Pearlymussel, cracking	Hemistena lata	§ 17.85(b)(1)). Wherever found, except where listed as	E	17.85(b) ¹⁰ i. 54 FR 39850; 9/28/1989.
Pearlymussel, cracking	Hemistena lata	an experimental population. U.S.A. (AL—specified portions of the	XN	66 FR 32250; 6/14/2001, 50 CFR
Pearlymussel, cracking	Hemistena lata	Tennessee River; see § 17.85(a)(1)). U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see	XN	17.85(a) ¹⁰ . 72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ¹⁰ .
B 1 10 "		§ 17.85(b)(1)).	_	
Pearlymussel, Curtis Pearlymussel, dromedary	Epioblasma florentina curtisii Dromus dromas	Wherever found	E	41 FR 24062; 6/14/1976. 41 FR 24062; 6/14/1976.
Pearlymussel, dromedary	Dromus dromas	an experimental population. U.S.A. (AL—specified portions of the	XN	66 FR 32250; 6/14/2001, 50 CFR
		Tennessee River; see § 17.85(a)(1)).		17.85(a) ¹⁰ i. 72 FR 52434; 9/13/2007, 50 CFR
Pearlymussel, dromedary		U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1)).		17.85(b) ^{10j} .
Pearlymussel, littlewing Pearlymussel, Nicklin's	Pegias fabula Megalonaias nicklineana	Wherever found	E	53 FR 45861; 11/14/1988. 41 FR 24062; 6/14/1976.
Pearlymussel, slabside	Pleuronaia dolabelloides	Wherever found	Ē	78 FR 59269; 9/26/2013, 50 CFR 17.95(f) ^{CH} .
Pearlymussel, Tampico	Cyrtonaias tampicoensis tecomatensis	Wherever found	E	41 FR 24062; 6/14/1976.
Pigtoe, Cumberland Pigtoe, dark	Pleurobema gibberum Pleurobema furvum	Wherever foundWherever found	E	56 FR 21084; 5/7/1991. 58 FR 14330; 3/17/1993, 50 CFR
Pigtoe, finerayed	Fusconaia cuneolus	Wherever found, except where listed as	E	17.95(f) ^{CH} . 41 FR 24062; 6/14/1976.
Pigtoe, finerayed	Fusconaia cuneolus	an experimental population. U.S.A. (AL—specified portions of the		66 FR 32250; 6/14/2001, 50 CFR
Pigtoe, finerayed	Fusconaia cuneolus	Tennessee River; see § 17.85(a)(1)). U.S.A. (TN—specified portions of the	XN	17.85(a) ¹⁰ . 72 FR 52434; 9/13/2007, 50 CFR
		French Broad and Holston Rivers; see § 17.85(b)(1)).	_	17.85(b) ^{10j} .
Pigtoe, flat	Pleurobema marshalli Pleurobema strodeanum	Wherever found	E T	52 FR 11162; 4/7/1987. 77 FR 61663; 10/10/2012, 50 CFR 17.95(f) ^{CH} .
Pigtoe, Georgia	Pleurobema hanleyianum	Wherever found	E	75 FR 67512; 11/2/2010, 50 CFR 17.95(f) ^{CH} .
Pigtoe, heavy	Pleurobema taitianumFusconaia escambia	Wherever found	E T	52 FR 11162; 4/7/1987. 77 FR 61663; 10/10/2012, 50 CFR
Pigtoe, oval	Pleurobema pyriforme	Wherever found	E	17.95(f) ^{CH} . 63 FR 12664; 3/16/1998, 50 CFR
Pigtoe, rough	Pleurobema plenum	Wherever found, except where listed as	E	17.95(f) ^{CH} . 41 FR 24062; 6/14/1976.
Pigtoe, rough	Pleurobema plenum	an experimental population. U.S.A. (TN—specified portions of the	XN	72 FR 52434; 9/13/2007, 50 CFR
	,	French Broad and Holston Rivers; see § 17.85(b)(1)).		17.85(b) ^{10j} .
Pigtoe, shiny	Fusconaia cor	Wherever found, except where listed as an experimental population.		41 FR 24062; 6/14/1976.
Pigtoe, shiny	Fusconaia cor	U.S.A. (AL—specified portions of the Tennessee River; see § 17.85(a)(1)).	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) 10j.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Pigtoe, shiny	Fusconaia cor	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Pigtoe, southern	Pleurobema georgianum	§ 17.85(b)(1)). Wherever found	E	58 FR 14330; 3/17/1993, 50 CFR 17.95(f) CH.
Pigtoe, tapered	Fusconaia burkei	Wherever found	Т	77 FR 61663; 10/10/2012, 50 CFR
Pimpleback, orangefoot	Plethobasus cooperianus	Wherever found, except where listed as	E	17.95(f) ^{CH} . 41 FR 24062; 6/14/1976.
Pimpleback, orangefoot	Plethobasus cooperianus	an experimental population. U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Pink, ring	Obovaria retusa	§ 17.85(b)(1)). Wherever found, except where listed as an experimental population.	E	54 FR 40109; 9/29/1989.
Pink, ring	Obovaria retusa	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1)).	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) 10].
Pocketbook, fat	Potamilus capaxLampsilis altilis	Wherever found	E T	41 FR 24062; 6/14/1976. 58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .
Rock-pocketbook, Ouachita	Arkansia wheeleri Lampsilis subangulata	Wherever found	E E	56 FR 54950; 10/23/1991. 63 FR 12664; 3/16/1998, 50 CFR 17.95(f) CH.
Pocketbook, speckled	Lampsilis streckeri	Wherever found		54 FR 8339; 2/28/1989.
Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	T	78 FR 57076; 9/17/2013, 50 CFR 17.95(f) ^{CH} .
Rabbitsfoot, rough	Quadrula cylindrica strigillata	Wherever found		62 FR 1647; 1/10/1997, 50 CFR 17.95(f) ^{CH} .
Riffleshell, northern Riffleshell, tan	Epioblasma torulosa rangiana Epioblasma florentina walkeri (=E.	Wherever found	E	58 FR 5638; 1/22/1993. 42 FR 42351; 8/23/1977.
Sandshell, southern	walkeri). Hamiota australis	Wherever found	Т	77 FR 61663; 10/10/2012, 50 CFR 17.95(f) ^{CH} .
Sheepnose	Plethobasus cyphyus Elliptio chipolaensis	Wherever foundWherever found	E T	77 FR 14914;3/13/2012. 63 FR 12664; 3/16/1998, 50 CFR
Snuffbox (mussel)	Epioblasma triquetra	Wherever found	E	17.95(f) ^{CH} . 77 FR 8632; 2/14/2012.
Spectaclecase	Cumberlandia monodonta	Wherever found		77 FR 14914; 3/13/2012. 76 FR 62928; 10/11/2011, 50 CFR
Spinymussel, James	Pleurobema collina	Wherever found	E	17.95(f) ^{CH} . 53 FR 27689; 7/22/1988.
Spinymussel, Tar River	Elliptio steinstansana	Wherever found		50 FR 26572; 6/27/1985.
Stirrupshell	Quadrula stapes	Wherever found	Ē	52 FR 11162; 4/7/1987.
Threeridge, fat	Amblema neislerii Plethobasus cicatricosus	Wherever found, except where listed as		63 FR 12664; 3/16/1998, 50 CFR 17.95(f) ^{CH} . 41 FR 24062; 6/14/1976.
Wartyback, white	Plethobasus cicatricosus	an experimental population. U.S.A. (TN—specified portions of the		72 FR 52434; 9/13/2007, 50 CFR
Wedgemussel, dwarf	Alasmidonta heterodon	French Broad and Holston Rivers; see § 17.85(b)(1)). Wherever found	E	17.85(b) ^{10j} .
SNAILS				55 FR 9447; 3/14/1990.
Abalone, Black	Haliotis cracherodii	Wherever found	E	74 FR 1937; 1/14/2009 N, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.221 CH.
Abalone, white	Haliotis sorenseni	Wherever found	E	66 FR 29054; 5/29/2001 N, 70 FR 69464; 11/16/2005.
Ambersnail, Kanab Campeloma, slender	Oxyloma haydeni kanabensis Campeloma decampi	Wherever found	E	56 FR 37668; 8/8/1991, 57 FR 13657; 4/ 17/1992, 57 FR 44340; 9/25/1992. 65 FR 10033; 2/25/2000.
Cavesnail, Tumbling Creek	Antrobia culveri	Wherever found	E	67 FR 52879; 8/14/2002, 50 CFR 17.95(f) ^{CH} .
Elimia, lacy	Elimia crenatella	Wherever found	T E	63 FR 57610; 10/28/1998. 75 FR 67512; 11/2/2010, 50 CFR
Limpet, Banbury Springs	Lanx sp	Wherever found	E	17.95(f) ^{CH} . 57 FR 59244; 12/14/1992.
Lioplax, cylindrical	Lioplax cyclostomaformis	Wherever found		63 FR 57610; 10/28/1998.
Marstonia, armored (snail)	Pyrgulopsis (=Marstonia) pachyta	Wherever found	E	65 FR 10033; 2/25/2000.
Marstonia, royal Pebblesnail, flat	Pyrgulopsis ogmorhaphe Lepyrium showalteri	Wherever found	E	59 FR 17994; 4/15/1994. 63 FR 57610; 10/28/1998.
Pecos assiminea	Assiminea pecos	Wherever found	Ē	76 FR 33036; 6/7/2011, 50 CFR 17.95(f) ^{CH} .
Riversnail, Anthony's	Athearnia anthonyi	Wherever found, except where listed as an experimental population.		59 FR 17994; 4/15/1994.
Riversnail, Anthony's	Athearnia anthonyi	U.S.A. (AL—specified portions of the Tennessee River; see § 17.85(a)(1)).		66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .
Riversnail, Anthony's	Athearnia anthonyi	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1)).		72 FR 52434; 9/13/2007, 50 CFR 17.85(b) 10j.
Rocksnail, interrupted	Leptoxis foremani Leptoxis taeniata	Wherever found	E T	75 FR 67512; 11/2/2010, 50 CFR 17.95(f) ^{CH} .
Rocksnail, plicate	Leptoxis taeniataLeptoxis plicata	Wherever found	E	63 FR 57610; 10/28/1998. 63 FR 57610; 10/28/1998.
Rocksnail, round	Leptoxis piicataLeptoxis ampla	Wherever found	T	63 FR 57610; 10/28/1998. 63 FR 57610; 10/28/1998.
Snail, Bliss Rapids	Taylorconcha serpenticola	Wherever found		
Snail, Chittenango ovate amber	Succinea chittenangoensis	Wherever found		57 FR 59244; 12/14/1992.
Snail, flat-spired three-toothed	Triodopsis platysayoides	Wherever found	 	43 FR 28932; 7/3/1978. 43 FR 28932; 7/3/1978.
Snail, fragile tree (Akaleha dogas, Denden)	Samoana fragilis	Wherever found		80 FR 59423; 10/1/2015.
Snail, Guam tree (Akaleha, Denden)	Partula radiolata	Wherever found	E	80 FR 59423; 10/1/2015. 80 FR 59423; 10/1/2015.
	Partula radiolata	Wherever found	E	
Snail, humped tree (Akaleha, Denden) Snail, Iowa Pleistocene	Discus macclintocki	Wherever found		80 FR 59423; 10/1/2015.
				43 FR 28932; 7/3/1978.
Snail, Lanai tree	Partulina semicarinata	Wherever found	E	78 FR 32013; 5/28/2013.
Snail, Langi tree	Partulina variabilis Partula langfordi	Wherever found		78 FR 32013; 5/28/2013.
				80 FR 59423; 10/1/2015.
Snail, Manus Island tree	Papustyla pulcherrima	Wherever found	l E	35 FR 8491; 6/2/1970.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Snail, Morro shoulderband (=Banded dune)	Helminthoglypta walkeriana	Wherever found	Е	59 FR 64613; 12/15/1994, 50 CFR
Snail, Newcomb's	Erinna newcombi	Wherever found	Т	17.95(f) ^{CH} . 65 FR 4162; 1/26/2000, 50 CFR
Snail, Newcomb's tree	Newcombia cumingi	Wherever found	E	17.95(f) ^{CH} . 78 FR 32013; 5/28/2013, 50 CFR
Snail, noonday	Mesodon clarki nantahala	Wherever found	т	17.95(f) ^{CH} . 43 FR 28932; 7/3/1978.
Snail, painted snake coiled forest	Anguispira picta	Wherever found	Ť	43 FR 28932; 7/3/1978.
Snail, Snake River physa	Physa natricina	Wherever found	E	57 FR 59244; 12/14/1992.
Snail, Stock Island tree	Orthalicus reses (not incl. nesodryas)	Wherever found	Ţ	43 FR 28932; 7/3/1978.
Snail, tulotoma	Tulotoma magnifica	Wherever found	Т	56 FR 797; 1/9/1991, 76 FR 31866; 6/2/ 2011.
Snail, Virginia fringed mountain	Polygyriscus virginianus	Wherever found	E	43 FR 28932; 7/3/1978. 46 FR 3178; 1/13/1981, 46 FR 40025; 8/ 6/1981.
Springsnail, Alamosa	Tryonia alamosae	Wherever found	E	56 FR 49646; 9/30/1991.
Springsnail, Bruneau Hot	Pyrgulopsis bruneauensis Pyrgulopsis chupaderae	Wherever found	E E	58 FR 5938; 1/25/1993.
	, , ,	Wherever found		77 FR 41088; 7/12/2012, 50 CFR 17.95(f) ^{CH} .
Springsnail, Koster's	Juturnia kosteria	Wherever found	E	76 FR 33036; 6/7/2011, 50 CFR 17.95(f) ^{CH} .
Springsnail, Phantom	Pyrgulopsis texana	Wherever found	E	78 FR 41227; 7/9/2013, 50 CFR 17.95(f) CH.
Springsnail, Roswell	Pyrgulopsis roswellensis	Wherever found	E	76 FR 33036; 6/7/2011, 50 CFR
Springsnail, San Bernardino	Pyrgulopsis bernardina	Wherever found	Т	17.95(f) ^{CH} . 77 FR 23060; 4/17/2012, 50 CFR
Springsnail, Socorro	Pyrgulopsis neomexicana	Wherever found	E	17.95(f) ^{CH} . 56 FR 49646; 9/30/1991.
Springsnail, Three Forks	Pyrgulopsis trivialis	Wherever found		77 FR 23060; 4/17/2012, 50 CFR
Tryonia, Diamond	Pseudotryonia adamantina	Wherever found	E	17.95(f) ^{CH} . 78 FR 41227; 7/9/2013, 50 CFR
Tryonia, Gonzales	Tryonia circumstriata	Wherever found	E	17.95(f) ^{CH} . 78 FR 41227; 7/9/2013, 50 CFR
				17.95(f) CH.
Tryonia, Phantom	Tryonia cheatumi	Wherever found	E	78 FR 41227; 7/9/2013, 50 CFR 17.95(f) ^{CH} .
INSECTS Beetle, American burying	Nicrophorus americanus	Entire, except where listed as an experi-	E	54 FR 29652; 7/13/1989.
Beetle, American burying	Nicrophorus americanus	mental population. In southwestern Missouri, the counties of	XN	77 FR 16712; 3/22/2012, 50 CFR
Beetle, Casey's June	Dinacoma caseyi	Cedar, St. Clair, Bates, and Vernon. Wherever found	E	17.85(c) ¹⁰ j. 76 FR 58954; 9/22/2011, 50 CFR
				17.95(i) ^{CH} .
Beetle, Coffin Cave mold	Batrisodes texanus	Wherever found	E	53 FR 36029; 9/16/1988, 58 FR 43818; 8/18/1993.
Beetle, Comal Springs dryopid	Stygoparnus comalensis	Wherever found	E	62 FR 66295; 12/18/1997, 50 CFR 17.95(i) ^{CH} .
Beetle, Comal Springs riffle	Heterelmis comalensis	Wherever found	E	62 FR 66295; 12/18/1997, 50 CFR 17.95(i) ^{CH} .
Beetle, delta green ground	Elaphrus viridis	Wherever found	Т	45 FR 52807; 8/8/1980, 50 CFR 17.95(i) ^{CH} .
Beetle, Helotes mold	Batrisodes venyivi	Wherever found	E	70 FR 69854; 11/17/2005, 50 CFR 17.95(i) ^{CH} .
Beetle, Hungerford's crawling water Beetle, Kretschmarr Cave mold	Brychius hungerfordi Texamaurops reddelli	Wherever found	E	59 FR 10580; 3/7/1994. 53 FR 36029; 9/16/1988, 58 FR 43818;
,	Polyphylla barbata		E	8/18/1993.
Beetle, Mount Hermon June Beetle, (no common name)	Rhadine exilis	Wherever found	Ē	62 FR 3616; 1/24/1997. 70 FR 69854; 11/17/2005, 50 CFR
Beetle, (no common name)	Rhadine infernalis	Wherever found	E	17.95(i) ^{CH} . 70 FR 69854; 11/17/2005, 50 CFR
Beetle, Northeastern beach tiger	Cicindela dorsalis dorsalis	Wherever found	Т	17.95(i) ^{CH} . 55 FR 32088; 8/7/1990.
Beetle, Ohlone tiger	Cicindela oblone	Wherever found	Ė	66 FR 50340; 8/3/2001.
Beetle, Puritan tiger	Cicindela puritana	Wherever found	Т	55 FR 32088; 8/7/1990.
Beetle, Salt Creek tiger	Cicindela nevadica lincolniana	Wherever found	E	70 FR 58335; 10/6/2005, 50 CFR 17.95(i) ^{CH} .
Beetle, Tooth Cave ground	Rhadine persephone	Wherever found	E	53 FR 36029; 9/16/1988.
Beetle, valley elderberry longhorn	Desmocerus californicus dimorphus	Wherever found	Т	45 FR 52803; 8/8/1980, 50 CFR 17.95(i) ^{CH} .
Butterfly, Bartram's scrub-hairstreak	Strymon acis bartrami	Wherever found	E	79 FR 47221; 8/12/2014, 50 CFR 17.95(i) ^{CH} .
Butterfly, bay checkerspot	Euphydryas editha bayensis	Wherever found	Т	17.35(i) 54. 52 FR 35366; 9/18/1987, 50 CFR 17.95(i) ^{CH} .
Butterfly, Behren's silverspot	Speyeria zerene behrensii	Wherever found	E	62 FR 64306; 12/5/1997.
Butterfly, callippe silverspot	Speyeria callippe callippe	Wherever found	E	62 FR 64306; 12/5/1997.
Butterfly, cassius blue	Leptotes cassius theonus	Coastal south and central FL	T (S/A)	77 FR 20948; 4/6/2012.
Butterfly, ceraunus blue	Hemiargus ceraunus antibubastus	Coastal south and central FL	T (S/A)	77 FR 20948; 4/6/2012.
Butterfly, Corsican swallowtail	Papilio hospitonEuphilotes battoides allvni	Wherever found	E	58 FR 4356; 1/14/1993.
Butterfly, El Segundo blue	Luphilotes battoides allyni	Wherever found	E E	41 FR 22041; 6/14/1976. 65 FR 3875; 1/25/2000, 50 CFR
•				17.95(i) ^{CH} .
Butterfly, Florida leafwing	Anaea troglodyta floridalis	Wherever found	E	79 FR 47221; 8/12/2014, 50 CFR 17.95(i) ^{CH} .
Butterfly, Homerus swallowtail	Papilio homerus	Wherever found	E	58 FR 4356; 1/14/1993.
Butterfly, Karner blue	Lycaeides melissa samuelis	Wherever found	E	57 FR 59236; 12/14/1992.
Butterfly, Lange's metalmark	Apodemia mormo langei	Wherever found	E	41 FR 22041; 6/14/1976.
Butterfly, lotis blue	Lycaeides argyrognomon lotis	Wherever found	E	41 FR 22041; 6/14/1976.
Butterfly, Luzon peacock swallowtail	Papilio chikae	Wherever found	E E	58 FR 4356; 1/14/1993.
Libweibwogh).				80 FR 59423; 10/1/2015.
Butterfly, Mariana wandering (Ababbang, Libweibwogh).	Vagrans egistina	Wherever found	E	80 FR 59423; 10/1/2015.
Butterfly, Miami blue	Cyclargus thomasi bethunebakeri	Wherever found	E E	77 FR 20948; 4/6/2012. 41 FR 22041; 6/14/1976.
Butterfly, mission blue	Icancia icanoides missionensis			
Butterfly, mission blue	Icaricia icarioides missionensis Neonympha mitchellii mitchellii	Wherever found	E	56 FR 28825; 6/25/1991, 57 FR 21564;

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Butterfly, Mount Charleston blue	Icaricia (Plebejus) shasta	Wherever found	E	78 FR 57749; 9/19/2013, 50 CFR
Butterfly, Myrtle's silverspot	charlestonensis. Speyeria zerene myrtleae	Wherever found	E	17.95(i) ^{CH} . 57 FR 27848; 6/22/1992.
Butterfly, nickerbean blue	Cyclargus ammon	Coastal south and central FL	T (S/A)	77 FR 20948; 4/6/2012, 50 CFR 17.47(a) 4d.
Butterfly, Oregon silverspot	Speyeria zerene hippolyta	Wherever found	Т	45 FR 44935; 7/2/1980, 50 CFR 17.95(i) ^{CH} .
Butterfly, Palos Verdes blue	Glaucopsyche lygdamus palosverdesensis.	Wherever found	E	45 FR 44935; 7/2/1980, 50 CFR 17.95(i) ^{CH} .
Butterfly, Queen Alexandra's birdwing	Troides alexandrae Euphydryas editha quino	Wherever found	E E	54 FR 38950; 9/21/1989. 62 FR 2313; 1/16/1997, 50 CFR
Butterfly, Saint Francis' satyr	Neonympha mitchellii francisci	Wherever found	E	17.95(i) ^{CH} . 59 FR 18324; 4/18/1994, 60 FR 5264; 1/ 26/1995.
Butterfly, San Bruno elfin	Callophrys mossii bayensis Heraclides aristodemus ponceanus	Wherever found	E E	41 FR 22041; 6/14/1976. 41 FR 17736; 4/28/1976, 49 FR 34501; 8/31/1984.
Butterfly, Smith's blue	Euphilotes enoptes smithi Euphydryas editha taylori	Wherever found	E E	41 FR 22041; 6/14/1976. 78 FR 61451; 10/3/2013, 50 CFR 17.95(i) ^{CH} .
Butterfly, Uncompangre fritillary	Boloria acrocnemanigrohamatum	Wherever found	E E	56 FR 28712; 6/24/1991. 77 FR 57647; 9/18/2012, 50 CFR
Damselfly, crimson Hawaiian	nigrolineatum. Megalagrion leptodemas	Wherever found	E	17.95(i) ^{CH} . 77 FR 57647; 9/18/2012, 50 CFR
Damselfly, flying earwig Hawaiian	Megalagrion nesiotes	Wherever found	E	17.95(i) ^{CH} . 52 FR 21481; 6/5/1987, 50 CFR
Damselfly, oceanic Hawaiian	Megalagrion oceanicum	Wherever found	E	17.95(i) ^{CH} . 77 FR 57647; 9/18/2012, 50 CFR
Damselfly, Pacific Hawaiian	Megalagrion pacificum	Wherever found	E	17.95(i) ^{CH} . 52 FR 21481; 6/5/1987, 50 CFR
Damselfly, Rota blue (Dulalas Luta, Dulalas	Ischnura luta	Wherever found	E	17.95(i) ^{CH} . 80 FR 59423; 10/1/2015.
Luuta). Dragonfly, Hine's emerald	Somatochlora hineana	Wherever found	E	60 FR 5267; 1/26/1995, 50 CFR 17.95(i) ^{CH} .
Fly, Delhi Sands flower-lovingFly, Hawaiian picture-wing	Rhaphiomidas terminatus abdominalis Drosophila aglaia	Wherever found	E E	58 FR 49881; 9/23/1993. 71 FR 26835; 5/9/2006, 50 CFR
Fly, Hawaiian picture-wing	Drosophila differens	Wherever found	E	17.95(i) ^{CH} . 71 FR 26835; 5/9/2006, 50 CFR
Fly, Hawaiian picture-wingFly, Hawaiian picture-wing	Drosophila digressa Drosophila hemipeza	Wherever found	E E	17.95(i) ^{CH} . 78 FR 64637; 10/29/2013. 71 FR 26835; 5/9/2006, 50 CFR
Fly, Hawaiian picture-wing	Drosophila heteroneura	Wherever found	E	17.95(i) ^{CH} . 71 FR 26835; 5/9/2006, 50 CFR
Fly, Hawaiian picture-wing	Drosophila montgomeryi	Wherever found	E	17.95(i) ^{CH} . 71 FR 26835; 5/9/2006, 50 CFR
Fly, Hawaiian picture-wing	Drosophila mulli	Wherever found	Т	17.95(i) ^{CH} . 71 FR 26835; 5/9/2006, 50 CFR
Fly, Hawaiian picture-wing	Drosophila musaphilia	Wherever found	E	17.95(i) ^{CH} . 71 FR 26835; 5/9/2006, 50 CFR
Fly, Hawaiian picture-wing	Drosophila neoclavisetae	Wherever found	E	17.95(i) ^{CH} . 71 FR 26835; 5/9/2006, 50 CFR
Fly, Hawaiian picture-wing	Drosophila obatai	Wherever found	E	17.95(i) ^{CH} . 71 FR 26835; 5/9/2006, 50 CFR
Fly, Hawaiian picture-wing	Drosophila ochrobasis	Wherever found	E	17.95(i) ^{CH} . 71 FR 26835; 5/9/2006, 50 CFR
Fly, Hawaiian picture-wing	Drosophila sharpi	Wherever found	E	17.95(i) ^{CH} . 71 FR 26835; 5/9/2006, 50 CFR
Fly, Hawaiian picture-wing	Drosophila substenoptera	Wherever found	E	17.95(i) ^{CH} . 71 FR 26835; 5/9/2006, 50 CFR
Fly, Hawaiian picture-wing	Drosophila tarphytrichia	Wherever found	E	17.95(i) ^{CH} . 71 FR 26835; 5/9/2006, 50 CFR
Grasshopper, Zayante band-winged	Trimerotropis infantilis	Wherever found	E	17.95(i) ^{CH} . 62 FR 3616; 1/24/1997, 50 CFR
Moth, Blackburn's sphinx	Manduca blackburni	Wherever found	E	17.95(i) ^{CH} . 65 FR 4770; 2/1/2000, 50 CFR
Moth, Kern primrose sphinx	Euproserpinus euterpeAmbrysus amargosus	Wherever found	T T	17.95(i) ^{CH} . 45 FR 24088; 4/8/1980. 50 FR 20777; 5/20/1985, 50 CFR
Skipper, Carson wandering	Pseudocopaeodes eunus obscurus	U.S.A., (Lassen County, CA; Washoe County, NV).	E	17.95(i) ^{CH} . 67 FR 51116; 8/7/2002.
Skipper, Dakota	Hesperia dacotae	Wherever found	т	79 FR 63671;10/24/2014, 50 CFR 17.95(i) ^{CH} , 50 CFR 17.47(b) ^{4d} .
Skipper, Laguna Mountains	Pyrgus ruralis lagunae	Wherever found	E	62 FR 2313; 1/16/1997, 50 CFR 17.95(i) CH.
Skipper, Pawnee montane	Hesperia leonardus montana Oarisma poweshiek	Wherever found	T E	52 FR 36176; 9/25/1987. 79 FR 63671;10/24/2014, 50 CFR
ARACHNIDS Harvestman, Bee Creek Cave	Texella reddelli	Wherever found	E	17.95(i) ^{CH} . 53 FR 36029; 9/16/1988, 58 FR 43818;
Harvestman, Bone Cave	Texella reyesi	Wherever found	E	8/18/1993. 53 FR 36029; 9/16/1988, 58 FR 43818;
Harvestman, Cokendolpher cave	Texella cokendolpheri	Wherever found	E	8/18/1993. 65 FR 69624; 11/17/2000, 50 CFR
Meshweaver, Braken Bat Cave	Circurina venii	Wherever found	E	17.95(g) ^{CH} . 65 FR 69624; 11/17/2000, 50 CFR
Meshweaver, Government Canyon Bat Cave	Circurina vespera	Wherever found	E	17.95(g) ^{CH} . 65 FR 69624; 11/17/2000, 50 CFR 17.95(g) ^{CH} .
Meshweaver, Madla Cave	Cicurina madla	Wherever found	E	65 FR 69624; 11/17/2000, 50 CFR 17.95(g) ^{CH} .
Meshweaver, Robber Baron Cave	Cicurina baronia	Wherever found	E	65 FR 69624; 11/17/2000, 50 CFR 17.95(g) ^{CH} .
Pseudoscorpion, Tooth Cave	Tartarocreagris texana	Wherever found	E	17.95(g) 51. 1 53 FR 36029; 9/16/1988.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Spider, Government Canyon Bat Cave	Neoleptoneta microps	Wherever found	E	65 FR 69624; 11/17/2000, 50 CFR
Spider, Kauai cave wolf	Adelocosa anops	Wherever found	E	17.95(g) ^{CH} . 65 FR 2348; 1/14/2000, 50 CFR
Spider, spruce-fir moss	Microhexura montivaga	Wherever found	E	17.95(g) ^{CH} . 60 FR 6968; 2/6/1995, 50 CFR
Spider, Tooth Cave	Neoleptoneta myopica	Wherever found	E	17.95(g) ^{CH} . 53 FR 36029; 9/16/1988.
CRUSTACEANS Amphipod, diminutive	Gammarus hyalleloides	Wherever found	Е	78 FR 41227; 7/9/2013, 50 CFR
Amphipod, Hay's Spring	Stygobromus hayi	Wherever found	E	17.95(h) ^{CH} . 47 FR 5425; 2/5/1982.
Amphipod, Illinois Cave	Gammarus acherondytes	Wherever found	E	63 FR 46900; 9/3/1998.
Amphipod, Kauai cave	Spelaeorchestia koloana	Wherever found	E	65 FR 2348; 1/14/2000, 50 CFR 17.95(h) ^{CH} .
Amphipod, Noel's	Gammarus desperatus	Wherever found	E	76 FR 33036; 6/7/2011, 50 CFR 17.95(h) ^{CH} .
Amphipod, Peck's cave	Stygobromus (=Stygonectes) Pecki	Wherever found	E	62 FR 66295; 12/18/1997, 50 CFR 17.95(h) ^{CH} .
Amphipod, Pecos	Gammarus pecos	Wherever found	E	78 FR 41227; 7/9/2013, 50 CFR 17.95(h) ^{CH} .
Crayfish, Big Sandy	Cambarus callainus	Wherever found		81 FR 20449; 4/7/2016.
Crayfish, cave	Cambarus aculabrum Cambarus zophonastes	Wherever foundWherever found	E	58 FR 25742; 4/27/1993. 52 FR 11170; 4/7/1987.
Crayfish, Guyandotte River	ambarus veteranus	Wherever found	Ē	81 FR 20449; 4/7/2016.
Crayfish, Nashville	Orconectes shoupi	Wherever found		51 FR 34410; 9/3/1986.
Crayfish, Shasta	Pacifastacus fortis	Wherever found	Ē	53 FR 38460; 9/30/1988.
Fairy shrimp, Conservancy	Branchinecta conservatio	Wherever found	E	59 FR 48136; 9/19/1994, 50 CFR 17.95(h) CH.
Fairy shrimp, longhorn	Branchinecta longiantenna	Wherever found	E	59 FR 48136; 9/19/1994, 50 CFR 17.95(h) ^{CH} .
Fairy shrimp, Riverside	Streptocephalus woottoni	Wherever found	E	58 FR 41384; 8/3/1993, 50 CFR
Fairy shrimp, San Diego	Branchinecta sandiegonensis	Wherever found	E	17.95(h) ^{CH} . 62 FR 4925; 2/3/1997, 50 CFR
Fairy shrimp, vernal pool	Branchinecta lynchi	Wherever found	E	17.95(h) ^{CH} . 59 FR 48136; 9/19/1994, 50 CFR 17.95(h) ^{CH} .
Isopod, Lee County cave	Lirceus usdagalun	Wherever foundWherever found	E T	57 FR 54722; 11/20/1992.
isopod, Madison Cave	Antrolana lira			47 FR 43699; 10/4/1982, 50 CFR 17.46(a) 4d.
Isopod, Socorro	Thermosphaeroma thermophilus	Wherever found	E	43 FR 12690; 3/27/1978.
Shrimp, Alabama cave	Palaemonias alabamae	Wherever found		53 FR 34696; 9/7/1988.
Shrimp, anchialine pool	Vetericaris chaceorum	Wherever found		78 FR 64637; 10/29/2013.
Shrimp, California freshwater	Syncaris pacifica	Wherever found	E	53 FR 43884; 10/31/1988. 48 FR 46337; 10/12/1983, 50 CFR 17.95(h) ^{CH} .
Shrimp, Squirrel Chimney cave	Palaemonetes cummingi	Wherever found	T E	55 FR 25588; 6/21/1990.
Tadpole shrimp, vernal pool	Lepidurus packardi	Wherever found		59 FR 48136; 9/19/1994, 50 CFR 17.95(h) ^{CH} .
CORALS Coral, (no common name)	Acropora globiceps	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Acropora jacquelineae	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356: 11/13/2014.
Coral, (no common name)	Acropora lokani	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Acropora pharaonis	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Acropora retusa	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Acropora rudis	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Acropora speciosa	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Acropora tenella	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Anacropora spinosa	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Euphyllia paradivisa	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Isopora crateriformis	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Montipora australiensis	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Pavona diffluens	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Porites napopora	Wherever found	T	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, (no common name)	Seriatopora aculeata	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, boulder star	Orbicella franksi	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, elkhorn	Acropora palmata	Wherever found	Т	76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014, 50 CFR 223 208 44 F0 CFR 236 216 CH
Coral, lobed star	Orbicella annularis	Wherever found	Т	223.208 ^{4d} , 50 CFR 226.216 ^{CH} . 79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, mountainous star	Orbicella faveolata	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, pillar	Dendrogyra cylindrus	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.
Coral, rough cactus	Mycetophyllia ferox	Wherever found	Т	79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014.

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Coral, staghorn	Acropora cervicornis	Wherever found	Т	76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 79 FR 53852; 9/10/2014 N, 79 FR 67356; 11/13/2014, 50 CFR 223.208 4d, 50 CFR 226.216 CH.

■ 3. Revise § 17.12 to read as follows:

§ 17.12 Endangered and threatened plants.

(a) The list in paragraph (h) of this section contains the plant species determined by the Service or the National Marine Fisheries Service (NMFS) of the Department of Commerce's National Oceanic and Atmospheric Administration (hereafter in this section referred to as "the Services") to be endangered species or threatened species. It also contains the plant species treated as endangered or threatened because they are similar in appearance to and may be confused with endangered or threatened species (see §§ 17.50 through 17.52). The "Common name," "Scientific name," "Where listed," and "Status" columns provide regulatory information; together, they identify listed plant species within the meaning of the Act and describe where they are protected. When a taxon has more than one entry,

- the "Where listed" or "Status" column will identify its status in each relevant geographic area. The listing of a particular taxon includes all lower taxonomic units.
- (b) "Scientific name" column. The Services use the most recently accepted scientific name. In cases where confusion might arise, one or more synonyms are provided in parentheses within the "Scientific name" column. The Services will rely to the extent practicable on the Integrated Taxonomic Information System (ITIS) to determine a species' scientific name. ITIS incorporates the naming principles established by the *International Code of* Nomenclature for algae, fungi, and plants (see paragraph (g) of this section). If the scientific name in ITIS differs from the scientific name adopted for use under the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES), the CITES nomenclature will be provided in
- brackets "[]" within the "Scientific name" column following the ITIS nomenclature.
- (c) "Common name" column.
 Although common names are included, they cannot be relied upon for identification of any specimen, since they may vary greatly in local usage. In cases where confusion might arise, one or more synonyms are provided in parentheses within the "Common name" column.
- (d) "Where listed" column. The "Where listed" column sets forth the geographic area where the species is listed for purposes of the Act. Except when providing a geographic description of an experimental population designation, "Wherever found" will be used to indicate the Act's protections apply to all individuals of the species, wherever found.
- (e) "Status" column. Within the "Status" column, the following abbreviations are used:

Abbreviation	Regulatory status the abbreviation represents
T (S/A) XE	

(f) "Listing Citations and Applicable Rules" column. The "Listing Citations and Applicable Rules" column is nonregulatory in nature and is provided for informational and navigational purposes only. Please note that the sections of part 17 that include designations of critical habitat for plants are organized by family name. A link to the Integrated Taxonomic Information System (ITIS), which displays the taxonomic hierarchy of a species, including its family name, is provided on each species' profile page accessible through the Service's Web site (http://www.fws.gov/endangered/) or information is available directly through the ITIS (http://www.itis.gov/).

(1) Within the "Listing Citations and Applicable Rules" column, the following superscripts are used:

Superscript	Description of citation or rule
J CH 4d	NMFS listing citation (NMFS Lead). Both FWS and NMFS listing citation (Joint Jurisdiction). Critical habitat rule. Species-specific "4(d)" rule (a rule issued under the authority of section 4(d) of the Act). Species-specific "10(j)" rule (a rule issued under the authority of section 10(j) of the Act).

(2) Listing citations contain the volume, document starting page number, and publication date of the **Federal Register** publication(s) in which a species' status was assessed. At least since 1973, these documents have included a statement indicating the basis for the listing or reclassification, as well as the effective date(s) of the listing

or other rules that changed how the species was identified in the list in paragraph (h) of this section.

(3) "Critical habitat" and "Speciesspecific" rules superscripts provide cross-references to other sections in part 17 or part 222, 223, or 226 of chapter II of this title where critical habitat and species-specific rules are found. The species-specific superscripts also identify experimental populations. Experimental populations (superscript "10j") are a separate citation, with one of the following symbols in the "Status" column: "XE" for an essential experimental population and "XN" for a nonessential experimental population.

- (4) This column is for reference and navigational purposes only. All other appropriate rules in part 17, parts 217 through 226 of chapter II of this title, and part 402 of chapter IV of this title apply, if no species-specific rules are referenced. In addition, other rules in this title could relate to such species (for
- example, port-of-entry requirements). The references in the "Listing Citations and Applicable Rules" column do not comprise a comprehensive list of all regulations that the Services might apply to the species or to the regulations of other Federal agencies or State or local governments.
- (g) The Services will rely to the extent practicable on ITIS (http://www.itis.gov) and standard references adopted for CITES (http://cites.org).
- (h) The "List of Endangered and Threatened Plants" is provided in the table in this paragraph (h):

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
FLOWERING PLANTS				
Abronia macrocarpa	Large-fruited sand-verbena	Wherever found	E	53 FR 37975; 9/28/1988.
Abutilon eremitopetalum	No common name	Wherever found	ΙE	56 FR 47686; 9/20/1991.
Abutilon menziesii	Koʻoloaʻula	Wherever found	Ē	51 FR 34412; 9/26/1986.
Abutilon sandwicense	No common name	Wherever found	Ē	56 FR 55770; 10/29/1991, 50
Abdilion Sandwicense	No common name	vviierever lourid	-	CFR 17.99(i) ^{CH} .
Acaena exigua	Liliwai	Wherever found	E	57 FR 20772; 5/15/1992, 50 CFR 17.99(e)(1) ^{CH} .
Acanthomintha ilicifolia	San Diego thornmint	Wherever found	Т	63 FR 54938; 10/13/1998, 50 CFR 17.96(a) ^{CH} .
Acanthomintha obovata ssp. duttonii.	San Mateo thornmint	Wherever found	E	50 FR 37858; 9/18/1985.
Achyranthes mutica	No common name	Wherever found	E	61 FR 53108; 10/10/1996, 50 CFR 17.99(k) ^{CH} .
Achyranthes splendens var. rotundata.	Round-leaved chaff-flower	Wherever found	E	51 FR 10518; 3/26/1986, 50 CFR 17.99(i) ^{CH} .
Acmispon dendroideus var. traskiae.	San Clemente Island lotus	Wherever found	Т	42 FR 40685; 8/11/1977.
Aconitum noveboracense	Northern wild monkshood	Wherever found	т	43 FR 17910; 4/26/1978.
Aeschynomene virginica	Sensitive joint-vetch	Wherever found	Ϊ́τ	57 FR 21569; 5/20/1992.
Agalinis acuta	Sandplain gerardia	Wherever found	Ė	53 FR 34701; 9/7/1988.
Agave eggersiana	No common name	Wherever found	Ē	79 FR 53303; 9/9/2014, 50
Agave eggersiaria				CFR 17.96(a) ^{CH} .
Alectryon macrococcus	Mahoe	Wherever found	E	57 FR 20772; 5/15/1992, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Allium munzii	Munz's onion	Wherever found	E	63 FR 54975; 10/13/1998, 50 CFR 17.96(a) ^{CH} .
Alopecurus aequalis var. sonomensis.	Sonoma alopecurus	Wherever found	E	62 FR 54791; 10/22/1997.
Amaranthus brownii	No common name	Wherever found	E	61 FR 43178; 8/21/1996, 50 CFR 17.99(g) ^{CH} .
Amaranthus pumilus	Seabeach amaranth	Wherever found	T	58 FR 18035; 4/7/1993.
Ambrosia cheiranthifolia	South Texas ambrosia	Wherever found	E	59 FR 43648; 8/24/1994.
Ambrosia pumila	San Diego ambrosia	Wherever found	E	67 FR 44372; 7/2/2002, 50
•				CFR 17.96 ^{CH} .
Amorpha crenulata	Crenulate lead-plant	Wherever found	E	50 FR 29345; 7/18/1985.
Amphianthus pusillus	Little amphianthus	Wherever found	l T	53 FR 3560; 2/5/1988.
Amsinckia grandiflora	Large-flowered fiddleneck	Wherever found	Ė	50 FR 19374; 5/8/1985, 50
G				CFR 17.96(a) ^{CH} .
Amsonia kearneyana	Kearney's blue-star	Wherever found	E	54 FR 2131; 1/19/1989.
Ancistrocactus tobuschii	Tobusch fishhook cactus	Wherever found	ΙE	44 FR 64736; 11/7/1979.
Apios priceana	Price's potato-bean	Wherever found		55 FR 429; 1/5/1990.
Arabis georgiana	Georgia rockcress	Wherever found	Ť	79 FR 54627; 9/12/2014, 50 CFR 17.96(a) ^{CH} .
Arabis hoffmannii	Hoffmann's rock-cress	Wherever found	E	62 FR 40954; 7/31/1997.
Trable Hellinariii			Ē	43 FR 44810; 9/28/1978.
Arabic modernaldiana	MoDonald's rock gross			43 11 44010, 3/20/13/0.
Arabis mcdonaldiana Arabis (=Boechera) perstellata	McDonald's rock-cress Braun's Rock-cress	Wherever foundWherever found	Ē	60 FR 56; 1/3/1995, 50 CFR
Arabis (=Boechera) perstellata	Braun's Rock-cress	Wherever found	E	17.96(a) ^{CH} .
Arabis (=Boechera) perstellata Arabis serotina	Braun's Rock-cress	Wherever found	E	17.96(a) ^{CH} . 54 FR 29655; 7/13/1989.
Arabis (=Boechera) perstellata Arabis serotinaArctomecon humilis	Shale barren rock-cress Dwarf bear-poppy	Wherever found	E E E	17.96(a) ^{CH} . 54 FR 29655; 7/13/1989. 44 FR 64250; 11/6/1979.
Arabis (=Boechera) perstellata Arabis serotina Arctomecon humilis Arctostaphylos confertiflora	Shale barren rock-cress Dwarf bear-poppy Santa Rosa Island manzanita	Wherever found	E E E	17.96(a) ^{CH} . 54 FR 29655; 7/13/1989. 44 FR 64250; 11/6/1979. 62 FR 40954; 7/31/1997.
Arabis (=Boechera) perstellata Arabis serotinaArctomecon humilis	Shale barren rock-cress Dwarf bear-poppy	Wherever found	E E E	17.96(a) ^{CH} . 54 FR 29655; 7/13/1989. 44 FR 64250; 11/6/1979. 62 FR 40954; 7/31/1997. 77 FR 54434; 9/5/2012, 50
Arabis (=Boechera) perstellata Arabis serotina Arctomecon humilis Arctostaphylos confertiflora	Shale barren rock-cress Dwarf bear-poppy Santa Rosa Island manzanita	Wherever found	E E E	17.96(a) ^{CH} . 54 FR 29655; 7/13/1989. 44 FR 64250; 11/6/1979. 62 FR 40954; 7/31/1997.
Arabis (=Boechera) perstellata Arabis serotina Arctomecon humilis Arctostaphylos confertiflora Arctostaphylos franciscana Arctostaphylos glandulosa ssp.	Shale barren rock-cress Dwarf bear-poppy Santa Rosa Island manzanita Franciscan manzanita	Wherever found	E E E E	17.96(a) ^{CH} . 54 FR 29655; 7/13/1989. 44 FR 64250; 11/6/1979. 62 FR 40954; 7/31/1997. 77 FR 54434; 9/5/2012, 50 CFR 17.96(a) ^{CH} .
Arabis (=Boechera) perstellata Arabis serotina Arctomecon humilis Arctostaphylos confertiflora Arctostaphylos franciscana Arctostaphylos glandulosa ssp. crassifolia. Arctostaphylos hookeri var.	Shale barren rock-cress Dwarf bear-poppySanta Rosa Island manzanita Franciscan manzanita Del Mar manzanita	Wherever found	E E E E	17.96(a) ^{CH} . 54 FR 29655; 7/13/1989. 44 FR 64250; 11/6/1979. 62 FR 40954; 7/31/1997. 77 FR 54434; 9/5/2012, 50 CFR 17.96(a) ^{CH} . 61 FR 52370; 10/7/1996.
Arabis (=Boechera) perstellata Arabis serotina Arctomecon humilis Arctostaphylos confertiflora Arctostaphylos franciscana Arctostaphylos glandulosa ssp. crassifolia. Arctostaphylos hookeri var. ravenii.	Shale barren rock-cress Dwarf bear-poppy Santa Rosa Island manzanita Franciscan manzanita Del Mar manzanita Presidio manzanita	Wherever found	E E E E	17.96(a) ^{CH} . 54 FR 29655; 7/13/1989. 44 FR 64250; 11/6/1979. 62 FR 40954; 7/31/1997. 77 FR 54434; 9/5/2012, 50 CFR 17.96(a) ^{CH} . 61 FR 52370; 10/7/1996. 44 FR 61910; 10/26/1979.

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Arenaria cumberlandensis	Cumberland sandwort	Wherever found	E	53 FR 23745; 6/23/1988.
Arenaria paludicola	Marsh sandwort	Wherever found	E	58 FR 41378; 8/3/1993.
Arenaria ursina	Bear Valley sandwort	Wherever found	Т	63 FR 49006; 9/14/1998, 50
Argemone pleiacantha ssp.	Sacramento prickly-poppy	Wherever found	E	CFR 17.96(a) ^{CH} . 54 FR 35302; 8/24/1989.
pinnatisecta. Argyroxiphium kauense	Mauna Loa silversword	Wherever found	E	58 FR 18029; 4/7/1993, 50 CFR 17.99(k) ^{CH} .
Argyroxiphium sandwicense ssp. macrocephalum.	'Ahinahina	Wherever found	Т	57 FR 20772; 5/15/1992, 50 CFR 17.99(e)(1) ^{CH} .
Argyroxiphium sandwicense ssp. sandwicense.	'Ahinahina	Wherever found	E	51 FR 9814; 3/1/1986.
Aristida chaseae	No common name	Wherever found	E	58 FR 25755; 4/27/1993.
Aristida portoricensis	Pelos del diablo	Wherever found	E	55 FR 32255; 8/8/1990.
Asclepias meadii	Mead's milkweed	Wherever found	T	53 FR 33992; 9/1/1988.
Asclepias welshii	Welsh's milkweed	Wherever found	Т	52 FR 41435; 10/28/1987, 50 CFR 17.96(a) ^{CH} .
Asimina tetramera	Four-petal pawpaw	Wherever found	E	51 FR 34415; 9/26/1986.
Astelia waialealae	Painiu	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Astragalus albens	Cushenbury milk-vetch	Wherever found	E	59 FR 43652; 8/24/1994, 50 CFR 17.96(a) ^{CH} .
Astragalus ampullarioides	Shivwits milkvetch	Wherever found	E	66 FR 49560; 9/28/2001, 50 CFR 17.96(a)CH.
Astragalus applegatei	Applegate's milk-vetch	Wherever found	E	58 FR 40547; 7/28/1993.
Astragalus bibullatus	Guthrie's (=Pyne's) ground-plum.	Wherever found	E	56 FR 48748; 9/26/1991.
Astragalus brauntonii	Braunton's milk-vetch	Wherever found	E	62 FR 4172; 1/29/1997, 50 CFR 17.96(a) ^{CH} .
Astragalus clarianus	Clara Hunt's milk-vetch	Wherever found	E	62 FR 54791; 10/22/1997.
Astragalus cremnophylax var. cremnophylax.	Sentry milk-vetch	Wherever found	E	55 FR 50184; 12/5/1990.
Astragalus desereticus	Deseret milkvetch	Wherever found	Т	64 FR 56590; 10/20/1999.
Astragalus holmgreniorum	Holmgren milkvetch	Wherever found	E	66 FR 49560; 9/28/2001, 50 CFR 17.96(a) ^{CH} .
Astragalus humillimus	Mancos milk-vetch	Wherever found	E	50 FR 26568; 6/27/1985.
Astragalus jaegerianus	Lane Mountain milk-vetch	Wherever found	E	63 FR 53596; 10/6/1998, 50 CFR 17.96(a) ^{CH} .
Astragalus lentiginosus var. coachellae.	Coachella Valley milk-vetch	Wherever found	E	63 FR 53596; 10/6/1998, 50 CFR 17.96(a) ^{CH} .
Astragalus lentiginosus var. piscinensis.	Fish Slough milk-vetch	Wherever found	Т	63 FR 53596; 10/6/1998, 50 CFR 17.96(a)CH.
Astragalus magdalenae var. peirsonii.	Peirson's milk-vetch	Wherever found	Т	63 FR 53596; 10/6/1998, 50 CFR 17.96(a) ^{CH} .
Astragalus montii	Heliotrope milkvetch	Wherever found	Т	52 FR 42652; 11/6/1987, 50 CFR 17.96(a) ^{CH} .
Astragalus osterhoutiiAstragalus phoenix	Kremmling Osterhout milkvetch Ash Meadows milk-vetch	Wherever foundWherever found	E	54 FR 29658; 7/13/1989. 50 FR 20777; 5/20/1985, 50
Astragalus pycnostachyus var.	Ventura Marsh milk-vetch	Wherever found	E	CFR 17.96(a) ^{CH} . 66 FR 27901; 5/21/2001, 50
lanosissimus. Astragalus robbinsii var. jesupi	Jesup's milk-vetch	Wherever found	E	CFR 17.96(a) ^{CH} . 52 FR 21481; 6/5/1987.
Astragalus tener var. titi	Coastal dunes milk-vetch	Wherever found	Ē	63 FR 43100; 8/12/1998.
Astragalus tricarinatus	Triple-ribbed milk-vetch	Wherever found	Ē	63 FR 53596; 10/6/1998.
Astrophytum asterias	Star cactus	Wherever found	Ē	58 FR 53804; 10/18/1993.
Atriplex coronata var. notatior	San Jacinto Valley crownscale	Wherever found	E	63 FR 54975; 10/13/1998, 50 CFR 17.96(a) ^{CH} .
Auerodendron pauciflorum	No common name	Wherever found	E	59 FR 9935; 3/2/1994.
Ayenia limitaris	Tamaulipan Kidneypetal	Wherever found	E	59 FR 43648; 8/24/1994.
Baccharis vanessae	Encinitas baccharis	Wherever found	<u>T</u>	61 FR 52370; 10/7/1996.
Banara vanderbiltii	Palo de Ramón	Wherever found	E	52 FR 1459; 1/14/1987.
Baptisia arachnifera Berberis nevinii	Hairy rattleweed Nevin's barberry	Wherever foundWherever found	E E	43 FR 17910; 4/26/1978. 63 FR 54956; 10/13/1998, 50
Parharia ninnata con incularia	Island harborny	Whorever found	E	CFR 17.96(a) ^{CH} .
Berberis pinnata ssp. insularis Betula uber	Island barberryVirginia round-leaf birch	Wherever found	T	62 FR 40954; 7/31/1997. 43 FR 17910; 4/26/1978, 59
Bidens amplectens	Kookoolau	Wherever found	E	FR 59173; 11/16/1994. 77 FR 57647; 9/18/2012, 50
Bidens campylotheca ssp.	Kookoolau	Wherever found	E	CFR 17.99(i) ^{CH} . 78 FR 32013; 5/28/2013, 50
pentamera. Bidens campylotheca ssp.	Kookoolau	Wherever found	E	CFR 17.99(e)(1) ^{CH} . 78 FR 32013; 5/28/2013, 50
waihoiensis.	I		l	CFR 17.99(e)(1) ^{CH} .

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Bidens conjuncta	Kookoolau	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Bidens hillebrandiana ssp. hillebrandiana.	Kookoolau	Wherever found	E	78 FR 32013; 5/28/2013.
Bidens micrantha ssp. ctenophylla.	Kookoolau	Wherever found	E	78 FR 64637; 10/29/2013.
Bidens micrantha ssp. kalealaha.	Kookoolau	Wherever found	E	57 FR 20772; 5/15/1992, 50 CFR 17.99(e)(1) ^{CH} .
Bidens wiebkei	Kookoolau	Wherever found	E	57 FR 46325; 10/8/1992, 50 CFR 17.99(c) ^{CH} .
Blennosperma bakeri Boltonia decurrens	Sonoma sunshine Decurrent false aster	Wherever found	E T	56 FR 61173; 12/2/1991. 53 FR 45858; 11/14/1988.
Bonamia grandiflora	Florida bonamia	Wherever found	l '	52 FR 42068; 11/2/1987.
Bonamia menziesii	No common name	Wherever found	Ė	59 FR 56333; 11/10/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(k) ^{CH} , 50 CFR
				17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} , 50 CFR 17.99(c) ^{CH} .
Brickellia mosieri	Florida Brickell-bush	Wherever found		79 FR 52567; 9/4/2014, 50 CFR 17.96(a) ^{CH} .
Brighamia insignis	Olulu	Wherever found	E	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(a)(2) ^{CH} .
Brighamia rockii	Pua ala	Wherever found	E	57 FR 46325; 10/8/1992, 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} .
Brodiaea filifolia	Thread-leaved brodiaea	Wherever found	Т	63 FR 54975; 10/13/1998, 50 CFR 17.96(a) ^{CH} .
Brodiaea pallida	Chinese Camp brodiaea	Wherever found	Т	63 FR 49022; 9/14/1998.
Bulbophyllum guamense	Siboyas halumtanu, Siboyan halom tano.	Wherever found	Т	80 FR 59423; 10/1/2015.
Buxus vahlii	Vahl's boxwood	Wherever found	E	50 FR 32572; 8/13/1985.
Calamagrostis hillebrandii	No common name	Wherever found	E	78 FR 32013; 05/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Callicarpa ampla Callirhoe scabriuscula	Capá rosa Texas poppy-mallow	Wherever found	E	57 FR 14782; 4/22/1992. 46 FR 3184; 1/13/1981, 46 FR 40025; 8/6/1981.
Calochortus tiburonensis	Tiburon mariposa lily	Wherever found	Т	60 FR 6671; 2/3/1995.
Calyptranthes thomasiana	No common name	Wherever found	Ė	59 FR 8138; 2/18/1994.
Calyptridium pulchellum	Mariposa pussypaws	Wherever found	T	63 FR 49022; 9/14/1998.
Calyptronoma rivalis	Palma de manaca	Wherever found	T	55 FR 4157; 2/6/1990.
Calystegia stebbinsii	Stebbins' morning-glory	Wherever found	E	61 FR 54346; 10/18/1996.
Camissonia benitensis	San Benito evening-primrose	Wherever found	T	50 FR 5755; 2/12/1985.
Campanula robinsiae	Brooksville bellflower	Wherever found	E	54 FR 31190; 7/27/1989.
Canavalia molokaiensis	Awikiwiki	Wherever found	E	57 FR 46325; 10/8/1992, 50 CFR 17.99(c) ^{CH} .
Canavalia napaliensis	Awikiwiki	Wherever found	E	76 FR 15609; 5/5/2011, 50 CFR 17.99(a) ^{CH} .
Canavalia pubescens	Awikiwiki	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Cardamine micranthera	Small-anthered bittercress	Wherever found	E	54 FR 38947; 9/21/1989.
Carex lutas	White sedge	Wherever found	E	62 FR 54791; 10/22/1997.
Carex lutea Carex specuicola	Golden sedge	Wherever found Wherever found	E	67 FR 3120; 1/23/2002, 50 CFR 17.96(a) ^{CH} . 50 FR 19370; 5/8/1985, 50
Castilleja affinis ssp. neglecta	Tiburon paintbrush	Wherever found	. E	CFR 17.96(a) ^{CH} . 60 FR 6671; 2/3/1995.
Castilleja campestris ssp.	Fleshy owl's-clover	Wherever found	T	62 FR 14338; 3/26/1997, 50
succulenta.				CFR 17.96(a) ^{CH} .
Castilleja cinerea	Ash-gray Indian paintbrush	Wherever found	Т	63 FR 49006; 9/14/1998, 50 CFR 17.96(a) ^{CH} .
Castilleja grisea	San Clemente Island paint- brush.	Wherever found	E	42 FR 40682; 8/11/1977.
Castilleja levisecta	Golden paintbrush	Wherever found	Ţ	62 FR 31740; 6/11/1997.
Castilleja mollis Catesbaea melanocarpa	Soft-leaved paintbrush No common name	Wherever foundWherever found	E E	62 FR 40954; 7/31/1997. 64 FR 13116; 3/17/1999, 50
Caulanthus soliferations	Colifornia igurelfia	Mharavar faund	_	CFR 17.96(a) ^{CH} .
Caulanthus californicus	California jewelflower Coyote ceanothus	Wherever foundWherever found		55 FR 29361; 7/19/1990.
Ceanothus ferrisae Ceanothus ophiochilus	Vail Lake ceanothus	Wherever found	Ī	60 FR 6671; 2/3/1995. 63 FR 54956; 10/13/1998, 50
Ceanothus roderickii		Wherever found		CFR 17.96(a) ^{CH} . 61 FR 54346; 10/18/1996.
Coanomias Touchickii	THE THE COMPUTE	**************************************		0.111.07070, 10/10/1990.

			I	
Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Cenchrus agrimonioides	Kamanomano	Wherever found	E	61 FR 53108; 10/10/1996, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR
Centaurium namophilum	Spring-loving centaury	Wherever found	Т	17.99(i) ^{CH} . 50 FR 20777; 5/20/1985, 50 CFR 17.96(a) ^{CH} .
Cercocarpus traskiae	Catalina Island mountain-ma- hogany.	Wherever found	E	62 FR 42692; 8/8/1997.
Cereus eriophorus var. fragrans Chamaecrista glandulosa var. mirabilis.	Fragrant prickly-apple No common name	Wherever found	E E	50 FR 45618; 11/1/1985. 55 FR 12788; 4/5/1990.
Chamaesyce deltoidea ssp. deltoidea.	Deltoid spurge	Wherever found	E	50 FR 29345; 7/18/1985.
Chamaesyce garberi Chamaesyce hooveri	Garber's spurge	Wherever found	T T	50 FR 29345; 7/18/1985. 62 FR 14338; 3/26/1997, 50 CFR 17.96(a) ^{CH} .
Chamaesyce skottsbergii var. skottsbergii.	Akoko (Ewa Plains akoko)	Wherever found	E	47 FR 36846; 8/24/1982, 77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Charpentiera densiflora	Papala	Wherever found	E	76 FR 15609; 5/5/2011, 50 CFR 17.99(a) ^{CH} .
Chionanthus pygmaeus Chlorogalum purpureum	Pygmy fringe-tree Purple amole (Camatta Canyon	Wherever foundWherever found	E T	52 FR 2227; 1/21/1987. 65 FR 14878; 3/20/2000, 50
Chorizanthe howellii	amole). Howell's spineflower	Wherever found	E	CFR 17.96(a) ^{CH} . 57 FR 27848; 6/22/1992.
Chorizanthe orcuttiana Chorizanthe pungens var.	Orcutt's spineflower Ben Lomond spineflower	Wherever foundWherever found	E E	61 FR 52370; 10/7/1996. 59 FR 5499; 2/4/1994.
hartwegiana. Chorizanthe pungens var. pungens.	Monterey spineflower	Wherever found	Т	59 FR 5499; 2/4/1994, 50 CFR 17.96(a) ^{CH} .
Chorizanthe robusta var. hartwegii.	Scotts Valley spineflower	Wherever found	E	17.96(a) 59 FR 5499; 2/4/1994, 50 CFR 17.96(a) CH.
Chorizanthe robusta var. robusta.	Robust spineflower	Wherever found	E	59 FR 5499; 2/4/1994, 50 CFR 17.96(b) ^{CH} .
Chorizanthe valida	Sonoma spineflower	Wherever found	E	57 FR 27848; 6/22/1992.
Chromolaena frustrata	Cape Sable thoroughwort	Wherever found	E	78 FR 63795; 10/24/2013, 50 CFR 17.96(a) ^{CH} , 50 CFR 17.96(h) ^{CH} .
Chrysopsis floridana	Florida golden aster	Wherever found	E	51 FR 17974; 5/16/1986.
Cirsium fontinale var. fontinale	Fountain thistle	Wherever found	E	60 FR 6671; 2/3/1995.
Cirsium fontinale var. obispoense.	Chorro Creek bog thistle	Wherever found	E	59 FR 64613; 12/15/1994.
Cirsium hydrophilum var. hydrophilum.	Suisun thistle	Wherever found	E _	62 FR 61916; 11/20/1997, 50 CFR 17.96(a) ^{CH} .
Cirsium Ioncholepis		Wherever found	E	65 FR 14888; 3/20/2000, 50 CFR 17.96(a) ^{CH} .
Cirsium pitcheri	Pitcher's thistle	Wherever found	T	53 FR 27137; 7/18/1988.
Clarkia franciscana	Sacramento Mountains thistle	Wherever found	T E	52 FR 22933; 6/16/1987.
Clarkia franciscana Clarkia imbricata	Presidio clarkiaVine Hill clarkia	Wherever found Wherever found	Ē	60 FR 6671; 2/3/1995. 62 FR 54791; 10/22/1997.
Clarkia speciosa ssp. immaculata.	Pismo clarkia	Wherever found	Ē	59 FR 64613; 12/15/1994.
Clarkia springvillensis	Springville clarkia	Wherever found	Т	63 FR 49022; 9/14/1998.
Clematis morefieldii	Morefield's leather-flower	Wherever found	E	57 FR 21562; 5/20/1992.
Clematis socialis	Alabama leather-flower	Wherever found	E	51 FR 34420; 9/26/1986.
Clermontia drepanomorpha	Oha wai	Wherever found	_	61 FR 53137; 10/10/1996, 50 CFR 17.99(k) ^{CH} .
Clermontia lindseyana	Oha wai	Wherever found	E	59 FR 10305; 3/4/1994, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(k) ^{CH} .
Clermontia oblongifolia ssp. brevipes.	Oha wai	Wherever found	E	57 FR 46325; 10/8/1992, 50 CFR 17.99(c) ^{CH} .
Clermontia oblongifolia ssp. mauiensis.	Oha wai	Wherever found	E	57 FR 20772; 5/15/1992, 50 CFR 17.99(e)(1) ^{CH} .
Clermontia peleana	Oha wai	Wherever found	E	59 FR 10305; 3/4/1994, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(k) ^{CH} .
Clermontia pyrularia	Oha wai	Wherever found	E	59 FR 10305; 3/4/1994, 50 CFR 17.99(k) ^{CH} .
Clermontia samuelii	Oha wai	Wherever found	E	64 FR 48307; 9/3/1999, 50 CFR 17.99(e)(1) ^{CH} .
Clitoria fragrans	Pigeon wings	Wherever found	ΙΤ	58 FR 25746; 4/27/1993.

Conradina brevifolia Sh Conradina etonia Etc	Common name auila nort-leaved rosemary onia rosemary balachicola rosemary	Where listed Wherever found	Status	Listing citations and applicable rules 59 FR 10305; 3/4/1994, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR
Conradina brevifolia Sh Conradina etonia Et	nort-leaved rosemaryonia rosemary	Wherever found	E	
Conradina etonia Eto	onia rosemary			17.99(i) ^{CH} , 50 CFR 17.99(k) ^{CH} .
Conradina etonia Etc		Wherever found	E	58 FR 37432; 7/12/1993.
O a ray a dire a sul a la y a	palachicala recomany	Wherever found	E	58 FR 37432; 7/12/1993.
Conradina glabra Ap	diacilicola rosemaly	Wherever found	E	58 FR 37432; 7/12/1993.
	umberland rosemary	Wherever found	T	56 FR 60937; 11/29/1991.
Consolea corallicola Ca	actus, Florida semaphore	Wherever found	E	78 FR 63795; 10/24/2013, 50 CFR 17.96(a) ^{CH} .
	common name	Wherever found	E	62 FR 1645; 1/10/1997.
Cordylanthus maritimus ssp. Sa maritimus.	alt marsh bird's-beak	Wherever found	E	43 FR 44810; 9/28/1978.
Cordylanthus mollis ssp. mollis So	oft bird's-beak	Wherever found	E	62 FR 61916; 11/20/1997, 50 CFR 17.96(a) ^{CH} .
	almate-bracted bird's-beak	Wherever found	E	51 FR 23765; 7/1/1986.
Cordylanthus tenuis ssp. Pe capillaris.	ennell's bird's-beak	Wherever found	E	60 FR 6671; 2/3/1995.
	alo de nigua	Wherever found	E	53 FR 11610; 4/7/1988.
Coryphantha minima Ne	ellie's cory cactus	Wherever found	E	44 FR 64738; 11/7/1979.
	unched cory cactus	Wherever found	T	44 FR 64247; 11/6/1979.
	ochise pincushion cactus	Wherever found	Т	51 FR 952; 1/9/1986.
Coryphantha scheeri var. Pir robustispina.	ma pineapple cactus	Wherever found	E	58 FR 49875; 9/23/1993.
Coryphantha sneedii var. leei Le	e pincushion cactus	Wherever found	T	44 FR 61554 ; 10/25/1979.
Coryphantha sneedii var. Sn	need pincushion cactus	Wherever found	E	44 FR 64741; 11/7/1979.
Cranichis ricartii No	one	Wherever found	E	56 FR 60933; 11/29/1991.
Crescentia portoricensis Hig	guero de Sierra	Wherever found	E	52 FR 46085; 12/4/1987.
	on Park harebells	Wherever found	E	58 FR 25746; 4/27/1993.
Cryptantha crassipes Te	erlingua Creek cats-eye	Wherever found	E	56 FR 49634; 9/30/1991.
	keechobee gourd	Wherever found	E	58 FR 37432; 7/12/1993.
okeechobeensis.	3			,
Cyanea acuminata Ha	aha	Wherever found	E	61 FR 53089; 10/10/1996, 50 CFR 17.99(i) ^{CH} .
Cyanea asarifolia Ha	aha	Wherever found	E	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .
Cyanea asplenifolia Ha	aha	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
,,,	aha	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Cyanea copelandii ssp. Ha copelandii.	aha	Wherever found	E	59 FR 10305; 3/4/1994.
Cyanea copelandii ssp. Ha haleakalaensis.	aha	Wherever found	E	64 FR 48307; 9/3/1999, 50 CFR 17.99(e)(1) ^{CH} .
Cyanea crispa Ha	aha	Wherever found	E	59 FR 14482; 3/28/1994, 50 CFR 17.99(i) ^{CH} .
Cyanea dolichopoda Ha	aha	Wherever found	E	76 FR 15609; 5/5/2011, 50 CFR 17.99(a) ^{CH} .
Cyanea dunbariae Ha	aha	Wherever found	E	61 FR 53130; 10/10/1996, 50 CFR 17.99(c) ^{CH} .
Cyanea duvalliorum Ha	aha	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Cyanea eleeleensis Ha	aha	Wherever found	E	76 FR 15609; 5/5/2011, 50 CFR 17.99(a) ^{CH} .
Cyanea gibsonii No	common name	Wherever found	E	56 FR 47686; 9/20/1991.
Cyanea glabra Ha	aha	Wherever found	E	64 FR 48307; 9/3/1999, 50 CFR 17.99(e)(1) ^{CH} .
Cyanea grimesiana ssp. Ha grimesiana.	aha	Wherever found	E	61 FR 53108; 10/10/1996, 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Cyanea grimesiana ssp. obatae Ha	aha	Wherever found	E	59 FR 32932; 6/27/1994, 78 FR 32013; 5/28/2013, 50
Cyanea hamatiflora ssp. Ha	aha	Wherever found	E	CFR 17.99(i) ^{CH} . 59 FR 10305; 3/4/1994, 50 CFR 17.99(k) ^{CH} .
	aha	Wherever found	E	64 FR 48307; 9/3/1999, 50 CFR 17.99(e)(1) ^{CH} .
I	aha nui	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Cyanea humboltiana Ha	aha	Wherever found	E	61 FR 53089; 10/10/1996, 50 CFR 17.99(i) ^{CH} .

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Cyanea kolekoleensis	Haha	Wherever found	E	76 FR 15609; 5/5/2011, 50
Cyanea koolauensis	Haha	Wherever found	E	CFR 17.99(a) ^{CH} . 61 FR 53089; 10/10/1996, 50
Cyanea kuhihewa	Haha	Wherever found	E	CFR 17.99(i) ^{CH} . 76 FR 15609; 5/5/2011, 50
Cyanea kunthiana	Haha	Wherever found	E	CFR 17.99(a) ^{CH} . 78 FR 32013; 5/28/2013, 50
Cyanea lanceolata	Haha	Wherever found	E	CFR 17.99(e)(1) ^{CH} . 77 FR 57647; 9/18/2012, 50
Cyanea lobata	Haha	Wherever found	E	CFR 17.99(i) ^{CH} . 57 FR 20772; 5/15/1992, 50
Cyanea longiflora	Haha	Wherever found	E	CFR 17.99(e)(1) ^{CH} . 61 FR 53089; 10/10/1996, 50 CFR 17.99(i) ^{CH} .
Cyanea magnicalyx	Haha	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Cyanea mannii	Haha	Wherever found	E	57 FR 46325; 10/8/1992, 50 CFR 17.99(c) ^{CH} .
Cyanea maritae	Haha	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Cyanea marksiiCyanea mauiensis	Haha	Wherever found	E E	78 FR 64637; 10/29/2013. 78 FR 32013; 5/28/2013.
Cyanea mceldowneyi	Haha	Wherever found	Ē	57 FR 20772; 5/15/1992, 50
Cyanea munroi	Haha	Wherever found	E	CFR 17.99(e)(1) ^{CH} . 78 FR 32013; 5/28/2013, 50
Cyanea obtusa	Haha	Wherever found	E	CFR 17.99(c) ^{CH} . 78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Cyanea pinnatifida	Haha	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .
Cyanea platyphylla	Haha	Wherever found	E	61 FR 53137; 10/10/1996, 50 CFR 17.99(k) ^{CH} .
Cyanea procera	Haha	Wherever found	E	57 FR 46325; 10/8/1992, 50 CFR 17.99(c) ^{CH} .
Cyanea profuga	Haha	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(c) ^{CH} .
Cyanea purpurellifolia Cyanea recta	Haha	Wherever foundWherever found	E T	77 FR 57647; 9/18/2012. 61 FR 53070; 10/10/1996, 50
Cyanea remyi	Haha	Wherever found	E	CFR 17.99(a)(1) ^{CH} . 61 FR 53070; 10/10/1996, 50
Cyanea shipmanii	Haha	Wherever found	E	CFR 17.99(a)(1) ^{CH} . 59 FR 10305; 3/4/1994, 50
Cyanea solanacea	Popolo	Wherever found	E	CFR 17.99(k) ^{CH} . 78 FR 32013; 5/28/2013, 50
Cyanea stjohnii	Haha	Wherever found	E	CFR 17.99(c) ^{CH} . 61 FR 53089; 10/10/1996, 50
Cyanea stictophylla	Haha	Wherever found	E	CFR 17.99(i) ^{CH} . 59 FR 10305; 3/4/1994, 50
Cyanea superba	No common name	Wherever found	E	CFR 17.99(k) ^{CH} . 56 FR 46235; 9/11/1991, 50 CFR 17.99(i) ^{CH} .
Cyanea tritomantha	Aku	Wherever found	E E	78 FR 64637; 10/29/2013. 59 FR 14482; 3/28/1994, 50
Cyanea undulata	No common name	Wherever found	E	CFR 17.99(i) ^{CH} . 56 FR 47695; 9/20/1991, 50
•				CFR 17.99(a)(1) ^{CH} .
Cycladenia humilis var. jonesii Cycas micronesica	Jones cycladenia Fadang, Faadang	Wherever found Wherever found	T T	51 FR 16526; 5/5/1986. 80 FR 59423; 10/1/2015.
Cyperus fauriei	No common name	Wherever found	É	59 FR 10305; 3/4/1994, 50 CFR 17.99(c) ^{CH} , 50 CFR
Cyperus pennatiformis	No common name	Wherever found	E	17.99(k) ^{CH} . 59 FR 56333; 11/10/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c)(1) ^{CH} , 50 CFR
Cyperus trachysanthos	Puukaa	Wherever found	E	17.99(g) ^{CH} , 50 CFR 17.99(i) ^{CH} . 61 FR 53108; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} , 50 CFR 17.99(c) ^{CH} .
Cyrtandra crenata	Ha'iwale	Wherever found	E	59 FR 14482; 3/28/1994.
Cyrtandra cyaneoides	Mapele	Wherever found	E	61 FR 53070; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .

				Data and an Ballana
Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Cyrtandra dentata	Haiwale	Wherever found	E	61 FR 53089; 10/10/1996, 50 CFR 17.99(i) ^{CH} .
Cyrtandra ferripilosa	Haiwale	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Cyrtandra filipes	Haiwale	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} .
Cyrtandra giffardii	Haiwale	Wherever found	E	59 FR 10305; 3/4/1994, 50 CFR 17.99(k) ^{CH} .
Cyrtandra gracilis	Haiwale	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Cyrtandra kaulantha	Haiwale	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Cyrtandra limahuliensis	Haiwale	Wherever found	Т	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .
Cyrtandra munroi	Haiwale	Wherever found	E	57 FR 20772; 5/15/1992, 50 CFR 17.99(e)(1) ^{CH} .
Cyrtandra nanawaleensis Cyrtandra oenobarba	Haiwale	Wherever found	E	78 FR 64637; 10/29/2013. 75 FR 18960; 4/13/2010, 50
Cyrtandra oxybapha	Haiwale	Wherever found	E	CFR 17.99(a) ^{CH} . 78 FR 32013; 5/28/2013, 50
Cyrtandra paliku	Haiwale	Wherever found	E	CFR 17.99(e)(1) ^{CH} . 75 FR 18960; 4/13/2010, 50
Cyrtandra polyantha	Haiwale	Wherever found	E	CFR 17.99(a) ^{CH} . 59 FR 14482; 3/28/1994, 50
Cyrtandra sessilis	Haiwale	Wherever found	E	CFR 17.99(i) ^{CH} . 77 FR 57647; 9/18/2012, 50
Cyrtandra subumbellata	Haiwale	Wherever found	E	CFR 17.99(i) ^{CH} . 61 FR 53089; 10/10/1996, 50
Cyrtandra tintinnabula	Haiwale	Wherever found	E	CFR 17.99(i) ^{CH} . 59 FR 10305; 3/4/1994, 50
Cyrtandra viridiflora	Haiwale	Wherever found	E	CFR 17.99(k) ^{CH} . 61 FR 53089; 10/10/1996, 50
Cyrtandra wagneri	Haiwale	Wherever found	E	CFR 17.99(i) ^{CH} . 78 FR 64637; 10/29/2013.
Cyrtandra waiolani	Haiwale	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Dalea foliosa Daphnopsis hellerana	Leafy prairie-clover	Wherever foundWherever found	E E	56 FR 19953; 5/1/1991. 53 FR 23740; 6/23/1988.
Deeringothamnus pulchellus	Beautiful pawpaw	Wherever found	E	51 FR 34415; 9/26/1986.
Deeringothamnus rugelii	Rugel's pawpaw	Wherever found	E T	51 FR 34415; 9/26/1986.
Deinandra (= Hemizonia) conjugens.	Otay tarplant	Wherever found		63 FR 54938; 10/13/1998, 50 CFR 17.96(a) ^{CH} .
Deinandra increscens ssp. villosa.	Gaviota tarplant	Wherever found	E	65 FR 14888; 3/20/2000, 50 CFR 17.96(a) ^{CH} .
Delissea rhytidosperma	No common name	Wherever found	E	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .
Delissea rivularis	Haha	Wherever found	E	61 FR 53070; 10/10/1996, 68 FR 9115; 2/27/2003, 50 CFR
Delissea subcordata	Oha	Wherever found	E	17.99(a)(1) ^{CH} . 61 FR 53089; 10/10/1996, 50
Delissea undulata	No common name	Wherever found	E	CFR 17.99(i) ^{CH} . 61 FR 53124; 10/10/1996, 50
Delphinium bakeri	Baker's larkspur	Wherever found	E	CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(k) ^{CH} . 65 FR 4156; 1/26/2000, 50
Delphinium luteum	Yellow larkspur	Wherever found	E	CFR 17.96(a) ^{CH} . 65 FR 4156; 1/26/2000, 50
Delphinium variegatum ssp.	San Clemente Island larkspur	Wherever found	E	CFR 17.96(a) ^{CH} . 42 FR 40682; 8/11/1977.
kinkiense.	San Ciemente Island larkspul	Wherever lound		
Dendrobium guamense Dicerandra christmanii	No common name	Wherever found	T E	80 FR 59423; 10/1/2015. 50 FR 45621; 11/1/1985, 54 FR 38946; 9/21/1989.
Dicerandra cornutissima Dicerandra frutescens	Longspurred mint	Wherever found	E E	50 FR 45621; 11/1/1985. 50 FR 45621;11/1/1985, 54 FR
Dicerandra immaculata	Lakela's mint	Wherever found	E	38946; 9/21/1989. 50 FR 20212; 5/15/1985.
Diplacus vandenbergensis	Vandenberg monkeyflower	Wherever found	Ē	79 FR 50844; 8/26/2014, 50 CFR 17.96(a) ^{CH} .
Dodecahema leptoceras	Slender-horned spineflower	Wherever found	E	52 FR 36265; 9/28/1987.
Dubautia herbstobatae	Naenae	Wherever found		56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Dubautia imbricata ssp. imbricata.	Naenae	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Dubautia kalalauensis	Naenae	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Dubautia kenwoodii	Naenae	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Dubautia latifolia	Koholapehu	Wherever found	E	57 FR 20580; 5/13/1992, 50 CFR 17.99(a)(1) ^{CH} .
Dubautia pauciflorula	Naenae	Wherever found	E	56 FR 47695; 9/20/1991, 50
Dubautia plantaginea ssp.	Naenae	Wherever found	E	CFR 17.99(a)(1) ^{CH} . 64 FR 48307; 9/3/1999, 50
humilis. Dubautia plantaginea ssp.	Naenae	Wherever found	E	CFR 17.99(e)(1) ^{CH} . 75 FR 18960; 4/13/2010, 50
magnifolia. Dubautia waialealae	Naenae	Wherever found	E	CFR 17.99(a) ^{CH} . 75 FR 18960; 4/13/2010, 50
Dudlava ahramaii aan nama	Canaia dudlava	Wherever found	-	CFR 17.99(a) ^{CH} .
Dudleya abramsii ssp. parva	Conejo dudleya		<u>T</u>	62 FR 4172; 1/29/1997.
Dudleya cymosa ssp.	Marcescent dudleya	Wherever found	T	62 FR 4172; 1/29/1997.
marcescens.			_	
Dudleya cymosa ssp. ovatifolia	Santa Monica Mountains dudleya.	Wherever found	Т	62 FR 4172; 1/29/1997.
Dudleya nesiotica	Santa Cruz Island dudleya	Wherever found	T	62 FR 40954; 7/31/1997.
Dudleya setchellii	Santa Clara Valley dudleya	Wherever found	ΙE	60 FR 6671; 2/3/1995.
Dudleya stolonifera	Laguna Beach liveforever	Wherever found		63 FR 54938; 10/13/1998.
Dudleya traskiae	Santa Barbara Island	Wherever found		43 FR 17910; 4/26/1978.
Badioya iraomao	liveforever.	Villerever rearra	-	10 111 17010, 1720/1070.
Dudleya verityi	Verity's dudleya	Wherever found	Т	62 FR 4172; 1/29/1997.
Echinacea laevigata	Smooth coneflower	Wherever found		57 FR 46340; 10/8/1992.
Echinocactus horizonthalonius var. nicholii.	Nichol's Turk's head cactus	Wherever found		44 FR 61927; 10/26/1979.
Echinocereus chisoensis var. chisoensis.	Chisos hedgehog cactus	Wherever found	T	53 FR 38453; 9/30/1988.
Echinocereus fendleri var. kuenzleri.	Kuenzler hedgehog cactus	Wherever found	E	44 FR 61924; 10/26/1979.
Echinocereus reichenbachii var. albertii.	Black lace cactus	Wherever found	E	44 FR 61918; 10/26/1979.
Echinocereus triglochidiatus var. arizonicus.	Arizona hedgehog cactus	Wherever found	E	44 FR 61556; 10/25/1979.
Echinocereus viridiflorus var. davisii.	Davis's green pitaya	Wherever found	E	44 FR 64738; 11/7/1979.
Echinomastus erectocentrus var.acunensis.	acuña cactus	Wherever found	E	78 FR 60607; 10/1/2013.
Echinomastus mariposensis	Lloyd's Mariposa cactus	Wherever found	T	44 FR 64247; 11/6/1979.
			T	
corrugata.	,		-	CFR 17.96(a) ^{CH} . 61 FR 53089; 10/10/1996, 50
				CFR 17.99(i) ^{CH} .
				,
•	July July Hoony Star IIII		-	
Erigeron decumbens	Willamette daisy	Wherever found	E	65 FR 3875; 1/25/2000, 50 CFR 17 96CH
Erigeron parishii	Parish's daisy	Wherever found	Т	59 FR 43652; 8/24/1994, 50
Erigoron rhizomatus	Zuni floabano	Whorever found	-	` '
0				
Enouiciyon capitatum	Lompoc yerba santa	wherever lound	=	
Eriogonum apricum (incl. var.	lone (incl. Irish Hill) buckwheat	Wherever found	E	64 FR 28403; 5/26/1999.
prostratum). Eriogonum codium	Umtanum desert buckwheat	Wherever found	Т	78 FR 23983; 4/23/2013, 50
Eriogonum gypsophilum	Gypsum wild-buckwheat	Wherever found	Т	46 FR 5730; 1/19/1981, 46 FR
Eriogonum kennedyi var.	Southern mountain wild-buck-	Wherever found	Т	17.96(a) ^{CH} . 63 FR 49006; 9/14/1998 50
austromontanum.	wheat.			CFR 17.96(a) ^{CH} .
Eriogonum longifolium var.	Scrub buckwheat	Wherever found	Т	58 FR 25746; 4/27/1993.
Eriogonum ovalifolium var.	Cushenbury buckwheat	Wherever found	E	59 FR 43652; 8/24/1994, 50 CFR 17 96(a) ^{CH}
Eriogonum ovalifolium var. williamsiae.	Steamboat buckwheat	Wherever found	E	51 FR 24669; 7/8/1986.
Enceliopsis nudicaulis var. corrugata. Eragrostis fosbergii Eremalche kernensis Eriastrum densifolium ssp. sanctorum. Erigeron decumbens Erigeron parishii Erigeron rhizomatus Eriodictyon altissimum Eriodictyon capitatum Eriogonum apricum (incl. var. prostratum). Eriogonum codium Eriogonum gypsophilum Eriogonum kennedyi var. austromontanum. Eriogonum longifolium var. gnaphalifolium. Eriogonum ovalifolium var. vineum. Eriogonum ovalifolium var.	Ash Meadows sunray	Wherever found	T E EE E T T EE E T T E	50 FR 20777; 5/20/1985, 5 CFR 17.96(a)CH. 61 FR 53089; 10/10/1996, CFR 17.99(i)CH. 55 FR 29361; 7/19/1990. 52 FR 36265; 9/28/1987. 65 FR 3875; 1/25/2000, 50 CFR 17.96CH. 59 FR 43652; 8/24/1994, 5 CFR 17.96(a)CH. 50 FR 16680; 4/26/1985. 59 FR 64613; 12/15/1994. 65 FR 14888; 3/20/2000, 5 CFR 17.96(a)CH. 64 FR 28403; 5/26/1999. 78 FR 23983; 4/23/2013, 5 CFR 17.96(a)CH. 46 FR 5730; 1/19/1981, 46 40025; 8/6/1981, 50 CFR 17.96(a)CH. 63 FR 49006; 9/14/1998 50 CFR 17.96(a)CH. 58 FR 25746; 4/27/1993. 59 FR 43652; 8/24/1994, 5 CFR 17.96(a)CH.

			1	
Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Eriogonum pelinophilum	Clay-loving wild buckwheat	Wherever found	E	49 FR 28562; 7/13/1984, 50 CFR 17.96(a) ^{CH} .
Eriophyllum latilobum Eryngium aristulatum var. parishii.	San Mateo woolly sunflower San Diego button-celery	Wherever foundWherever found	E E	60 FR 6671; 2/3/1995. 58 FR 41384; 8/3/1993.
Eryngium constancei	Loch Lomond coyote-thistle	Wherever found	E	50 FR 31187; 8/1/1985, 51 FR 45904; 12/23/1986.
Eryngium cuneifolium Erysimum capitatum var. angustatum.	Snakeroot	Wherever found	E E	52 FR 2227; 1/21/1987. 43 FR 17910; 4/26/1978, 50 CFR 17.96(a) ^{CH} .
Erysimum menziesii Erysimum teretifolium	Menzies' wallflower Ben Lomond wallflower	Wherever found	E E	57 FR 27848; 6/22/1992. 59 FR 5499; 2/4/1994.
Erythronium propullans	Minnesota dwarf trout lily	Wherever found	E	51 FR 10521; 3/26/1986.
Eugenia bryanii	No common name	Wherever found	E E	80 FR 59423; 10/1/2015.
Eugenia haematocarpa Eugenia koolauensis	Uvillo	Wherever found	E	59 FR 60565; 11/25/1994. 59 FR 14482; 3/28/1994, 50
·				CFR 17.99(c) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Eugenia woodburyana	No common name	Wherever found	E	59 FR 46715; 9/9/1994.
Euphorbia (=Chamaesyce) celastroides var. kaenana.	Akoko	Wherever found	E	56 FR 55770; 10/29/1991, 77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Euphorbia (=Chamaesyce) deppeana.	Akoko	Wherever found	E	59 FR 14482; 3/28/1994, 77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Euphorbia (=Chamaesyce) eleanoriae.	Akoko	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a)CH.
Euphorbia haeleeleana	Akoko	Wherever found	E	61 FR 53108; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Euphorbia (=Chamaesyce) halemanui.	Akoko	Wherever found	E	57 FR 20580; 5/13/1992, 50 CFR 17.99(a)(1) ^{CH} .
Euphorbia (=Chamaesyce) herbstii.	Akoko	Wherever found	E	61 FR 53089; 10/10/1996, 77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Euphorbia (=Chamaesyce) kuwaleana.	Akoko	Wherever found	E	56 FR 55770; 10/29/1991, 77 FR 57647; 9/18/2012, 50
Euphorbia (=Chamaesyce) remyi var . kauaiensis.	Akoko	Wherever found	E	CFR 17.99(i) ^{CH} . 76 FR 15609; 5/5/2011, 50 CFR 17.99(a) ^{CH} .
Euphorbia (=Chamaesyce) remyi var . remyi.	Akoko	Wherever found	E	76 FR 15609; 5/5/2011, 50 CFR 17.99(a)CH.
Euphorbia (=Chamaesyce) rockii.	Akoko	Wherever found	E	61 FR 53089; 10/10/1996, 77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Euphorbia telephioides	Telephus spurge	Wherever found	Т	57 FR 19813; 5/8/1992.
Eutrema penlandii	Mosquito Range mustard	Wherever found	<u>T</u>	58 FR 40539; 7/28/1993.
Exocarpos luteolus	Heau	Wherever found	E	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .
Festuca molokaiensis	No common name	Wherever found	E _	78 FR 32013; 5/28/2013, 50 CFR 17.99(c) ^{CH} .
Flueggea neowawraea	Mehamehame	Wherever found	E	59 FR 56333; 11/10/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} , 50 CFR 17.99(k) ^{CH} .
Fremontodendron californicum ssp. decumbens.	Pine Hill flannelbush	Wherever found	E	61 FR 54346; 10/18/1996.
Fremontodendron mexicanum	Mexican flannelbush	Wherever found	E	63 FR 54956; 10/13/1998, 50 CFR 17.96(a) ^{CH} .
Fritillaria gentneri	Gentner's fritillary	Wherever found	E	64 FR 69195; 12/10/1999.
Galactia smallii	Small's milkpea	Wherever found	E	50 FR 29345; 7/18/1985.
Galium buxifolium Galium californicum ssp. sierrae.	Island bedstraw	Wherever foundWherever found	E E	62 FR 40954; 7/31/1997. 61 FR 54346; 10/18/1996.
Gardenia brighamiiGardenia mannii	Hawaiian gardenia (Naʻu) Nanu	Wherever foundWherever found	E E	50 FR 33728; 8/21/1985. 61 FR 53089; 10/10/1996, 50
Gaura neomexicana ssp. coloradensis.	Colorado butterfly plant	Wherever found	т	CFR 17.99(i) ^{CH} . 65 FR 62302; 10/18/2000, 50 CFR 17.96(a) ^{CH} .
Geocarpon minimum	No common name	Wherever found	T	52 FR 22930; 6/16/1987.

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Geranium arboreum	Nohoanu	Wherever found	E	57 FR 20589; 5/13/1992, 50
Geranium hanaense	Nohoanu	Wherever found	E	CFR 17.99(e)(1) ^{CH} . 78 FR 32013; 5/28/2013, 50
Geranium hillebrandii	Nohoanu	Wherever found	E	CFR 17.99(e)(1) ^{CH} . 78 FR 32013; 5/28/2013, 50
Geranium kauaiense	Nohoanu	Wherever found	E	CFR 17.99(e)(1) ^{CH} . 75 FR 18960; 4/13/2010, 50
Geranium multiflorum	Nohoanu	Wherever found	E	CFR 17.99(a) ^{CH} . 57 FR 20772; 5/15/1992, 50 CFR 17.99(e)(1) ^{CH} .
Gesneria paucifloraGeum radiatum	No common name	Wherever found	T E	60 FR 12483; 3/7/1995.
Gilia tenuiflora ssp. arenaria	Spreading avens Monterey gilia	Wherever found		55 FR 12793; 4/5/1990. 57 FR 27848; 6/22/1992.
Gilia tenuiflora ssp. hoffmannii	Hoffmann's slender-flowered gilia.	Wherever found	Ē	62 FR 40954; 7/31/1997.
Goetzea elegans Gonocalyx concolor	Beautiful goetzea or matabuey No common name	Wherever foundWherever found	E E	50 FR 15564; 4/19/1985. 79 FR 53303; 9/9/2014, 50
Gouania hillebrandii	No common name	Wherever found	E	CFR 17.96(a) ^{CH} . 49 FR 44753; 11/19/1984, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(e)(2) ^{CH} , 50 CFR
Gouania meyenii	No common name	Wherever found	E	17.96(a) ^{CH} . 56 FR 55770; 10/29/1991, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Gouania vitifolia	No common name	Wherever found	E	59 FR 32932; 6/27/1994, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(k) ^{CH} .
Grindelia fraxino-pratensis	Ash Meadows gumplant	Wherever found	Т	50 FR 20777; 5/20/1985, 50 CFR 17.96(a) ^{CH} .
Hackelia venusta	Showy stickseed	Wherever found	E	67 FR 5515; 2/6/2002.
Halophila johnsonii	Johnson's seagrass	Wherever found	Т	63 FR 49035 9/14/1998 ^N , 64 FR 28392; 5/26/1999, 50 CFR 226.213 ^{CH} .
Haplostachys haplostachya	No common name	Wherever found	E	44 FR 62468; 10/30/1979.
Harperocallis flava Harrisia aboriginum	Harper's beauty Prickly-apple, aboriginal	Wherever found	E E	44 FR 56862; 10/2/1979. 78 FR 63795; 10/24/2013, 50
Harrisia portoricensis Hedeoma todsenii	Higo chumbo Todsen's pennyroyal	Wherever found	T E	CFR 17.96(a) ^{CH} . 55 FR 32252; 8/8/1990. 46 FR 5730; 1/19/1981, 46 FR
Hedyotis cookiana	Awiwi	Wherever found	E	40025; 8/6/1981, 50 CFR 17.96(a) ^{CH} . 59 FR 9304; 2/25/1994, 50
Lladvatia magalantha	Dou dody. Doo doody	Mhorover found	E	CFR 17.99(a)(1) ^{CH} .
Hedyotis megalantha Hedyotis purpurea var. mon-	Pau dedu, Pao doodu	Wherever foundWherever found	Ē	80 FR 59423; 10/1/2015. 55 FR 12793; 4/5/1990.
tana. Helenium virginicum	Virginia sneezeweed	Wherever found	Т	63 FR 59239; 11/3/1998.
Helianthemum greenei	Island rush-rose	Wherever found	l	62 FR 40954; 7/31/1997.
Helianthus paradoxus	Pecos (=puzzle, =paradox) sunflower.	Wherever found		64 FR 56583; 10/20/1999, 50 CFR 17.96(a) ^{CH} .
Helianthus schweinitzii Helianthus verticillatus	Schweinitz's sunflower	Wherever foundWherever found	E E	56 FR 21087; 5/7/1991.
Helonias bullata	Swamp pink	Wherever found	-	79 FR 44712; 8/1/2014. 53 FR 35076; 9/9/1988.
Heritiera longipetiolata	Ufa halumtanu, Ufa halom tano	Wherever found	1 -	80 FR 59423; 10/1/2015.
Hesperolinon congestum	Marin dwarf-flax	Wherever found		60 FR 6671; 2/3/1995.
Hesperomannia arborescens	No common name	Wherever found	E	59 FR 14482; 3/28/1994, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Hesperomannia arbuscula	No common name	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Hesperomannia lydgatei	No common name	Wherever found	E	56 FR 47695; 9/20/1991, 50 CFR 17.99(a)(1) ^{CH} .
Hexastylis naniflora	Dwarf-flowered heartleaf	Wherever found	Т	54 FR 14964; 4/14/1989.
Hibiscadelphus distans	Kauai hau kuahiwi	Wherever found	E	51 FR 15903; 4/29/1986.
Hibiscadelphus giffardianus	Hau kuahiwi	Wherever found	E	61 FR 53137; 10/10/1996, 50 CFR 17.99(k) ^{CH} .
Hibiscadelphus hualalaiensis	Hau kuahiwi	Wherever found	E	61 FR 53137; 10/10/1996, 50 CFR 17.99(k) ^{CH} .
Hibiscadelphus woodii	Hau kuahiwi	Wherever found	E	61 FR 53070; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .

				1
Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Hibiscus arnottianus ssp. immaculatus.	Kokio keokeo	Wherever found	E	57 FR 46325; 10/8/1992, 50 CFR 17.99(c) ^{CH} .
Hibiscus brackenridgei	Mao hau hele	Wherever found	E	59 FR 5633; 11/11/1994, 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(e)(2) ^{CH} , 50 CFR 17.99(i) ^{CH} , 50 CFR 17.99(k) ^{CH} .
Hibiscus clayi	Clay's hibiscus	Wherever found	E	17.99(k) 617. 59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .
Hibiscus dasycalyx	Neches River rose-mallow	Wherever found	Т	78 FR 56025; 9/11/2013, 50 CFR 17.96(a) ^{CH} .
Hibiscus waimeae ssp. hannerae.	Kokio keokeo	Wherever found	E	61 FR 53070; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .
Hoffmannseggia tenella Holocarpha macradenia	Slender rush-peaSanta Cruz tarplant	Wherever found	E	50 FR 45621; 11/1/1985. 65 FR 14898; 3/20/2000, 50
Howellia aquatilis	Water howellia	Wherever found	T.	CFR 17.96(a) ^{CH} . 59 FR 35860; 7/14/1994.
Hudsonia montana	Mountain golden heather	Wherever found	Т	45 FR 69360; 10/20/1980, 50 CFR 17.96(a) ^{CH} .
Hymenoxys herbacea	Lakeside daisy	Wherever found	T	53 FR 23742; 6/23/1988.
Hymenoxys texana	Texas prairie dawn-flower	Wherever found	E	51 FR 8681; 3/13/1986.
Hypericum cumulicolaIlex cookii	Highlands scrub hypericum Cook's holly	Wherever found	E E	52 FR 2227; 1/21/1987. 52 FR 22936; 6/16/1986.
Ilex sintenisii	None	Wherever found	Ē	57 FR 14782; 4/22/1992.
Iliamna corei	Peter's Mountain mallow	Wherever found	Ē	51 FR 14762, 4/22/1992. 51 FR 17343; 5/12/1986.
Ipomopsis polyantha	Pagosa skyrocket	Wherever found	Ē	76 FR 45053; 7/27/2011, 50
ipomopolo polyamna	agosa skyroskot	VVIIciovei iodila	-	CFR 17.96(a) ^{CH} .
Ipomopsis sancti-spiritus	Holy Ghost ipomopsis	Wherever found	E	59 FR 13836; 3/23/1994.
Iris lacustris	Dwarf lake iris	Wherever found	Т	53 FR 37972; 9/28/1988.
Ischaemum byrone	Hilo ischaemum	Wherever found	E	59 FR 10305; 3/4/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(k) ^{CH} .
Isodendrion hosakae	Aupaka	Wherever found	Т	56 FR 1454; 1/14/1991, 50 CFR 17.99(k) ^{CH} .
Isodendrion laurifolium	Aupaka	Wherever found	E	61 FR 53108; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Isodendrion longifolium	Aupaka	Wherever found	Т	61 FR 53108; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Isodendrion pyrifolium	Wahine noho kula	Wherever found	E	59 FR 10305; 3/4/1994, 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Isotria medeoloides	Small whorled pogonia	Wherever found	Т	47 FR 39827; 9/9/1982, 59 FR 50852; 10/6/1994.
Ivesia kingii var. eremica	Ash Meadows ivesia	Wherever found	Т	50 FR 20777; 5/20/1985, 50 CFR 17.96(a) ^{CH} .
Ivesia webberi	Webber's ivesia	Wherever found	Т	79 FR 31878; 6/3/2014, 50 CFR 17.96(a) ^{CH} .
Jacquemontia reclinata	Beach jacquemontia	Wherever found	E	58 FR 62046; 11/24/1993.
Jatropha costaricensis	Costa Rican jatropha	Wherever found	E	49 FR 30199; 7/27/1984.
Juglans jamaicensis	Nogal or West Indian walnut	Wherever found	E	62 FR 1691; 1/13/1997.
Justicia cooleyi	Cooley's water-willow	Wherever found	E	54 FR 31190; 7/27/1989.
Kadua cordata ssp. remyi Kadua coriacea	KopaKioele	Wherever found	E E	64 FR 48307; 9/3/1999. 57 FR 20772; 5/15/1992, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Kadua degeneri	No common name	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .
Kadua laxiflora	Pilo	Wherever found	E	57 FR 46325; 10/8/1992, 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} .
Kadua parvula	No common name	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .
Kadua (=Hedyotis) stjohnii	No common name	Wherever found	E	56 FR 49639; 9/30/1991, 50 CFR 17.99(a)(1) ^{CH} .
Kanaloa kahoolawensis	Kohe malama malama o kanaloa.	Wherever found	E	64 FR 48307; 9/3/1999, 50 CFR 17.99(e)(2) ^{CH} .

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Keysseria erici	No common name	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Keysseria helenae	No common name	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Kokia cookei	Cooke's koki'o	Wherever found	E	44 FR 62470; 10/30/1979, 50
Kokia drynarioides	Kokiʻo	Wherever found	E	CFR 17.99(c) ^{CH} . 49 FR 47397; 12/4/1984, 50
Kokia kauaiensis	Kokiʻo	Wherever found	E	CFR 17.96(a) ^{CH} . 61 FR 53070; 10/10/1996, 50
Korthalsella degeneri	Hulumoa	Wherever found	E	CFR 17.99(a)(1) ^{CH} . 77 FR 57647; 9/18/2012, 50
Labordia cyrtandrae	Kamakahala	Wherever found	E	CFR 17.99(i) ^{CH} . 61 FR 53089; 10/10/1996, 50
Labordia helleri	Kamakahala	Wherever found	E	CFR 17.99(i) ^{CH} . 75 FR 18960; 4/13/2010, 50
Labordia lydgatei	Kamakahala	Wherever found	E	CFR 17.99(a) ^{CH} . 56 FR 47695; 9/20/1991, 50
Labordia pumila	Kamakahala	Wherever found	E	CFR 17.99(a)(1) ^{CH} . 75 FR 18960; 4/13/2010, 50
Labordia tinifolia var. lanaiensis	Kamakahala	Wherever found	E	CFR 17.99(a) ^{CH} . 64 FR 48307; 9/3/1999.
Labordia tinifolia var. wahiawaensis.	Kamakahala	Wherever found	E _	61 FR 53070; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .
Labordia triflora	Kamakahala	Wherever found	E	64 FR 48307; 9/3/1999, 50 CFR 17.99(c) ^{CH} .
Lasthenia burkei Lasthenia conjugens	Burke's goldfields Contra Costa goldfields	Wherever found	E E	56 FR 61173; 12/2/1991. 62 FR 33029; 6/18/1997, 50
Layia carnosa	Beach layia	Wherever found	E	CFR 17.96(a) ^{CH} . 57 FR 27848; 6/22/1992.
Leavenworthia crassa Leavenworthia exigua	fleshy-fruit gladecress Kentucky glade cress	Wherever found	E T	79 FR 44712; 8/1/2014. 79 FR 25683; 5/6/2014, 50
var.laciniata. Leavenworthia texana	Texas golden gladecress	Wherever found	E	CFR 17.96(a) ^{CH} . 78 FR 56025; 9/11/2013, 50
Lembertia congdonii	San Joaquin wooly-threads	Wherever found	E	CFR 17.96(a) ^{CH} . 55 FR 29361; 7/19/1990.
Lepanthes eltoroensis Lepidium arbuscula	No common name	Wherever foundWherever found	E E	56 FR 60933; 11/29/1991. 61 FR 53089; 10/10/1996, 50
Lepidium barnebyanum	Barneby ridge-cress	Wherever found	E	CFR 17.99(i) ^{CH} . 55 FR 39860; 9/28/1990.
Leptocereus grantianus Lespedeza leptostachya	No common name	Wherever foundWherever found	E T	58 FR 11550; 2/26/1993. 52 FR 781; 1/9/1987.
Lesquerella congesta	Dudley Bluffs bladderpod	Wherever found	Ϊ́τ	55 FR 4152; 2/6/1990.
Lesquerella kingii ssp.	San Bernardino Mountains	Wherever found	Ė	59 FR 43652; 8/24/1994, 50
bernardina.	bladderpod.			CFR 17.96(a) ^{CH} .
Lesquerella lyrata	Lyrate bladderpod	Wherever found	Т	55 FR 39864; 9/28/1990.
Lesquerella pallida	White bladderpod	Wherever found	E	52 FR 7424; 3/11/1987.
Lesquerella perforata	Spring Creek bladderpod	Wherever found	E	61 FR 67493; 12/23/1996.
Lesquerella thamnophila	Zapata bladderpod	Wherever found		64 FR 63745; 11/22/1999, 50 CFR 17.96(a) ^{CH} .
Lesquerella tumulosa	Kodachrome bladderpod	Wherever found	E	58 FR 52027; 10/6/1993.
Lessingia germanorum (=L. g. var. germanorum).	San Francisco lessingia	Wherever found	E	62 FR 33368; 6/19/1997.
Liatris helleri	Heller's blazingstar	Wherever found	Т	52 FR 44397; 11/19/1987.
Liatris ohlingerae	Scrub blazingstar	Wherever found	Ė	54 FR 31190; 7/27/1989.
Lilaeopsis schaffneriana var. recurva.	Huachuca water-umbel	Wherever found	Ē	62 FR 665; 1/6/1997, 50 CFR 17.96(a) ^{CH} .
Lilium occidentale	Western lily	Wherever found	E	59 FR 42171; 8/17/1994.
Lilium pardalinum ssp.	Pitkin Marsh lily	Wherever found	Ē	62 FR 54791; 10/22/1997.
pitkinense. Limnanthes floccosa ssp.	Butte County meadowfoam	Wherever found	E	57 FR 24192; 6/8/1992, 50
californica. Limnanthes floccosa ssp.	large-flowered woolly	Wherever found	E	CFR 17.96(a) ^{CH} . 67 FR 68004; 11/7/2002, 50
grandiflora. Limnanthes vinculans	meadowfoam. Sebastopol meadowfoam	Wherever found	E	CFR 17.96(a) ^{CH} . 56 FR 61173; 12/2/1991.
Lindera melissifolia	Pondberry	Wherever found	Ē	51 FR 27495; 7/31/1986.
Linum carteri var. carteri	Carter's small-flowered flax	Wherever found	Ē	79 FR 52567; 9/4/2014, 50 CFR 17.96(a) ^{CH} .
Lipochaeta fauriei	Nehe	Wherever found	E	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .
Lipochaeta lobata var. leptophylla.	Nehe	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .
Lipochaeta micrantha	Nehe	Wherever found	E	59 FR 9304; 2/25/1994, 50
,				CFR 17.99(a)(1) ^{CH} .

Scientific name	Common namo	Where listed	Status	Listing citations and applicable
Scientific name	Common name	where listed	Status	rules
Lipochaeta venosa Lipochaeta waimeaensis	No common name	Wherever found	E E	44 FR 62468; 10/30/1979. 59 FR 9304; 2/25/1994, 50
Lithophragma maximum	San Clemente Island wood-land-star.	Wherever found	E	CFR 17.99(a)(1) ^{CH} . 62 FR 42692; 8/8/1997.
Lobelia (gaudichaudii ssp.) koolauensis.	No common name	Wherever found	E	61 FR 53089; 10/10/1996, 77 FR 57647; 9/18/2012, 50
Lobelia monostachya	No common name	Wherever found	E	CFR 17.99(i) ^{CH} . 61 FR 53089; 10/10/1996, 50
Lobelia niihauensis	No common name	Wherever found	E	CFR 17.99(i) ^{CH} . 56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .
Lobelia oahuensis	No common name	Wherever found	E	59 FR 14482; 3/28/1994, 50 CFR 17.99(i) ^{CH} .
Lomatium bradshawii Lomatium cookii	Bradshaw's desert-parsley Cook's lomatium (Cook's desert parsley).	Wherever foundWherever found	E E	53 FR 38448; 9/30/1988. 67 FR 68004; 11/7/2002 50 CFR 17.96(a) ^{CH} .
Lupinus aridorum	Scrub lupine	Wherever found	E	52 FR 11172; 4/7/1987.
Lupinus nipomensis	Nipomo Mesa Iupine	Wherever found	E	65 FR 14888; 3/20/2000.
Lupinus sulphureus ssp. kincaidii.	Kincaid's lupine	Wherever found	T _	65 FR 3875; 3/25/2000, 50 CFR 17.96 ^{CH} .
Lupinus tidestromii	Clover lupine	Wherever found	Ē	57 FR 27848; 6/22/1992.
Lyonia truncata var. proctorii	No common name	Wherever found	E	58 FR 25755; 4/27/1993.
Lysimachia asperulaefolia	Rough-leaved loosestrife	Wherever found	Ē	52 FR 22585; 6/12/1987.
Lysimachia daphnoides Lysimachia filifolia	Lehua makanoe No common name	Wherever found Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} . 59 FR 9304; 2/25/1994, 50
Lyonnaona miona	THE COMMISSION NAMES	Wholever loans	_	CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Lysimachia iniki	No common name	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Lysimachia lydgatei	No common name	Wherever found Wherever found	E	57 FR 20772; 5/15/1992, 50 CFR 17.99(e)(1) ^{CH} .
Lysimachia maxima Lysimachia pendens	No common name	Wherever found	E	61 FR 53130; 10/10/1996, 50 CFR 17.99(c) ^{CH} . 75 FR 18960; 4/13/2010, 50
Lysimachia scopulensis	No common name	Wherever found	E	CFR 17.99(a) ^{CH} . 75 FR 18960; 4/13/2010, 50
Lysimachia venosa	No common name	Wherever found	E	CFR 17.99(a) ^{CH} . 75 FR 18960; 4/13/2010 50
Macbridea alba	White birds-in-a-nest	Wherever found	Т	CFR 17.99(a) ^{CH} . 57 FR 19813; 5/8/1992.
Maesa walkeri	No common name	Wherever found	T	80 FR 59423; 10/1/2015.
Malacothamnus clementinus	San Clemente Island bush-mallow.	Wherever found	E	42 FR 40682; 8/11/1977.
Malacothamnus fasciculatus var. nesioticus.	Santa Cruz Island bushmallow	Wherever found	E _	62 FR 40954; 7/31/1997.
Malacothrix indecora	Santa Cruz Island malacothrix	Wherever found	E	62 FR 40954; 7/31/1997.
Malacothrix squalida	Island malacothrix	Wherever found	E	62 FR 40954; 7/31/1997.
Manihot walkerae	Walker's manioc	Wherever found	E	56 FR 49850; 10/2/1991.
Marshallia mohriiMelanthera kamolensis	Mohr's Barbara's buttons Nehe	Wherever foundWherever found	T E	53 FR 34698; 9/7/1988. 57 FR 20772; 5/15/1992, 50 CFR 17.99(e)(1) ^{CH} .
Melanthera tenuifolia	Nehe	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .
Melicope adscendens	Alani	Wherever found	E	59 FR 62346; 12/5/1994, 50 CFR 17.99(e)(1) ^{CH} .
Melicope balloui	Alani	Wherever found	E	59 FR 62346; 12/5/1994, 50 CFR 17.99(e)(1) ^{CH} .
Melicope christophersenii	Alani	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Melicope degeneri	Alani	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Melicope haupuensis	Alani	Wherever found	E	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .
Melicope hiiakae Melicope knudsenii	Alani	Wherever found Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} . 59 FR 9304; 2/25/1994, 50
Molicope Middaetili	, wall	Wholever louise	_	CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} .
Melicope lydgatei	Alani	Wherever found	E	59 FR 14482; 3/28/1994, 50 CFR 17.99(i) ^{CH} .

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Melicope makahae	Alani	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Melicope mucronulata	Alani	Wherever found	E	57 FR 20772; 5/15/1992, 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} .
Melicope munroi	Alani	Wherever found	E	64 FR 48307; 9/3/1999, 50 CFR 17.99(c) ^{CH} .
Melicope ovalis	Alani	Wherever found	E	59 FR 62346; 12/5/1994, 50 CFR 17.99(e)(1) ^{CH} .
Melicope pallida	Alani	Wherever found	E	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(i) ^{CH}
Melicope paniculata	Alani	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Melicope puberula	Alani	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Melicope quadrangularis Melicope reflexa	Alani	Wherever foundWherever found	E E	59 FR 9304; 2/25/1994. 57 FR 46325; 10/8/1992, 50 CFR 17.99(c) ^{CH} .
Melicope saint-johnii	Alani	Wherever found	E	61 FR 53089; 10/10/1996, 50 CFR 17.99(i) ^{CH} .
Melicope zahlbruckneri	Alani	Wherever found	E	61 FR 53137; 10/10/1996, 50 CFR 17.99(k) ^{CH} .
Mentzelia leucophylla	Ash Meadows blazing-star	Wherever found	Т	50 FR 20777; 5/20/1985, 50 CFR 17.96(a) ^{CH} .
Mezoneuron kavaiense Mimulus michiganensis (=Mimulus glabratus var.	Uhi uhi Michigan monkey-flower	Wherever found	E E	51 FR 24672; 7/8/1986. 55 FR 25596; 6/21/1990, 75 FR 55686; 9/14/2010.
michiganensis). Mirabilis macfarlanei	MacFarlane's four-o'clock	Wherever found	Т	44 FR 61912; 10/26/1979, 61 FR 10693; 3/15/1996.
Mitracarpus maxwelliae	No common name	Wherever found	E	59 FR 46715; 9/9/1994.
Mitracarpus polycladus	No common name	Wherever found	E	59 FR 46715; 9/9/1994.
Monardella viminea	Willowy monardella	Wherever found	E	63 FR 54938; 10/13/1998, 50 CFR 17.96(a) ^{CH} .
Mucuna sloanei var.persericea	Sea bean	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Myrcia paganii Myrsine juddii	No common name Kolea	Wherever foundWherever found	E E	59 FR 8138; 2/18/1994. 61 FR 53089; 10/10/1996, 50
Myrsine knudsenii	Kolea	Wherever found	E	CFR 17.99(i) ^{CH} . 75 FR 18960; 4/13/2010, 50
Myrsine linearifolia	Kolea	Wherever found	Т	CFR 17.99(a) ^{CH} . 61 FR 53070; 10/10/1996, 50
Myrsine mezii	Kolea	Wherever found	E	CFR 17.99(a)(1) ^{CH} . 75 FR 18960; 4/13/2010, 50
Myrsine vaccinioides	Kolea	Wherever found	E	CFR 17.99(a) ^{CH} . 78 FR 32013; 5/28/2013, 50
Navarretia fossalis	Spreading navarretia	Wherever found	Т	CFR 17.99(e)(1) ^{CH} . 63 FR 54975; 10/13/1998, 50 CFR 17.96(a) ^{CH} .
Navarretia leucocephala ssp. pauciflora (=N. pauciflora).	Few-flowered navarretia	Wherever found	E	62 FR 33029; 6/18/1997.
Navarretia leucocephala ssp. plieantha.	Many-flowered navarretia	Wherever found	E	62 FR 33029; 6/18/1997.
Neostapfia colusana	Colusa grass	Wherever found	Т	62 FR 14338; 3/26/1997, 50 CFR 17.96(a) ^{CH} .
Neraudia angulata	No common name	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .
Neraudia ovata	No common name	Wherever found	E	61 FR 53137; 10/10/1996, 50 CFR 17.99(k) ^{CH} .
Neraudia sericea	No common name	Wherever found	E	59 FR 56333; 11/10/1994, 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(e)(2) ^{CH} .
Nervilia jacksoniae	No common name	Wherever found	T	80 FR 59423; 10/1/2015.
Nesogenes rotensis Nitrophila mohavensis	No common name Amargosa niterwort	Wherever found	E E	69 FR 10335; 3/5/2004. 50 FR 20777; 5/20/1985, 50
Nolina brittoniana	Britton's beargrass	Wherever found	E	CFR 17.96(a) ^{CH} . 58 FR 25746; 4/27/1993.
Nothocestrum breviflorum	Aiea	Wherever found	E	59 FR 10305; 3/4/1994, 50 CFR 17.99(k) ^{CH} .
Nothocestrum peltatum	Aiea	Wherever found	E	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Nototrichium humile	Kului	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Ochrosia kilaueaensis Oenothera avita ssp.	Holei Eureka Valley evening-primrose	Wherever found	E E	59 FR 10305; 3/4/1994. 43 FR 17910; 4/26/1978.
eurekensis. Oenothera deltoides ssp. howellii.	Antioch Dunes evening-prim-rose.	Wherever found	E	43 FR 17910; 4/26/1978, 50 CFR 17.96(a) ^{CH} .
Opuntia treleasei	Bakersfield cactus	Wherever found	E	55 FR 29361; 7/19/1990.
Orcuttia californica	California Orcutt grass	Wherever found	E	58 FR 41384; 8/3/1993.
Orcuttia inaequalis	San Joaquin Valley Orcutt grass.	Wherever found	T	62 FR 14338; 3/26/1997, 50 CFR 17.96(a) ^{CH} .
Orcuttia pilosa	Hairy Orcutt grass	Wherever found	Т	62 FR 14338; 3/26/1997, 50 CFR 17.96(a) ^{CH} .
Orcuttia tenuis	Slender Orcutt grass	Wherever found	Т	62 FR 14338; 3/26/1997, 50 CFR 17.96(a) ^{CH} .
Orcuttia viscida	Sacramento Orcutt grass	Wherever found	T	62 FR 14338; 3/26/1997, 50 CFR 17.96(a) ^{CH} .
Osmoxylon mariannense	No common name	Wherever found	E	69 FR 10335; 3/5/2004.
Ottoschulzia rhodoxylon Oxypolis canbyi	Palo de rosaCanby's dropwort	Wherever found	E E	55 FR 13488; 4/10/1990. 51 FR 6690; 2/25/1986.
Oxytheca parishii var.	Cushenbury oxytheca	Wherever found	Ē	59 FR 43652; 8/24/1994, 50
goodmaniana.	Cubilibriary oxytheod	VVIICIOVOI IOUITU	-	CFR 17.96(a) ^{CH} .
Oxytropis campestris var. chartacea.	Fassett's locoweed	Wherever found	Т	53 FR 37970; 9/28/1988.
Panicum fauriei var. carteri	Carter's panicgrass	Wherever found	E	48 FR 46328; 10/12/1983, 50 CFR 17.96(a) ^{CH} .
Panicum niihauense	Lau ehu	Wherever found	E	61 FR 53108; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .
Paronychia chartacea	Papery whitlow-wort	Wherever found	Т	52 FR 2227; 1/21/1987.
Parvisedum leiocarpum	Lake County stonecrop	Wherever found	E	62 FR 33029; 6/18/1997.
Pedicularis furbishiae	Furbish lousewort	Wherever found	E	43 FR 17910; 4/26/1978.
Pediocactus bradyi	Brady pincushion cactus	Wherever found	E	44 FR 61784; 10/26/1979.
Pediocactus despainii	San Rafael cactus	Wherever found	<u>E</u>	52 FR 34914; 9/16/1987.
Pediocactus knowltonii	Knowlton cactus	Wherever found	E	44 FR 62244; 10/29/1979.
Pediocactus peeblesianus var. fickeiseniae. Pediocactus peeblesianus var.	Fickeisen plains cactus	Wherever found Wherever found	E	78 FR 60607; 10/1/2013.
peeblesianus.	Peebles Navajo cactus			44 FR 61922; 10/26/1979.
Pediocactus sileri	Siler pincushion cactus	Wherever found	T _	44 FR 61786; 10/26/1979, 58 FR 68476; 12/27/1993.
Pediocactus winkleri	Winkler cactus	Wherever found	T	63 FR 44587; 8/20/1998.
Penstemon debilis Penstemon haydenii	Parachute beardtongue Blowout penstemon	Wherever found Wherever found	T E	76 FR 45053; 7/27/2011, 50 CFR 17.96(a) ^{CH} . 52 FR 32926; 9/1/1987.
Penstemon penlandii	Kremmling beardtongue	Wherever found	Ė	54 FR 29658; 7/13/1989.
Pentachaeta bellidiflora	White-rayed pentachaeta	Wherever found	Ē	60 FR 6671; 2/3/1995.
Pentachaeta Iyonii	Lyon's pentachaeta	Wherever found	Ē	62 FR 4172; 1/29/1997, 50 CFR 17.96(a) ^{CH} .
Peperomia subpetiolata	Alaala wai nui	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Peperomia wheeleri	Wheeler's peperomia	Wherever found	E	52 FR 1459; 1/14/1987.
Peucedanum sandwicense	Makou	Wherever found	Т	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Phacelia argillacea	Clay phacelia	Wherever found	E	43 FR 44810; 9/28/1978.
Phacelia formosula	North Park phacelia	Wherever found	E	47 FR 38540; 9/1/1982.
Phacelia insularis ssp. insularis Phacelia submutica	Island phacelia DeBeque phacelia	Wherever found	E T	62 FR 40954; 7/31/1997. 76 FR 45053; 7/27/2011, 50 CFR 17.96(a) ^{CH} .
Phlox hirsuta	Yreka phlox	Wherever found	E	65 FR 5268; 2/3/2000.
Phlox nivalis ssp. texensis	Texas trailing phlox	Wherever found	E	56 FR 49636; 9/30/1991.
Phyllanthus saffordii	No common name	Wherever found	E	80 FR 59423; 10/1/2015.
Phyllostegia bracteata	No common name	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Phyllostegia floribunda Phyllostegia glabra var.	No common name	Wherever foundWherever found	E E	78 FR 64637; 10/29/2013. 56 FR 47686; 9/20/1991.
lanaiensis.	No common nome	Whorever found	_	79 ED 20012: E/00/0012 E0
Phyllostegia haliakalae	No common name	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} .

	_			Listing citations and applicable
Scientific name	Common name	Where listed	Status	rules
Phyllostegia hirsuta	No common name	Wherever found	E	61 FR 53089; 10/10/1996, 50 CFR 17.99(i) ^{CH} .
Phyllostegia hispida	No common name	Wherever found	E	74 FR 11319; 3/17/2009, 50 CFR 17.99(c) ^{CH} .
Phyllostegia kaalaensis	No common name	Wherever found	E	61 FR 53089; 10/10/1996, 50 CFR 17.99(i) ^{CH} .
Phyllostegia knudsenii	No common name	Wherever found	E	61 FR 53070; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .
Phyllostegia mannii	No common name	Wherever found	E	57 FR 46325; 10/8/1992, 50 CFR 17.99(c) ^{CH} , 50 CFR
Phyllostegia mollis	No common name	Wherever found	E	17.99(e)(1) ^{CH} . 56 FR 55770; 10/29/1991, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Phyllostegia parviflora	No common name	Wherever found	E	61 FR 53108; 10/10/1996, 50 CFR 17.99(i) ^{CH} .
Phyllostegia pilosa	No common name	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(c) ^{CH} , 50 CFR
Phyllostegia racemosa	Kiponapona	Wherever found	E	17.99(e)(1) ^{CH} . 61 FR 53137; 10/10/1996, 50 CFR 17.99(k) ^{CH} .
Phyllostegia renovans	No common name	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Phyllostegia velutina	No common name	Wherever found	E	61 FR 53137; 10/10/1996, 50 CFR 17.99(k) ^{CH} .
Phyllostegia waimeae	No common name	Wherever found	E	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .
Phyllostegia warshaueri	No common name	Wherever found	E	61 FR 53137; 10/10/1996, 50 CFR 17.99(k) ^{CH} .
Phyllostegia wawrana	No common name	Wherever found	E	61 FR 53070; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .
Physaria douglasii subsp. tuplashensis.	White Bluffs bladderpod	Wherever found	Т	78 FR 23983; 4/23/2013, 50 CFR 17.96(a) ^{CH} .
Physaria filiformis (= Lesquerella f.).	Missouri bladderpod	Wherever found	Т	52 FR 679; 1/8/1987, 68 FR 59337; 10/15/2003, 75 FR 55686; 9/14/2010.
Physaria globosaPhysaria obcordata	Short's bladderpod Dudley Bluffs twinpod	Wherever found	E T	79 FR 44712; 8/1/2014. 55 FR 4152; 2/6/1990.
Pilosocereus robinii	Key tree-cactus	Wherever found	E	49 FR 29234; 7/19/1984.
Pinguicula ionanthaPiperia yadonii	Godfrey's butterwort Yadon's piperia	Wherever found Wherever found	T E	58 FR 37432; 7/12/1993. 63 FR 43100; 8/12/1998, 50
Pittosporum halophilum	Hoawa	Wherever found	E	CFR 17.96(a) ^{CH} . 78 FR 32013; 5/28/2013, 50
Pittosporum hawaiiense	Hoawa, haawa	Wherever found	E	CFR 17.99(c) ^{CH} . 78 FR 64637; 10/29/2013.
Pittosporum napaliense	Hoawa	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Pityopsis ruthii	Ruth's golden aster	Wherever found	E E	50 FR 29341; 7/18/1985.
Plagiobothrys hirtusPlagiobothrys strictus	Calistoga allocarya	Wherever found Wherever found	Ē	65 FR 3866; 1/25/2000. 62 FR 54791; 10/22/1997.
Plantago hawaienis	Laukahi kuahiwi	Wherever found	Ē	59 FR 10305; 3/4/1994, 50
Plantago princeps	Laukahi kuahiwi	Wherever found	E	CFR 17.99(k) ^{CH} . 59 FR 56333; 11/10/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR
Platanthera holochila	No common name	Wherever found	E	17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} . 61 FR 53108; 10/10/1996, 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} , 50 CFR
Platanthera leucophaea	Eastern prairie fringed orchid	Wherever found	Т	17.99(i) ^{CH} . 54 FR 39857; 9/28/1989.
Platanthera praeclara	Western prairie fringed orchid	Wherever found	Т	54 FR 39857; 9/28/1989.
Platydesma cornuta var. cornuta.	No common name	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Platydesma cornuta var. decurrens.	No common name	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Platydesma remyi Platydesma rostrata	No common namePilo kea lau lii	Wherever foundWherever found	E E	78 FR 64637; 10/29/2013. 75 FR 18960; 4/13/2010, 50
Pleodendron macranthum Pleomele fernaldii	Chupacallos	Wherever found	E	CFR 17.99(a) ^{CH} . 59 FR 60565; 11/25/1994. 78 FR 32013; 5/28/2013.
i ieuitiele iellialuli	1 Iaia pepe	vviicievei iouliu	- L	10 10 32013, 3/20/2013.

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Pleomele forbesii	Hala pepe	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Pleomele hawaiiensis	Hala pepe	Wherever found	E	61 FR 53137; 10/10/1996, 50 CFR 17.99(k) ^{CH} .
Poa atropurpurea	San Bernardino bluegrass	Wherever found	E	63 FR 49006; 9/14/1998, 50
Poa mannii	Mann's bluegrass	Wherever found	E	CFR 17.96(a) ^{CH} . 59 FR 56330; 11/10/1994, 50 CFR 17.99(a)(1) ^{CH} .
Poa napensis	Napa bluegrass	Wherever found	E	62 FR 54791; 10/22/1997.
Poa sandvicensis	Hawaiian bluegrass	Wherever found	E	57 FR 20580; 5/13/1992, 50 CFR 17.99(a)(1) ^{CH} .
Poa siphonoglossa	No common name	Wherever found	E	57 FR 20580; 5/13/1992, 50 CFR 17.99(a)(1) ^{CH} .
Pogogyne abramsii	San Diego mesa mint	Wherever found	E	43 FR 44810; 9/28/1978.
Pogogyne nudiuscula	Otay mesa mint	Wherever found	E	58 FR 41384; 8/3/1993.
Polygala lewtonii	Lewton's polygala	Wherever found	E	58 FR 25746; 4/27/1993.
Polygala smallii	Tiny polygala	Wherever found	E	50 FR 29345; 7/18/1985.
Polygonella basiramia	Wireweed	Wherever found	E	52 FR 2227; 1/21/1987.
Polygonella myriophylla	Sandlace	Wherever found	E	58 FR 25746; 4/27/1993.
Polygonum hickmanii	Scotts Valley polygonum	Wherever found	E	68 FR 16979; 4/8/2003, 50 CFR 17.96(a) ^{CH} .
Polyscias (=Tetraplasandra) bisattenuata.	No common name	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Polyscias (=Tetraplasandra)	No common name	Wherever found	E	75 FR 18960; 4/13/2010, 50
flynnii. Polyscias (=Tetraplasandra) gymnocarpa.	Oheohe	Wherever found	E	CFR 17.99(a) ^{CH} . 59 FR 14482; 3/28/1994, 50 CFR 17.99(i) ^{CH} .
Polyscias (=Tetraplasandra) lydgatei.	No common name	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Polyscias (=Munroidendron) racemosa (=racemosum).	No common name	Wherever found	E	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .
Portulaca sclerocarpa	Poe	Wherever found	E	59 FR 10305; 3/4/1994, 50 CFR 17.99(k) ^{CH} .
Potamogeton clystocarpus	Little Aguja pondweed	Wherever found	E	56 FR 57844; 11/14/1991.
Potentilla hickmanii	Hickman's potentilla	Wherever found	ΙE	63 FR 43100; 8/12/1998.
Primula maguirei	Maguire primrose	Wherever found	 	50 FR 33731; 8/21/1985.
Pritchardia affinis	Loulu	Wherever found	Ė	59 FR 10305; 3/4/1994.
	Wahane	Wherever found	Ē	61 FR 41020; 8/7/1996.
Pritchardia aylmer-robinsonii			Ē	
Pritchardia hardyi	Loulu	Wherever found		75 FR 18960; 4/13/2010.
Pritchardia kaalae	Loulu	Wherever found	E	61 FR 53089; 10/10/1996.
Pritchardia lanigera	Loulu	Wherever found	E	78 FR 64637; 10/29/2013.
Pritchardia maideniana	Loulu	Wherever found	E	59 FR 10305; 3/4/1994.
Pritchardia munroi	Loulu	Wherever found	E	57 FR 46325; 10/8/1992.
Pritchardia napaliensis	Loulu	Wherever found	E	61 FR 53070; 10/10/1996.
Pritchardia remota	Loulu	Wherever found	E	61 FR 43178; 8/21/1996, 50 CFR 17.99(g) ^{CH} .
Pritchardia schattaueri	Loulu	Wherever found	E	61 FR 53137; 10/10/1996.
Pritchardia viscosa	Loulu	Wherever found	E	61 FR 53070; 10/10/1996.
Prunus geniculata	Scrub plum	Wherever found	E	52 FR 2227; 1/21/1987.
Pseudobahia bahiifolia	Hartweg's golden sunburst	Wherever found	E	62 FR 5542; 2/6/1997.
Pseudobahia	San Joaquin adobe sunburst	Wherever found	T	62 FR 5542; 2/6/1997.
Psychotria grandiflora	Kopiko	Wherever found	E	75 FR 18960; 4/13/2010, 50
Psychotria hexandra ssp. oahuensis.	Kopiko	Wherever found	E	CFR 17.99(a) ^{CH} . 77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Psychotria hobdyi	Kopiko	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Psychotria malaspinae	Aplokating palaoan	Wherever found	E	80 FR 59423; 10/1/2015.
Pteralyxia kauaiensis	Kaulu	Wherever found	Ē	59 FR 9304; 2/25/1994, 50
Pteralyxia macrocarpa	Kaulu	Wherever found	E	CFR 17.99(a)(1) ^{CH} . 77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Ptilimnium nodosum	Harperella	Wherever found	E	53 FR 37978; 9/28/1988.
Purshia subintegra	Arizona cliffrose	Wherever found	Ē	49 FR 22326; 5/29/1984.
Quercus hinckleyi	Hinckley's oak	Wherever found	T	53 FR 32824; 8/26/1988.
Ranunculus acriformis var.	Autumn buttercup	Wherever found	Ė	54 FR 30550; 7/21/1989.
aestivalis. Remya kauaiensis	No common name	Wherever found	E	56 FR 1450; 1/14/1991, 50
Remya mauiensis	Maui remya	Wherever found	E	CFR 17.99(a)(1) ^{CH} . 56 FR 1450; 1/14/1991, 50
Remya montgomeryi	No common name	Wherever found	E	CFR 17.99(e)(1) ^{CH} . 56 FR 1450; 1/14/1991, 50 CFR 17.99(a)(1) ^{CH}
	1	ı	1	CFR 17.99(a)(1) ^{CH} .

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Rhodiola integrifolia ssp. leedyi (= Sedum integrifolium ssp. l.	Leedy's roseroot	Wherever found	Т	57 FR 14649; 4/22/1992, 75 FR 55686; 9/14/2010.
Rhododendron chapmanii	Chapman rhododendron	Wherever found	E	44 FR 24248; 4/24/1979.
Rhus michauxii	Michaux's sumac	Wherever found	E	54 FR 39850; 9/28/1989.
Rhynchospora knieskernii	Knieskern's beaked-rush	Wherever found	T	56 FR 32978; 7/18/1991.
Ribes echinellumRorippa gambellii	Miccosukee gooseberry	Wherever foundWherever found	T E	50 FR 29338; 7/18/1985. 58 FR 41378; 8/3/1993.
Sagittaria fasciculata	Bunched arrowhead	Wherever found	Ē	44 FR 43700; 7/25/1979.
Sagittaria secundifolia	Kral's water-plantain	Wherever found	Т	55 FR 13907; 4/13/1990.
Sanicula mariversa	No common name	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .
Sanicula purpurea	No common name	Wherever found	E	61 FR 53108; 10/10/1996, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Santalum haleakalae var.lanaiense.	Lanai sandalwood or iliahi	Wherever found	E	51 FR 3182; 1/24/1986, 78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} .
Sarracenia oreophila	Green pitcher-plant	Wherever found	E	44 FR 54922; 9/21/1979, 45 FR 18929; 3/24/1980.
Sarracenia rubra ssp. alabamensis.	Alabama canebrake pitcher- plant.	Wherever found		54 FR 10150; 3/10/1989.
Sarracenia rubra ssp. jonesii	Mountain sweet pitcher-plant	Wherever found	1	53 FR 38470; 9/30/1988.
Scaevola coriaceaSchenkia sebaeoides	Dwarf naupaka	Wherever found Wherever found	E E	51 FR 17971; 5/16/1986. 56 FR 55770; 10/29/1991, 50
Scrietikia Sepaedides	Awiwi	Wherever found	L	CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} , 50 CFR
Schiedea adamantis	Diamond Head schiedea	Wherever found	E	49 FR 6099; 2/17/1984.
Schiedea apokremnos	Maolioli	Wherever found	Ē	56 FR 49639; 9/30/1991, 50
•				CFR 17.99(a)(1) ^{CH} .
Schiedea attenuata	No common name	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Schiedea diffusa ssp.macraei Schiedea haleakalensis	No common name	Wherever found	E E	78 FR 64637; 10/29/2013. 57 FR 20772; 5/15/1992, 50 CFR 17.99(e)(1) ^{CH} .
Schiedea hawaiiensisSchiedea helleri	No common name	Wherever found	E E	78 FR 64637; 10/29/2013. 61 FR 53070; 10/10/1996, 50
Schiedea hookeri	No common name	Wherever found	E	CFR 17.99(a)(1) ^{CH} . 61 FR 53108; 10/10/1996, 50
Schiedea jacobii	No common name	Wherever found	E	CFR 17.99(i) ^{CH} . 78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Schiedea kaalae	No common name	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .
Schiedea kauaiensis	No common name	Wherever found	E	61 FR 53108; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .
Schiedea kealiae	Maolioli	Wherever found	E	61 FR 53089; 10/10/1996, 50 CFR 17.99(i) ^{CH} .
Schiedea laui	No common name	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(c) ^{CH} .
Schiedea (=Alsinidendron) lychnoides.	Kuawawaenohu	Wherever found	E	61 FR 53070; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .
Schiedea lydgatei	No common name	Wherever found	E	57 FR 46325; 10/8/1992, 50 CFR 17.99(c) ^{CH} .
Schiedea membranacea	No common name	Wherever found	E	61 FR 53070; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .
Schiedea nuttallii	No common name	Wherever found	E	61 FR 53108; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Schiedea obovata	No common name	Wherever found	E	56 FR 55770; 10/29/1991, 77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Schiedea salicaria	No common name	Wherever found		78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Schiedea sarmentosa	No common name	Wherever found	E	61 FR 53130; 10/10/1996, 50 CFR 17.99(c) ^{CH} .
Schiedea spergulina var. leiopoda.	No common name	Wherever found	E	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .

			ı	
Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Schiedea spergulina var. spergulina.	No common name	Wherever found	Т	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .
Schiedea stellarioides	Laulihilihi (=Maolioli)	Wherever found	E	61 FR 53070; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .
Schiedea trinervis	No common name	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .
Schiedea verticillata	No common name	Wherever found	E	61 FR 43178; 8/21/1996, 50 CFR 17.99(g) ^{CH} .
Schiedea (=Alsinidendron) viscosa (=viscosum).	No common name	Wherever found	E	61 FR 53070; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .
Schoenocrambe argillacea Schoenocrambe barnebyi	Clay reed-mustard	Wherever foundWherever found	T E	57 FR 1398; 1/14/1992. 57 FR 1398; 1/14/1992.
Schoenocrambe suffrutescens	Shrubby reed-mustard	Wherever found	Ē	52 FR 37416; 10/6/1987.
Schoepfia arenaria	None	Wherever found	Т	56 FR 16021; 4/19/1991.
Schwalbea americana	American chaffseed	Wherever found	E	57 FR 44703; 9/29/1992.
Scirpus ancistrochaetus	Northeastern bulrush	Wherever found	E	56 FR 21091; 5/7/1991.
Sclerocactus brevispinus	Pariette cactus	Wherever found	Т	44 FR 58868; 10/11/1979, 74 FR 47112; 9/15/2009.
Sclerocactus glaucus	Colorado hookless cactus	Wherever found	Т	44 FR 58868; 10/11/1979, 74 FR 47112; 9/15/2009.
Sclerocactus mesae-verdae Sclerocactus wetlandicus	Mesa Verde cactus Uinta Basin hookless cactus	Wherever foundWherever found	T	44 FR 62471; 10/30/1979.
Scierocacius wellandicus	Office Basin Hookiess Cacius		-	44 FR 58868; 10/11/1979, 74 FR 47112; 9/15/2009.
Sclerocactus wrightiae	Wright fishhook cactus	Wherever found	E	44 FR 58866; 10/11/1979.
Scutellaria floridana	Florida skullcap	Wherever found	T	57 FR 19813; 5/8/1992.
Scutellaria montana	Large-flowered skullcap	Wherever found	Т	51 FR 22521; 6/20/1986, 67 FR 1662; 1/14/2002.
Senecio franciscanus	San Francisco Peaks ragwort	Wherever found	Т	48 FR 52743; 11/22/1983, 50 CFR 17.96(a) ^{CH} .
Senecio layneae	Layne's butterweed	Wherever found	T	61 FR 54346; 10/18/1996.
Serianthes nelsonii	Hayun lagu (Guam), Tronkon guafi (Rota).	Wherever found	E	52 FR 4907; 2/18/1987, 52 FR 6651; 5/4/1987.
Sesbania tomentosa	Ohai	Wherever found	E	59 FR 56333; 11/10/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(g) ^{CH} , 50 CFR 17.99(i) ^{CH} , 50 CFR
				17.99(k) ^{CH} .
Sibara filifolia Sicyos albus (=alba)	Santa Cruz Island rock-cress Anunu	Wherever foundWherever found	E E	62 FR 42692; 8/8/1997. 61 FR 53137; 10/10/1996, 50
Sidalcea keckii	Keck's checkermallow	Wherever found	E	CFR 17.99(k) ^{CH} . 65 FR 7757; 2/16/2000, 50
Sidalcea nelsoniana	Nelson's checker-mallow	Wherever found	Т	CFR 17.96(a) ^{CH} . 58 FR 8235; 2/12/1993.
Sidalcea oregana var. calva	Wenatchee Mountains checker- mallow.	Wherever found	Ė	64 FR 71680; 12/22/1999, 50 CFR 17.96(a) ^{CH} .
Sidalcea oregana ssp. valida	Kenwood Marsh checker-mal-	Wherever found	E	62 FR 54791; 10/22/1997.
Sidalcea pedata	Pedate checker-mallow	Wherever found	E	49 FR 34497; 8/31/1984.
Silene alexandri	No common name	Wherever found	Ē	57 FR 46325; 10/8/1992, 50
Silene hawaiiensis	No common name	Wherever found	Т	CFR 17.99(c) ^{CH} . 59 FR 10305; 3/4/1994, 50
Silene lanceolata	No common name	Wherever found	E	CFR 17.99(k) ^{CH} . 57 FR 46325; 10/8/1992, 50 CFR 17.99(c) ^{CH} , 50 CFR
Silene perlmanii	No common name	Wherever found	E	17.99(i) ^{CH} . 56 FR 55770; 10/29/1991, 50
Silene polypetala	Fringed campion	Wherever found	E	CFR 17.99(i) ^{CH} . 56 FR 1932; 1/18/1991.
Silene spaldingii	Spalding's catchfly	Wherever found	T	66 FR 51597; 10/10/2001.
Sisyrinchium dichotomum	White irisette	Wherever found		56 FR 48752; 9/26/1991.
Solanum drymophilum	Erubia	Wherever found		53 FR 32827; 8/26/1988.
Solanum guamense	Biringenas halumtanu,	Wherever found		80 FR 59423; 10/1/2015.
	Birengenas halom tano.			
Solanum incompletum	Popolo ku mai	Wherever found	E	59 FR 56333; 10/10/1994, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR
Solanum sandwicense	Aiakeakua, popolo	Wherever found	E	17.99(k) ^{CH} . 59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Solidago albopilosa Solidago houghtonii	White-haired goldenrod Houghton's goldenrod	Wherever found	T T	53 FR 11612; 4/7/1988. 53 FR 27134; 7/18/1988.

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Calidana abautii	Charte maldanus d	NA/In a way ya wa fa yana d	_	
Solidago shortii	Short's goldenrod	Wherever found	l	50 FR 36085; 9/5/1985.
Solidago spithamaea	Blue Ridge goldenrod	Wherever found	<u>T</u>	50 FR 12306; 3/28/1985.
Spermolepis hawaiiensis	No common name	Wherever found	E	59 FR 56333; 11/10/1994, 50
				CFR 17.99(a)(1) ^{CH} , 50 CFR
				17.99(c) ^{CH} , 50 CFR
				17.99(e)(1) ^{CH} , 50 CFR
				. , . , .
			_	17.99(i) ^{CH} .
Sphaeralcea gierischii	Gierisch mallow	Wherever found	E	78 FR 49149; 8/13/2013.
Spigelia gentianoides	Gentian pinkroot	Wherever found	E	55 FR 49046; 11/26/1990.
Spiraea virginiana	Virginia spiraea	Wherever found	T	55 FR 24241; 6/15/1990.
Spiranthes delitescens	Canelo Hills ladies'-tresses	Wherever found	1	62 FR 665; 1/6/1997.
Spiranthes diluvialis	Ute ladies'-tresses	Wherever found	1	57 FR 2048; 1/17/1992.
			1	T
Spiranthes parksii	Navasota ladies'-tresses	Wherever found		47 FR 19539; 5/6/1982.
Stahlia monosperma	Cóbana negra	Wherever found	T	55 FR 12790; 4/5/1990.
Stenogyne angustifolia var.	No common name	Wherever found	E	44 FR 62468; 10/30/1979.
angustifolia.				
Stenogyne bifida	No common name	Wherever found	lΕ	57 FR 46325; 10/8/1992, 50
otoriogyrio bilida	140 COMMINION MARINE	Wildiaver lourid	-	CFR 17.99(c) ^{CH} .
0.		140	_	
Stenogyne campanulata	No common name	Wherever found	E	57 FR 20580; 5/13/1992, 50
				CFR 17.99(a)(1) ^{CH} .
Stenogyne cranwelliae	No common name	Wherever found	ΙE	78 FR 64637; 10/29/2013.
Stenogyne kanehoana	No common name	Wherever found	ΙE	57 FR 20592; 5/13/1992, 50
otoriogyrio kariorioaria	Tro commen name	VIII OI OVOI TOUTIU	-	CFR 17.99(i) ^{CH} .
Ctamagnuma luavavilaamaia	No	10/15	_	. ,
Stenogyne kauaulaensis	No common name	Wherever found	E	78 FR 32013; 5/28/2013, 50
				CFR 17.99(e)(1) ^{CH} .
Stenogyne kealiae	No common name	Wherever found	E	75 FR 18960; 4/13/2010, 50
0,				CFR 17.99(a) ^{CH} .
Stephanomeria malheurensis	Malheur wire-lettuce	Wherever found	E	47 FR 50881; 11/10/1982, 50
otephanomena mameurensis	Walled Wife-lettace	Wherever lound	-	1
			_	CFR 17.96(a) ^{CH} .
Streptanthus albidus ssp.	Metcalf Canyon jewelflower	Wherever found	E	60 FR 6671; 2/3/1995.
albidus.				
Streptanthus niger	Tiburon jewelflower	Wherever found	ΙE	60 FR 6671; 2/3/1995.
Styrax portoricensis	Palo de jazmfn	Wherever found	Ē	57 FR 14782; 4/22/1992.
Styrax texanus	Texas snowbells	Wherever found	Ē	
•				49 FR 40035; 10/12/1984.
Suaeda californica	Sea-blite, California	Wherever found	E	59 FR 64613; 12/15/1994.
Swallenia alexandrae	Eureka Dune grass	Wherever found		43 FR 17910; 4/26/1978.
Tabernaemontana rotensis	No common name	Wherever found	T	80 FR 59423; 10/1/2015.
Taraxacum californicum	California taraxacum	Wherever found	ΙE	63 FR 49006; 9/14/1988, 50
				CFR 17.96(a) ^{CH} .
Ternstroemia luquillensis	Palo colorado	Wherever found	E	57 FR 14782; 4/22/1992.
•				
Ternstroemia subsessilis	No common name	Wherever found	E	57 FR 14782; 4/22/1992.
Tetramolopium arenarium	No common name	Wherever found		59 FR 10305; 3/4/1994.
Tetramolopium capillare	Pamakani	Wherever found	E	59 FR 49860; 9/30/1994, 50
				CFR 17.99(e)(1) ^{CH} .
Tetramolopium filiforme	No common name	Wherever found	ΙE	56 FR 55770; 10/29/1991, 50
· ou amoropiam imornio imi			-	CFR 17.99(i) ^{CH} .
Tatromalanium lanidatum aan	No samman nama	Mharavar faund	E	
Tetramolopium lepidotum ssp.	No common name	Wherever found	=	56 FR 55770; 10/29/1991, 50
lepidotum.				CFR 17.99(i) ^{CH} .
Tetramolopium remyi	No common name	Wherever found	E	56 FR 47686; 9/20/1991, 50
				CFR 17.99(e)(1) ^{CH} .
Tetramolopium rockii	No common name	Wherever found	T	57 FR 46325; 10/8/1992, 50
,			-	CFR 17.99(c) ^{CH} .
Theliatrum ecolovi	Coolovia moodowrug	Whorever found	_	
Thalictrum cooleyi	Cooley's meadowrue	Wherever found	1	54 FR 5935; 2/7/1989.
Thelypodium howellii ssp.	Howell's spectacular thelypody	Wherever found	T	64 FR 28393; 5/26/1999.
spectabilis.				
Thelypodium stenopetalum	Slender-petaled mustard	Wherever found	ΙE	49 FR 34497; 8/31/1984.
Thlaspi californicum	Kneeland Prairie penny-cress	Wherever found		65 FR 6332; 2/9/2000, 50 CFR
····aop· came·····cam	rancolana riamo poliny oroco n		-	17.96(a) ^{CH} .
Thymophylla tanhralassa	Ashy dogwood	Whorever found	E	
Thymophylla tephroleuca	Ashy dogweed	Wherever found	l	49 FR 29232; 7/19/1984.
Thysanocarpus conchuliferus	Santa Cruz Island fringepod	Wherever found		62 FR 40954; 7/31/1997.
Tinospora homosepala	No common name	Wherever found	E	80 FR 59423; 10/1/2015.
Townsendia aprica	Last Chance townsendia	Wherever found	Т	50 FR 33734; 8/21/1985.
Trematolobelia singularis	No common name	Wherever found	l	61 FR 53089; 10/10/1996, 50
onigaiano			-	CFR 17.99(i) ^{CH} .
Triphilia tripas th -	Parisas	Whorever formed	_	
Trichilia triacantha	Bariaco	Wherever found	l	53 FR 3565; 2/5/1988.
Trichostema austromontanum	Hidden Lake bluecurls	Wherever found	T	63 FR 49006; 9/14/1998.
ssp. compactum.				
Trifolium amoenum	Showy Indian clover	Wherever found	ΙE	62 FR 54791; 10/22/1997.
			1	T
Trifolium stoloniferum	Running buffalo clover	Wherever found		52 FR 21478; 6/5/1987.
Trifolium trichocalyx	Monterey clover	Wherever found		63 FR 43100; 8/12/1998.
Trillium persistens	Persistent trillium	Wherever found	E	43 FR 17910; 4/26/1978.
THIIIUH PELSISIEHS				
Trillium reliquum	Relict trillium	Wherever found	ΙE	53 FR 10879; 4/4/1988.

Scientific name	Common name	Where listed	Status	Listing citations and applicable
			T	rules
Tuctoria greenei	Greene's tuctoria	Wherever found		62 FR 14338; 3/26/1997, 50 CFR 17.96(a) ^{CH} .
Tuctoria mucronata	Solano grass	Wherever found	Т	43 FR 44810; 9/28/1978, 50 CFR 17.96(a) ^{CH} .
Urera kaalae	Opuhe	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .
Varronia rupicola	No common name	Wherever found	Т	79 FR 53303; 9/9/2014, 50 CFR 17.96(a) ^{CH} .
Verbena californica	Red Hills vervain	Wherever found	T	63 FR 49006; 9/14/1998.
Verbesina dissita Vernonia proctorii	Big-leaved crownbeard No common name	Wherever foundWherever found	T E	61 FR 52370; 10/7/1996. 58 FR 25755; 4/27/1993.
Vicia menziesiiVigna o-wahuensis	Hawaiian vetch	Wherever foundWherever found	E	43 FR 17910; 4/26/1978. 59 FR 56333; 11/10/1994, 50
vigila o-waliuerisis	No common name	Wherever found		CFR 17.99(e)(1)°H, 50 CFR 17.99(e)(2)°H, 50 CFR 17.99(i)°H, 50 CFR 17.99(i)°H, 50 CFR 17.99(k)°H, 50 CFR
Viola chamissoniana ssp. chamissoniana.	Pamakani	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .
Viola helenae	No common name	Wherever found	E	56 FR 47695; 9/20/1991, 50 CFR 17.99(a)(1) ^{CH} .
Viola kauaiensis var. wahiawaensis.	Nani waialeale	Wherever found	E	61 FR 53070; 10/10/1996, 50 CFR 17.99(a)(1) ^{CH} .
Viola lanaiensisViola oahuensis	No common name	Wherever foundWherever found	E E	56 FR 47686; 9/20/1991. 61 FR 53089; 10/10/1996, 50
		Wherever found	E	CFR 17.99(i) ^{CH} .
Warea amplexifolia Warea carteri	Wide-leaf warea Carter's mustard	Wherever found	Ē	52 FR 15501; 4/29/1987. 52 FR 2227; 1/21/1987.
Wikstroemia villosa	Akia	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.99(e)(1) ^{CH} .
Wilkesia hobdyi	Dwarfiliau	Wherever found	E	57 FR 27859; 6/22/1992, 50 CFR 17.99(a)(1) ^{CH} .
Xylosma crenatum	No common name	Wherever found	E	57 FR 20580; 5/13/1992, 50 CFR 17.99(a)(1) ^{CH} .
Xyris tennesseensisYermo xanthocephalus	Tennessee yellow-eyed grass Desert yellowhead	Wherever foundWherever found	E T	56 FR 34151; 7/26/1991. 67 FR 11442; 3/14/2002, 50
•				CFR 17.96(a) ^{CH} .
Zanthoxylum dipetalum var. tomentosum.	Ae	Wherever found	E	61 FR 53137; 10/10/1996, 50 CFR 17.99(k) ^{CH} .
Zanthoxylum hawaiiense	Ae	Wherever found	E	59 FR 10305; 3/4/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} .
Zanthoxylum oahuense	Ae	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Zanthoxylum thomasianum Zizania texana	St. Thomas prickly-ash Texas wild-rice	Wherever found	E E	50 FR 51867; 12/20/1985. 43 FR 17910; 4/26/1978, 50 CFR 17.96(a) ^{CH} .
Ziziphus celata	Florida ziziphus	Wherever found	E	54 FR 31190; 7/27/1989.
CONIFERS Abies guatemalensis Cupressus goveniana ssp.	Guatemalan fir (=pinabete) Gowen cypress	Wherever found	T T	44 FR 65002; 11/8/1979. 63 FR 43100; 8/12/1998.
goveniana.	Alarea or Chilaen falsa lareh	Mharavar faund	Т	44 ED 64700: 11/7/1070
Fitzroya cupressoides Hesperocyparis abramsiana	Alerce or Chilean false larch Santa Cruz cypress	Wherever found	†	44 FR 64730; 11/7/1979. 52 FR 675; 1/8/1987, 81 FR 8408; 2/19/2016.
Torreya taxifolia FERNS AND ALLIES	Florida torreya	Wherever found	E	49 FR 2783; 1/23/1984.
Adenophorus periens	Pendent kihi fern	Wherever found	E	59 FR 56333; 11/10/1994, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} , 50 CFR 17.99(k) ^{CH} .
Adiantum vivesiiAsplenium dielerectum	No common name	Wherever foundWherever found	E E	58 FR 32308; 6/9/1993. 59 FR 56333; 11/10/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} , 50 CFR 17.99(k) ^{CH} .
Asplenium (=Diellia) dielfalcatum (=falcate).	No common name	Wherever found	E	56 FR 55770; 10/29/1991, 50 CFR 17.99(i) ^{CH} .

Scientific name	Common name	Where listed	Status	Listing citations and applicable rules
Asplenium (=Diellia) dielmannii (=mannii).	No common name	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Asplenium (=Diellia) dielpallicum (=pallida).	No common name	Wherever found	E	59 FR 9304; 2/25/1994, 50 CFR 17.99(a)(1) ^{CH} .
Asplenium peruvianum var. insulare.	No common name	Wherever found	E	59 FR 49025; 9/26/1994, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(k) ^{CH} .
Asplenium scolopendrium var. americanum.	American hart's-tongue fern	Wherever found	Т	54 FR 29726; 7/14/1989.
Asplenium (=Diellia) unisorum (=unisora).	No common name	Wherever found	E	59 FR 32932; 6/27/1994, 50 CFR 17.99(i) ^{CH} .
Ctenitis squamigera	Pauoa	Wherever found	E	59 FR 49025; 9/26/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Cyathea dryopteroides	Elfin tree fern	Wherever found	E	52 FR 22936; 6/16/1987.
Diplazium molokaiense	No common name	Wherever found	E	59 FR 49025; 9/26/1994, 50 CFR 17.99(a)(1) ^{CH} , 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Doryopteris angelica	No common name	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Doryopteris takeuchii	No common name	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.99(i) ^{CH} .
Dryopteris crinalis var. podosorus.	Palapalai aumakua	Wherever found	E	75 FR 18960; 4/13/2010, 50 CFR 17.99(a) ^{CH} .
Elaphoglossum serpens	None	Wherever found	E	58 FR 32308; 6/9/1993.
Huperzia mannii	Wawae'iole	Wherever found	E	57 FR 20772; 5/15/1992, 50 CFR 17.99(e)(1) ^{CH} .
Huperzia nutans	Wawaeiole	Wherever found	E	57 FR 20772; 5/15/1992, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Isoetes Iouisianensis	Louisiana quillwort	Wherever found	E	57 FR 48741; 10/28/1992.
Isoetes melanospora	Black-spored quillwort	Wherever found	E	53 FR 3560; 2/5/1988.
Isoetes tegetiformans	Mat-forming quillwort	Wherever found	E	53 FR 3560; 2/5/1988.
Marsilea villosa	Ihiihi	Wherever found	E	57 FR 27863; 6/22/1992, 50 CFR 17.99(c) ^{CH} , 50 CFR 17.99(i) ^{CH} .
Polystichum aleuticum	Aleutian shield-fern	Wherever found	E	53 FR 4626; 2/17/1988.
Polystichum calderonense	No common name	Wherever found	E	58 FR 32308; 6/9/1993.
Pteris lidgatei	No common name	Wherever found	E	59 FR 49025; 9/26/1994, 50 CFR 17.99(e)(1) ^{CH} , 50 CFR 17.99(i) ^{CH} , 50 CFR 17.99(c) ^{CH} .
Tectaria estremerana	No common name	Wherever found	E	58 FR 32308; 6/9/1993.
Thelypteris inabonensis Thelypteris pilosa var. alabamensis.	No common name	Wherever found	E T	58 FR 35887; 7/2/1993. 57 FR 30164; 7/8/1992.
Thelypteris verecunda	No common name	Wherever found	E	58 FR 35887; 7/2/1993.
Thelypteris yaucoensis Trichomanes punctatumssp. floridanum.	No common name Florida bristle fern	Wherever foundWherever found	E E	58 FR 35887; 7/2/1993. 80 FR 60439; 10/6/2015.
LICHENS Cladonia perforata Gymnoderma lineare	Florida perforate cladonia Rock gnome lichen	Wherever found	E E	58 FR 25746; 4/27/1993. 60 FR 3557; 1/18/1995.

§17.50 [Amended]

- 4. Revise § 17.50 by removing the three examples at the end of the section.
- 5. In § 17.52, revise the introductory text to read as follows:

§ 17.52 Permits—similarity of appearance.

Upon receipt of a complete application and unless otherwise

indicated in a rule found at §§ 17.40 through 17.48, §§ 17.73 through 17.78, or §§ 17.84 through 17.86, the Director may issue permits for any activity otherwise prohibited with a species designated as endangered or threatened due to its similarity of appearance. Such a permit may authorize a single transaction, a series of transactions, or a

number of activities over a specified period of time.

Dated: June 28, 2016.

Stephen Guertin,

Acting Director, U.S. Fish and Wildlife Service.

[FR Doc. 2016–17322 Filed 8–3–16; 8:45 am] BILLING CODE 4333–15–P