

OFFROAD





TIRE SIZE APPLICATION GUIDE

The following guide shows all available tires for off-road applications. Tires in this guide are listed in order, sorted by rim diameter (small to large), overall section width/aspect ratio and market application. Simply find the size and market application of tire for your vehicle.

The Application corresponds to the following codes:

Dual-Sport – Dual-sport/highway applications
Mini – Minicycle Motocross / Off-road applications
Motocross – Motocross/off-road applications

Sand – Tread and compound for sand applications
Trials – Tread and compound for trials competition and trail applications

NOTE: The information provided here is not warranted as to the truth or accuracy by Parts Unlimited or its parent company, LeMans Corporation. The information is collected from the tire manufacturer and published for your reference. Any additional information or questions regarding this information or questions about the fitment and maintenance of the tires should be obtained from the tire manufacturers.

Table with columns: BRAND, PART #, MODEL, SIZE, POS., STYLE, PAGE #. Lists tires for sizes 8", 10", 12", 14", 16", 17".

Table with columns: BRAND, PART #, MODEL, SIZE, POS., STYLE, PAGE #. Continues listing tires for sizes 14" (CONT), 16", 17".

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in BOLD MAGENTA are new this year.

TIRE SIZE APPLICATION GUIDE continued on next page

PARTS UNLIMITED TIRE SIZE APPLICATION GUIDE (CONT)

Table with columns: BRAND, PART #, MODEL, SIZE, POS., STYLE, PAGE #. Contains tire application data for sizes 17", 18", and 19".

Table with columns: BRAND, PART #, MODEL, SIZE, POS., STYLE, PAGE #. Contains tire application data for sizes 17", 18", and 19".

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

PARTS UNLIMITED TIRE SIZE APPLICATION GUIDE (CONT)

Table with columns: BRAND, PART #, MODEL, SIZE, POS., STYLE, PAGE #. Includes sub-section '18" (CONT)' and lists various tire models from Metzeler, Michelin, Pirelli, IRC, Kenda, Dunlop, Maxxis, Bridgestone, CST, and Avon.

Table with columns: BRAND, PART #, MODEL, SIZE, POS., STYLE, PAGE #. Includes sub-section '18" (CONT)' and continues listing tire models from Pirelli, Kenda, Maxxis, Michelin, Pirelli, Dunlop, Continental, IRC, and Bridgestone.

TIRE SIZE APPLICATION GUIDE continued on next page

STREET DRAG SPECIALTIES OFFROAD ATV/UTV TUBES & ACCESSORIES SERVICE TOOLS MERCHANDISING CROSS REFERENCE INDEX

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

PARTS UNLIMITED TIRE SIZE APPLICATION GUIDE (CONT)

Table with columns: BRAND, PART #, MODEL, SIZE, POS., STYLE, PAGE #. Rows include various tire models like MICHELIN 0312-0241, PIRELLI 0312-0085, etc.

Table with columns: BRAND, PART #, MODEL, SIZE, POS., STYLE, PAGE #. Rows include various tire models like METZELER 0316-0103, METZELER 0316-0144, etc.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



DUNLOP (R) OFFROAD TIRES

Over the past year, Dunlop has completely revamped its entire off-road and motocross tire line. The new Geomax® line benefits from racing development, and offers new technology to excel in a variety of conditions. At Dunlop, we don't race just to win. The knowledge we gain from racing allows us to develop technology that we pass along to our consumers.

Thanks to this advanced technology, the Geomax line allows fewer products to cover a wider span of terrain and riding applications. That broad-ranging versatility makes it much easier for riders to choose the right tire.

For off-road riders, Dunlop's new Geomax AT81 and AT81 RC have proven themselves by winning races as well as the 2013 AMA National Enduro and GNCC championships.

On the motocross front, Dunlop's Geomax MX32 and MX52 tires continue to prove their performance advantage in professional Supercross and Motocross racing, dominating the 2014 Supercross series as well as the 2014 Motocross series to date. The MX32 and MX52 patterns won all but one 450 and 250 Monster Energy Supercross race in 2014.

The Geomax line covers everything from trail riding to off-road racing, Motocross and Supercross with the MX-series developed specifically for Motocross/Supercross, and the AT-series developed for off-road riding and racing.

GROUND CONDITIONS

OFF-ROAD	SOFT		INTERMEDIATE				HARD	
	SAND/MUD		SOFT TERRAIN		INTERMEDIATE TERRAIN		HARD TERRAIN	
GEOMAX AT81/AT81 RC								
GEOMAX MX11								
GEOMAX MX32								
GEOMAX MX52								

GEOMAX MX32 MX52

GEOMAX® MX32/MX52™ TIRES

- Derived from top-level AMA Supercross and Motocross racing
- Patented "block-within-a-block" knobs offer more progressive cornering action
- Enhanced handling and knob durability achieved through more flex, and less knob tearing through recess carcass design
- Superior bump absorption through damping control sidewall rubber compound and recess carcass design
- Front tire design provides enhanced grip and steering feel
- Superior grip in a wider variety of terrain



MX32™ Front/Rear

MX52™ Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
MX32 FRONT SOFT-INTERMEDIATE TERRAIN				
60/100-10	33J	TT	0312-0269	\$44.95
60/100-12	36J	TT	0312-0270	46.95
60/100-14	30M	TT	0312-0271	45.95
70/100-17	40M	TT	0312-0272	54.95
70/100-19	42M	TT	0312-0273	62.95
80/100-21	51M	TT	0312-0274	127.95
MX32 REAR SOFT-INTERMEDIATE TERRAIN				
70/100-10	41J	TT	0313-0497	45.95
80/100-12	41M	TT	0313-0498	50.95
90/100-14	49M	TT	0313-0499	63.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
MX32 REAR SOFT-INTERMEDIATE TERRAIN (CONT)				
90/100-16	52M	TT	0313-0500	\$72.95
100/90-19	57M	TT	0313-0501	134.95
110/90-19	62M	TT	0313-0502	143.95
120/80-19	63M	TT	0313-0503	149.95
MX52 FRONT INTERMEDIATE-HARD TERRAIN				
60/100-10	33J	TT	0312-0262	37.95
60/100-12	36J	TT	0312-0263	50.95
60/100-14	30M	TT	0312-0264	52.95
70/100-17	40M	TT	0312-0265	60.95
70/100-19	42M	TT	0312-0266	66.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
MX52 FRONT INTERMEDIATE-HARD TERRAIN (CONT)				
80/100-21	51M	TT	0312-0267	\$120.95
90/90-21	54M	TT	0312-0268	123.95
MX52 REAR INTERMEDIATE-HARD TERRAIN				
70/100-10	41J	TT	0313-0490	51.95
80/100-12	41M	TT	0313-0491	58.95
90/100-14	49M	TT	0313-0492	69.95
90/100-16	52M	TT	0313-0493	77.95
100/90-19	57M	TT	0313-0494	133.95
110/90-19	62M	TT	0313-0495	143.95
120/80-19	63M	TT	0313-0496	149.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



GEOMAX® AT81™

- The newest generation of off-road tires
- Provide more all-around performance
- New formula high wear-resistance tire compound offers enhance chipping, tearing and wear resistance
- Rear tread block shape and distribution plus DIRTuitive Grip Design (DGD) knobs help the tire penetrate through the surface dirt for extra traction
- Rear tire carcass has two nylon plies
- Lateral grooves on shoulder knobs provide additional biting edges and allow the knobs to be more flexible
- Rear center blocks are arranged inline to provide a larger contact patch for maximum traction
- "Plush pad" recess design between tread blocks enhances compliance for bump absorption and rider comfort

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AT 81 FRONT				
90/90-21	54M	TT	0312-0242	\$120.95
AT 81 REAR				
110/90-18	61M	TT	0313-0451	114.95



AT81™ Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AT 81 REAR (CONT)				
110/100-18	64M	TT	0313-0450	\$127.95
120/90-18	65M	TT	0313-0452	127.95

GEOMAX® AT81™ RC REAR

- Reinforced rear tire carcass features four nylon plies
- New formula high wear-resistance tire compound offers enhance chipping, tearing and wear resistance
- Rear tread block shape and distribution plus DIRTuitive Grip Design (DGD) knobs help the tire penetrate through the surface dirt for extra traction
- Lateral grooves on shoulder knobs provide additional biting edges and allow the knobs to be more flexible
- Rear center blocks are arranged inline to provide a larger contact patch for maximum traction
- "Plush pad" recess design between tread blocks enhances compliance for bump absorption and rider comfort

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
110/90-18	61M	TT	0313-0454	\$127.95
110/100-18	64M	TT	0313-0453	149.95



AT81™ RC Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
120/90-18	65M	TT	0313-0455	\$139.95
110/90-19	62M	TT	0313-0456	155.95

GEOMAX MX11

GEOMAX® MX11™ SAND/MUD TERRAIN TIRE

- Curved tread blocks create a turbine effect to provide enhanced traction and self-cleaning properties
- Recessed flex joints between tread blocks give tire improved compliance for enhanced traction and ride comfort
- Tread channels help enhance stability
- Curved backside blocks produce enhanced braking stability
- Thin profiled blocks help chisel through and penetrate sand surface for increased traction
- Center-cross design tread blocks provide enhanced straight-line traction, assist with lateral stability and provide block stiffness for strength and enhanced durability

REAR	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
110/90-19	62M	TT	0313-0348	\$160.95



MX11™ Rear

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAIN SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



D606 Front/Rear

D606

STREET LEGAL DUAL-SPORT TIRES

- D606 front provides great grip and durability
- Features full-depth tread pattern that gives excellent traction on surfaces ranging from hard fire roads to soft trails
- Tread is designed for real off-road use and aggressive performance
- D606F front tire matches with D739AT rear tire for desert racers
- DOT approved
- R-rated for speeds up to 106 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG.RETAIL
FRONT				
90/90-21	54R	TT	32SF-21	\$141.95
REAR				
130/90-17	68R	TT	32SF-41	145.95
130/90-18	69R	TT	0317-0010	151.95
120/90-18	65R	TT	32SF-36	144.95



D908 Front/Rear

D908RR

AGGRESSIVE ROAD-LEGAL DESERT/ENDURO TIRES

- Designed to handle severe racing and cross-country conditions and provides exceptional durability and grip over rocks, hard ground and pavement
- Designed to cope with the speed, horsepower and weight of large-displacement rally-type dual-sport machines
- DOT approved
- R-rated for speeds up to 106 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
90/90-21	54R	TT	0312-0091	\$202.95
REAR				
140/80-18	70R	TT	0313-0133	320.95

D803 TRIALS

- Used by 05-06 champion Geoff Aaron
- Radial rear tire also works great for off-road trail riding
- M-rated for speeds up to 81 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
2.75-21	45M	TT	0314-0001	\$99.95
REAR				
4.00R18	64M	TT	0315-0001	146.95



D803 Front/Rear

TRAILMAX TR91

DUAL-SPORT/ADVENTURE TOURING TIRES

- Dual-purpose high-performance adventure touring tire
- Silica-fortified tread compound for enhanced traction and grip while helping to reduce rolling resistance
- V-shaped pattern with crossing grooves pull water quickly and effectively away from the tread contact patch
- Enhanced abrasion resistance yields higher mileage in on-highway usage, while the new tread block design provides enhanced wear resistance in off-road conditions
- Jointless Belt Technology utilizes a continuously wound belt that enables smooth performance at highway speeds, a more consistent contact patch and enhanced shock absorption
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
90/90-21	54H	TL	0316-0109	\$183.95
100/90-19	57H	TL	0316-0110	194.95
110/80R19	59V	TL	0316-0111	229.95



TR91 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
130/80R17	65H	TL	0317-0106	\$248.95
140/80R17	69H	TL	0317-0107	254.95
150/70R17	69V	TL	0317-0108	259.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



S12 XC Front/Rear

M12 XC Front/Rear

**S12 XC™/M12 XC™
SOFT TO INTERMEDIATE
AND INTERMEDIATE TERRAIN TIRES**

- Designed to maximize traction
- Newer rear rubber mixture improves durability by at least 25-30% over Michelin's S12 and M12 tires
- Larger-diameter beads and thicker bead filler area help make sidewalls more rigid than before, which improves feedback
- Additional thin casing ply under the tread helps improve traction and feel, and speeds warm-up time
- S12 XC soft to intermediate terrain tires feature tall, narrow knobs for mud penetration; front knobs turned 45° for mud evacuation
- M12 XC intermediate tires provide dependable traction and steering in mixed conditions and feature widely spaced knobs to shed mud quickly

SIZE	FITS TIRE SIZE	TL/TT	PART #	SUG. RETAIL
S12 XC FRONT (SOFT TO INTERMEDIATE TERRAIN)				
90/90-21	80/100-21	TT	0312-0133	\$121.95
S12 XC REAR (SOFT TO INTERMEDIATE TERRAIN)				
120/90-18	100/100-18	TT	0313-0217	120.95
130/80-18	110/100-18	TT	0313-0218	122.95
140/80-18	120/90-18	TT	0313-0219	134.95

SIZE	FITS TIRE SIZE	TL/TT	PART #	SUG. RETAIL
S12 XC REAR (SOFT TO INTERMEDIATE TERRAIN) (CONT)				
120/80-19	100/90-19	TT	0313-0220	\$130.95
130/70-19	110/90-19	TT	0313-0221	139.95
M12 XC FRONT (INTERMEDIATE TERRAIN)				
90/90-21	80/100-21	TT	0312-0134	121.95

SIZE	FITS TIRE SIZE	TL/TT	PART #	SUG. RETAIL
M12 XC REAR (INTERMEDIATE TERRAIN)				
120/90-18	100/100-18	TT	0313-0222	\$126.95
130/80-18	110/100-18	TT	0313-0223	132.95
120/80-19	100/90-19	TT	0313-0224	134.95
130/70-19	110/90-19	TT	0313-0225	145.95
140/80-18	120/90-18	TT	0313-0427	140.95

	MOTOCROSS				OFF-ROAD			TRIALS	DUAL SPORT		
	SAND	SOFT	INTERMEDIATE	HARD	SOFT	INTERMEDIATE	HARD		DESERT	10% ROAD	50% ROAD
StarCross [®] S12 XC											
StarCross [®] M12 XC											
StarCross [®] S12 XC											
StarCross [®] M12 XC											
CROSS ACT10											
T63											
Desert RACE											
Trial Light Trial X Light Comp											



MS3 Front/Rear



MH3 Front/Rear

**STARCROSS® LINEUP
SOFT TO INTERMEDIATE TERRAIN
AND INTERMEDIATE TO HARD PACK TERRAIN TIRES**

- Developed especially for serious racers
- Reversible tread pattern with a tread-wear indicator that clearly shows when to reverse the tire on the rim – when the "M" disappears, the tire can be turned around
- Mirror-image knobs provide equal traction in both directions on a wide range of terrain
- StarCross® MS3 features an M-block knob pattern with reinforced scoop-like knobs that are widely spaced
- StarCross® MH3 features massive knobs to resist chunking and reshaped side knobs for better grip
- Strong casings incorporate three cross-woven polyamide plies
- Staggered shoulder knobs for superb cornering action
- Super stiff sidewalls for high-impact shock absorption on landings
- Flexible tread minimizes rebound on rough tracks and helps keep tire in contact with the ground

SIZE	TL/TT	PART #	SUG. RETAIL
MS3 FRONT SOFT/INTERMEDIATE			
2.50-10	TT	0312-0239¹	\$45.95
2.50-12	TT	0313-0443¹	48.95
60/100-14	TT	0313-0445¹	48.95
70/100-17	TT	0312-0240¹	56.95
70/100-19	TT	0312-0241¹	65.95
80/100-21	TT	0312-0033	121.95
MS3 REAR SOFT/INTERMEDIATE			
2.50-10	TT	0312-0239¹	45.95
2.75-10	TT	0313-0444¹	47.95
80/100-12	TT	0313-0446¹	52.95
90/100-14	TT	0313-0447¹	66.95
90/100-16	TT	0313-0448¹	75.95
110/100-18	TT	0313-0428	119.95
120/90-18	TT	0313-0429	117.95
100/90-19	TT	0313-0051	130.95
110/90-19	TT	0313-0052	138.95

SIZE	TL/TT	PART #	SUG. RETAIL
MH3 FRONT INTERMEDIATE/HARD			
2.50-12	TT	0312-0075¹	\$52.95
60/100-14	TT	0312-0076¹	55.95
70/100-17	TT	0312-0023¹	63.95
70/100-19	TT	0312-0024¹	70.95
80/100-21	TT	0312-0035	121.95
MH3 REAR INTERMEDIATE/HARD			
2.75-10	TT	0313-0112¹	55.95
80/100-12	TT	0313-0113¹	61.95
90/100-14	TT	0313-0035¹	72.95
90/100-16	TT	0313-0036¹	80.95
110/100-18	TT	0313-0430	122.95
120/90-18	TT	0313-0431	121.95
100/90-19	TT	0313-0053	134.95
110/90-19	TT	0313-0054	144.95

¹ StarCross Mini; a scaled-down version of the StarCross line made for junior racers.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



Starcross HP4 Front/Rear

STARCROSS® HP4 HARD PACK TIRES



- Developed especially for supercross and very hard-packed outdoor tracks
- Wider front tire provides a larger contact patch that enhances predictability in blue-groove conditions
- Taller, wider front casing provides greater air volume for absorbing hard landings
- Closely spaced, reinforced knobs help maximize contact patch and resist tearing and chunking on hard terrain and rocks
- Wave-like knob pattern on the rear enhances grip in dusty, hard-packed conditions

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
90/100-21	TT	0312-0211	\$121.95
REAR			
110/90-19	TT	0313-0381	145.95



Desert Front/Rear

DESERT RACE™ DESERT RACING TIRES

- Tire of choice for the winner of the Paris-Dakar and nearly every major rally in the world
- Unbeatable performance, even in the most punishing conditions and on all types of terrain
- Resistant to impacts and cuts even at temperatures above 120°F
- Desert Race tire tread design delivers improved handling, grip and traction and is also designed for 450cc desert/off-road bikes
- DOT approved
- R-rated for speeds up to 106 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
90/90-21	54R	TT	0312-0235	\$201.95
REAR				
140/80-18	70R	TT	0313-0380	306.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



Starcross Sand 4 Rear

STARCROSS® SAND 4 SOFT TERRAIN TIRES

- Rear tire specifically for use on sandy tracks; pair with S12 or Starcross MS3 front tires
- Made of rubber mixture which performs well even in cooler temps
- Widely spaced scoop-like knobs evacuate sand and provide traction
- Zig-zag orientation of side knobs aid in cornering grip

SIZE	TT/TL	PART #	SUG. RETAIL
REAR			
100/90-19	TT	0313-0110	\$135.95
110/90-19	TT	0313-0111	152.95



T63 Front/Rear

T63 DOT DUAL SPORT TIRES

- Economical knobby tire
- Tread pattern inspired by Michelin's highly successful Desert™ tires
- Reinforced knobs resist tearing and abrasion on asphalt
- Provide excellent stability, durability and high level of grip
- DOT approved
- S-rated for speeds up to 112 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
80/90-21	48S	TT	0316-0044	\$116.95
90/90-21	54S	TT	0316-0045	120.95
REAR				
130/80-17	65S	TT	0317-0034	120.95
110/80-18	58S	TT	0317-0035	113.95
120/80-18	62S	TT	0317-0036	120.95
130/80-18	66S	TT	0317-0037	126.95



AC10®

OFF ROAD/DUAL SPORT MX TIRES

- Reversible tread pattern with a treadwear indicator that clearly shows when to reverse the tire on the rim; when the "M" disappears the tire can be turned around
- Mirror-image knobs provide equal traction in both directions on a wide range of terrain
- Specially formulated rubber mix for durability that resists tearing and chunking even under hard use
- DOT approved
- R-rated for speeds up to 106 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
80/100-21	51R	TT	0312-0004	\$124.95
REAR				
100/100-18	59R	TT	0313-0007	124.95
110/100-18	64R	TT	0313-0008	122.95

ANAKEE III

ANAKEE III

ADVENTURE TOURING TIRES

- New silica tread compound yields even more mileage while offering the best balance between grip and durability
- Innovative tread pattern inhibits irregular wear patterns, while evacuating water, dirt and mud
- Tire architecture engineered for easy maneuverability and precise handling
- Excellent stability and rider feedback, thanks to a new high-rigidity casing
- Blackwall
- Tubeless/tube type
- V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT BIAS				
100/90-19	57H	TL/TT	0316-0149	\$210.95
90/90-21	54V	TL/TT	0316-0152	182.95
REAR BIAS				
120/90-17	64S	TL/TT	0317-0164	235.95
FRONT RADIAL				
110/80R19	59V	TL/TT	0316-0148	229.95
120/70R19	60V	TL/TT	0316-0192	226.95

TRIAL LIGHT™

- Updated casing design improves lateral stability in corners compared with earlier Michelin trials tires
- Trial X Light™ rear is more than a pound lighter than its predecessor, reducing unsprung weight, for improved suspension response and maneuverability
- Compatible with low air-pressure settings; recommended pressures for trials use: 6 psi front, 5 psi rear
- Redesigned bead area increases sidewall rigidity to reduce tire movement on rim, even at very low air pressure
- Maximized Contact Patch casing for better grip on loose surfaces and when cornering
- More flexible tread area for better grip on obstacles and rocks

SIZE	TL/TT	PART #	SUG. RETAIL
TRIAL LIGHT FRONT			
80/100-21	TT	0314-0008	\$180.95
TRIAL X LIGHT REAR RADIAL			
120/100R-18	TL	0315-0005	\$294.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



AC10 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
120/90-18	65R	TT	0313-0188	\$120.95
100/90-19	57R	TT	0313-0226	134.95
110/90-19	62R	TT	0315-0006	140.95



Anakee III Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR RADIAL				
130/80R17	65H	TL/TT	0317-0159	\$249.95
140/80R17	69H	TL/TT	0317-0161	256.95
150/70R17	69V	TL/TT	0317-0163	276.95
170/60R17	72V	TL/TT	0317-0222	284.95



Trial Light Front/Rear

STREET

DRAIN SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



STREET

MC 4 SOFT TERRAIN TIRES

- Metzeler's championship-winning dirt tires with excellent durability, handling and traction
- Designed to excel in soft to medium-hard conditions with a stable carcass and self-cleaning knob design
- Aggressive center knob pattern delivers excellent straight-line traction and braking
- Low-weight/high-strength carcass for stability, bump absorption and puncture resistance
- Offset side knobs for increased cornering traction
- Puts the power to the ground for great hoeshots, straights and solid cornering



MC 4 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
80/100-21	51R	TT	110-9673¹	\$107.95
REAR				
100/100-18	-	TT	110-9669	113.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
110/100-18	-	TT	110-9670	\$115.95
100/90-19	-	TT	110-9671	122.95
110/90-19	-	TT	110-9672	129.95

¹ DOT approved.

DRAG SPECIALTIES

OFFROAD

ATV/UTV

MC 5 INTERMEDIATE TERRAIN TIRES

- Metzeler's championship-winning dirt tires with excellent durability, handling and traction
- MC 5 front features widely spaced center knobs for good braking performance
- Tread design uses small knobs that are able to penetrate harder soil, combined with paddle-type knob position for good traction on loose soil
- Reinforced shoulder knobs give excellent grip under full lean
- Soft center area of tire provides good damping properties and feedback
- Rear tire uses solid center knobs in a row and intersected knobs in shoulder area for good traction on loose soil or sand
- Reinforced shoulder knobs allow controllable slides



MC 5 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
80/100-21	51R	TT	110-9307¹	\$107.95
REAR				
100/100-18	-	TT	110-9299	113.95
110/100-18	-	TT	110-9300	115.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
120/100-18	-	TT	110-9302	\$117.95
100/90-19	-	TT	110-9303	122.95
110/90-19	-	TT	110-9305	129.95

¹ DOT approved.

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

MC 6 HARD TERRAIN TIRES

- Metzeler's championship-winning dirt tires with excellent durability, handling and traction
- Front tire features intersected knobs that provide grip for hard braking
- Widely spaced knobs can gear with track surface so tire won't slip, even on watered tracks
- Uniform knob distribution provides light handling and good feedback
- V-shaped knob orientation provides straight-line stability and helps tire resist following longitudinal grooves
- Rear tire has intersected center knobs for softer starting grip on hard pack
- Intersecting knobs in mid-shoulder area provide extra traction on smooth, hard surfaces
- Twin shoulder knobs provide constant grip and good control



MC 6 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
80/100-21	51R	TT	110-9308¹	\$107.95
REAR				
110/100-18	-	TT	110-9301	115.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
110/90-19	-	TT	110-9306	\$129.95

¹ DOT approved.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

INDEX



**UNICROSS
DOT ALL TERRAIN
CROSS COUNTRY TIRES**

- High level of traction in all types of terrain, powering out of corners or climbing steep hills with great feedback and control
- Both tires are DOT-approved
- Classic Metzeler tread pattern for restoration projects

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
90/90-21	54M	TT	0312-0098¹	\$113.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
120/90-18	65M	TT	0313-0145¹	\$136.95

¹ DOT approved.

Unicross Front/Rear



**6 DAYS EXTREME
DOT APPROVED
FRONT AND REAR OFF-ROAD**

- OEM fitment on KTM 450/525 EXC models
- The ultimate off-road tire developed with World Champion factory enduro riders for the most extreme conditions
- High Resistance Polyester carcass-material with X-ply construction for superior structural characteristics and excellent puncture resistance
- Knob distribution and geometry designed to offer outstanding grip and traction with high resistance both in dry and wet conditions, from soft/loose terrains to hard
- 6 Days Extreme Hard front designed for optimal performance in mid-hard to hard-/rocky terrain; knob design offers consistent contact patch and reduced treat block movement in hard terrain
- Both front and rear tires are DOT approved
- Metzeler 6 Day Extreme tires swept the E1, E2 and E3 classes of the 2011 World Enduro Championships
- M- and R-speed rated

6 Days Extreme Front/Rear

6 DAYS EXTREME GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
90/90-21	54R	TT	0312-0186^{1, 2}	\$137.95
REAR				
120/90-18	65M	TT	0313-0147¹	150.95
140/80-18	70M	TT	0313-0146¹	149.95

¹ DOT approved. ² 6 Days Extreme Hard.

6 DAYS EXTREME OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
KTM						
450/525 EXC 07-11	Rear	140/80-18	70M	TT	0313-0146¹	\$149.95

¹ DOT approved.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

- STREET
- DRAG SPECIALTIES
- OFFROAD
- ATV/UTV
- TUBES & ACCESSORIES
- SERVICE TOOLS
- MERCHANDISING
- CROSS REFERENCE
- INDEX



Enduro 3 Sahara Front/Rear

ENDURO 3 SAHARA DUAL-SPORT TIRES 50% ON 50% OFF

- Enduro tire with very good on-road performance dedicated to the globetrotters always looking for fun riding no matter what the terrain
- Special tread compound perfectly combining safe cornering grip on the road and good off-road traction
- Tread pattern features knobs with geometry designed for fast self-cleaning; this allows the rider stable and precise trajectories without skidding on soft, muddy terrains
- Great handling with easy corner entry and stable cornering
- Tube type or tubeless (TL)
- DOT certified; S- rated for speeds up to 112 mph, T-rated for speeds up to 118 mph or H-rated for speeds up to 130 mph

TOURANCE OEM REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUC. RETAIL	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUC. RETAIL
FRONT					REAR (CONT)				
90/90-21	54S	TT	0316-0006	\$199.95	130/80-17	65T	TL	0317-0011	\$241.95
90/90-21	54H	TL	0316-0018	212.95	4.00-18	64S	TT	110-6252	199.95
REAR					120/80-18	62S	TT	110-6254	207.95
130/80-17	65S	TT	0317-0006	237.95	140/80-18	70S	TT	0317-0016	220.95

ENDURO 3 MODEL-SPECIFIC TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUC. RETAIL
BMW						
F 650 GS Dakar 01-08	Front	90/90-21	54S	TT	0316-0006	\$199.95
	Rear	130/80-17	65S	TT	0317-0006	237.95



Tourance Front/Rear

TOURANCE DUAL SPORT TIRES 85% ON 15% OFF

- Made for big-bore dual-purpose and enduro bikes that spend most of their time on paved roads, but that take the occasional "detour" down a fire road
- Developed to deliver the traction, feedback and stability for both kinds of road
- Radial tires feature twin-layer, 4-ply diagonal tire carcass construction
- Tire compound provides long mileage, stable handling and touring comfort on road; tread design also handles light off-road riding
- Radial rear tires feature Metzeler's 0° steel belt technology
- Optimized tread design reduces rolling noise
- H-rated for speeds up to 130 mph and V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUC. RETAIL	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUC. RETAIL
FRONT					REAR				
100/90-19	57H	TL	110-10124	\$207.95	130/80R17	65H	TL	110-10120¹	\$238.95
110/80R19	59V	TL	110-11278¹	202.95	140/80R17	69H	TL	110-10121¹	258.95
90/90-21	54H	TL	110-10126	194.95	150/70R17	69V	TL	110-11279¹	239.95

¹ Radial.

TOURANCE OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUC. RETAIL	FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUC. RETAIL
APRILIA							BMW (CONT)						
Capo Nord 02-07	Front	110/80R19	59V	TL	110-11278¹	\$202.95	R1100/1150/1200 GS 94-12	Front	110/80R19	59V	TL	110-11278¹	\$202.95
	Rear	150/70R17	69V	TL	110-11279¹	239.95		Rear	150/70R17	69V	TL	110-11279¹	239.95
BMW							TRIUMPH						
F650 GS Single 01-07	Front	100/90-19	57H	TL	110-10124	207.95	Tiger 95-05	Front	110/80R19	59V	TL	110-11278¹	202.95
	Rear	130/80R17	65H	TL	110-10120	238.95		Rear	150/70R17	69V	TL	110-11279¹	239.95

¹ Radial.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



KAROO™ 3 KAROO 3 DUAL-SPORT TIRES

- Improved off-road traction and handling
- Double the road mileage of the previous Karoo without compromising off-road prowess
- Cutting edge tread design lends to improved performance
- Suitable for both light and heavy enduro bikes (versatile)
- Replaces all previous Karoo models
- Q-rated for speeds up to 100 mph or T-rated for speeds up to 118 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
110/80R19	59T	TL	0316-0141	\$235.95
120/70R19	65Q	TL	0316-0139	249.95
90/90-21	54T	TL	0316-0140	119.95
REAR				
130/80-17	65R	TL	0317-0195	138.95



Karoo 3 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
140/80-17	69T	TL	0317-0151	\$275.95
150/70R17	69T	TL	0317-0148	293.95
170/60R17	72Q	TL	0317-0150	311.95
140/80-18	70T	TT	0317-0147	152.95
150/70-18	70T	TL	0317-0149	281.95

TOURANCE NEXT DUAL-SPORT/ADVENTURE TOURING TIRES 95% ON 5% OFF

- Improved wet grip and stability
- Improved mileage over previous Tourance EXP
- Ideal choice for the latest-generation adventure-touring bikes
- OE on the new BMW R1200GS
- V-rated for speeds up to 149 mph, W-rated for speeds up to 168 mph and (W)-rated for speeds of 168+ mph

TOURANCE NEXT GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70R17	(58W)	TL	0316-0142	\$207.95
110/80R19	59V	TL	0316-0144	214.95
120/70R19	60V	TL	0316-0143	220.95
90/90-21	54V	TL	0316-0145	200.95
REAR				
130/80R17	65V	TL	0317-0250	240.95



Tourance Next Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
140/80R17	69V	TL	0317-0152	\$240.95
150/70R17	69V	TL	0317-0153	255.95
160/60R17	(69W)	TL	0317-0238	252.95
170/60R17	72V	TL	0317-0154	265.95
180/55Z-17	(73W)	TL	0317-0155	259.95
190/55Z-17	(75W)	TL	0317-0156	286.95

TOURANCE NEXT OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW						
R1200GS 13-14	F	120/70R19	60V	TL	0316-0143	\$220.95

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW (CONT)						
	R	170/60R17	72V	TL	0317-0154	\$265.95

TOURANCE EXP DUAL SPORT TIRES 95% ON/5% OFF

- The Metzeler patented 0° steel belt radial technology front and rear tire provides great straight-line and braking stability, maximum precision in the corners and excellent bump absorption in fully loaded conditions
- Rear tire has increased tread depth for improved mileage
- Improved compound for excellent grip on wet and dry surfaces
- Tread pattern design engineered to ensure the best on-road performance in wet and dry weather conditions
- V-rated for speeds up to 149 mph



Tourance EXP Front/Rear

TOURANCE EXP OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	OEM CODE	TL/TT	PART #	SUG. RETAIL
YAMAHA							
XT1200Z Super Tenere 12-14	Front	110/80R19	59V	C	TL	0316-0103	\$218.95
	Rear	150/70R17	69V	C	TL	0317-0097	252.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE


INDEX



SCORPION MX: 62 WORLD MOTOCROSS CHAMPIONSHIPS



DIRT-MX/OFF-ROAD: USAGE CHART



MX Soft (MXS) Front/Rear
MX SOFT (MXS)

- Pure-bred competition tire for deep sand and severe mud use
- Special directional rear paddle design with bridged tread provides excellent performance
- Front slightly wider for more flotation in soft terrain
- Soft terrain compounds mated with lightweight PET HMLS carcass
- Front tire tread pattern features directional V tread block design for excellent braking and cornering performance and DOT approved



MX Mid Soft Front/Rear
MX MID SOFT (MXMS)

- Provides superior straight line traction on a wide range of terrain
- Excellent durability with long knob life
- Excellent cornering traction and stability with optimum control
- Directional front design offers maximum braking, lateral grip in a wide variety of conditions and is DOT approved
- Excellent grip and predictability in different terrain
- 120/80-19 and 90/100-21 sizes for popular 4-stroke applications
- XC MS 18" rear is same pattern
- MXMS Mud rear provides excellent traction in supersoft conditions and is the perfect soft tire choice when an MXS is a bit too aggressive



MXMH 554 Front/Rear
SCORPION MXMH 554

- New design with tread patterns developed with input from Joe Gibbs Racing MX
- Carcass and compound designed for durability and high puncture resistance
- Reduced weight and optimized handling for high speed tracks with intermediate to hard terrain
- New dimpled knobs and tread pattern is optimized to increase grip and traction
- Excellent tire to recommend for riders who use one tire for most track conditions
- Reinforced middle and side knobs feature bridges for increased lateral bite



MX Hard (MXH) Front/Rear
MX HARD (MXH)

- Special tire designed specifically for hard pack conditions
- Special stiff carcass with PET textile cord to provide good damping performance, optimized stability, and improved puncture resistance
- Reduced center knob height to prevent knobs from bending under strong acceleration and to have a wider contact area for straight line and cornering grip
- Front tire knobs with different stiffness to guarantee strong braking and maximum lateral grip, also DOT approved

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



MXeXtra Front/Rear
MXeXtra X/J MEDIUM-SOFT TO HARD TERRAIN

- Durable design provides traction on a wide range of conditions from medium-soft to hard terrain
- X series full-size tires feature new front and rear tread patterns with a reinforced bridged knob pattern for increased lateral bite and stability
- Mini sizes (J) keep the same tread pattern with a new sidewall/carcass design for improved performance for mid-soft to mid-hard terrain applications
- Wide knob spacing helps improve performance in both gravel and soft terrain
- Front tire is DOT approved

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



SCORPION MX Soft



MXS Front/Rear

SCORPION MXS

SUPER-SOFT TERRAIN MX TIRES

- Pure-bred competition tires, designed for muddy and sandy conditions
- Special HP (High-modulus Polyester) carcass for consistent performance under the toughest competition conditions
- Paddle-shaped rear tread design

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SUGGESTED PIRELLI INNER TUBE PART #
FRONT					
80/100-21	51M	TT	0312-0080 ¹	\$117.95	TB-624510 ²
REAR					
90/100-16	-	TT	0313-0422	68.95	0350-0066 ²
120/90-18	-	TT	0312-0279	140.95	TB-619210 ²
100/90-19	-	TT	0313-0119	129.95	TB-620710 ²
110/90-19	-	TT	0313-0120	139.95	TB-620710 ²

¹ DOT approved.

² Heavy-duty tube.



MXMH Front/Rear

SCORPION MXMH 554

INTERMEDIATE TO HARD TERRAIN MX TIRES

- The Scorpion MXMH was a development project with Joe Gibbs Racing MX
- The tire is designed for true intermediate conditions
- Features a new front and rear tread pattern
- Reinforced middle and side knobs feature bridges for increased lateral bite
- New dimpled knobs and tread pattern are optimized to increase grip and traction in medium to hard conditions



SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SUGGESTED PIRELLI INNER TUBE PART #
FRONT					
80/100-21	51M	TT	0312-0209 ¹	\$113.95	TB-624510 ²
90/100-21	57M	TT	0312-0210 ¹	116.95	TB-624510 ²
REAR					
110/85-19	-	TT	0313-0417	135.95	TB-620710 ²
110/90-19	-	TT	0313-0379	135.95	TB-620710 ²
120/80-19	-	TT	0313-0419	140.95	TB-620710 ²

¹ DOT approved.

² Heavy-duty tube.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

SCORPION MX MidSoft



MXMS Front/Rear

SCORPION MXMS

SOFT TO MID-HARD TERRAIN MX TIRES

- Performance tire with excellent durability
- Directional front design offers maximum braking performance
- Mid-shoulder lugs for better traction in softer terrain
- Offers maximum steering precision, especially on softer terrain
- Rear provides superior straight-line traction on a wide range of terrain
- Excellent durability, with long knob life
- 120/80-19 and 90/100-21 sizes for popular 4-stroke applications
- XC MS 18" rear features a similar tread pattern
- MXMS Mud rear provides excellent traction in supersoft conditions and is the perfect soft tire choice when an MXS is a bit too aggressive



SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SUGGESTED PIRELLI INNER TUBE PART #
MXMS FRONT					
2.50-10	-	TT	0312-0081	\$38.95	TB-1078910 ¹
60/100-12	-	TT	0312-0082	46.95	TB-1079210 ¹
60/100-14	-	TT	0312-0083	49.95	TB-1085010 ¹
70/100-17	-	TT	0312-0084	56.95	TB-638910 ¹
70/100-19	-	TT	0312-0085	61.95	0350-0058 ¹
80/100-21	51M	TT	0312-0087 ²	118.95	TB-624510 ⁴
90/100-21	57M	TT	0312-0127 ²	116.95	TB-624510 ⁴
MXMS REAR					
2.75-10	-	TT	0313-0121	46.95	TB-1078910 ¹
80/100-12	-	TT	0313-0122	55.95	TB-1079210 ¹
90/100-14	-	TT	0313-0123	63.95	TB-1085110 ¹
90/100-16	-	TT	0313-0124	69.95	0350-0066 ¹
100/90-19	-	TT	0313-0125	129.95	TB-620710 ⁴
110/90-19	-	TT	0313-0126	139.95	TB-620710 ⁴
120/80-19	-	TT	0313-0209	144.95	TB-620710 ⁴
120/90-19	-	TT	0313-0127	144.95	TB-620710 ⁴
MXMS MUD REAR					
110/90-19	-	TT	0313-0332 ³	139.95	TB-620710 ⁴
XC MS REAR					
110/100-18	-	TT	0313-0180	120.95	TB-619210 ⁴
120/100-18	-	TT	0313-0181	125.95	TB-620710 ⁴

¹ Standard-duty tube. ² DOT approved. ³ Modified pattern. ⁴ Heavy-duty tube.

STREET

DRA
SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



SCORPION MX HARD

SCORPION MX EXTRA



MXH Front/Rear

**SCORPION MXH
HARD TERRAIN MX TIRES**

- Designed for hard-packed supercross and motocross tracks
- Front tire features reversible tread pattern to dial in best performance for intermediate or hard terrain
- Twin knobs allow high degree of flexibility while compound keeps their edges sharp
- Reinforced sidewall for puncture resistance, yet lightweight due to processing technique
- 120/80-19 and 90/100-21 sizes for popular 4-stroke applications
- Low-profile design for quick, precise steering

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SUGGESTED PIRELLI INNER TUBE PART #
FRONT					
80/100-21	51M	TT	0312-0090¹	\$113.95	TB-624510 ²
REAR					
100/90-19	-	TT	0313-0130	127.95	TB-620710 ²
110/90-19	-	TT	0313-0131	135.95	TB-620710 ²
120/80-19	-	TT	0313-0210	140.95	TB-620710 ²

¹ DOT approved. ² Heavy-duty tube.



Scorpion MXeXtra Front/Rear

**SCORPION MXeXtra-X
MEDIUM-SOFT TO HARD
TERRAIN TIRES**

- The X series full-size tires feature front and rear tread patterns with a reinforced bridged knob pattern for increased lateral bite and stability
- Mini sizes (J) keep the same tread pattern with a new sidewall/carcass design for improved performance for mid-soft to mid-hard terrain applications
- Feature high durability and consistent performance
- Built with a high module carcass construction that provides maximum bump absorption and feel
- Provides traction on a wide range of conditions from hard to medium-soft terrain
- Best tire for any rider looking for a more durable, all-around tire

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SUGGESTED PIRELLI INNER TUBE PART #
MXETRA-J FRONT					
2.50-10	-	TT	0312-0205	\$38.95	TB-1078910 ¹
60/100-14	-	TT	0312-0206	50.95	TB-1085110 ¹
70/100-17	-	TT	0312-0207	57.95	TB-638910 ¹
70/100-19	-	TT	0312-0208	63.95	0350-0058 ¹
MXETRA-X FRONT					
80/100-21	51M	TT	0312-0204²	113.95	TB-624510 ³
MXETRA-J REAR					
2.75-10	-	TT	0313-0375	44.95	TB-1078910 ¹
80/100-12	-	TT	0313-0376	55.95	TB-1079210 ¹
90/100-14	-	TT	0313-0377	67.95	TB-1085110 ¹
90/100-16	-	TT	0313-0378	72.95	0350-0066 ¹
MXETRA-X REAR					
100/100-18	-	TT	0313-0369	114.95	TB-619210 ³
110/100-18	-	TT	0313-0370	116.95	TB-619210 ³
120/100-18	-	TT	0313-0371	121.95	TB-619210 ³
100/90-19	-	TT	0313-0372	129.95	TB-620710 ³
110/90-19	-	TT	0313-0373	139.95	TB-620710 ³
120/90-19	-	TT	0313-0374	144.95	TB-620710 ³

¹ Standard-duty tube. ² DOT approved. ³ Heavy-duty tube.

SCORPION XC



Scorpion XC MS Front/Rear

**SCORPION XC MS FRONT/REAR
SOFT TO INTERMEDIATE TERRAIN TIRES**

- Based on the MT44 front and MT32 rear
- The ultimate choice for mid-soft off-road use
- Special polyester carcass for light weight
- Specially designed knob pattern for optimized steering precision and traction
- Conquers everything from rocky terrain to deep sand
- See page 305 for Pirelli inner tubes

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SUGGESTED PIRELLI INNER TUBE PART #
XC MS FRONT					
80/100-21	51R	TT	0312-0116¹	\$116.95	TB-624510 ²
XC MS REAR					
110/100-18	-	TT	0313-0180	120.95	TB-619210 ²
120/100-18	-	TT	0313-0181	125.95	TB-619210 ²

¹ DOT approved. ² Heavy-duty tube.



Scorpion XC MH Front/Rear

**SCORPION XC MH
DOT APPROVED INTERMEDIATE
TO HARD TERRAIN TIRES**

- DOT approved front and rear
- Special polyester carcass for light weight
- Specially designed knobs on front tire for optimized steering precision and traction
- R and M speed-rated

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SUGGESTED PIRELLI INNER TUBE PART #
FRONT					
80/100-21	51R	TT	0312-0117¹	\$116.95	TB-624510 ²
REAR					
110/100-18	64M	TT	0313-0257¹	116.95	TB-619210 ²
120/100-18	68M	TT	0313-0187¹	123.95	TB-619210 ²
140/80-18	70M	TT	0313-0192	143.95	TB-619210 ²

¹ Heavy-duty. ² Heavy-duty tube.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



MT16 Front/Rear

**MT 16
ALL TERRAIN MX TIRES**

- Designed to provide traction on a wide range of surfaces
- Long life makes it a perfect choice for weekend and competition riders

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SUGGESTED PIRELLI INNER TUBE PART #
FRONT					
80/100-21	51R	TT	MT16-92260¹	\$117.95	TB-624510 ²
REAR					
110/100-18	-	TT	MT16-66160	121.95	TB-619210 ²
120/100-18	-	TT	MT16-69260	126.95	TB-619210 ²

¹ DOT approved. ² Heavy-duty tube.



MXMS Front/Rear MX eXtra Front/Rear

SCORPION MX MidSOFT
SCORPION MX eXtra

**MXMS/MX eXtra-J/MXS MINI CROSS TIRES
SOFT-/INTERMEDIATE-/HARD-TERRAIN MINI MX TIRES**

- Popular tires re-engineered to fit 50cc, 60cc, 80cc and 100cc machines
- Tread patterns designed for all conditions, especially a loose top over a hard base
- Tread compounds developed for excellent cement start pad traction
- 2.75-10 rear designed to handle the needs of modified 50cc racers
- Different tread designs for front and rear requirements
- MX eXtra-J features new sidewall/carcass design for improved performance in mid-soft to mid-hard conditions
- Lightweight polyester fabric casing reduces unsprung weight
- See Pirelli inner tubes on page 305

SIZE	TT/TL	PART #	SUG. RETAIL	SUGGESTED PIRELLI INNER TUBE PART #
SCORPION MXMS FRONT				
2.50-10	TT	0312-0081	\$38.95	TB-1078910 ¹
60/100-12	TT	0312-0082	46.95	TB-1079210 ¹
60/100-14	TT	0312-0083	49.95	TB-1085010 ¹
70/100-17	TT	0312-0084	56.95	TB-638910 ¹
70/100-19	TT	0312-0085	61.95	0350-0058 ¹
SCORPION MXMS REAR				
2.75-10	TT	0313-0121	46.95	TB-1078910 ¹
80/100-12	TT	0313-0122	55.95	TB-1079210 ¹
90/100-14	TT	0313-0123	63.95	TB-1085110 ¹
90/100-16	TT	0313-0124	69.95	0350-0066 ¹
SCORPION MX eXtra-J FRONT				
2.50-10	TT	0312-0205	38.95	TB-1078910 ¹



SIZE	TT/TL	PART #	SUG. RETAIL	SUGGESTED PIRELLI INNER TUBE PART #
SCORPION MX eXtra-J FRONT (CONT)				
60/100-14	TT	0312-0206	\$50.95	TB-1085110 ¹
70/100-17	TT	0312-0207	57.95	TB-638910 ¹
70/100-19	TT	0312-0208	63.95	0350-0058 ¹
SCORPION MX eXtra-J REAR				
2.75-10	TT	0313-0375	44.95	TB-1078910 ¹
80/100-12	TT	0313-0376	55.95	TB-1079210 ¹
90/100-14	TT	0313-0377	67.95	TB-1085110 ¹
90/100-16	TT	0313-0378	72.95	0350-0066 ¹
SCORPION MXS REAR				
90/100-16	TT	0313-0422	68.95	0350-0066 ¹

¹ Standard-duty tube.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

- STREET
- DRAG SPECIALTIES
- OFFROAD
- ATV/UTV
- TUBES & ACCESSORIES
- SERVICE TOOLS
- MERCHANDISING
- CROSS REFERENCE
- INDEX



Scorpion Pro Front/Rear

SCORPION PRO DOT AND F.I.M. APPROVED ENDURO TIRES

- Rated best DOT tire by *Dirt Bike Magazine*
- Front and rear tires are competition-designed with FIM homologation in mind
- Front tire designed for soft/intermediate terrain with V-shaped half-shoulder knobs for cornering traction
- Durable tread compound increases structural stability and better traction
- DOT approved front and rear

SCORPION PRO GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SUGGESTED PIRELLI INNER TUBE PART #
FRONT					
90/90-21	54R	TT	0316-0146	\$136.95	TB-624510 ¹
90/90-21	54M	TT	0316-0216	136.95	TB-624510 ¹
REAR					
120/90-18	65M	TT	0317-0158	143.95	TB-619210 ¹
140/80-18	70M	TT	0317-0157	151.95	TB-619210 ¹

¹ Heavy-duty tubes.



MT 43 Front/Rear

MT 43 DOT FRONT/REAR TRIALS TIRES

- A new trend for singletrack off-road riding
- Optimum performance on hard, wet and dry terrain; even indoor events
- Special bias-ply carcass to reduce the deformation and maximize the footprint on every type of terrain
- Unique bead design provides special bead retention from low pressure use
- P-rated for speeds up to 93 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
2.75-21	45P	TT	0314-0007	\$114.95
REAR				
4.00-18	64P	TT	0315-0002	125.95



MT 21 Front/Rear

MT 21 RALLYCROSS DOT DUAL-SPORT TIRES

90% OFF 10% ON

- Provides excellent off-road performance, even over long distances
- Top-selling dual-sport tire in the U.S.A.
- Designed mainly for off-road use

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
80/90-21	48P	TT	MT21-11	\$129.95
90/90-21	54R	TT	MT21-2	130.95
REAR				
120/90-17	64R	TT	MT21-4	147.95
130/90-17	68P	TT	MT21-7	147.95
110/80-18	58P	TT	MT21-5	136.95
120/80-18	62R	TT	MT21-9	147.95
120/90-18	65R	TT	MT21-1	147.95
130/90-18	69R	TT	MT21-8	147.95
140/80-18	70R	TT	MT21-10	147.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



SCORPION RALLY

DAKAR RALLY CHAMPIONSHIP-WINNING TIRES - DOT APPROVED

- Pirelli continues to develop high-performance, race-winning tires for the Scorpion family – the Scorpion Rally, which had a two-year development cycle, captured first and second place in the 2009 Dakar Rally
- The front knob layout of the Rally is designed to give directional stability, even during high-speed riding
- The rear knobs provide rotational traction for the most demanding terrains
- With an Advanced Mixing Process, the Scorpion Rally resists fatigue and has a long-life performance
- All of these components are complemented by an innovative tire structure that guarantees world-class performance with a tire that has a high resistance to puncture
- DOT-approved front and rear; R rated for speeds up to 106 mph



Scorpion Rally Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
110/80-19	59R	TL	0316-0108	\$196.95
90/90-21	54R	TT	0316-0089	125.95
REAR				
150/70-17	69R	TL	0317-0103	215.95
120/100-18	68R	TT	0317-0084¹	145.95
140/80-18	70R	TT	0317-0083	179.95

¹ Has modified tread pattern.



Scorpion Trail Front/Rear

SCORPION TRAIL

DOT APPROVED PERFORMANCE TOURING/DUAL-SPORT TIRES 95% ON 5% OFF



- Specially designed for the latest generation of high-performance dual-sport motorcycles: BMW GS, Aprilia Capo Nord and Suzuki V-Strom
- OE on the 2010-14 Ducati Multistrada and the Triumph Tiger 800
- Replacement tires for various Buell models
- Revolutionary tread pattern combines high performance with a very innovative look
- Patented 0° steel belt technology on the front and rear offers maximum stability and excellent handling on every kind of terrain
- Latest generation of materials and compound for improved grip in all weather conditions
- Carcass designed to promote road holding at high speed and maximum comfort in varied terrain
- Blackwall
- Tubeless (TL) or tube type
- S-rated for speeds up to 113 mph, H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph or W-rated for speeds up to 168 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT					REAR (CONT)				
120/70R17	58W	TL	0301-0236	\$220.95	150/70R17 G	69V	TL	0317-0059	\$267.95
100/90-19	57V	TL	0316-0126	196.95	180/55ZR17	73W	TL	0302-0493	275.95
110/80R19	59V	TL	0316-0033	215.95	180/55ZR17 K	73W	TL	0317-0136¹	286.95
90/90-21	54V	TL	0316-0067	194.95	190/55ZR17	75W	TL	0302-0393	307.95
REAR					150/70R18	70V	TL	0317-0129	249.95
120/90-17	64S	TT	0313-0182	206.95					
130/80-17	65S	TT	0313-0184	206.95					
150/70R17	69V	TL	0313-0185	256.95					

¹ Fits Kawasaki Versys.

SCORPION TRAIL OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TT/TL	CODE	TL	PART #	SUG. RETAIL
BMW								
F800GS 09-14	Front	90/90-21	54V	-	TL		0316-0067	\$194.95
	Rear	150/70R17	69V	G	TL		0317-0059	267.95
DUCATI								
Multistrada 10-14	Front	120/70R17	58W	-	TL		0301-0236	220.95
	Rear	190/55R17	75W	-	TL		0302-0393	307.95
TRIUMPH								
Tiger 800 11-14	Front	100/90-19	57V	-	TL		0316-0126	196.95
	Rear	150/70R17	69V	-	TL		0313-0185	256.95
DUCATI (CONT)								
Hyperstrada 10-14	Front	120/70R17	58W	-	TL		0301-0236	\$220.95
	Rear	180/55ZR17	73W	-	TL		0317-0136	286.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAIN SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



MT 90 A/T DOT APPROVED ENDURO/DUAL-SPORT TIRES 70% ON 30% OFF

MT 90 A/T Front/Rear

- General and OEM replacement tires
- Tread pattern with big central knobs for straight riding stability and general V-shape orientation for high adherence in traction and braking
- Excellent high-speed stability even when fully loaded thanks to a size-optimized carcass
- Superb wet/dry grip due to the silica tread compound that offers mileage and regular tread wear performance
- Blackwall
- Tubeless (TL) or tube type (TT)
- S-rated for speeds up to 113 mph or V-rated for speeds up to 149 mph

MT 90 A/T GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
80/90-21	48S	TT	MT90-07	\$105.95
90/90-21	54S	TT	MT90-06	143.95
REAR				
120/90-17	64S	TT	MT90-16	183.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
110/80-18	58S	TT	MT90-13	\$184.95
120/80-18	62S	TT	MT90-14	192.95
140/80-18	70S	TT	MT90-15	208.95

MT 90 A/T OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
KTM						
950 Adventure 04-07 , 990 Adventure/S 08-13	Front	90/90-21	54V	TL	0316-0004	\$194.95
	Rear	150/70R18	70V	TL	0317-0004	222.95

MT 60-R DUAL-SPORT TIRES 60% ON 40% OFF DUAL-SPORT

- Corsa radial with maximum grip tread
- OE fitment on 2015 Ducati Scrambler
- Superb cornering and straight-line stability; exceptional wet-weather performance
- Excellent traction, on- and off-road; provides light, responsive handling
- Designed for machines like the KTM Duke
- Blackwall
- Tubeless (TL)
- V-rated for speeds up to 149 mph

MT 60-R GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70R17	58V	TL	MT60R-8	\$251.95
REAR				
160/60R17	69V	TL	MT60R-3	308.95
180/55R18	73H	TL	0317-0252	254.95



MT 60 Front/Rear

MT 60-R OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
DUKATI						
Scrambler/X 15	Front	110/80R18	58H	TL	0316-0215	\$214.95
	Rear	160/60R17	69H	TL	0317-0251	252.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.




M203 Front/Rear



**M203 FRONT/M204 REAR
SOFT TO INTERMEDIATE TERRAIN TIRES**

- Revolutionary tire-design technology provides comfort and bite in a broad range of soft to intermediate terrain applications
- M203 (front) increases grip traction, stability and braking power with a directional pattern rotation
- M204 (rear) includes tall tread blocks with shoulder steps for stability and durability on a wide range of soil conditions
- Improved grip and traction matched with proper sizing adapts to the demands of today's 4-stroke engines

SIZE	TL/TT	PART #	SUG. RETAIL	SIZE	TL/TT	PART #	SUG. RETAIL	SIZE	TL/TT	PART #	SUG. RETAIL
M203 FRONT				M204 REAR				M204 REAR (CONT)			
60/100-14	TT	0312-0121	\$76.95	80/100-12	TT	0313-0199	\$76.95	100/90-19	TT	0313-0204	\$134.95
70/100-17	TT	0312-0122	85.95	90/100-14	TT	0313-0200	101.95	110/90-19	TT	0313-0205	147.95
70/100-19	TT	0312-0123	90.95	90/100-16	TT	0313-0201	103.95	120/80-19	TT	0313-0206	148.95
80/100-21	TT	0312-0124	114.95	100/100-18	TT	0313-0202	136.95				
90/100-21	TT	0312-0125	122.95	110/100-18	TT	0313-0203	129.95				



**M403 FRONT/M404 REAR
INTERMEDIATE TERRAIN TIRES**

- Bridgestone's broadest range of motocross and off-road tires
- Features rubber compounds, tread design patterns and fine-tuned casing constructions that are race proven
- Derived from top factory SX/MX and off-road racing technologies
- The tires are more durable and cover a wider range of soils
- Front tires provide improved cornering control and feedback even at full-lean angles
- Rear tires offer added traction and slide control for better acceleration out of corners

SIZE	TL/TT	PART #	SUG. RETAIL	SIZE	TL/TT	PART #	SUG. RETAIL
FRONT				REAR (CONT)			
60/100-12	TT	0312-0110	\$69.95	90/100-16	TT	0313-0173	\$97.95
60/100-14	TT	0312-0111	76.95	100/100-18	TT	0313-0174	123.95
70/100-17	TT	0312-0112	88.95	110/100-18	TT	0313-0175	127.95
70/100-19	TT	0312-0113	95.95	100/90-19	TT	0313-0176	135.95
REAR				110/80-19	TT	0313-0177	134.95
70/100-10	TT	0313-0170	55.95	110/90-19	TT	0313-0178	148.95
80/100-12	TT	0313-0171	76.95	120/80-19	TT	0313-0179	154.95
90/100-14	TT	0313-0172	89.95				

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

- STREET
- DRAIN SPECIALTIES
- OFFROAD
- ATV/UTV
- TUBES & ACCESSORIES
- SERVICE TOOLS
- MERCHANDISING
- CROSS REFERENCE
- INDEX



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

M603 FRONT/M604 REAR INTERMEDIATE TO HARD TERRAIN TIRES

- M603 (front) features a mid-chamber basin that provides flexibility and plant without sacrificing the stiffness of the tread block
- Each block will adapt to the ground surface to give an improved balance of lean grip, straight drive stability and light handling
- M604 (rear) has a broad-range pattern which cuts through loose terrain to find traction and grip on a firm base
- The improved grip and traction adapts to the high power and torque of current 4-stroke engines

SIZE	TL/TT	PART #	SUG. RETAIL
M603 FRONT			
80/100-21	TT	0312-0119	\$115.95
90/100-21	TT	0312-0120	117.95
M604 REAR			
100/100-18	TT	0313-0193	137.95
110/100-18	TT	0313-0194	150.95



M603 Front M604 Rear

SIZE	TL/TT	PART #	SUG. RETAIL
M604 REAR (CONT)			
100/90-19	TT	0313-0195	\$128.95
110/80-19	TT	0313-0196	132.95
110/90-19	TT	0313-0197	150.95
120/80-19	TT	0313-0198	155.95

BATTLECROSS X30 INTERMEDIATE TERRAIN TIRES

- Available in most big bike sizes (6 sizes)
- Front tire features Asymmetric Block Pattern which optimizes block placement to achieve stable grip under braking and cornering
- Rear tire features Cooling Fins for better heat dispersion which offer more consistent performance
- Convex "Castle Block" (rear) offers enhanced traction under acceleration and braking
- Improved grip in all conditions
- Crosses well between soft, intermediate and hard terrain

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
80/100-21	51M	TT	0312-0275	\$114.95
90/100-21	57M	TT	0312-0276	124.95
REAR				
110/100-18	64M	TT	0313-0504	127.95



X30 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
100/90-19	57M	TT	0313-0505	\$135.95
110/90-19	62M	TT	0313-0506	148.95
120/80-19	63M	TT	0313-0507	154.95

BATTLECROSS X40 INTERMEDIATE TO HARD TERRAIN

- Available in most big bike sizes (4 sizes)
- Front tire features Asymmetric Tread Pattern which optimizes block placement to achieve stable grip under braking and cornering
- Rear tire features Cooling Fins for better heat dispersion which offer more consistent performance
- Convex "Castle Block" (rear) offers enhanced traction under acceleration and braking
- Improved grip in all conditions

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
80/100-21	51M	TT	0312-0277	\$114.95
REAR				
110/100-18	64M	TT	0313-0508	150.95



X40 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
100/90-19	57M	TT	0313-0509	\$128.95
110/90-19	62M	TT	0313-0510	150.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



**M23 FRONT/M22 REAR
HARD TERRAIN TIRES**

- Innovative tread pattern, specifically designed for hard packed surfaces
- Overall increased grip, stability and handling
- Excellent for "blue groove" conditions

SIZE	TL/TT	PART #	SUG.RETAIL
FRONT			
70/100-17	TT	BX-0630	\$102.95
2.50-19	TT	BX-0920	83.95

SIZE	TL/TT	PART #	SUG.RETAIL
M23 Front			
90/100-14	TT	BX-0503	\$101.95
3.00-16	TT	BX-0550	87.95
M22 Rear			
100/100-18	TT	BX-2204	125.95

**M59 FRONT
SOFT TO INTERMEDIATE TERRAIN TIRE**

- Outstanding performance on soft to intermediate motocross course conditions and cross-country riding
- Specifically designed for varying terrain applications
- Larger casing increases contact patch for superior braking and cornering bite
- Larger casing allows more bump absorption

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
80/100-21	TT	0312-0047	\$131.95



M59 Front



M40 Front

**M40
SOFT TERRAIN TIRES**

- Impressive grip and handling

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT/REAR			
2.50-10	TT	BX-2940	\$50.95
REAR			
2.75-10	TT	0313-0041	52.95



M101 Front

M102 Front

**M101 FRONT/M102 REAR
SOFT TERRAIN TIRES**

- Front and rear combination designed for deep sand and bottomless mud
- Maintains control and traction in adverse conditions
- Rear tire paddle-like pattern for traction in extra-soft conditions
- Front tire spike pattern to hold in soft terrain

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
80/100-21	TT	0312-0072	\$111.95
REAR			
110/100-18	TT	0313-0144	141.95
100/90-19	TT	0313-0106	124.95
110/90-19	TT	0313-0107	134.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

- STREET
- DRAIN SPECIALTIES
- OFFROAD
- ATV/UTV
- TUBES & ACCESSORIES
- SERVICE TOOLS
- MERCHANDISING
- CROSS REFERENCE
- INDEX



- STREET
- DRAG SPECIALTIES
- OFFROAD
- ATV/UTV
- TUBES & ACCESSORIES
- SERVICE TOOLS
- MERCHANDISING
- CROSS REFERENCE
- INDEX



TW9 TW8 TW39 TW40 TW302 TW52 TW21 TW22



TW41 TW42 TW301 TW101 TW203 TW204

TRAIL WING SERIES GENERAL AND OEM REPLACEMENT DUAL-SPORT TIRES

- Four-ply front/rear combination designed for dual-sport use
- Special dimpled tread pattern means many edges to maximize traction
- Provide balanced highway and off-road performance
- Long-wearing durability
- Self-cleaning tread blocks give a traction edge for muddy and loose terrains
- TW301/TW302 50% on/50% off
- DOT approved

TRAIL WING GENERAL REPLACEMENT TIRES

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
TW301 FRONT				
3.00S-21	51S	TT	BS-00303	\$113.95
TW302 REAR				
4.60P-18	63P	TT	BS-00302	143.95

TRAIL WING OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW							
R1200GS 05-06	F	110/80R19	TW101-L	59V	TL	0303-0029	\$169.95
	R	150/70R17	TW152-L	69V	TL	0304-0029	222.95
HONDA							
XL80S 80-85	F	2.50-16	TW9	36L	TT	BS-00054	85.95
	R	3.00-14	TW8	40P	TT	BS-0016	118.95
NX250 88-90	F	90/100-19	TW39	55P	TT	BS-0840	119.95
	R	120/90-16	TW40	63P	TT	BS-0277	136.95
XR250L 91-96	R	4.60-18	TW302	63P	TT	BS-00302	143.95
XL500S 79-81	F	3.00-23	TW9	56P	TT	BS-1237	113.95
	R	4.60-18	TW52	63S	TT	BS-00052	121.95
XL600V 89-90	F	90/90-21	TW21	54S	TT	BS-01178	113.95
	R	130/80-17	TW22	65S	TT	BS-0589	142.95
NX650 88-89	F	90/90-21	TW41	54S	TT	BS-01188	113.95
	R	120/90-17	TW42	64S	TT	BS-00401	152.95
XR650L 93-14	F	3.00-21	TW301	51S	TT	BS-00303	113.95
	R	4.60-18	TW52	63S	TT	BS-00052	121.95

FITS MODEL	POS.	SIZE	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
SUZUKI							
DR-Z400S 00-13	F	80/100-21	TW41	51P	TT	BS-00305	\$113.95
	R	120/90-18	TW42	65P	TT	BS-00306	176.95
DR650 90-13	F	90/90-21	TW41J	54S	TT	BS-01188	113.95
	R	120/90-17	TW42-F	64S	TT	BS-00401	132.95
TRIUMPH							
Scrambler 06-13	F	100/90-19	TW101	57H	TL	BS-0954	140.95
	R	130/80-17	TW42	65H	TL	0317-0017	187.95
YAMAHA							
TW200 87-14	F	130/80-18	TW31	66P	TT	0316-0027	113.95
	R	180/80-14	TW34	78P	TT	0317-0021	174.95
TW200 87-14 (replacement)	F	130/80-18	TW203	66P	TT	BS-147220	113.95
	R	180/80-14	TW204	78P	TT	BS-147237	174.95
WR250R 08-14	F	80/100-21	TW301F	51P	TT	0316-0040	113.95
	R	120/80-18	TW302F	62P	TT	0317-0031	136.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



ED77 Front **ED11 Front** **ED78 Rear**

ENDURO FRONT AND REAR

- ED77/ED78 are designed for extreme off-road, desert and Baja use
- Highest Enduro durability compound and casing while remaining lightweight
- ED77 front is directional for high-speed durability and handling
- ED78 rear has a special bead seat for added rim protection

SIZE	TYPE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT					
80/100-21	ED77	51M	TT	BE-7700	\$129.95
80/100-21	ED11	51M	TT	BE-1166	113.95
REAR					
120/100-18	ED78	68M	TT	BE-7800	185.95



BW501 Front **BW502 Rear**

BATTLE WING BW501/BW502

DUAL-SPORT RADIAL TIRES - 80% ON 20% OFF

- Front tire features a high-grip compound and an updated profile to enhance handling and contact feel
- Silica-enriched compound (rear) offers exceptional level of grip on both wet and dry surfaces
- Mono-Spiral Belt construction (rear) offers high-speed stability and excellent shock absorption
- Tread pattern design minimizes road noise
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph

FITS MODEL	POS.	SIZE & RATING	LOAD/SPEED INDEX	TL/TT	CODE	PART #	SUG. RETAIL
BMW							
F650 GS 09-14	F	110/80R-19	59V	G	TL	0316-0046	\$160.95
	R	140/80R-17	69V	G	TL	0317-0038	203.95
F800 GS 09-14	F	90/90-21	54V	G	TL	0316-0047	122.95
	R	150/70R-17	69V	G	TL	0317-0039	200.95
R1200GS 07-12	F	110/80R19	59V	-	TL	0316-0028	165.95
	R	150/70ZR17	69V	-	TL	0317-0022	210.95
SUZUKI							
DL1000 V-Strom 02-12	F	110/80R19	59V	-	TL	0316-0028	165.95
	R	150/70ZR17	69V	-	TL	0317-0022	210.95
DL1000 V-Strom 14	F	110/80R19	59H	J	TL	0316-0206	168.95
	R	150/70R17	69H	J	TL	0317-0235	210.95
TRIUMPH							
Tiger 800 12-13	F	110/80R19	59V	-	TL	0316-0028	165.95
	R	150/70ZR17	69V	-	TL	0317-0022	210.95
Tiger Explorer 1200 12-13	F	110/80R19	59V	-	TL	0316-0028	165.95
	R	150/70ZR17	69V	-	TL	0317-0022	210.95
YAMAHA							
Super Tenere XT1200							
12-13	F	110/80R-19	59V	E	TL	0316-0122	172.95
	R	150/70R-17	69V	E	TL	0317-0125	215.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



TW101 Front **TW152 Rear**

TRAIL WING TW101/TW152

DUAL-SPORT OEM RADIAL TIRES

- Radial applications for BMW F650 and R1200GS models, Suzuki DL650 and DL1000 V-Strom models
- Tires are specifically targeted for each model; compounds and constructions will vary to suit the weight, horsepower and handling characteristics of the model for which each tire was designed
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph

FITS MODEL	POS.	SIZE & TYPE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW						
F650 98-07	F	100/9019 TW101 Bias	57H	TT	BS-0954	\$140.95
	R	130/80R17 TW152 Radial	65H	TT	BS-5006	197.95
R1200GS 05-06	F	110/80R19 TW101-L Radial	59V	TL	0303-0029	169.95
	R	150/70R17 TW152-L Radial	69V	TL	0304-0029	222.95
SUZUKI						
DL650	F	110/80R19 TW101-J Radial	59H	TL	0303-0003	160.95
V-Strom 04-13	R	150/70R17 TW152-F Radial	69H	TL	BR-147390	200.95
DL650 V-Strom 14	F	110/80R19 TW101-J Radial	59H	TL	0316-0205	160.95
	R	150/70R17 TW152-F Radial	69H	TL	0317-0234	200.95
DL1000	F	110/80R19 TW101-F Radial	59H	TL	BR-147373	160.95
V-Strom 03-12	R	150/70R17 TW152-F Radial	69H	TL	BR-147390	200.95

STREET

DRAIN SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



Twinduro TKC80 Front/Rear

TWINDURO TKC80 DUAL-SPORT DOT 40% ON-ROAD, 60% OFF-ROAD TIRES

- Continental's dual-sport tire with a compound and block pattern to optimize street and off-road performance
- Excellent braking and traction on a wide range of surfaces from loose to hard pack

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
TKC80 FRONT				
120/70B17	58Q	TL	0316-0137	\$139.95
120/70B19	60Q	TL	0316-0163	177.95
110/80B19	59Q	TL	97388	165.95
100/90-19	57S	TT	0316-0038	122.95
90/90S-21	54T	TL	97391	115.95
TKC80 REAR				
130/80-17	65T	TL	97394	159.95
140/80-17	69Q	TL	0317-0183	191.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
TKC80 REAR (CONT)				
150/70B17	69Q	TL	97398	\$203.95
170/60B17	72Q	TL	0317-0184	212.95
180/55B17	73Q	TL	0317-0146	242.95
120/90-18	65R	TT	97395	140.95
4.00-18	64R	TT	0317-0187	129.95
140/80-18	70R	TT	97396	139.95
150/70B 18	70Q	TT	0317-0023	232.95
150/70B 18	70Q	TL	0317-0227	232.95

MODEL-SPECIFIC REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
BMW						
F650GS (all)	F	110/80B19	59Q	TL	97388	\$165.95
	R	130/80-17	65T	TL	97394	159.95
R850GS, R1100GS, R1150GS, R1200GS Adventure 01-12	F	110/80B19	59Q	TL	97388	165.95
	R	150/70B17	69Q	TL	97398	203.95
KTM						
950/990 Adventure	F	90/90-21	54S	TL	97391	115.95
	R	150/70-18	70Q	TT	0317-0023	232.95

OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	PART #	SUG. RETAIL
BMW					
R1150GS/R1200 GS					
Adventure 02-12	F	110/80B19	59Q	97388	\$165.95
	R	150/70B17	69Q	97398	203.95
KTM					
690 Enduro R	F	90/90S-21	54T	97391	115.95
	R	140/80-18	70R	97396	139.95

TKC 70

60% ON/40% OFF-ROAD ADVENTURE TIRES

- Combines rugged off-road ability with balanced street performance
- Select sizes feature radial tire construction in a off-road use trail tire
- Unique tread block pattern makes this tire quiet and stable on the road
- Agile on asphalt or gravel
- MultiGrip semi-dual tire compound technology allows different levels of tire "hardness" on the central tread and tire shoulder area for extended mileage and improved grip
- RainGrip technology provides outstanding wet-weather grip and short tire warm-up times
- High stability and low kickback from 0° steel belted construction
- Blackwall
- Tubeless (TL)
- T-rated for speeds up to 118 mph or V-rated for speeds up to 149 mph

SIZE & RATING	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT BIAS				
100/90-19	57T	TL	0316-0210	\$108.95
90/90-21	54T	TL	0316-0213	113.95
FRONT RADIAL				
110/80R19	59V	TL	0316-0211	180.95
120/70R19	60V	TL	0316-0212	171.95
REAR BIAS				
120/90-17	64T	TL	0317-0239	174.95



TKC 70 Front/Rear

SIZE & RATING	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR BIAS (CONT)				
130/80-17	65T	TL	0317-0240	\$204.95
4.00-18	64T	TL	0317-0244	151.95
REAR RADIAL				
140/80R17	69T	TL	0317-0241	214.95
150/70R17	69V	TL	0317-0242	233.95
170/60R17	72V	TL	0317-0243	248.95
150/70R18	70T	TL	0317-0245	230.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



Conti Escape Front/Rear

CONTI ESCAPE
70% ON/30% OFF-ROAD DUAL-SPORT TIRES

- Enduro tire with tread pattern design that looks like an off-road tire with the riding features of an on-road tire
- Provides predictable handling on wet and dry roads
- Positive handling properties with additional mileage performance
- Provides high mileage
- Tubeless
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
90/90-21	54H	TL/TT	248610	\$123.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
130/80-17	65H	TL/TT	248591	\$140.95

TRAIL ATTACK 2
DUAL-SPORT RADIAL TIRES
90% ON-ROAD/10% OFF-ROAD

- Advanced adventure touring/dual-sport tire for large-capacity bikes
- Engineered to meet the demands of today's modern powerful, high-performance adventure touring/enduro machines
- 0° steel-belt construction on the rear tire delivers superior stability and comfort even at high cruising speeds and high loads
- Reinforced carcass on the front tire utilizes a newly designed tread pattern to ensure higher precision and optimized wear
- Improved touring compound offers high grip in all wet and dry conditions combined with excellent mileage for long trips
- Exceptionally quick warm-up time
- Stunning new tread pattern adapted from the Conti-Attack family
- Continuous Compound Technology makes it possible to use a homogeneous grip grading with a single compound thanks to a temperature-controlled curing of the tire during the production process
- Shoulder area, flexible for better grip
- Zenith area, wear resistant for better mileage
- Continuous transition
- Traction Skin provides an extremely safe and short tire break-in which is possible due to the revolutionary raw tread surface; result of a new mold-coating technology which eliminates the need for tire-release agents
- Tubeless
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph, W-rated for speeds up to 168 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17	58W	TL	0316-0157	\$176.95
100/90R19	57H	TL	0316-0153	93.95
110/80R19	59V	TL	0316-0154	180.95
110/80R19	59V	TL	0316-0193¹	189.95
120/70R19	60V	TL	0316-0155	171.95
90/90R21	54V	TL	0316-0156	113.95
120/70ZR19	58W	TL	0316-0161²	191.95
REAR				
130/80R17	65H	TL	0317-0165	204.95



Trail Attack 2 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
140/80R17	69H	TL	0317-0166	\$214.95
150/70R17	69V	TL	0317-0167	233.95
160/60ZR17 (69W)		TL	0317-0223	243.95
170/60R17	72V	TL	0317-0168	248.95
170/60ZR17	72W	TL	0317-0178²	251.95
180/55ZR17	73W	TL	0317-0169	251.95
190/55ZR17	75W	TL	0317-0170	258.95
140/80-18	70S	TT	0317-0177	175.95
150/70R18	70W	TL	0317-0171	230.95

¹ F version. ² K-spec.

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TT/TL	CODE	PART #	SUG. RETAIL
BMW							
F650/700	F	120/70R19	60V	TL	Trail Attack 2	0316-0155	\$171.95
R1200GS 13	F	120/70R19	60V	TL	Trail Attack 2	0316-0155	171.95
	R	17060R17	72V	TL	Trail Attack 2	0317-0168	248.95
KTM							
1100 Adv	F	120/70ZR19	58W	TL	Trail Attack 2	0316-0161	191.95
	R	170/60ZR17	72V	TL	Trail Attack 2	0317-0178	251.95
1100 Adv R	F	90/90R21	54V	TL	Trail Attack 2	0316-0156	113.95
	R	150/70R18	70W	TI	Trail Attack 2	0317-0171	230.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET
DRAG SPECIALTIES
OFFROAD
ATV/UTV
TUBES & ACCESSORIES
SERVICE TOOLS
MERCHANDISING
CROSS REFERENCE
INDEX



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



M1A Front

M5B Rear

M1A FRONT/M5B REAR MOTOCROSS SOFT TERRAIN TIRES

- Designed for soft loam and muddy tracks
- Self-cleaning design provides plenty of bite
- Extra-wide pitch between knobs prevents mud buildup; high center knobs penetrate loose dirt for super traction
- Offset shoulder knobs maximize control on the turns
- M-rated for speeds up to 81 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
M1A FRONT				
90/90-21	54M	TT	IRC-237	\$92.95
M5B REAR				
110/80-14	53M	TT	IRC-230	94.95
110/80-18	58M	TT	IRC-236	139.95
120/80-18	62M	TT	IRC-231	131.95
140/80-18	57M	TT	IRC-233	165.95
110/90-19	62M	TT	IRC-235	159.95



M5B Evo

M5B EVO SOFT TERRAIN TIRES

- Designed for soft loam and muddy tracks
- New updated center tread includes an extra groove to offer outstanding self-cleaning characteristics
- High center knobs penetrate loose dirt for super traction offset shoulder knobs maximize control on the turns
- M-rated for speeds up to 81 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
110/80-18	58M	TT	0313-0434	\$114.95
120/80-18	62M	TT	0313-0435	116.95
130/80-18	66M	TT	0313-0436	123.95
140/80-18	70M	TT	0313-0437	135.95
100/90-19	57M	TT	0313-0432	117.95
110/90-19	62M	TT	0313-0433	130.95



IX05H Front/Rear

IX05H MOTOCROSS INTERMEDIATE-TO-HARD TERRAIN TIRES

- Designed for racing on intermediate-to-hard terrain
- Provides maximum traction in corners and in braking

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
80/100-21	51M	TT	IRC-504	\$101.95
REAR				
100/100-18	59M	TT	IRC-500	122.95
110/100-18	64M	TT	IRC-501	131.95
100/90-19	57M	TT	IRC-502	143.95
110/90-19	62M	TT	IRC-503	159.95



IX07S Front/Rear

IX07S MOTOCROSS SOFT-TO-INTERMEDIATE TERRAIN TIRES

- Designed for racing on soft-to-intermediate terrain
- Front tire has stiff knobs that dig into soft terrain
- Rear tire provides predictable cornering plus high performance when braking and exiting corners

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
80/100-21	51M	TT	IRC-514	\$101.95
REAR				
100/100-18	59M	TT	IRC-510	122.95
110/100-18	64M	TT	IRC-511	131.95
100/90-19	57M	TT	IRC-512	143.95
110/90-19	62M	TT	IRC-513	159.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



IX-09W Front/Rear

**IX-09W MOTOCROSS
INTERMEDIATE TERRAIN TIRES**

- Designed for optimal performance on intermediate terrain and works well on all types of terrain
- Delivers impressive grip in tight corners and high-speed stability
- Durable knobs offer a long tire life and exceptional cleaning characteristics
- M-rated for speeds up to 81 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
70/100-17	40M	TT	0312-0165	\$69.95
70/100-19	42M	TT	0312-0164	76.95
80/100-21	51M	TT	0312-0129	117.95
90/100-21	57M	TT	0312-0166	122.95
REAR				
90/100-14	49M	TT	0313-0285	93.95
90/100-16	52M	TT	0313-0284	99.95
100/90-19	57M	TT	0313-0212	149.95
110/90-19	62M	TT	0313-0213	162.95
120/80-19	63M	TT	0313-0286	152.95



Mini-Cross Front/Rear


**MINI-CROSS MOTOCROSS
INTERMEDIATE TERRAIN MINI TIRES**

- IRC's involvement with the major motorcycle manufacturers and extensive testing with motocross bikes led to the development of the MX intermediate terrain series
- Provides maximum traction, braking and sure-footed cornering for a broad range of track conditions
- L-rated for speeds up to 74 mph or P-rated for speeds up to 93 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
2.50-14	-	TT	IRC-128	\$43.95
2.50-16	36L	TT	IRC-42	57.95
REAR				
3.00-12	-	TT	IRC-129	43.95
3.60-14	43P	TT	IRC-43	57.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



IX-Kids Front/Rear

**IX-KIDS MINI MOTOCROSS
INTERMEDIATE TERRAIN MINI TIRES**

- Next generation tires developed especially for kid-size motocross bikes
- Outstanding traction for starts, cornering and braking under all conditions
- M-rated for speeds up to 81 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
2.50-10	-	TT	0312-0100	\$28.95
60/100-10	32M	TT	0312-0027	30.95
60/100-12	36M	TT	0312-0106	34.95
60/100-14	30M	TT	0312-0002	34.95
REAR				
80/100-10	46M	TT	0313-0003	33.95
80/100-12	50M	TT	0313-0002	39.95



IX05H Front/Rear

IX07S Front/Rear

**IX05H AND IX07S MINI MOTOCROSS
INTERMEDIATE-TO-HARD TERRAIN MINI TIRES**

- Race-proven tread design and Mono-Flex casing construction
- IX05H tires cover hard-to-intermediate terrain while IX07S tires are good for soft-to-intermediate
- J-rated for speeds up to 62 mph or M-rated for speeds up to 81 mph

HARD-INTERMEDIATE				
SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
IX05H FRONT				
70/100-17	40M	TT	IRC-515	\$57.95
70/100-19	42M	TT	IRC-517	59.95
IX05H REAR				
90/100-14	49M	TT	IRC-516	66.95
90/100-16	52M	TT	IRC-518	68.95

SOFT-INTERMEDIATE				
SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
IX07S FRONT				
70/100-17	40M	TT	IRC-520	\$66.95
IX07S REAR				
2.50-10	33J	TT	IRC-519	33.95
90/100-14	49M	TT	IRC-521	76.95

STREET

DRAIN SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

VE-32/VE-37 ENDURO INTERMEDIATE TERRAIN TIRES

- Developed specifically for cross-country and enduro racing
- VE-37 rear designed for racing on intermediate-to-hard terrain
- Provide dynamic driving power, excellent braking power, extra durability and stability on all terrain, including dry, rocky and muddy surfaces
- M-rated for speeds up to 81 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
VE-32 FRONT				
80/100-21	51M	TT	IRC-121	\$90.95



VE-32 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
VE-37 REAR				
110/100-18	64M	TT	IRC-186	\$149.95

VOLCANDURO VE-35/VE-33 ENDURO INTERMEDIATE TERRAIN TIRES

- Developed specifically for cross-country enduro racing
- Provide dynamic driving power, excellent braking power, extra durability and stability on all terrain, including dry, rocky and muddy surfaces
- M-rated for speeds up to 81 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
VE-35 FRONT				
80/100-21	51M	TT	IRC-123	\$79.95
VE-33 REAR				
4.60-17	-	TT	IRC-157	93.95
100/100-17	58M	TT	IRC-173	93.95
110/100-17	63M	TT	IRC-176	105.95
5.10-17	-	TT	IRC-112	105.95



VE-35 Front

VE-33 Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
VE-33 REAR (CONT)				
100/100-18	-	TT	0313-0385	\$90.95
110/100-18	64M	TT	IRC-174	117.95
5.10-18	-	TT	IRC-156	117.95
100/90-19	57M	TT	IRC-177	108.95
110/90-19	62M	TT	IRC-178	128.95

VOLCANDURO VE-39/VE-40 ENDURO INTERMEDIATE-TO-HARD TERRAIN TIRES

- Designed for racing on intermediate-to-hard terrain
- This tire can take on the most severe conditions with its superior casing construction and tough-tread compound
- Built extra tough for serious riders and their competitive machines
- Super-strong casing resists punctures and cuts over extremely rough surfaces
- Special rubber compound matches tire with terrain for sure traction and stopping
- Aggressive tread delivers serious performance
- M-rated for speeds up to 81 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
VE-39 FRONT				
80/100-21	51M	TT	IRC-185	\$97.95
VE-40 REAR				
100/100-18	59M	TT	IRC-280	132.95
110/100-18	64M	TT	IRC-281	147.95



VE-39 Front

VE-40 Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
VE-40 REAR (CONT)				
110/100-18	64M	TT	IRC-284¹	\$154.95
100/90-19	57M	TT	IRC-282	132.95
110/90-19	62M	TT	IRC-283	159.95

¹ Special extra-durable Baja compound.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



GP-1 Front/Rear

GP-110 Front/Rear

GP-1 DUAL SPORT/GP-110 DUAL SPORT

- Designed to provide the best possible handling and control for both on and off the pavement
- Special knobs penetrate loose surfaces for excellent traction, braking and cornering off the road yet won't wear off as fast as a full knobby when used on the street
- L-rated for speeds up to 74 mph, P-rated for speeds up to 93 mph or S-rated for speeds up to 112 mph

GP-1 FRONT DOT - 90% ON - 10% OFFROAD TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
2.75-19	43P	TT	IRC-092	\$70.95
2.75-21	45P	TT	IRC-093	73.95
3.00-21	51P	TT	IRC-107	81.95

GP-1 REAR DOT - 90% ON - 10% OFFROAD TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
3.00-17	45P	TT	IRC-094	\$52.95
3.50-17	43P	TT	IRC-098	95.95
4.60-17	62P	TT	IRC-104	118.95
5.10-17	67P	TT	IRC-604	141.95
3.00-18	47P	TT	IRC-095	75.95
3.50-18	56L	TT	IRC-096	97.95
4.00-18	64P	TT	IRC-097	118.95
4.10-18	59P	TT	IRC-105	75.95
4.60-18	63P	TT	IRC-106	125.95
5.10-18	69P	TT	IRC-605	141.95

GP-110 FRONT ROAD TIRES - 80% ON - 20% OFF

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
3.00-21	51S	TT	IRC-1301	\$93.95

GP-110 REAR ROAD TIRES - 80% ON - 20% OFF

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
4.60-17	62S	TT	IRC-1302	\$129.95
5.10-17	67S	TT	IRC-1303	144.95
4.10-18	59S	TT	IRC-1304	122.95
120/80-18	62S	TT	IRC-1307	144.95
4.60-18	63S	TT	IRC-1305	137.95
5.10-18	69S	TT	IRC-1306	159.95



GP21 Front

GP22 Rear

**GP21/GP22 DUAL SPORT
70% ON - 30% OFFROAD DUAL PURPOSE TIRES**

- Original Equipment on the Honda CRF250L
- Excellent on- and off-road capabilities
- P-rated for speeds up to 93 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
3.00-21	51P	TT	0316-0158	\$84.95
REAR				
120/80-18	62P	TT	0317-0172	124.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

- STREET
- DRAG SPECIALTIES
- OFFROAD
- ATV/UTV
- TUBES & ACCESSORIES
- SERVICE TOOLS
- MERCHANDISING
- CROSS REFERENCE
- INDEX



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

TR-1 DUAL SPORT 50% ON - 50% OFF FRONT/REAR DUAL PURPOSE TIRES

- Multidirectional
- Sized to fit small to intermediate cc bikes; 3.50-8 are perfect for Z50 mini trail
- J-rated for speeds up to 62 mph or P-rated for speeds up to 93 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
3.50-8	35J	TT	IRC-190	\$42.95
4.00-10	60J	TT	IRC-191	52.95
2.75-17	41P	TT	IRC-600	55.95



TR-1 Dual Sport

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
2.75-18	42P	TT	IRC-602	\$58.95
4.00-18	64P	TT	IRC-196	79.95
3.00-21	51P	TT	IRC-199	58.95

TRAILWINNER TRIAL WINNER TR-11 TRIALS COMPETITION TIRES

- Radial design has a dual-rubber compound, softer rubber for the tread and harder rubber for stronger sidewalls, giving incredible grip and handling
- Tread blocks create a natural wide, flat footprint

SIZE & TYPE	TL/TT	PART #	SUG. RETAIL
TR-11 FRONT			
2.75-21	TT	IRC-552	\$120.95



TR-11 Front/Rear

SIZE & TYPE	TL/TT	PART #	SUG. RETAIL
TR-11 REAR			
4.00-18	TT	IRC-551	\$176.95
4.00-18	TL	IRC-550	195.95



DI1155 Front

DI1153 Rear

DM1153 Rear

DI1153/DI1155/DM1153 HARD COMPOUND TIRES

- Casing design allows flexibility while maintaining tread stiffness for better traction
- Offers the perfect balance between acceleration and handling; works well on high power applications
- Designed for intermediate to hard-pack terrain
- Tube type (TT)

SIZE	TL/TT	PART #	SUG. RETAIL	SIZE	TL/TT	PART #	SUG. RETAIL
DI1155 FRONT				DM1153 REAR			
80/100-21	TT	0312-0184	\$71.95	100/100-18	TT	0313-0514	\$89.95
DI1155 REAR				110/100-18	TT	0313-0511	98.95
110/90-19	TT	0313-0330	93.95	100/90-19	TT	0313-0515	81.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.





DI1156 Front

DI1154 Rear

DM1154 Rear

**DI1154/DI1156/DM1154
SOFT COMPOUND TIRES**

- Casing design allows for maximum grip on soft terrain
- Increases traction, stability, and braking power on soft to intermediate terrain
- Tube type (TT)

SIZE	TL/TT	PART #	SUG. RETAIL
DI1156 FRONT			
80/100-21	TT	0312-0185	\$71.95
DI1154 REAR			
110/90-19	TT	0313-0331	93.95

SIZE	TL/TT	PART #	SUG. RETAIL
DM1154 REAR			
100/100-18	TT	0313-0513	\$89.95
110/100-18	TT	0313-0512	98.95

SIZE	TL/TT	PART #	SUG. RETAIL
DM1154 REAR (CONT)			
100/90-19	TT	0313-0516	\$\$81.95



HF343 Front

HF906 Rear

**HF343/906 EXCELERATOR
ALL-TERRAIN TIRES**

- Great for all types of riding conditions
- Large knob blocks are staggered perfectly to handle the worst loam and muck

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
70/100-17	TT	HF343-01	\$49.95
80/100-21	TT	HF343-02	73.95
REAR			
90/100-14	TT	HF906-51	56.95

SIZE	TL/TT	PART #	SUG. RETAIL
REAR (CONT)			
100/100-18	TT	HF906-52	\$94.95
110/100-18	TT	HF906-53	98.95
100/90-19	TT	HF906-54	91.95
110/90-19	TT	HF906-55	103.95



HF905 Front

HF335 Rear

**HF335/HF905 CROSS COUNTRY
ALL-TERRAIN TIRES**

- Popular 5x4 tread is designed for trail-riding and competition
- Carcass is constructed from a higher thread-count nylon to reduce tears and punctures without adding unsprung weight
- Front tire has rimsaver bead to help avoid pinch flats and to protect the rim lip

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
80/100-21	TT	HF905-01	\$71.95
REAR			
4.10-14	TT	HF335-51	53.95
5.10-17	TT	HF335-52	93.95

SIZE	TL/TT	PART #	SUG. RETAIL
REAR (CONT)			
4.10-18	TT	HF335-53	\$61.95
4.60-18	TT	HF335-54	76.95
5.10-18	TT	HF335-55	96.95
5.40-18	TT	HF335-56	91.95

HF307

- Classic off road tire
- Spliced tread design offers superior handling during cornering
- Can be used as a front and rear tire
- 4-ply
- Tube type

SIZE	TT/TL	PART #	SUG. RETAIL
FRONT/REAR			
4.00-18	TT	0306-0464	\$69.95
3.25-19	TT	0305-0433	54.95



HF307 Front/Rear

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET
DRAG SPECIALTIES
OFFROAD
ATV/UTV
TUBES & ACCESSORIES
SERVICE TOOLS
MERCHANDISING
CROSS REFERENCE
INDEX



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



Maxx Maxxcross Dual SX Front/Rear

**MASX MAXXCROSS DUAL SX
HARD TERRAIN TIRES**

- Groundbreaking, dual-compound technology integrated into the championship-proven tread pattern of the Maxxcross SX
- Front tire has standard base compound for stability and soft-compound cap for braking and cornering traction
- Rear tire's shoulder knobs feature standard soft SX compound, while center knobs are even softer, providing unrivaled straightforward traction without losing stability in corners
- M-rated for speeds up to 81 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
80/100-21	51M	TT	0312-0192	\$139.00
REAR				
110/90-19	62M	TT	0313-0344	179.00



M7313 Front

M7314 Rear

**M7313/M7314 MAXXCROSS EN
INTERMEDIATE TERRAIN TIRES**

- Strong carcass and long-wearing compound mean lasting performance
- Tread pattern features widely spaced, large knobs that bite hard, shed mud and steer quickly
- Aggressive shoulder knobs instill rider confidence in corners
- Knob sipes enhance grip on hard terrain and rocks by increasing biting edges and knob flex
- Maxxcross' proven performance and quality available for big bore bikes and those seeking a larger footprint

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
90/90-21	TT	0312-0193	\$109.00
REAR			
120/90/18	TT	0313-0457	132.00
140/80-18	TT	0313-0345	129.00



M7307 Front

M7308 Rear

**MAXXCROSS SM M7307/M7308
SOFT TERRAIN TIRES**

- Computer-enhanced pattern design ensures optimal traction in sand and mud
- Specially formulated silica-rubber compound and open-tread pattern provide excellent self-cleaning tire characteristics
- Anti-flex knob bridges on shoulder reinforce side knobs for increased traction

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
80/100-21	TT	M7307-1	\$122.00
REAR			
120/100-18	TT	0313-0291	143.00

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



M7311 Front M7312 Rear

M7311/M7312 MAXXCROSS SI SOFT/INTERMEDIATE TERRAIN TIRES

- Race-proven rubber compound delivers excellent traction in soft/intermediate conditions
- Anti-flex knob bridges on side lugs offer solid straight-line stability and enhance grip for aggressive cornering
- Developed in the Grand National Cross Country series

SIZE	TL/TT	PART #	SUG. RETAIL
M7311 FRONT			
60/100-14	TT	0312-0173	\$66.00
80/100-21	TT	0312-0022	127.00
M7312 REAR			
80/100-12	TT	0313-0296	82.00
90/100-16	TT	0313-0297	95.00
110/100-18	TT	0313-0064	139.00
120/100-18	TT	0313-0066	148.00
100/90-19	TT	0313-0063	140.00
110/90-19	TT	0313-0065	153.00



M7309 Front M7310 Rear

M7309/M7310 MAXXCROSS SX SUPERCROSS/HARD TERRAIN TIRES

- Developed and tested for use in Supercross and Arenacross conditions
- Features soft rubber compound offering unrivaled traction on intermediate to hard terrain
- Lightweight carcass offers strength and greater rider feedback
- Optimal pattern design offers increased contact patch and exceptional straight-line stability

SIZE	TL/TT	PART #	SUG. RETAIL
M7309 FRONT			
80/100-21	TT	0312-0107	\$129.00
M7310 REAR			
110/90-19	TT	0313-0155	157.00



M6001 Front/Rear

M6001 INTERMEDIATE TERRAIN TIRES

- Unique knob and groove tread design offers exceptional handling through hard, intermediate and soft conditions
- Reinforced bead with extra nylon adds strength and reduces bead breaking
- High-performance rubber compound provides outstanding grip while reducing tread wear and chunking
- Double-curved tread design with deep knobs delivers extraordinary traction for enhanced performance
- 6-ply rating increases stability and puncture resistance

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
80/100-21	51M	TT	0312-0243	\$73.00
REAR				
130/90-17	68M	TT	0313-0460	123.00
100/100-18	59M	TT	0313-0459	81.00
110/100-18	64M	TT	0313-0461	104.00
120/100-18	68M	TT	0313-0462	122.00
100/90-19	57M	TT	0313-0463	106.00
110/90-19	62P	TT	0313-0464	123.00

STREET

DRAIN
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

MAXXCROSS IT M7304/M7305

INTERMEDIATE TERRAIN TIRES

- Knob design offers precise steering in a wide variety of soil conditions
- Specially formulated rubber compound keeps knob edges longer, even with concrete pad starts
- Front tire combines with M7305 rear for best overall performance; rear tire combines with M7304 front for best overall performance



M7304 Front

M7305 Rear

SIZE	TL/TT	PART #	SUG. RETAIL	SIZE	TL/TT	PART #	SUG. RETAIL
M7304 FRONT				M7305 REAR (CONT)			
2.50-10	TT	M7304-1	\$52.00	90/100-16	TT	M7305-3	\$87.00
2.50-12	TT	0312-0175	65.00	100/100-17	TT	0313-0037	108.00
60/100-14	TT	M7304-2	65.00	100/100-18	TT	M7305-4	121.00
70/100-17	TT	M7304-3	68.00	110/100-18	TT	M7305-5	129.00
70/100-19	TT	M7304-4	71.00	120/100-18	TT	M7305-6	140.00
80/100-21	TT	M7304-5¹	114.00	100/90-19	TT	M7305-7	133.00
80/100-21	TT	0312-0025²	114.00	110/80-19	TT	0313-0207	162.00
M7305 REAR				110/90-19	TT	M7305-8	145.00
2.75-10	TT	0313-0038	66.00	120/90-19	TT	M7305-9	155.00
80/100-12	TT	M7305-1	77.00				
90/100-14	TT	M7305-2	81.00				

¹ Intermediate-to-soft terrain.
² Intermediate-to-hard terrain.



M7317 Front

M7318 Rear

M7317/M7318 MAXXCROSS MX IT

INTERMEDIATE TERRAIN TIRES

- Varied pitches of tread design specifically for intermediate outdoor motocross conditions
- Lightweight construction and a strong sidewall virtually eliminate tire roll sensation through corners
- Front tire knobs have a standard base compound for stability and soft-compound cap for braking and cornering traction
- Rear tire's shoulder knobs feature standard compound, while center knobs are even softer, providing unrivaled straightforward traction - without losing stability in corners

SIZE	TL/TT	PART #	SUG. RETAIL
M7317 FRONT			
80/100-21	TT	0312-0238	\$116.00
M7318 REAR			
110/90-19	TT	0313-0442	138.00



M7304D Front

M7305D Rear

MAXXCROSS DESERT IT M7304D/M7305D

DESERT/HARD TERRAIN TIRES

- Specially designed compound increases durability in rocky or desert conditions by reducing chipping and cutting
- Stiffer carcass design minimizes flex, reducing the chance of pinched tubes
- Tall knob design improves traction

SIZE	TL/TT	PART #	SUG. RETAIL
M7304D FRONT			
80/100-21	TT	0312-0044	\$114.00
M7305D REAR			
110/100-18	TT	0313-0060	129.00
120/100-18	TT	0313-0061	140.00
110/90-19	TT	0313-0117	145.00
120/90-19	TT	0313-0118	155.00

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



M7302 Front/Rear

M7302-DTR

- Designed specifically for dirt track racing
- Available in multiple compound options
- Tread design can be customized to meet each rider's needs
- Provide superb traction and stability on any race track
- Not approved for street or highway use

SIZE	TYPE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT/REAR					
120/70-17	CD5 ²	58V NHS	TL	0312-0244	\$180.00
27.0x7.0-19	CD3 ¹	73H NHS	TT	0312-0245	222.00
27.5x7.5-19	CD3 ¹	73H NHS	TT	0313-0465	231.00
27.5x7.5-19	CD5 ²	73H NHS	TT	0313-0466	226.00

¹ Soft compound.
² Medium compound



M6024 Front/Rear



**M6024
FRONT/REAR**

- Dual-purpose tread pattern features aggressive lines for traction on the street and off-road
- Stable central blocks with large grooves for outstanding water dispersion
- A proven compound yields outstanding traction and low tread wear
- J-rated for speeds up to 62 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
120/70-12	51J	TL	0340-0565	\$72.00
130/70-12	56J	TL	0340-0564	80.00




C183A Front/Rear



**C183A
SAND/SOFT TERRAIN TIRES**

- Aggressive, open-tread blocks for soft, loamy conditions
- Large paddle-scoop knobs for maximum hookup

SIZE	PLY	TL/TT	PART #	SUG. RETAIL
FRONT/REAR				
2.75/3.00-12	4	TL	C183A1	\$25.00
2.50-14	4	TT	C183A17	23.00



C755 Front/Rear



**C755 SERIES KNOBBIES
HARD/INTERMEDIATE TERRAIN TIRES**

- Compact knob spacing for general off-road and hard-track use
- Asymmetric knob pattern for maximum rubber contact
- Tube-type

SIZE	PLY	TL/TT	PART #	SUG. RETAIL
FRONT/REAR				
2.50-16	4	TT	C75523	\$39.00
REAR				
3.00-16	4	TT	C7552	45.00
4.10-18	4	TT	C7556	61.00

STREET

DRA
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

LEGION MX-V INTERMEDIATE TERRAIN TIRES

- Features an innovative tread pattern designed for dominance on the motocross battlefield
- Long, varied tread pitches ensure that the tire hooks up in the variety of soil conditions found on a typical intermediate MX track
- Optimized tire profile provides a smooth transition to the shoulder through turns
- Advanced carcass construction virtually eliminates tire roll in corners
- Center tread knobs on the rear tire claw forward and clean out
- Shoulder knobs provide a stable platform for traction when leaned over
- Front shoulder knobs are uniquely shaped, delivering extreme braking traction and control into and around corners

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
80/100-21	TT	0312-0237	\$79.00
REAR			
110/90-19	TT	0313-0441	97.00



Legion MX-V Front/Rear

CM711/CM712 LEGION TRIALS FRONT AND REAR

- Provides exceptional traction with its ultra-soft rubber compounds and dynamic tread design, excelling in a variety of applications including dirt, rocks, roots, and gravel
- Tubeless 18" radial rear tire provides wide footprint
- 2.75-21 bias-ply front tire keeps the front end light and nimble

SIZE	TL/TT	PART #	SUG. RETAIL
CM711 FRONT			
2.75-21	TT	0314-0009	\$74.00
CM712 REAR			
4.00R18	TL	0315-0008	115.00



CM711 Front

CM712 Rear

CM715/CM716 LEGION DESERT FRONT AND REAR

- Desert-type conditions are no match for the CST Legion Desert
- The CST Legion Desert is engineered with a durable, hard-wearing compound for the performance and durability that riders demand in high-speed hot, rocky and sandy conditions
- The Legion Desert from CST combines a front tire with a consistent center tread for smooth rolling, paired with aggressive shoulder knobs for extra bite while turning and maintaining traction in sandy areas
- The rear tire features a large contact patch, keeping more rubber hooked up on the ground for maximum traction

SIZE	TT/TL	PART #	SUG. RETAIL
CM715 FRONT			
80/100-21	TT	0312-0278	\$81.00
CM716 REAR			
110/100-18	TT	0313-0517	92.00



CM715 Front

CM716 Rear

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



Surge 1 C7209 Front Surge 1 C7210 Rear

SURGE I C7209/C7210
INTERMEDIATE TERRAIN TIRES



- Stable block tread pattern holds tight in corners
- Offers predictable grip during acceleration and braking
- Strong durable construction makes it the perfect choice for the rider who needs one tire that can do it all – hit the track and venture off into the woods

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
70/100-19	TT	0312-0153	\$48.00
80/100-21	TT	0312-0152	82.00
REAR			
90/100-16	TT	0313-0259	55.00
100/90-18	TT	0313-0260	92.00
110/90-18	TT	0313-0349	96.00
120/100-18	TT	0313-0350	106.00
100/90-19	TT	0313-0261	96.00
110/90-19	TT	0313-0258	105.00



Surge S C7217 Front Surge S C7218 Rear

SURGE S C7217/C7218
SOFT TERRAIN TIRES



- Designed for trail riding enthusiasts and motocross racing weekend warriors
- Tread pattern designed for any soft-terrain track or trail
- Self-cleaning widely spaced knobs grab lots of traction and shed mud
- Large center knobs on rear offer predictable traction when accelerating and braking
- Rubber compound formulated for maximum durability

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
80/100-21	TT	0312-0176	\$76.00
REAR			
110/90-19	TT	0313-0300	97.00



Surge P C7220 Front/Rear

SURGE P C7220
REAR MX SAND PADDLE TIRES



- Developed for dune-shredding enthusiasts and casual day-trippers
- Built to perform with eight sand-slinging, cupped paddles that cross the entire section width
- Optimal paddle depth for traction and comfort
- Specially developed tread compound provides a longer tire life and reduced weight and cooler running temperature

SIZE	TL/TT	PART #	SUG. RETAIL
REAR			
110/100-18	TT	0313-0299	\$71.00
100/90-19	TT	0313-0298	61.00
110/90-19	TT	0313-0262	65.00



Surge Mini C7223 Front Surge Mini C7224 Rear

SURGE MINI C7223/C7224
SPECIFICALLY DESIGNED FOR MINI AND PLAY BIKES



- Wide center knobs on rear provide holeshot-winning, straight-forward traction
- Small front center knobs punch through soft terrain and flex on hard terrain for ultimate traction even when conditions are unpredictable
- Long-wearing compound and durable construction mean lasting performance on track and trail
- Tread pattern offers great cornering grip
- Compound formulated for any intermediate terrain
- Developed for traction and durability

SIZE	TL/TT	PART #	SUG. RETAIL
C7223 FRONT			
60/100-14	TT	0312-0191	\$41.00
C7224 REAR			
80/100-12	TT	0313-0343	43.00

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

- STREET
- DRAIN SPECIALTIES
- OFFROAD
- ATV/UTV
- TUBES & ACCESSORIES
- SERVICE TOOLS
- MERCHANDISING
- CROSS REFERENCE
- INDEX

KENDA

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

K335 ICE TIRES

- The perfect tire for the northern ice racer
- Designed specifically for ice racing
- Add studs to fit your preference; studs sold separately
- DOT approved for street use

SIZE	PLY	TL/TT	PART #	SUG. RETAIL
REAR				
4.00-18	4	TT	0317-0130	\$102.95
4.00-18	6	TT	0317-0131	109.95



K335 Rear

SIZE	PLY	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
4.00-19	4	TT	0317-0132	\$109.95
4.00-19	6	TT	0317-0133	117.95

K780 SOUTHWICK II SOFT TERRAIN TIRES

- Designed for sand and mud conditions
- Front and rear tread patterns offer tall knob depths for deep bite
- Large radius support at knob base reduces knob roll in soft areas with hard base
- Wide space between rows self-cleans tread even at slow speed
- Standard race compound allows for increased wear durability and also offers quick warm-up on cement start pads
- Lightweight 4-ply rated casing structure with reinforced sidewalls
- DOT approved front tire

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
80/100-21	TT	0312-0149	\$68.95
REAR			
100/100-18	TT	0313-0251	96.95



K780 Front/Rear

SIZE	TL/TT	PART #	SUG. RETAIL
REAR (CONT)			
110/100-18	TT	0313-0252	\$99.95
100/90-19	TT	0313-0253	94.95
110/90-19	TT	0313-0254	97.95

K785 MILLVILLE II SOFT TO INTERMEDIATE TERRAIN TIRES

- Next generation to the ever-popular Millville tire
- Designed for soft to intermediate terrain
- Unique dual rotation tread pattern
- Improved straight line and braking traction due to paddle shape knobs
- Improved cornering traction with more biting edges
- New tie bar knob support to reduce knob squirm and increase durability

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
60/100-14	TT	0312-0232	\$43.95
70/100-17	TT	0312-0233	53.95
70/100-19	TT	0312-0234	60.95
80/100-21	TT	0312-0212	72.95
REAR			
80/100-12	TT	0313-0424	52.95
90/100-14	TT	0313-0425	56.95



Millville II Front/Rear

SIZE	TL/TT	PART #	SUG. RETAIL
REAR (CONT)			
90/100-16	TT	0313-0426	\$62.95
110/100-18	TT	0313-0389	103.95
120/100-18	TT	0313-0390	108.95
100/90-19	TT	0313-0386	99.95
110/90-19	TT	0313-0387	102.95
120/80-19	TT	0313-0388	106.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



K775 Front/Rear

K775 WASHOUGAL

INTERMEDIATE TERRAIN TIRES

- Designed to meet the demands of intermediate terrains
- Tread pattern for intermediate conditions
- Triangular shaped knobs to reduce knob flex on hard base areas
- Casing structure includes reinforced sidewalls

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
60/100-14	TT	0312-0161	\$41.95
70/100-17	TT	0312-0162	50.95
70/100-19	TT	0312-0163	57.95
80/100-21	TT	0312-0064	68.95
90/100-21	TT	0312-0066	70.95
REAR			
80/100-12	TT	0313-0276	50.95
90/100-14	TT	0313-0277	53.95
90/100-16	TT	0313-0278	59.95
100/100-18	TT	0313-0279	96.95
110/100-18	TT	0313-0280	99.95
120/100-18	TT	0313-0281	103.95
100/90-19	TT	0313-0282	94.95
110/90-19	TT	0313-0163	97.95
120/90-19	TT	0313-0283	101.95



K775 Front/Rear

K775 WASHOUGAL STICKY

- Same features as standard Washougal
- Soft rubber compound formula designed for improved traction on hard-packed dirt and cement start pads
- Low temperature/quick warm-up feature
- Suitable for applying ice studs for winter riding

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
80/100-21	TT	0312-0065	\$74.95
90/100-21	TT	0312-0067	76.95
REAR			
100/100-18	TT	0313-0164	99.95
110/100-18	TT	0313-0165	107.95
120/100-18	TT	0313-0166	108.95
100/90-19	TT	0313-0167	102.95
110/90-19	TT	0313-0168	105.95
120/90-19	TT	0313-0169	110.95



K781 Rear

K781 TRIPLE STICKY

HARD TERRAIN REAR TIRES

- Developed and tested in arenacross and supercross races
- Low-profile sidewall for improved cornering stability and cornering traction
- Designed for hard-packed, slippery surfaces
- Dimpled knobs allow for quick tire warm-up and extra traction
- Lightweight 4-ply rated casing structure with reinforced sidewall

SIZE	TL/TT	PART #	SUG. RETAIL
110/80-19	TT	0313-0271	\$105.95
120/80-19	TT	0313-0272	110.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



K784 Front/Rear

K784 BIG BLOCK

DUAL SPORT TIRES

- Kenda's all-new and true "Adventure" tire combination
- Designed specifically to meet the demands of the high powered adventure rider
- Features large tread blocks for improved tread wear and high speed handling
- High-impact casing provides a high level of puncture resistance
- Includes bias belted casing for improved handling and stability
- Rubber compound
- Created specifically for wet-slick and dry-hard packed terrain
- DOT and E-mark approved
- Q-rated for speeds up to 100 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
100/90B19	57Q	TL	0316-0106	\$132.95
110/80B19	59Q	TL	0316-0105	129.95
90/90B21	54Q	TL	0316-0107	106.95
REAR				
130/80B17	65Q	TL	0317-0101	120.95
150/70B17	69Q	TL	0317-0099	174.95
140/80B18	70Q	TL	0317-0102	127.95
150/70B18	70Q	TL	0317-0100	184.95

STREET

DUAL SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

All part numbers in **BOLD MAGENTA** are new this year.



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

K760 TRAKMASTER II 20% ON 80% OFF DUAL-SPORT TIRES

- DOT approved
- Tall, aggressive knobs enhance dirt performance without compromising street performance
- Works best on medium to hard surfaces
- Stiff bead and sidewall for better stability and cornering control
- Six-ply



K760 Front/Rear

SIZE	TL/TT	PART #	SUG. RETAIL	SIZE	TL/TT	PART #	SUG. RETAIL	SIZE	TL/TT	PART #	SUG. RETAIL
FRONT				REAR				REAR (CONT)			
2.50-10	TT	K7608	\$25.95	80/100-12	TT	K7609	\$41.95	120/100-18	TT	K7603	\$86.95
70/100-17	TT	K76011	48.95	90/100-14	TT	K7607	47.95	100/90-19	TT	K7604	74.95
70/100-19	TT	K760-15	58.95	130/90-17	TT	K76012	87.95	110/90-19	TT	K7605	84.95
80/100-21	TT	K7606	63.95	100/100-18	TT	K7601	67.95	120/90-19	TT	K76014	93.95
				110/100-18	TT	K7602	75.95				

K270 DUAL SPORT 50% ON 50% OFF DUAL-SPORT TIRES

- DOT approved
- Designed for today's high-performance, dual-purpose motorcycles
- Deep, aggressive knob pattern has rounded profile for more biting edges
- Special rubber compound offers great off-road grip without compromising wear on the street



K270 Front/Rear

SIZE	PLY	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL	SIZE	PLY	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT						REAR (CONT)					
3.00-21	4	57P	TT	K2704	\$57.95	4.00-18	4	69P	TT	K2709	\$62.95
3.25-21	4	57P	TT	K2707	59.95	4.10-18	4	63P	TT	K2701	63.95
REAR						4.50-18	6	73P	TT	K2702	73.95
4.60-17	6	66P	TT	K2703	62.95	5.10-18	6	73P	TT	K2705	82.95
5.10-17	6	71P	TT	K2706	80.95	100/90-18	4	73P	TT	0313-0021	69.95
3.50-18	4	56P	TT	K2708	51.95	120/80-18	4	67P	TT	0313-0022	75.95

K761 DUAL SPORT 80% ON 20% OFF DUAL-SPORT TIRES

- DOT approved
- Unique combination of street and off-road grip provides maximum performance
- Strong and durable nylon four-ply construction
- The advanced compound design gives better stability, cornering traction and braking control
- H-rated for speeds up to 130 mph or P-rated for speeds up to 93 mph



K761 Dual Sport Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT					REAR				
110/80-18	64H	TL	0317-0141	\$83.95	120/90-17	64H	TL	0317-0139	\$87.95
100/90-19	66H	TL	0317-0143	83.95	130/80-17	65H	TL	0317-0140	91.95
90/90-21	54H	TL	0316-0134	70.95	120/80-18	62H	TL	0317-0142	87.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



AM43/AM44 DISTANZIA
80% ON-ROAD, 20% OFF-ROAD
PERFORMANCE DUAL-SPORT TIRES

- Advanced tread pattern designed for on/off road applications
- VBD radial rear construction (some sizes) gives excellent straight-line stability and improved grip in corners; at center of the tread, belts are very closely spaced for maximum stability and high wear resistance and loosely wrapped on the shoulders for a compliant contact patch
- S-rated for speeds up to 112 mph, T-rated for speeds up to 118 mph, H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AM43 FRONT				
120/70R17	58H	TL	AV-703 ^{1,2}	\$189.95
110/80R19	59H	TL	AV-702 ¹	177.95
110/80R19	59V	TL	0316-0025 ^{1,3}	179.95
100/90-19	57H	TL	AV-701	162.95
90/90-21	54V	TL	0316-0127	157.95
AM44 REAR				
130/80R17	65H	TL	AV-750 ¹	241.95
130/80-17	65T	TL	AV-753	194.95



AM43 Distanzia Front

AM44 Distanzia Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AM44 REAR (CONT)				
140/80R17	69H	TL	AV-751 ¹	\$251.95
150/60R17	66H	TL	AV-757 ^{1,2}	251.95
150/70R17	69H	TL	AV-752 ¹	249.95
150/70R17	69V	TL	AV-758 ^{1,3}	249.95
160/60R17	69H	TL	AV-756 ^{1,2}	280.95
120/80-18 (4.60-18)	62S	TL	AV-755	166.95

¹ Radial tire construction. ² Ideal for Supermoto use. ³ Fits Triumph Tiger.



AM24 GRIPSTER
DUAL SPORT TIRES

- Performs equally well on highways and cross-country trails
- Deep tread pattern for long life and more grip
- Arrowhead tread pattern provides excellent self-cleaning ability
- Three-ply nylon construction
- Available in tubeless design; can also accept tubes
- T-rated for speeds up to 118 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AM24 FRONT				
90/90-21	54T	TL	AV146	\$139.95



AM24 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AM24 REAR				
130/80-17	65T	TL	AV145	\$175.95



SAND SNAKE MX
REAR MX SAND PADDLE TIRES

- Specially designed paddles provide increased straight-line traction and stability
- Paddles wrap around the shoulder for increased traction and maximum pulling power on steep inclines
- Advanced natural rubber compound runs cooler with increased abrasion resistance
- Available in six-, eight- and 10-paddle versions for sand applications only

SIZE	PADDLES	TL/TT	PART #	SUG. RETAIL
80/100-12	6	TT	0311-0002	\$35.95
90/100-14	6	TT	0311-0003	36.95
90/100-16	6	TT	0311-0004	42.95
110/100-18	8	TT	0311-0005	64.95



Sand Snake MX Rear

SIZE	PADDLES	TL/TT	PART #	SUG. RETAIL
100/90-19	6	TT	0311-0007	\$59.95
110/90-19	8	TT	0311-0008	64.95
110/90-19	10	TT	0311-0009	69.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX