

<b>Accessories</b> Accesorios Accessoires . . . . .	<b>1603</b>
<b>Aerial Lift Wheels</b> Ruedas para Plataformas Aéreas Roues pour Plateformes Aériennes . . . . .	<b>1597</b>
<b>Casters</b> Ruedas Giratorias Roulettes . . . . .	<b>1663</b>
<b>Measuring Press-On Tires</b> Medición de Llantas a Presión Mesurer les Pneus Pressés. . . . .	<b>1591</b>
<b>Miscellaneous Pneumatic Tires, Wheels &amp; Assemblies</b>	
Diversos Neumáticos, Ruedas & Asambleas Divers Pneus et Assemblages . . . . .	<b>1599</b>
<b>Poly Press-On Tires - Millennium</b>	
Llantas a Presión de Poliuretano Millennium Preus à Pression en Urethane Millennium . . . . .	<b>1650</b>
<b>Poly Press-On Tires - Superior</b>	
Llantas a Presión de Poliuretano Superior Preus à Pression en Urethane Superior . . . . .	<b>1656</b>
<b>Poly Press-On Tires - Thombert</b>	
Llantas a Presión de Poliuretano Thombert Preus à Pression en Urethane Thombert . . . . .	<b>1655</b>
<b>Poly Wheel Kits</b> Kits de Ruedas de Poliuretano Kits de Roues en Uréthane . . . . .	<b>1645</b>
<b>Poly Wheels - Millennium</b> Ruedas de Poliuretano Millennium Roues en Uréthane Millennium . . . . .	<b>1606</b>
<b>Poly Wheels - Miscellaneous Drive &amp; Load Wheel</b>	
Ruedas Poliuretanos de Manejo y de Carga Roues en Uréthane Conduites & Charges . . . . .	<b>1643</b>
<b>Poly Wheels - Quantum</b> Ruedas de Poliuretano Quantum Roues en Uréthane Quantum . . . . .	<b>1616</b>
<b>Poly Wheels - Superior</b> Ruedas de Poliuretano Superior Roues en Uréthane Superior . . . . .	<b>1625</b>
<b>Poly Wheels - Thombert</b> Ruedas de Poliuretano Thombert Roues en Uréthane Thombert . . . . .	<b>1618</b>
<b>Poly Wheels - TotalSource®</b> Ruedas de Poliuretano TotalSource® Roues en Uréthane TotalSource® . . . . .	<b>1642</b>
<b>STR Casters</b> Ruedas Giratorias STR Roulettes STR . . . . .	<b>1668</b>
<b>Sweeper Scrubber Wheels</b> Ruedas para Barredoras y Limpiadoras de piso Roue pour balayeuse-laveuse industriels . . . . .	<b>1662</b>
<b>Tire Flaps</b> Guardabarros de Llantas Bandes de Fond de Jante . . . . .	<b>1596</b>
<b>Tire Presses</b> Prensas de Llantas Presses-Pneu . . . . .	<b>1604</b>
<b>Tire Tubes</b> Tubos de Llantas Chambres à Air . . . . .	<b>1596</b>
<b>TotalSource® Casters</b> Ruedas Giratorias TotalSource® Roulettes TotalSource® . . . . .	<b>1667</b>
<b>TotalSource® Pneumatic</b> Neumáticos Sólidas TotalSource® Pneumatique Gonflable TotalSource® . . . . .	<b>1596</b>
<b>TotalSource® Press-On</b> Llantas a Presión TotalSource® Bandage Monté à la Presse TotalSource®. . . . .	<b>1592</b>
<b>TotalSource® Solid Pneumatic</b> Neumáticos Sólidas TotalSource® Bandage Plein TotalSource® . . . . .	<b>1594</b>
<b>TotalSource® Tires</b> Llantas TotalSource® Pneus TotalSource® . . . . .	<b>1590</b>
<b>Wheels &amp; Rims</b> Ruedas y Aros Roues & Jantes . . . . .	<b>1600</b>





## Quality Construction

- TotalSource® tires are compatible with standard rims for pneumatic tires.
- The low heat build up properties mean they can carry loads over longer distances without over-heating.
- Abrasion and cut resistant tread compound to give an increased tire life.
- Tire compound reduces heat build up and increase chunk and tear resistance.

## Quality Design

- Tire design absorbs shock and gives maximum comfort to the driver.
- The cushion effect safe guards the truck from bumping damage.
- TotalSource® tires have more adhesion with the road.

## Construcción de Calidad

- Los neumáticos TotalSource® son compatibles con ruedas estándares.
- Las propiedades de resistencia al calor hace que puedan llevar cargas en distancias más largas sin sobrecalentarse.
- La abrasión y el corte resistente que tienen generan un aumento de vida del neumático.
- Los compuestos del neumático reducen el calentamiento y aumentan la resistencia a la rotura.

## Diseño de Calidad

- El diseño de los neumáticos absorbe los golpes y le da máximo confort al conductor.
- El efecto de amortiguación de golpes minimiza daños por desniveles.
- Los neumáticos TotalSource® tienen más adhesión a la carretera.


## Qualité de Construction

- Les pneus TotalSource® sont compatibles avec les jantes standard pour les pneumatiques.
- Les propriétés de chaleur faible veut dire qu'ils peuvent transporter des charges sur de longues distances sans trop de chauffage.
- Résistant à l'abrasion et coupures la bande de roulement composé augmente la durée de vie du pneu.
- Le composé de pneu réduit l'accumulation de chaleur et d'augmente la résistance à la déchirure.

## Qualité de Conception

- Conception de pneu absorbe les chocs et donne un maximum de confort au conducteur.
- L'effet de coussin, protège le camion de supplantation dommages.

# Measuring Press-On Tires Medición de Llantas a Presión Mesurer les pneus pressés



O.D. = Outside Diameter  
W = Base Band Width  
I.D. = Inside Diameter

To build a TotalSource® tire part number use the measurements of the tire, the tread and the material.

#### Tread Options

Smooth = S  
Traction = T

#### Material Options

Marking = M  
Non-Marking = NM

#### For example:

##### Measurements

OD = 21"  
W = 7"  
ID = 15"

Tread = Smooth

Material = Non-Marking

The TotalSource® part number would be: **SYTS21x7x15SNM**

Para determinar el número de parte de una llanta de marca TotalSource® utilice las medidas, el dibujo y el material de la misma.

#### Opciones de Dibujo

Lisas = S  
Tracción = T

#### Opciones de Material

Deja Mancha = M  
No Deja Mancha = NM

#### Por ejemplo:

##### Medidas

DE = 21"  
A = 7"  
DI = 15"

Dibujo de llanta = Lisas

El material = No Deja Mancha

El número de parte de TotalSource® sería:

**SYTS21x7x15SNM**

Pour construire un numéro de pièce pour les pneus TotalSource®, utilisez les mesures du pneu, la bande et le matériau.

#### Option pour la bande:

Lisse = S  
Traction = T

#### Options de matériaux:

Marquant - M  
Non-Marquant = NM

#### Par exemple:

##### Mesures:

DE = 21"  
L = 7"  
DI = 15"

Bande = Lisse

Matériel = Non-marquant

Le numéro de pièce TotalSource® serait:

**SYTS21x7x15SNM**

# TotalSource® Press-On Llantas a Presión TotalSource® Bandage monté à la presse TotalSource®



**Smooth Non-Marking**  
 Lisa que no marca  
 Lisses non marquant



**Traction Non-Marking**  
 Tracción que no marca  
 Traction non marquant

▼	O.D. x W x I.D. (inches)
SYTS10X4.75X6.5SNM	10 x 4.75 x 6.5
SYTS10X4X6.25SNM	10 x 4 x 6.25
SYTS10X5X6.25SNM	10 x 5 x 6.25
SYTS10X5X6.5SNM	10 x 5 x 6.5
SYTS10X6X6.25SNM	10 x 6 x 6.25
SYTS12X4.5X8S	12 x 4.5 x 8
SYTS13.5X4.5X8SNM	13.5 x 4.5 x 8
SYTS13.5X5.5X8SNM	13.5 x 5.5 x 8
SYTS14X4.5X8SNM	14 x 4.5 x 8
SYTS14X5X10SNM	14 x 5 x 10
SYTS15.5X6X10SNM	15.5 x 6 x 10
SYTS15X5X11.25SNM	15 x 5 x 11.25
SYTS15X6X11.25SNM	15 x 6 x 11.25
SYTS16.25X5X11.25SNM	16.25 x 5 x 11.25
SYTS16.25X6X11.25SNM	16.25 x 6 x 11.25
SYTS16X5X10.5SNM	16 x 5 x 10.5
SYTS16X6X10.5SNM	16 x 6 x 10.5
SYTS17X5X12.125SNM	17 x 5 x 12.125
SYTS18X5X12.125SNM	18 x 5 x 12.125
SYTS18X6X12.125SNM	18 x 6 x 12.125
SYTS18X7X12.125SNM	18 x 7 x 12.125
SYTS18X8X12.125SNM	18 x 8 x 12.125
SYTS18X9X12.125SNM	18 x 9 x 12.125
SYTS20X8X16SNM	20 x 8 x 16
SYTS20X9X16SNM	20 x 9 x 16
SYTS21X6X15SNM	21 x 6 x 15
SYTS21X7X15SNM	21 x 7 x 15
SYTS21X8X15SNM	21 x 8 x 15
SYTS21X9X15SNM	21 x 9 x 15
SYTS22X12X16SNM	22 x 12 x 16
SYTS22X8X16SNM	22 x 8 x 16
SYTS22X9X16SNM	22 x 9 x 16
SYTS28X16X22SNM	28 x 16 x 22
SYTS9X5X5SNM	9 x 5 x 5

▼	O.D. x W x I.D. (inches)
SYTS10X4X6.25TNM	10 x 4 x 6.25
SYTS10X4X6.5TNM	10 x 4 x 6.5
SYTS10X5X6.25TNM	10 x 5 x 6.25
SYTS10X5X6.5TNM	10 x 5 x 6.5
SYTS10X6X6.25TNM	10 x 6 x 6.25
SYTS13.5X4.5X8TNM	13.5 x 4.5 x 8
SYTS13.5X5.5X8TNM	13.5 x 5.5 x 8
SYTS14X4.5X8TNM	14 x 4.5 x 8
SYTS14X5X10TNM	14 x 5 x 10
SYTS15.5X5X10TNM	15.5 x 5 x 10
SYTS15.5X6X10TNM	15.5 x 6 x 10
SYTS15X5X11.25TNM	15 x 5 x 11.25
SYTS15X6X11.25TNM	15 x 6 x 11.25
SYTS16.25X5X11.25TNM	16.25 x 5 x 11.25
SYTS16.25X6X11.25TNM	16.25 x 6 x 11.25
SYTS16X5X10.5TNM	16 x 5 x 10.5
SYTS16X6X10.5TNM	16 x 6 x 10.5
SYTS17X5X12.125TNM	17 x 5 x 12.125
SYTS18X5X12.125TNM	18 x 5 x 12.125
SYTS18X6X12.125TNM	18 x 6 x 12.125
SYTS18X7X12.125TNM	18 x 7 x 12.125
SYTS18X8X12.125TNM	18 x 8 x 12.125
SYTS18X9X12.125TNM	18 x 9 x 12.125
SYTS20X8X16TNM	20 x 8 x 16
SYTS20X9X16TNM	20 x 9 x 16
SYTS21X6X15TNM	21 x 6 x 15
SYTS21X7X15TNM	21 x 7 x 15
SYTS21X8X15TNM	21 x 8 x 15
SYTS21X9X15TNM	21 x 9 x 15
SYTS22X12X16TNM	22 x 12 x 16
SYTS22X8X16TNM	22 x 8 x 16
SYTS22X9X16TNM	22 x 9 x 16
SYTS28X12X22TNM	28 x 12 x 22
SYTS8.5X4X4SNM	8.5 x 4 x 4
SYTS9X5X5TNM	9 x 5 x 5

# TotalSource® Press-On Llantas a Presión TotalSource® Bandage monté à la presse TotalSource®



Smooth  
Lisa  
Lisses



Traction  
Tracción  
Traction

▼	O.D. x W x I.D. (inches)
SYTS10X4.75X6.5S	10 x 4.75 x 6.5
SYTS10X4X6.25S	10 x 4 x 6.25
SYTS10X4X6.5S	10 x 4 x 6.5
SYTS10X5X6.25S	10 x 5 x 6.25
SYTS10X5X6.5S	10 x 5 x 6.5
SYTS10X6X6.25S	10 x 6 x 6.25
SYTS12X4.5X8S	12 x 4.5 x 8
SYTS13.5X4.5X8S	13.5 x 4.5 x 8
SYTS13.5X5.5X8S	13.5 x 5.5 x 8
SYTS14X4.5X8S	14 x 4.5 x 8
SYTS14X5X10S	14 x 5 x 10
SYTS15.5X5X10S	15.5 x 5 x 10
SYTS15.5X5X10SNM	15.5 x 5 x 10
SYTS15.5X6X10S	15.5 x 6 x 10
SYTS15X5X11.25S	15 x 5 x 11.25
SYTS15X6X11.25S	15 x 6 x 11.25
SYTS16.25X5X11.25S	16.25 x 5 x 11.25
SYTS16.25X6X11.25S	16.25 x 6 x 11.25
SYTS16X5X10.5S	16 x 5 x 10.5
SYTS16X6X10.5S	16 x 6 x 10.5
SYTS17X5X12.125S	17 x 5 x 12.125
SYTS18X5X12.125S	18 x 5 x 12.125
SYTS18X6X12.125S	18 x 6 x 12.125
SYTS18X7X12.125S	18 x 7 x 12.125
SYTS18X8X12.125S	18 x 8 x 12.125
SYTS18X9X12.125S	18 x 9 x 12.125
SYTS20X8X16S	20 x 8 x 16
SYTS20X9X16S	20 x 9 x 16
SYTS21X6X15S	21 x 6 x 15
SYTS21X7X15S	21 x 7 x 15
SYTS21X8X15S	21 x 8 x 15
SYTS21X9X15S	21 x 9 x 15
SYTS22X12X16S	22 x 12 x 16
SYTS22X8X16S	22 x 8 x 16
SYTS22X9X16S	22 x 9 x 16
SYTS28X12X22S	28 x 12 x 22
SYTS28X16X22S	28 x 16 x 22
SYTS9X5X5S	9 x 5 x 5

▼	O.D. x W x I.D. (inches)
SYTS10X4X6.25T	10 x 4 x 6.25
SYTS10X4X6.5T	10 x 4 x 6.5
SYTS10X5X6.25T	10 x 5 x 6.25
SYTS10X5X6.5T	10 x 5 x 6.5
SYTS10X6X6.25T	10 x 6 x 6.25
SYTS13.5X4.5X8T	13.5 x 4.5 x 8
SYTS13.5X5.5X8T	13.5 x 5.5 x 8
SYTS13X4.5X8T	13 x 4.5 x 8
SYTS14X4.5X8T	14 x 4.5 x 8
SYTS14X5X10T	14 x 5 x 10
SYTS15.5X5X10T	15.5 x 5 x 10
SYTS15.5X6X10T	15.5 x 6 x 10
SYTS15X5X11.25T	15 x 5 x 11.25
SYTS15X6X11.25T	15 x 6 x 11.25
SYTS16.25X5X11.25T	16.25 x 5 x 11.25
SYTS16.25X6X11.25T	16.25 x 6 x 11.25
SYTS16X5X10.5T	16 x 5 x 10.5
SYTS16X6X10.5T	16 x 6 x 10.5
SYTS17X5X12.125T	17 x 5 x 12.125
SYTS18X5X12.125T	18 x 5 x 12.125
SYTS18X6X12.125T	18 x 6 x 12.125
SYTS18X7X12.125T	18 x 7 x 12.125
SYTS18X8X12.125T	18 x 8 x 12.125
SYTS18X9X12.125T	18 x 9 x 12.125
SYTS20X8X16T	20 x 8 x 16
SYTS20X9X16T	20 x 9 x 16
SYTS21X6X15T	21 x 6 x 15
SYTS21X7X15T	21 x 7 x 15
SYTS21X8X15T	21 x 8 x 15
SYTS21X9X15T	21 x 9 x 15
SYTS22X12X16T	22 x 12 x 16
SYTS22X8X16T	22 x 8 x 16
SYTS22X9X16T	22 x 9 x 16
SYTS28X12X22T	28 x 12 x 22
SYTS9X5X5T	9 x 5 x 5

# TotalSource® Solid Pneumatic Neumáticos Sólidos TotalSource® Bandage plein TotalSource®



## SMOOTH NON-MARKING

▼	Size
SYTS100/80-8X2.5SNM	100/80-8
SYTS1000X20X7.5SNM	10.00-20
SYTS1000X20X8SNM	10.00-20
SYTS1100X20X7.5SNM	11.00-20
SYTS1100X20X8.5SNM	11.00-20
SYTS1100X20X8SNM	11.00-20
SYTS1200X20X8.5SNM	12.00-20
SYTS1200X20X8SNM	12.00-20

▼	Size
SYTS12X3.5X8X3SNM	12 x 3½-8
SYTS1300X20X8.5SNM	13.00-20
SYTS1300X20X8SNM	13.00-20
SYTS15X4.5X8X3.25SNM	15 x 4½-8
SYTS15X4.5X8X3SNM	15 x 4½-8
SYTS17X7X8X4.33SNM	17 x 7-8
SYTS355X50X20X10SNM	355/50-20

## TRACTION NON-MARKING

▼	Size
SYTS1000X20X7.5TNM	10.00-20
SYTS1000X20X7TNM	10.00-20
SYTS1000X20X8.5TNM	10.00-20
SYTS1000X20X8TNM	10.00-20
SYTS1200X20X8.5TNM	12.00-20
SYTS1200X24X8.5TNM	12.00-24
SYTS1400X24X10TNM	14.00-24
SYTS1400X25X10TNM	14.00-25
SYTS140X55X9X4TNM	140/55-9
SYTS15X4.5X8TNMCLIP	15 x 4.5-8
SYTS15X4.5X8X3.25TNM	15 x 4½-8
SYTS15X4.5X8X3TNM	15 x 4½-8
SYTS16X6X8X4.33TNM	16 x 6-8
SYTS16X6X8X4.33TNMCLIP	16 x 6-8
SYTS18X7-8X4.33LNM	18 x 7-8 (4.33" rim)
SYTS18X7X8X4.33TNMCLIP	18 x 7-8 (4.33" rim)
SYTS200X50X10X6.5TNM	200/50-10
SYTS21X8X9X6TNM	21 x 8-9
SYTS23X10X12X8TNM	23 x 10-12
SYTS23X9X10X6.5TNM	23 x 9-10
SYTS250X15X7.5TNM	2.50-15
SYTS250X15X7TNM	2.50-15
SYTS27X10X12X8TNM	27 x 10-12
SYTS28X12.5X15X9.75TNM	28 x 12.5-15

▼	Size
SYTS300X15X8TNM	3.00-15
SYTS300X4X2.1TNM	3.00-4
SYTS350X4X2.1TNM	3.50-4
SYTS350X5X3TNM	3.50-5
SYTS355X65X15X9.75TNM	355/65-15
SYTS400X4X2.5TNM	4.00-4
SYTS400X60X15X11TNM	400/60-15
SYTS400X8X2.75TNM	4.00-8
SYTS400X8X3TNM	4.00-8
SYTS500X8X3.75TNM	5.00-8
SYTS500X8X3TNM	5.00-8
SYTS600X9X4TNM	6.00-9 (4.00" rim)
SYTS650X10X5TNM	6.50-10
SYTS700X12X5TNM	7.00-12
SYTS700X15X5.5TNM	7.00-15
SYTS750X10X5.5TNM	7.50-10
SYTS750X10X5TNM	7.50-10
SYTS750X15X5.5TNM	7.50-15
SYTS750X15X6.5TNM	7.50-15
SYTS750X15X6TNM	7.50-15
SYTS815X15X7TNM	8.15-15
SYTS825X15X6.5TNM	8.25-15
SYTS900X20X6.5TNM	9.00-20
SYTS900X20X7TNM	9.00-20

# TotalSource® Solid Pneumatic Neumáticos Sólidas TotalSource® Bandage plein TotalSource®



## SMOOTH

▼	Size	▼	Size
SYTS10.00-20X7.5S	10.00-20	SYTS1200X20X8S	12.00-20
SYTS1000X20X8.5S	10.00-20	SYTS12X3.5X8X3S	12 x 3½-8
SYTS1000X20X8S	10.00-20	SYTS1300X20X8.5S	13.00-20
SYTS100X80X8X2.5S	100/80-8	SYTS1300X20X8S	13.00-20
SYTS11.00-20X8.5S	11.00-20	SYTS15X4.5X8X3.25S	15 x 4½-8
SYTS1100X20X7.5S	11.00-20	SYTS15X4.5X8X3S	15 x 4½-8
SYTS1100X20X8S	11.00-20	SYTS17X7X8X4.33S	17 x 7-8
SYTS1200X20X8.5S	12.00-20	SYTS355X50X20X10S	355/50-20

## TRACTION

▼	Size	▼	Size
SYTS1000X20X7.5T	10.00-20	SYTS3.50-4X2.1R	3.50-4
SYTS1000X20X7T	10.00-20	SYTS300X15X8T	3.00-15
SYTS1000X20X8.5T	10.00-20	SYTS300X15X8TCLIP	300-15 x 8.00 (8.00" rim)
SYTS1000X20X8T	10.00-20	SYTS300X4X2.1T	3.00-4
SYTS1200X20X8.5T	12.00-20	SYTS350X5X3T	3.50-5
SYTS1200X20X8T	12.00-20	SYTS355X65X15X9.75T	355-65-15
SYTS1200X24X8.5T	12.00-24	SYTS400/60-15X11L	400/60-15
SYTS1400X24X10T	14.00-24	SYTS400X4X2.5T	4.00-4
SYTS1400X25X10T	14.00-25	SYTS400X8X2.75T	4.00-8
SYTS140X55X9X4T	140/55-9	SYTS500X8X3T	5.00-8
SYTS140X55X9X4TNMCLIP	140 x 55 x 9 (4.00" rim)	SYTS600X9X4T	6.00-9 (4.00" rim)
SYTS15X4.5X8TCLIP	15 x 4.5-8	SYTS600X9X4TCLIP	6.00-9 (4.00" rim)
SYTS15X4.5X8X3.25T	15 x 4½-8	SYTS650X10X5T	6.50-10 (5.00" rim)
SYTS15X4.5X8X3T	15 x 4½-8	SYTS700X12X5T	7.00-12 (5.00" rim)
SYTS16X6X8X4.33T	16 x 6-8	SYTS700X12X5TCLIP	7.00-12
SYTS18X7-8X4.33	18 x 7-8 (4.33" rim)	SYTS700X15X5.5T	7.00-15 (5.50" rim)
SYTS18X7X8TCLIP	18 x 7-8 (4.33" rim)	SYTS700X15X6T	7.00-15 (6.00" rim)
SYTS200X50X10X6.5T	200-50-10 (6.50" rim)	SYTS750X10X5.5T	7.50-10
SYTS21X8-9X6L	21 x 8-9	SYTS750X10X5T	7.50-10
SYTS21X8X9TCLIP	21 x 8-9	SYTS750X15X5.5T	7.50-15
SYTS23X10X12X8TCLIP	23 x 10-12	SYTS750X15X6.5T	7.50-15
SYTS23X9X10X6.5T	23 x 9-10	SYTS815X15X7T	8.15-15 (7.00" rim)
SYTS23X9X10X6.5TCLIP	23 x 9-10 x 6.50 (6.50" rim)	SYTS815X15X7TCLIP	8.15-15 x 7
SYTS250X15X7TCLIP	250-15 x 7.00 (7.00" rim)	SYTS825X15X6.5T	8.25-15
SYTS27X10X12X8T	27 x 10-12	SYTS825X15X6.5TCLIP	8.25-15 (6.50" rim)
SYTS27X10X12X8TCLIP	27 x 10-12 x 8.00	SYTS900X20X6.5T	9.00-20
SYTS28X12.5X15X9.75T	28 x 12.5-15	SYTS900X20X7T	9.00-20
SYTS28X9X15T	28 x 9-15		

# TotalSource® Pneumatic Neumáticos Sólidas TotalSource® Pneumatique gonflable TotalSource®



	Size ▼	Ply Rating		Size ▼	Ply Rating
SYTS1000X20/16	10.00-20	16	SYTS450X12/8	4.50-12	8
SYTS10X6.5/8	10 x 6.5	8	SYTS500X8/10	5.00-8	10
SYTS12.00-20/24	12.00-20	24	SYTS600X9/10	6.00-9	10
SYTS1200X20/22	12.00-20	22	SYTS650X10/10	6.50-10	10
SYTS12X16.5/10	12 x 16.5	10	SYTS700X12/12	7.00 x 12	12
SYTS16X6X8/16	16 x 6-8	16	SYTS700X12/14	7.00 x 12	14
SYTS21X8X9/14	21 x 8-9	14	SYTS750X15/12	7.50-15	12
SYTS23X10X12/12	23 x 10 x 12	12	SYTS750X16/12	7.50-16	12
SYTS27X10X12/20	27 x 10-12	20	SYTS815X15/14	8.15-15	14
SYTS28X12.5X15/24	28 x 12.5-15	24	SYTS825X15/14	8.25-15	14
SYTS300X15/20	3.00-15	20	SYTS900X20/14	9.00-20	14
SYTS350X5/6	3.50-5	6			

## Tire Tubes Tubos de Llantas Chambres à air



	Size ▼		Size ▼
SYTUBE2.50X15	2.50 x 15	SYTUBE8.15X15	8.15 x 15
SYTUBE2.80/2.50	2.80/2.50	SYTUBE8.25X15	8.25 x 15
SYTUBE3.00X15	3.00 x 15	SYTUBE16X6X8	16 x 6-8
SYTUBE5.00X8	5.00 x 8	SY680655	18 x 6.50 x 8
SYTUBE6.00X9	6.00 x 9	SYTUBE18X7-8	18 x 7-8
SY1210054	6.00 x 9	SYTUBE21X8-9	21 x 8-9
SYTUBE6.50X10	6.50 x 10	SY680722	28 x 12.5-15
SYTUBE7.00X12	7.00 x 12	SYTUBE32X12.1X15	32 x 12.1 x 15
SYTUBE7.00X15	7.00 x 15	SYTUBE350/400X8	350/400 x 8
SYTUBE7.50X15	7.50 x 15	SY1223289	410/350-4
SYTUBE7.50X16	7.50 x 16	SYTUBE410/350X6	410/350-6

## Tire Flaps Guardabarros de Llantas Bandes de fond de jante



	Size ▼		Size ▼
SY1223264	18 x 7-8	SY56845	700 x 12
SY100384	2.50 x 15	SY1223267	700 x 15
SY1223890	21 x 8-9	SY1223268	750 x 15
SY1210945	500 x 8	SY100384	815 x 15
SY1223265	600 x 9	SY1223268	825 x 15



# Aerial Lift Wheels Ruedas para Plataforms Aéreas Roues pour Plateformes Aériennes



Non-Marking Tread  
Sin Marca  
Non Marquant



Non-Marking-Smooth  
Sin Marca Lisa  
Lisses Non Marquant



Black Rubber Smooth  
Lisa  
Lisses



Black Rubber Tread  
La Marca de la Goma Negra  
Bande de roulement en Caoutchouc noir

	Type	Description	Used On ▼	Mounting	O.D.	Width
SY95844	Black rubber tread	Foam filled	Genie	9 hole	14.50" 368mm	9.00" 229mm
SY95837	Non-marking tread	Mould on	Genie	Shaft	10.00" 254mm	3.00" 76mm
SY77350	Non-marking tread	Mould on	Genie	Shaft	12.00" 305mm	4.50" 114mm
SY77352	Non-marking tread	Mould on	Genie	Shaft	15.00" 381mm	5.00" 127mm
SY95857	Black rubber smooth	Mould on	Genie	8 hole	22.00" 559mm	7.00" 178mm
SY95858	Black rubber smooth	Mould on	Genie	9 hole	22.00" 559mm	7.00" 178mm
SY95859	Black rubber tread	Mould on	Genie	8 hole	22.00" 559mm	7.00" 178mm
SY95860	Black rubber tread	Mould on	Genie	9 hole	22.00" 559mm	7.00" 178mm
SY95861	Non-marking smooth	Mould on	Genie	8 hole	22.00" 559mm	7.00" 178mm
SY95862	Non-marking smooth	Mould on	Genie	9 hole	22.00" 559mm	7.00" 178mm
SY1223473	Non-marking tread	Mould on	Genie	8 hole	22.00" 559mm	7.00" 178mm
SY1223474	Non-marking tread	Mould on	Genie	9 hole	22.00" 559mm	7.00" 178mm
SY77348	Non-marking tread	Mould on	Genie	8 hole	22.00" 559mm	7.00" 178mm
SY77349	Non-marking tread	Mould on	Genie	9 hole	22.00" 559mm	7.00" 178mm
SY1223751	Non-marking tread	Mould on	Haulotte	Shaft	15.00" 381mm	5.00" 127mm
SY76325	Non-marking tread	Mould on	JLG	5 hole	12.71" 323mm	3.93" 100mm
SY76326	Non-marking tread	Mould on	JLG	5 hole	12.50" 318mm	4.25" 108mm
SY95884	Black rubber tread	Mould on	JLG	5 hole	14.00" 356mm	4.50" 114mm
SY77346	Non-marking tread	Mould on	JLG	5 hole	14.00" 356mm	4.50" 114mm
SY95829	Black rubber tread	Mould on	JLG	5 hole	16.00" 406mm	5.00" 127mm

## Aerial Lift Wheels Ruedas para Plataformas Aéreas Roues pour Plateformes Aériennes

	Type	Description	Used On ▼	Mounting	O.D.	Width
SY95830	Black rubber tread	Mould on	JLG	5 hole	16.00" 406mm	5.00" 127mm
SY77340	Non-marking tread	Mould on	JLG	5 hole	16.00" 406mm	5.00" 127mm
SY77347	Non-marking tread	Mould on	JLG	5 hole	16.00" 406mm	5.00" 127mm
SY77337	Non-marking smooth	Mould on	Skyjack	5 hole	7.85" 200mm	2.50" 64mm
SY77336	Non-marking smooth	Mould on	Skyjack	5 hole	7.85" 200mm	2.50" 64mm
SY77338	Non-marking smooth	Mould on	Skyjack		7.85" 200mm	2.50" 64mm
SY95865	Non-marking tread	Mould on	Skyjack	5 hole	7.85" 200mm	2.50" 64mm
SY95866	Non-marking tread	Mould on	Skyjack	5 hole	7.85" 200mm	2.50" 64mm
SY77343	Non-marking smooth	Mould on	Skyjack	5 hole	15.75" 400mm	3.75" 95mm
SY77344	Non-marking smooth	Mould on	Skyjack	5 hole	15.75" 400mm	3.75" 95mm
SY77355	Non-marking smooth	Mould on	Skyjack		15.75" 400mm	3.75" 95mm
SY95969	Non-marking tread	Mould on	Skyjack	5 hole	12.00" 302mm	3.94" 99mm
SY95968	Non-marking tread	Mould on	Skyjack	5 hole	12.00" 302mm	3.94" 99mm
SY77342	Non-marking tread	Mould on	Skyjack	5 hole	16.00" 406mm	5.00" 127mm
SY77341	Non-marking tread	Mould on	Skyjack	5 hole	16.00" 406mm	5.00" 127mm
SY95563	Non-marking smooth	Mould on	Snorkel	5 hole	12.00" 305mm	4.00" 102mm
SY95560	Non-marking smooth	Mould on	Up Right	Shaft	8.00" 203mm	2.00" 51mm
SY95565	Non-marking tread	Mould on	Up Right	Shaft	12.00" 305mm	3.00" 76mm
SY95564	Non-marking tread	Mould on	Up Right	Shaft	12.00" 305mm	3.00" 76mm
SY95821	Non-marking tread	Mould on	Up Right	Shaft	12.00" 305mm	3.94" 100mm
SY95822	Non-marking tread	Mould on	Up Right	Shaft	12.00" 305mm	3.94" 100mm
SY77351	Non-marking tread	Mould on	Up Right	Shaft	12.00" 305mm	4.13" 105mm
SY77354	Non-marking tread	Mould on	Up Right	Shaft	12.00" 305mm	4.13" 105mm
SY77339	Non-marking smooth	Mould on	Up Right	4 hole	15.00" 381mm	5.00" 127mm

# Miscellaneous Pneumatic Tires, Wheels & Assemblies

Diversos Neumáticos, Ruedas & Asambleas Divers Pneus et Assemblages

	Size ▼	Ply / Load Range	Description	Bolt Pattern	
<b>Golf Gliders</b>					
	SY77126	18 x 8.50-8	4	Long wear tire	
	SY77125	18 x 8.50-8	4	Tire and wheel assembly	4 on 4
<b>Mounted</b>					
	SY82662	4.80 x 8	B	Wheel assembly	5 on 4.5
	SY77894	4.80 x 8	B	Wheel assembly	4 on 4
	SY82659	5.70 x 8	C	Wheel assembly	5 on 4.5
	SY77120	5.70 x 8	C	Extra grip on white wheel foam filled	5 on 4.5
	SY77120A	5.70 x 8	B	Sport trail on white wheel foam filled	5 on 4.5
	SY77893	5.70 x 8	B	Wheel assembly	4 on 4
	SY77127	18.5 x 8.5-8	B	Wheel assembly	5 on 4.5
	SY77563	20.5 x 8.0-10	E	Wheel assembly	5 on 4.5
<b>Bias - Trailer</b>					
	SY77128	4.80 x 8	B	Bias trailer tire	
	SY77121	5.70 x 8	C	Bias trailer tire	
	SY77892	20.5 x 8.0-10	E	Bias trailer tire	
<b>Wheel</b>					
	SY77561	8 x 3.75		Wheel	4 on 4
	SY82667	8 x 3.75		Wheel	
	SY680573	8 x 3.75		Wheel	5 on 4.5
	SY77562	10 x 6		Wheel	5 on 4.5
<b>Radial - Trailer</b>					
	SY680281	ST205/75R15	C	Radial trailer tire	

## Wheels & Rims Ruedas y Aros Roues & Jantes

### Splitwheel




		Tire Size	I.D. ▼	Bolt Hole Center	Mounting Holes
SY1223356		650 x 10	87mm	129mm	5
SY1223733		16 x 6-8	105mm	142mm	6
SY80062		500 x 8	100mm	125mm	6
SY107938		500 x 8	110mm	148mm	6
SY47025		600 x 9	123mm	166mm	5
SY23214		650 x 10	127mm	165mm	5
SY75312		600 x 9	130mm	160mm	8
SY96232		650 x 10	130mm	160mm	8
SY1223343		650 x 10	139mm	170mm	6
SY1223343		650 x 10	139mm	170mm	6
SY54042		600 x 9	140mm	170mm	6
SY1223353		650 x 10	140mm	170mm	6
SY1223353		650 x 10	140mm	170mm	6
SY75310		700 x 12	145mm	190mm	8
SY37311		700 x 12	149mm	203mm	5
SY48165		600 x 9	150mm	180mm	6
SY75315		600 x 9	150mm	180mm	6
SY107937		650 x 10	150mm	180mm	6
SY75311		700 x 12	150mm	200mm	6
SY75309		700 x 12	170mm	220mm	6
SY75314		700 x 12	170mm	220mm	6
SY1223348		700 x 12	175mm	220mm	5


### 4-Way Rim




		Tire Size	O.D. ▼	W	I.D.	Bolt Hole Center	Mounting Holes
SY1223740		600 x 9	4.00" 102mm	9.00" 229mm	4.06" 103mm	5.63" 143mm	6
SY1223338		500 x 8	8.00" 203mm	3.00" 76mm	3.97" 101mm	4.92" 125mm	6
SY1223347		15 x 4.5-8	8.00" 203mm	3.00" 76mm	3.97" 101mm	5.31" 135mm	6
SY81001		15 x 4.5-8	8.00" 203mm	3.00" 76mm	4.33" 110mm	5.71" 145mm	5
SY1223727		600 x 9	9.00" 229mm	4.00" 102mm	3.98" 101mm	5.51" 140mm	5
SY1223713		600 x 9	9.00" 229mm	4.00" 102mm	4.06" 103mm	5.50" 140mm	5
SY31696		600 x 9	9.00" 229mm	4.00" 102mm	4.88" 124mm	6.50" 165mm	5
SY103052		600 x 9	9.00" 229mm	4.00" 102mm	5.20" 132mm	6.61" 168mm	6
SY87413		21 x 8-9	9.00" 229mm	6.00" 152mm	4.33" 110mm	6.10" 155mm	8
SY1223724		650 x 10	10.00" 254mm	5.00" 127mm	5.91" 150mm	7.09" 180mm	6
SY1223345		650 x 10	10.00" 254mm	5.00" 127mm	4.02" 102mm	5.51" 140mm	6
SY75308		650 x 10	10.00" 254mm	5.00" 127mm	4.06" 103mm	5.51" 140mm	5
SY107896		650 x 10	10.00" 254mm	5.00" 127mm	4.33" 110mm	5.47" 139mm	6
SY107375		650 x 10	10.00" 254mm	5.00" 127mm	4.96" 126mm	6.30" 160mm	6
SY45392		650 x 10	10.00" 254mm	5.00" 127mm	5.04" 128mm	6.54" 166mm	5


# Wheels & Rims Ruedas y Aros Roues & Jantes

	Tire Size	O.D. ▼	W	I.D.	Bolt Hole Center	Mounting Holes	
<b>4-Way Rim</b> 	SY1223344	650 x 10	10.00" 254mm	5.00" 127mm	5.20" 132mm	6.69" 170mm	6
	SY1223718	23 x 9 x 10	10.00" 254mm	6.50" 165mm	5.71" 145mm	7.09" 180mm	11
	SY82101	200/50-10	10.00" 254mm	6.50" 165mm	4.33" 110mm	5.71" 145mm	5
	SY1223731	23 x 12	12.00" 305mm	8.00" 203mm	5.35" 136mm	7.72" 196mm	6
	SY1223355	700 x 12	12.00" 305mm	5.00" 127mm	5.67" 144mm	7.52" 191mm	8
	SY57970	700 x 12	12.00" 305mm	5.00" 127mm	5.98" 152mm	8.03" 204mm	5
	SY75307	700 x 12	12.00" 305mm	5.00" 127mm	6.65" 169mm	8.70" 221mm	5
	SY1223337	700 x 12	12.00" 305mm	5.00" 127mm	6.65" 169mm	8.66" 220mm	6
	SY1223352	700 x 12	12.00" 305mm	5.00" 127mm	6.65" 169mm	8.66" 220mm	6
	SY1223346	700 x 12	12.00" 305mm	5.00" 127mm	6.69" 170mm	8.66" 220mm	6
	SY1223729	750 x 15	15.00" 381mm	6.00" 152mm	8.70" 221mm	10.83" 275mm	8
	SY1223723	825 x 15	15.00" 381mm	6.50" 165mm	7.87" 200mm	10.24" 260mm	6
	SY1223715	300 x 15	15.00" 381mm	8.00" 203mm	7.88" 200mm	10.24" 260mm	6
	SY1223732	28 x 12.5 x 15	15.00" 381mm	9.75" 248mm	6.46" 164mm	8.74" 222mm	8
	SY1223335	825 x 15	15.00" 381mm	6.50" 165mm	6.46" 164mm	8.74" 222mm	6
	SY31703	825 x 15	15.00" 381mm	6.50" 165mm	7.64" 194mm	9.84" 250mm	6
	SY103889	28 x 9-15	15.00" 381mm	7.00" 178mm	6.54" 166mm	8.58" 218mm	6
	SY1223304	700 x 12	15.00" 381mm	7.00" 178mm	6.65" 169mm	9.84" 250mm	6
	SY1223342	28 x 9-15	15.00" 381mm	7.00" 178mm	6.69" 170mm	8.66" 220mm	6

<b>3-Way Rim</b> 	SY1223329	21 x 8 x 9	6.00" 152mm	9.00" 229mm	4.33" 110mm	5.71" 145mm	5
	SY1223721	18 x 7 x 8	8.00" 203mm	4.33" 110mm	4.06" 103mm	5.43" 138mm	8
	SY32322	18 x 7-8	8.00" 203mm	4.33" 110mm	4.33" 110mm	5.71" 145mm	5
	SY1223330	600 x 9	9.00" 229mm	4.00" 102mm	4.06" 103mm	5.50" 140mm	6
	SY1223354	700 x 12	12.00" 305mm	5.00" 127mm	6.38" 162mm	8.46" 215mm	5
	SY1223339	300 x 15	15.00" 381mm	7.50" 191mm	8.70" 221mm	10.82" 275mm	8
	SY25496	310 x 15	15.00" 381mm	8.00" 203mm	7.95" 202mm	9.65" 245mm	6

<b>2-Way Rim</b> 	SY1223528	825 x 15	15.00" 381mm	6.50" 165mm	9.45" 240mm	11.42" 290mm	8
	SY1223709	650 x 10	15.00" 381mm	6.50" 165mm	9.45" 240mm	11.42" 290mm	8
	SY1220228	825 x 15	15.00" 381mm	6.50" 165mm	9.65" 245mm	11.46" 291mm	8
	SY1223739	28 x 9-15	15.00" 381mm	7.00" 178mm	5.91" 150mm	7.87" 200mm	6
	SY1223350	825 x 15	15.00" 381mm	6.50" 165mm	6.46" 164mm	8.74" 222mm	10
	SY1223349	825 x 15	15.00" 381mm	6.50" 165mm	7.87" 200mm	9.84" 250mm	6
	SY1223730	750 x 16	16.00" 406mm	6.00" 152mm	8.98" 228mm	10.83" 275mm	8

# Wheels & Rims Ruedas y Aros Roues & Jantes

		Tire Size	O.D. ▼	W	I.D.	Bolt Hole Center	Mounting Holes
<b>1-Pc Rim</b> 	SY1223725	15 x 4.5 x 8	8.00" 203mm	3.00" 76mm	3.15" 80mm	4.49" 114mm	5
	SY1223710	18 x 7 x 8	8.00" 203mm	4.33" 110mm	4.33" 110mm	5.71" 145mm	5
	SY1223719	18 x 7 x 8	8.00" 203mm	4.33" 110mm	4.33" 110mm	5.83" 148mm	5
	SY1223741	18 x 7 x 8	8.00" 203mm	4.33" 110mm	4.33" 110mm	5.70" 145mm	5
	SY1223716	18 x 7 x 8	10.00" 254mm	6.50" 165mm	4.33" 110mm	5.71" 145mm	5
	SY1223728	200 x 50 x 10	10.00" 254mm	6.50" 165mm	4.33" 110mm	5.71" 145mm	7
	SY1223720	6.50 x 10	10.00" 254mm	6.50" 165mm	4.33" 110mm	6.30" 160mm	5
	SY1223736	23 x 10-12	12.00" 305mm	8.00" 203mm	5.08" 129mm	6.65" 169mm	10
	SY1223717	27 x 10 x 12	12.00" 305mm	8.00" 203mm	5.67" 144mm	7.09" 180mm	14
	SY1223734	6.50 x 15	15.00" 381mm	6.50" 165mm	9.06" 230mm	11.10" 282mm	12

		Tire Size	O.D. ▼	W	I.D.	Bolt Hole Center	Mounting Holes
<b>Press On</b> 	SY1223234	8.5 x 4 x 4	4.00" 102mm	4.00" 102mm	0.94" 24mm		0
	SY26674		5.00" 127mm	2.60" 66mm	4.63" 118mm	2.00" 51mm	5
	SY1223326	8 x 4 x 6.5	6.50" 165mm	4.00" 102mm	2.44" 62mm		0
	SY28461		6.50" 165mm	4.74" 121mm	1.77" 45mm		5
	SY1223712	10 x 5 x 6.5	6.50" 165mm	5.00" 117mm	1.77" 45mm	5.50" 140mm	5
	SY1223233		6.50" 165mm	5.00" 127mm	3.46" 88mm		6
	SY1223908	14 x 4.5 x 8	7.95" 202mm	3.82" 97mm	2.44" 62mm		
	SY1223726	14 x 4.5 x 8	8.00" 203mm	3.00" 78mm	2.44" 62mm		0
	SY1223328	13.5 x 5.5 x 8	8.00" 203mm	4.15" 106mm		4.49" 114mm	8
	SY29302	12 x 5.5 x 8	8.00" 203mm	4.50" 114mm		4.41" 112mm	5
	SY29740	12 x 4.5 x 8	8.00" 203mm	4.50" 114mm		4.41" 112mm	5
	SY25141	13.5 x 5.5 x 8	8.00" 203mm	4.63" 118mm	3.19" 81mm	4.45" 113mm	7
	SY1223714	13.5 x 5.5 x 8	8.00" 203mm	4.72" 120mm	3.15" 80mm	4.41" 112mm	7
	SY1223907	12 x 5 x 9	9.00" 229mm	5.79" 147mm	3.15" 80mm	4.45" 113mm	5
	SY1223906	13.5 x 4.5 x 10.225	10.23" 260mm	4.50" 114mm	3.50" 89mm	5.00" 128mm	7
	SY23152	16 x 5 x 12.125	10.50" 267mm	4.25" 108mm	3.23" 82mm		0
	SY1223351	16 x 5 x 10.5	10.50" 267mm	4.60" 117mm	3.03" 73mm		0
	SY44940	16 x 5 x 10.5	10.50" 267mm	5.00" 117mm	3.23" 82mm		0
	SY1223232	16 x 5 x 10.5	10.50" 267mm	5.00" 117mm			0
	SY1223325	16 x 6 x 10.5	10.50" 267mm	5.50" 141mm			0
	SY102393	15 x 5 x 11.25	11.25" 285mm	4.50" 114mm			0
	SY1223340	18 x 6 x 12.125	12.13" 308mm	4.68" 119mm	4.33" 110mm	5.79" 147mm	5
	SY86958	18 x 5 x 12.125	12.13" 308mm	4.75" 121mm	4.76" 121mm	5.87" 149mm	6
	SY1223327	18 x 7 x 12.125	12.13" 308mm	5.50" 141mm	3.35" 85mm	5.12" 130mm	6
	SY1223423	18 x 6 x 12.125	12.13" 308mm	5.50" 141mm	5.50" 140mm	7.00" 178mm	6
	SY85969	18 x 6 x 12.125	12.13" 308mm	6.00" 152mm	6.46" 164mm	7.87" 200mm	8
	SY104240	18 x 7 x 12.13	12.13" 308mm	6.69" 170mm	4.41" 112mm	5.71" 145mm	5
	SY81869	18 x 7 x 12.125	12.13" 308mm	7.00" 178mm	6.69" 170mm	8.58" 218mm	6
	SY1223263		15.00" 381mm	6.30" 160mm		8.74" 222mm	6
	SY35145	21 x 7 x 15	15.00" 381mm	6.50" 165mm	8.66" 220mm	10.24" 260mm	6
	SY1223909	21 x 8 x 15	15.00" 381mm	6.70" 170mm	8.28" 210mm	10.25" 260mm	6
	SY34493		15.00" 381mm	8.50" 215mm	7.32" 186mm		6
	SY1223746	22 x 12 x 16	16.00" 407mm	12.00" 304mm	7.25" 184mm	9.84" 250mm	6
	SY1223735	28 x 12 x 22	22.00" 559mm	12.00" 304mm	7.78" 198mm	9.84" 251mm	6

# Accessories Accesorios Accessoirs

## Tire Cover Guards

Used to protect flooring from scuffs and marks caused by equipment tires

Made from a durable fabric that will flex and stretch for a snug fit

Easy to install with an open wheel safety design

Se utiliza para proteger el suelo de los rayones y marcas causadas por las llantas de la máquina

Hecho de un material resistente que se flexiona y estira para un ajuste.

Fácil de instalar con un diseño de seguridad en las ruedas

Utilisé pour protéger le plancher contre les éraflures et les marques causées par les pneus d'équipement

Fabriqué avec un tissu durable qui est flexible et étire pour un ajustement parfait

Facile à installer avec une conception de sécurité de roue ouverte



	Size (inches) ▼
SY28-110961	4 x 10
SY28-110962	4 x 13
SY28-110963	5 x 16
SY28-110964	7 x 22
SY28-110965	8 x 25
SY28-110966	8 x 28
SY28-110967	8 x 31
SY28-110968	11 x 31
SY28-110969	12 x 26

	Size (inches) ▼
SY28-110970	12 x 35
SY28-110971	14 x 38
SY28-110972	14 x 51
SY28-110973	15 x 40
SY28-110974	15 x 43
SY28-110975	16 x 34
SY28-123190	16 x 54
SY28-129233	8 x 20

## Leak Guards

Protect from unexpected fluid leaks by adding our Leak Guards beneath your machine

Available in both generic and pre-cut sizes

Pre-cut are designed to fit your exact machine model for fast and easy installation

Proteja contra fugas de fluido inesperadas añadiendo nuestros Protectores de fugas debajo de su máquina

Disponible en tamaños genéricos y pre-cortados

Pre-corte están diseñados para adaptarse a su modelo de máquina exacta para una instalación rápida y fácil

Protégez contre les fuites de fluide inattendues en ajoutant "Leak Guards" sous votre machine

Disponible en formats génériques et pré-coupés

Les formats pré-coupés sont conçus pour s'adapter à votre modèle de machine exacte pour une installation rapide et facile



	Size (inches) ▼
SY28-110960	Pre-cut to fit Genie GR-20, GR-15, GR-12
SY28-110976	Pre-cut to fit Skyjack SJIII 3219
SY28-110977	Pre-cut to fit Skyjack SJIII 3226

	Size (inches) ▼
SY28-110978	48 x 60
SY28-110979	48 x 72
SY28-110980	48 x 96
SY28-110981	72 x 96
SY28-110982	120 x 144
SY28-110983	144 x 240
SY28-110984	96 x 120

# Tire Presses Prensas de Llantas Presses-Pneu



## Tire Presses

▼	Description	Power	Cylinder	Opening	Platen Head	Base Plate	Option Part #	Option Description
SY72760	28" 100 Ton - tools included	100V	13.00"	19.00"			SY72761	Safety cage
SY72763	46" 150 Ton	110/220V	18.00"	36.00"	2.00" x 25.00"	1.50" x 24.00" x 46.00"	SY72766 SY72765	Safety cage Gas pump & motor
SY72767	46" 200 Ton	110/220V	18.00"	38.00"	2.50" x 26.00"	1.50" x 24.00" x 46.00"	SY72766 SY72765 SY72770 SY72769	Safety cage Gas pump & motor 24" hydraulic cylinder 7HP electric pump
SY72773	60" 200 Ton	110/220V 1.5HP	18.00"	44.00"	2.50" x 30.00"	1.50" x 30.00" x 60.00"	SY72770 SY72769	24" hydraulic cylinder 7HP electric pump
SY72774	72" 200 Ton	220V 7HP	36.00"	60.00"	2.50" x 36.00"	2.00" x 36.00" x 72.00"	SY72776 SY72775	Removable base plate 10HP electric pump
SY72777	90" 200 Ton	220V 7HP	36.00"	60.00"	2.50" x 36.00"	2.00" x 36.00" x 90.00"	SY72776 SY72775	Removable base plate 10HP electric pump



# Tire Presses Prensas de Llantas Presses-Pneu

	Description/ Size ▼
<b>Press Plates</b>	
SY72779	4.50"
SY72780	5.00"
SY72781	6.25"
SY72782	6.50"
SY72783	8.00"
SY72784	10.00"
SY72785	10.50"
SY72786	11.25"
SY72787	12.13"
SY72788	14.00"
SY72789	15.00"
SY72790	16.00"
SY72791	Press plate set - plates SY72779 - SY72790
SY72792	9.50"
SY72793	9.00"
SY72794	17.75"
SY72795	20.00"
SY72796	22.00"
SY72797	Press plate set - plates SY72791; & SY72794 - SY72796
<b>Unicage Rings for use with Unicage unit</b>	
SY72798	8.25" I.D.
SY72799	10.25" I.D.
SY72800	11.50" I.D.
SY72801	13.63"
SY72802	15.50"
SY72803	18.63"
SY72804	Unicage ring set - SY72798 - SY72803 rings
SY72805	Unicage leg with nut
<b>Press Stands</b>	
SY72806	4.00" x 5.00"
SY72807	6.00" x 6.25"
SY72808	8.00" x 10.50"
SY72809	11.25" x 12.13"
SY72810	15.00" x 16.00"
SY72811	Press stand set - SY72806 - SY72810 stands
SY72812	22.00"
<b>Cages for Solid Pneumatics</b>	
SY72813	8.00" x 9.00"
SY72814	10.00" x 12.00"
SY72815	15.00" x 16.00"
SY72816	Press cage set - SY72813 - SY72815 cages
SY72817	20.00"
SY72818	24.00"

	Description/ Size ▼
<b>Base Rings for Solid Pneumatics</b>	
SY72819	8.00" x 3.00"
SY72820	9.00" x 3.00"
SY72821	10.00" x 3.00"
SY72822	12.00" x 3.00"
SY72823	15.00" x 3.00"
SY72824	Base ring set - SY72819 - SY72823
SY72825	20.00" x 3.00"
SY72826	24.00" x 3.00"
<b>Starting Rings for Solid Pneumatics</b>	
SY72827	8.00"
SY72828	9.00"
SY72829	10.00"
SY72830	12.00"
SY72831	15.00"
SY72832	Starting ring set - SY72827 - SY72831
SY72833	20.00"
SY72834	24.00"
SY72835	16.00"
<b>Tool Starter Sets</b>	
SY72836	SY72811, SY72816, SY72824, SY72832, SY72791
SY72837	SY72811, SY72824, SY72832, SY72791
<b>Unicages</b>	
SY72838	With rings for 8.00" - 16.00" tires
SY72839	With rings for 8.00" - 16.00" tires
<b>Accessories, Options, &amp; Replacement Parts</b>	
SY72840	12 plate storage rack
SY72841	16 plate storage rack
SY72842	Aluminum wheels
SY72843	Pressure gauge
SY72844	115V 1.0 HP electric hydraulic pump
SY72845	115/220V 1.5 HP electric hydraulic pump
SY72937	230V 3.0 HP / 3.0 PH electric hydraulic pump
SY72938	230V 10.0 HP / 3.0 PH electric hydraulic pump
SY72939	Gas hydraulic pump : Honda 5.5 HP
SY72940	Gas hydraulic pump : Honda 24.0 HP
SY72941	100 Ton tire press cylinder (13.00" stroke)
SY72942	150 Ton tire press cylinder (18.00" stroke)
SY72943	200 Ton tire press cylinder (18.00" stroke)
SY72944	200 Ton tire press cylinder (24.00" stroke)
SY72945	200 Ton tire press cylinder (36.00" stroke)
SY72946	32" hydraulic hose
SY72947	3' hydraulic hose
SY72948	4' hydraulic hose
SY72949	6' hydraulic hose
SY72950	7' hydraulic hose
SY72952	10' hydraulic hose
SY72953	20' hydraulic hose

# Poly Wheels - Millennium Ruedas de Poliuretano Millennium Roues en Uréthane Millennium

For Premium Soft:  
add "PS" to standard part number

Para Premium Soft (Blandas):  
Agregue "PS" al número de parte

Pour Premium Soft: (Lisse):  
Ajoutez "PS" au numéro de pièces

For Hy-Load:  
add "HL" to standard part number

Para Hy-Load (Cargas Elevadas):  
Agregue "HL" al número de parte

Pour Hy-Load ( Fortes Charges ):  
Ajoutez "HL" au numéro de pièces

For Megaload:  
add "ML" to standard part number






Para Megaload (Mega Carga):  
Agregue "ML" al número de parte

Pour Megaload (Trés Fortes Charges):  
Ajoutez "ML" au numéro de pièces

For Falconium:  
add "F" to standard part number

Para Falconium:  
Agregue "F" al número de parte

Pour Falconium:  
Ajoutez "F" au numéro de pièces

	Compound	Color	Durometer		Compound	Color	Durometer
	Standard	Burgundy	92A		Megaload	Green	99A
	Premium Soft	Red	87A		Falconium	Blue	97A
	Hyload	Yellow	95A				

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SYF520	2.00"	51mm	2.50"	64mm	1.38"	35mm	6003	
SYF599	2.00"	51mm	2.81"	71mm	1.38"	35mm	6003 or 6202	
SYF731	2.00"	51mm	3.00"	76mm	1.57"	40mm	6203-12	
SYF621	2.50"	64mm	1.72"	44mm	1.57"	40mm	6203	
SYF9112	2.50"	64mm	2.00"	51mm	1.19"	30mm	HP93328	
SYF321	2.50"	64mm	2.25"	57mm	1.34"	34mm		
SYF936	2.63"	67mm	2.88"	73mm	1.63"	41mm	R12	
SYF941	2.75"	70mm	2.75"	70mm	1.57"	40mm	6203	
SYF940	2.75"	70mm	2.88"	73mm	1.63"	42mm	6004	
SYF929	2.75"	70mm	3.75"	95mm	1.63"	41mm	R-12	
SYF927	2.75"	70mm	3.75"	85mm	1.85"	47mm	6204-12	
SYF942	2.75"	70mm	3.94"	100mm	1.65"	42mm	6004 and spacer	
SYF907	2.88"	73mm	4.00"	102mm	1.65"	42mm	6004	
SYF908	2.90"	74mm	3.72"	95mm	1.65"	42mm	22053	
SYF9129	2.90"	74mm	3.88"	98mm	1.85"	47mm	6204	
SYF9128	2.92"	74mm	2.95"	75mm	1.85"	47mm	6204	
SYF9533	2.95"	75mm	3.78"	96mm	2.05"	52mm	6205	
SYF985	3.00"	76mm	1.88"	48mm	2.05"	52mm	6205 or 8505	
SYF9101	3.00"	76mm	2.00"	51mm	1.19"	30mm	HP9330NAH	
SYF600	3.00"	76mm	2.00"	51mm	1.63"	41mm	R12	
SYF311	3.00"	76mm	2.00"	51mm	1.78"	45mm	Z9504	
SYF2332	3.00"	76mm	2.00"	51mm	2.05"	52mm	6205	
SYF2333	3.00"	76mm	2.25"	57mm	2.05"	52mm	6205	
SYF2334	3.00"	76mm	2.75"	70mm	1.50"	38mm		
SYF2362	3.00"	76mm	2.75"	70mm	2.05"	52mm	6205	

## Poly Wheels - Millennium Ruedas de Poliuretano Millennium Roues en Uréthane Millennium

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SYF9433	3.00"	76mm	3.50"	89mm	1.85"	47mm	6204 or 6204-12	0.57"
SYF9430	3.00"	76mm	3.50"	89mm	1.85"	47mm	6204 and spacer	
SYF930	3.00"	76mm	3.75"	95mm	1.63"	41mm	R12, EEB-6-2RS or Z99R12	
SYF733	3.00"	76mm	3.75"	85mm	1.85"	47mm	6303	
SYF734	3.00"	76mm	3.88"	98mm	1.85"	47mm	6204	0.56"
SYF9531	3.00"	76mm	3.94"	100mm	1.85"	47mm	6204	
SYF933	3.00"	76mm	5.25"	133mm	2.05"	52mm	6205	
SYF7709	3.07"	78mm	3.23"	82mm	1.85"	47mm	6204	
SYF943	3.15"	79mm	2.88"	73mm	1.65"	42mm	6004	
SYF944	3.15"	80mm	3.94"	100mm	1.65"	42mm	6004	
SYF421	3.25"	83mm	1.13"	29mm	2.05"	52mm	87505	
SYF521	3.25"	83mm	1.19"	30mm	1.26"	32mm	6201 or 62010V	
SYF623	3.25"	83mm	1.75"	44mm	1.85"	47mm	6204	
SYF531	3.25"	83mm	1.88"	48mm	1.75"	44mm	134750 or 1635DC	
SYF530	3.25"	83mm	1.88"	48mm	2.05"	52mm	8505	
SYF420	3.25"	83mm	2.00"	51mm	2.05"	52mm	6205 or 87505	0.59"
SYF629	3.25"	83mm	2.00"	51mm	2.05"	52mm	6205	
SYF138	3.25"	83mm	2.06"	52mm	2.05"	52mm	6205 or 8505	
SYF631	3.25"	83mm	2.25"	57mm	1.85"	47mm	6204 or 77504	
SYF2390	3.25"	83mm	2.38"	60mm	1.31"	33mm	HP94332NA	
SYF522	3.25"	83mm	2.44"	62mm	2.05"	52mm	8505	0.60"
SYF2650	3.25"	83mm	2.63"	67mm	2.05"	52mm	6205	
SYF301	3.25"	83mm	2.63"	67mm	2.05"	52mm	6205	
SYF2363	3.25"	83mm	2.75"	70mm	1.63"	41mm	R12	
SYF422	3.25"	83mm	2.75"	70mm	1.85"	47mm	6204 or Z99504	
SYF436	3.25"	83mm	2.75"	70mm	2.05"	52mm		1.05"
SYF432	3.25"	83mm	2.75"	70mm	2.05"	52mm	6205	0.59"
SYF402	3.25"	83mm	2.75"	70mm	2.05"	52mm	6205 and seal	0.82"
SYF433	3.25"	83mm	2.75"	70mm	2.05"	52mm	5205	
SYF9137	3.25"	83mm	2.88"	73mm	1.85"	47mm	6204	
SYF633	3.25"	83mm	2.88"	73mm	1.85"	47mm	6204 or 77504	
SYF9110	3.25"	83mm	2.88"	73mm	2.05"	52mm	5205	
SYF984	3.25"	83mm	2.88"	73mm	2.05"	52mm	6205	
SYF636	3.25"	83mm	2.88"	73mm	2.05"	52mm	BE 6205	
SYF228	3.25"	83mm	2.89"	74mm	1.98"	50mm	L44643 or L44610	
SYF904	3.25"	83mm	3.00"	76mm	1.65"	42mm	22053 or 6004	
SYF9801	3.25"	83mm	3.00"	76mm	1.78"	45mm	Z9504AB or Z9504B	
SYF537	3.25"	83mm	3.00"	76mm	1.85"	47mm	6204 or 8504	
SYF9804	3.25"	83mm	3.00"	76mm	1.98"	50mm	Cup 4TL44610 cone 4TL44610	
SYF439	3.25"	83mm	3.00"	76mm	1.98"	50mm	Cup LM44610 cone LM44643	
SYF532	3.25"	83mm	3.00"	76mm	2.05"	52mm	8505	
SYF535	3.25"	83mm	3.00"	76mm	2.05"	52mm	5205 or 5505	
SYF9802	3.25"	83mm	3.00"	76mm	2.05"	52mm	6205 (2)	
SYF827	3.25"	83mm	3.00"	76mm	2.05"	52mm	6205 or 6205Z	
SYF9806	3.25"	83mm	3.00"	76mm	2.05"	52mm	6205 or 99604	
SYF848	3.25"	83mm	3.13"	79mm	2.05"	52mm	5205	
SYF833	3.25"	83mm	3.13"	79mm	2.05"	52mm	6205	
SYF946	3.25"	83mm	3.25"	83mm	1.85"	47mm	6204	

# Poly Wheels - Millennium Ruedas de Poliuretano Millennium Roues en Uréthane Millennium

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SYF9133	3.25"	83mm	3.25"	83mm	2.05"	52mm	6205 or 6205RS	
SYF442	3.25"	83mm	3.25"	83mm	2.05"	52mm	6205, 6205RS or 87505	
SYF437	3.25"	83mm	3.25"	83mm	2.05"	52mm	BE 87505 and spacer	
SYF637	3.25"	83mm	3.56"	91mm	2.00"	51mm	1638, 6205 or 9505	
SYF240	3.25"	83mm	3.63"	92mm	2.33"	59mm	Cup LM67010 Cone LM67048	
SYF9933	3.25"	83mm	3.63"	92mm	1.85"	47mm	6204 or 6204-2RS	
SYF912	3.25"	83mm	3.72"	95mm	1.65"	42mm	6004 or 22053	
SYF9330	3.25"	83mm	3.75"	95mm	1.75"	44mm	BE 134750	
SYF9538	3.25"	83mm	3.75"	95mm	1.85"	47mm	5185 or 5079	
SYF453	3.25"	83mm	3.75"	95mm	2.05"	52mm	8505 or 87505	
SYF9148	3.25"	83mm	3.75"	95mm	2.44"	62mm	6305	
SYF9138	3.25"	83mm	3.88"	95mm	1.85"	47mm	6204 or 6204Z	0.63"
SYF538	3.25"	83mm	3.88"	98mm	2.05"	52mm	5205 or 5505	
SYF9534	3.25"	83mm	3.94"	100mm	1.85"	47mm	6204	
SYF9331	3.25"	83mm	4.00"	102mm	1.75"	44mm	134750	
SYF9807	3.25"	83mm	4.00"	102mm	1.78"	45mm	Z9504AB or Z9504B	
SYF423	3.25"	83mm	4.00"	102mm	1.85"	47mm	3303 or 6204	
SYF9107	3.25"	83mm	4.00"	102mm	2.05"	52mm	304KR2 or 6304	
SYF2344	3.25"	83mm	4.00"	102mm	2.05"	52mm	6205	
SYF638	3.25"	83mm	4.20"	107mm	2.05"	52mm	BE 6205	
SYF7711	3.25"	83mm	4.20"	107mm	2.05"	52mm	BE 6205 (2)	
SYF340	3.25"	83mm	4.25"	108mm	1.85"	47mm	6204	
SYF427	3.25"	83mm	4.25"	108mm	2.05"	52mm	87505	
SYF425	3.25"	83mm	4.25"	108mm	2.05"	52mm	6205 or 6205RS	
SYF536	3.25"	83mm	4.38"	111mm	2.05"	52mm	5205 or 5505	0.81"
SYF236	3.25"	83mm	4.42"	112mm	1.78"	45mm	Cup LM11910 cone LM11949	
SYF820	3.25"	83mm	4.50"	114mm	1.57"	40mm	6203 or 6203Z	
SYF2335	3.25"	83mm	4.50"	114mm	2.05"	52mm	6205	0.60"
SYF806	3.25"	83mm	4.50"	114mm	2.05"	52mm	BE 5205	0.71"
SYF9140	3.25"	83mm	4.50"	114mm	2.17"	55mm	6006	0.52"
SYF9139	3.25"	83mm	4.50"	114mm	2.44"	62mm	6206 or 6206Z	0.66"
SYF269	3.25"	83mm	4.75"	121mm	1.98"	50mm	L44643 or L44610	
SYF610	3.25"	83mm	4.75"	121mm	2.05"	52mm	6205	0.59"
SYF803	3.25"	83mm	4.75"	121mm	2.05"	52mm	BE 5205	0.82"
SYF441	3.25"	83mm	4.75"	121mm	2.05"	52mm	6205	0.85"
SYF804	3.25"	83mm	4.75"	121mm	2.05"	52mm	5205	
SYF136	3.25"	83mm	4.81"	122mm	2.24"	57mm	Cup 1729 cone 1780	
SYF454	3.25"	83mm	4.88"	123mm	2.05"	52mm	8505 or 87505	0.81"
SYF501	3.25"	83mm	4.88"	124mm	2.05"	52mm	5205 or 5505	
SYF404	3.25"	83mm	5.00"	127mm	1.57"	40mm	3203 or 6203	
SYF403	3.25"	83mm	5.00"	127mm	1.85"	47mm	6303 or 6303-2RS	
SYF9811	3.25"	83mm	5.00"	127mm	2.05"	52mm	6205, 6505, 8505 or 87505	0.60"
SYF9135	3.25"	83mm	5.00"	127mm	2.05"	52mm	304KR2, 3205 or 8505	0.64"
SYF246	3.25"	83mm	5.50"	140mm	1.98"	50mm	Cup LM44610 cone LM44643	
SYF9134	3.25"	83mm	5.50"	140mm	2.05"	52mm	6205	
SYF302	3.25"	83mm	5.75"	146mm	2.05"	52mm	6205 (2)	1.44"
SYF801	3.25"	83mm	5.75"	146mm	2.05"	52mm	5205	
SYF822	3.25"	83mm	5.75"	146mm	2.05"	52mm	6205	

## Poly Wheels - Millennium Ruedas de Poliuretano Millennium Roues en Uréthane Millennium

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SYF9115	3.25"	83mm	5.75"	146mm	2.05"	52mm	3205 or 6205	
SYF802	3.25"	83mm	5.75"	146mm	2.05"	52mm	5205 (2)	
SYF429	3.25"	83mm	5.75"	146mm	2.05"	52mm	6205 or 6205RS	
SYF922	3.25"	83mm	5.75"	146mm	2.20"	56mm	DG2256RK	
SYF923	3.25"	83mm	5.75"	146mm	2.20"	56mm	DG2256RK	
SYF983	3.25"	83mm	5.91"	150mm	2.05"	52mm	6205	0.58"
SYF700	3.25"	83mm	5.91"	150mm	2.05"	52mm	6205Z and 6205ZZ	1.18"
SYF635	3.25"	83mm	5.91"	150mm	2.05"	52mm	5205, 5505 or 6205	0.58"
SYF939HLA	3.25"	83mm	5.91"	150mm	2.05"	52mm		
SYF248	3.25"	83mm	6.00"	152mm	1.98"	50mm	Cup LM44610 cone LM44643	
SYF9810	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205	0.63"
SYF9812	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205 and seal	0.72"
SYF529	3.25"	83mm	6.00"	152mm	2.05"	52mm	5205, 5505 or 6205	0.81"
SYF900	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205 (2)	1.25"
SYF9813	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205	1.32"
SYF253	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205	1.38"
SYF249	3.25"	83mm	6.00"	152mm	2.33"	59mm	Cup LM67010 Cone LM67048	
SYF534	3.25"	83mm	6.25"	159mm	2.05"	52mm	5205 or 5505	0.83"
SYF7020	3.25"	83mm	6.30"	160mm	2.05"	52mm	6205ZZ and 6006ZZ	
SYF534S	3.25"	83mm	6.38"	162mm	2.05"	52mm	5205 or 5505	0.67"
SYF539	3.25"	83mm	6.38"	162mm	2.05"	52mm	6205 (2)	1.18"
SYF815	3.25"	83mm	6.50"	165mm	1.98"	50mm	L44649 or L44610	
SYF9136-14	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	0.59"
SYF816	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	
SYF9136-12	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	1.18"
SYF9136	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	1.44"
SYF817	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	1.75"
SYF9136HLA	3.25"	83mm	6.50"	165mm	2.05"	52mm		
SYF9136-13	3.25"	83mm	6.50"	165mm	2.05"	52mm	5205	
SYF329	3.38"	85mm	1.88"	48mm	1.97"	50mm	Cup 12610 cone 12649	
SYF2361	3.38"	85mm	2.13"	54mm	1.98"	50mm	L44610 or L44643	
SYF630	3.38"	85mm	2.25"	57mm	1.85"	47mm	6204 or 77504	
SYF832	3.38"	85mm	2.50"	64mm	2.05"	52mm	6205 or 6205Z	
SYF335	3.38"	85mm	2.63"	67mm	1.97"	50mm	Cup M12610 cone M12649L	
SYF987	3.38"	85mm	2.63"	67mm	1.98"	50mm	Cup LM44610 cone LM44643 or assy LM44600LA	
SYF338	3.38"	85mm	2.63"	67mm	1.98"	50mm	Cup LM44610 cone LM44643 or assy LM44600LA	
SYF333	3.38"	85mm	2.63"	67mm	2.00"	51mm	R16 or S10PP-2	
SYF303	3.38"	85mm	2.63"	67mm	2.05"	52mm	6205	
SYF339	3.38"	85mm	2.63"	67mm	2.05"	52mm	6205	
SYF132	3.38"	85mm	2.75"	70mm	1.50"	38mm	MO16N	
SYF135	3.38"	85mm	2.75"	70mm	1.97"	50mm	Cup 7196 cone 7100 or cassy 7100LA	
SYF2360	3.38"	85mm	2.75"	70mm	2.05"	52mm	6205	
SYF137	3.38"	85mm	2.75"	70mm	2.05"	52mm	3205, 6205 or 7205	
SYF130	3.38"	85mm	2.75"	70mm	2.05"	52mm	6205, 8505 or 9505	
SYF133	3.38"	85mm	2.75"	70mm	2.24"	57mm	Cup 1729 cone 1780	
SYF431	3.38"	85mm	2.78"	71mm	1.85"	47mm	6204 or Z99504	

# Poly Wheels - Millennium Ruedas de Poliuretano Millennium Roues en Uréthane Millennium

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SYF837	3.38"	85mm	2.88"	73mm	1.94"	49mm	Cup 12520 cone 12580	
SYF830	3.38"	85mm	2.88"	73mm	1.97"	50mm	Cup M12610 cone M12649L	
SYF334	3.38"	85mm	2.88"	73mm	1.97"	50mm	Cup 12610 cone 12649	
SYF332	3.38"	85mm	2.88"	73mm	2.06"	52mm	Cup 1328 cone 1380	
SYF233	3.38"	85mm	2.88"	73mm	2.33"	59mm	Cup LM67010 cone LM67048	
SYF232	3.38"	85mm	2.88"	73mm	2.44"	62mm	Cup 15245 cone 15100	
SYF331	3.38"	85mm	3.00"	76mm	1.57"	40mm	Cup A6157 cone A6075	
SYF134	3.38"	85mm	3.13"	79mm	2.24"	57mm	Cup 1729 cone 1780	
SYF336	3.38"	85mm	3.50"	89mm	1.97"	50mm	Cup M12610 cone M12649	
SYF903	3.38"	85mm	3.94"	100mm	1.65"	42mm	22053 or 6004	
SYF430	3.38"	85mm	4.00"	102mm	1.38"	35mm	A7502	
SYF834	3.38"	85mm	4.00"	102mm	1.85"	47mm	6204	
SYF231	3.38"	85mm	4.75"	121mm	2.33"	59mm	Cup LM 67010 cone 67048	
SYF897	3.38"	85mm	5.00"	127mm	1.97"	50mm	BE 7196	
SYF352	3.38"	85mm	5.50"	140mm	2.05"	52mm	6205	
SYF300	3.38"	85mm	5.75"	146mm	2.05"	52mm	6205	
SYF243	3.38"	85mm	5.75"	146mm	2.33"	59mm	Cup LM67010 cone 67048	
SYF821	3.38"	85mm	5.75"	146mm	2.44"	62mm	6305 or 6305Z	
SYF435	3.38"	85mm	6.25"	159mm	2.05"	52mm	87505	
SYF330	3.50"	89mm	2.63"	67mm	1.57"	40mm	Cup A6157 cone A6075	
SYF823	3.50"	89mm	2.75"	70mm	1.38"	35mm	202K, 6202 or M014N	
SYF327	3.50"	89mm	3.53"	90mm	2.06"	52mm	Cup 1328 cone 1380	
SYF634	3.63"	92mm	3.63"	92mm	2.05"	52mm	6205 or 77505	
SYF9159	3.92"	100mm	1.86"	47mm	1.86"	47mm	6204	
SYF244	4.00"	102mm	1.75"	44mm	1.78"	45mm	Cup LM11910 cone LM11949	
SYF124	4.00"	102mm	1.75"	44mm	2.44"	62mm	6206	0.63"
SYF123	4.00"	102mm	1.75"	44mm	2.44"	62mm	6206	0.84"
SYF541	4.00"	102mm	1.88"	48mm	2.05"	52mm	8505	
SYF502	4.00"	102mm	1.88"	48mm	2.44"	62mm	BE 8605	0.67"
SYF924	4.00"	102mm	1.94"	49mm	1.26"	32mm	6201	
SYF644	4.00"	102mm	1.94"	49mm	1.78"	45mm	Cup LM11910 cone LM11949	
SYF925	4.00"	102mm	1.94"	49mm	1.85"	47mm	6204	
SYF9829	4.00"	102mm	2.00"	51mm	1.19"	30mm	BE HP9330NAH	
SYF9102	4.00"	102mm	2.00"	51mm	1.19"	30mm	HP93328	
SYF643	4.00"	102mm	2.00"	51mm	1.19"	30mm	HP9330NAH with grease fitting	
SYF2351	4.00"	102mm	2.00"	51mm	1.31"	33mm	HP94332 or HP94322NA	
SYF548	4.00"	102mm	2.00"	51mm	1.57"	40mm	6203	
SYF647	4.00"	102mm	2.00"	51mm	1.57"	40mm	6203	
SYF937	4.00"	102mm	2.00"	51mm	1.63"	41mm	R12 or EEB-6-2RS	0.47"
SYF9830	4.00"	102mm	2.00"	54mm	1.78"	45mm	LM11910 and 11949	
SYF9145	4.00"	102mm	2.00"	51mm	2.05"	52mm	6205	
SYF632	4.00"	102mm	2.00"	51mm	2.44"	62mm	BE 6206	
SYF440	4.00"	102mm	2.13"	54mm	2.05"	52mm	87505, C-30085 or C-38057	
SYF245	4.00"	102mm	2.25"	57mm	1.78"	45mm	Cup LM11910 cone LM11949	
SYF9340	4.00"	102mm	2.38"	60mm	1.57"	40mm	6203	
SYF640	4.00"	102mm	2.38"	60mm	1.97"	50mm	Cup 9195 cone 9067	
SYF342	4.00"	102mm	2.50"	64mm	1.94"	49mm	6005 or cup 9105 cone 9067	
SYF824	4.00"	102mm	2.50"	64mm	1.94"	49mm	6005 or cup 9105 cone 9067	

## Poly Wheels - Millennium Ruedas de Poliuretano Millennium Roues en Uréthane Millennium

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SYF9143	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205 or 8505	0.59"
SYF828	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205	0.67"
SYF304	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205	0.80"
SYF9824	4.00"	102mm	2.63"	67mm	2.17"	55mm	6006 or 6006DU	
SYF341	4.00"	102mm	2.63"	67mm	2.44"	62mm	8605	
SYF826	4.00"	102mm	2.63"	67mm	2.44"	62mm	87506	
SYF234	4.00"	102mm	2.75"	70mm	1.78"	45mm	Cup LM11910 cone LM11949	
SYF2352	4.00"	102mm	2.75"	70mm	1.94"	49mm	18127 or HPA96540NAH	
SYF9808	4.00"	102mm	2.75"	70mm	1.94"	49mm	HPA96540	
SYF2353	4.00"	102mm	2.75"	70mm	2.05"	52mm	6205 or C99505RIC	
SYF143	4.00"	102mm	2.75"	70mm	2.44"	62mm	6206 or 6206Z	
SYF642	4.00"	102mm	2.88"	73mm	1.85"	47mm	6204 or 77504	
SYF641	4.00"	102mm	2.88"	73mm	2.05"	52mm	6205, 6304, 8505 or 87505	0.59"
SYF9146	4.00"	102mm	2.88"	73mm	2.05"	52mm	6205 or 6205Z	0.75"
SYF641B	4.00"	102mm	2.88"	73mm	2.05"	52mm	BE 6205 or BE 6304	
SYF140	4.00"	102mm	2.88"	73mm	2.24"	57mm	Cup 1729 cone 1780	
SYF9803	4.00"	102mm	2.88"	73mm	2.33"	59mm	Cup LM67010 cone LM67048	
SYF844	4.00"	102mm	2.88"	73mm	2.44"	62mm	6206, 6206Z or 8605	
SYF9842	4.00"	102mm	2.88"	73mm	2.44"	62mm	BE 15145	
SYF9844	4.00"	102mm	2.88"	73mm	2.44"	62mm		
SYF544	4.00"	102mm	3.00"	76mm	1.63"	41mm	77R12 or R12	
SYF934	4.00"	102mm	3.00"	76mm	1.63"	41mm	R12 or EEB-6-2RS	
SYF443	4.00"	102mm	3.00"	76mm	2.05"	52mm	8505	
SYF2354	4.00"	102mm	3.25"	83mm	1.94"	49mm	TA96548NAL	
SYF645	4.00"	102mm	3.63"	92mm	2.05"	52mm	1205, 6205 or 6304	
SYF343	4.00"	102mm	3.63"	92mm	2.44"	62mm	Cup 15245 cone 15123 or 8605	
SYF142	4.00"	102mm	3.88"	98mm	2.05"	52mm	6205	
SYF543	4.00"	102mm	3.88"	98mm	2.44"	62mm	8505 or 8605	
SYF846	4.00"	102mm	4.00"	102mm	2.44"	62mm	6206	
SYF646	4.00"	102mm	4.00"	102mm	2.44"	62mm	7605 or 8605	
SYF9149	4.00"	102mm	4.13"	105mm	2.05"	52mm	3205 or 6205	0.75"
SYF2391	4.00"	102mm	4.25"	108mm	1.94"	49mm	PA96540NAH	
SYF9147	4.00"	102mm	5.00"	127mm	2.44"	62mm	6305	
SYF842	4.25"	108mm	2.00"	51mm	2.05"	52mm	6205 or 6205-2RS	
SYF841	4.25"	108mm	2.88"	73mm	2.05"	52mm	6205 or 6205-2RS	
SYF144	4.25"	108mm	2.88"	73mm	2.24"	57mm	Cup 1729 cone 1780	
SYF148	4.50"	114mm	2.75"	70mm	2.44"	62mm	6206 or 6206Z	
SYF141	4.50"	114mm	2.88"	73mm	2.24"	57mm	Cup 1729 cone 1780	
SYF656	5.00"	127mm	1.13"	29mm	2.05"	52mm	6205	
SYF9105	5.00"	127mm	1.50"	38mm	1.19"	30mm	HP9330NAH	
SYF551	5.00"	127mm	1.88"	48mm	2.44"	62mm	7605 or 8605	
SYF2378	5.00"	127mm	1.97"	50mm	1.63"	41mm	R12	
SYF9103	5.00"	127mm	2.00"	51mm	1.19"	30mm	HP9330NAH	
SYF601	5.00"	127mm	2.00"	51mm	1.63"	41mm	BE R12	
SYF650	5.00"	127mm	2.00"	51mm	2.05"	52mm	305KD or 6205	
SYF651	5.00"	127mm	2.00"	51mm	2.44"	62mm	305KD-C1 or 6305	
SYF145	5.00"	127mm	2.50"	64mm	1.85"	47mm	6204 or 77504	
SYF452	5.00"	127mm	2.50"	64mm	1.94"	49mm		

# Poly Wheels - Millennium Ruedas de Poliuretano Millennium Roues en Uréthane Millennium

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SYF2357	5.00"	127mm	2.50"	64mm	2.05"	52mm	6205	
SYF351	5.00"	127mm	2.63"	67mm	2.84"	72mm	87507 or 88107	
SYF252	5.00"	127mm	2.75"	70mm	1.78"	45mm	Cup LM11910 cone LM11949	
SYF652	5.00"	127mm	2.75"	70mm	2.44"	62mm	87506	
SYF853	5.00"	127mm	2.75"	70mm	2.44"	62mm		
SYF9109	5.00"	127mm	2.75"	70mm	3.15"	80mm	6307	
SYF849	5.00"	127mm	2.88"	73mm	2.44"	62mm	6305	0.67"
SYF653	5.00"	127mm	2.88"	73mm	2.05"	52mm	6205, 77505, 8505, 8605 or 87505	0.60"
SYF9805	5.00"	127mm	2.88"	73mm	2.33"	59mm	Cup LM67010 cone LM67048	
SYF854	5.00"	127mm	2.88"	73mm	2.44"	62mm	6206	0.82"
SYF9150	5.00"	127mm	2.88"	73mm	2.44"	62mm	6305	
SYF9825	5.00"	127mm	2.88"	73mm	2.84"	72mm	6306 or 6306DDU	
SYF9152	5.00"	127mm	2.88"	73mm	3.15"	80mm	6307 or C307SFF	
SYF9851	5.00"	127mm	2.94"	75mm	2.83"	72mm	87507	
SYF254	5.00"	127mm	3.00"	76mm	1.78"	45mm	Cup LM11910 cone LM11949	
SYF229	5.00"	127mm	3.00"	76mm	1.94"	49mm	Cup 9195 or 9196 cone 9078	
SYF251	5.00"	127mm	3.00"	76mm	1.94"	49mm	Cup 9195 or 9196 cone 9078	
SYF256	5.00"	127mm	3.00"	76mm	1.94"	49mm	Cup 9195 or 9196 cone 9078	
SYF398	5.00"	127mm	3.00"	76mm	2.44"	62mm	6305	
SYF9828	5.00"	127mm	3.00"	76mm	2.84"	72mm	87507 or 88107	
SYF9853	5.00"	127mm	3.50"	89mm	2.44"	62mm	Cup 15245 cone 15123	
SYF981	5.00"	127mm	3.50"	89mm	2.84"	72mm	87507	
SYF654	5.00"	127mm	3.63"	92mm	2.44"	62mm	1305 or 6305	0.67"
SYF655	5.00"	127mm	3.63"	92mm	2.44"	62mm	6305 or 7605	
SYF353	5.00"	127mm	3.63"	92mm	2.84"	72mm	6306, 87507 or 88107	
SYF354	5.00"	127mm	3.75"	95mm	2.84"	72mm	87505 or 87507	
SYF153	5.00"	127mm	3.88"	98mm	2.05"	52mm	6205	
SYF850	5.00"	127mm	3.88"	98mm	2.44"	62mm	6305	0.67"
SYF154	5.00"	127mm	4.00"	102mm	2.44"	62mm	6206 or 6206Z	
SYF9153	5.00"	127mm	4.13"	105mm	2.44"	62mm	6305	
SYF9151	5.00"	127mm	4.13"	105mm	3.15"	80mm	6307 or C307SFF	
SYF555	5.00"	127mm	4.50"	114mm	2.44"	62mm	5506 or 6305	
SYF905	5.50"	140mm	2.38"	60mm	2.05"	52mm	6304	
SYF155	5.50"	140mm	3.75"	95mm	2.50"	64mm	Cup 15250X cone 15100	
SYF558	5.50"	140mm	4.50"	114mm	2.44"	62mm	6305 or 7605	
SYF150	5.50"	140mm	4.50"	114mm	2.50"	64mm	Cup 15250 cone 15100 or cup 14277 cone 14130	
SYF481	5.50"	140mm	5.00"	127mm	2.50"	64mm	Cup 15250 cone 15100 or cup 14277 cone 14130	
SYF151	5.50"	140mm	5.00"	127mm	2.50"	64mm	Cup 15250 cone 15100 or cup 14277 cone 14130	
SYF2392	6.00"	152mm	2.00"	51mm	1.19"	30mm	HP9330NAH	
SYFCW-62	6.00"	152mm	2.00"	51mm	1.19"	30mm	HP9330NAH	
SYF2393	6.00"	152mm	2.00"	51mm	1.31"	33mm	HP94332NA	
SYF602	6.00"	152mm	2.00"	51mm	1.63"	41mm	R12	
SYF461	6.00"	152mm	2.00"	51mm	1.94"	49mm	18125	



## Poly Wheels - Millennium Ruedas de Poliuretano Millennium Roues en Uréthane Millennium

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SYF463	6.00"	152mm	2.00"	51mm	1.94"	49mm	Cup 9195 cone 9067	
SYF462	6.00"	152mm	2.00"	51mm	2.05"	52mm	87505	
SYF261	6.00"	152mm	2.00"	51mm	2.33"	59mm	Cup LM67010 cone LM67048	
SYF337	6.00"	152mm	2.00"	51mm	2.33"	59mm	Cup LM67010 cone LM67048	
SYF862	6.00"	152mm	2.00"	51mm	2.38"	60mm	18175	
SYF861	6.00"	152mm	2.00"	51mm	2.44"	62mm	6206 and cup 15244 cone 15117	
SYF235	6.00"	152mm	2.00"	51mm	2.44"	62mm	Cup 15245 cone 15100	
SYF660	6.00"	152mm	2.00"	51mm	2.84"	72mm	BE 6207	
SYF668	6.00"	152mm	2.50"	64mm	1.69"	43mm	94540	
SYF363	6.00"	152mm	2.50"	64mm	1.94"	49mm	18130	
SYF667	6.00"	152mm	2.50"	64mm	1.94"	49mm	Cup 9195 cone 9067	
SYF9860	6.00"	152mm	2.50"	64mm	1.94"	49mm	PA96540NAH	
SYF460	6.00"	152mm	2.50"	64mm	1.98"	50mm	Cup LM44610 cone LM44643	
SYF663	6.00"	152mm	2.50"	64mm	2.33"	59mm	Cup LM67010 cone LM67048	
SYF267	6.00"	152mm	2.75"	70mm	1.78"	45mm	Cup LM11910 cone LM11949	
SYF989	6.00"	152mm	2.75"	70mm	1.98"	50mm	Cup LM44610 cone LM44643	
SYF2366	6.00"	152mm	2.75"	70mm	2.05"	52mm	8505	
SYF9111SHL	6.00"	152mm	2.75"	70mm	3.15"	80mm	307NPP or 6307	0.83"
SYF9111	6.00"	152mm	2.75"	70mm	3.15"	80mm	307NPP or 6307	0.83"
SYF9114	6.00"	152mm	2.80"	71mm	3.15"	80mm	6307	
SYF986	6.00"	152mm	2.88"	73mm	2.05"	52mm	8505	
SYF561	6.00"	152mm	2.88"	73mm	2.44"	62mm	BE 6305	
SYF262	6.00"	152mm	3.00"	76mm	1.78"	45mm	Cup LM11910 cone LM11949	
SYF241	6.00"	152mm	3.00"	76mm	1.94"	49mm	18130	
SYF268	6.00"	152mm	3.00"	76mm	1.94"	49mm	BE 9195	
SYF2367	6.00"	152mm	3.00"	76mm	1.94"	49mm	PA96540NAH	
SYF569	6.00"	152mm	3.00"	76mm	1.94"	49mm	PA96540NAH	
SY1223358	6.00"	152mm	3.00"	76mm	1.97"	50mm		
SYF102	6.00"	152mm	3.00"	76mm	1.98"	50mm	Cup LM44610 cone LM44643	
SYF699	6.00"	152mm	3.00"	76mm	2.05"	52mm	6205	0.60"
SYF101	6.00"	152mm	3.00"	76mm	2.05"	52mm	6205	
SYF560	6.00"	152mm	3.00"	76mm	2.05"	52mm	8505	
SYF467	6.00"	152mm	3.00"	76mm	2.05"	52mm	6205, 87026 or 87505	
SYF368	6.00"	152mm	3.00"	76mm	2.25"	57mm		
SYF864	6.00"	152mm	3.00"	76mm	2.44"	62mm	6206	
SYF459	6.00"	152mm	3.00"	76mm	2.44"	62mm	7605, 8505 or 87506	
SYF664	6.00"	152mm	3.00"	76mm	2.44"	62mm	BE 6305	
SYF239	6.00"	152mm	3.00"	76mm	2.44"	62mm	Cup 15245 cone 15100	
SYF468	6.00"	152mm	3.00"	76mm	2.84"	72mm	3207, 6207 or 88107-C	
SYF673	6.00"	152mm	3.63"	92mm	2.44"	62mm	6305	0.67"
SYF364	6.00"	152mm	3.75"	95mm	2.84"	72mm	6306 or 88107	
SYF366	6.00"	152mm	3.75"	95mm	2.84"	72mm	6306 or 88107	
SYF9861	6.00"	152mm	3.88"	98mm	2.33"	59mm	Cup LM67010 cone LM67048	
SYF562	6.00"	152mm	3.88"	98mm	2.44"	62mm	6206, 6305, 7605 or 8605	
SYF503	6.00"	152mm	3.88"	98mm	2.44"	62mm	BE 6305 or BE 8605	
SYF2359	6.00"	152mm	4.00"	102mm	2.44"	62mm	BE 6206	
SYF866	6.00"	152mm	4.00"	102mm	2.44"	62mm	Cup 15244 cone 15117	
SYF264	6.00"	152mm	4.00"	102mm	2.44"	62mm	Cup 15245 cone 15100	

## Poly Wheels - Millennium Ruedas de Poliuretano Millennium Roues en Uréthane Millennium

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SYF661	6.00"	152mm	4.00"	102mm	2.72"	69mm	Cup 14274 cone 14136A	
SYF362	6.00"	152mm	4.00"	102mm	2.84"	72mm	6306 or 88107	
SYF666	6.00"	152mm	4.00"	102mm	2.84"	72mm	6207	
SYF9862	6.00"	152mm	4.00"	102mm	2.88"	73mm	Cup 25821 cone 25877	
SYF185	6.00"	152mm	4.00"	102mm	3.15"	80mm	6307	
SYF867	6.00"	152mm	4.00"	102mm	3.15"	80mm	6307	
SYF9186	6.00"	152mm	4.13"	105mm	3.15"	80mm	6307	
SYF9117	6.00"	152mm	4.25"	108mm	3.15"	80mm	6307 or C307SFF	
SYF563	6.00"	152mm	4.50"	114mm	2.44"	62mm	6206 or 7605	
SYF868	6.00"	152mm	5.00"	127mm	2.44"	62mm	6206	
SYF564	6.00"	152mm	5.00"	127mm	2.44"	62mm	6206 or 7605	
SYF469	6.00"	152mm	5.00"	127mm	2.44"	62mm	87505 or 87506	
SYF265	6.00"	152mm	5.00"	127mm	2.44"	62mm	Cup 15245 cone 15100	
SYF662	6.00"	152mm	5.00"	127mm	2.72"	69mm	Cup 14274 cone 14136A	
SYF665	6.00"	152mm	5.00"	127mm	2.84"	72mm	1207FF or 6207	
SYF361	6.00"	152mm	6.00"	152mm	2.84"	72mm	6306 or 88107	
SYF570	6.50"	165mm	4.00"	102mm	2.44"	62mm	6305 or 9506	
SYF164	6.50"	165mm	4.00"	102mm	2.83"	72mm	87507	
SYF161	6.50"	165mm	5.00"	127mm	2.50"	64mm	Cup 15250 cone 15100 or cup 14277 cone 14130	
SYF9172	7.00"	178mm	2.00"	51mm	1.85"	47mm	6204	
SYF9472	7.00"	178mm	2.00"	51mm	1.85"	47mm	6204 or 6204Z	
SYF273	7.00"	178mm	2.00"	51mm	1.94"	49mm	18125	
SYF670	7.00"	178mm	2.00"	51mm	1.94"	49mm	Cup 9078 cone 9195	
SYF470	7.00"	178mm	2.00"	51mm	2.05"	52mm	6205	
SYF272	7.00"	178mm	2.00"	51mm	2.44"	62mm	Cup 15245 cone 15100	
SYF671	7.00"	178mm	2.00"	51mm	2.84"	72mm	6207	
SYF672	7.00"	178mm	2.00"	51mm	2.84"	72mm	6207	
SYF906	7.00"	178mm	2.38"	60mm	1.85"	47mm	6204	
SYF945	7.00"	178mm	2.50"	64mm	2.05"	52mm	6205 and 6304	
SYF372	7.00"	178mm	2.50"	64mm	2.33"	59mm	Cup LM67010 cone LM67048	
SYF9870	7.00"	178mm	2.50"	64mm	2.33"	59mm	Cup LM67010 cone LM67048	
SYF271	7.00"	178mm	2.50"	64mm	2.44"	62mm	Cup 15245 cone 15100	
SYF9873	7.00"	178mm	2.75"	70mm	1.98"	50mm	Cup L44610 cone L44643	
SYF9827	7.00"	178mm	2.88"	73mm	2.05"	52mm	6205, 6206 or 6304	
SYF473	7.00"	178mm	2.94"	75mm	2.84"	72mm	88107	
SYF237	7.00"	178mm	3.00"	76mm	1.94"	49mm	18130	
SYF275	7.00"	178mm	3.00"	76mm	2.44"	62mm	Cup 15245 cone 15100	
SYF238	7.00"	178mm	4.00"	102mm	2.44"	62mm	Cup 15245 cone 15100	0.67"
SYF105	7.00"	178mm	4.00"	102mm	2.44"	62mm	Cup 15245 cone 15100	
SYF9874	7.00"	178mm	4.00"	102mm	2.84"	72mm	6306LLB	
SYF270	7.00"	178mm	5.00"	127mm	1.98"	50mm	L44643 and L44610	
SYF276	7.00"	178mm	5.00"	127mm	2.44"	62mm	Cup 15245 cone 15100	
SYF9175	7.00"	178mm	5.00"	127mm	2.56"	65mm	Cone LM29748 cup 29710	
SYF475	7.00"	178mm	5.00"	127mm	2.84"	72mm	487507V	
SYF972	7.50"	191mm	2.00"	51mm	1.85"	47mm	6204	
SYF608HL	7.88"	200mm	2.17"	55mm	2.38"	60mm		
SYF484	8.00"	203mm	1.75"	44mm	1.37"	35mm	87502	

## Poly Wheels - Millennium Ruedas de Poliuretano Millennium Roues en Uréthane Millennium

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SYF187	8.00"	203mm	1.75"	44mm	1.98"	50mm	Cup L44610 cone L44643	
SYF683	8.00"	203mm	1.75"	44mm	2.00"	51mm	CS-938	
SYF603	8.00"	203mm	2.00"	51mm	1.44"	37mm		
SYF9380	8.00"	203mm	2.00"	51mm	1.75"	44mm	134750	
SYF486	8.00"	203mm	2.00"	51mm	1.78"	45mm	BE LM11910	
SYF9982	8.00"	203mm	2.00"	51mm	1.85"	47mm	6204	
SYF9480	8.00"	203mm	2.00"	51mm	1.85"	47mm	6204 or 6204Z	
SYF9542	8.00"	203mm	2.00"	51mm	1.85"	47mm	6204 or cup 05185 cone 05079	
SYF482	8.00"	203mm	2.00"	51mm	1.94"	49mm	Cup 9195 cone 9067	
SYF9880	8.00"	203mm	2.00"	51mm	1.98"	50mm	Cup LM44610 cone LM44643	
SYF932	8.00"	203mm	2.00"	51mm	2.00"	51mm	200100	
SYF584	8.00"	203mm	2.00"	51mm	2.05"	52mm	6205, 6205ZZ, 6205RS or 87505	
SYF931	8.00"	203mm	2.00"	51mm	2.05"	52mm	6205, 6205ZZ, 6205RS or 87505	
SYF783	8.00"	203mm	2.00"	51mm	2.05"	52mm	6205	
SYF598	8.00"	203mm	2.00"	51mm	2.05"	52mm	6205	
SYF9814	8.00"	203mm	2.00"	51mm	2.33"	59mm	Cup LM67010 cone LM67048	
SYF9113	8.00"	203mm	2.00"	51mm	2.44"	62mm	6206	
SYF884	8.00"	203mm	2.00"	51mm	2.84"	72mm	6306 or 6306KK	
SYF485	8.00"	203mm	2.50"	64mm	1.98"	50mm	Cup LM44610 cone LM44643	
SYF606	8.00"	203mm	2.50"	64mm	2.05"	52mm	6205	1.07"
SYF681	8.00"	203mm	2.50"	64mm	3.35"	85mm	Cup 18720 cone 18790	
SYF9831	8.00"	203mm	3.00"	76mm	1.78"	45mm	Cup LM11910 cone LM11949	
SYF939	8.00"	203mm	3.00"	76mm	2.05"	52mm	6205	
SYF585	8.00"	203mm	3.00"	76mm	2.05"	52mm	BE 6205	
SYF882	8.00"	203mm	3.00"	76mm	2.33"	59mm	Cup LM67010 cone LM67048XL	
SYF582	8.00"	203mm	3.00"	76mm	2.44"	62mm	6305 or 7605	
SYF928	8.00"	203mm	3.00"	76mm	2.44"	62mm		
SYF9116	8.00"	203mm	3.75"	95mm	3.15"	80mm	6307 or C307SFF	
SYF684	8.00"	203mm	4.00"	102mm	2.44"	62mm	Cup 18720 cone 18790	0.66"
SYF581	8.00"	203mm	4.00"	102mm	2.44"	62mm	Cup 18720 cone 18790	0.67"
SYF9184	8.00"	203mm	4.00"	102mm	2.84"	72mm	6306	
SYF147	8.00"	203mm	5.00"	127mm	2.50"	64mm	Cup 15250 cone 15100 or cup 14277 cone 14130	
SYF888	8.50"	216mm	2.50"	64mm				
SYF9119	8.50"	216mm	2.66"	68mm	2.76"	70mm		
SYF296	9.00"	229mm	2.00"	51mm	1.94"	49mm	18130	
SYF9890	9.00"	229mm	2.50"	64mm	1.94"	49mm	PA96540NAH	
SYF297	9.00"	229mm	3.00"	76mm	1.94"	49mm	18130	
SYF293	9.00"	229mm	3.00"	76mm	2.44"	62mm	Cup 15245 cone 15100	
SYF491	9.00"	229mm	3.00"	76mm	2.84"	72mm	88107	
SYF9832	9.00"	229mm	3.50"	89mm	3.94"	100mm	6309	
SYF298	9.00"	229mm	4.00"	102mm	2.44"	62mm	15245 and 15100	
SYF394	9.00"	229mm	4.00"	102mm	2.84"	72mm	6306 or 88107	
SYF277	9.00"	229mm	5.00"	127mm	2.44"	62mm	15245 and 15100	
SYF395	9.00"	229mm	5.00"	127mm	2.84"	72mm	88107	
SYF395B	9.00"	229mm	5.00"	127mm	2.84"	72mm	BE 6306	
SYF492	9.00"	229mm	6.00"	152mm	3.54"	90mm	87510	
SYF9130	10.00"	254mm	3.00"	76mm	2.33"	59mm	Cup LM67010 cone LM67048	

## Poly Wheels - Millennium Ruedas de Poliuretano Millennium Roues en Uréthane Millennium

	Wheel O.D. ▼	Tread Width	Bearing O.D.	Bearing	Bore Depth
SYF414	10.00" 254mm	3.96" 101mm	3.94" 100mm		
SYF9778	10.50" 267mm	3.50" 89mm	3.94" 100mm	6309 or 6309RS	
SYF9164	10.50" 267mm	4.00" 102mm	3.15" 80mm	BE 6307	
SYF9165	10.50" 267mm	4.50" 114mm	3.15" 80mm	6307 or 6307-2RS	
SYF938	10.50" 267mm	5.00" 127mm	2.05" 52mm	6205	
SYF299	11.00" 279mm	4.00" 102mm	2.44" 62mm	15245 and 15100	

## Poly Wheels - Quantum Ruedas de Poliuretano Quantum Roues en Uréthane Quantum

### Quantum P/S



A combination of LCT (Liquid Cast Technology) and SCT (Steel Core Technology). High performance liquid cast polyurethane, molecularly and mechanically bonded to a steel core.

Maximizes load bearing capacity, durability and rollability in heavy duty steer wheel applications.

Una combinación de LCT (Tecnología de la Fundición Líquida) y de SCT (Tecnología del Núcleo o del Casco de Acero). La fundición líquida de poliuretano de alto rendimiento unida molecularmente y mecánicamente al núcleo de acero.

Maximiza la capacidad de carga, durabilidad y confiabilidad durante el desempeño de aplicaciones de trabajo pesado en el manejo de las ruedas.

Une combinaison de LCT (Technologie de Coulage de liquide) de SCT (Technologie du en acier). Coulage de polyurethane de haute qualité moléculairement et mécaniquement collé au noyau en acier.

Maximiser la capacité de portance, la durabilité et le coefficient de roulement lors des roues en acier d'usage pour travaux lourds.

### Quantum P



LCT (Liquid Cast Technology) yields a high performance solid polyurethane steer wheel, easy to roll and crack resistant, for use in all standard applications.

La tecnología de fundición genera un mejor rendimiento de dirección de la rueda, facilidad para rodar y resistencia a quebraduras en aplicaciones estándar.

La technologie de coulage de liquide autorise de grandes performances aux roues en uréthanes, facile à faire rouler et résistant aux fissures, à utiliser dans toutes les situations classiques.

	Type	Wheel O.D. ▼	Tread Width	Bearing
SYFH129	P	2.00" 51mm	3.00" 76mm	BE 6203-12
SYF927Q	P	2.75" 70mm	3.75" 95mm	6204-12 2RS
SYFH116	P	2.75" 70mm	3.75" 95mm	R12
SYFH016	P/S	2.75" 70mm	3.75" 95mm	R12
SYFH111	P	2.75" 70mm	3.94" 100mm	6004
SYFH140	P	2.85" 72mm	3.75" 95mm	62045
SYFH040	P/S	2.85" 72mm	3.75" 95mm	62045
SYFH133	P	2.88" 73mm	2.00" 51mm	6204
SYF907N	P	2.88" 73mm	4.00" 102mm	6004
SYFH105	P	2.90" 74mm	3.72" 94mm	BE 22053
SYFH005	P/S	2.90" 74mm	3.72" 95mm	22053
SYFH049	P/S	2.90" 74mm	3.88" 98mm	6204
SYF9129N	P	2.90" 74mm	3.88" 98mm	6204
SYFH135	P	2.90" 74mm	3.94" 100mm	6204
SYFH035	P/S	2.90" 74mm	3.94" 100mm	6204
SYFH146	P	2.90" 74mm	4.00" 102mm	6204
SYFH046	P/S	2.90" 74mm	4.00" 102mm	6204
SYF9329N	P	2.95" 75mm	3.75" 95mm	6204-12
SYFH102	P	3.00" 76mm	2.06" 52mm	6204
SYFH002	P/S	3.00" 76mm	2.06" 52mm	6204

## Poly Wheels - Quantum Ruedas de Poliuretano Quantum Roues en Uréthane Quantum

	Type	Wheel O.D. ▼		Tread Width		Bearing
SYFH131	P	3.00"	76mm	3.38"	86mm	BE 6204
SYFH031	P/S	3.00"	76mm	3.38"	83mm	6204
SYFH101	P	3.00"	76mm	3.50"	89mm	6204
SYFH001	P/S	3.00"	76mm	3.50"	89mm	6204
SYFH141	P	3.00"	76mm	3.75"	95mm	134750
SYFH041	P/S	3.00"	76mm	3.75"	95mm	134750
SYFH017	P/S	3.00"	76mm	3.75"	95mm	R12
SYFH139	P	3.00"	76mm	3.81"	97mm	6204
SYFH039	P/S	3.00"	76mm	3.81"	97mm	6204
SYFH145	P	3.00"	76mm	3.88"	98mm	6004
SYFH114	P	3.00"	76mm	3.88"	98mm	6205
SYFH045	P/S	3.00"	76mm	3.88"	98mm	6004
SYFH014	P/S	3.00"	76mm	3.88"	98mm	6205
SYFH125	P	3.00"	76mm	3.94"	100mm	BE 6004
SYFH147	P	3.00"	76mm	4.00"	102mm	R10
SYFH025	P/S	3.00"	76mm	4.00"	102mm	6004
SYFH127	P	3.15"	80mm	2.88"	73mm	6204
SYFH027	P/S	3.15"	80mm	2.88"	73mm	6204
SYFH142	P	3.25"	83mm	3.75"	95mm	134750
SYFH042	P/S	3.25"	83mm	3.75"	95mm	134750
SYFH112	P	3.25"	83mm	3.94"	100mm	6004
SYFH136	P	3.25"	83mm	3.94"	100mm	BE 6204
SYFH012	P/S	3.25"	83mm	3.94"	100mm	6004
SYFH036	P/S	3.25"	83mm	3.94"	100mm	6204
SYFH107	P	3.38"	86mm	3.94"	100mm	6004
SYFH118	P	4.00"	102mm	3.00"	76mm	R12
SYFH018	P/S	4.00"	102mm	3.00"	76mm	R12
SYFH106	P	5.25"	133mm	3.00"	76mm	22053
SYFH006	P/S	5.25"	133mm	3.00"	76mm	22053
SYFH008	P/S	5.50"	140mm	2.38"	60mm	6304 or 6205
SYFH103	P	7.00"	178mm	2.00"	51mm	6204
SYFH124	P	7.00"	178mm	2.00"	51mm	6204
SYFH003	P/S	7.00"	178mm	2.00"	51mm	6204
SYFH024	P/S	7.00"	178mm	2.00"	51mm	6204
SYFH109	P	7.00"	178mm	2.38"	60mm	6204 and 87504
SYFH009	P/S	7.00"	178mm	2.38"	60mm	6204 and 87504
SYFH013	P/S	7.00"	178mm	2.50"	64mm	6205 and 6304
SYFH128	P	7.00"	178mm	2.75"	70mm	6304
SYFH028	P/S	7.00"	178mm	2.75"	70mm	6304
SYFH148	P	7.25"	184mm	2.00"	51mm	BE 6204
SYFH048	P/S	7.25"	184mm	2.00"	51mm	6204
SYFH037	P/S	7.25"	191mm	2.00"	51mm	6204
SYFH137	P	7.50"	191mm	2.00"	51mm	6204
SYFH143	P	7.50"	191mm	2.00"	51mm	6204
SYFH043	P/S	7.50"	191mm	2.00"	51mm	6204
SYF787L	P/S	7.75"	197mm	2.00"	51mm	6205
SYFH134	P	8.00"	203mm	2.00"	51mm	6204
SYFH104	P	8.00"	203mm	2.00"	51mm	6204

## Poly Wheels - Quantum Ruedas de Poliuretano Quantum Roues en Uréthane Quantum

	Type	Wheel O.D. ▼		Tread Width		Bearing
SYF9182	P	8.00"	203mm	2.00"	51mm	6204 or 6204Z
SYF783N	P	8.00"	203mm	2.00"	51mm	6205
SYFH004	P/S	8.00"	203mm	2.00"	51mm	6204
SYFH023	P/S	8.00"	203mm	2.00"	51mm	6204
SYFH010	P/S	8.00"	203mm	2.00"	51mm	6205
SYFH015	P/S	8.00"	203mm	2.00"	51mm	6205
SYFH019	P/S	8.00"	203mm	2.00"	51mm	6205
SYFH026	P/S	8.00"	203mm	2.00"	51mm	6205
SYFH021	P/S	8.00"	203mm	2.00"	51mm	200100
SYF931L	P/S	8.00"	203mm	2.00"	51mm	6205-16
SYFH020	P/S	8.00"	203mm	2.00"	51mm	
SYFH030	P/S	8.00"	203mm	2.00"	51mm	
SYFH032	P/S	8.00"	203mm	2.00"	51mm	
SYF783L	P/S	8.00"	203mm	2.00"	51mm	6205
SYFH144	P	8.00"	203mm	2.00"	51mm	134750
SYF931L	P/S	8.00"	203mm	2.00"	51mm	

## Poly Wheels - Thombert Ruedas de Poliuretano Thombert Roues en Uréthane Thombert

For Dyalon A:  
add "A" to standard part number



Para Dyalon A:  
Agregue una "A" al número de parte

Pour Dyalon A:  
Ajoutez "A" au numéro de pièces

For Dyalon B:  
add "B" to standard part number

Para Dyalon B:  
Agregue una "B" al número de parte

Pour Dyalon B:  
Ajoutez "B" au numéro de pièces

	Compound	Color	Durometer		Compound	Color	Durometer
	Dyalon "B"	Black	83A		Dyalon "A"	Green	95A

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
TH9112	2.50"	64mm	2.00"	51mm	1.19"	30mm	HP93328	
TH4836	2.90"	74mm	3.73"	95mm	1.65"	42mm	22053	0.59"
TH985	3.00"	76mm	1.88"	48mm	2.05"	52mm	6205 or 8505	
TH2362	3.00"	76mm	2.75"	70mm	2.05"	52mm	6205	0.59"
TH2030	3.00"	76mm	3.00"	76mm	1.50"	38mm		0.81"
TH5348	3.00"	76mm	3.38"	86mm	1.85"	47mm	6204	0.56"
TH2661	3.00"	76mm	3.50"	89mm	1.85"	47mm	6204	
TH533	3.00"	76mm	3.50"	89mm	1.85"	47mm	204PP4, 6204, or Z99603	
TH7853	3.00"	76mm	3.50"	89mm	1.85"	47mm	204PP4, 6204, or Z99603	
TH910	3.00"	76mm	3.50"	89mm	1.85"	47mm	204PP4, 6204, or Z99603	
TH930	3.00"	76mm	3.75"	95mm	1.63"	41mm	R12, EEB-6-2RS, or Z99R12	
TH7834	3.00"	76mm	3.81"	97mm	1.85"	47mm	6204	
TH5377	3.00"	76mm	3.88"	98mm	1.85"	47mm	6204	
TH734	3.00"	76mm	3.88"	98mm	1.85"	47mm	6204	
TH7856	3.00"	76mm	3.88"	98mm	1.85"	47mm	6204	
TH1252	3.15"	80mm	4.72"	120mm	2.05"	52mm	6304	0.98"

## Poly Wheels - Thombert Ruedas de Poliuretano Thombert Roues en Uréthane Thombert

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
TH1694	3.25"	83mm	1.75"	45mm	1.85"	47mm	6204	0.55"
TH530	3.25"	83mm	1.88"	48mm	2.05"	52mm	8505	0.62"
TH4868	3.25"	83mm	2.00"	51mm	1.98"	50mm	6205	
TH420	3.25"	83mm	2.00"	51mm	2.05"	52mm	6205 or 87505	
TH631	3.25"	83mm	2.25"	57mm	1.85"	47mm	6204 or 77504	
TH2095	3.25"	83mm	2.63"	67mm	2.05"	52mm	6205	
TH2363	3.25"	83mm	2.75"	70mm	1.63"	41mm	R12	0.44"
TH431	3.25"	83mm	2.75"	70mm	1.85"	47mm	6204 or Z99504	
TH633	3.25"	83mm	2.88"	73mm	1.85"	47mm	6204 or 77504	
TH9137	3.25"	83mm	2.88"	73mm	1.85"	47mm	6204	
TH8026	3.25"	83mm	2.88"	74mm	1.98"	50mm	L44643 or L44610	
TH984	3.25"	83mm	2.88"	73mm	2.05"	52mm	6205	0.59"
TH9110	3.25"	83mm	2.88"	73mm	2.05"	52mm	5205	
TH9801	3.25"	83mm	3.00"	76mm	1.78"	45mm	Z9504AB or Z9504B	
TH537	3.25"	83mm	3.00"	76mm	1.85"	47mm	6204 or 8504	
TH9804	3.25"	83mm	3.00"	76mm	1.98"	50mm	Cup 4TL44610 cone 4TL44610 or cup L44610 cone L44610	
TH439	3.25"	83mm	3.00"	76mm	1.98"	50mm	Cup LM44610 cone LM44643	
TH535	3.25"	83mm	3.00"	76mm	2.05"	52mm	5205 or 5505	
TH9802	3.25"	83mm	3.00"	76mm	2.05"	52mm	6205 (2)	
TH9806	3.25"	83mm	3.00"	76mm	2.05"	52mm	6205 or 99604	
TH5327	3.25"	83mm	3.25"	83mm	1.85"	47mm	6204	
TH9133V27	3.25"	83mm	3.25"	83mm	1.98"	50mm	6205	
TH9133	3.25"	83mm	3.25"	83mm	2.05"	52mm	6205 or 6205RS	0.59"
TH442	3.25"	83mm	3.25"	83mm	2.05"	52mm	6205, 6205RS, or 87505	0.83"
TH637	3.25"	83mm	3.56"	91mm	2.00"	51mm	1638, 6205, or 9505	
TH7862	3.25"	83mm	3.63"	92mm	1.85"	47mm	6204 or 6204-2RS	
TH8018	3.25"	83mm	3.63"	92mm	2.33"	59mm	LM67048 or L67010	0.72"
TH7847	3.25"	83mm	3.75"	95mm	1.75"	45mm	134750	
TH453	3.25"	83mm	3.75"	95mm	2.05"	52mm	8505 or 87505	
TH9138	3.25"	83mm	3.88"	98mm	1.85"	47mm	6204, 6204Z, or cup 05185 cone 05079	0.60
TH538	3.25"	83mm	3.88"	98mm	2.05"	52mm	5205 or 5505	
TH9330	3.25"	83mm	4.00"	102mm	1.75"	45mm	134750	
TH9807	3.25"	83mm	4.00"	102mm	1.78"	45mm	Z9504B	
TH9534	3.25"	83mm	4.00"	102mm	1.85"	47mm	6204 or cup 05185 cone 05079	0.55"
TH9107	3.25"	83mm	4.00"	102mm	2.05"	52mm	304KR2 or 6304	0.69"
TH4867	3.25"	83mm	4.19"	106mm	2.05"	52mm	6205	1.18"
TH340	3.25"	83mm	4.25"	108mm	1.85"	47mm	6204	
TH425	3.25"	83mm	4.25"	108mm	2.05"	52mm	6205 or 6205RS	
TH5329	3.25"	83mm	4.30"	109mm	1.98"	50mm	L44643 or L44610	0.69"
TH5422	3.25"	83mm	4.40"	112mm	2.17"	55mm		0.81"
TH236	3.25"	83mm	4.42"	112mm	1.78"	45mm	Cup LM11910 cone LM11949	
TH820	3.25"	83mm	4.50"	114mm	1.57"	40mm	6203 or 6203Z	
TH1820	3.25"	83mm	4.50"	114mm	2.05"	50mm	6205	0.59"
TH2690	3.25"	83mm	4.50"	114mm	2.05"	50mm	6205	0.71"
TH5386	3.25"	83mm	4.50"	114mm	2.17"	55mm	6006 or 6206	0.52"
TH9139	3.25"	83mm	4.50"	114mm	2.44"	62mm	6206 or 6206Z	0.66"
TH441	3.25"	83mm	4.75"	121mm	2.05"	52mm	6205	

# Poly Wheels - Thombert Ruedas de Poliuretano Thombert Roues en Uréthane Thombert

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
TH454	3.25"	83mm	4.88"	124mm	2.05"	52mm	8505 or 87505	
TH9135	3.25"	83mm	5.00"	127mm	2.05"	52mm	304KR2, 3205, or 8505	
TH9811	3.25"	83mm	5.00"	127mm	2.05"	52mm	6205, 6505, 8505, or 87505	
TH352	3.25"	83mm	5.50"	140mm	2.05"	52mm	6205	
TH1616	3.25"	83mm	5.54"	141mm	1.98"	50mm	L44643 or L44610	
TH2094	3.25"	83mm	5.74"	146mm	2.05"	52mm	6205	1.45
TH1530	3.25"	83mm	5.75"	146mm	2.05"	52mm	5205	1.19
TH429	3.25"	83mm	5.75"	146mm	2.05"	52mm	6205 or 6205RS	0.83"
TH7003	3.25"	83mm	5.75"	146mm	2.20"	56mm	DG2256RK	
TH821	3.25"	83mm	5.75"	146mm	2.44"	62mm	6305	
TH983	3.25"	83mm	5.88"	149mm	2.05"	52mm	6205	0.60"
TH4862V	3.25"	83mm	5.91"	150mm	2.05"	52mm		1.18
TH4846	3.25"	83mm	5.91"	150mm	2.05"	52mm	6205	0.59"
TH1230A0A	3.25"	83mm	5.91"	150mm	2.05"	52mm		
TH1112	3.25"	83mm	5.91"	150mm	2.05"	52mm	6205	
TH4862	3.25"	83mm	5.91"	150mm	2.05"	52mm	6205	
TH700	3.25"	83mm	5.91"	150mm	2.05"	52mm	6205	
TH248	3.25"	83mm	6.00"	152mm	1.98"	50mm	Cup LM44610 cone LM44643	0.91"
TH3849V27	3.25"	83mm	6.00"	152mm	1.98"	50mm	6205	
TH4428	3.25"	83mm	6.00"	152mm	1.98"	50mm	6205	
TH2539	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205	1.35
TH3849	3.25"	83mm	6.00"	152mm	2.05"	52mm	5505	1.19
TH1552	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205	1.31
TH9810	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205	0.59"
TH529	3.25"	83mm	6.00"	152mm	2.05"	52mm	5205, 5505, or 6205	0.81"
TH230	3.25"	83mm	6.00"	152mm	2.05"	52mm	5205, 5505, or 6205	
TH635	3.25"	83mm	6.00"	152mm	2.05"	52mm	5205, 5505, or 6205	
TH3846V27	3.25"	83mm	6.25"	159mm	1.98"	50mm	5205	
TH534	3.25"	83mm	6.25"	159mm	2.05"	52mm	5205 or 5505	
TH2670	3.25"	83mm	6.38"	162mm	2.05"	52mm	5205	1.62
TH7863	3.25"	83mm	6.38"	162mm	2.05"	52mm	Z99603	1.19
TH534S	3.25"	83mm	6.38"	162mm	2.05"	52mm	5205 or 5505	0.81"
TH2584	3.25"	83mm	6.38"	162mm	2.05"	52mm		1.06"
TH1547V27	3.25"	83mm	6.50"	165mm	1.98"	50mm	L44649 or L44610	1.18
TH1547	3.25"	83mm	6.50"	165mm	1.98"	50mm	L44649 or L44610	1.18"
TH2259	3.25"	83mm	6.50"	165mm	1.98"	50mm	6205	
TH1233A0A	3.25"	83mm	6.50"	165mm	2.05"	52mm		
TH2261V27	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	1.44
TH2654	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	1.81
TH5333	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	0.59"
TH2691	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	0.97"
TH9136	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	1.44"
TH5503	3.35"	85mm	4.33"	110mm	2.17"	55mm		0.89"
TH2361	3.38"	86mm	2.12"	54mm	1.98"	50mm	L44649 or L44610	1.00"
TH4812	3.38"	86mm	2.25"	57mm	1.85"	47mm	6204 or 77504	
TH335	3.38"	86mm	2.63"	67mm	1.97"	50mm	Cup M12610 cone M12649L	
TH338	3.38"	86mm	2.63"	67mm	1.98"	50mm	Cup LM44610 cone LM44643 or Assy LM44600LA	



# Poly Wheels - Thombert Ruedas de Poliuretano Thombert Roues en Uréthane Thombert

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
TH987	3.38"	86mm	2.63"	67mm	1.98"	50mm	Cup LM44610 cone LM44643 or Assy LM44600LA	
TH303	3.38"	86mm	2.63"	67mm	2.05"	52mm	6205	
TH339	3.38"	86mm	2.63"	67mm	2.05"	52mm	6205	
TH1351	3.38"	86mm	2.75"	70mm	1.98"	50mm	3205	
TH130	3.38"	86mm	2.75"	70mm	2.05"	52mm	6205, 8505, or 9505	
TH137	3.38"	86mm	2.75"	70mm	2.05"	52mm	3205, 6205, or 7205	
TH327	3.38"	86mm	2.88"	73mm	2.06"	52mm	Cup 1328 cone 1380	
TH332	3.38"	86mm	2.88"	73mm	2.06"	52mm	Cup 1328 cone 1380	
TH233	3.38"	86mm	2.88"	73mm	2.33"	59mm	Cup LM67010 cone LM67048	
TH9433	3.38"	86mm	3.50"	89mm	1.85"	47mm	6204	
TH336	3.38"	86mm	3.50"	89mm	1.97"	50mm	Cup M12610 cone M12649	
TH231	3.38"	86mm	4.75"	121mm	2.33"	59mm	Cup LM67010 cone LM67048	
TH2080	3.38"	86mm	5.75"	146mm	2.05"	52mm	6205	
TH1271	3.96"	100mm	2.00"	51mm	2.16"	55mm	6006	0.78"
TH541	4.00"	102mm	1.88"	48mm	2.05"	52mm	8505	
TH2056	4.00"	102mm	1.88"	48mm	2.44"	62mm	8605	0.75"
TH3839	4.00"	102mm	1.88"	48mm	2.44"	62mm	8605	
TH1041	4.00"	102mm	1.94"	49mm	1.26"	32mm	6201	0.50"
TH9102	4.00"	102mm	2.00"	51mm	1.19"	30mm	HP93328	
TH4829	4.00"	102mm	2.00"	51mm	1.44"	37mm		
TH1567	4.00"	102mm	2.00"	51mm	1.57"	40mm	6203	0.58"
TH9145	4.00"	102mm	2.00"	51mm	2.05"	52mm	6205	
TH982	4.00"	102mm	2.00"	51mm	2.05"	52mm	6205	
TH632	4.00"	102mm	2.00"	51mm	2.44"	62mm	6206	
TH3637	4.00"	102mm	2.26"	57mm	2.05"	52mm	6205	
TH824	4.00"	102mm	2.37"	60mm	1.94"	49mm	9066 or 9067	
TH342	4.00"	102mm	2.50"	64mm	1.94"	49mm	6005 or cup 9105 cone 9067	
TH9143V27	4.00"	102mm	2.50"	64mm	1.98"	50mm	8505 or 18ZRS	0.59"
TH9143	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205 or 8505	0.59"
TH2081	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205	0.76"
TH341	4.00"	102mm	2.63"	67mm	2.44"	62mm	8605	
TH234	4.00"	102mm	2.75"	70mm	1.78"	45mm	Cup LM11910 cone LM11949	
TH2352	4.00"	102mm	2.75"	70mm	1.94"	49mm	18127 or HPA96540NAH	
TH9808	4.00"	102mm	2.75"	70mm	1.94"	49mm	HPA96540	
TH2353	4.00"	102mm	2.75"	70mm	2.05"	52mm	6205 or C99505RIC	
TH143	4.00"	102mm	2.75"	70mm	2.44"	62mm	6206 or 6206Z	
TH2204V27	4.00"	102mm	2.88"	73mm	1.98"	50mm	6205	0.59"
TH9146V27	4.00"	102mm	2.88"	73mm	1.98"	50mm	6205	
TH2204	4.00"	102mm	2.88"	73mm	2.05"	52mm	6205, 6304, 8505, or 87505	0.59"
TH443	4.00"	102mm	2.88"	73mm	2.05"	52mm	6205, 6304, 8505, or 87505	
TH9146	4.00"	102mm	2.88"	73mm	2.05"	52mm	6205 or 6205Z	
TH4413	4.00"	102mm	2.88"	73mm	2.33"	59mm	Cup LM67010 cone LM67048	
TH4426	4.00"	102mm	2.88"	73mm	2.44"	62mm	6206	0.67"
TH542	4.00"	102mm	2.88"	73mm	2.44"	62mm	6206, 6206Z, or 8605	0.75"
TH5356	4.00"	102mm	2.88"	73mm	2.44"	62mm	Cup 15245 cone 15123	0.83"
TH934	4.00"	102mm	3.00"	76mm	1.63"	41mm	R12 or EEB-6-2RS	
TH645	4.00"	102mm	3.63"	92mm	2.05"	52mm	1205, 6205, or 6304	0.59"
TH343	4.00"	102mm	3.63"	92mm	2.44"	62mm	Cup 15245 cone 15123 or 8605	

# Poly Wheels - Thombert Ruedas de Poliuretano Thombert Roues en Uréthane Thombert

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
TH2093	4.00"	102mm	3.76"	96mm	2.44"	62mm		0.77"
TH646	4.00"	102mm	3.93"	100mm	2.44"	62mm	7605 or 8605	0.65"
TH9149	4.00"	102mm	4.13"	105mm	2.05"	52mm	3205 or 6205	
TH9147	4.00"	102mm	5.00"	127mm	2.44"	62mm	6305	
TH7855	4.50"	114mm	2.00"	51mm	2.05"	52mm	6205	0.66"
TH4837	4.50"	114mm	2.00"	51mm	2.44"	62mm	6305	
TH656	5.00"	127mm	1.13"	29mm	2.05"	52mm	6205	
TH8027	5.00"	127mm	1.75"	45mm	1.78"	45mm	Cup LM11910 cone LM11949	
TH551S	5.00"	127mm	1.88"	48mm	2.44"	62mm	7605 or 8605	
TH551	5.00"	127mm	1.89"	48mm	2.44"	62mm	8605	
TH9103	5.00"	127mm	2.00"	51mm	1.19"	30mm	HP9330NAH	thru
TH650	5.00"	127mm	2.00"	51mm	2.05"	52mm	305KD or 6205	
TH651	5.00"	127mm	2.00"	51mm	2.44"	62mm	305KD-C1 or 6305	
TH5418	5.00"	127mm	2.50"	64mm	1.85"	47mm	6204	
TH455	5.00"	127mm	2.50"	64mm	1.94"	49mm	Cup 9195 cone 9067	
TH2357	5.00"	127mm	2.50"	64mm	2.05"	52mm	6205	
TH351	5.00"	127mm	2.63"	67mm	2.84"	72mm	87507 or 88107	
TH252	5.00"	127mm	2.75"	70mm	1.78"	45mm	Cup LM11910 cone LM11949	
TH2205	5.00"	127mm	2.75"	70mm	3.15"	80mm	99607 or C307SFF	
TH4817	5.00"	127mm	2.88"	73mm	2.00"	52mm	6205, 77505, 8505, 8605, or 87505	
TH1583	5.00"	127mm	2.88"	73mm	2.05"	52mm	6205, 77505, 8505, 8605, or 87505	0.63"
TH9805	5.00"	127mm	2.88"	73mm	2.33"	59mm	Cup LM67010 cone LM67048	
TH1696	5.00"	127mm	2.88"	73mm	2.44"	62mm	6206	0.63"
TH1257	5.00"	127mm	2.88"	73mm	2.44"	62mm		0.67"
TH553	5.00"	127mm	2.88"	73mm	2.44"	62mm	Cup 15245 cone 15123, 6206, 8505, 8605, or 87506	0.75"
TH9150	5.00"	127mm	2.88"	73mm	2.44"	62mm	6305	0.83"
TH9150V27	5.00"	127mm	2.88"	73mm	2.44"	62mm	6305	
TH9152	5.00"	127mm	2.88"	73mm	3.15"	80mm	6307 or C307SFF	
TH4427	5.00"	127mm	2.94"	75mm	2.83"	97mm	87507	
TH254	5.00"	127mm	3.00"	76mm	1.78"	45mm	Cup LM11910 cone LM11949	
TH2087	5.00"	127mm	3.00"	76mm	2.83"	72mm	87507	0.74"
TH9828	5.00"	127mm	3.00"	76mm	2.83"	72mm	6306	0.75"
TH9853	5.00"	127mm	3.50"	89mm	2.44"	62mm	Cup 15245 cone 15123	
TH981	5.00"	127mm	3.50"	89mm	2.83"	72mm	87507	
TH654	5.00"	127mm	3.63"	92mm	2.44"	62mm	1305 or 6305	0.67"
TH655	5.00"	127mm	3.63"	92mm	2.44"	62mm	6305 or 7605	
TH353	5.00"	127mm	3.63"	92mm	2.83"	72mm	6306, 87507, or 88107	
TH2089	5.00"	127mm	3.75"	95mm	2.84"	72mm	88107	0.74"
TH2673	5.00"	127mm	3.88"	98mm	2.05"	52mm	6205	
TH1683	5.00"	127mm	3.88"	98mm	2.44"	62mm	8605	0.83"
TH26730	5.00"	127mm	3.88"	98mm	1.98"	50mm	6205	
TH1444	5.00"	127mm	3.88"	98mm	2.44"	62mm	6305	0.67"
TH5342	5.00"	127mm	4.00"	102mm	2.44"	62mm	6206	0.63"
TH9153	5.00"	127mm	4.13"	105mm	2.44"	62mm	6305 or 6305Z	
TH2223V27	5.00"	127mm	4.13"	105mm	3.15"	80mm	6307	
TH9151	5.00"	127mm	4.13"	105mm	3.15"	80mm	6307 or C307SFF	
TH240	6.00"	152mm	2.00"	51mm	1.94"	49mm	18125	
TH463	6.00"	152mm	2.00"	51mm	1.94"	49mm	Cup 9195 cone 9067	

## Poly Wheels - Thombert Ruedas de Poliuretano Thombert Roues en Uréthane Thombert

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
TH337	6.00"	152mm	2.00"	51mm	2.33"	59mm	Cup LM67010 cone LM67048	
TH4822	6.00"	152mm	2.00"	51mm	2.84"	72mm	6207	
TH2248	6.00"	152mm	2.00"	51mm	3.15"	80mm	6307	0.83"
TH1128	6.00"	152mm	2.40"	61mm	1.98"	50mm		0.81"
TH2355	6.00"	152mm	2.50"	64mm	1.69"	43mm	HG94540R3 or PA94540	
TH667	6.00"	152mm	2.50"	64mm	1.94"	49mm	Cup 9195 cone 9067	
TH460	6.00"	152mm	2.50"	64mm	1.98"	50mm	Cup LM44610 cone LM44643	
TH663	6.00"	152mm	2.50"	64mm	2.33"	59mm	Cup LM67010 cone LM67048 or cup 7196 cone 7100	
TH989	6.00"	152mm	2.75"	70mm	1.98"	50mm	Cup LM44610 cone LM44643	
TH9111	6.00"	152mm	2.75"	70mm	3.15"	80mm	307NPP or 6307	0.83"
TH2215V27	6.00"	152mm	2.75"	70mm	3.15"	80mm	6307	
TH986	6.00"	152mm	2.88"	73mm	2.05"	52mm	8505	
TH2278	6.00"	152mm	2.88"	73mm	3.15"	80mm	6307	
TH262	6.00"	152mm	3.00"	76mm	1.78"	45mm	Cup LM11910 cone LM11949	
TH8030	6.00"	152mm	3.00"	76mm	1.94"	49mm	9078 or 9195	0.97"
TH241	6.00"	152mm	3.00"	76mm	1.94"	49mm	18130	
TH304	6.00"	152mm	3.00"	76mm	1.94"	49mm	18130	
TH569	6.00"	152mm	3.00"	76mm	1.94"	49mm	PA96540NAH	
TH4870	6.00"	152mm	3.00"	76mm	1.97"	50mm		0.77"
TH467	6.00"	152mm	3.00"	76mm	2.05"	52mm	8505	0.59"
TH560	6.00"	152mm	3.00"	76mm	2.05"	52mm	8505	
TH699	6.00"	152mm	3.00"	76mm	2.05"	52mm	6205	
TH2532	6.00"	152mm	3.00"	76mm	2.44"	62mm	6206	0.63"
TH664	6.00"	152mm	3.00"	76mm	2.44"	62mm	6305	0.68"
TH459	6.00"	152mm	3.00"	76mm	2.44"	62mm	7605, 8505, or 87506	0.78"
TH239	6.00"	152mm	3.00"	76mm	2.44"	62mm	Cup 15245 cone 15100	0.84"
TH561	6.00"	152mm	3.00"	76mm	2.44"	62mm	7605, 8505, or 87506	
TH468	6.00"	152mm	3.00"	76mm	2.84"	72mm	3207, 6207, or 88107-C	
TH673	6.00"	152mm	3.63"	92mm	2.44"	62mm	6305	
TH364	6.00"	152mm	3.75"	95mm	2.84"	72mm	6306 or 88107	
TH9861	6.00"	152mm	3.88"	98mm	2.33"	59mm	Cup LM67010 cone LM67048	
TH562	6.00"	152mm	3.88"	98mm	2.44"	62mm	6206, 6305, 7605, or 8605	
TH264	6.00"	152mm	4.00"	102mm	2.44"	62mm	Cup 15245 cone 15100	
TH661	6.00"	152mm	4.00"	102mm	2.72"	69mm	Cup 14274 cone 14136A	
TH666	6.00"	152mm	4.00"	102mm	2.84"	72mm	6207	0.67"
TH362	6.00"	152mm	4.00"	102mm	2.84"	72mm	6306 or 88107	
TH9862	6.00"	152mm	4.00"	102mm	2.88"	73mm	Cup 25821 cone 25877	
TH2302	6.00"	152mm	4.13"	105mm	3.15"	80mm	6307	0.99"
TH9117	6.00"	152mm	4.25"	108mm	3.15"	80mm	6307 or C307SFF	
TH265	6.00"	152mm	5.00"	127mm	2.44"	62mm	Cup 15245 cone 15100	
TH669	6.00"	152mm	5.00"	127mm	2.72"	69mm		
TH360	6.00"	152mm	5.00"	127mm	2.84"	72mm	6306 or 88107	
TH665	6.00"	152mm	5.00"	127mm	2.84"	72mm	1207FF or 6207	
TH565	6.00"	152mm	6.00"	152mm	2.44"	62mm	6206 or 7506	
TH1034	6.00"	152mm	6.13"	156mm	3.00"	76mm		1.84"
TH670	7.00"	178mm	2.00"	51mm	1.94"	49mm	Cup 9078 cone 9195	
TH272	7.00"	178mm	2.00"	51mm	2.44"	62mm	Cup 15245 cone 15100	

## Poly Wheels - Thombert Ruedas de Poliuretano Thombert Roues en Uréthane Thombert

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
TH671	7.00"	178mm	2.00"	51mm	2.84"	72mm	3207 or 6207	
TH372	7.00"	178mm	2.50"	64mm	2.33"	59mm	Cup LM67010 cone LM67048	
TH9870	7.00"	178mm	2.50"	64mm	2.33"	59mm	Cup LM67010 cone LM67048	
TH988	7.00"	178mm	2.50"	64mm	2.33"	59mm	Cup LM67010 cone LM67048	
TH2575	7.00"	178mm	2.75"	70mm	1.98"	50mm	L44643 or L44610	
TH9827	7.00"	178mm	2.88"	73mm	2.05"	52mm	6205, 6206, or 6304	
TH237	7.00"	178mm	3.00"	76mm	1.94"	49mm	18130	
TH8004	7.00"	178mm	3.00"	76mm	2.44"	62mm	Cup 15245 cone 15100	
TH238	7.00"	178mm	4.00"	102mm	2.44"	62mm	Cup 15245 cone 15100	
TH683	8.00"	203mm	1.75"	45mm	2.00"	51mm	CS-938	
TH9182L	8.00"	203mm	2.00"	51mm	1.85"	47mm	6204 or 6204Z	
TH9542	8.00"	203mm	2.00"	51mm	1.85"	47mm	6204 or cup 05185 cone 05079	
TH9880	8.00"	203mm	2.00"	51mm	1.98"	50mm	Cup LM44610 cone LM44643	
TH1522	8.00"	203mm	2.00"	51mm	2.00"	51mm		0.67"
TH932	8.00"	203mm	2.00"	51mm	2.00"	51mm	200100	
TH931	8.00"	203mm	2.00"	51mm	2.05"	52mm	6205, 6205ZZ, 6205RS, or 87505	
TH9113L	8.00"	203mm	2.00"	51mm	2.44"	62mm	6206	
TH485	8.00"	203mm	2.50"	64mm	1.98"	50mm	Cup LM44610 cone LM44643	
TH1516	8.00"	203mm	2.50"	64mm	2.05"	52mm	6205	
TH8013	8.00"	203mm	2.50"	64mm	2.44"	62mm		0.84"
TH681	8.00"	203mm	2.50"	64mm	3.35"	85mm	Cup 18720 cone 18790	
TH582	8.00"	203mm	3.00"	76mm	2.05"	52mm	7605	
TH9116	8.00"	203mm	3.75"	95mm	3.15"	80mm	6307 or C307SFF	
TH4865V27	8.00"	203mm	4.00"	102mm	2.44"	62mm	8605	
TH4865	8.00"	203mm	4.00"	102mm	2.44"	62mm	Cup 18720 cone 18790, 6305 or 8605	
TH581	8.00"	203mm	4.00"	102mm	2.44"	62mm	Cup 18720 cone 18790, 6305 or 8605	
TH2277	8.00"	203mm	4.00"	102mm	2.83"	72mm	6306	0.75"
TH3619	8.00"	203mm	4.00"	102mm	2.83"	72mm		0.85"
TH2297	8.00"	203mm	4.00"	102mm	2.83"	72mm	6306	0.90"
TH2271V27	8.50"	216mm	2.69"	68mm	2.75"	70mm		
TH9119	8.50"	216mm	2.69"	68mm	2.75"	70mm		
TH293	9.00"	229mm	3.00"	76mm	2.44"	62mm	Cup 15245 cone 15100	
TH5353	9.00"	229mm	3.50"	89mm	3.94"	100mm	6309	0.98"
TH394	9.00"	229mm	4.00"	102mm	2.84"	72mm	6306 or 88107	
TH2090V27	9.00"	229mm	5.00"	127mm	3.54"	90mm	6210	
TH2090	9.00"	229mm	5.00"	127mm	3.54"	90mm	6210Z	
TH9130	10.00"	254mm	3.00"	76mm	2.33"	59mm	Cup LM67010 cone LM67048	
TH9164	10.50"	267mm	4.00"	102mm	3.15"	80mm	6307 or 6307-2RS	
TH9165	10.50"	267mm	4.50"	114mm	3.15"	80mm	6307 or 6307-2RS	

# Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

For Cushothane EZ:  
add "EZ" to standard part number



Para Cushothane EZ:  
Agregue "EZ" al número de parte


Pour Cushothane EZ:  
Ajoutez "EZ" au numéro de pièces

For Cushothane XL:  
add "XL" to standard part number

Para Cushothane XL:  
Agregue "XL" al número de parte

Pour Cushothane XL:  
Ajoutez "XL" au numéro de pièces

	Compound	Color	Durometer		Compound	Color	Durometer
	Cushothane	Burgundy	95A		Cushothane XL	Yellow	97A

	Cushothane EZ	Red	85A
---	------------------	-----	-----

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SU922	2.00"	51mm	2.00"	62mm	1.00"	35mm	6003	0.39"
SU520	2.00"	51mm	2.50"	64mm	1.38"	35mm	6003	0.43"
SU929	2.00"	51mm	3.00"	71mm	1.00"	34mm	6003 or 6202	0.43"
SU921	2.00"	51mm	3.00"	76mm	1.38"	35mm	6003	0.39"
SU10211	2.00"	51mm	3.00"	76mm	1.63"	41mm	77-R-12	0.50"
SU911	2.00"	51mm	3.00"	75mm	2.00"	42mm	6004	0.90"
SU9320	2.00"	51mm	4.00"	92mm	1.00"	37mm		thru
SU9631	2.00"	51mm	4.00"	102mm	1.38"	35mm		0.44"
SU907	2.16"	55mm	3.94"	100mm	1.65"	42mm		0.90"
SU685	2.50"	64mm	2.38"	60mm	1.38"	35mm		0.45"
SU9531	2.50"	64mm	3.25"	83mm	1.85"	42mm	6204	0.55"
SU9632	2.50"	64mm	4.00"	102mm	1.37"	35mm		0.44"
SU365	2.75"	70mm	1.50"	38mm	1.37"	35mm		0.35"
SU204	2.75"	70mm	2.75"	70mm	1.65"	42mm		0.57"
SU928	2.75"	70mm	3.75"	95mm	1.62"	41mm	77R12	0.44"
SU1300	2.88"	73mm	2.88"	73mm	1.85"	47mm	6204ZZ	0.91"
SU321	2.90"	74mm	2.25"	57mm	1.38"	35mm		0.50"
SU908	2.90"	74mm	2.80"	71mm	1.65"	42mm	22053	0.61"
SU909	2.90"	74mm	2.94"	75mm	1.65"	42mm		0.93"
SU9932	2.90"	74mm	3.63"	92mm	1.85"	47mm	6204	0.55"
SUSP1406	2.90"	74mm	3.71"	94mm	1.85"	42mm		0.99"
SU9124	2.90"	74mm	3.88"	99mm	1.85"	47mm	6204 2RS	0.51"
SU9535	2.90"	74mm	4.00"	102mm	1.85"	47mm	6204	0.55"
SU985	3.00"	76mm	1.88"	48mm	2.05"	52mm	6205	0.63"
SU525	3.00"	76mm	1.88"	48mm	2.05"	52mm	6205 or 8505	0.59"
SU9832	3.00"	76mm	1.94"	49mm	1.78"	45mm	29504AB	0.96"
SU9112	3.00"	64mm	2.00"	51mm	1.00"	30mm	HP93328	thru
SU9101	3.00"	76mm	2.00"	51mm	1.19"	30mm	HP9330NAH	thru
SU9161	3.00"	76mm	2.00"	51mm	1.19"	30mm		thru
SU10209	3.00"	76mm	2.00"	51mm	1.62"	41mm		0.44"
SU938	3.00"	76mm	2.00"	51mm	1.63"	41mm	R12	thru
SU2350	3.00"	76mm	2.00"	51mm	2.05"	52mm	6205	0.59"
SU2368	3.00"	76mm	2.00"	51mm	2.05"	52mm	6205	thru
SU2377	3.00"	76mm	2.25"	57mm	2.05"	52mm		0.98"

# Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel	O.D. ▼	Tread	Width	Bearing	O.D.	Bearing	Bore Depth
SU10206	3.00"	76mm	2.63"	67mm	2.05"	52mm	WD6205	0.59"
SU2366	3.00"	76mm	2.75"	70mm	1.50"	38mm	PA96540	thru
SU2360	3.00"	76mm	2.75"	70mm	2.05"	52mm	6205	0.59"
SU2362	3.00"	76mm	2.75"	70mm	2.05"	52mm	6205	0.59"
SU425	3.00"	76mm	2.75"	70mm	2.05"	70mm		0.59"
SU426	3.00"	70mm	3.00"	76mm	1.00"	35mm	87502	0.50"
SU424	3.00"	76mm	3.00"	76mm	1.38"	35mm	87502	0.50"
SU936	3.00"	67mm	3.00"	73mm	2.00"	41mm	R12	0.43"
SU1450	3.00"	76mm	3.38"	86mm	1.85"	47mm	6204	0.55"
SU1930	3.00"	76mm	3.38"	86mm	1.85"	47mm	6204	0.55"
SU2000	3.00"	76mm	3.38"	86mm	1.85"	47mm		0.84"
SU202	3.00"	76mm	3.50"	89mm	1.85"	47mm	0.77	0.77"
SU9433	3.00"	76mm	3.50"	89mm	1.85"	47mm	6204	0.55"
SU203	3.00"	76mm	3.50"	89mm	1.85"	47mm	204PP4	0.55"
SU533	3.00"	76mm	3.50"	89mm	1.85"	47mm	204PP4 6204 or Z99603	0.55"
SU1700	3.00"	76mm	3.50"	89mm	1.85"	47mm	6204Z	1.05"
SU9332	3.00"	76mm	3.69"	93mm	1.75"	44mm	T22	0.52"
SU930	3.00"	76mm	3.75"	95mm	1.63"	41mm	R12 EEB-6-2RS or Z99R12	0.43"
SU9201	3.00"	76mm	3.75"	95mm	1.85"	47mm	6204	0.59"
SU10213	3.00"	76mm	3.81"	97mm	1.85"	47mm	6204	0.60"
SU10210	3.00"	76mm	3.88"	98mm	1.85"	47mm	6204	0.55"
SU9530	3.00"	76mm	3.94"	100mm	1.85"	47mm	6204-2RS	0.62"
SU9635	3.00"	76mm	4.00"	102mm	1.37"	35mm		0.44"
SU9639	3.00"	76mm	4.00"	102mm	1.37"	35mm		0.44"
SU9638	3.00"	76mm	4.00"	102mm	1.56"	40mm		0.44"
SU9643	3.00"	76mm	4.00"	102mm	1.85"	47mm	6204	0.55"
SU900	3.00"	73mm	4.00"	102mm	2.00"	42mm	6004	0.47"
SU1920	3.00"	70mm	4.00"	100mm	2.00"	42mm	6004	0.94"
SU904	3.00"	74mm	4.00"	94mm	2.00"	42mm	22053	0.61"
SU933	3.00"	76mm	5.25"	133mm	2.05"	52mm	6205	0.61"
SU10212	3.13"	79mm	2.13"	57mm	1.65"	42mm	1112	0.50"
SU1922	3.13"	79mm	2.88"	73mm	1.65"	42mm	6004	0.47"
SU1403	3.13"	79mm	3.25"	83mm	1.85"	47mm	6204	0.69"
SU1921	3.15"	80mm	3.94"	100mm	1.65"	42mm	6004	0.91"
SU9900	3.18"	81mm	2.88"	73mm	1.85"	47mm	LM11910 or LM11949	0.92"
SU421	3.25"	83mm	1.13"	29mm	2.05"	52mm	87505	0.51"
SU521	3.25"	83mm	1.19"	30mm	1.26"	31mm	6201 or 62010V	0.39"
SU126	3.25"	83mm	1.57"	40mm	2.05"	52mm	6205	0.59"
SU686	3.25"	83mm	1.75"	44mm	1.85"	47mm	6204	0.55"
SU531	3.25"	83mm	1.88"	48mm	1.75"	44mm	134750 or 1635DC	0.50"
SU530	3.25"	83mm	1.88"	48mm	2.05"	52mm	8505	0.59"
SU420	3.25"	83mm	2.00"	51mm	2.05"	52mm	6205 or 87505	0.61"
SU1410	3.25"	83mm	2.00"	51mm	2.05"	52mm	6205	0.59"
SU1411	3.25"	83mm	2.00"	51mm	2.05"	52mm	6205	0.74"
SU9757	3.25"	83mm	2.00"	51mm	2.05"	52mm		0.69"
SU156	3.25"	83mm	2.06"	52mm	1.97"	50mm	Cup 07196	0.53"
SU139	3.25"	83mm	2.06"	52mm	2.05"	52mm	3205	0.59"
SU138	3.25"	83mm	2.06"	52mm	2.05"	52mm	6205 or 8505	0.85"

## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel	O.D. ▼	Tread	Width	Bearing	O.D.	Bearing	Bore Depth
SU2372	3.25"	83mm	2.20"	56mm			L44610 or L44643	thru
SU590	3.25"	83mm	2.44"	62mm	2.05"	52mm	8505	0.59"
SU2370	3.25"	83mm	2.63"	67mm	2.05"	52mm	6205	0.59"
SU318	3.25"	83mm	2.63"	54mm	2.05"	30mm		1.13"
SU9106	3.25"	83mm	2.75"	70mm	1.19"	30mm	HP933328	thru
SU2363	3.25"	83mm	2.75"	70mm	1.62"	41mm	R12	0.44"
SU422	3.25"	83mm	2.75"	70mm	1.85"	47mm	6204 or Z99504	0.55"
SU124	3.25"	83mm	2.75"	73mm	2.05"	52mm	6205	0.83"
SU124	3.25"	83mm	2.75"	70mm	2.05"	52mm	6205	0.83"
SU157	3.25"	83mm	2.75"	70mm	2.05"	52mm	3205 or 6205	0.59"
SU825	3.25"	83mm	2.75"	70mm	2.05"	52mm	3205 or 6205	0.59"
SU158	3.25"	83mm	2.75"	70mm	2.05"	52mm		0.81"
SU633	3.25"	83mm	2.88"	73mm	1.85"	47mm	6204 or 77504	0.55"
SU9110	3.25"	83mm	2.88"	73mm	2.05"	52mm	5205	0.81"
SU626	3.25"	83mm	2.88"	73mm	2.05"	52mm	6205	0.59"
SU984	3.25"	83mm	2.88"	73mm	2.05"	52mm	6205	0.63"
SU228	3.25"	83mm	2.89"	73mm	1.98"	50mm	L44610 or L44643	0.38"
SU227	3.25"	83mm	2.90"	74mm	2.05"	52mm	1205	0.81"
SU915	3.25"	83mm	3.00"	76mm	1.65"	42mm	22053 or 6004	0.93"
SU906	3.25"	83mm	3.00"	76mm	1.65"	42mm	22053 or 6004	1.05"
SU9801	3.25"	83mm	3.00"	76mm	1.78"	45mm	Z9504AB or Z9504B	0.61"
SU537	3.25"	83mm	3.00"	76mm	1.85"	48mm	6204 or 8504	0.55"
SU9804	3.25"	83mm	3.00"	76mm	1.98"	50mm	Cup 4TL44610 cone 4TL44610 or cup L44610 cone L44610	1.17"
SU439	3.25"	83mm	3.00"	76mm	1.98"	50mm	Cup LM44610 cone LM44643	1.19"
SU532	3.25"	83mm	3.00"	76mm	2.05"	52mm	8505	0.59"
SU535	3.25"	83mm	3.00"	76mm	2.05"	52mm	5205 or 5505	0.81"
SU9810	3.25"	83mm	3.00"	76mm	2.05"	52mm	6205 (2)	0.81"
SU9811	3.25"	83mm	3.00"	76mm	2.05"	52mm	6205 (2)	1.24"
SU819	3.25"	83mm	3.00"	76mm	2.05"	52mm	6205 or 6205Z	0.59"
SU9806	3.25"	83mm	3.00"	76mm	2.05"	52mm	6205 or 99604	0.66"
SU1600	3.25"	83mm	3.13"	79mm	1.85"	47mm	204 S ZZ	0.55"
SU833	3.25"	83mm	3.13"	79mm	2.05"	52mm	6205	0.81"
SU818	3.25"	83mm	3.13"	80mm	2.05"	52mm	5205	0.97"
SU1405	3.25"	83mm	3.13"	79mm	2.05"	52mm	6205	0.72"
SU1406	3.25"	83mm	3.25"	83mm	1.85"	47mm	6204	0.55"
SU1601	3.25"	83mm	3.25"	83mm	1.85"	87mm	204 S ZZ	0.55"
SU9133	3.25"	83mm	3.25"	83mm	2.05"	52mm	6205 or 6205RS	0.59"
SU2356	3.25"	83mm	3.25"	83mm	2.05"	52mm	6205 or 6205RS	0.59"
SU437	3.25"	83mm	3.25"	83mm	2.05"	70mm	6205, 6205RS or 87505	0.81"
SU442	3.25"	83mm	3.25"	83mm	2.05"	70mm	6205, 6205RS or 87505	0.82"
SU444	3.25"	83mm	3.25"	83mm	2.05"	70mm		1.08"
SU637	3.25"	83mm	3.56"	90mm	2.00"	51mm	1638, 6205 or 9505	0.58"
SU9934	3.25"	83mm	3.63"	92mm	1.65"	42mm	6004	0.47"
SU523	3.25"	83mm	3.63"	92mm	1.85"	48mm	6204 or 6204-2RS	0.55"
SU9434	3.25"	83mm	3.63"	92mm	1.85"	48mm	6204 or 6204-2RS	0.55"
SU9933	3.25"	83mm	3.63"	92mm	1.85"	48mm	6204 or 6204-2RS	0.55"
SU1701	3.25"	83mm	3.63"	92mm	1.85"	47mm	6204Z	0.55"

## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SU839	3.25"	83mm	3.63"	92mm	2.44"	62mm	Cup 15244	0.81"
SU9330	3.25"	83mm	3.69"	94mm	1.75"	44mm	SHA72	thru
SU912	3.25"	83mm	3.72"	83mm	1.65"	42mm	6003	0.61"
SU128	3.25"	83mm	3.75"	95mm	1.75"	44mm	134750	0.47"
SU127	3.25"	83mm	3.75"	95mm	1.75"	44mm		thru
SU9132	3.25"	83mm	3.75"	95mm	1.85"	47mm	6204, 6204Z or cup 05185 cone 05079	0.63"
SU9536	3.25"	83mm	3.75"	95mm	1.85"	47mm	Cup 05185	0.63"
SU453	3.25"	83mm	3.75"	95mm	2.05"	70mm	8505 or 87505	0.83"
SU9148	3.25"	83mm	3.75"	95mm	2.05"	52mm		0.83"
SU9134	3.25"	83mm	3.75"	95mm	2.44"	62mm	6305	0.81"
SU125	3.25"	83mm	3.76"	96mm	1.63"	41mm		thru
SU9532	3.25"	83mm	3.84"	98mm	1.85"	47mm	6204, 6204Z or cup 05185 cone 05079	0.63"
SU9138	3.25"	83mm	3.88"	73mm	1.85"	47mm	6204, 6204Z or cup 05185 cone 05079	0.55"
SU538	3.25"	83mm	3.88"	73mm	2.05"	52mm	5205 or 5505	0.81"
SUMB22	3.25"	83mm	3.93"	100mm	2.05"	52mm		0.60"
SU834	3.25"	83mm	3.94"	100mm	1.85"	47mm	6204 or cup 05185 cone 05079	0.55"
SU9534	3.25"	83mm	3.94"	100mm	1.85"	47mm	6204 or cup 05185 cone 05079	0.63"
SU9634	3.25"	83mm	4.00"	102mm	1.37"	35mm		0.44"
SU9331	3.25"	83mm	4.00"	102mm	1.75"	44mm	134750	1.00"
SU9802	3.25"	83mm	4.00"	102mm	1.78"	45mm	Z9504B	0.61"
SU1404	3.25"	83mm	4.00"	102mm	1.85"	47mm	6204	0.69"
SU1415	3.25"	83mm	4.00"	102mm	1.85"	47mm	6204	0.78"
SU423	3.25"	83mm	4.00"	102mm	1.85"	47mm	3303 or 6204	0.55"
SU9107	3.25"	83mm	4.00"	102mm	2.05"	52mm	304KR2 or 6304	0.69"
SU9140	3.25"	83mm	4.00"	102mm	2.05"	52mm	304KR2 or 6304	0.69"
SU2344	3.25"	83mm	4.00"	102mm	2.05"	52mm	6205	0.59"
SU621	3.25"	83mm	4.20"	107mm	2.05"	52mm	6205	1.17"
SU340	3.25"	83mm	4.25"	108mm	1.85"	47mm	6204	0.68"
SU427	3.25"	83mm	4.25"	108mm	2.05"	70mm	87505	0.63"
SU446	3.25"	83mm	4.25"	108mm	2.05"	70mm	6205 or 6205RS	0.82"
SU247	3.25"	83mm	4.30"	109mm	1.98"	50mm	L44610 or L44643	0.69"
SU2403	3.25"	83mm	4.33"	110mm	2.05"	52mm		
SU731	3.25"	83mm	4.38"	111mm	2.05"	52mm	5505	0.81"
SU536	3.25"	83mm	4.38"	111mm	2.05"	52mm	5205 or 5505	0.81"
SU536	3.25"	83mm	4.38"	111mm	2.05"	52mm	5205 or 5505	
SU236	3.25"	83mm	4.42"	112mm	1.78"	45mm	Cup LM11910 cone LM11949	0.73"
SU9168	3.25"	83mm	4.42"	112mm	2.16"	54mm		0.79"
SU820	3.25"	83mm	4.50"	115mm	1.57"	40mm	6203 or 6203Z	0.57"
SU129	3.25"	83mm	4.50"	115mm	1.57"	40mm	6203 or 6203Z	0.57"
SU2365	3.25"	83mm	4.50"	115mm	2.05"	41mm	6205	0.59"
SU163	3.25"	83mm	4.50"	114mm	2.05"	52mm		0.71"
SU9144	3.25"	83mm	4.50"	114mm	2.16"	54mm	6006	0.51"
SU9139	3.25"	83mm	4.50"	115mm	2.44"	52mm	6206 or 6206Z60	0.66"
SU10125	3.25"	83mm	4.63"	117mm	2.33"	59mm	6205 2RS	0.73"
SU269	3.25"	83mm	4.75"	120mm	1.98"	50mm	L44610 or L44643	0.91"
SU445	3.25"	83mm	4.75"	120mm	2.05"	70mm	6205	0.82"
SU136	3.25"	83mm	4.81"	122mm	2.24"	57mm	Cup 1729 cone 1780	1.00"
SU846	3.25"	83mm	4.81"	122mm	2.24"	57mm	Cup 1729 cone 1780	1.00"



## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel O.D. ▼		Tread Width		Bearing O.D.	Bearing		Bore Depth
SU539	3.25"	83mm	4.88"	124mm	2.05"	52mm	5205 or 5505	0.81"
SU454	3.25"	83mm	4.88"	124mm	2.05"	70mm	8505 or 87505	0.83"
SU433	3.25"	83mm	5.00"	127mm	1.57"	40mm	3203 or 6203	0.47"
SU432	3.25"	83mm	5.00"	127mm	1.85"	47mm	6303 or 6303-2RS	0.56"
SU9135	3.25"	83mm	5.00"	127mm	2.05"	52mm	304KR2, 3205 or 8505	0.59"
SU345	3.25"	83mm	5.00"	127mm	2.05"	52mm	6205, 6505, 8505 or 87505	0.59"
SU636	3.25"	83mm	5.00"	127mm	2.05"	52mm	6205, 6505, 8505 or 87505	0.59"
SU9814	3.25"	83mm	5.00"	127mm	2.05"	52mm	6205, 6505, 8505 or 87505	0.59"
SU447	3.25"	83mm	5.00"	127mm	2.05"	52mm	6205, 6505, 8505 or 87505	0.82"
SU434	3.25"	83mm	5.00"	127mm	2.05"	52mm	6205, 6505, 8505 or 87505	0.83"
SU9533	3.25"	83mm	5.03"	128mm	1.85"	47mm	Cup 05185	0.63"
SU840	3.25"	83mm	5.31"	135mm	2.44"	62mm	Cup 15244	0.81"
SU822	3.25"	83mm	5.38"	137mm	2.05"	52mm	9205	0.59"
SU250	3.25"	83mm	5.50"	140mm	1.98"	50mm	Cup LM44610 cone LM44643	0.69"
SU9155	3.25"	83mm	5.50"	140mm	2.05"	52mm	6205	
SU898XL	3.25"	83mm	5.62"	143mm	2.05"	52mm		1.81"
SU899XL	3.25"	83mm	5.62"	143mm	2.05"	52mm		0.97"
SU622	3.25"	83mm	5.75"	146mm	1.19"	30mm	6204-2RS	1.31"
SU827	3.25"	83mm	5.75"	146mm	2.05"	52mm	5205	1.04"
SU348	3.25"	83mm	5.75"	146mm	2.05"	52mm	6205	1.45"
SU9115	3.25"	83mm	5.75"	146mm	2.05"	52mm	3205 or 6205	0.59"
SU448	3.25"	83mm	5.75"	146mm	2.05"	70mm	6205 or 6205RS	0.82"
SU109	3.25"	83mm	5.75"	146mm	2.05"	52mm	5205	1.85"
SU1900	3.25"	83mm	5.75"	146mm	2.20"	56mm	DG2256RK	0.63"
SU1901	3.25"	83mm	5.75"	146mm	2.20"	56mm	DG2256RK	0.77"
SU9751	3.25"	83mm	5.91"	150mm	2.05"	52mm	6205	0.59"
SU983	3.25"	83mm	5.91"	150mm	2.05"	52mm	6205	0.63"
SU629	3.25"	83mm	5.91"	150mm	2.05"	52mm	6205	1.18"
SU629A	3.25"	83mm	5.91"	150mm	2.05"	52mm		1.18"
SU628	3.25"	83mm	5.94"	151mm	2.05"	52mm	6205	0.59"
SU349	3.25"	83mm	5.98"	152mm	2.05"	52mm		0.78"
SU354	3.25"	82mm	5.98"	152mm	2.05"	52mm		1.37"
SU9809	3.25"	83mm	6.00"	152mm	1.78"	45mm	29504AB	0.61"
SU248	3.25"	83mm	6.00"	152mm	1.98"	50mm	Cup LM44610 cone LM44643	0.91"
SU256	3.25"	83mm	6.00"	152mm	1.98"	50mm	Cup LM44610 cone LM44643	0.91"
SU259	3.25"	83mm	6.00"	152mm	1.98"	50mm	Cup LM44610 cone LM44643	
SU9812	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205	0.58"
SU935	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205	0.63"
SU230	3.25"	83mm	6.00"	152mm	2.05"	52mm	5205, 5505 or 6205	0.81"
SU529	3.25"	83mm	6.00"	152mm	2.05"	52mm	5205, 5505 or 6205	0.81"
SU635	3.25"	83mm	6.00"	152mm	2.05"	52mm	5205, 5505 or 6205	0.81"
SU9815	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205 (2)	1.36"
SU2400	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205 (4)	1.18"
SU240	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205 (4)	2.31"
SU9820	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205	0.71"
SU941	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205	1.26"
SU249	3.25"	83mm	6.00"	152mm	2.33"	59mm	Cup LM67010 cone LM67048	0.72"
SU534	3.25"	83mm	6.25"	159mm	2.05"	52mm	5205 or 5505	0.81"

## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel	O.D. ▼	Tread	Width	Bearing	O.D.	Bearing	Bore Depth
SU9136A	3.25"	83mm	6.37"	162mm	2.05"	52mm		0.59"
SUSP1120-903	3.25"	83mm	6.38"	162mm	2.05"	52mm		1.06"
SUSP1091	3.25"	83mm	6.38"	162mm	2.05"	52mm		1.08"
SUSP1391	3.25"	83mm	6.38"	162mm	2.05"	52mm	5205	1.62"
SU528	3.25"	83mm	6.38"	162mm	2.05"	52mm	5205 or 5505	0.81"
SU850	3.25"	83mm	6.50"	165mm	1.98"	48mm	L44610 or L44649	1.17"
SU9136	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	0.59"
SU2364	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	0.59"
SU9153	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	1.18"
SU9141	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	1.43"
SU9126	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	0.81"
SU880R	3.25"	89mm	6.50"	165mm	2.05"	52mm	6205	1.81"
SU880	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	1.81"
SU879	3.25"	83mm	6.50"	165mm	2.05"	52mm		0.97"
SU627	3.26"	83mm	2.00"	51mm	2.05"	52mm	6205	0.59"
SU329	3.38"	86mm	1.88"	48mm	1.97"	50mm	M12610 or M12649L	0.69"
SU835	3.38"	86mm	2.00"	51mm	2.05"	52mm	6205	0.59"
SU631	3.38"	86mm	2.25"	57mm	1.85"	47mm	6204 or 77504	0.55"
SU524	3.38"	86mm	2.25"	57mm	1.85"	48mm		0.51"
SU832	3.38"	86mm	2.50"	64mm	2.05"	52mm	6205 or 6205Z	0.59"
SU10196	3.38"	86mm	2.50"	64mm	2.05"	52mm	5205	0.81"
SU335	3.38"	89mm	2.63"	67mm	1.97"	50mm	Cup M12610 cone M12649L	0.91"
SU2376	3.38"	86mm	2.63"	67mm	1.98"	50mm	Cup LM44610 cone LM44643 or Assy LM44600LA	1.24"
SU338	3.38"	86mm	2.63"	67mm	1.98"	50mm	Cup LM44610 cone LM44643 or Assy LM44600LA	1.25"
SU987	3.38"	86mm	2.63"	67mm	1.98"	50mm	Cup LM44610 cone LM44643 or Assy LM44600LA	thru
SU320	3.38"	86mm	2.63"	67mm	2.00"	51mm	R16 or S10PP-2	0.50"
SU339	3.38"	89mm	2.63"	67mm	2.05"	52mm	6205	0.67"
SU333	3.38"	89mm	2.63"	67mm	2.05"	52mm	6205	0.76"
SU319	3.38"	86mm	2.63"	67mm	2.05"	52mm	6205	1.12"
SU328	3.38"	86mm	2.63"	67mm	2.05"	52mm	6205	1.13"
SU1032	3.38"	86mm	2.63"	67mm	2.05"	52mm	9205	0.59"
SU322	3.38"	86mm	2.63"	67mm	2.05"	52mm	6205	1.14"
SU399	3.38"	86mm	2.63"	67mm	2.05"	52mm	87505	1.25"
SU132	3.38"	86mm	2.75"	70mm	1.50"	38mm	M016N	thru
SU131	3.38"	86mm	2.75"	70mm	1.97"	50mm	Cup 7196 cone 7100 or Assy 7100LA	0.53"
SU135	3.38"	86mm	2.75"	70mm	1.97"	50mm	Cup 7196 cone 7100 or Assy 7100LA	1.16"
SU2373	3.38"	86mm	2.75"	70mm	2.05"	52mm	6205	0.98"
SU137	3.38"	86mm	2.75"	70mm	2.05"	52mm	3205, 6205 or 7205	0.59"
SU130	3.38"	86mm	2.75"	70mm	2.05"	52mm	6205, 8505 or 9505	0.91"
SU133	3.38"	86mm	2.75"	70mm	2.24"	57mm	Cup 1729 cone 1780	0.76"
SU431	3.38"	86mm	2.78"	71mm	1.85"	47mm	6204 or Z99504	0.63"
SU257	3.38"	86mm	2.81"	71mm	1.78"	45mm	LM11910 or LM11949	0.71"
SU436	3.38"	86mm	2.88"	73mm	1.38"	35mm	CUP A4150	
SU1800	3.38"	86mm	2.88"	73mm	1.78"	43mm	Cup LM 11910	0.61"
SU837	3.38"	86mm	2.88"	73mm	1.94"	49mm	Cup 12520 cone 12580	

## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel	O.D. ▼	Tread	Width	Bearing	O.D.	Bearing	Bore Depth
SU334	3.38"	89mm	2.88"	73mm	1.97"	50mm	Cup 12610 cone 12649 or cup M12610 cone M12649L	0.91"
SU830	3.38"	86mm	2.88"	73mm	1.97"	50mm	Cup M12610 cone M12649L	0.91"
SU829	3.38"	86mm	2.88"	73mm	1.97"	50mm		0.91"
SU332	3.38"	89mm	2.88"	73mm	2.06"	52mm	Cup 1328 cone 1380	0.76"
SU233	3.38"	86mm	2.88"	73mm	2.33"	60mm	Cup LM67010 cone LM67048	0.72"
SU232	3.38"	86mm	2.88"	73mm	2.44"	62mm	Cup 15245 cone 15100	0.84"
SU331	3.38"	89mm	3.00"	76mm	1.57"	40mm	Cup A6157 cone A6075	0.47"
SU134	3.38"	86mm	3.13"	79mm	2.24"	57mm	Cup 1729 cone 1780	1.38"
SU438	3.38"	86mm	3.25"	83mm	2.05"	52mm	87505	0.81"
SU336	3.38"	89mm	3.50"	89mm	1.97"	50mm	Cup M12610 cone M12649	1.06"
SU916	3.38"	86mm	3.94"	100mm	1.65"	42mm	22053 or 6004	0.93"
SU903	3.38"	86mm	3.94"	100mm	1.65"	42mm	22053 or 6004	1.05"
SU430	3.38"	86mm	4.00"	102mm	1.38"	35mm	A7502	0.50"
SU9807	3.38"	86mm	4.00"	102mm	1.78"	43mm	Z9504AB or Z9504B	0.61"
SU902	3.38"	86mm	4.00"	102mm	2.05"	52mm	6304	0.59"
SU630	3.38"	86mm	4.50"	114mm	1.85"	47mm	6204	0.55"
SU831	3.38"	86mm	4.63"	117mm	2.05"	52mm		1.64"
SU231	3.38"	86mm	4.75"	120mm	2.33"	60mm	Cup LM67010 cone LM67048	0.72"
SU1603	3.38"	86mm	5.00"	127mm	1.85"	87mm	204 S ZZ	0.55"
SU897	3.38"	86mm	5.00"	127mm	1.97"	50mm	Cup 7196 cone 7100 or Assy 7100LA	1.13"
SU352	3.38"	86mm	5.50"	140mm	2.05"	52mm	6205	0.76"
SU359	3.38"	86mm	5.75"	146mm	2.05"	52mm	6205	1.46"
SU242	3.38"	86mm	5.75"	146mm	2.33"	60mm	Cup LM67010 cone LM67048	0.72"
SU243	3.38"	86mm	5.75"	146mm	2.33"	60mm	Cup LM67010 cone LM67048	
SU144	3.38"	86mm	5.75"	146mm	2.44"	62mm	6305 or 6305Z	0.67"
SU821	3.38"	86mm	5.75"	146mm	2.44"	62mm	6305 or 6305Z	0.67"
SU435	3.38"	86mm	6.25"	159mm	2.05"	70mm	87505	0.59"
SU428	3.38"	86mm	6.25"	159mm	2.34"	60mm	11020Z	1.11"
SU1604	3.38"	86mm	6.63"	168mm	1.85"	87mm	204 S ZZ	0.55"
SU9166	3.50"	89mm	2.00"	51mm	1.85"	87mm	6204	0.56"
SU330	3.50"	89mm	2.63"	67mm	1.57"	40mm	Cup A6157 cone A6075	0.47"
SU823	3.50"	89mm	2.75"	70mm	1.38"	34mm	202K, 6202 or M014N	0.47"
SU838	3.50"	89mm	2.88"	73mm	1.44"	38mm	4896 or 94416 202K or 6202	1.50"
SU836	3.50"	89mm	2.88"	73mm	1.44"	38mm	4896 or 94416 202K or 6202	
SU9137	3.50"	83mm	2.88"	73mm	1.85"	47mm	6204	0.55"
SU327	3.50"	89mm	3.53"	90mm	2.06"	52mm	Cup 1328 cone 1380	0.76"
SU634	3.63"	92mm	3.63"	92mm	2.05"	52mm	6205 or 77505	0.59"
SU9158	3.75"	95mm	2.50"	64mm	2.05"	52mm		0.58"
SU244	4.00"	102mm	1.75"	44mm	1.78"	45mm	Cup LM11910 cone LM11949	0.72"
SU828	4.00"	102mm	1.75"	44mm	2.44"	62mm	6206	0.63"
SU9159	4.00"	102mm	1.85"	47mm	1.85"	47mm	6204ZV	0.51"
SU541	4.00"	102mm	1.88"	48mm	2.05"	52mm	8505	0.59"
SU591	4.00"	102mm	1.88"	48mm	2.44"	62mm	8605	0.75"
SU9756	4.00"	102mm	1.90"	48mm	1.26"	32mm		0.47"
SU1903	4.00"	102mm	1.94"	49mm	1.26"	32mm	6201-2RS	0.39"
SU640	4.00"	102mm	1.94"	49mm	1.78"	45mm	Cup LM11910 cone LM11949	0.83"
SU1902	4.00"	102mm	1.94"	49mm	1.85"	47mm	6204	0.65"

## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel	O.D. ▼	Tread	Width	Bearing	O.D.	Bearing	Bore Depth
SU9841	4.00"	105mm	2.00"	51mm	1.19"	30mm	HP9330NAH	thru
SU9843	4.00"	102mm	2.00"	51mm	1.19"	29mm		thru
SU2351	4.00"	102mm	2.00"	51mm	1.31"	33mm	HP94332 or HP94322NA	thru
SU648	4.00"	102mm	2.00"	51mm	1.57"	40mm	6203	0.65"
SU937	4.00"	102mm	2.00"	51mm	1.63"	41mm	R12 or EEB-6-2RS	0.43"
SU10193	4.00"	102mm	2.00"	51mm	1.85"	47mm	6204	0.56"
SU10198	4.00"	102mm	2.00"	51mm	1.85"	47mm	6204	0.67"
SU9537	4.00"	102mm	2.00"	51mm	1.85"	47mm	6204	0.70"
SU548	4.00"	102mm	2.00"	51mm	1.88"	30mm	6203	thru
SU643	4.00"	102mm	2.00"	51mm	1.88"	30mm	HP9330NAH	thru
SU9102	4.00"	105mm	2.00"	51mm	1.88"	30mm	HP9330NAH	thru
SU2361	4.00"	102mm	2.00"	51mm	2.05"	52mm	6205	0.59"
SU9142	4.00"	102mm	2.00"	51mm	2.05"	52mm	6205	0.59"
SU9145	4.00"	102mm	2.00"	51mm	2.05"	52mm	6205	0.59"
SU847	4.00"	102mm	2.00"	51mm	2.05"	52mm	7205	0.59"
SU982	4.00"	102mm	2.00"	51mm	2.05"	52mm	6205	0.98"
SU9187	4.00"	102mm	2.00"	51mm	2.17"	52mm	6006	
SU687	4.00"	102mm	2.00"	51mm	2.44"	62mm	6006	0.90"
SU623	4.00"	102mm	2.00"	51mm	2.44"	62mm	6206-2RS	0.63"
SU990	4.00"	102mm	2.13"	54mm	1.78"	45mm	LM11910 or LM11949	0.61"
SU440	4.00"	102mm	2.13"	54mm	2.05"	70mm	87505, C-30085 or C-38057	0.61"
SU441	4.00"	102mm	2.13"	54mm	2.44"	62mm	87506	0.79"
SU245	4.00"	102mm	2.25"	57mm	1.78"	45mm	Cup LM11910 cone LM11949	0.72"
SU429	4.00"	102mm	2.25"	57mm	2.05"	52mm	6205	0.60"
SU149	4.00"	102mm	2.38"	60mm	1.94"	49mm	09105 or 09067	0.98"
SU824	4.00"	102mm	2.38"	60mm	1.94"	49mm	6005 or cup 9105 cone 9067	0.98"
SU152	4.00"	102mm	2.38"	60mm	1.95"	49mm		0.95"
SU644	4.00"	102mm	2.38"	60mm	1.97"	49mm	09105 or 09067	0.94"
SU910	4.00"	102mm	2.40"	61mm	2.05"	52mm		thru
SU9340	4.00"	102mm	2.50"	64mm	1.58"	40mm		0.47"
SU342	4.00"	102mm	2.50"	64mm	1.94"	49mm	6005 or cup 9105 cone 9067	0.94"
SU980	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205	0.59"
SUSP0956	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205	0.68"
SU346	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205	0.76"
SU9143	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205 or 8505	0.58"
SU9817	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205 or 8505	0.59"
SU992	4.00"	102mm	2.63"	67mm	2.17"	55mm	6006 or 6006DU	0.51"
SU341	4.00"	102mm	2.63"	67mm	2.44"	62mm	8605	0.77"
SU9840	4.00"	102mm	2.63"	67mm	2.44"	62mm	8605	0.83"
SU826	4.00"	102mm	2.63"	67mm	2.44"	62mm	87506	0.79"
SU234	4.00"	102mm	2.75"	70mm	1.78"	45mm	Cup LM11910 cone LM11949	0.72"
SU2352	4.00"	102mm	2.75"	70mm	1.94"	50mm	18127 or HPA96540NAH	thru
SU9808	4.00"	102mm	2.75"	70mm	1.94"	49mm	HPA96540	thru
SU9813	4.00"	102mm	2.75"	70mm	1.94"	49mm	HPA96540	thru
SU647	4.00"	102mm	2.75"	70mm	2.05"	52mm	5505	0.81"
SU2353	4.00"	102mm	2.75"	70mm	2.05"	52mm	6205 or C99505RIC	0.59"
SU255	4.00"	102mm	2.75"	70mm	2.44"	62mm	15245 or 15123	0.84"
SU143	4.00"	102mm	2.75"	70mm	2.44"	62mm	6206 or 6206Z	0.81"

## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel O.D. ▼		Tread Width		Bearing O.D.	Bearing	Bore Depth	
SU1801	4.00"	102mm	2.88"	73mm	1.78"	43mm	LM11910 or LM11949	0.61"
SU642	4.00"	102mm	2.88"	73mm	1.85"	47mm	6204 or 77504	0.58"
SU443	4.00"	102mm	2.88"	73mm	2.05"	70mm	8505	0.59"
SU988	4.00"	102mm	2.88"	73mm	2.05"	52mm	87505	0.63"
SU9146	4.00"	102mm	2.88"	73mm	2.05"	52mm	6205 or 6205Z	0.75"
SU9104	4.00"	102mm	2.88"	73mm	2.05"	52mm	6205, 6304, 8505 or 87505	0.59"
SU641	4.00"	102mm	2.88"	73mm	2.05"	52mm	6205, 6304, 8505 or 87505	0.59"
SU851	4.00"	102mm	2.88"	73mm	2.05"	52mm	6205, 6304, 8505 or 87505	0.60"
SU140	4.00"	102mm	2.88"	73mm	2.24"	57mm	Cup 1729 cone 1780	1.05"
SU9803	4.00"	102mm	2.88"	73mm	2.33"	59mm	Cup LM67010 cone LM67048	0.83"
SUSP1119	4.00"	102mm	2.88"	73mm	2.44"	62mm	6305	0.66"
SU542	4.00"	102mm	2.88"	73mm	2.44"	62mm	6206, 6206Z or 8605	0.75"
SU844	4.00"	102mm	2.88"	73mm	2.44"	62mm	6206, 6206Z or 8605	0.84"
SU294	4.00"	102mm	2.88"	73mm	2.44"	62mm	Cup 15245 cone 15123	0.75"
SU344	4.00"	102mm	2.88"	73mm	2.44"	62mm	Cup 15245 cone 15123	0.83"
SU9842	4.00"	102mm	2.88"	73mm	2.44"	62mm	Cup 15245 cone 15123	0.83"
SU3002	4.00"	102mm	2.95"	75mm	2.44"	62mm	6006	0.63"
SU540	4.00"	102mm	3.00"	76mm	1.63"	41mm	77R12 or R12	0.44"
SU934	4.00"	102mm	3.00"	76mm	1.63"	41mm	R12 or EEB-6-2RS	0.44"
SU770	4.00"	102mm	3.00"	76mm	2.05"	52mm	7605	0.81"
SU493	4.00"	102mm	3.13"	79mm	2.44"	62mm	87506	0.79"
SU2354	4.00"	102mm	3.25"	57mm	1.94"	50mm	TA96548NAL	thru
SU645	4.00"	102mm	3.63"	92mm	2.05"	52mm	1205, 6205 or 6304	0.62"
SU343	4.00"	102mm	3.63"	92mm	2.44"	62mm	Cup 15245 cone 15123 or 8605	0.75"
SU347	4.00"	102mm	3.76"	96mm	2.44"	62mm		0.77"
SU859	4.00"	102mm	3.88"	99mm	2.05"	52mm	6205	0.60"
SU543	4.00"	102mm	3.88"	73mm	2.44"	62mm	8505 or 8605	0.75"
SU730	4.00"	102mm	4.00"	102mm	2.05"	52mm		0.59"
SU845	4.00"	102mm	4.00"	102mm	2.44"	62mm	6206	0.81"
SU646	4.00"	102mm	4.00"	102mm	2.44"	62mm	7605 or 8605	0.67"
SU9149	4.00"	102mm	4.13"	105mm	2.05"	52mm	3205 or 6205	0.75"
SU9147	4.00"	102mm	5.00"	127mm	2.44"	62mm	6305	0.63"
SU842	4.25"	108mm	2.00"	51mm	2.05"	52mm	6205 or 6205-2RS	0.77"
SU843	4.25"	108mm	2.88"	73mm	1.94"	49mm	Cup 12520	
SU841	4.25"	108mm	2.88"	73mm	2.05"	52mm	6205 or 6205-2RS	0.77"
SU849	4.25"	108mm	2.88"	73mm	2.24"	57mm	Cup 1729 cone 1780	0.75"
SU146	4.25"	108mm	4.00"	102mm	2.44"	62mm	7506	0.63"
SU142	4.50"	114mm	2.00"	51mm	2.05"	52mm	6205-2RS	0.59"
SU842	4.50"	115mm	2.00"	51mm	2.05"	52mm	6205-2RS	0.77"
SU148	4.50"	114mm	2.75"	70mm	2.44"	62mm	6206 or 6206Z	0.85"
SU141	4.50"	114mm	2.88"	73mm	2.24"	57mm	Cup 1729 cone 1780	1.05"
SU656	5.00"	127mm	1.13"	29mm	2.05"	52mm	6205	0.28"
SU9105	5.00"	127mm	1.50"	38mm	1.19"	30mm	HP9330NAH	thru
SU261	5.00"	127mm	1.75"	44mm	1.78"	45mm	Cup LM11910 cone LM11949	0.72"
SU856	5.00"	127mm	1.75"	44mm	2.44"	62mm	8605	0.81"
SU551	5.00"	127mm	1.88"	48mm	2.44"	62mm	7605 or 8605	0.75"
SU2378	5.00"	127mm	1.97"	50mm	1.63"	41mm	R12ZZ	0.44"
SU237	5.00"	127mm	1.97"	50mm	1.63"	41mm	R12ZZ	thru

## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel	O.D. ▼	Tread	Width	Bearing	O.D.	Bearing	Bore Depth
SU9103	5.00"	127mm	2.00"	51mm	1.19"	30mm	HP9330NAH	thru
SU939	5.00"	127mm	2.00"	51mm	1.63"	41mm	R12	0.43"
SU650	5.00"	127mm	2.00"	51mm	2.05"	52mm	305KD or 6205	0.59"
SU751	5.00"	127mm	2.00"	51mm	2.44"	62mm	7605	0.67"
SU651	5.00"	127mm	2.00"	51mm	2.44"	62mm	305KD-C1 or 6305	0.67"
SU9119	5.00"	127mm	2.13"	54mm	3.15"	80mm	6305	0.83"
SU145	5.00"	127mm	2.50"	64mm	1.85"	47mm	6204 or 77504	0.55"
SU9123	5.00"	127mm	2.50"	64mm	1.85"	47mm		0.68"
SU456	5.00"	127mm	2.50"	64mm	1.94"	50mm	Cup 9195 cone 9067	0.96"
SU2369	5.00"	127mm	2.50"	64mm	1.94"	50mm	HPA9654ONAH	thru
SU452	5.00"	127mm	2.50"	64mm	1.94"	50mm		0.95"
SU2357	5.00"	127mm	2.50"	64mm	2.05"	52mm	6205	0.59"
SU858	5.00"	127mm	2.50"	64mm	2.05"	52mm	6205	0.60"
SU351	5.00"	127mm	2.63"	67mm	2.84"	72mm	87507 or 88107	0.77"
SU9850	5.00"	127mm	2.63"	67mm	2.84"	72mm	87507 or 88107	0.77"
SU497	5.00"	127mm	2.73"	60mm	2.44"	62mm		0.81"
SU252	5.00"	127mm	2.75"	70mm	1.78"	45mm	Cup LM11910 cone LM11949	0.72"
SU652	5.00"	127mm	2.75"	70mm	2.44"	62mm	87506	0.79"
SU853	5.00"	127mm	2.75"	70mm	2.44"	62mm	6206Z	0.63"
SU9109	5.00"	127mm	2.75"	70mm	3.15"	80mm	99607 or C307SFF	0.88"
SUSP1128-903	5.00"	127mm	2.88"	73mm	2.44"	62mm		0.67"
SU552	5.00"	127mm	2.88"	73mm	2.05"	52mm	6205, 77505, 8505, 8605 or 87505	0.59"
SU653	5.00"	127mm	2.88"	73mm	2.05"	52mm	6205, 77505, 8505, 8605 or 87505	0.59"
SU451	5.00"	127mm	2.88"	73mm	2.05"	52mm	6205, 77505, 8505, 8605 or 87505	0.59"
SU857	5.00"	127mm	2.88"	73mm	2.05"	52mm	6205, 77505, 8505, 8605 or 87505	0.60"
SU2402	5.00"	127mm	2.88"	73mm	2.05"	52mm	6205	0.59"
SU9805	5.00"	127mm	2.88"	73mm	2.33"	59mm	Cup LM67010 cone LM67048	0.91"
SU854	5.00"	127mm	2.88"	73mm	2.44"	62mm	6206	0.82"
SU455	5.00"	127mm	2.88"	73mm	2.44"	62mm	6305	0.79"
SU9150	5.00"	127mm	2.88"	73mm	2.44"	62mm	6305	0.81"
SU553	5.00"	127mm	2.88"	73mm	2.44"	62mm	8605	0.75"
SU450	5.00"	127mm	2.88"	73mm	2.44"	62mm	8605	0.78"
SU449	5.00"	127mm	2.88"	73mm	2.44"	62mm	87506	0.79"
SU375	5.00"	127mm	2.88"	73mm	2.44"	62mm	15245 or 15123	0.70"
SU263	5.00"	127mm	2.88"	73mm	2.44"	62mm	15245 or 15123	0.75"
SUSP1128-903	5.00"	127mm	2.88"	73mm	2.44"	62mm		0.67"
SU993	5.00"	127mm	2.88"	73mm	2.84"	72mm	6306 or 6306DDU	0.78"
SU9152	5.00"	127mm	2.88"	73mm	3.15"	80mm	6307 or C307SFF	0.98"
SU500	5.00"	127mm	2.88"	73mm	3.49"	89mm		thru
SU9851	5.00"	127mm	2.94"	75mm	2.83"	72mm	87507	0.78"
SU3001	5.00"	127mm	2.95"	75mm	2.83"	72mm		0.75"
SU258	5.00"	127mm	3.00"	76mm	1.78"	45mm	Cup LM11910 cone LM11949	0.72"
SU254	5.00"	127mm	3.00"	76mm	1.78"	45mm	Cup LM11910 cone LM11949	0.81"
SU251	5.00"	127mm	3.00"	76mm	1.94"	49mm	Cup 9195 or 9196 cone 9078	0.39"
SU229	5.00"	127mm	3.00"	76mm	1.94"	50mm	Cup 9195 or 9196 cone 9078	0.84"
SU752	5.00"	127mm	3.00"	76mm	2.44"	62mm	7605	0.67"
SU376	5.00"	127mm	3.00"	76mm	2.83"	72mm	87507 or 88107	0.74"
SU9753	5.00"	127mm	3.00"	76mm	2.83"	72mm	87507 or 88107	0.77"

## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel O.D. ▼	Tread	Width	Bearing O.D.	Bearing	Bore Depth
SU994	5.00" 127mm	3.00"	76mm	2.83" 72mm	87507 or 88107	0.83"
SU2101	5.00" 127mm	3.00"	76mm	2.83" 72mm		0.75"
SU275	5.00" 127mm	3.25"	83mm	1.78" 45mm	11910 or LM11949	0.74"
SU917	5.00" 127mm	3.43"	87mm	2.05" 52mm	6204	0.63"
SU852	5.00" 127mm	3.50"	89mm	1.75" 44mm		thru
SU356	5.00" 127mm	3.50"	89mm	2.44" 62mm	Cup 15245 cone 15123	0.72"
SU9853	5.00" 127mm	3.50"	89mm	2.44" 62mm	Cup 15245 cone 15123	0.84"
SU283	5.00" 127mm	3.50"	89mm	2.44" 62mm	Cup 15245 cone 15123	
SU979	5.00" 127mm	3.50"	89mm	2.83" 72mm	87507	0.83"
SU654	5.00" 127mm	3.63"	92mm	2.44" 62mm	1305 or 6305	0.67"
SU655	5.00" 127mm	3.63"	92mm	2.44" 62mm	6305 or 7605	0.63"
SU995	5.00" 127mm	3.63"	92mm	2.83" 72mm	6306, 87507 or 88107	0.75"
SU353	5.00" 127mm	3.63"	92mm	2.83" 72mm	6306, 87507 or 88107	0.77"
SU9754	5.00" 127mm	3.63"	92mm	2.83" 72mm	6306, 87507 or 88107	0.77"
SU9854	5.00" 127mm	3.63"	92mm	2.83" 72mm	6306, 87507 or 88107	0.77"
SU2102	5.00" 127mm	3.63"	92mm	2.83" 72mm		0.75"
SU9121	5.00" 127mm	3.63"	92mm	2.84" 72mm	88107	0.98"
SU9108	5.00" 127mm	3.63"	92mm	3.15" 80mm	6307ZZ	0.88"
SU848	5.00" 127mm	3.75"	95mm	2.83" 72mm	87505	0.63"
SU377	5.00" 127mm	3.75"	95mm	2.83" 72mm	87505	0.74"
SU458	5.00" 127mm	3.88"	99mm	2.44" 62mm		0.67"
SU153	5.00" 127mm	3.88"	98mm	2.05" 52mm	6205	0.60"
SU457	5.00" 127mm	3.88"	98mm	2.05" 70mm	6205	0.60"
SU155	5.00" 127mm	3.88"	99mm	2.05" 52mm	6205	0.60"
SU556	5.00" 127mm	3.88"	73mm	2.44" 62mm	5506 or 8605	1.13"
SU3000	5.00" 127mm	3.94"	100mm	2.83" 72mm		0.75"
SU771	5.00" 127mm	4.00"	102mm	2.44" 62mm	6305	0.67"
SU754	5.00" 127mm	4.00"	102mm	2.44" 62mm	7605	0.67"
SU554	5.00" 127mm	4.00"	102mm	2.44" 62mm	55506	0.67"
SU855	5.00" 127mm	4.00"	102mm	2.44" 62mm	6206 or 6206Z	0.63"
SU154	5.00" 127mm	4.00"	102mm	2.44" 62mm	6206 or 6206Z	0.82"
SU755	5.00" 127mm	4.00"	102mm	2.84" 72mm	7507	0.67"
SU357	5.00" 127mm	4.00"	102mm	2.84" 72mm	87507 or 88107	0.77"
SU502	5.00" 127mm	4.00"	102mm	3.49" 89mm		thru
SU9157	5.00" 127mm	4.13"	105mm	2.44" 62mm	6305	0.82"
SU9151	5.00" 127mm	4.13"	105mm	3.15" 80mm	6307 or C307SFF	0.98"
SU756	5.00" 127mm	4.50"	114mm	2.44" 72mm	7605	
SU555	5.00" 127mm	4.50"	115mm	2.44" 62mm	5506 or 6305	0.67"
SU559	5.00" 127mm	4.50"	115mm	2.44" 62mm	5506 or 6305	1.13"
SU757	5.00" 127mm	4.50"	114mm	2.84" 72mm	7507	0.67"
SU183	5.00" 127mm	5.00"	127mm	2.50" 64mm	Cup 15250X	1.06"
SU358	5.00" 127mm	5.00"	127mm	2.84" 72mm	88107	0.77"
SU504	5.00" 127mm	5.00"	127mm	3.49" 89mm		thru
SU501	5.00" 127mm	5.00"	127mm	3.49" 89mm		thru
SU10204	5.00" 127mm	5.25"	133mm	2.05" 52mm	6205	0.60"
SU10199	5.50" 140mm	2.31"	59mm	2.05" 52mm		0.87"
SU920	5.50" 140mm	2.36"	60mm	1.85" 47mm		0.27"
SU925	5.50" 140mm	2.36"	60mm	2.05" 52mm	62052RS	1.00"

## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel	O.D. ▼	Tread	Width	Bearing	O.D.	Bearing	Bore Depth
SU905	5.50"	140mm	2.38"	60mm	2.05"	52mm	6304	0.59"
SU913	5.50"	140mm	2.38"	60mm	2.07"	52mm		0.89"
SU184	5.50"	140mm	3.75"	95mm	2.50"	64mm	Cup 15250X cone 15100	1.06"
SU758	5.50"	140mm	4.00"	102mm	2.44"	72mm	7605	0.67"
SU557	5.50"	140mm	4.00"	102mm	2.44"	62mm	55506	0.67"
SU759	5.50"	140mm	4.00"	102mm	2.84"	72mm	7507	0.67"
SU760	5.50"	140mm	4.50"	114mm	2.44"	72mm	7605	0.67"
SU558	5.50"	140mm	4.50"	115mm	2.44"	62mm	6305 or 7605	0.67"
SU150	5.50"	140mm	4.50"	114mm	2.50"	64mm	Cup 15250 cone 15100 or cup 14277 cone 14130	1.22"
SU761	5.50"	140mm	4.50"	114mm	2.84"	72mm	7507	0.67"
SU151	5.50"	140mm	5.00"	127mm	2.50"	64mm	Cup 15250 cone 15100 or cup 14277 cone 14130	1.22"
SU151R	5.50"	140mm	5.00"	127mm	2.72"	69mm	15250 or 15100	1.22"
SU768	5.50"	140mm	6.00"	152mm	2.44"	62mm	7605	0.67"
SU9636	5.75"	146mm	2.00"	51mm	2.05"	52mm		0.66"
SU9162	6.00"	152mm	1.91"	49mm	1.85"	47mm	6204ZZV	0.51"
SU9114	6.00"	152mm	2.00"	51mm	1.19"	30mm	HP9330NAH	thru
SU367	6.00"	152mm	2.00"	51mm	1.78"	45mm		0.61"
SU240	6.00"	152mm	2.00"	51mm	1.94"	50mm	18125	2.31"
SU461	6.00"	152mm	2.00"	51mm	1.94"	50mm	18125	thru
SU463	6.00"	152mm	2.00"	51mm	1.94"	50mm	Cup 9195 cone 9067	0.95"
SU462	6.00"	152mm	2.00"	51mm	2.05"	70mm	87505	0.63"
SU337	6.00"	152mm	2.00"	51mm	2.33"	58mm	Cup LM67010 cone LM67048	0.88"
SU862	6.00"	152mm	2.00"	51mm	2.38"	60mm	18175	thru
SU1419	6.00"	152mm	2.00"	51mm	2.44"	62mm	6006	0.63"
SU861	6.00"	152mm	2.00"	51mm	2.44"	62mm	6206 and cup 15244 cone 15117	0.80"
SU235	6.00"	152mm	2.00"	51mm	2.44"	62mm	Cup 15245 cone 15100	0.84"
SU624	6.00"	152mm	2.00"	51mm	2.83"	72mm	6207 2RS	0.67"
SU9127	6.00"	152mm	2.00"	51mm	3.15"	80mm	6307ZZ	0.83"
SU668	6.00"	152mm	2.50"	67mm	1.69"	71mm	94540	thru
SU2355	6.00"	152mm	2.50"	64mm	1.69"	72mm	HG94540R3 or PA94540	thru
SU566	6.00"	152mm	2.50"	64mm	1.69"	43mm	PA160440	thru
SU470	6.00"	152mm	2.50"	64mm	1.78"	45mm	Cup LM11910 cone LM11949	0.65"
SU466	6.00"	152mm	2.50"	64mm	1.78"	45mm	Cup LM11910 cone LM11949	0.65"
SU363	6.00"	152mm	2.50"	64mm	1.94"	49mm	18130	thru
SU667	6.00"	152mm	2.50"	67mm	1.94"	49mm	Cup 9195 cone 9067	1.05"
SU9860	6.00"	152mm	2.50"	64mm	1.94"	49mm	PA9654ONAH	thru
SU460	6.00"	152mm	2.50"	64mm	1.98"	50mm	Cup LM44610 cone LM44643	0.85"
SU978	6.00"	152mm	2.50"	64mm	1.98"	50mm	L44610 or L44643	thru
SU663	6.00"	152mm	2.50"	67mm	2.33"	59mm	Cup LM67010 cone LM67048 or cup 7196 cone 7100	1.02"
SU863	6.00"	152mm	2.50"	64mm	2.44"	62mm	6206	0.64"
SU465	6.00"	152mm	2.63"	67mm	1.75"	44mm	95540	thru
SU267	6.00"	152mm	2.75"	70mm	1.78"	45mm	Cup LM11910 cone LM11949	0.72"
SU989	6.00"	152mm	2.75"	70mm	1.98"	50mm	Cup LM44610 cone LM44643	thru
SU2371	6.00"	152mm	2.75"	70mm	2.05"	52mm	8505	0.63"
SU9111	6.00"	152mm	2.75"	70mm	3.15"	80mm	307NPP or 6307	0.83"
SU9125	6.00"	152mm	2.75"	70mm	3.15"	80mm		1.02"



## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SU9167	6.00"	152mm	2.75"	70mm	3.15"	80mm		1.02"
SU986	6.00"	152mm	2.88"	73mm	2.05"	52mm	8505	0.59"
SU9160	6.00"	152mm	2.88"	73mm	3.15"	80mm		0.99"
SU260	6.00"	152mm	3.00"	76mm	1.78"	45mm	Cup LM11910 cone LM11949	0.65"
SU262	6.00"	152mm	3.00"	76mm	1.78"	45mm	Cup LM11910 cone LM11949	0.81"
SU241	6.00"	152mm	3.00"	76mm	1.94"	50mm	18130	3.31"
SU569	6.00"	152mm	3.00"	76mm	1.94"	49mm	96540NAH	thru
SU268	6.00"	152mm	3.00"	76mm	1.94"	49mm	Cup 9175 cone 9075 or cup 9195 cone 9078	0.95"
SU675	6.00"	152mm	3.00"	76mm	2.05"	52mm	6205	1.18"
SU560	6.00"	152mm	3.00"	76mm	2.05"	52mm	8505	0.59"
SU467	6.00"	152mm	3.00"	76mm	2.05"	52mm	6205, 87026 or 87505	0.59"
SU2358	6.00"	152mm	3.00"	76mm	2.05"	52mm	6205, 87026 or 87505	thru
SU999	6.00"	152mm	3.00"	76mm	2.05"	52mm	6205	1.13"
SU865	6.00"	152mm	3.00"	76mm	2.38"	60mm	18175	thru
SU864	6.00"	152mm	3.00"	76mm	2.44"	62mm	6206	0.65"
SU664	6.00"	152mm	3.00"	76mm	2.44"	62mm	6305	0.67"
SU673	6.00"	152mm	3.00"	76mm	2.44"	62mm	6305	0.98"
SU561	6.00"	152mm	3.00"	76mm	2.44"	62mm	7605, 8505 or 87506	0.67"
SU459	6.00"	152mm	3.00"	76mm	2.44"	62mm	7605, 8505 or 87506	0.78"
SU239	6.00"	152mm	3.00"	76mm	2.44"	62mm	Cup 15245 cone 15100	0.81"
SU468	6.00"	152mm	3.00"	76mm	2.84"	72mm	3207, 6207 or 88107-C	0.69"
SU2367	6.00"	152mm	3.25"	83mm	1.94"	50mm	HP96540NAH	thru
SU674	6.00"	152mm	3.63"	92mm	2.44"	62mm	6305	0.67"
SU364	6.00"	152mm	3.75"	95mm	2.84"	72mm	6306 or 88107	0.77"
SU9861	6.00"	152mm	3.88"	98mm	2.33"	59mm	Cup LM67010 cone LM67048	0.95"
SU2359	6.00"	152mm	3.88"	73mm	2.44"	62mm	6206, 6305, 7605 or 8605	0.63"
SU562	6.00"	152mm	3.88"	73mm	2.44"	62mm	6206, 6305, 7605 or 8605	0.80"
SU592	6.00"	152mm	3.88"	73mm	2.44"	62mm	6206, 6305, 7605 or 8605	0.83"
SU472	6.00"	152mm	3.88"	99mm	3.15"	80mm	6307	0.83"
SU3003	6.00"	152mm	3.94"	100mm	2.83"	72mm		0.75"
SU4000	6.00"	152mm	3.94"	100mm	3.54"	90mm		1.11"
SU762	6.00"	152mm	4.00"	102mm	2.44"	62mm	7605	0.67"
SU474	6.00"	152mm	4.00"	102mm	2.44"	62mm	87506	0.79"
SU866	6.00"	152mm	4.00"	105mm	2.44"	62mm	Cup 15244 cone 15117	0.81"
SU264	6.00"	152mm	4.00"	102mm	2.44"	62mm	Cup 15245 cone 15100	0.84"
SU661	6.00"	152mm	4.00"	102mm	2.72"	69mm	Cup 14274 cone 14136A	2.00"
SU464	6.00"	152mm	4.00"	102mm	2.83"	72mm	87507	0.83"
SU666	6.00"	152mm	4.00"	102mm	2.83"	72mm	1207FF	0.68"
SU1605	6.00"	203mm	4.00"	102mm	2.83"	72mm		0.87"
SU763	6.00"	152mm	4.00"	102mm	2.84"	72mm	7507	0.67"
SU362	6.00"	152mm	4.00"	102mm	2.84"	72mm	6306 or 88107	1.19"
SU9862	6.00"	152mm	4.00"	102mm	2.88"	73mm	Cup 25821 cone 25877	1.22"
SU366	6.00"	152mm	4.00"	102mm	2.88"	73mm	Cup 25821 cone 25877	1.25"
SU867	6.00"	152mm	4.00"	105mm	3.15"	80mm	6307	0.83"
SU185	6.00"	152mm	4.00"	102mm	3.15"	80mm	6405	1.00"
SU9186	6.00"	152mm	4.13"	105mm	3.15"	80mm	6307	0.83"
SU9163	6.00"	152mm	4.13"	105mm	3.15"	80mm		0.98"

# Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel	O.D. ▼	Tread	Width	Bearing	O.D.	Bearing	Bore Depth
SU9117	6.00"	203mm	4.25"	108mm	3.15"	80mm	6307 or C307SFF	0.83"
SU563	6.00"	152mm	4.50"	115mm	2.44"	62mm	6206 or 7605	0.67"
SU860	6.00"	152mm	4.50"	114mm	3.12"	79mm	41286 or 43312	2.56"
SU574	6.00"	152mm	4.88"	124mm	2.44"	62mm	7605	0.95"
SU764	6.00"	152mm	5.00"	127mm	2.05"	52mm	7505	0.59"
SU868	6.00"	152mm	5.00"	127mm	2.44"	62mm	6206	2.22"
SU564	6.00"	152mm	5.00"	127mm	2.44"	62mm	6206 or 7605	0.67"
SU469	6.00"	152mm	5.00"	140mm	2.44"	62mm	87505 or 87506	0.79"
SU265	6.00"	152mm	5.00"	127mm	2.44"	62mm	Cup 15245 cone 15100	0.84"
SU662	6.00"	152mm	5.00"	127mm	2.72"	69mm	Cup 14274 cone 14136A	2.00"
SU567	6.00"	152mm	5.00"	127mm	2.83"	72mm	7507	0.67"
SU471	6.00"	152mm	5.00"	127mm	2.83"	72mm	87507	0.69"
SU773	6.00"	152mm	5.00"	127mm	2.83"	72mm		1.19"
SU765	6.00"	152mm	5.00"	127mm	2.84"	72mm	7507	0.67"
SU665	6.00"	152mm	5.00"	127mm	2.84"	72mm	1207FF or 6207	0.68"
SU476	6.00"	152mm	5.00"	127mm	2.84"	72mm	487507V	0.83"
SU360	6.00"	152mm	5.00"	127mm	2.84"	72mm	6306 or 88107	2.06"
SU669	6.00"	152mm	5.00"	127mm	3.55"	69mm		0.91"
SU869	6.00"	152mm	6.00"	152mm	2.44"	62mm	206P	2.72"
SU565	6.00"	152mm	6.00"	152mm	2.44"	62mm	6206 or 7506	0.67"
SU767	6.00"	152mm	6.00"	152mm	2.84"	72mm	7507	1.17"
SU568	6.00"	152mm	6.00"	152mm	2.84"	72mm	87507	0.83"
SU361	6.00"	152mm	6.00"	152mm	2.84"	72mm	6306 or 88107	1.31"
SU772	6.00"	152mm	6.00"	152mm	3.15"	80mm		0.71"
SU1302	6.50"	165mm	2.75"	70mm	2.05"	52mm	6304	0.59"
SU570	6.50"	165mm	4.00"	102mm	2.44"	62mm	7506	0.67"
SU769	6.50"	165mm	4.00"	102mm	2.84"	72mm	7505	
SU164	6.50"	165mm	4.00"	102mm	2.84"	72mm	87507	0.83"
SU573	6.50"	165mm	4.50"	115mm	2.44"	62mm	7506	0.67"
SU162	6.50"	165mm	4.50"	114mm	2.50"	64mm	Cup 15250	1.25"
SU160	6.50"	165mm	4.50"	114mm	2.83"	72mm	87507	0.83"
SU1501	6.50"	165mm	4.50"	114mm	3.15"	80mm	Cup 3320	1.16"
SU161	6.50"	165mm	5.00"	127mm	2.50"	64mm	Cup 15250 cone 15100 or cup 14277 cone 14130	1.22"
SU1420	6.63"	165mm	3.25"	83mm	3.25"	83mm		2.75"
SU9637	6.75"	171mm	2.00"	51mm	2.05"	52mm		0.66"
SU9472	7.00"	178mm	2.00"	51mm	1.85"	47mm	6204 or 6204Z	0.55"
SU9128	7.00"	178mm	2.00"	51mm	1.85"	47mm	6204-2RS	0.55"
SU1702	7.00"	178mm	2.00"	51mm	1.85"	47mm	6204Z	0.55"
SU273	7.00"	178mm	2.00"	51mm	1.94"	49mm	18125	2.31"
SU670	7.00"	178mm	2.00"	51mm	1.94"	49mm	Cup 9078 cone 9195	0.93"
SU873	7.00"	178mm	2.00"	51mm	2.38"	60mm	18175	thru
SU680	7.00"	178mm	2.00"	51mm	2.44"	62mm	6006	0.63"
SU9571	7.00"	178mm	2.00"	51mm	2.44"	62mm	6206	0.63"
SU272	7.00"	178mm	2.00"	51mm	2.44"	62mm	Cup 15245 cone 15100	0.84"
SU671	7.00"	178mm	2.00"	51mm	2.84"	72mm	3207 or 6207	0.67"
SU672	7.00"	178mm	2.00"	51mm	2.84"	72mm	6207 or 6207RS	0.67"
SU871	7.00"	178mm	2.06"	52mm	2.44"	62mm	206P	0.81"

## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel O.D. ▼	Tread	Width	Bearing O.D.	Bearing	Bore Depth	
SU918	7.00"	178mm	2.38"	60mm	1.85" 47mm	6204	1.91"
SU1925	7.00"	178mm	2.50"	64mm	2.05" 52mm	6304	0.55"
SU282	7.00"	178mm	2.50"	64mm	2.33" 59mm	Cup LM67010	0.64"
SU372	7.00"	178mm	2.50"	64mm	2.33" 59mm	Cup LM67010 cone LM67048	1.46"
SU280	7.00"	178mm	2.50"	64mm	2.44" 62mm	8605	0.84"
SU271	7.00"	178mm	2.50"	64mm	2.44" 62mm	Cup 15245 cone 15100	1.18"
SU9870	7.00"	178mm	2.50"	64mm	2.75" 70mm	Cup 15245	0.47"
SU9871	7.00"	178mm	2.75"	70mm	1.98" 50mm	L44610 or L44643	1.35"
SU1303	7.00"	178mm	2.75"	70mm	2.05" 52mm	6304	0.59"
SU9773	7.00"	178mm	2.88"	73mm	2.05" 52mm	6205, 6206 or 6304	1.82"
SU2110	7.00"	178mm	2.88"	73mm	2.13" 54mm		1.17"
SU473	7.00"	178mm	2.94"	75mm	2.84" 72mm	88107	0.77"
SU237	7.00"	178mm	3.00"	76mm	1.94" 50mm	18130	thru
SU1138	7.00"	178mm	3.00"	76mm	2.05" 52mm		0.75"
SU875	7.00"	178mm	3.00"	76mm	2.38" 60mm	18180	thru
SU874	7.00"	178mm	3.00"	76mm	2.44" 62mm	206P	0.81"
SU281	7.00"	178mm	3.00"	76mm	2.44" 62mm	Cup 15245 cone 15100	0.84"
SU2115	7.00"	178mm	3.50"	89mm	2.13" 54mm		1.17"
SU2405	7.00"	178mm	4.00"	102mm	2.44" 62mm	6206	0.63"
SU782	7.00"	178mm	4.00"	102mm	2.44" 62mm	6305	0.67"
SU284	7.00"	178mm	4.00"	102mm	2.44" 62mm	8605	0.84"
SUSR0019	7.00"	178mm	4.00"	102mm	2.44" 62mm	15245, 15100 or 15123	
SUSR0019NM	7.00"	178mm	4.00"	102mm	2.44" 62mm	15245, 15100 or 15123	
SU238	7.00"	178mm	4.00"	102mm	2.44" 62mm	Cup 15245 cone 15100	0.84"
SU876	7.00"	178mm	4.00"	102mm	2.44" 62mm		0.65"
SU9874	7.00"	178mm	4.00"	102mm	2.84" 72mm	87507	0.83"
SU270	7.00"	178mm	5.00"	127mm	1.98" 50mm	LM44610 or LM44643	0.91"
SU266	7.00"	178mm	5.00"	127mm	2.44" 62mm	15245 or 15100	0.84"
SU877	7.00"	178mm	5.00"	127mm	2.44" 62mm	206P	0.63"
SU279	7.00"	178mm	5.00"	127mm	2.44" 62mm	Cup 15245 cone 15100	0.84"
SU9120	7.00"	178mm	5.00"	127mm	2.56" 65mm	6206	2.42"
SU9122	7.00"	178mm	5.00"	127mm	2.56" 65mm	6206	1.15"
SU475	7.00"	178mm	5.00"	127mm	2.84" 72mm	487507V	0.83"
SU870	7.00"	178mm	6.00"	152mm	2.44" 62mm	206P	0.63"
SU9644	7.25"	184mm	2.00"	51mm	1.85" 47mm	6204	0.55"
SU9333	7.50"	191mm	2.00"	51mm	1.85" 47mm	6204-2RS	0.55"
SU883	7.50"	190mm	2.13"	54mm	2.45" 62mm		0.22"
SU9645	7.75"	197mm	2.00"	51mm	1.85" 47mm	6204	0.55"
SU205	7.88"	200mm	2.00"	51mm	1.44" 37mm	15245 or 15100	thru
SU887	7.88"	200mm	2.17"	55mm	2.43" 62mm	JRM3939	0.20"
SU484	8.00"	203mm	1.75"	44mm	1.37" 34mm	87502	0.50"
SU480	8.00"	203mm	1.75"	44mm	1.65" 42mm	Z993L04	0.48"
SU9208	8.00"	203mm	1.75"	44mm	1.85" 47mm		0.63"
SU187	8.00"	203mm	1.75"	44mm	1.98" 50mm	Cup L44610 cone L44643	1.56"
SU683	8.00"	203mm	1.75"	44mm	2.00" 51mm	CS-938	thru
SU1451	8.00"	203mm	2.00"	51mm	1.19" 30mm	HP9330NAH	thru
SU206	8.00"	203mm	2.00"	51mm	1.19" 30mm	HP9330NAH	thru
SU924	8.00"	203mm	2.00"	51mm	1.44" 37mm	15245 or 15123	0.75"

## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel	O.D. ▼	Tread	Width	Bearing	O.D.	Bearing	Bore Depth
SU10236	8.00"	203mm	2.00"	51mm	1.44"	37mm	62052RS	thru
SU940	8.00"	203mm	2.00"	51mm	1.62"	41mm		0.43"
SU9682	8.00"	203mm	2.00"	51mm	1.68"	43mm		thru
SU9380	8.00"	203mm	2.00"	51mm	1.75"	44mm	6203	thru
SU186	8.00"	203mm	2.00"	51mm	1.75"	44mm	134750	thru
SU486	8.00"	203mm	2.00"	51mm	1.78"	45mm	Cup LM 11910	0.65"
SU901	8.00"	203mm	2.00"	51mm	1.85"	47mm	6205	0.25"
SU9681	8.00"	203mm	2.00"	51mm	1.85"	47mm	6204	0.55"
SU9982	8.00"	203mm	2.00"	51mm	1.85"	47mm	6204	thru
SU9156	8.00"	203mm	2.00"	51mm	1.85"	47mm	6204 or 6204Z	0.55"
SU9480	8.00"	203mm	2.00"	51mm	1.85"	47mm	6204 or 6204Z	
SU9542	8.00"	203mm	2.00"	51mm	1.85"	47mm	6204 or cup 05185 cone 05079	0.66"
SU1703	8.00"	203mm	2.00"	51mm	1.85"	47mm	6204Z	0.55"
SU9543	8.00"	203mm	2.00"	51mm	1.85"	47mm	9105KD	0.47"
SU482	8.00"	203mm	2.00"	51mm	1.94"	49mm	Cup 9195 cone 9067	0.95"
SU9880	8.00"	203mm	2.00"	51mm	1.98"	50mm	Cup LM44610 cone LM44643	0.82"
SU932	8.00"	203mm	2.00"	51mm	2.00"	51mm	200100	thru
SU2002	8.00"	203mm	2.00"	51mm	2.05"	52mm	6205	0.59"
SU931	8.00"	203mm	2.00"	51mm	2.05"	52mm	6205	0.61"
SU584	8.00"	203mm	2.00"	51mm	2.05"	52mm	6205-16	0.76"
SU10237	8.00"	203mm	2.00"	51mm	2.05"	52mm	62052RS	0.80"
SU585	8.00"	203mm	2.00"	51mm	2.05"	52mm	6205RS	0.59"
SU9118	8.00"	203mm	2.00"	51mm	2.05"	52mm	6205ZZ	0.59"
SU9984	8.00"	203mm	2.00"	51mm	2.05"	52mm	6205	0.59"
SU997	8.00"	203mm	2.00"	51mm	2.33"	72mm	Cup LM67010 cone LM67048	1.59"
SU9113	8.00"	203mm	2.00"	51mm	2.44"	62mm	6206	0.64"
SU884	8.00"	203mm	2.00"	51mm	2.84"	72mm	6306 or 6306KK	0.83"
SU9202	8.00"	203mm	2.31"	59mm	2.05"	52mm	6205	0.59"
SU485	8.00"	203mm	2.50"	64mm	1.98"	50mm	Cup LM44610 cone LM44643	0.85"
SU682	8.00"	203mm	2.50"	67mm	2.00"	51mm	R16	thru
SU487	8.00"	203mm	2.50"	64mm	2.05"	52mm	6205	1.06"
SU188	8.00"	203mm	2.50"	64mm	2.05"	52mm		0.88"
SU182	8.00"	203mm	2.50"	64mm	2.44"	62mm	1205-F	0.64"
SU881	8.00"	203mm	2.50"	64mm	2.44"	62mm	206P	0.81"
SU681	8.00"	203mm	2.50"	67mm	3.35"	85mm	Cup 18720 cone 18790	0.77"
SU919	8.00"	203mm	2.63"	67mm	2.05"	52mm	62052RS	0.59"
SU998	8.00"	203mm	3.00"	76mm	1.78"	45mm	Cup LM11910 cone LM11949	0.86"
SU882	8.00"	203mm	3.00"	76mm	2.33"	59mm	Cup LM67010 cone LM67048XL	0.72"
SU582	8.00"	203mm	3.00"	76mm	2.44"	62mm	6305 or 7605	0.67"
SU885	8.00"	203mm	3.00"	76mm				thru
SU9116	8.00"	203mm	3.75"	95mm	3.15"	80mm	6307 or C307SFF	0.83"
SU253	8.00"	203mm	4.00"	102mm	2.44"	62mm	Cup 15245	0.84"
SU684	8.00"	203mm	4.00"	102mm	2.44"	62mm	Cup 18720 cone 18790, 6305 or 8605	0.63"
SU581	8.00"	203mm	4.00"	102mm	2.44"	62mm	Cup 18720 cone 18790, 6305 or 8605	0.73"
SU9129	8.00"	203mm	4.00"	102mm	2.83"	73mm		0.91"
SU9131	8.00"	203mm	4.00"	102mm	3.54"	90mm	6306	0.75"
SU583	8.00"	203mm	4.50"	114mm	2.44"	62mm	5506	0.94"
SU886	8.00"	203mm	4.50"	114mm	2.50"	64mm	Cup 15250	1.22"

## Poly Wheels - Superior Ruedas de Poliuretano Superior Roues en Uréthane Superior

	Wheel	O.D. ▼	Tread	Width	Bearing	O.D.	Bearing	Bore Depth
SU781	8.00"	203mm	4.50"	114mm	2.84"	72mm	7507	0.67"
SU783	8.00"	203mm	5.00"	127mm	2.44"	62mm	6305	0.67"
SU147	8.00"	203mm	5.00"	127mm	2.50"	64mm	Cup 15250 cone 15100 or cup 14277 cone 14130	1.22"
SU147R	8.00"	203mm	5.00"	127mm	2.50"	64mm	Cup 15250 cone 15100 or cup 14277 cone 14130	Rubber
SU147NM	8.00"	203mm	5.00"	127mm	2.50"	64mm	Cup 15250 cone 15100 or cup 14277 cone 14130	Rubber
SU888	8.50"	216mm	2.50"	64mm				
SU9154	8.50"	216mm	2.69"	68mm	2.75"	70mm	Bolt On	0.53"
SU296	9.00"	229mm	2.00"	51mm	1.94"	49mm		
SU292	9.00"	229mm	2.00"	51mm	2.44"	62mm	Cup 15245 cone 15100	0.84"
SU9890	9.00"	229mm	2.50"	64mm	1.94"	50mm	PA9654ONAH	thru
SU297	9.00"	229mm	3.00"	76mm	1.94"	49mm	18130	0.13"
SU893	9.00"	229mm	3.00"	76mm	2.44"	62mm	6206	0.67"
SU766	9.00"	229mm	3.00"	76mm	2.44"	62mm	7605	0.67"
SU293	9.00"	229mm	3.00"	76mm	2.44"	62mm	Cup 15245 cone 15100	0.84"
SU491	9.00"	229mm	3.00"	76mm	2.84"	72mm	88107	0.77"
SU246	9.00"	229mm	4.00"	102mm	2.44"	62mm	15245 or 15100	0.84"
SU394	9.00"	229mm	4.00"	102mm	2.84"	72mm	6306 or 88107	1.06"
SU277	9.00"	229mm	5.00"	127mm	2.44"	62mm	15245 or 15100	0.84"
SU395	9.00"	229mm	5.00"	127mm	2.84"	72mm	88107	1.06"
SU393	9.00"	229mm	5.00"	127mm	3.54"	90mm	6210Z	0.79"
SU396	9.00"	229mm	6.00"	152mm	2.84"	72mm	88107	
SU492	9.00"	229mm	6.00"	152mm	3.54"	90mm	87510	1.84"
SU9130	10.00"	254mm	3.00"	76mm	2.33"	59mm	Cup LM67010 cone LM67048	0.83"
SU790	10.00"	254mm	3.00"	76mm	2.83"	72mm		1.19"
SU791	10.00"	254mm	3.00"	76mm	2.83"	72mm		1.19"
SU490	10.00"	254mm	3.96"	100mm	3.94"	100mm		1.13"
SU792	10.00"	254mm	4.00"	102mm	2.44"	62mm	6305	0.67"
SU793	10.00"	254mm	4.00"	102mm	2.44"	62mm	6305	0.67"
SU9540	10.00"	254mm	4.00"	102mm	3.15"	80mm		0.63"
SU9778	10.50"	267mm	3.50"	89mm	3.94"	100mm	6309 or 6309RS	0.98"
SU9164	10.50"	267mm	4.00"	102mm	3.15"	80mm	6307 or 6307-2RS	0.83"
SU9165	10.50"	267mm	4.50"	115mm	3.15"	80mm	6307 or 6307-2RS	0.83"
SU278	11.00"	280mm	3.00"	76mm	2.44"	62mm		0.84"
SU276	11.00"	280mm	4.00"	102mm	2.44"	62mm	15245 or 15100	0.84"

# Poly Wheels - TotalSource® Ruedas de Poliuretano TotalSource® Roues en Uréthane TotalSource®



Compound	Color	Durometer
Standard	Orange	90-92

	Wheel O.D. ▼		Tread Width		Bearing O.D.		Bearing	Bore Depth
SYPW9433	3.00"	76mm	3.50"	89mm	1.85"	47mm	6204	0.56"
SYPW734	3.00"	76mm	3.88"	98mm	1.85"	47mm	6204	0.56"
SYPW9133	3.25"	83mm	3.25"	83mm	2.05"	52mm	6205	0.59"
SYPW9138	3.25"	83mm	3.88"	98mm	1.85"	47mm	6204	0.56"
SYPW820	3.25"	83mm	4.50"	114mm	1.57"	40mm	6203	0.58"
SYPW806	3.25"	83mm	4.50"	114mm	2.05"	52mm	5205	0.71"
SYPW9140	3.25"	83mm	4.50"	114mm	2.17"	55mm	6006	0.52"
SYPW9139	3.25"	83mm	4.50"	114mm	2.44"	62mm	6206	0.66"
SYPW9811	3.25"	83mm	5.00"	127mm	2.05"	52mm	6205	0.59"
SYPW9135	3.25"	83mm	5.00"	127mm	2.05"	52mm	8505	0.63"
SYPW429	3.25"	83mm	5.75"	146mm	2.05"	52mm	6208	0.83"
SYPW302	3.25"	83mm	5.75"	146mm	2.05"	52mm	6205 (2)	1.44"
SYPW983	3.25"	83mm	5.88"	149mm	2.05"	52mm	6205	0.58"
SYPW700	3.25"	83mm	5.91"	150mm	2.05"	52mm	6205	1.18"
SYPW248	3.25"	83mm	6.00"	152mm	1.98"	50mm	L44610 and L44643	0.91"
SYPW9810	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205	0.58"
SYPW9812	3.25"	83mm	6.00"	152mm	2.05"	52mm	6205 and Seal	0.63"
SYPW529	3.25"	83mm	6.00"	152mm	2.05"	52mm	5205	0.81"
SYPW534	3.25"	83mm	6.25"	159mm	2.05"	52mm	5205	0.83"
SYPW815	3.25"	83mm	6.50"	165mm	1.98"	50mm	L4469 and L44610	1.18"
SYPW9136-14	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	0.60"
SYPW816	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	1.00"
SYPW9136	3.25"	83mm	6.50"	165mm	2.05"	52mm	6205	1.44"
SYPW338	3.38"	86mm	2.63"	67mm	1.98"	50mm	L44610 and L44643	1.24"
SYPW303	3.38"	86mm	2.63"	67mm	2.05"	52mm	6205	1.14"
SYPW9143	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205	0.59"
SYPW341	4.00"	102mm	2.63"	67mm	2.44"	62mm	8605	0.77"
SYPW641	4.00"	102mm	2.88"	73mm	2.05"	52mm	6205 or 6304	0.59"
SYPW351	5.00"	127mm	2.63"	67mm	2.84"	72mm	88107	0.77"
SYPW653	5.00"	127mm	2.88"	73mm	2.05"	52mm	6205	0.58"
SYPW9150	5.00"	127mm	2.88"	73mm	2.44"	62mm	6305	0.81"
SYPW654	5.00"	127mm	3.63"	92mm	2.44"	62mm	6305	0.67"
SYPW353	5.00"	127mm	3.63"	92mm	2.83"	72mm	6306	0.75"
SYPW354	5.00"	127mm	3.75"	95mm	2.83"	72mm	6306	0.75"
SYPW153	5.00"	127mm	3.88"	99mm	2.05"	52mm	6205	0.59"
SYPW9153	5.00"	127mm	4.13"	105mm	2.44"	62mm	6305	0.80"
SYPW9111	6.00"	152mm	2.75"	70mm	3.15"	80mm	6307	0.83"
SYPW673	6.00"	152mm	3.63"	92mm	2.44"	62mm	6305	0.66"
SYPW606	8.00"	203mm	2.50"	64mm	2.05"	52mm	6205 or 30205	0.88"
SYPW684	8.00"	203mm	4.00"	102mm	2.44"	62mm	6206 or 6305	0.66"

# Poly Wheels - Miscellaneous Drive & Load Wheel

Ruedas Poliuretanos de Manejo y de Carga Roues en Uréthane Conduites & Charges



	Wheel O.D. ▼		Tread Width		I.D.	
SY75290	0.98"	25mm	2.76"	70mm	7.48"	190mm
SY1223374	1.26"	32mm	0.94"	24mm	0.41"	10mm
SY1223396	1.81"	46mm	1.14"	29mm	0.47"	12mm
SY107893	1.88"	48mm	0.88"	22mm	0.38"	10mm
SY75291	2.80"	71mm	3.74"	95mm	0.46"	12mm
SY1223886	2.88"	73mm	3.86"	98mm	1.85"	47mm
SYHJ-D229	2.91"	74mm	3.66"	93mm	1.83"	46mm
SY75299	2.91"	74mm	3.82"	97mm	1.85"	47mm
SY75278	2.95"	75mm	2.95"	75mm	1.85"	47mm
SY1223840	2.95"	75mm	3.46"	88mm	1.85"	47mm
SY75280	3.15"	80mm	2.91"	74mm	1.65"	42mm
SY75281	3.15"	80mm	3.74"	95mm	1.65"	42mm
SY1223391	3.15"	80mm	4.75"	120mm	2.05"	52mm
SY1223414	3.23"	82mm	1.34"	34mm	1.26"	32mm
SY5731065300	3.23"	82mm	1.97"	50mm	1.85"	47mm
SY1223397	3.23"	82mm	2.76"	70mm	1.85"	47mm
SY1223411	3.23"	82mm	3.94"	100mm	1.85"	47mm
SY1223539	3.23"	82mm	1.57"	40mm	2.05"	52mm
SY75239	3.23"	82mm	3.86"	98mm	1.85"	47mm
SY75292	3.23"	82mm	3.94"	100mm	1.85"	47mm
SY75275	3.23"	82mm	3.94"	100mm	1.85"	47mm
SY87967	3.25"	85mm	4.50"	114mm	2.05"	52mm
SY1223750	3.25"	83mm	4.50"	114mm	2.05"	52mm
SY1223369	3.25"	83mm	4.50"	114mm	2.16"	55mm
SYCR119SS	3.25"	83mm	4.50"	114mm	2.16"	55mm
SY1223398	3.27"	83mm	3.07"	78mm	2.05"	52mm
SY75277	3.27"	83mm	3.86"	98mm	0.67"	17mm
SY75265	3.30"	84mm	2.75"	70mm		
SY75271	3.30"	84mm	3.15"	80mm		
SY83445	3.32"	85mm	3.94"	100mm		
SY1223885	3.35"	85mm	2.46"	62mm	2.17"	55mm
SY1223536	3.35"	85mm	2.76"	70mm	1.85"	47mm
SY75301	3.35"	85mm	2.91"	74mm		
SY75305	3.35"	85mm	2.95"	75mm	1.65"	42mm
SY75267	3.35"	85mm	2.95"	75mm		
SY75264	3.35"	85mm	3.15"	80mm		
SY1223555	3.35"	85mm	3.15"	80mm		
SY75276	3.35"	85mm	3.19"	81mm	1.85"	47mm
SY75256	3.35"	85mm	3.35"	85mm		
SY70015	3.35"	85mm	3.54"	90mm	1.85"	47mm
SY75251	3.35"	85mm	3.94"	100mm		

	Wheel O.D. ▼		Tread Width		I.D.	
SY75287	3.35"	85mm	3.94"	100mm		
SY107894	3.35"	85mm	4.33"	110mm		
SY75303	3.39"	86mm	3.90"	99mm	1.65"	42mm
SY75306	3.39"	86mm	3.90"	99mm	1.65"	42mm
SY75297	3.41"	87mm	2.96"	75mm	1.64"	42mm
SY75285	3.54"	90mm	1.97"	50mm	1.85"	47mm
SY75288	3.54"	90mm	1.97"	50mm	2.17"	55mm
SY58868	3.54"	90mm	1.97"	50mm		
SY1223388	3.94"	100mm	1.57"	40mm	1.85"	47mm
SY5751070001	3.94"	100mm	1.97"	50mm	1.85"	47mm
SY75282	3.94"	100mm	1.77"	45mm	1.65"	42mm
SY1223222	4.00"	102mm	2.87"	73mm	2.17"	55mm
SY1223298	4.25"	108mm	2.25"	57mm	2.05"	52mm
SY75260	4.72"	120mm	1.97"	50mm	2.05"	52mm
SY1223535	4.92"	125mm	2.36"	60mm	1.85"	47mm
SY1223368	5.00"	127mm	2.88"	73mm	2.44"	62mm
SY75262	5.50"	140mm	1.97"	50mm		
SY75317	5.51"	140mm	2.36"	60mm	2.05"	52mm
SY1223393	5.91"	150mm	2.17"	55mm	1.85"	47mm
SY1223383	5.91"	150mm	1.97"	50mm	2.05"	52mm
SY75284	5.91"	150mm	2.36"	60mm	2.05"	52mm
SY1223489	6.00"	152mm	3.00"	76mm	1.78"	45mm
SY1223226	6.00"	152mm	5.00"	127mm	2.44"	62mm
SY75293	6.69"	170mm	1.97"	50mm	1.85"	47mm
SY75296	6.85"	174mm	2.40"	61mm	1.85"	47mm
SY1223385	6.89"	175mm	2.17"	55mm	1.85"	47mm
SY75304	6.89"	175mm	2.17"	55mm	1.85"	47mm
SY75240	6.89"	175mm	2.20"	56mm	1.85"	47mm
SY75272	6.89"	175mm	2.28"	58mm	1.85"	47mm
SY1223367	6.89"	175mm	2.28"	58mm		
SY75279	6.89"	175mm	2.36"	60mm	1.85"	47mm
SY1223389	6.93"	176mm	2.20"	56mm	1.85"	47mm
SY1223376	7.00"	178mm	2.87"	73mm	2.83"	72mm
SY1223401	7.01"	178mm	2.87"	73mm	2.05"	52mm
SY75250	7.09"	180mm	1.97"	50mm		
SY75257	7.87"	200mm	3.94"	100mm		
SY75241	7.87"	200mm	4.33"	110mm	3.35"	85mm
SY1223533	7.87"	200mm	2.95"	75mm	1.18"	30mm
SY1223532	7.87"	200mm	3.94"	100mm	2.95"	75mm
SY1223372	7.90"	200mm	1.95"	50mm	1.85"	47mm
SY1223832	8.30"	211mm	2.75"	70mm	7.28"	185mm

# Poly Wheels - Miscellaneous Drive & Load Wheel

Ruedas Poliuretanos de Manejo y de Carga Roues en Uréthane Conduites & Charges

	Wheel O.D. ▼		Tread Width		I.D.			Wheel O.D. ▼		Tread Width		I.D.		
SY1223384	8.34"	213mm	2.00"	52mm	0.51"	13mm		SY75283	9.84"	250mm	3.23"	82mm	8.15"	207mm
SY1223314	8.39"	213mm	4.00"	102mm	0.80"	23mm		SY1211533	9.84"	250mm	3.54"	90mm	8.27"	210mm
SY75295	8.43"	214mm	3.19"	81mm	6.22"	158mm		SY1223379	9.84"	250mm	4.13"	105mm		
SY75245	8.46"	215mm	2.95"	75mm				SY1223375	9.84"	250mm	5.04"	128mm		
SY1223534	8.46"	215mm	3.11"	79mm	2.36"	60mm		SY1223406	10.00"	254mm	3.35"	85mm	1.18"	30mm
SY75298	8.46"	215mm	3.15"	80mm	6.10"	155mm		SY1223407	10.00"	254mm	4.00"	102mm	3.15"	80mm
SY1223405	8.46"	215mm	2.36"	60mm	2.36"	60mm		SY1223538	10.00"	254mm	4.00"	102mm	3.14"	80mm
SY1223412	8.46"	215mm	2.99"	76mm	2.36"	60mm		SY1223884	10.00"	254mm	4.00"	102mm	3.15"	80mm
SY1223883	9.00"	229mm	2.88"	73mm	6.63"	168mm		SY1223413	10.24"	260mm	3.15"	80mm	2.56"	65mm
SY1223537	9.05"	230mm	2.95"	75mm	1.77"	45mm		SY1223378	10.24"	260mm	2.64"	67mm	2.44"	62mm
SY1223529	9.05"	230mm	3.23"	82mm				SY1223387	10.24"	260mm	3.35"	85mm	2.44"	62mm
SY1223394	9.06"	230mm	2.56"	65mm				SY45809	11.22"	285mm	3.94"	100mm	2.64"	67mm
SY1222501	9.06"	230mm	2.76"	70mm	1.77"	45mm		SY75273	11.22"	285mm	3.94"	100mm	8.94"	227mm
SY1223434	9.06"	230mm	2.76"	70mm	1.77"	45mm		SY1223380	11.22"	285mm	4.33"	110mm	3.34"	85mm
SY1223831	9.06"	230mm	2.76"	70mm	1.77"	45mm		SY1211534	11.81"	300mm	3.54"	90mm	8.27"	210mm
SY1223417	9.06"	230mm	2.95"	75mm	1.18"	30mm		SY1223745	12.00"	305mm	5.50"	140mm	8.00"	203mm
SY1223400	9.06"	230mm	2.95"	75mm	1.77"	45mm		SY1223415	12.13"	308mm	4.72"	120mm	3.15"	80mm
SY1223402	9.06"	230mm	2.95"	75mm	1.77"	45mm		SY1223382	12.13"	308mm	4.72"	120mm	3.15"	80mm
SY1223408	9.06"	230mm	2.95"	75mm	1.77"	45mm		SY75255	12.20"	310mm	3.94"	100mm		
SY1223410	9.06"	230mm	3.54"	90mm	1.77"	45mm		SY1223381	12.91"	328mm	5.32"	135mm	3.15"	80mm
SY1223409	9.06"	230mm	3.54"	90mm	2.48"	63mm		SY75249	12.99"	330mm	5.51"	140mm		
SY75286	9.06"	230mm	2.80"	71mm	7.09"	180mm		SY1223416	13.39"	340mm	4.53"	115mm	3.15"	80mm
SY1223370	9.06"	230mm	2.80"	71mm	7.09"	180mm		SY1223390	13.39"	340mm	4.49"	114mm	3.54"	90mm
SY1223371	9.06"	230mm	2.80"	71mm	7.09"	180mm		SY5710451000	13.46"	342mm	5.51"	140mm	3.15"	80mm
SY75302	9.06"	230mm	3.15"	80mm	2.56"	65mm		SY1223598	13.46"	342mm	5.51"	140mm	3.15"	80mm
SY75289	9.06"	230mm	3.23"	82mm	7.17"	182mm		SY1223404	13.46"	342mm	5.35"	136mm	3.54"	90mm
SY1223386	9.06"	230mm	3.27"	83mm	1.77"	45mm		SY1223744	13.50"	343mm	4.50"	114mm	10.20"	259mm
SY75294	9.06"	230mm	3.35"	85mm	3.15"	80mm		SY1223531	13.50"	343mm	5.32"	135mm		
SY1223399	9.13"	232mm	2.83"	72mm	2.56"	65mm		SY75254	13.50"	343mm	5.51"	140mm	3.15"	80mm
SY1223392	9.72"	247mm	5.51"	140mm	3.15"	80mm		SY1223403	13.50"	343mm	5.35"	136mm	3.54"	90mm
SY1223748	9.84"	250mm	2.32"	59mm	7.48"	190mm		SY82059	13.78"	350mm	5.00"	127mm	10.59"	269mm
SY1223913	9.84"	250mm	2.36"	60mm	7.64"	194mm		SY75300	13.78"	350mm	5.04"	128mm	3.15"	80mm
SY1223887	9.84"	250mm	2.36"	60mm	7.64"	194mm		SY1223377	13.78"	350mm	5.50"	140mm	2.55"	65mm
SY75243	9.84"	250mm	2.95"	75mm				SY1223373	14.00"	354mm	5.50"	140mm		
SY1223540	9.84"	250mm	3.15"	80mm										



# Poly Wheel Kits Kits de Ruedas de Poliuretano Kits de Roues en Uréthane



	Wheel O.D. ▼		Tread Width		Bearing Bore		Bearing	String Guard/Shield	Washer	Seal	Space/Shim	Axle	Hardware
SY75210	2.00"	51mm	3.00"	76mm	1.57"	40mm	6203-12						
SY1223611	2.50"	64mm	1.00"	25mm	0.95"	24mm		•				•	
SY43437	2.50"	64mm	2.00"	51mm	1.19"	30mm	HP93330NAH			•			
SY75209	2.75"	70mm	3.75"	95mm	1.85"	47mm	6204-12		•				
SYF927QA	2.75"	70mm	3.75"	95mm	1.85"	47mm	6204-12 2RS						
SY75291	2.80"	71mm	3.75"	95mm	1.85"	47mm	6204	•					
SYF908A	2.90"	74mm	3.72"	95mm	1.65"	42mm	22053						
SY1223891	2.90"	74mm	3.88"	99mm	1.85"	47mm	6303 ZV						
SY75197	2.90"	74mm	3.88"	98mm	1.85"	47mm	6204						
SY75211	2.90"	74mm	3.88"	98mm	1.85"	47mm	6204				•		
SY75223	2.90"	74mm	3.88"	98mm	1.85"	47mm	6204		•				
SY75224	2.90"	74mm	3.88"	98mm	1.85"	47mm	6204						
SY1223590	2.90"	74mm	3.94"	100mm	1.85"	47mm	6303 ZZ V					•	•
SY75198	2.92"	74mm	2.95"	75mm	1.85"	47mm	6204						
SY83435	2.95"	75mm	3.94"	100mm	1.85"	47mm	6204-2RS/SS						
SY1223527	2.95"	75mm	3.94"	100mm	1.85"	47mm	6204 Z	•					
SY83436	2.95"	75mm	3.94"	100mm	1.85"	47mm	6303ZZV (2)						
SY75278	2.96"	75mm	3.93"	100mm	1.85"	47mm	6303-ZZV						
SY75193	3.00"	76mm	2.00"	51mm	2.05"	52mm	Z9504B						
SY1223898	3.00"	76mm	3.50"	89mm	1.85"	47m	6204 Z		•				
SY75213	3.00"	76mm	3.50"	89mm	2.05"	52mm	6204 2RS						
SY75214	3.00"	76mm	3.50"	89mm	2.05"	52mm	6204 2RS					•	•
SY75215	3.00"	76mm	3.50"	89mm	2.05"	52mm	6204 2RS						
SY75216	3.00"	76mm	3.50"	89mm	2.05"	52mm	6204 2RS						
SY75217	3.00"	76mm	3.50"	89mm	2.05"	52mm	6204 2RS					•	•
SYGWK-ECO-LW	3.00"	76mm	3.50"	89mm	2.05"	52mm	6204 2RS		•			•	•
SY75218	3.00"	76mm	3.50"	89mm	2.05"	52mm	6204-2RS-12						
SY75219	3.00"	76mm	3.50"	89mm	2.05"	52mm	6204-2RS-12						
SY75220	3.00"	76mm	3.50"	89mm	2.05"	52mm	6204-2RS-12					•	•
SY75190	3.00"	76mm	3.75"	95mm	1.85"	47mm	6204 2RS						
SY75181	3.00"	76mm	3.75"	95mm	1.85"	47mm	6204-12 2RS		•				
SY1223496	3.00"	76mm	3.75"	95mm	1.85"	47mm	6204-12 2RS		•				
SY75231	3.00"	76mm	3.75"	95mm	2.05"	52mm	6204						
SY75180	3.00"	76mm	3.75"	95mm	2.05"	52mm	6303		•				
SY75238	3.00"	76mm	3.75"	95mm	2.05"	52mm	6303		•				
SY75182	3.00"	76mm	3.75"	95mm	2.05"	52mm	6303		•				
SY75236	3.00"	76mm	3.75"	95mm	2.05"	52mm	6303		•				
SY75237	3.00"	76mm	3.75"	95mm	2.05"	52mm	6303		•				
SY75232	3.00"	76mm	3.75"	95mm	2.05"	52mm	6303						
SY75233	3.00"	76mm	3.75"	95mm	2.05"	52mm	6303						
SY75188	3.00"	76mm	3.88"	98mm	2.05"	52mm	6204						
SY75196	3.00"	76mm	3.88"	98mm	2.05"	52mm	6204		•				
SY75212	3.00"	76mm	3.88"	98mm	2.05"	52mm	6204					•	

# Poly Wheel Kits Kits de Ruedas de Poliuretano Kits de Roues en Uréthane

	Wheel O.D. ▼		Tread Width		Bearing Bore		Bearing	String Guard/Shield	Washer	Seal	Space/Shim	Axle	Hardware
SY75230	3.00"	76mm	3.88"	98mm	1.85"	52mm	6204						
SYGWK-L50-LW	3.00"	76mm	3.88"	98mm	1.85"	52mm	6204					•	
SYGWK-PTH50-LW	3.00"	76mm	3.88"	98mm	1.85"	52mm	6204		•			•	•
SYHJ-F1	3.00"	76mm	3.88"	98mm	1.85"	52mm	6204						
SY75221	3.00"	76mm	3.94"	100mm	1.85"	52mm	6204		•			•	
SY104299	3.24"	82mm	1.57"	40mm	2.05"	52mm	6205 ZZ						
SY1223897	3.25"	83mm	4.50"	114mm	2.05"	52mm	6205 RS	•				•	•
SY1223892	3.25"	83mm	5.00"	127mm	2.05"	52mm	6205 Z						
SY1223900	3.25"	83mm	5.91"	150mm	2.05"	52mm	6205 Z & 6205 C3						
SY1223893	3.25"	83mm	6.50"	165mm	2.05"	52mm	91107 Z						
SY75301	3.30"	84mm	2.91"	74mm				•					
SY75264	3.35"	85mm	3.15"	80mm	2.17"	55mm	6006			•			
SY75256	3.35"	85mm	3.35"	85mm	2.17"	55mm	6006	•					
SY1223554	3.35"	85mm	3.35"	85mm	2.17"	55mm	6006	•					
SY1223563	3.35"	85mm	3.74"	95mm	1.85"	47mm	6005						
SY1223546	3.35"	85mm	3.74"	95mm	2.17"	55mm	6006	•					
SY1223833	3.35"	85mm	3.94"	100mm	1.85"	47mm	6005 ZV						
SY75251	3.35"	85mm	3.94"	100mm	2.17"	55mm	6006 2RS	•					
SY1223591	3.35"	85mm	4.33"	110mm	2.17"	55mm	6006 2RS	•					
SY1223889	3.35"	85mm	4.33"	110mm	2.17"	55mm				•		•	•
SY107894	3.35"	85mm	4.33"	110mm				•					
SY75189	3.38"	86mm	2.63"	67mm	1.98"	50mm	L44643 or L44610						
SY75192	3.38"	86mm	2.63"	67mm	1.98"	50mm	L44643 or L44610			•	•		•
SYGWK-BTL-LW	3.38"	86mm	3.94"	100mm	1.65"	42mm	6004					•	•
SY75186	3.38"	86mm	4.00"	102mm	1.65"	42mm	6004 2RS						
SY58868	3.54"	90mm	1.97"	50mm	2.05"	52mm	6205ZZ						
SY1223522	3.54"	90mm	1.97"	50mm	2.17"	55mm	6006 2RS						
SY1223223	3.90"	99mm	2.49"	63mm	2.05"	52mm	6205 RS				•		
SY75199	3.92"	100mm	1.86"	47mm	1.85"	47mm	6204						
SY1223606	3.92"	100mm	1.92"	49mm	1.53"	39mm	6203-12 RS						
SY82901	3.94"	100mm	1.57"	40mm	1.26"	32mm	6002 Z						
SY75269	3.94"	100mm	2.87"	73mm	1.65"	42mm	6004						
SY1223894	3.96"	101mm	2.00"	51mm	2.16"	55mm	6006 2RS			•			
SY1223617	4.00"	102mm	1.75"	44mm	2.44"	62mm	6206 Z						
SYF9102HLA	4.00"	102mm	2.00"	51mm	1.19"	30mm	HP93330NAH						
SY43412	4.00"	102mm	2.00"	51mm	1.19"	30mm	HP93330NAH			•			
SY76702	4.00"	102mm	2.00"	51mm	1.19"	30mm	HP93330NAH	•				•	
SYF9145A	4.00"	102mm	2.00"	51mm	2.05"	52mm	6205 Z						
SY1223747	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205 RS				•		
SY1223637	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205 Z	•	•				
SY1223632	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205 ZZ	•	•				

# Poly Wheel Kits Kits de Ruedas de Poliuretano Kits de Roues en Uréthane

	Wheel O.D. ▼		Tread Width		Bearing Bore		Bearing	String Guard/Shield	Washer	Seal	Space/Shim	Axle	Hardware
SY1223510	4.00"	102mm	2.50"	64mm	2.05"	52mm	8505/18 1Z						
SY1223511	4.00"	102mm	2.50"	64mm	2.05"	52mm	8505/18 1Z						
SY1223512	4.00"	102mm	2.50"	64mm	2.05"	52mm	8505/18 1Z						
SY1223513	4.00"	102mm	2.50"	64mm	2.05"	52mm	8505/18 1Z						
SY1223596	4.00"	102mm	2.50"	64mm	2.05"	52mm	8505/18 1Z						
SY81240	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205				•		
SY81234	4.00"	102mm	2.50"	64mm	2.05"	52mm	6205 Z						
SYF2352A	4.00"	102mm	2.75"	70mm	1.94"	49mm	PA96540NAH				•		
SY31485	4.00"	102mm	2.75"	70mm	2.44"	62mm	6206						
SY1223626	4.00"	102mm	2.75"	70mm	2.44"	61mm	6206 Z		•		•	•	•
SY1223635	4.00"	102mm	2.75"	70mm	2.44"	62mm	6206 Z		•		•	•	•
SY1223615	4.00"	102mm	2.88"	73mm	2.05"	52mm	6205 2RS						
SY1223610	4.00"	102mm	2.88"	73mm	2.05"	52mm	6205 Z						
SY1223547	4.00"	102mm	2.88"	73mm	2.33"	59mm	LM67048/10	•				•	•
SY1223225	4.00"	102mm	2.88"	73mm	2.13"	54mm	6006 2RS	•					
SY1223551	4.88"	124mm	2.36"	60mm	1.85"	47mm	6204 Z						
SY1223578	4.91"	125mm	1.57"	40mm	1.38"	35mm	6202 Z						
SY1223888	4.92"	125mm	1.57"	40mm	1.38"	35mm	6202 ZV						
SY75246	4.92"	125mm	1.57"	40mm	1.85"	47mm	6204-2RS						
SY75259	4.92"	125mm	1.97"	50mm	1.85"	47mm	6005 ZV						
SY75248	4.92"	125mm	1.97"	50mm	1.85"	47mm	6204-2RS/SS						
SY1223312	4.92"	125mm	2.08"	53mm	1.85"	47mm	6204 RS						
SY1223553	4.92"	125mm	2.13"	54mm	2.17"	55mm	6006 RS						
SY43416	5.00"	127mm	2.00"	51mm	1.19"	30mm	HP93330NAH			•			
SY1223585	5.00"	127mm	2.88"	73mm	2.44"	62mm	6206						
SY75183	5.00"	127mm	3.00"	76mm	1.78"	45mm	LM11910						
SYPW654A	5.00"	127mm	3.63"	92mm	2.44"	62mm	6305 2RS						
SY1223608	5.00"	127mm	3.63"	92mm	2.44"	62mm	6305 Z		•				
SY1223609	5.00"	127mm	3.63"	92mm	2.44"	62mm	6305 Z		•				
SY75207	5.00"	127mm	3.63"	92mm	2.44"	62mm	6305						
SY1223627	5.00"	127mm	3.86"	98mm	2.05"	52mm	6205 2RS		•			•	•
SY1223631	5.00"	127mm	3.88"	98mm	2.44"	62mm	6305 2RS		•			•	•
SY54032	5.00"	127mm	4.00"	102mm	2.44"	62mm	6206						
SY1223586	5.00"	127mm	4.00"	102mm	2.44"	62mm	62006Z						
SY1223224	5.00"	127mm	4.12"	105mm	2.44"	62mm	6305 ZC3						
SY1223925	5.00"	127mm	4.13"	105mm	2.44"	62mm	6305						
SY1223549	5.50"	140mm	1.97"	50mm	2.17"	55mm	6006			•			
SY1223516	5.50"	140mm	2.13"	54mm	1.85"	47mm	6204 2RS						
SY124900-0	5.50"	140mm	2.13"	54mm	1.85"	47mm	6204 2RS						
SY1223558	5.50"	140mm	2.13"	54mm	1.85"	47mm	6204 RS						
SY1223544	5.50"	140mm	2.36"	60mm	2.05"	52mm	6304			•			
SY1223616	5.50"	140mm	2.36"	60mm	2.16"	55mm	6006 2RS	•					

# Poly Wheel Kits Kits de Ruedas de Poliuretano Kits de Roues en Uréthane

	Wheel O.D. ▼		Tread Width		Bearing Bore		Bearing	String Guard/Shield	Washer	Seal	Space/Shim	Axle	Hardware
SY75244	5.51"	140mm	2.36"	60mm	2.05"	52mm	6304ZZ						
SY71114	5.51"	140mm	2.13"	54mm	1.85"	47mm	6204 RS						
SY1223227	5.90"	150mm	3.93"	100mm	2.17"	55mm	6006	•					
SY1223495	5.91"	150mm	1.97"	50mm	1.85"	47mm	6204 ZZ						
SY1223493	5.91"	150mm	4.02"	102mm	2.68"	68mm	6008 Z						
SY1223517	5.91"	150mm	1.57"	40mm	1.85"	47mm	6204 ZZ						
SY1223841	5.91"	150mm	1.89"	48mm	1.85"	47mm	6204 ZZV						
SY1223620	5.91"	150mm	1.89"	48mm	2.17"	55mm	6006 2RS	•					
SY75242	5.91"	150mm	2.17"	55mm	1.85"	47mm	6005Z						
SY1223565	5.91"	150mm	5.12"	130mm	2.83"	72mm	6306 RS	•					
SY75205	6.00"	152mm	2.75"	70mm	3.15"	80mm	6307						
SY39357	6.00"	152mm	2.75"	70mm	3.15"	80mm	6307						
SY1223592	6.00"	152mm	3.00"	76mm	1.96"	50mm	07000LA/7196						
SY1223564	6.00"	152mm	3.00"	76mm	2.05"	52mm	6205 RS						
SYF809A	6.00"	152mm	3.00"	76mm	2.44"	62mm	6206						
SY1223575	6.00"	153mm	3.00"	76mm	2.44"	62mm	6206	•					
SY71390	6.00"	152mm	3.63"	92mm	2.44"	62mm	6305						
SY1223923	6.00"	152mm	4.13"	105mm	3.15"	80mm	6307 2RS						
SY1223924	6.00"	152mm	4.13"	105mm	3.15"	80mm	6307 RS						
SY1223607	6.00"	152mm	4.25"	108mm	3.15"	80mm	6307						
SY75266	6.69"	170mm	1.97"	50mm	1.85"	47mm	6204						
SY1223556	6.70"	170mm	6.00"	152mm	3.15"	80mm	6010	•					
SYF785LA	6.80"	173mm	2.20"	56mm	1.80"	46mm	6204 Z						
SY75185	6.88"	175mm	2.40"	61mm	1.85"	47mm	6204 2RS			•		•	
SYHJ-G	7.00"	178mm	2.00"	51mm	1.85"	47mm	6204						
SYHJ-D220	7.00"	178mm	2.00"	51mm	1.85"	47mm	6204 2RS						
SY1223895	7.00"	178mm	2.00"	51mm	1.85"	47mm	6204 Z						
SU2405A	7.00"	178mm	4.00"	102mm	2.44"	62mm	6206 2RS						
SY1223573	7.08"	180mm	1.97"	50mm	1.85"	47mm	6204		•				•
SY1223574	7.08"	180mm	1.97"	50mm	1.85"	47mm	6204		•				•
SY75250	7.09"	180mm	1.97"	50mm	1.85"	47mm	6204ZZ						
SY75261	7.09"	180mm	2.56"	65mm	2.05"	52mm	6205-2RS						
SY1223899	7.25"	184mm	2.00"	51mm	1.85"	47mm	6204		•				
SY1223619	7.28"	85mm	2.36"	60mm	2.17"	55mm	6006			•			
SY1223588	7.81"	198mm	1.91"	49mm	2.05"	52mm	6205ZZ						
SY75222	7.87"	200mm	1.85"	47mm	1.85"	47mm	6204		•		•		
SY107897	7.87"	200mm	1.97"	50mm	1.85"	47mm	6204-2RS						
SY75253	7.87"	200mm	1.97"	50mm	2.05"	52mm	6205ZZ						
SY1223524	7.87"	200mm	2.17"	55mm	2.68"	68mm	JRM3939						•
SY75257	7.87"	200mm	3.94"	100mm	2.95"	75mm	6009						
SY1223896	7.88"	200mm	2.00"	51mm	1.85"	47mm	6204 RS						
SYF608HLA	7.88"	200mm	2.17"	55mm	2.38"	60mm	SY81216						•
SY82674	8.00"	203mm	2.00"	51mm	2.05"	52mm	6205Z						

## Poly Wheel Kits Kits de Ruedas de Poliuretano Kits de Roues en Uréthane

	Wheel O.D. ▼		Tread Width		Bearing Bore		Bearing	String Guard/Shield	Washer	Seal	Space/Shim	Axle	Hardware
SY46992	8.00"	203mm	2.50"	64mm	2.05"	52mm	30205			•			
SY1223593	8.00"	203mm	3.75"	95mm	3.15"	80mm	6307Z						
SY107307	8.00"	203mm	4.00"	102mm	2.44"	62mm	8605						
SY75195	8.00"	203mm	4.00"	102mm	2.83"	72mm	6306ZZ		•			•	•
SY1223633	8.00"	203mm	5.00"	127mm	2.50"	64mm	14274 or 14130; 15100 or 15250	•	•			•	•
SY1223526	10.00"	254mm	3.00"	76mm	2.32"	59mm	LM67048 or LM67010		•	•			
SYF9164A	10.50"	267mm	4.00"	102mm	3.15"	80mm							
SY1223559	11.22"	285mm	3.94"	100mm	2.68"	68mm	JRM-4068						•
SY1223548	11.22"	285mm	3.94"	100mm	2.68"	68mm	JRM-4068						•
SY1223557	11.80"	300mm	3.94"	100mm	3.54"	90mm	6210 RS						
SY1223562	11.81"	300mm	3.94"	100mm	3.15"	80mm	32010X-92KA1			•			•
SY1223621	12.20"	310mm	4.00"	102mm	3.94"	100mm / 80mm	6211 RS or 6208 2RS						

# Poly Press-On Tires - Millennium

Llantas a Presión de Poliuretano Millennium Preus à Pression en Urethane Millennium

For Premium Soft:  
add "PS" to standard part number

Para Premium Soft (Blandas):  
Agregue "PS" al número de parte

Pour Premium Soft: (Lisse):  
Ajoutez "PS" au numéro de pièces

For Hy-Load:  
add "HL" to standard part number

Para Hy-Load (Cargas Elevadas):  
Agregue "HL" al número de parte

Pour Hy-Load ( Fortes Charges ):  
Ajoutez "HL" au numéro de pièces

For Megaload:  
add "ML" to standard part number






Para Megaload (Mega Carga):  
Agregue "ML" al número de parte

Pour Megaload (Trés Fortes Charges):  
Ajoutez "ML" au numéro de pièces

For Falconium:  
add "F" to standard part number

Para Falconium:  
Agregue "F" al número de parte

Pour Falconium:  
Ajoutez "F" au numéro de pièces

	Compound	Color	Durometer		Compound	Color	Durometer
	Standard	Burgundy	92A		Megaload	Green	99A
	Premium Soft	Red	87A		Falconium	Blue	97A
	Hyload	Yellow	95A				

	Wheel O.D. ▼		Tread Width		I.D.		Specifications
SYFT007	6.00"	152mm	3.00"	76mm	4.00"	102mm	Smooth
SYFT008	6.00"	152mm	4.00"	102mm	4.00"	102mm	Smooth
SYFT009	6.00"	152mm	5.00"	127mm	4.00"	102mm	Smooth
SYFT006	6.50"	165mm	2.50"	64mm	4.00"	102mm	Smooth
SYFT026	6.50"	165mm	5.00"	127mm	5.00"	127mm	Smooth
SYFT027	7.00"	178mm	4.00"	102mm	5.00"	127mm	Smooth
SYFT028	7.00"	178mm	5.00"	127mm	5.00"	127mm	Smooth
SYFT055	8.00"	203mm	4.00"	102mm	6.25"	159mm	Smooth
SYFT056	8.00"	203mm	4.00"	102mm	6.25"	159mm	Crown
SYFT057	8.00"	203mm	4.00"	102mm	6.25"	159mm	Smooth
SYFT053	8.00"	203mm	4.00"	102mm	6.50"	165mm	Smooth
SYFT053CK	8.00"	203mm	4.00"	102mm	6.50"	165mm	Smooth
SYFT147	12.00"	305mm	3.00"	76mm	10.00"	254mm	Smooth
SYFT114	12.00"	305mm	3.50"	89mm	8.00"	203mm	Smooth
SYFT115	12.00"	305mm	3.50"	89mm	8.00"	203mm	Crown
SYFT116	12.00"	305mm	4.00"	102mm	8.00"	203mm	Smooth
SYFT117	12.00"	305mm	4.50"	114mm	8.00"	203mm	Smooth
SYFT118	12.00"	305mm	4.50"	114mm	8.00"	203mm	Crown
SYFT119	12.00"	305mm	5.00"	127mm	8.00"	203mm	Smooth
SYFT141	12.00"	305mm	5.00"	127mm	9.00"	229mm	Semi crown
SYFT142	12.00"	305mm	5.00"	127mm	9.00"	229mm	Smooth
SYFT174	12.00"	305mm	5.00"	127mm	10.00"	254mm	Smooth

# Poly Press-On Tires - Millennium

Llantas a Presión de Poliuretano Millennium Preus à Pression en Urethane Millennium

	Wheel O.D. ▼		Tread Width		I.D.		Specifications
SYFT235	12.00"	305mm	5.00"	127mm	15.00"	381mm	Smooth
SYFT120	12.00"	305mm	5.50"	140mm	8.00"	203mm	Smooth
SYFT202	12.00"	305mm	5.50"	140mm	9.00"	229mm	Smooth
SYFT121	12.00"	305mm	6.00"	152mm	8.00"	203mm	Smooth
SYFT122	12.00"	305mm	6.50"	165mm	8.00"	203mm	Smooth
SYFT050	12.40"	315mm	5.70"	145mm	7.05"	179mm	Smooth
SYFT203	12.50"	318mm	3.00"	76mm	10.00"	254mm	Smooth
SYFT123	12.75"	324mm	5.50"	140mm	8.00"	203mm	Smooth
SYFT145	13.00"	330mm	3.00"	76mm	10.00"	254mm	Smooth
SYFT124	13.00"	330mm	3.50"	89mm	8.00"	203mm	Smooth
SYFT148	13.00"	330mm	3.50"	89mm	10.00"	254mm	Smooth
SYFT126	13.00"	330mm	4.50"	114mm	8.00"	203mm	Smooth
SYFT125	13.00"	330mm	4.50"	114mm	8.00"	203mm	Crown
SYFT143	13.00"	330mm	4.50"	114mm	10.00"	254mm	Smooth
SYFT149	13.00"	330mm	5.00"	127mm	10.00"	254mm	Smooth
SYFT207	13.00"	330mm	5.00"	127mm	10.50"	267mm	Smooth
SYFT127	13.00"	330mm	5.50"	140mm	8.00"	203mm	Smooth
SYFT127SC	13.00"	330mm	5.50"	140mm	8.00"	203mm	Crown
SYFT201	13.00"	330mm	5.50"	140mm	9.50"	241mm	Smooth
SYFT209	13.00"	330mm	5.50"	140mm	10.00"	254mm	Smooth
SYFT093	13.00"	330mm	6.00"	152mm	7.50"	191mm	Smooth
SYFT051	13.00"	330mm	6.00"	152mm	8.00"	203mm	Smooth
SYFT199	13.00"	330mm	6.00"	152mm	10.00"	254mm	Smooth
SYFT158	13.00"	330mm	6.00"	152mm	10.50"	267mm	Smooth
SYFT210	13.00"	330mm	6.00"	152mm	11.25"	286mm	Smooth
SYFT128	13.00"	330mm	6.50"	165mm	8.00"	203mm	Smooth
SYFT212	13.00"	330mm	7.00"	178mm	11.25"	286mm	Smooth
SYFT129	13.50"	343mm	4.50"	114mm	8.00"	203mm	Smooth
SYFT130	13.50"	343mm	4.50"	114mm	8.00"	203mm	Crown
SYFT11561	13.50"	343mm	5.00"	127mm	8.00"	203mm	Smooth
SYFT131	13.50"	343mm	5.50"	140mm	8.00"	203mm	Semi crown
SYFT132	13.50"	343mm	5.50"	140mm	8.00"	203mm	Crown
SYFT133	13.50"	343mm	5.50"	140mm	8.00"	203mm	Smooth
SYFT150	13.50"	343mm	5.50"	140mm	10.00"	254mm	Smooth
SYFT134	13.50"	343mm	6.00"	152mm	8.00"	203mm	Smooth
SYFT155	13.50"	343mm	6.00"	152mm	10.00"	254mm	Smooth
SYFT159	13.50"	343mm	6.00"	152mm	10.50"	267mm	Smooth
SYFT135	13.50"	343mm	6.50"	165mm	8.00"	203mm	Smooth
SYFT136	13.50"	343mm	6.50"	165mm	8.00"	203mm	Crown
SYFT137	13.50"	343mm	7.00"	178mm	8.00"	203mm	Smooth
SYFT156	13.50"	343mm	7.00"	178mm	10.00"	254mm	Smooth
SYFT151	14.00"	356mm	4.00"	102mm	10.00"	254mm	Smooth
SYFT138	14.00"	356mm	4.50"	114mm	8.00"	203mm	Smooth
SYFT139	14.00"	356mm	4.50"	114mm	8.00"	203mm	Crown
SYFT144	14.00"	356mm	5.00"	127mm	8.00"	203mm	Smooth
SYFT152	14.00"	356mm	5.00"	127mm	10.00"	254mm	Smooth
SYFT169	14.00"	356mm	5.00"	127mm	11.25"	286mm	Smooth

# Poly Press-On Tires - Millennium

Llantas a Presión de Poliuretano Millennium Preus à Pression en Urethane Millennium

	Wheel O.D. ▼		Tread Width		I.D.		Specifications
SYFT170	14.00"	356mm	5.00"	127mm	11.25"	286mm	Crown
SYFT168	14.00"	356mm	5.50"	140mm	10.50"	267mm	Smooth
SYFT171	14.00"	356mm	6.00"	152mm	11.25"	286mm	Smooth
SYFT172	14.00"	356mm	7.00"	178mm	11.25"	286mm	Smooth
SYFT140	14.00"	356mm	8.00"	203mm	10.25"	260mm	Smooth
SYFT173	14.00"	356mm	8.00"	203mm	11.25"	286mm	Smooth
SYFT315	14.25"	362mm	5.00"	127mm	11.38"	289mm	Smooth
SYFT213	15.00"	381mm	3.00"	76mm	11.25"	286mm	Smooth
SYFT225	15.00"	381mm	3.50"	89mm	11.25"	286mm	Smooth
SYFT175	15.00"	381mm	4.00"	102mm	11.25"	286mm	Smooth
SYFT176	15.00"	381mm	5.00"	127mm	11.25"	286mm	Smooth
SYFT177	15.00"	381mm	5.00"	127mm	11.25"	286mm	Crown
SYFT233	15.00"	381mm	5.00"	127mm	11.75"	298mm	Smooth
SYFT178	15.00"	381mm	6.00"	152mm	11.25"	286mm	Smooth
SYFT179	15.00"	381mm	6.00"	152mm	11.25"	286mm	Crown
SYFT200	15.00"	381mm	6.00"	152mm	11.75"	298mm	Smooth
SYFT234	15.00"	381mm	6.00"	152mm	12.13"	308mm	Smooth
SYFT316	15.00"	381mm	6.50"	165mm	10.75"	273mm	Smooth
SYFT180	15.00"	381mm	7.00"	178mm	11.25"	286mm	Crown
SYFT181	15.00"	381mm	7.00"	178mm	11.25"	286mm	Smooth
SYFT182	15.00"	381mm	8.00"	203mm	11.25"	286mm	Smooth
SYFT183	15.00"	381mm	8.00"	203mm	11.25"	286mm	Crown
SYFT244	15.00"	381mm	8.00"	203mm	12.13"	308mm	Smooth
SYFT184	15.00"	381mm	9.00"	229mm	11.25"	286mm	Smooth
SYFT185	15.00"	381mm	10.00"	254mm	11.25"	286mm	Smooth
SYFT153	15.50"	394mm	5.00"	127mm	10.00"	254mm	Smooth
SYFT154	15.50"	394mm	5.00"	127mm	10.00"	254mm	Crown
SYFT157	15.50"	394mm	6.00"	152mm	10.00"	254mm	Smooth
SYFT204	16.00"	406mm	3.50"	89mm	12.13"	308mm	Smooth
SYFT167	16.00"	406mm	4.00"	102mm	10.50"	267mm	Smooth
SYFT205	16.00"	406mm	4.00"	102mm	12.13"	308mm	Smooth
SYFT160	16.00"	406mm	4.50"	114mm	10.50"	267mm	Smooth
SYFT206	16.00"	406mm	4.50"	114mm	12.13"	308mm	Smooth
SYFT161	16.00"	406mm	5.00"	127mm	10.50"	267mm	Smooth
SYFT162	16.00"	406mm	5.00"	127mm	10.50"	267mm	Crown
SYFT163	16.00"	406mm	6.00"	152mm	10.50"	267mm	Smooth
SYFT164	16.00"	406mm	6.00"	152mm	10.50"	267mm	Crown
SYFT165	16.00"	406mm	7.00"	178mm	10.50"	267mm	Smooth
SYFT166	16.00"	406mm	7.00"	178mm	10.50"	267mm	Smooth
SYFT245	16.25"	413mm	4.00"	102mm	12.13"	308mm	Smooth
SYFT188	16.25"	413mm	5.00"	127mm	11.25"	286mm	Smooth
SYFT189	16.25"	413mm	5.00"	127mm	11.25"	286mm	Crown
SYFT190	16.25"	413mm	5.00"	127mm	11.25"	286mm	Semi crown
SYFT191	16.25"	413mm	6.00"	152mm	11.25"	286mm	Smooth
SYFT192	16.25"	413mm	6.00"	152mm	11.25"	286mm	Crown
SYFT193	16.25"	413mm	6.00"	152mm	11.25"	286mm	Semi crown
SYFT194	16.25"	413mm	7.00"	178mm	11.25"	286mm	Smooth



# Poly Press-On Tires - Millennium

Llantas a Presión de Poliuretano Millennium Preus à Pression en Urethane Millennium

	Wheel O.D. ▼		Tread Width		I.D.		Specifications
SYFT195	16.25"	413mm	7.00"	178mm	11.25"	286mm	Crown
SYFT197	16.25"	413mm	7.00"	178mm	11.25"	286mm	Traction
SYFT196	16.25"	413mm	8.00"	203mm	11.25"	286mm	Smooth
SYFT226	16.25"	413mm	9.00"	229mm	11.25"	286mm	Smooth
SYFT198	16.25"	413mm	10.00"	254mm	11.25"	286mm	Smooth
SYFT246	17.00"	432mm	4.50"	114mm	12.13"	308mm	Smooth
SYFT208	17.00"	432mm	5.00"	127mm	12.13"	308mm	Smooth
SYFT251	17.00"	432mm	6.00"	152mm	12.13"	308mm	Smooth
SYFT211	17.00"	432mm	7.00"	178mm	12.13"	308mm	Smooth
SYFT310	17.50"	445mm	7.00"	178mm	15.00"	381mm	Smooth
SYFT305	17.75"	451mm	5.00"	127mm	12.13"	308mm	Smooth
SYFT306	17.75"	451mm	6.00"	152mm	12.13"	308mm	Smooth
SYFT309	18.00"	457mm	3.00"	76mm	14.00"	356mm	Smooth
SYFT227	18.00"	457mm	4.00"	102mm	14.00"	356mm	Smooth
SYFT214	18.00"	457mm	5.00"	127mm	12.13"	308mm	Crown
SYFT215	18.00"	457mm	5.00"	127mm	12.13"	308mm	Smooth
SYFT228	18.00"	457mm	5.00"	127mm	14.00"	356mm	Smooth
SYFT247	18.00"	457mm	5.00"	127mm	16.00"	406mm	Smooth
SYFT216	18.00"	457mm	6.00"	152mm	12.13"	308mm	Smooth
SYFT217	18.00"	457mm	6.00"	152mm	12.13"	308mm	Crown
SYFT218	18.00"	457mm	6.00"	152mm	12.13"	308mm	Semi crown
SYFT229	18.00"	457mm	6.00"	152mm	14.00"	356mm	Smooth
SYFT219	18.00"	457mm	7.00"	178mm	12.13"	308mm	Smooth
SYFT220	18.00"	457mm	7.00"	178mm	12.13"	308mm	Crown
SYFT249	18.00"	457mm	7.00"	178mm	16.00"	406mm	Smooth
SYFT221	18.00"	457mm	8.00"	203mm	12.13"	308mm	Smooth
SYFT222	18.00"	457mm	8.00"	203mm	12.13"	308mm	Crown
SYFT231	18.00"	457mm	8.00"	203mm	14.00"	356mm	Smooth
SYFT250	18.00"	457mm	8.00"	203mm	16.00"	406mm	Smooth
SYFT223	18.00"	457mm	9.00"	229mm	12.13"	308mm	Smooth
SYFT232	18.00"	457mm	9.00"	229mm	14.00"	356mm	Smooth
SYFT313	18.00"	457mm	10.00"	254mm	11.25"	286mm	Smooth
SYFT307	18.00"	457mm	10.00"	254mm	12.13"	308mm	Smooth
SYFT308	18.00"	457mm	14.00"	356mm	12.13"	308mm	Smooth
SYFT314	20.00"	508mm	3.00"	76mm	16.00"	406mm	Smooth
SYFT252	20.00"	508mm	3.50"	89mm	16.00"	406mm	Smooth
SYFT312	20.00"	508mm	4.00"	102mm	16.00"	406mm	Smooth
SYFT253	20.00"	508mm	5.00"	127mm	16.00"	406mm	Smooth
SYFT255	20.00"	508mm	6.00"	152mm	16.00"	406mm	Smooth
SYFT256	20.00"	508mm	6.00"	152mm	16.00"	406mm	Crown
SYFT295	20.00"	508mm	7.00"	178mm	15.00"	381mm	Smooth
SYFT257	20.00"	508mm	7.00"	178mm	16.00"	406mm	Smooth
SYFT258	20.00"	508mm	7.00"	178mm	16.00"	406mm	Crown
SYFT304	20.00"	508mm	8.00"	203mm	15.00"	381mm	Smooth
SYFT259	20.00"	508mm	8.00"	203mm	16.00"	406mm	Crown
SYFT260	20.00"	508mm	8.00"	203mm	16.00"	406mm	Smooth
SYFT261	20.00"	508mm	9.00"	229mm	16.00"	406mm	Smooth

# Poly Press-On Tires - Millennium

Llantas a Presión de Poliuretano Millennium Preus à Pression en Urethane Millennium

	Wheel O.D. ▼		Tread Width		I.D.		Specifications
SYFT262	20.00"	508mm	9.00"	229mm	16.00"	406mm	Crown
SYFT278	20.50"	521mm	7.00"	178mm	17.75"	451mm	Smooth
SYFT236	21.00"	533mm	5.00"	127mm	15.00"	381mm	Smooth
SYFT237	21.00"	533mm	6.00"	152mm	15.00"	381mm	Smooth
SYFT238	21.00"	533mm	6.00"	152mm	15.00"	381mm	Crown
SYFT239	21.00"	533mm	7.00"	178mm	15.00"	381mm	Smooth
SYFT240	21.00"	533mm	7.00"	178mm	15.00"	381mm	Crown
SYFT241	21.00"	533mm	8.00"	203mm	15.00"	381mm	Smooth
SYFT242	21.00"	533mm	8.00"	203mm	15.00"	381mm	Crown
SYFT243	21.00"	533mm	9.00"	229mm	15.00"	381mm	Smooth
SYFT263	21.00"	533mm	9.00"	229mm	16.00"	406mm	Smooth
SYFT284	22.00"	559mm	4.00"	102mm	20.00"	508mm	Smooth
SYFT294	22.00"	559mm	4.50"	114mm	16.00"	406mm	Smooth
SYFT279	22.00"	559mm	4.50"	114mm	17.75"	451mm	Smooth
SYFT264	22.00"	559mm	5.00"	127mm	16.00"	406mm	Smooth
SYFT265	22.00"	559mm	6.00"	152mm	16.00"	406mm	Smooth
SYFT266	22.00"	559mm	6.00"	152mm	16.00"	406mm	Crown
SYFT280	22.00"	559mm	6.00"	152mm	17.75"	451mm	Smooth
SYFT267	22.00"	559mm	7.00"	178mm	16.00"	406mm	Smooth
SYFT268	22.00"	559mm	7.00"	178mm	16.00"	406mm	Crown
SYFT281	22.00"	559mm	7.00"	178mm	17.75"	451mm	Smooth
SYFT269	22.00"	559mm	8.00"	203mm	16.00"	406mm	Smooth
SYFT282	22.00"	559mm	8.00"	203mm	17.75"	451mm	Smooth
SYFT270	22.00"	559mm	9.00"	229mm	16.00"	406mm	Smooth
SYFT271	22.00"	559mm	9.00"	229mm	16.00"	406mm	Crown
SYFT272	22.00"	559mm	10.00"	254mm	16.00"	406mm	Smooth
SYFT283	22.00"	559mm	10.00"	254mm	17.75"	451mm	Smooth
SYFT273	22.00"	559mm	12.00"	305mm	16.00"	406mm	Smooth
SYFT274	22.00"	559mm	14.00"	356mm	16.00"	406mm	Smooth
SYFT275	22.00"	559mm	16.00"	406mm	16.00"	406mm	Smooth
SYFT286	24.00"	610mm	7.00"	178mm	20.00"	508mm	Smooth
SYFT287	26.00"	660mm	6.00"	152mm	22.00"	559mm	Smooth
SYFT288	28.00"	711mm	7.00"	178mm	22.00"	559mm	Smooth
SYFT289	28.00"	711mm	8.00"	203mm	22.00"	559mm	Smooth
SYFT290	28.00"	711mm	10.00"	254mm	22.00"	559mm	Smooth
SYFT291	28.00"	711mm	12.00"	305mm	22.00"	559mm	Smooth
SYFT292	28.00"	711mm	14.00"	356mm	22.00"	559mm	Smooth
SYFT293	28.00"	711mm	16.00"	406mm	22.00"	559mm	Smooth
SYFT296	32.00"	813mm	8.00"	203mm	28.00"	711mm	Smooth
SYFT297	36.00"	914mm	8.00"	203mm	30.00"	762mm	Smooth
SYFT298	36.00"	914mm	9.00"	229mm	30.00"	762mm	Smooth
SYFT299	36.00"	914mm	10.00"	254mm	30.00"	762mm	Smooth
SYFT300	36.00"	914mm	12.00"	305mm	30.00"	762mm	Smooth
SYFT301	36.00"	914mm	14.00"	356mm	30.00"	762mm	Smooth
SYFT302	36.00"	914mm	16.00"	406mm	30.00"	762mm	Smooth
SYFT303	36.00"	914mm	20.00"	508mm	30.00"	762mm	Smooth

# Poly Press-On Tires - Thombert

Llantas a Presión de Poliuretano Thombert Preus à Pression en Urethane Thombert

For Dyalon A:  
add "A" to standard part number



Para Dyalon A:  
Agregue una "A" al número de parte

Pour Dyalon A:  
Ajoutez "A" au numéro de pièces

For Dyalon B:  
add "B" to standard part number

Para Dyalon B:  
Agregue una "B" al número de parte

Pour Dyalon B:  
Ajoutez "B" au numéro de pièces

	Compound	Color	Durometer		Compound	Color	Durometer
	Dyalon "B"	Black	83A		Dyalon "A"	Green	95A

	Wheel O.D. ▼		Tread Width		I.D.		Specifications
TH00080	6.00"	152mm	3.00"	76mm	4.00"	102mm	Smooth
TH00085	6.00"	152mm	5.00"	127mm	4.00"	102mm	Smooth
TH00090	7.00"	178mm	4.00"	102mm	5.00"	127mm	Smooth
TH10001	8.00"	203mm	4.00"	102mm	5.00"	127mm	Smooth
TH10000	8.00"	203mm	4.00"	102mm	6.25"	159mm	Contour
TH10002	8.00"	203mm	4.00"	102mm	6.50"	165mm	Smooth
TH10003	8.00"	203mm	4.00"	102mm	6.50"	165mm	Smooth step band
TH10005	8.00"	203mm	4.50"	114mm	4.50"	114mm	Smooth
TH10007	8.00"	203mm	7.25"	184mm	5.13"	130mm	Smooth
TH10008	8.50"	216mm	3.00"	76mm	5.00"	127mm	Smooth
TH10010	8.50"	216mm	4.00"	102mm	4.00"	102mm	Smooth
TH10133	10.00"	254mm	5.00"	127mm	6.50"	165mm	Contour
TH10458	13.00"	330mm	5.50"	140mm	9.50"	241mm	Center groove 0.30 X 0.25
TH10358	13.00"	330mm	5.50"	140mm	10.00"	254mm	Smooth
TH10355	13.00"	330mm	6.00"	152mm	7.50"	191mm	Smooth
TH10368	13.50"	343mm	4.50"	114mm	8.00"	203mm	Smooth
TH10380	13.50"	343mm	5.50"	114mm	8.00"	203mm	Contour
TH10383	13.50"	343mm	5.50"	114mm	8.00"	203mm	Contour 2 grooves
TH10382	13.50"	343mm	5.50"	114mm	8.00"	203mm	Contour grooved
TH10378	13.50"	343mm	5.50"	114mm	8.00"	203mm	Smooth
TH10379	13.50"	343mm	5.50"	114mm	8.00"	203mm	Smooth grooved
TH10414	13.50"	343mm	5.50"	140mm	10.00"	254mm	Smooth
TH10444	13.50"	343mm	5.50"	140mm	10.00"	254mm	Smooth grooved
TH10407	13.50"	343mm	6.00"	152mm	10.00"	254mm	Smooth
TH10376	13.50"	343mm	6.00"	152mm	10.50"	267mm	Smooth
TH10385	13.50"	343mm	6.50"	165mm	8.00"	203mm	Smooth
TH10386	13.50"	343mm	7.00"	178mm	8.00"	203mm	Smooth
TH10371	13.75"	349mm	5.50"	140mm	10.50"	267mm	Smooth
TH10311	13.78"	350mm	3.94"	100mm	11.02"	280mm	Smooth
TH10394	14.00"	356mm	5.00"	127mm	8.00"	203mm	Smooth
TH11495	14.25"	362mm	8.00"	203mm	10.00"	254mm	Smooth
TH11478	15.24"	387mm	7.00"	178mm	11.25"	286mm	Smooth
TH10510	16.00"	406mm	6.00"	152mm	10.50"	267mm	Lugged tread
TH10501	16.00"	406mm	6.00"	152mm	10.50"	267mm	Machined contour
TH10500	16.00"	406mm	6.00"	152mm	10.50"	267mm	Smooth
TH10505	16.00"	406mm	6.00"	152mm	10.50"	267mm	Smooth grooved

## Poly Press-On Tires - Thombert

Llantas a Presión de Poliuretano Thombert Preus à Pression en Urethane Thombert

	Wheel O.D. ▼		Tread Width		I.D.		Specifications
TH10520	16.00"	406mm	7.00"	178mm	10.50"	267mm	Smooth
TH10550	16.25"	413mm	5.00"	127mm	11.25"	286mm	Lugged tread
TH10560	16.25"	406mm	6.00"	152mm	11.25"	286mm	Smooth
TH10600	16.25"	413mm	7.00"	178mm	11.25"	286mm	Contour
TH10590	16.25"	413mm	7.00"	178mm	11.25"	286mm	Smooth
TH10592	16.25"	413mm	7.00"	178mm	11.25"	286mm	Smooth grooved
TH10627	16.25"	413mm	7.00"	178mm	11.25"	286mm	Smooth grooved
TH10629	16.25"	413mm	10.00"	254mm	11.25"	286mm	Smooth
TH10730	18.00"	457mm	7.00"	178mm	12.13"	308mm	Lugged tread
TH10725	18.00"	457mm	7.00"	178mm	12.13"	308mm	Machined contour
TH10720	18.00"	457mm	7.00"	178mm	12.13"	308mm	Smooth
TH10721	18.00"	457mm	7.00"	178mm	12.13"	308mm	Smooth grooved
TH10810	18.00"	457mm	7.00"	178mm	14.00"	356mm	Smooth
TH10735	18.00"	457mm	7.00"	178mm	15.00"	381mm	Smooth
TH10738	18.00"	457mm	8.00"	178mm	12.13"	308mm	Smooth
TH10760	18.00"	457mm	9.00"	229mm	12.13"	308mm	Center groove
TH10758	18.00"	457mm	9.00"	229mm	12.13"	308mm	Smooth
TH11020	22.00"	559mm	10.00"	254mm	16.00"	406mm	Smooth Grooved

## Poly Press-On Tires - Superior

Llantas a Presión de Poliuretano Superior Preus à Pression en Urethane Superior

For Cushothane EZ:  
add "EZ" to standard part number

Para Cushothane EZ:  
Agregue "EZ" al número de parte

Pour Cushothane EZ:  
Ajoutez "EZ" au numéro de pièces

For Cushothane XL:  
add "XL" to standard part number

Para Cushothane XL:  
Agregue "XL" al número de parte

Pour Cushothane XL:  
Ajoutez "XL" au numéro de pièces

	Compound	Color	Durometer		Compound	Color	Durometer
	Cushothane	Burgundy	95A		Cushothane XL	Yellow	97A
	Cushothane EZ	Red	85A				

	Wheel O.D. ▼		Tread Width		I.D.		Specifications
SUP00600500405	6.00"	152mm	5.00"	127mm	4.00"	102mm	Straight sidewall
SUP00700400505	7.00"	178mm	4.00"	102mm	5.00"	127mm	Straight sidewall
SUP00700500505	7.00"	178mm	5.00"	127mm	5.00"	127mm	Straight sidewall
SUP00800200635	8.00"	203mm	2.00"	51mm	6.25"	159mm	Straight sidewall
SUP00800300635	8.00"	203mm	3.00"	76mm	6.25"	159mm	Straight sidewall
SUP00800300655	8.00"	203mm	3.00"	76mm	6.50"	165mm	Straight sidewall
SUP00800400636	8.00"	203mm	4.00"	102mm	6.25"	159mm	Straight sidewall
SUSP0766-508	8.00"	203mm	4.00"	102mm	6.50"	165mm	Chamfered
SUP00800400651	8.00"	203mm	4.00"	102mm	6.50"	165mm	Smooth flat

# Poly Press-On Tires - Superior

Llantas a Presión de Poliuretano Superior Preus à Pression en Urethane Superior

	Wheel O.D. ▼		Tread Width		I.D.		Specifications
SUP00800450455	8.00"	203mm	4.50"	114mm	4.50"	114mm	Straight sidewall
SUP00800500455	8.00"	203mm	5.00"	127mm	4.50"	114mm	Straight sidewall
SUP00800600505	8.00"	203mm	6.00"	152mm	5.00"	127mm	Straight sidewall
SUP00850400401	8.50"	216mm	4.00"	102mm	4.00"	102mm	Smooth flat
SUP00900250505	9.00"	229mm	2.50"	64mm	5.00"	127mm	Straight sidewall
SUP00900300631	9.00"	229mm	3.00"	76mm	6.25"	159mm	Smooth flat
SUP00900330505	9.00"	229mm	3.25"	83mm	5.00"	127mm	Straight sidewall
SUP00900350505	9.00"	229mm	3.50"	89mm	5.00"	127mm	Straight sidewall
SUP00900350653	9.00"	229mm	3.50"	89mm	6.50"	165mm	Flat tread
SUP00900350655	9.00"	229mm	3.50"	89mm	6.50"	165mm	Straight sidewall
SUP00900400505	9.00"	229mm	4.00"	102mm	5.00"	127mm	Straight sidewall
SUP00900500502	9.00"	229mm	5.00"	127mm	5.00"	127mm	Smooth crown
SUP00900500501	9.00"	229mm	5.00"	127mm	5.00"	127mm	Smooth flat
SUP00900500505	9.00"	229mm	5.00"	127mm	5.00"	127mm	Straight sidewall
SUP01000300632	10.00"	254mm	3.00"	76mm	6.25"	159mm	Smooth crown
SUP01000300655	10.00"	254mm	3.00"	76mm	6.50"	165mm	Straight sidewall
SUP01000300801	10.00"	254mm	3.00"	76mm	8.00"	203mm	Smooth flat
SUP01000350602	10.00"	254mm	3.50"	89mm	6.00"	152mm	Smooth crown
SUP01000350601	10.00"	254mm	3.50"	89mm	6.00"	152mm	Smooth flat
SUP01000350605	10.00"	254mm	3.50"	89mm	6.00"	152mm	Straight sidewall
SUP01000350801	10.00"	254mm	3.50"	89mm	8.00"	203mm	Smooth flat
SUP01000400501	10.00"	254mm	4.00"	102mm	5.00"	127mm	Smooth flat
SUP01000400632	10.00"	254mm	4.00"	102mm	6.25"	159mm	Smooth crown
SUP01000400631	10.00"	254mm	4.00"	102mm	6.25"	159mm	Smooth flat
SUP01000400635	10.00"	254mm	4.00"	102mm	6.25"	159mm	Straight sidewall
SUP01000400652	10.00"	254mm	4.00"	102mm	6.50"	165mm	Smooth crown
SUP01000400651	10.00"	254mm	4.00"	102mm	6.50"	165mm	Smooth flat
SUP01000400805	10.00"	254mm	4.00"	102mm	8.00"	203mm	Straight sidewall
SUP01000450801	10.00"	254mm	4.50"	114mm	8.00"	203mm	Smooth flat
SUP01000480652	10.00"	254mm	4.75"	121mm	6.50"	165mm	Smooth crown
SUP01000480655	10.00"	254mm	4.75"	121mm	6.50"	165mm	Straight sidewall
SUP01000500501	10.00"	254mm	5.00"	127mm	5.00"	127mm	Smooth flat
SUP01000500632	10.00"	254mm	5.00"	127mm	6.25"	159mm	Smooth crown
SUP01000500631	10.00"	254mm	5.00"	127mm	6.25"	159mm	Smooth flat
SUP01000500635	10.00"	254mm	5.00"	127mm	6.25"	159mm	Straight sidewall
SUP01000500653	10.00"	254mm	5.00"	127mm	6.50"	165mm	Flat tread
SUP01000500652	10.00"	254mm	5.00"	127mm	6.50"	165mm	Smooth crown
SUP01000500651	10.00"	254mm	5.00"	127mm	6.50"	165mm	Smooth flat
SUP01000500655	10.00"	254mm	5.00"	127mm	6.50"	165mm	Straight sidewall
SUP01000600505	10.00"	254mm	6.00"	152mm	5.00"	127mm	Straight sidewall
SUP01000600632	10.00"	254mm	6.00"	152mm	6.25"	159mm	Smooth crown
SUP01000600655	10.00"	254mm	6.00"	152mm	6.50"	165mm	Straight sidewall
SUP01000700632	10.00"	254mm	7.00"	178mm	6.25"	159mm	Smooth crown
SUP01000700631	10.00"	254mm	7.00"	178mm	6.25"	159mm	Smooth flat
SUP01000700651	10.00"	254mm	7.00"	178mm	6.50"	165mm	Smooth flat
SUP01050300805	10.00"	254mm	7.00"	178mm	8.00"	203mm	Straight sidewall
SUP01050350805	10.50"	267mm	3.50"	89mm	8.00"	203mm	Straight sidewall

# Poly Press-On Tires - Superior

Llantas a Presión de Poliuretano Superior Preus à Pression en Urethane Superior

	Wheel O.D. ▼		Tread Width		I.D.		Specifications
SUP01050350801	10.50"	267mm	3.50"	89mm	8.00"	203mm	Smooth flat
SUP01050400805	10.50"	267mm	4.00"	102mm	8.00"	203mm	Straight sidewall
SUP01050450801	10.50"	267mm	4.50"	114mm	8.00"	203mm	Smooth flat
SUP01050500502	10.50"	267mm	5.00"	127mm	5.00"	127mm	Smooth crown
SUP01050500651	10.50"	267mm	5.00"	127mm	6.50"	165mm	Smooth flat
SUP01050500653	10.50"	267mm	5.00"	127mm	6.50"	165mm	Flat tread
SUP01050500652	10.50"	267mm	5.00"	127mm	6.50"	165mm	Smooth crown
SUP01050500655	10.50"	267mm	5.00"	127mm	6.50"	165mm	Straight sidewall
SUP01050500805	10.50"	267mm	5.00"	127mm	8.00"	203mm	Smooth flat
SUP01050550801	10.50"	267mm	5.50"	140mm	8.00"	203mm	Smooth flat
SUP01050600502	10.50"	267mm	6.00"	152mm	5.00"	127mm	Smooth crown
SUP01050600652	10.50"	267mm	6.00"	152mm	6.50"	165mm	Smooth crown
SUP01050600655	10.50"	267mm	6.00"	152mm	6.50"	165mm	Straight sidewall
SUP01050600801	10.50"	267mm	6.00"	152mm	8.00"	203mm	Smooth flat
SUP01050700651	10.50"	267mm	7.00"	178mm	6.50"	165mm	Smooth flat
SUP01050800651	10.50"	267mm	8.00"	203mm	6.50"	165mm	Smooth flat
SUP01200201005	12.00"	305mm	2.00"	51mm	10.00"	254mm	Straight sidewall
SUP01200350802	12.00"	305mm	3.50"	89mm	8.00"	203mm	Smooth crown
SUP01200350801	12.00"	305mm	3.50"	89mm	8.00"	203mm	Smooth flat
SUP01200400801	12.00"	305mm	4.00"	102mm	8.00"	203mm	Smooth flat
SUP01200450802	12.00"	305mm	4.50"	114mm	8.00"	203mm	Smooth crown
SUP01200450801	12.00"	305mm	4.50"	114mm	8.00"	203mm	Smooth flat
SUP01200500802	12.00"	305mm	5.00"	127mm	8.00"	203mm	Smooth crown
SUP01200500801	12.00"	305mm	5.00"	127mm	8.00"	203mm	Smooth flat
SUP01200450805	12.00"	305mm	5.00"	127mm	8.00"	203mm	Tapered Sidewall
SUP01200500901	12.00"	305mm	5.00"	127mm	9.00"	229mm	Smooth flat
SUP01200500902	12.00"	305mm	5.00"	127mm	9.00"	229mm	Smooth crown
SUP11200500901	12.00"	305mm	5.00"	127mm	9.00"	229mm	Smooth flat
SUP01200550802	12.00"	305mm	5.50"	140mm	8.00"	203mm	Smooth crown
SUP01200550801	12.00"	305mm	5.50"	140mm	8.00"	203mm	Smooth flat
SUP01200600801	12.00"	305mm	6.00"	152mm	8.00"	203mm	Smooth flat
SUP01200650801	12.00"	305mm	6.50"	165mm	8.00"	203mm	Smooth flat
SUP01280550803	12.75"	324mm	5.50"	140mm	8.00"	203mm	Flat tread
SUP01300351005	13.00"	330mm	3.50"	89mm	10.00"	254mm	Straight sidewall
SUP01300350802	13.00"	330mm	3.50"	89mm	8.00"	203mm	Smooth crown
SUP01300350805	13.00"	330mm	3.50"	89mm	8.00"	203mm	Straight sidewall
SUP01300400801	13.00"	330mm	4.00"	102mm	8.00"	203mm	Smooth flat
SUP01300400805	13.00"	330mm	4.00"	102mm	8.00"	203mm	Straight sidewall
SUP01300451005	13.00"	330mm	4.50"	114mm	10.00"	254mm	Straight sidewall
SUP01300450802	13.00"	330mm	4.50"	114mm	8.00"	203mm	Smooth crown
SUP01300450805	13.00"	330mm	4.50"	114mm	8.00"	203mm	Straight sidewall
SUP01300501005	13.00"	330mm	5.00"	127mm	10.00"	254mm	Straight sidewall
SUP01300500801	13.00"	330mm	5.00"	127mm	8.00"	203mm	Smooth flat
SUP01300500805	13.00"	330mm	5.00"	127mm	8.00"	203mm	Straight sidewall
SUP01300550803	13.00"	330mm	5.50"	140mm	8.00"	203mm	Flat tread
SUP01300550802	13.00"	330mm	5.50"	140mm	8.00"	203mm	Smooth crown
SUP01300550805	13.00"	330mm	5.50"	140mm	8.00"	203mm	Straight sidewall

# Poly Press-On Tires - Superior

Llantas a Presión de Poliuretano Superior Preus à Pression en Urethane Superior

	Wheel O.D. ▼		Tread Width		I.D.		Specifications
SUP01300550953	13.00"	330mm	5.50"	140mm	9.50"	241mm	Smooth
SUP01300550955	13.00"	330mm	5.50"	140mm	9.50"	241mm	Standard
SUP01300601005	13.00"	330mm	6.00"	152mm	10.00"	254mm	Straight sidewall
SUP01300601053	13.00"	330mm	6.00"	152mm	10.50"	267mm	Flat tread
SUP01300701005	13.00"	330mm	7.00"	178mm	10.00"	254mm	Straight sidewall
SUP01330450803	13.25"	337mm	4.50"	114mm	8.00"	203mm	Flat tread
SUP01350451025	13.50"	343mm	4.50"	114mm	10.23"	260mm	Standard
SUP01350450803	13.50"	343mm	4.50"	114mm	8.00"	203mm	Flat tread
SUP01350450802	13.50"	343mm	4.50"	114mm	8.00"	203mm	Smooth crown
SUP01350500801	13.50"	343mm	5.00"	127mm	8.00"	203mm	Smooth flat
SUP01350551003	13.50"	343mm	5.50"	140mm	10.00"	254mm	Standard
SUP01350550802	13.50"	343mm	5.50"	140mm	8.00"	203mm	Smooth crown
SUP01350550801	13.50"	343mm	5.50"	140mm	8.00"	203mm	Smooth flat
SUP01350601003	13.50"	343mm	6.00"	152mm	10.00"	254mm	Flat tread
SUP01350601005	13.50"	343mm	6.00"	152mm	10.00"	254mm	Straight sidewall
SUP01350601053	13.50"	343mm	6.00"	152mm	10.50"	267mm	Smooth flat
SUP01350600802	13.50"	343mm	6.00"	152mm	8.00"	203mm	Smooth crown
SUP01350650802	13.50"	343mm	6.50"	165mm	8.00"	203mm	Smooth crown
SUP01350701003	13.50"	343mm	7.00"	178mm	10.00"	254mm	Flat tread
SUP01350701005	13.50"	343mm	7.00"	178mm	10.00"	254mm	Straight sidewall
SUP01350700801	13.50"	343mm	7.00"	178mm	8.00"	203mm	Smooth flat
SUP01400401005	14.00"	356mm	4.00"	102mm	10.00"	254mm	Straight sidewall
SUP01400450802	14.00"	356mm	4.50"	114mm	8.00"	203mm	Smooth crown
SUP01400450801	14.00"	356mm	4.50"	114mm	8.00"	203mm	Smooth flat
SUP01400501005	14.00"	356mm	4.50"	114mm	8.00"	203mm	Straight sidewall
SUP01400500805	14.00"	356mm	5.00"	140mm	8.00"	203mm	Straight sidewall
SUP01400501135	14.00"	356mm	5.00"	127mm	11.25"	286mm	Straight sidewall
SUP01400550805	14.00"	356mm	5.50"	140mm	8.00"	203mm	Straight sidewall
SUP01400601135	14.00"	356mm	6.00"	152mm	11.25"	286mm	Straight sidewall
SUP01400701135	14.00"	356mm	7.00"	178mm	11.25"	286mm	Straight sidewall
SUP01400801135	14.00"	356mm	8.00"	203mm	11.25"	286mm	Straight sidewall
SUP01501001131	15.00"	381mm	10.00"	254mm	11.25"	286mm	Smooth flat
SUP01500351131	15.00"	381mm	3.50"	89mm	11.25"	286mm	Smooth flat
SUP01500501131	15.00"	381mm	5.00"	127mm	11.25"	286mm	Smooth flat
SUP01500601131	15.00"	381mm	6.00"	152mm	11.25"	286mm	Smooth flat
SUP01500601183	15.00"	381mm	6.00"	152mm	11.75"	298mm	Flat tread
SUP01500601211	15.00"	381mm	6.00"	152mm	12.13"	308mm	Smooth flat
SUP01500701131	15.00"	381mm	7.00"	178mm	11.25"	286mm	Smooth flat
SUP01500701135	15.00"	381mm	7.00"	178mm	11.25"	286mm	Straight sidewall
SUP01500801132	15.00"	381mm	8.00"	203mm	11.25"	286mm	Smooth crown
SUP01500801131	15.00"	381mm	8.00"	203mm	11.25"	286mm	Smooth flat
SUP01500801215	15.00"	381mm	8.00"	203mm	12.13"	308mm	Straight sidewall
SUP01500901131	15.00"	381mm	9.00"	229mm	11.25"	286mm	Smooth flat
SUP01550501002	15.50"	394mm	5.00"	127mm	10.00"	254mm	Smooth crown
SUP01550601002	15.50"	394mm	6.00"	152mm	10.00"	254mm	Smooth crown
SUP01600351215	16.00"	406mm	3.50"	89mm	12.13"	308mm	Straight sidewall
SUP01600401215	16.00"	406mm	4.00"	102mm	12.13"	308mm	Straight sidewall

# Poly Press-On Tires - Superior

Llantas a Presión de Poliuretano Superior Preus à Pression en Urethane Superior

	Wheel O.D. ▼		Tread Width		I.D.		Specifications
SUP01600501052	16.00"	406mm	5.00"	127mm	10.50"	267mm	Smooth crown
SUP01600501055	16.00"	406mm	5.00"	127mm	10.50"	267mm	Straight sidewall
SUP01600501215	16.00"	406mm	5.00"	127mm	12.13"	308mm	Straight sidewall
SUP01600601052	16.00"	406mm	6.00"	152mm	10.50"	267mm	Smooth crown
SUP01600701052	16.00"	406mm	7.00"	178mm	10.50"	267mm	Smooth crown
SUP01630401132	16.25"	413mm	4.00"	102mm	11.25"	286mm	Smooth crown
SUP01630501132	16.25"	413mm	5.00"	127mm	11.50"	292mm	Smooth crown
SUP01630601132	16.25"	413mm	6.00"	152mm	11.25"	286mm	Smooth crown
SUP01630601135	16.25"	413mm	6.00"	152mm	11.25"	286mm	Standard
SUP01630701132	16.25"	413mm	7.00"	178mm	11.25"	286mm	Smooth crown
SUPA1631001133	16.25"	431mm	10.00"	254mm	11.25"	286mm	Standard
SUP01700451211	17.00"	432mm	4.50"	114mm	12.13"	308mm	Smooth flat
SUP01700501211	17.00"	432mm	5.00"	127mm	12.13"	308mm	Smooth flat
SUP01700601211	17.00"	432mm	6.00"	152mm	12.13"	308mm	Smooth flat
SUP01750501405	17.50"	445mm	5.00"	127mm	14.00"	356mm	Straight sidewall
SUP01800301405	18.00"	457mm	3.00"	76mm	14.00"	356mm	Straight sidewall
SUP01800401405	18.00"	457mm	4.00"	102mm	14.00"	356mm	Straight sidewall
SUP01800501212	18.00"	457mm	5.00"	127mm	12.13"	308mm	Smooth crown
SUP01800501405	18.00"	457mm	5.00"	127mm	14.00"	356mm	Straight sidewall
SUP01800601212	18.00"	457mm	6.00"	152mm	12.13"	308mm	Smooth crown
SUP01800601211	18.00"	457mm	6.00"	152mm	12.13"	308mm	Smooth flat
SUP01800601215	18.00"	457mm	6.00"	152mm	12.13"	308mm	Straight sidewall
SUP01800701212	18.00"	457mm	7.00"	178mm	12.13"	308mm	Smooth crown
SUP01800701211	18.00"	457mm	7.00"	178mm	12.13"	308mm	Smooth flat
SUP01800701215	18.00"	457mm	7.00"	178mm	12.13"	308mm	Straight sidewall
SUP01800701405	18.00"	457mm	7.00"	178mm	14.00"	356mm	Straight sidewall
SUP01800801212	18.00"	457mm	8.00"	203mm	12.13"	308mm	Smooth crown
SUP01800801211	18.00"	457mm	8.00"	203mm	12.13"	308mm	Smooth flat
SUP01800901211	18.00"	457mm	9.00"	229mm	12.13"	308mm	Smooth flat
SUP01800901215	18.00"	457mm	9.00"	229mm	12.13"	308mm	Straight sidewall
SUP01800901405	18.00"	457mm	9.00"	229mm	14.00"	356mm	Straight sidewall
SUP02000501602	20.00"	508mm	5.00"	127mm	16.00"	406mm	Smooth crown
SUP02000601602	20.00"	508mm	6.00"	152mm	16.00"	406mm	Smooth crown
SUP02000701602	20.00"	508mm	7.00"	178mm	16.00"	406mm	Smooth crown
SUP02000801602	20.00"	508mm	8.00"	203mm	16.00"	406mm	Smooth crown
SUP02000901602	20.00"	508mm	9.00"	229mm	16.00"	406mm	Smooth crown
SUP02000901605	20.00"	508mm	9.00"	229mm	16.00"	406mm	Straight sidewall
SUP02100501502	21.00"	533mm	5.00"	127mm	15.00"	381mm	Smooth crown
SUP02100601502	21.00"	533mm	6.00"	152mm	15.00"	381mm	Smooth crown
SUP02100701502	21.00"	533mm	7.00"	178mm	15.00"	381mm	Smooth crown
SUP02100801502	21.00"	533mm	8.00"	203mm	15.00"	381mm	Smooth crown
SUP02100901502	21.00"	533mm	9.00"	229mm	15.00"	381mm	Smooth crown
SUP02201001601	22.00"	559mm	10.00"	254mm	16.00"	406mm	Smooth flat
SUP02201001781	22.00"	559mm	10.00"	254mm	17.75"	451mm	Smooth flat
SUP02201201601	22.00"	559mm	12.00"	305mm	16.00"	406mm	Smooth flat
SUP02201401601	22.00"	559mm	14.00"	356mm	16.00"	406mm	Smooth flat
SUP02201601601	22.00"	559mm	16.00"	406mm	16.00"	406mm	Smooth flat



# Poly Press-On Tires - Superior

Llantas a Presión de Poliuretano Superior Preus à Pression en Urethane Superior



	Wheel O.D. ▼		Tread Width		I.D.		Specifications
SUP02200451605	22.00"	559mm	4.50"	114mm	16.00"	406mm	Straight sidewall
SUP02200451785	22.00"	559mm	4.50"	114mm	17.75"	451mm	Straight sidewall
SUP02200501601	22.00"	559mm	5.00"	127mm	16.00"	406mm	Smooth flat
SUP02200601602	22.00"	559mm	6.00"	152mm	16.00"	406mm	Smooth crown
SUP02200601601	22.00"	559mm	6.00"	152mm	16.00"	406mm	Smooth flat
SUP02200601605	22.00"	559mm	6.00"	152mm	16.00"	406mm	Straight sidewall
SUP02200601785	22.00"	559mm	6.00"	152mm	17.75"	451mm	Straight sidewall
SUP02200701602	22.00"	559mm	7.00"	178mm	16.00"	406mm	Smooth crown
SUP02200701601	22.00"	559mm	7.00"	178mm	16.00"	406mm	Smooth flat
SUP02200701605	22.00"	559mm	7.00"	178mm	16.00"	406mm	Straight sidewall
SUP02200701785	22.00"	559mm	7.00"	178mm	17.75"	451mm	Straight sidewall
SUP02200801601	22.00"	559mm	8.00"	203mm	16.00"	406mm	Smooth flat
SUP02200801781	22.00"	559mm	8.00"	203mm	17.75"	451mm	Smooth flat
SUP02200901601	22.00"	559mm	9.00"	229mm	16.00"	406mm	Smooth flat
SUP02400402001	24.00"	610mm	4.00"	102mm	20.00"	508mm	Smooth flat
SUP12801002201	28.00"	711mm	10.00"	254mm	22.00"	559mm	Smooth flat
SUP12801002205	28.00"	711mm	10.00"	254mm	22.00"	559mm	Straight sidewall
SUP12801202201	28.00"	711mm	12.00"	305mm	22.00"	559mm	Smooth flat
SUP12801402201	28.00"	711mm	14.00"	356mm	22.00"	559mm	Smooth flat
SUP12801602201	28.00"	711mm	16.00"	406mm	22.00"	559mm	Smooth flat
SUP12800602201	28.00"	711mm	6.00"	152mm	22.00"	559mm	Smooth flat
SUP12800702201	28.00"	711mm	7.00"	178mm	22.00"	559mm	Smooth flat
SUP12800802201	28.00"	711mm	8.00"	203mm	22.00"	559mm	Smooth flat
SUP12800802205	28.00"	711mm	8.00"	203mm	22.00"	559mm	Straight sidewall
SUP13601003001	36.00"	914mm	10.00"	254mm	30.00"	762mm	Smooth flat
SUP13601203001	36.00"	914mm	12.00"	305mm	30.00"	762mm	Smooth flat
SUP13601403001	36.00"	914mm	14.00"	356mm	30.00"	762mm	Smooth flat
SUP13601603001	36.00"	914mm	16.00"	406mm	30.00"	762mm	Smooth flat
SUP13602003001	36.00"	914mm	20.00"	508mm	30.00"	762mm	Smooth flat
SUP13600803001	36.00"	914mm	8.00"	203mm	30.00"	762mm	Smooth flat
SUP13600903001	36.00"	914mm	9.00"	229mm	30.00"	762mm	Smooth flat

# Sweeper Scrubber Wheels








Ruedas para Barredoras y Limpiadoras de piso Roue pour balayouse-laveuse industriels

	Wheel O.D. ▼	Tread Width		Wheel O.D. ▼	Tread Width		Wheel O.D. ▼	Tread Width			
SY681024	1.75" 44mm	0.70" 18mm		SY1223842	2.50" 64mm	1.38" 35mm		SY1223846	3.46" 88mm	1.25" 32mm	
SY1223912	1.75" 44mm	0.79" 20mm		SY109756	2.52" 64mm	0.85" 22mm		SY99522	3.50" 89mm	0.79" 20mm	
SY1223843	2.00" 51mm	0.88" 22mm		SY1210203	3.00" 76mm	0.88" 22mm		SY109957	4.00" 102mm	0.89" 23mm	
SY1223830	2.50" 64mm	0.69" 17mm		SY1223845	3.00" 76mm	1.22" 31mm		SY1223847	5.00" 127mm	2.00" 51mm	
SY99073	2.50" 64mm	0.86" 22mm		SY109839	3.00" 76mm	1.38" 35mm		SY1223848	5.00" 127mm	2.00" 51mm	
SY1223611	2.50" 64mm	1.00" 25mm		SY99507	3.00" 76mm	1.50" 38mm		SY76713	10.00" 254mm	2.50" 64mm	











# Casters Ruedas Giratorias Roulettes













A = Bolt Distance (length)  
B = Bolt Distance (width)

	Wheel Diameter ▼	Wheel Width	Wheel Material	Length	Width	A	B	Height
 SY58850	2.00" 51mm	3.00" 76mm	Polyurethane		1.75" 45mm			4.50" 114mm
 SY58857	3.00" 76mm	2.00" 51mm	Polyurethane	5.00" 127mm	4.50" 114mm	4.25" 108mm	3.75" 95mm	7.00" 178mm
 SYLC2800	3.00" 76mm	3.50" 89mm	Polyurethane	4.50" 114mm	4.00" 102mm	3.29" 83mm	2.80" 71mm	6.91-7.84" adjustable 176-199mm
 SYLC2850	3.00" 76mm	3.50" 89mm	Polyurethane	4.50" 114mm	4.00" 102mm	3.29" 83mm	2.80" 71mm	6.81-7.84" adjustable 176-199mm
 SYLC2950	3.00" 76mm	3.50" 89mm	Polyurethane	4.50" 114mm	4.00" 102mm	3.29" 83mm	2.80" 71mm	6.80-7.81" adjustable 173-198mm
 SYLC2700	3.00" 76mm	3.50" 89mm	Polyurethane	4.75" 121mm	4.00" 102mm	3.39" 86mm	2.76" 70mm	6.91-7.21" adjustable 176-199mm
 SYLC2750	3.00" 76mm	3.50" 89mm	Polyurethane	4.75" 121mm	4.00" 102mm	3.39" 86mm	2.76" 70mm	6.91-7.21" adjustable 176-199mm









## Casters Ruedas Giratorias Roulettes


	Wheel Diameter ▼	Wheel Width	Wheel Material	Length	Width	A	B	Height
SYLC2000 	3.00" 76mm	3.50" 89mm	Polyurethane	4.81" 122mm	4.00" 102mm	3.31-3.95" 84-100mm	2.30-2.95" 58-75mm	6.91-7.71" adjustable 176-199mm
SYLC2500 	3.00" 76mm	3.50" 89mm	Polyurethane	4.81" 122mm	4.00" 102mm	3.31-3.95" 84-100mm	2.30-2.95" 58-75mm	6.91-7.71" adjustable 176-199mm
SYLC3001 	3.00" 76mm	3.50" 89mm	Polyurethane	7.00" 178mm	5.00" 127mm	4.64-5.34" 118-136mm	1.37-1.72" 35-44mm	8.17-9.31" adjustable 208-237mm
SYLC3501 	3.00" 76mm	3.50" 89mm	Polyurethane	7.00" 178mm	5.00" 127mm	4.64-5.34" 118-136mm	1.37-1.72" 35-44mm	8.17-9.31" adjustable 208-237mm
SYLC2400 	3.00" 76mm	3.50" 89mm	Polyurethane	5.38" 137mm	4.00" 102mm	4.00-4.25" 101-108mm	3.75" 95mm	6.91-7.84" adjustable 176-199mm
SYLC4001 	3.00" 76mm	3.50" 89mm	Polyurethane	5.38" 137mm	4.00" 102mm	4.00-4.25" 102-108mm	3.75-4.00" 95-102mm	7.44-8.16" adjustable 189-207mm
SYLC4501 	3.00" 76mm	3.50" 89mm	Polyurethane	5.38" 137mm	4.00" 102mm	4.00-4.25" 102-108mm	3.75-4.00" 95-102mm	7.44-8.16" adjustable 189-207mm
SYLC6001 	3.00" 76mm	3.50" 89mm	Polyurethane	7.00" 178mm	5.00" 127mm	4.64-5.34" 118-136mm	1.37-1.72" 35-44mm	8.17-9.31" adjustable 208-237mm
SY45604 	4.00" 102mm	2.50" 64mm	Polyurethane	4.50" 114mm	4.00" 102mm	3.25" 83mm	2.75" 70mm	7.50" 191mm
SY52224 	4.00" 102mm	2.50" 64mm	Polyurethane	7.00" 178mm	5.00" 127mm	5.25" 133mm	3.30" 84mm	8.50" 216mm

## Casters Ruedas Giratorias Roulettes

	Wheel Diameter ▼	Wheel Width	Wheel Material	Length	Width	A	B	Height
SY52289 	4.00" 102mm	2.50" 64mm	Polyurethane	6.50" 165mm	4.50" 114mm	5.25" 133mm	3.30" 84mm	9.25" 235mm
SY58851 	4.00" 102mm	2.50" 64mm	Polyurethane	4.50" 114mm	4.00" 102mm	3.25" 83mm	2.75" 70mm	7.00" 178mm
SY58882 	4.00" 102mm	2.50" 64mm	Polyurethane	4.50" 114mm	3.75" 95mm	3.50" 89mm	2.50" 64mm	6.00" 152mm
SY58883 	4.00" 102mm	2.50" 64mm	Polyurethane	4.50" 114mm	3.75" 95mm	3.50" 89mm	2.50" 64mm	6.50" 165mm
SY58885 	4.00" 102mm	2.50" 64mm	Polyurethane	4.50" 114mm	3.75" 95mm	3.50" 89mm	2.50" 64mm	7.50" 191mm
SY75150 	4.00" 102mm	2.50" 64mm	Polyurethane	5.00" 127mm	5.00" 127mm	4.13" 105mm	4.13" 105mm	8.50" 216mm
SY81171 	4.00" 102mm	2.50" 64mm	Polyurethane	4.50" 114mm	4.00" 102mm	3.25" 83mm	2.75" 70mm	7.50" 191mm
SY81175 	4.00" 102mm	2.50" 64mm	Polyurethane	4.50" 114mm	4.00" 102mm	3.25" 83mm	2.75" 70mm	7.50" 191mm
SY83372 	4.00" 102mm	2.50" 64mm	Polyurethane	5.00" 127mm	5.00" 127mm	4.00" 102mm	4.00" 102mm	9.00" 229mm
SY58880 	4.00" 102mm	2.92" 74mm	Polyurethane	4.50" 114mm	3.75" 95mm	3.50" 89mm	2.63" 67mm	6.75" 171mm

## Casters Ruedas Giratorias Roulettes



	Wheel Diameter ▼	Wheel Width	Wheel Material	Length	Width	A	B	Height
SY75318 	5.00" 127mm	2.00" 51mm	Polyurethane	4.50" 114mm	4.00" 102mm	3.25" 83mm	2.75" 70mm	6.25" 159mm
SY58874 	5.00" 127mm	2.00" 51mm	Polyurethane	4.50" 114mm	4.00" 102mm	3.25" 83mm	2.75" 70mm	6.50" 165mm
SY58881 	5.00" 127mm	2.00" 51mm	Rubber	4.50" 114mm	4.00" 102mm	3.25" 83mm	2.75" 70mm	6.50" 165mm
SY75319 	5.00" 127mm	3.00" 76mm	Polyurethane	6.25" 159mm	4.50" 114mm	5.00" 127mm	3.00" 76mm	10.00" 254mm
SY75330 	6.00" 152mm	4.50" 114mm	Polyurethane	6.50" 165mm	6.00" 152mm	5.50" 140mm	3.25" 83mm	7.00" 178mm
SY75323 	7.00" 178mm	2.35" 60mm	Polyurethane	8.00" 203mm	6.00" 152mm	6.75" 171mm	5.00" 127mm	10.50" 267mm
SY58858 	8.00" 203mm	2.45" 62mm	Polyurethane	7.50" 191mm	6.00" 152mm	6.00" 152mm	4.50" 114mm	10.50" 267mm
SY23294 	8.00" 203mm	2.45" 62mm	Polyurethane	7.50" 191mm	6.00" 152mm	6.00" 152mm	4.50" 114mm	10.50" 267mm



A = Bolt Distance (length)  
B = Bolt Distance (width)

	Grease Fitting	Wheel Diameter	Wheel Width	Wheel Material	Length ▼	Width	A	B	Height
SY1222490	No	3.00" 76mm	3.50" 89mm	Poly	4.50" 114mm	4.00" 102mm	3.29" 84mm	2.80" 71mm	6.90-7.84" adjustable 176-199mm
SY1222491	Yes	3.00" 76mm	3.50" 89mm	Poly	4.50" 114mm	4.00" 102mm	3.29" 84mm	2.80" 71mm	6.90-7.84" adjustable 176-199mm
SY1222488	No	3.00" 76mm	3.50" 89mm	Poly	4.75" 121mm	4.00" 102mm	3.39" 86mm	2.76" 70mm	6.90-7.22" adjustable 176-199mm
SY1222489	Yes	3.00" 76mm	3.50" 89mm	Poly	4.75" 121mm	4.00" 102mm	3.39" 86mm	2.76" 70mm	6.90-7.22" adjustable 176-199mm
SY1222486	No	3.00" 76mm	3.50" 89mm	Poly	4.81" 122mm	4.00" 102mm	3.31-3.95" 84-100mm	2.30-2.95" 58-75mm	6.90-7.71" adjustable 176-199mm
SY1222487	Yes	3.00" 76mm	3.50" 89mm	Poly	4.81" 122mm	4.00" 102mm	3.31-3.95" 84-100mm	2.30-2.95" 58-75mm	6.90-7.71" adjustable 176-199mm
SY1222492	Yes	3.00" 76mm	3.50" 89mm	Poly	5.38" 137mm	4.00" 102mm	4.00-4.25" 102-108mm	3.75" 95mm	6.90-7.84" adjustable 176-199mm
SY1222481	No	3.00" 76mm	3.50" 89mm	Poly	5.38" 137mm	4.00" 102mm	4.00-4.25" 102-108mm	3.75-4.00" 95-102mm	7.44-8.16" adjustable 189-207mm
SY1222482	Yes	3.00" 76mm	3.50" 89mm	Poly	5.38" 137mm	4.00" 102mm	4.00-4.25" 102-108mm	3.75-4.00" 95-102mm	7.44-8.16" adjustable 189-207mm
SY1222484	Yes	3.00" 76mm	3.50" 89mm	Poly	7.00" 178mm	5.00" 127mm	4.64-5.34" 118-136mm	1.37-1.72" 35-44mm	8.17-9.31" adjustable 208-237mm
SY1222479	Yes	3.00" 76mm	3.50" 89mm	Poly	7.00" 178mm	5.00" 127mm	4.64-5.34" 118-136mm	1.37-1.72" 35-44mm	8.17-9.31" adjustable 208-237mm

# STR Casters Ruedas Giratorias STR Roulettes STR



A = Bolt Distance (length)  
B = Bolt Distance (width)

## Casters

	Grease Fitting	Wheel Diameter	Wheel Width	Length ▼	Width	A	B	Height
SYSTR02001HY	Yes	3.25" 83mm	1.57" 40mm	4.50" 114mm	5.00" 127mm	3.30" 84mm	2.80" 70mm	7.50" 191mm
SYSTR02000	No	3.25" 83mm	1.57" 40mm	4.75" 121mm	4.00" 102mm	4.00" 102mm	3.00" 76mm	7.50" 191mm
SYSTR02001BL	No	3.25" 83mm	1.57" 40mm	4.75" 121mm	4.00" 102mm	3.39" 86mm	2.76" 70mm	7.50" 191mm
SYSTR32001	Yes	3.25" 83mm	1.57" 40mm	4.75" 121mm	4.00" 102mm	5.27" 134mm	3.33" 85mm	7.50" 191mm
SYSTR32001BL	Yes	3.25" 83mm	1.57" 40mm	4.75" 121mm	4.00" 102mm	3.39" 86mm	2.76" 70mm	7.50" 191mm
SYSTR02001CR2	No	3.25" 83mm	1.57" 40mm	5.00" 127mm	5.00" 127mm	3.63-4.13" 93mm-105mm	2.63-4.13" 67mm-105mm	7.50" 191mm
SYSTR04000	No	3.25" 83mm	1.57" 40mm	5.38" 137mm	5.00" 127mm	4.00" 102mm	4.00" 102mm	8.38" 213mm
SYSTR04001	Yes	3.25" 83mm	1.57" 40mm	5.38" 137mm	5.00" 127mm	4.00" 102mm	4.00" 102mm	8.38" 213mm
SYSTR03000	No	3.25" 83mm	1.57" 40mm	7.00" 178mm	5.00" 127mm	5.00" 127mm	3.00" 76mm	8.13" 208mm
SYSTR03001	Yes	3.25" 83mm	1.57" 40mm	7.00" 178mm	5.00" 127mm	5.00" 127mm	3.00" 76mm	8.13" 208mm

## Food Service Casters

▼	Grease Fitting	▼	Grease Fitting	▼	Grease Fitting
SYSTR02001BLFS	Yes	SYSTR03301FS	Yes	SYSTR52001CR2FS	Yes
SYSTR02001CR2FS	Yes	SYSTR04001FS	Yes	SYSTR52001FS	Yes
SYSTR02001HYFS	Yes	SYSTR32001FS	Yes	SYSTR52001HYFS	Yes
SYSTR02001RAFS	Yes	SYSTR32001HYFS	Yes	SYSTR52001RAFS	Yes
SYSTR02001TYFS	Yes	SYSTR33001FS	Yes	SYSTR52001TYFS	Yes
SYSTR03001FS	Yes	SYSTR52001BLFS	Yes	SYSTR53001FS	Yes