



GE INDUSTRIAL MOTORS
a WOLONG company

Energy Saver - TEFC Severe Duty

Low Voltage Induction Motor
NEMA Premium Efficient

Volts: 230/460, 460, 575 Hp: 1 to 250



NEMA
Premium

VFD
READY
NEMA
MG1
PART 31

CSA
C US


+1 (888) 525-2915
www.gemotorswolong.com

Engineered to Excel in Severe Environments

Standard Models: 230/460, 460, 575


Feature	New Energy Saver by Wolong
Ambient @ 1.15SF	40C
Alternate Ambient @1.0SF	55C
B Rise @ 1.0SF	Yes
Bearing Caps	Yes
Class I Division 2	Groups A, B, C, D
Class II Division 2	Groups F, G
Conduit box 90 deg Rotatable	Yes
Constant HP Range (4+ Poles)	1.5:1
Constant Torque Range	5:1
Convertible to F2	Yes
DE Bearing Sizes 140/180/210/250/280/320	6205/6306/6308/6309/ 6310/6312
DE Bearing Sizes 360/400/440	6314/6316/6318
Div 2 Temp Code @ 40C	T3C
Enclosure	IP55
External Surface of ODE end shield painted	Yes
Fan Cover Material	Steel
Grease	Chevron Grease SRI #2 (Polyurea)
Insulation Class	F
Internal Surface of Fan Cover Final Painted	Yes
Inverter Duty	Yes
NEMA Design	B
ODE Bearing Sizes 140/180/210/250/280/320	6205/6306/6308/6209/ 6310/6312
ODE Bearing Sizes 360/400/440	6314/6313/6314
Paint Material	Epoxy Ester
Regreasable bearings	All
Salt Spray ASTM B-117	1000 Hours
Service Factor	1.15
Two Pole Motors tested on Rigid Base	Yes
Variable Torque Range	10:1
Vibration Limit	.15ips

* Conduit box material cast iron Efficiency NEMA Premium
Frame material Cast Iron Warranty 36 months



Severe Duty General Purpose Motor - Features

- Meets NEMA MG1 table 12-12 premium efficiency
- Inverter Duty per NEMA MG1-31, suitable for variable torque loads of 10:1 and a constant torque load of 5:1 and constant HP 1.5:1
- The frame, end shields and conduit box are a rugged cast iron construction.
- Dual mounting holes to accommodate short and long frame dimension
- A recessed steel-reinforced neoprene slinger minimizes
- Exceeds 1000 hour salt spray test per ASTM B-117
- IP-55 enclosure meets the enclosure requirement of IEEE 841
- Suitable for Division 2 environment
- Chevron Grease SRI #2 (Polyurea)
- 26,280 hours L10 bearing life without life adjustment factors on belted loads
- All 2 pole motors are vibration tested on a rigid base yielding smooth reliable operation
- Patented bearing cooling system for TEFC motors eliminates the need for water cooled thrust bearings



Energy Saver Severe Duty - NEMA Price List

HP	RPM	Voltage	Frame	Cat. No.	List Price	Price Symbol	Model No.	C Face Kit	C Face Kit List Price
1	1800	230/460	143T	W7723	\$515	G4-7S\$P	5KS143ZWL205	W80131671-00	\$107
1	1200	230/460	145T	W7540	\$660	G4-7S\$P	5KS145ZWL305	W80131671-00	\$107
1	1800	575	143T	W7523	\$515	G4-7S\$P	5KS143ZWL204	W80131671-00	\$107
1	1200	575	145T	W7579	\$660	G4-7S\$P	5KS145ZWL304	W80131671-00	\$107
1.5	3600	230/460	143T	W7701	\$534	G4-7S\$P	5KS143ZWL105	W80131671-00	\$107
1.5	1800	230/460	145T	W7724	\$554	G4-7S\$P	5KS145ZWL205	W80131671-00	\$107
1.5	1200	230/460	182T	W7541	\$775	G4-7S\$P	5KS182ZWL305	W80133014-00	\$133
1.5	3600	575	143T	W7501	\$534	G4-7S\$P	5KS143ZWL104	W80131671-00	\$107
1.5	1800	575	145T	W7524	\$554	G4-7S\$P	5KS145ZWL204	W80131671-00	\$107
1.5	1200	575	182T	W7580	\$775	G4-7S\$P	5KS182ZWL304	W80133014-00	\$133
2	3600	230/460	145T	W7702	\$645	G4-7S\$P	5KS145ZWL105	W80131671-00	\$107
2	1800	230/460	145T	W7725	\$609	G4-7S\$P	5KS145ZWL221	W80131671-00	\$107
2	1200	230/460	184T	W7542	\$840	G4-7S\$P	5KS184ZWL305	W80133014-00	\$133
2	3600	575	145T	W7502	\$645	G4-7S\$P	5KS145ZWL104	W80131671-00	\$107
2	1800	575	145T	W7525	\$609	G4-7S\$P	5KS145ZWL222	W80131671-00	\$107
2	1200	575	184T	W7581	\$840	G4-7S\$P	5KS184ZWL304	W80133014-00	\$133
3	3600	230/460	182T	W7703	\$786	G4-7S\$P	5KS182ZWL105	W80133014-00	\$133
3	1800	230/460	182T	W7726	\$800	G4-7S\$P	5KS182ZWL205	W80133014-00	\$133
3	1200	230/460	213T	W7543	\$1,100	G4-7S\$P	5KS213ZWL305	W80132381-00	\$231
3	3600	575	182T	W7503	\$786	G4-7S\$P	5KS182ZWL104	W80133014-00	\$133
3	1800	575	182T	W7526	\$800	G4-7S\$P	5KS182ZWL204	W80133014-00	\$133
3	1200	575	213T	W7582	\$1,100	G4-7S\$P	5KS213ZWL304	W80132381-00	\$231
5	3600	230/460	184T	W7704	\$880	G4-7S\$P	5KS184ZWL105	W80133014-00	\$133
5	1800	230/460	184T	W7727	\$805	G4-7S\$P	5KS184ZWL205	W80133014-00	\$133
5	1200	230/460	215T	W7544	\$1,425	G4-7S\$P	5KS215ZWL305	W80132381-00	\$231
5	3600	575	184T	W7504	\$880	G4-7S\$P	5KS184ZWL104	W80133014-00	\$133
5	1800	575	184T	W7527	\$805	G4-7S\$P	5KS184ZWL204	W80133014-00	\$133
5	1200	575	215T	W7583	\$1,425	G4-7S\$P	5KS215ZWL304	W80132381-00	\$231
7.5	3600	230/460	213T	W7705	\$1,110	G4-7S\$P	5KS213ZWL105	W80132381-00	\$231
7.5	1800	230/460	213T	W7728	\$1,160	G4-7S\$P	5KS213ZWL205	W80132381-00	\$231
7.5	1200	230/460	254T	W7545	\$1,865	G4-7S\$P	5KS254ZWL305	W80131677-00	\$368
7.5	3600	575	213T	W7505	\$1,110	G4-7S\$P	5KS213ZWL104	W80132381-00	\$231
7.5	1800	575	213T	W7528	\$1,160	G4-7S\$P	5KS213ZWL204	W80132381-00	\$231
7.5	1200	575	254T	W7584	\$1,865	G4-7S\$P	5KS254ZWL304	W80131677-00	\$368
10	3600	230/460	215T	W7706	\$1,400	G4-7S\$P	5KS215ZWL105	W80132381-00	\$231
10	1800	230/460	215T	W7729	\$1,420	G4-7S\$P	5KS215ZWL205	W80132381-00	\$231
10	1200	230/460	256T	W7546	\$2,350	G4-7S\$P	5KS256ZWL305	W80131677-00	\$368
10	3600	575	215T	W7506	\$1,400	G4-7S\$P	5KS215ZWL104	W80132381-00	\$231
10	1800	575	215T	W7529	\$1,420	G4-7S\$P	5KS215ZWL204	W80132381-00	\$231
10	1200	575	256T	W7585	\$2,350	G4-7S\$P	5KS256ZWL304	W80131677-00	\$368
15	3600	230/460	254T	W7707	\$2,050	G4-7S\$P	5KS254ZWL105	W80132382-00	\$308
15	1800	230/460	254T	W7730	\$2,065	G4-7S\$P	5KS254ZWL205	W80131677-00	\$368
15	1200	230/460	284T	W7547	\$2,900	G4-7S\$P	5KS284ZWL305	W80131679-00	\$470
15	3600	575	254T	W7507	\$2,050	G4-7S\$P	5KS254ZWL104	W80132382-00	\$308
15	1800	575	254T	W7530	\$2,065	G4-7S\$P	5KS254ZWL204	W80131677-00	\$368
15	1200	575	284T	W7586	\$2,900	G4-7S\$P	5KS284ZWL304	W80131679-00	\$470
20	3600	230/460	256T	W7708	\$2,360	G4-7S\$P	5KS256ZWL105	W80132382-00	\$308
20	1800	230/460	256T	W7731	\$2,400	G4-7S\$P	5KS256ZWL205	W80131677-00	\$368
20	1200	230/460	286T	W7548	\$3,538	G4-7S\$P	5KS286ZWL305	W80131679-00	\$470
20	3600	575	256T	W7508	\$2,360	G4-7S\$P	5KS256ZWL104	W80132382-00	\$308
20	1800	575	256T	W7531	\$2,400	G4-7S\$P	5KS256ZWL204	W80131677-00	\$368
20	1200	575	286T	W7587	\$3,538	G4-7S\$P	5KS286ZWL304	W80131679-00	\$470
25	3600	230/460	284TS	W7709	\$2,835	G4-7S\$P	5KS284ZWL115	W80131679-00	\$470
25	1800	230/460	284T	W7732	\$2,850	G4-7S\$P	5KS284ZWL205	W80131679-00	\$470
25	1200	230/460	324T	W7549	\$4,500	G4-7S\$P	5KS324ZWL305	W80131519-00	\$856
25	3600	575	284TS	W7509	\$2,835	G4-7S\$P	5KS284ZWL114	W80131679-00	\$470
25	1800	575	284T	W7532	\$2,850	G4-7S\$P	5KS284ZWL204	W80131679-00	\$470
25	1200	575	324T	W7589	\$4,500	G4-7S\$P	5KS324ZWL304	W80131519-00	\$856

* NEMA Pricing as of 2019 December

Energy Saver Severe Duty - NEMA Price List

HP	RPM	Voltage	Frame	Cat. No.	List Price	Price Symbol	Model No.	C Face Kit	C Face Kit List Price
30	3600	230/460	286TS	W7710	\$3,510	G4-7S\$P	5KS286ZWL115	W80131679-00	\$470
30	1800	230/460	286T	W7733	\$3,450	G4-7S\$P	5KS286ZWL205	W80131679-00	\$470
30	1200	230/460	326T	W7550	\$5,245	G4-7S\$P	5KS326ZWL305	W80131519-00	\$856
30	3600	575	286TS	W7510	\$3,510	G4-7S\$P	5KS286ZWL114	W80131679-00	\$470
30	1800	575	286T	W7533	\$3,450	G4-7S\$P	5KS286ZWL204	W80131679-00	\$470
30	1200	575	326T	W7592	\$5,245	G4-7S\$P	5KS326ZWL304	W80131519-00	\$856
40	3600	230/460	324TS	W7711	\$5,445	G4-7S\$P	5KS324ZWL115	W80131519-00	\$856
40	1800	230/460	324T	W7734	\$5,695	G4-7S\$P	5KS324ZWL205	W80131519-00	\$856
40	1200	230/460	364T	W7952	\$7,175	G4-7S\$P	5KS364ZWL305	W80131520-00	\$698
40	3600	575	324TS	W7511	\$5,445	G4-7S\$P	5KS324ZWL114	W80131519-00	\$856
40	1800	575	324T	W7534	\$5,695	G4-7S\$P	5KS324ZWL204	W80131519-00	\$856
40	1200	575	364T	W7951	\$7,175	G4-7S\$P	5KS364ZWL304	W80131520-00	\$698
50	3600	230/460	326TS	W7713	\$5,725	G4-7S\$P	5KS326ZWL115	W80131519-00	\$856
50	1800	230/460	326T	W7736	\$5,775	G4-7S\$P	5KS326ZWL205	W80131519-00	\$856
50	1200	230/460	365T	W7955	\$6,940	G4-7S\$P	5KS365ZWL305	W80131520-00	\$698
50	3600	575	326TS	W7513	\$5,725	G4-7S\$P	5KS326ZWL114	W80131519-00	\$856
50	1800	575	326T	W7536	\$5,775	G4-7S\$P	5KS326ZWL204	W80131519-00	\$856
50	1200	575	365T	W8628	\$6,940	G4-7S\$P	5KS365ZWL304	W80131520-00	\$698
60	3600	230/460	364TS	W8200	\$8,335	G4-7S\$P	5KS364ZWL115	W80131520-00	\$698
60	1800	230/460	364T	W8400	\$8,150	G4-7S\$P	5KS364ZWL205	W80131520-00	\$698
60	1200	230/460	404T	W8602	\$10,620	G4-7S\$P	5KS404ZWL305	W80131614-00	\$846
60	3600	575	364TS	W8207	\$8,335	G4-7S\$P	5KS364ZWL114	W80131520-00	\$698
60	1800	575	364T	W8414	\$8,150	G4-7S\$P	5KS364ZWL204	W80131520-00	\$698
60	1200	575	404T	W8629	\$10,620	G4-7S\$P	5KS404ZWL304	W80131614-00	\$846
75	3600	230/460	365TS	W8201	\$10,225	G4-7S\$P	5KS365ZWL115	W80131520-00	\$698
75	1800	230/460	365T	W8401	\$9,900	G4-7S\$P	5KS365ZWL205	W80131520-00	\$698
75	1200	230/460	405T	W8603	\$11,850	G4-7S\$P	5KS405ZWL305	W80131614-00	\$846
75	3600	575	365TS	W8208	\$10,225	G4-7S\$P	5KS365ZWL114	W80131520-00	\$698
75	1800	575	365T	W8415	\$9,900	G4-7S\$P	5KS365ZWL204	W80131520-00	\$698
75	1200	575	405T	W8630	\$11,850	G4-7S\$P	5KS405ZWL304	W80131614-00	\$846
100	3600	230/460	405TS	W8202	\$13,225	G4-7S\$P	5KS405ZWL115	W80131878-00	\$788
100	1800	230/460	405T	W8402	\$12,190	G4-7S\$P	5KS405ZWL205	W80131614-00	\$846
100	1200	460	444T	W8604	\$15,600	G4-7S\$P	5KS444ZWL308	W80131612-00	\$1,421
100	3600	575	405TS	W8209	\$13,225	G4-7S\$P	5KS405ZWL114	W80131878-00	\$788
100	1800	575	405T	W8416	\$12,190	G4-7S\$P	5KS405ZWL204	W80131614-00	\$846
100	1200	575	444T	W8631	\$15,600	G4-7S\$P	5KS444ZWL304	W80131612-00	\$1,421
125	3600	460	444TS	W8203	\$16,500	G4-7S\$P	5KS444ZWL118	W80131611-00	\$1,281
125	1800	460	444T	W8403	\$15,330	G4-7S\$P	5KS444ZWL208	W80131612-00	\$1,421
125	1200	460	445T	W8605	\$18,800	G4-7S\$P	5KS445ZWL308	W80131612-00	\$1,421
125	3600	575	444TS	W8210	\$16,500	G4-7S\$P	5KS444ZWL114	W80131611-00	\$1,281
125	1800	575	444T	W8417	\$15,330	G4-7S\$P	5KS444ZWL204	W80131612-00	\$1,421
125	1200	575	445T	W8632	\$18,800	G4-7S\$P	5KS445ZWL304	W80131612-00	\$1,421
150	3600	460	445TS	W8204	\$19,825	G4-7S\$P	5KS445ZWL118	W80131611-00	\$1,281
150	1800	460	445T	W8404	\$17,825	G4-7S\$P	5KS445ZWL208	W80131612-00	\$1,421
150	1200	460	447T	W8606	\$21,530	G4-7S\$P	5KS447ZWL308	W80134015-00	\$1,421
150	3600	575	445TS	W8211	\$19,825	G4-7S\$P	5KS445ZWL114	W80131611-00	\$1,281
150	1800	575	445T	W8418	\$17,825	G4-7S\$P	5KS445ZWL204	W80131612-00	\$1,421
150	1200	575	447T	W8633	\$21,530	G4-7S\$P	5KS447ZWL304	W80134015-00	\$1,421
200	3600	460	447TS	W8205	\$25,100	G4-7S\$P	5KS447ZWL118	NA	#N/A
200	1800	460	447T	W8405	\$22,358	G4-7S\$P	5KS447ZWL208	W80134015-00	\$1,421
200	1200	460	449T	W8607	\$26,775	G4-7S\$P	5KS449ZWL308	W80134015-00	\$1,421
200	3600	575	447TS	W8212	\$25,100	G4-7S\$P	5KS447ZWL114	NA	#N/A
200	1800	575	447T	W8419	\$22,358	G4-7S\$P	5KS447ZWL204	W80134015-00	\$1,421
200	1200	575	449T	W8634	\$26,775	G4-7S\$P	5KS449ZWL304	W80134015-00	\$1,421
250	3600	460	449TS	W8206	\$32,350	G4-7S\$P	5KS449ZWL118	NA	#N/A
250	1800	460	449T	W8406	\$26,155	G4-7S\$P	5KS449ZWL208	W80134015-00	\$1,421
250	3600	575	449TS	W8213	\$32,350	G4-7S\$P	5KS449ZWL114	NA	#N/A
250	1800	575	449T	W8420	\$26,155	G4-7S\$P	5KS449ZWL204	W80134015-00	\$1,421

* NEMA Pricing as of 2019 December

Cross Reference - Ultra to Energy Saver Severe Duty

HP	RPM	Volts	Ultra Cat. No.	Ultra Model No.	Frame	Energy Saver Cat. No.	Energy Saver Model No.
1	1800	230/460	M482	5KS143SAA205	143T	W7723	5KS143ZWL205
1	1800	460	M475	5KS143SAA208	143T	W7723	5KS143ZWL205
1	1200	230/460	M484	5KS145SAA305	145T	W7540	5KS145ZWL305
1	1200	460	M476	5KS145SAA308	145T	W7540	5KS145ZWL305
1.5	3600	230/460	M486	5KS143SAA105	143T	W7701	5KS143ZWL105
1.5	3600	460	M465	5KS143SAA108	143T	W7701	5KS143ZWL105
1.5	1800	230/460	M492	5KS145SAA221	145T	W7724	5KS145ZWL205
1.5	1800	460	M464	5KS145SAA222	145T	W7724	5KS145ZWL205
1.5	1200	230/460	M9702	5KS182SAA305	182T	W7541	5KS182ZWL305
1.5	1200	460	M9943	5KS182SAA308	182T	W7541	5KS182ZWL305
2	3600	230/460	M490	5KS145SAA105	145T	W7702	5KS145ZWL105
2	3600	460	M9172	5KS145SAA108	145T	W7702	5KS145ZWL105
2	1800	230/460	M488	5KS145SAA205	145T	W7725	5KS145ZWL221
2	1800	460	M494	5KS145SAA208	145T	W7725	5KS145ZWL221
2	1200	230/460	M9704	5KS184SAA305	184T	W7542	5KS184ZWL305
2	1200	460	M9944	5KS184SAA308	184T	W7542	5KS184ZWL305
3	3600	230/460	M9713	5KS182SAA105	182T	W7703	5KS182ZWL105
3	3600	460	M9939	5KS182SAA108	182T	W7703	5KS182ZWL105
3	1800	230/460	M241	5KS182SAA205	182T	W7726	5KS182ZWL205
3	1800	460	M9941	5KS182SAA208	182T	W7726	5KS182ZWL205
3	1200	230/460	M9142	5KS213SAA305	213T	W7543	5KS213ZWL305
3	1200	460	M9111	5KS213SAA308	213T	W7543	5KS213ZWL305
5	3600	230/460	M240	5KS184SAA105	184T	W7704	5KS184ZWL105
5	3600	460	M9940	5KS184SAA108	184T	W7704	5KS184ZWL105
5	1800	230/460	M242	5KS184SAA205	184T	W7727	5KS184ZWL205
5	1800	460	M9942	5KS184SAA208	184T	W7727	5KS184ZWL205
5	1200	230/460	M9143	5KS215SAA305	215T	W7544	5KS215ZWL305
5	1200	460	M9112	5KS215SAA308	215T	W7544	5KS215ZWL305
7.5	3600	230/460	M9144	5KS213SAA105	213T	W7705	5KS213ZWL105
7.5	3600	460	M990	5KS213SAA108	213T	W7705	5KS213ZWL105
7.5	1800	230/460	M9145	5KS213SAA205	213T	W7728	5KS213ZWL205
7.5	1800	460	M9911	5KS213SAA208	213T	W7728	5KS213ZWL205
7.5	1200	230/460	M9146	5KS254SAA305	254T	W7545	5KS254ZWL305
7.5	1200	460	M9113	5KS254SAA308	254T	W7545	5KS254ZWL305
10	3600	230/460	M9147	5KS215SAA105	215T	W7706	5KS215ZWL105
10	3600	460	M991	5KS215SAA108	215T	W7706	5KS215ZWL105
10	1800	230/460	M9148	5KS215SAA205	215T	W7729	5KS215ZWL205
10	1800	460	M9912	5KS215SAA208	215T	W7729	5KS215ZWL205
10	1200	230/460	M9149	5KS256SAA305	256T	W7546	5KS256ZWL305
10	1200	460	M9114	5KS256SAA308	256T	W7546	5KS256ZWL305
15	3600	230/460	M9150	5KS254SAA105	254T	W7707	5KS254ZWL105
15	3600	460	M992	5KS254SAA108	254T	W7707	5KS254ZWL105
15	1800	230/460	M9151	5KS254SAA205	254T	W7730	5KS254ZWL205
15	1800	460	M9913	5KS254SAA208	254T	W7730	5KS254ZWL205
15	1200	230/460	M9152	5KS284SAA305	284T	W7547	5KS284ZWL305
15	1200	460	M9115	5KS284SAA308	284T	W7547	5KS284ZWL305
20	3600	230/460	M9153	5KS256SAA105	256T	W7708	5KS256ZWL105
20	3600	460	M993	5KS256SAA108	256T	W7708	5KS256ZWL105
20	1800	230/460	M9154	5KS256SAA205	256T	W7731	5KS256ZWL205
20	1800	460	M9914	5KS256SAA208	256T	W7731	5KS256ZWL205
20	1200	230/460	M9155	5KS286SAA305	286T	W7548	5KS286ZWL305
20	1200	460	M9117	5KS286SAA308	286T	W7548	5KS286ZWL305
25	3600	230/460	M9156	5KS284SAA115	284TS	W7709	5KS284ZWL115
25	3600	460	M994	5KS284SAA118	284TS	W7709	5KS284ZWL115
25	1800	230/460	M9157	5KS284SAA205	284T	W7732	5KS284ZWL205



Cross Reference - Ultra to Energy Saver Severe Duty

HP	RPM	Volts	Ultra Cat. No.	Ultra Model No.	Frame	Energy Saver Cat. No.	Energy Saver Model No.
25	1800	460	M9935	5KS284SAA208	284T	W7732	5KS284ZWL205
25	1200	230/460	M9158	5KS324SAA305	324T	W7549	5KS324ZWL305
25	1200	460	M9119	5KS324SAA308	324T	W7549	5KS324ZWL305
30	3600	230/460	M9159	5KS286SAA115	286TS	W7710	5KS286ZWL115
30	3600	460	M995	5KS286SAA118	286TS	W7710	5KS286ZWL115
30	1800	230/460	M9160	5KS286SAA205	286T	W7733	5KS286ZWL205
30	1800	460	M9937	5KS286SAA208	286T	W7733	5KS286ZWL205
30	1200	230/460	M9161	5KS326SAA305	326T	W7550	5KS326ZWL305
30	1200	460	M9122	5KS326SAA308	326T	W7550	5KS326ZWL305
40	3600	230/460	M9162	5KS324SAA115	324TS	W7711	5KS324ZWL115
40	3600	460	M996	5KS324SAA118	324TS	W7711	5KS324ZWL115
40	1800	230/460	M9163	5KS324SAA205	324T	W7734	5KS324ZWL205
40	1800	460	M9915	5KS324SAA208	324T	W7734	5KS324ZWL205
40	1200	230/460	M9184	5KS364SAA305	364T	W7952	5KS364ZWL305
40	1200	460	M9124	5KS364SAA308	364T	W7952	5KS364ZWL305
50	3600	230/460	M9164	5KS326SAA115	326TS	W7713	5KS326ZWL115
50	3600	460	M997	5KS326SAA118	326TS	W7713	5KS326ZWL115
50	1800	230/460	M9165	5KS326SAA205	326T	W7736	5KS326ZWL205
50	1800	460	M9917	5KS326SAA208	326T	W7736	5KS326ZWL205
50	1200	230/460	M9188	5KS365SAA305	365T	W7955	5KS365ZWL305
50	1200	460	M9126	5KS365SAA308	365T	W7955	5KS365ZWL305
60	3600	230/460	M9190	5KS364SAA115	364TS	W8200	5KS364ZWL115
60	3600	460	M998	5KS364SAA118	364TS	W8200	5KS364ZWL115
60	1800	230/460	M9191	5KS364SAA205	364T	W8400	5KS364ZWL205
60	1800	460	M9919	5KS364SAA208	364T	W8400	5KS364ZWL205
60	1200	230/460	M9192	5KS404SAA305	404T	W8602	5KS404ZWL305
60	1200	460	M9128	5KS404SAA308	404T	W8602	5KS404ZWL305
75	3600	230/460	M9194	5KS365SAA115	365TS	W8201	5KS365ZWL115
75	3600	460	M999	5KS365SAA118	365TS	W8201	5KS365ZWL115
75	1800	230/460	M9195	5KS365SAA205	365T	W8401	5KS365ZWL205
75	1800	460	M9922	5KS365SAA208	365T	W8401	5KS365ZWL205
75	1200	230/460	M9196	5KS405SAA305	405T	W8603	5KS405ZWL305
75	1200	460	M9131	5KS405SAA308	405T	W8603	5KS405ZWL305
75	1200	460	M7753	5KS405SAA355	405T	W8603	5KS405ZWL305
100	3600	460	M9510	5KS405SAA118	405TS	W8202	5KS405ZWL115
100	1800	460	M7754	5KS405SAA2084	405T	W8402	5KS405ZWL205
100	1800	460	M9924	5KS405SAA208	405T	W8402	5KS405ZWL205
100	1200	460	M9133	5KS444SAA308	444T	W8604	5KS444ZWL308
100	1200	460	M7755	5KS444SAA373	444T	W8604	5KS444ZWL308
125	3600	460	M9511	5KS444SAA118	444TS	W8203	5KS444ZWL118
125	1800	460	M7756	5KS444SAA2018	444T	W8403	5KS444ZWL208
125	1800	460	M9926	5KS444SAA208	444T	W8403	5KS444ZWL208
125	1200	460	M9135	5KS445SAA308	445T	W8605	5KS445ZWL308
125	1200	460	M7757	5KS445SAA349	445T	W8605	5KS445ZWL308
150	3600	460	M9512	5KS445SAA118	445TS	W8204	5KS445ZWL118
150	1800	460	M7758	5KS445SAA2029	445T	W8404	5KS445ZWL208
150	1800	460	M9928	5KS445SAA208	445T	W8404	5KS445ZWL208
200	3600	460	M9961	5KS447SAA118	447TS	W8205	5KS447ZWL118
200	1800	460	M9991	5KS447SAA201	447T	W8405	5KS447ZWL208
200	1800	460	M9958	5KS447SAA208	447T	W8405	5KS447ZWL208
250	3600	460	M9514	5KS449SAA118	449TS	W8206	5KS449ZWL118
250	3600	460	M9996	5KS449SAA146	449TS	W8206	5KS449ZWL118
250	1800	460	M9988	5KS449SAA201	449T	W8406	5KS449ZWL208
250	1800	460	M9933	5KS449SAA208	449T	W8406	5KS449ZWL208

* NEMA Pricing as of 2019 December

Access has never been easier!


search
Google
Type keyword
"gemotorswolong"




Motor Catalog
View updated information about standard motors on your mobile device. It can also be viewed offline and printed.



E-Commerce
Find a distributor. Download datapacks. Access support library.



Follow us on LinkedIn



News
The latest developments, new product introductions and special industry events.

