

access YEARBOOK

2018-19



**a comprehensive guide
for buyers and users
of access equipment**

published by

access
INTERNATIONAL

price: US\$80.00, €60.00, £50.00




PERFORMANCE III LIGHTLIFT 33.17

THE HIGHEST, HIGH PERFORMANCE
TRACKED AERIAL PLATFORM IN THE HINOWA RANGE



NEW!

BOOK YOUR DEMONSTRATION



HINOWA S.p.A.



www.hinowa.com - info@hinowa.com

Via Fontana • 37054 Nogara • Verona • ITALY

Tel. +39 0442 539100 • Fax +39 0442 539075

Hinowa[®]
the future is now

Welcome to the *Access Yearbook*: the only listing of aerial platforms and other access equipment produced worldwide.

This invaluable tool for industry professionals, contains information from over 150 equipment manufacturers.

access YEARBOOK

2018-19



UK HEAD OFFICE

KHL Group
Southfields, Southview Road,
Wadhurst, East Sussex TN5 6TP, UK.
Tel: +44 (0)1892 784088
e-mail: access@khl.com

USA OFFICE

KHL Group Americas LLC
3726 E. Ember Glow Way,
Phoenix, AZ 85050, USA.
Tel: +1 480 659 0578
e-mail: americas@khl.com

SOUTH AMERICA OFFICE

KHL Group Americas LLC
Av. Manquehue Norte 151, of 1108.
Las Condes, Santiago, Chile
Tel: +56 2 2885 0321
e-mail: cristian.peters@khl.com

CHINA OFFICE

Beijing Representative Office
Room 768, Poly Plaza, No.14,
South Dong Zhi Men Street,
Dong Cheng District, Beijing, P.R. China
Tel: +86 (0)10 6553 6676
e-mail: cathy.yao@khl.com

Printed by: Warners



© Copyright, KHL Group 2018
ISSN: 1747-700X
Price: US\$80.00, €60.00, £50.00

KHL SALES WORLDWIDE:

NORTH AMERICA/UK/IRELAND

Tony Radke Sales Manager
Tel: +1 480 4786302
e-mail: tony.radke@khl.com

SPAIN Mike Posener

Tel: +353 86 043 1219
e-mail: mike.posener@khl.com

**GERMANY/AUSTRIA/SWITZERLAND/
EASTERN EUROPE**

Simon Battersby
Tel: +44 (0)1892 786232
e-mail: simon.battersby@khl.com

**THE NETHERLANDS/LUXEMBOURG/
SCANDINAVIA**

Arthur Schavemaker
Tel: +31(0)547 275005
e-mail: arthur@kenter.nl

FRANCE Hamilton Pearman

Tel: +33 (0)1 4593 0858
e-mail: hpearman@wanadoo.fr

ITALY Fabio Potestà

Tel: +39 010 570 4948
e-mail: info@mediapointsrl.it

TURKEY Emre Apa

Tel: +90 532 324 36 16
e-mail: emre.apa@apayayincilik.com.tr

JAPAN Michihiro Kawahara

Tel: +81 (0)3 3212 3671
e-mail: kawahara@rayden.jp

CHINA Cathy Yao

Tel: +86 (0)10 6553 6676
e-mail: cathy.yao@khl.com

CONTENTS

| | |
|-----------------------------------|-----------|
| ABOUT ACCESS INTERNATIONAL | 5 |
| MARKET REVIEW | 7 |
| EQUIPMENT LISTINGS | 11 |
| Self propelled telescopic booms | 12 |
| Self propelled articulating booms | 16 |
| Tracked platforms | 20 |
| Scissor lifts | 26 |
| Vertical personnel lifts | 36 |
| Trailer mounted platforms | 38 |
| Truck mounted platforms | 40 |
| Van mounted platforms | 56 |
| Underbridge inspection units | 61 |
| Mast climbing work platforms | 63 |
| Passenger hoists | 66 |
| CONTACT DETAILS | 71 |
| Manufacturers | 72 |
| Component producers | 78 |
| IPAF TRAINING CENTRES | 83 |
| CONVERSION TABLES | 94 |

IMPORTANT NOTE

The *Access Yearbook* has been compiled by the manufacturers listed using KHL's own custom developed on-line live database software to ensure that the information contained in these pages is complete and accurate. KHL therefore accepts no responsibility for any errors or omissions that may have resulted. Should you have equipment that is not currently listed in the tables in the year book, please contact the editor, Euan Youdale, to gain access to the on-line updating system. This will ensure that your equipment is listed in the next edition, which will be compiled by the end of 2019. Manufacturers' data contained in this directory can be updated by individual manufacturers at any time. It is our hope that as new equipment is launched, manufacturers will add relevant data to the system, turning the database into a valuable on-line tool for equipment and machine selection. Please contact the editor for further information.

www.khl.com/magazines/access-international

ENERGIZE YOUR PERFORMANCE

WARRANTY
HAULOTTE
5 YEAR

PULSEO
GENERATION

- Electric
- Silent
- Rough Terrain

The first PULSEO Generation electric mobile elevating platform, the HA20 LE offers silent operation, indoors or out on any surface, even on the roughest terrain, all with due regard for the environment.

www.pulseo-generation.com

*See conditions in the Haulotte distribution network

haulotte.com

Haulotte 
EQUIPMENT

Global leader

Access International is the only magazine serving the global access market and has informed the industry for more than 30 years.

AI'S BRAND INCLUDES:



AI IS ASSOCIATED WITH THE FOLLOWING EVENTS:



AI PUBLISHES INDUSTRY LEADING BENCHMARK STUDIES:



AI IS A MEMBER OF:



The official magazine of the International Powered Access Federation



www.khl.com/magazines/access-international

CIRCULATION:
11,716

ISSUES/YEAR:
7

EDITORIAL CONTENT:

REGULAR FEATURES:

- World news
- Product reports
- Interviews
- IPAF news
- Regional reports
- *Scaffolding International*

BENCHMARK STUDIES:

- **access50** - Rental fleets
- **accessM20** - Manufacturers
- **access** Confidence survey

SPECIAL FEATURES:

- Exhibition previews and show guides
- Scissor lifts
- Vertical masts
- Hybrids
- Telematics
- Scaffolding
- Mast climbers
- Telehandlers
- Truck mounts
- Van mounts
- Self propelled booms
- Low level access
- Underbridge inspection units
- Training
- Passenger hoists
- Tracked platforms
- Control systems
- Engines
- Components
- Finance
- Auctions

ARTICULATING OUR AWARDS

THE THREE-TIME AWARD-WINNING* GENIE® Z™-60/37 FE



4-Wheel Electric Drive



Up and Over
> 24 ft.



Low: Noise, Emissions, and
Fuel Consumption



Rental Product of the Year 2017,
*European Rental Awards**

Best New Product 2016-Access,
*Hire Industry Excellence Award**

Bronze-Innovation Award 2016,
*Rental Equipment Register**

Genie®
A TEREX BRAND

GENIE BLUE
IS YOUR NEW
GREEN

LEARN MORE AT GENIELIFT.COM/Z60

International expansion

A major story in the access industry over recent years has been the number of rental-related acquisitions.

In last year's Yearbook, the Market review explained how acquisition fever had taken hold in Europe and North America. Little has changed this year.

In 2017, Loxam had recently bought Lavendon Group and Hune, while United Rentals had taken ownership of NES Rentals.

These two giants of the access rental industry, among many of the others, are still firmly on the acquisition trail.

Since this time last year, Loxam has entered the Italian market with the buyout of Nacanco. That was swiftly followed by its second investment in the country, this time Haulotte's Italian rental division Nove.

That was followed by UK Platforms, which has been added on to Nationwide Platforms.

Looking to other recent acquisitions in Europe, they all tell a similar story, which is a desire by the big rental companies to be dominant in the markets they choose to be in.

When Loxam bought Lavendon last year, it almost immediately sold off its Germany division Gardemann to TVH Group, which already had the biggest rental company in the country in the form of Mateco. This year, TVH has added to that with the acquisition of Kohler's MEWP division, covering Germany and Switzerland.

Kiloutou has also been gradually consolidating its strength in its home market of France and has been gradually growing its presence in its other chosen market of Germany.

In North America, Sunbelt has made



Haulotte launched its Pulsio Generation electric-powered rough terrain boom range at Intermat.

multiple acquisition in the last two years, including its most recent of Above and Beyond in Connecticut.

Perhaps, there is an exception to this rule. United Rentals, bought BakerCorp in July 2018, which has 11 depots in Europe and represents the first time United has been in the European market.


Will this mean European expansion for United? Well, Michael Kneeland, the CEO of United is cautious in his reply. He does say, however, that it's a good way to test the water in Europe. And there is plenty of scope left for the company in the US. It also recently announced it is also buying BlueLine Rentals, in the US, for \$2.1 billion.

New direction

In the manufacturing sector, electric and hybrid power has become a hot topic in the access industry.

At Intermat, in Paris, earlier this year, Haulotte announced that all its future rough terrain self propelled boom launches will be electric powered.

The company's new Pulseo Generation was first represented by the 21m working height



The 26.38m H800AJ is JLG's biggest hybrid boom.

HA20 LE and HA20 LE Pro, at the show.

Haulotte is the first MEWP manufacturer to commit to all-electric powered platforms, which are designed to offer the same level of performance as their diesel counterparts. Existing diesel models in the Haulotte line-up will remain available for

customers who require them. Alexandre Saubot, Haulotte COO, said, "We don't know how long it will be before we get rid of all the diesel machines but it will happen."

Niftylift is well known for its hybrid technology thanks to its launch of the world's first hybrid boom 10 years ago. Last year the 21m working height HR21 4x4 (MKII) boom replaced the original HR21 4x4 (MK1) with a range of new features. At 6,640kg, the model is very light, allowing it to be used in a greater number of locations and lowers transport costs. It also offers 41% reduction in fuel consumption compared to the first generation.

Niftylift has also just launched the HR12L (low-weight), all-electric, 12m working height

“ There is a desire by the big rental companies to be dominant in the markets they choose to be in. ”



Genie's parallel hybrid the Z-60/37 FE boom.

boom. The HR12L is 1.79m wide and weighs just 2,540kgs, allowing it to be transported on a trailer, for low-cost transportation.

JLG also launched its largest hybrid boom earlier this year, matching the world's tallest, which up to now has been from Niftylift. The rough terrain articulating JLG H800AJ has a 26.38m working height and horizontal outreach of 15.8m. Up and over height is 9.78m, and it has a 1.83m articulating jib.

It can operate in electric mode only and has a 20.9 kW (24 hp) generator, combined with an electric motor. It's a parallel hybrid which allows the motor to kick in during rough situations or when you need the batteries to charge.

"Jan-Willem van Wier, JLG's product manager for EMEA/Russia, says, the trend is towards being Zone complaint, which has taken a further leap forward since the United Nations' Paris Agreement concerning climate change in 2016. "We have picked up on that trend like a couple of other [companies] have but we added one more thing, the rough terrain. We didn't want to compromise anything in regards to terrainability."

Next generation

Genie brought out its parallel hybrid the Z-60/37 FE boom in 2016 at bauma Munich and since then is seeing the market shifting to accommodate the technology. Zach Gilmore, Genie product manager, Terex AWP EMEAR, says, "Hybrid customers are realising that they are not limited to divisions between diesel and electric machines.

STRENGTH IN NUMBERS

It's been a strong year for rental growth globally, as demonstrated by Access International's Access50 listing of the largest access equipment rental companies, by fleet size.


Europe's biggest rental company, Loxam Group, remains comfortably in third place with more than 48,000 units. However, it sits a considerable distance behind the top two. Sunbelt with its more than 96,000 units, nearly 20,000 up on last year, again, thanks to a series of acquisitions. Taking the top spot, as always, is United Rentals with a staggering 130,000 units in its fleet. (It's total fleet size, including all the other equipment types, is 573,000, which, by the way, is around the same as the number of MEWPs in the whole of the North American market).

A bit further down the table, there has been activity too. For example, France-based Kiloutou's fleet has jumped up nearly 2,500 units since last year, to 13,900 in this year's table. The company has been making some investments of its own, continuing its drive into Spain and Italy, as well as Germany.

Shanghai Horizon keeps growing its fleet, this year by just over 1,500 units to 7,465. The fast-moving Chinese market is well documented and promises to continue in this vein. Southeast Asia has become a key new market for MEWPs in very recent years and now has some established players, the largest being Th Tong Heng Machinery. It has 1,000 MEWPs and is new to the Access50 this year.

Turkey is another interesting country, thanks to its growing access market and historical links to Europe, the Middle East and Northern Africa. Both the country's biggest rental companies Fatih Vinc and Rent Rise have edged over the 1,000 MEWP mark in their fleets.

access50: fleet size by region



"They are finding that it is now possible to use a single machine instead of an electric and a diesel-powered unit. Consequently, this is leading them to a new way of managing their fleets, to differentiate diesel machines with a separate division dedicated to hybrid or 'green' environment friendly access solutions."

Moving on to scissor lifts, JCB Access introduced a range of five electric scissor lifts, powered by Lithium ion batteries, at the beginning of this year – the S1530E, S1930E, S2032E, S2646E and the S2646E, offering working heights of 6.6m through to 10.1m.


Netherlands-based rental company Hoogwerkt has already placed an order for 420 of the innovative machines to form the company's new and unique green rental business.

Its rental model is based around a web-based ordering system and hourly rental periods.

JCB Access introduced a range of electric scissor lifts, powered by Lithium ion.

Having a simple, safe recharging system was a critical component of the company's development plan.

JCB Access believes it has delivered a solution that will allow platforms to operate for up to 40% longer between recharging periods, compared to conventional lead acid units. ■





"NOW I CAN WORK WITHIN CITY LIMITS AGAIN."



REGAIN ACCESS TO CITY JOBS WITH A ZONE-COMPLIANT FLEET.

Whether you're a contractor or rental company owner, each piece of compliant equipment is an investment in a successful future. Your vehicles must meet standards for today's job site, tomorrow's regulations and for better value at resale. That's why it's important to work with a provider that understands these new requirements and their impact on your business. JLG offers the widest range of environmentally friendly, compliant products to keep you at your most productive, whether you're working on a crowded job site, new construction, indoors, on slab or off.

Learn more at www.jlg.com



LGMG IS COMING



SS0507

COMPACT SIZE 

LIGHT WEIGHT 

LONG-LASTING PERFORMANCE 

HIGH RELIABILITY 

- The top 100 construction machinery manufacturers
- The top 30 construction machinery manufacturers in China
- The top 5 manufacturers of aerial work platforms in China
- 46 years construction machinery manufacturing experience



SAFETY AND STABILITY IN ACTION

LINGONG GROUP JINAN HEAVY MACHINERY CO.,LTD.

Address / lingong industrial Park, No. 2676, Kejia Road, Jinan Innovation Zone, China.
Email / sales@lmg.com.cn Web / www.lmg.com.cn Tel / +86-0531-67605017

access YEARBOOK

2018-19



EQUIPMENT LISTINGS

| | |
|--|-----------|
| SELF PROPELLED TELESCOPIC BOOMS | 12 |
| SELF PROPELLED ARTICULATING BOOMS | 16 |
| TRACKED PLATFORMS | 20 |
| SCISSOR LIFTS | 26 |
| VERTICAL PERSONNEL LIFTS | 36 |
| TRAILER MOUNTED PLATFORMS | 38 |
| TRUCK MOUNTED PLATFORMS | 40 |
| VAN MOUNTED PLATFORMS | 56 |
| UNDERBRIDGE INSPECTION UNITS | 61 |
| MAST CLIMBING WORK PLATFORMS | 63 |
| PASSENGER HOISTS | 66 |

SELF PROPELLED TELESCOPIC BOOM PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Rotation (Degrees) |
|-------------------------------|------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|--------------------|
| Aichi | SP12C | 12 | 39 | 10.9 | 250 | 1.76 | 0.72 | 7015 | D | 360 |
| Aichi | SP 14 CJHCP 4008 | 12 | 39 | 10.9 | 325 | 4 | 0.85 | 8200 | D | 360 |
| Aichi | SP 14 CJHCP 5508 | 12 | 39 | 10.9 | 250 | 4 | 0.85 | 8200 | D | 360 |
| ATN | Zebra 12 | 12.2 | 40 | 8.6 | 230 | 0.86 | 1.5 | 5250 | D | 360 |
| JLG | H340AJ | 12.3 | 40 | 6.06 | 227 | 1.22 | 0.76 | 4472 | n/s | n/s |
| Haulotte | 46 N | 12.5 | 41 | 9.8 | 265 | n/s | n/s | n/s | n/s | n/s |
| Kreitzler | KIB 16/125 T | 12.5 | 41 | 6 | 250 | 0.7 | 1.2 | 3000 | n/s | 160 |
| Aichi | SP14CJ | 13.9 | 46 | 12.7 | 250 | 1.76 | 0.72 | 8200 | D | 360 |
| Haulotte | H14 TX | 14.07 | 46 | 10.6 | 230 | 1.8 | 0.8 | 6040 | n/s | n/s |
| Genie | S40 | 14.2 | 47 | 9.65 | 227 | 0.76 | 1.83 | 5420 | n/s | n/s |
| Snorkel | T40RT | 14.2 | 47 | 10.1 | 272 | 2.44 | 1 | 6486 | n/s | n/s |
| Snorkel | 400S | 14.2 | 47 | 10.1 | 272 | 2.44 | 0.91 | 6600 | n/s | 150 |
| MEC | Titan Boom 40-S | 14.2 | 47 | 6.7 | 1800 | 6.7 | 2.28 | 11000 | D | 22 |
| JLG | 400S | 14.36 | 47 | 10.78 | 270 | 1.83 | 0.91 | 6680 | n/s | n/s |
| Haulotte | H16 TPX | 15.44 | 51 | 12.3 | 230 | 1.8 | 0.8 | 6650 | n/s | n/s |
| Dingli | GTBZ16SU | 15.6 | 51.2 | 8.66 | 1800 | 6.7 | 2.24 | 11500 | D | 90 |
| Skyjack | SJ 45 T | 15.7 | 52 | 12.1 | 227 | 1.8 | 0.9 | 7100 | n/s | n/s |
| Genie | S-45 | 15.72 | 52 | 11.18 | 227 | 0.76 | 1.83 | 6709 | n/s | n/s |
| Snorkel | T46JRT | 16 | 52 | 12.2 | 227 | 2.44 | 1 | 7030 | n/s | n/s |
| Snorkel | 460SJ | 16 | 52 | 12.2 | 272 | 2.44 | 0.9 | 7955 | n/s | 150 |
| CMC | PLA168 | 16 | 52 | 9 | 200 | 1.4 | 0.6 | 3500 | n/s | n/s |
| Snorkel | T46JRT | 16 | 52 | n/s | 227 | 2.44 | 0.91 | 7030 | D | 150 |
| JLG | 460SJ | 16.09 | 53 | 12.72 | 270 | 1.83 | 0.91 | 7975 | n/s | n/s |
| Kreitzler | KIB 24/162 T | 16.2 | 53 | 14 | 550 | 1 | 1.8 | 14000 | n/s | 160 |
| ATN | Zebra 16 | 16.4 | 54 | 9.4 | 230 | 0.86 | 1.8 | 7200 | D | 360 |
| Haulotte | 60 N | 16.5 | 54 | 14.9 | 265 | n/s | n/s | n/s | n/s | n/s |
| ATN | Zebra 16 STAB | 16.8 | 55 | 9.4 | 230 | 0.86 | 1.8 | 8200 | D | 360 |
| Italmecc (unzureichende Info) | SEL 17AXJ | 17 | 56 | 8.8 | 200 | 1.7 | 0.7 | 7100 | n/s | n/s |
| Runshare | GTBZ16Z | 18 | 59.1 | 14 | 250 | 2 | 1 | 10000 | D | 80 |
| Aichi | SP18A | 18.2 | 60 | 16.7 | 250 | 1.76 | 0.72 | 12300 | D | 360 |
| Aichi | SP18AJ | 18.2 | 60 | 15.8 | 250 | 1.76 | 0.72 | 12300 | D | 360 |
| Denka Lift | Narrow DL 19 N | 18.85 | 62 | 11.3 | 200 | 0.7 | 1.2 | 2075 | n/s | n/s |
| Aichi | SP 21 AJHCP 4008 | 19 | 62 | 17.8 | 325 | 4 | 0.85 | 14700 | D | 360 |
| Aichi | SP 21 AJHCP 5508 | 19 | 62 | 17.8 | 250 | 5.5 | 0.85 | 14700 | D | 360 |
| MEC | Titan Boom 60-S | 20 | 66 | 7.3 | 1350 | 6.7 | 2.3 | 18000 | D | 22 |
| Aichi | SP 20 HD | 20.14 | 66 | 12.8 | 500 | 2 | 1.5 | 14700 | D | 360 |
| Genie | S-60 | 20.3 | 67 | 15.48 | 227 | 0.76 | 1.83 | 9385 | n/s | n/s |
| Snorkel | T60RT | 20.3 | 67 | 15.2 | 227 | 2.44 | 0.76 | 9857 | n/s | n/s |
| Dingli | GTBZ20SU | 20.3 | 66.6 | 12.1 | 1350 | 6.7 | 2.24 | 18000 | D | 90 |
| JLG | E600J | 20.36 | 67 | 13.19 | 230 | 0.76 | 1.83 | 7100 | E | n/s |
| JLG | M600J | 20.36 | 67 | 13.19 | 230 | 0.76 | 1.83 | 7300 | E | n/s |
| JLG | 600S | 20.36 | 67 | 15.09 | 230 | 0.91 | 1.83 | 10370 | n/s | n/s |
| JLG | E600JP | 20.39 | 67 | 13.54 | 230 | 0.76 | 1.85 | 7150 | E | n/s |
| JLG | M600JP | 20.39 | 67 | 13.54 | 230 | 0.76 | 1.83 | 7350 | E | n/s |
| Haulotte | 68 P | 20.4 | 67 | 18.3 | 265 | n/s | n/s | n/s | n/s | n/s |
| Snorkel | 600S | 20.4 | 67 | 15.9 | 272 | 2.44 | 0.9 | 11440 | n/s | 150 |
| Haulotte | HT21 RT 0 | 20.5 | 67 | 17.2 | 450 | 1.8 | 0.8 | 12640 | n/s | n/s |
| Haulotte | HT21 RT PRO | 20.5 | 67 | 17.2 | 450 | 1.8 | 0.8 | 12640 | n/s | n/s |
| Aichi | SP21A | 21 | 69 | 18.6 | 250 | 1.76 | 0.72 | 14500 | D | 360 |
| Aichi | SP21AJ | 21 | 69 | 17.8 | 250 | 1.76 | 0.72 | 14700 | D | 360 |
| Haulotte | 76 C | 21.3 | 70 | 17.4 | 265 | n/s | n/s | n/s | n/s | n/s |
| Kreitzler | KIB 25/215 T | 21.5 | 71 | 21.5 | 200 | 0.7 | 1.8 | 15000 | n/s | 160 |
| Runshare | GTBZ39 | 21.5 | 70.5 | 21.5 | 480 | 2.44 | 0.91 | 20600 | D | 80 |
| Genie | S-65 | 21.8 | 72 | 17.1 | 227 | 0.76 | 1.83 | 10102 | n/s | n/s |
| Denka Lift | Narrow DL 22 N | 22 | 72 | 12 | 200 | 0.7 | 1.2 | 2300 | n/s | n/s |
| LGMG | T20J | 22 | 72.2 | 17 | 230 | 1.8 | 0.8 | 11400 | D | 160 |
| Skyjack | SJ 66 T | 22.1 | 73 | 17.4 | 227 | 1.8 | 0.9 | 12800 | n/s | n/s |
| Snorkel | T66JRT | 22.1 | 73 | 17.1 | 227 | 2.44 | 0.76 | 11916 | n/s | n/s |
| Palazzani | TSJ 23.1 R | 22.3 | 73 | 10.3 | 250 | 1.5 | 0.7 | 3100 | D/E | 540 |
| Snorkel | 660SJ | 22.3 | 73 | 18 | 272 | 2.44 | 0.9 | 12510 | n/s | 150 |
| JLG | 660SJ | 22.31 | 73 | 17.3 | 230 | 0.91 | 1.83 | 12720 | n/s | n/s |
| Runshare | GTBZ20 | 22.4 | 73.5 | 19.1 | 480 | 2.44 | 0.91 | 13000 | D | 80 |
| Haulotte | HT23 RTJ PRO | 22.5 | 74 | 18.1 | 450 | 1.8 | 0.8 | 13320 | n/s | n/s |
| Haulotte | HT23 RTJ 0 | 22.5 | 74 | 18.1 | 450 | 1.8 | 0.8 | 13320 | n/s | n/s |

SELF PROPELLED TELESCOPIC BOOM PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Rotation (Degrees) |
|-----------------|----------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|--------------------|
| Sinoboom | GTBZ20 | 22.6 | 74.2 | 17.5 | 480 | 1.45 | 0.85 | 11885 | D | 360 |
| JLG | 680S | 22.73 | 75 | 18 | 230 | 1.22 | 4.06 | 15950 | n/s | n/s |
| JLG | 680S | 22.73 | 75 | 18 | 230 | 1.3 | 4.06 | 15950 | n/s | n/s |
| Runshare | GTBZ22 | 23.9 | 78.4 | 20.2 | 480 | 2.44 | 0.91 | 13140 | D | 80 |
| Sinoboom | GTBZ22J | 24.2 | 79.4 | 18 | 250 | 1.45 | 0.85 | 12022 | D | 360 |
| Denka Lift | Narrow DL 25 N | 25 | 82 | 11.4 | 200 | 0.7 | 1.2 | 2560 | n/s | n/s |
| Palazzani | TSJ 25 R | 25 | 82 | 13 | 250 | 1.8 | 0.7 | 3950 | D/E | 540 |
| Tadano | AW-250TG | 25 | 82 | 24.2 | 450 | 1.5 | 0.75 | 17000 | D | 120 |
| Aichi | SP25B | 25 | 82 | 16.2 | 227 | 1.8 | 0.75 | 14700 | D | 360 |
| Kreitzler | KIB 25/250 T | 25 | 82 | 22 | 200 | 0.7 | 1.8 | 17000 | n/s | 160 |
| Easy Lift | R260WBA | 25 | 82 | 13 | 200 | 2 | 1 | 4800 | n/s | 360 |
| Manitou | 260 TJ | 25.9 | 85 | 19.7 | 400 | 2.3 | 0.9 | 16300 | n/s | n/s |
| JLG | 800S | 26.38 | 87 | 21.64 | 230 | 0.91 | 2.44 | 15800 | n/s | n/s |
| Genie | S-80 | 26.38 | 87 | 21.79 | 227 | 0.76 | 1.83 | 16103 | n/s | n/s |
| Genie | S-80 XC | 26.38 | 87 | 20.83 | 300-454 | 0.91 | 2.44 | 16783 | n/s | n/s |
| Snorkel | TB80 | 26.4 | 87 | 21.7 | 227 | 2.44 | 0.9 | 16556 | D | 150 |
| Italmec | RQG 27 | 27 | 89 | 15 | 200 | 0.8 | 1.8 | 5500 | n/s | n/s |
| Palazzani | TSJ 27 R | 27 | 89 | 13.5 | 230 | 1.8 | 0.7 | 4700 | D/E | 540 |
| Runshare | GTBZ25 | 27.2 | 89.2 | 21.9 | 480 | 1.83 | 0.91 | 16300 | D | 80 |
| Manitou | 280 TJ | 27.8 | 91 | 21.45 | 350 | 2.3 | 0.9 | 16500 | n/s | n/s |
| Haulotte | HT28 RTJ PRO | 27.8 | 91 | 23.85 | 350 | 2.44 | 0.8 | 18100 | n/s | n/s |
| Sinoboom | GTBZ26 | 27.8 | 91.2 | 22 | 480 | 1.45 | 0.85 | 16532 | D | 360 |
| Genie | S-85 | 27.9 | 92 | 25.9 | 227 | 0.76 | 1.83 | 17236 | n/s | n/s |
| Snorkel | TB85J | 27.9 | 92 | 23.9 | 227 | 2.44 | 0.9 | 18655 | n/s | n/s |
| Genie | S-85 XC | 27.91 | 92 | 22.71 | 300-454 | 0.91 | 2.44 | 17917 | n/s | n/s |
| Denka Lift | Narrow DL 28 N | 28 | 92 | 12 | 200 | 0.7 | 1.2 | 2600 | n/s | n/s |
| Platform Basket | SEL 28 LJTE | 28 | 92 | 25 | 200 | 0.8 | 1.8 | 19800 | D | 360 |
| Skyjack | SJ 86 T | 28.2 | 93 | 23.4 | 340/227 | 1.8 | 0.9 | 17556 | n/s | n/s |
| Snorkel | TB86J | 28.2 | 93 | n/s | 227 | 2.44 | 0.9 | 18655 | D | 150 |
| JLG | 860SJ | 28.21 | 93 | 22.86 | 230 | 0.91 | 1.83 | 17200 | n/s | n/s |
| TKD | TKD 2400 classic | 28.5 | 94 | 17 | 250 | 2 | 0.96 | 15300 | n/s | n/s |
| TKD | TKD 2400 classic XL | 28.5 | 94 | 21 | 250 | 2 | 0.96 | 17800 | n/s | n/s |
| Runshare | GTBZ27Z | 28.7 | 94.2 | 23.4 | 480 | 2.44 | 0.91 | 16540 | D | 80 |
| Falcon Spider | FS 290 | 29 | 95 | 14.5 | 200 | 0.8 | 1.4 | 3750 | n/s | n/s |
| Easy Lift | R300WBA | 29 | 95.1 | 13 | 200 | 2 | 0.8 | 6000 | n/s | 360 |
| Sinoboom | GTBZ28J | 29.7 | 97.4 | 21 | 250 | 1.45 | 0.85 | 16671 | D | 360 |
| Runshare | GTBZ28 | 29.8 | 97.8 | 20.1 | 480 | 2.44 | 0.91 | 16600 | D | 80 |
| TKD | TKD 2400 classic XXL | 30 | 98 | 21 | 250 | 2 | 0.96 | 18100 | n/s | n/s |
| Palazzani | TSJ 30.1 R | 30 | 98 | 13 | 230 | 1.8 | 0.7 | 4840 | D/E | 540 |
| TKD | TKD 2600 classic | 30.5 | 100 | 24.2 | 250 | 2 | 0.96 | 21600 | n/s | n/s |
| Runshare | GTBZ29Z | 31.3 | 102.7 | 21.2 | 480 | 2.44 | 0.91 | 16800 | D | 80 |
| Falcon Spider | FS 320 | 32 | 105 | 14.5 | 200 | 0.8 | 1.4 | 4140 | n/s | n/s |
| Palazzani | XTJ 32 R | 32 | 105 | 14.5 | 200 | 1.8 | 0.7 | 5940 | D/E | 540 |
| Kreitzler | KIB 25/320 T | 32 | 105 | 25 | 200 | 0.7 | 1.8 | 19800 | n/s | 160 |
| Dingli | GTBZ32S | 32 | 105 | 21 | 450 | 2.4 | 0.9 | 18000 | D | 360 |
| Sinoboom | GTBZ30 | 32.4 | 106.3 | 22.3 | 480 | 1.45 | 0.85 | 18670 | D | 360 |
| Runshare | GTBZ30 | 32.4 | 106.3 | 22.86 | 480 | 2.44 | 0.91 | 18500 | D | 80 |
| Genie | S-100 HD | 32.48 | 107 | 22.26 | 340 | 0.76 | 1.83 | 18035 | n/s | n/s |
| Genie | S-100 HD | 32.48 | 107 | 22.26 | 340 | 0.76 | 1.83 | 18275 | n/s | n/s |
| Genie | S-100 D-2WD | 32.5 | 107 | 22.9 | 227 | n/s | n/s | n/s | n/s | n/s |
| Italmec | SEL 34 TE | 34 | 112 | 28 | n/s | n/s | n/s | n/s | n/s | n/s |
| Genie | S-105 D-2WD | 34 | 112 | 24.4 | 227 | n/s | n/s | n/s | n/s | n/s |
| Genie | S-105 | 34 | 112 | 24.38 | 227 | 0.91 | 2.44 | 18144 | n/s | n/s |
| Genie | SX-105 XC | 34 | 112 | 24.38 | 300-454 | 0.91 | 2.44 | 19300 | n/s | n/s |
| Dingli | GTBZ34S | 34 | 111.6 | 22 | 450 | 2.4 | 0.9 | 18250 | D | 360 |
| Sinoboom | GTBZ32J | 34 | 111.6 | 24.4 | 250 | 1.45 | 0.85 | 18820 | D | 360 |
| Runshare | GTBZ32Z | 34 | 111.6 | 24.4 | 480 | 2.44 | 0.91 | 18650 | D | 80 |
| TKD | TKD 3100 classic | 35 | 115 | 22.6 | 250 | 2 | 0.96 | 22000 | n/s | n/s |
| Palazzani | XTJ 35 R | 35 | 115 | 17.5 | 200 | 2.4 | 0.7 | 7680 | n/s | n/s |
| Palazzani | TSJ 35 R | 35 | 115 | 14.5 | 230 | 1.8 | 0.7 | 6800 | D/E | 660 |
| Easy Lift | R360WBA | 35 | 114.8 | 16 | 200 | 2 | 0.8 | 6500 | E | 360 |
| Terex Aerials | TB 110 | 35.36 | 116 | n/s | n/s | n/s | n/s | 19051 | n/s | n/s |
| Easy Lift | R360WBA | 35.4 | 116.1 | 15.5 | 200 | 2 | 0.8 | 6500 | n/s | 360 |
| Dingli | GTBZ36S | 36 | 118.1 | 22 | 450 | 2.4 | 0.9 | 20250 | D | 360 |

SELF PROPELLED TELESCOPIC BOOM PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Rotation (Degrees) |
|---------------|--------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|--------------------|
| TKD | TKD 3100 classic L | 36.6 | 120 | 22.6 | 250 | 2 | 0.96 | 22200 | n/s | n/s |
| Falcon Spider | FS 370 | 37 | 121 | 17 | 200 | 0.8 | 1.4 | 7200 | n/s | n/s |
| Tadano | AW-370TG | 37.4 | 123 | 37.2 | 450 | 1.5 | 0.75 | 20000 | D | 120 |
| Palazzani | TSP 38 | 38 | 125 | 15 | 200 | 2.2 | 0.78 | 8100 | n/s | n/s |
| Dingli | GTBZ38S | 38 | 124.7 | 24 | 450 | 2.4 | 0.9 | 21000 | D | 360 |
| Sinoboom | GTBZ36 | 38.5 | 126.3 | 21 | 480 | 1.45 | 0.85 | 20100 | D | 360 |
| Genie | S-120HD | 38.58 | 127 | 22.26 | 340 | 0.76 | 1.83 | 20548 | n/s | n/s |
| Genie | S-120HD | 38.58 | 127 | 22.26 | 340 | 0.76 | 1.83 | 20788 | n/s | n/s |
| Genie | S-120 D-2WD | 38.6 | 127 | 22.9 | 227 | n/s | n/s | n/s | n/s | n/s |
| Snorkel | T120 | 38.6 | 127 | 18.9 | 227 | 2.44 | 0.9 | 17917 | n/s | n/s |
| Snorkel | TB120 | 38.6 | 127 | n/s | 272 | 2.44 | 0.9 | 17917 | D | 157 |
| Runshare | GTBZ36 | 38.64 | 126.8 | 20.5 | 480 | 2.44 | 0.91 | 20020 | D | 80 |
| JLG | 1200SJP | 38.73 | 127 | 22.86 | 450 | 0.91 | 2.44 | 18500 | n/s | n/s |
| Palazzani | TSJ 39 R | 39 | 128 | 16.5 | 230 | 2.4 | 0.7 | 8200 | D/E | 660 |
| Dingli | GTBZ40S | 40 | 131.2 | 22 | 450 | 2.4 | 0.9 | 21250 | D | 360 |
| Genie | S-125 D-2WD | 40.1 | 132 | 24.4 | 227 | 2.43 | 0.76 | n/s | n/s | n/s |
| Genie | SX-125 XC | 40.1 | 132 | 24.38 | 300-454 | 0.91 | 2.44 | 20700 | n/s | n/s |
| Sinoboom | GTBZ38J | 40.1 | 131.6 | 22.5 | 250 | 1.45 | 0.85 | 20300 | D | 360 |
| Genie | S-125 | 40.15 | 132 | 24.38 | 227 | 0.91 | 2.44 | 20248 | n/s | n/s |
| Snorkel | T126J | 40.4 | 133 | 19.2 | 227 | 2.44 | 0.9 | 19119 | n/s | n/s |
| Snorkel | TB126J | 40.4 | 133 | n/s | 272 | 2.44 | 0.9 | 19119 | D | 150 |
| Runshare | GTBZ38Z | 40.4 | 132.6 | 24.4 | 480 | 2.44 | 0.91 | 20900 | D | 80 |
| Sinoboom | GTBZ40 | 41.3 | 135.5 | 24.38 | 480 | 1.83 | 0.76 | 21560 | D | 360 |
| Easy Lift | R420WBA | 41.4 | 135.8 | 16.5 | 230 | 2 | 0.8 | 8500 | n/s | 360 |
| Falcon Spider | FS 420 | 42 | 138 | 16 | 200 | 0.8 | 1.4 | 8000 | n/s | n/s |
| Kreitzler | KIB 26/420 T | 42 | 138 | 25 | 200 | 0.7 | 1.5 | 25000 | n/s | 160 |
| Dingli | GTBZ42S | 42 | 137.8 | 24 | 450 | 2.4 | 0.9 | 21500 | D | 360 |
| Haulotte | HT43 RTJ PRO | 42.2 | 138 | 20.2 | 230 | 2.44 | 0.8 | 21400 | n/s | n/s |
| Palazzani | XTJ 43 R | 43 | 141 | 18 | 330 | 2.4 | 0.7 | 10900 | D/E | 660 |
| Dingli | GTBZ43S | 43 | 141.1 | 24 | 450 | 2.4 | 0.9 | 21800 | D | 360 |
| Genie | SX-135 XC | 43.15 | 142 | 27.43 | 300/454 | 0.91 | 2.44 | 21546 | n/s | n/s |
| JLG | 1350SJP | 43.3 | 142 | 24.38 | 450 | 0.91 | 2.44 | 20400 | n/s | n/s |
| Sinoboom | GTBZ42J | 43.6 | 143.1 | 24.38 | 480 | 2.44 | 0.91 | 22230 | D | 360 |
| Runshare | GTBZ42Z | 43.7 | 143.4 | 23 | 480 | 2.44 | 0.91 | 21600 | D | 80 |
| JLG | 1500SJ | 47.7 | 157 | 24.4 | 450 | 0.91 | 2.44 | 22000 | n/s | n/s |
| Palazzani | XTJ 48 R | 48 | 157 | 19.5 | 330 | 2.4 | 0.7 | 11600 | n/s | n/s |
| Genie | SX-150 | 48.02 | 158 | 24.38 | 340 | 0.91 | 2.44 | 22997 | n/s | n/s |
| Palazzani | XTJ 48.1 R | 49.2 | 161 | 19.3 | 330 | 2.4 | 0.7 | 13650 | D/E | 660 |
| Palazzani | XTJ 52 R | 52 | 171 | 19.5 | 400 | 2.4 | 0.7 | 13000 | D/E | 660 |
| Genie | SX-180 | 56.86 | 187 | 24.38 | 340 | 0.91 | 2.44 | 24856 | n/s | n/s |
| JLG | 1850SJ | 58.56 | 192 | 24.38 | 450 | 2.44 | 0.91 | 27352 | n/s | n/s |

ARTICULATING THE FUTURE

THE GREEN IS COMING



GTBZ14JD

Emission Free

Higher Safety and Stability

Flexible Operations



Green and environmental protection, zero emissions, low noise, and traceless driving apply to construction operation in indoor clean.

Tel:+86-516-87739286 E-mail:export@xcmg.com
FOR MORE INFORMATION VISIT WWW.XCMG.COM



SELF PROPELLED ARTICULATING BOOM PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Rotation (Degrees) |
|--------------|---------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|--------------------|
| Manitou | 160 ATJ + RC | 6.25 | 21 | 8.95 | 400 | 2.3 | 0.93 | 8100 | n/s | n/s |
| Manitou | 160 ATJ + | 6.25 | 21 | 8.95 | 400 | 2.3 | 0.93 | 8100 | n/s | n/s |
| Manitou | 160 ATJ + PA | 6.25 | 21 | 8.95 | 400 | 2.3 | 0.93 | 8100 | n/s | n/s |
| Kreitzler | KIB 08/080 GT | 7.9 | 26 | 3.1 | 120 | 0-5 | 0.85 | 2000 | n/s | n/s |
| Snorkel | MB20J | 8.1 | 27 | 2.6 | 215 | 0.78 | 0.73 | 2590 | E | n/s |
| Matilsa | HL 9 | 9.4 | 31 | 4.2 | 200 | 1 | 0.6 | 960 | n/s | n/s |
| Kreitzler | KIB 08/095 GTS | 9.5 | 31 | 5 | 120 | 0-5 | 0.8 | 5500 | n/s | n/s |
| Kreitzler | KIB 10/095 GT | 9.5 | 31 | 3.5 | 250 | 0-5 | 1.05 | 2240 | n/s | n/s |
| Kreitzler | KIB 08/095 GT | 9.5 | 31 | 3.5 | 120 | 0-5 | 0.85 | 2240 | n/s | n/s |
| Snorkel | MB26J | 9.8 | 32 | 3 | 215 | 0.78 | 0.73 | 2660 | n/s | n/s |
| Kreitzler | KIB 12/108 GT | 10.8 | 35 | 7.65 | 230 | 0-6 | 1.2 | 4900 | n/s | n/s |
| Genie | Z-30/20N RJ | 10.89 | 36 | 6.25 | 227 | 0.76 | 1.17 | 6450 | n/s | n/s |
| PB Lift | Dino 112D II | 10.9 | 36 | 5.54 | 200 | 2.4 | 1.55 | 2990 | n/s | n/s |
| PB Lift | Dino 112 D II | 10.94 | 36 | 5.54 | 200 | 2.4 | 1.55 | 2990 | n/s | n/s |
| JLG | E300AJP | 10.97 | 36 | 6.12 | 230 | 0.76 | 1.22 | 7100 | E | n/s |
| Kreitzler | KIB 08/110 GTS | 11 | 36 | 5 | 120 | 0-5 | 0.8 | 5680 | n/s | n/s |
| Skyjack | SJ 30 ARJE | 11 | 36 | 6.25 | 227 | 1.17 | 0.76 | 5750 | n/s | n/s |
| PB Lift | DINO 112 II | 11.14 | 37 | 5.02 | 225 | 2.4 | 1.54 | 2792 | n/s | n/s |
| Genie | Z-30/20 N | 11.14 | 37 | 6.53 | 227 | 0.76 | 1.17 | 6427 | n/s | n/s |
| JLG | E300AJ | 11.19 | 37 | 6.17 | 230 | 0.76 | 1.22 | 6900 | E | n/s |
| Kreitzler | KIB 12/113 GT | 11.3 | 37 | 7.65 | 230 | 0-6 | 1.2 | 5100 | n/s | n/s |
| Haulotte | HA12 CJ | 11.7 | 38 | 7 | 250 | 1.15 | 0.8 | 6970 | n/s | n/s |
| Haulotte | HA12 CJ+ | 11.7 | 38 | 7 | 230 | 1.15 | 0.8 | 7040 | n/s | n/s |
| PB Lift | PB TOPDINO 121 D II | 11.9 | 39 | 7.12 | 200 | 2.4 | 1.55 | 4630 | n/s | n/s |
| PB Lift | Topdino 121D II | 11.9 | 39 | 7.12 | 200 | 1.42 | 0.77 | 4630 | n/s | n/s |
| Manitou | ManGo 12 | 11.91 | 39 | n/s | 230 | n/s | 1.8 | 4.15 | n/s | n/s |
| Manitou | 120 AETJ C | 11.95 | 39 | 7 | 200 | 1.2 | 0.96 | 6550 | n/s | n/s |
| Manitou | 120 AETJ C 3 D | 11.95 | 39 | 7 | 200 | 1.2 | 0.96 | 6550 | n/s | n/s |
| Custers | Traktor S12SP | 12 | 39 | 7 | 200 | n/s | n/s | n/s | n/s | n/s |
| Haulotte | HA12 IP | 12 | 39 | 6.7 | 230 | 1.2 | 0.8 | 5900 | n/s | n/s |
| Airo | A12 E | 12 | 39 | 6.42 | 200 | 0.8 | 1.36 | 3900 | E | 180°+180° |
| Genie | Z 33/18 | 12 | 39 | 5.57 | 200 | 0.76 | 1.16 | 3665 | n/s | n/s |
| Airo | A12 ED | 12 | 39 | 6.3 | 200 | 0.8 | 1.36 | 4140 | E/D | 180°+180° |
| Airo | A12 JE | 12.1 | 40 | 7.5 | 230 | 1.15 | 0.8 | 7510 | E | 90°+90° |
| Niftylift | HR12L | 12.1 | 40 | 6.4 | 200 | 1.2 | 0.85 | 2540 | n/s | n/s |
| PB Lift | PB TOPDINO 121 II | 12.16 | 40 | 6.7 | 225 | 2.4 | 1.55 | 4240 | n/s | n/s |
| PB Lift | Topdino 121 II | 12.16 | 40 | 6.7 | 225 | 1.42 | 0.77 | 4240 | n/s | n/s |
| Kreitzler | KIB 08/122 GTS | 12.2 | 40 | 5 | 120 | 0-5 | 0.8 | 5700 | n/s | n/s |
| Matilsa | HL 12 | 12.2 | 40 | 5.2 | 200 | 1 | 0.6 | 1370 | n/s | n/s |
| Airo | A12 JRTD | 12.2 | 40 | 7.1 | 230 | 1.4 | 0.8 | 5800 | n/s | 370° |
| Niftylift | HR12N | 12.2 | 40 | 6.1 | 200 | 1.1 | 0.65 | 3435 | E/D/LPG | n/s |
| Niftylift | HR12 | 12.2 | 40 | 6.1 | 200 | 1.1 | 0.65 | 3470 | D | n/s |
| JLG | 340AJ | 12.3 | 40 | 6.06 | 230 | 0.76 | 1.52 | 4400 | n/s | n/s |
| PB Lift | PB TOPDINO 126 D II | 12.39 | 41 | 7.62 | 200 | 2.4 | 1.55 | 4770 | n/s | n/s |
| Kreitzler | KIB 12/124 GT | 12.4 | 41 | 9.5 | 200 | 0-6 | 1.2 | 8300 | n/s | n/s |
| Haulotte | HA120 PX | 12.4 | 41 | 2 | 230 | 1.5 | 0.8 | 5620 | n/s | n/s |
| PB Lift | Topdino 126D II | 12.4 | 41 | 7.62 | 200 | 1.42 | 0.77 | 4770 | n/s | n/s |
| Leguan | 125 | 12.5 | 41 | 6.3 | 200 | 3.5 | 0.95 | 1500 | n/s | n/s |
| Leguan | 125 | 12.5 | 41 | 6.3 | 200 | 1.2 | 0.7 | 1500 | n/s | 360 |
| Genie | Z-34/22 N | 12.52 | 41 | 6.78 | 227 | 0.76 | 1.42 | 5171 | n/s | n/s |
| Genie | Z-34/22 IC | 12.52 | 41 | 6.78 | 227 | 0.76 | 1.42 | 4793 | n/s | n/s |
| Genie | Z-34/22 DC | 12.52 | 41 | 6.78 | 227 | 0.76 | 1.42 | 5179 | n/s | n/s |
| Genie | Z-34/22 Bi-Energy | 12.52 | 41 | 6.78 | 227 | 0.76 | 1.42 | 5632 | n/s | n/s |
| Kreitzler | KIB 08/126 GTS | 12.6 | 41 | 3.65 | 120 | 0-5 | 0.8 | 5950 | n/s | n/s |
| Genie | Z-34/22 IC | 12.62 | 41 | 6.78 | 227 | 0.76 | 1.42 | 4929 | n/s | n/s |
| Niftylift | SD120T | 12.65 | 42 | 6.1 | 200 | 1.1 | 0.65 | 2260 | D/P | n/s |
| PB Lift | PB TOPDINO 126 II | 12.66 | 42 | 7.2 | 225 | 2.4 | 1.55 | 4590 | n/s | n/s |
| PB Lift | Topdino 126 II | 12.66 | 42 | 7.2 | 225 | 1.42 | 0.77 | 4590 | n/s | n/s |
| Kreitzler | KIB 12/129 GT | 12.9 | 42 | 9.65 | 200 | 0-6 | 1.2 | 8300 | n/s | n/s |
| Avant Tecno | Leguan 135 | 13 | 43 | 6.8 | 230 | 1.33 | 0.75 | 1600 | n/s | n/s |
| Airo | A13 JED | 13.1 | 43 | 8.1 | 200 | 1.36 | 0.8 | 5640 | E/D | 180°+180° |
| Airo | A13 JE | 13.1 | 43 | 8.1 | 200 | 1.36 | 0.8 | 5400 | E/D | 180°+180° |
| Kreitzler | KIB 08/132 GTS | 13.2 | 43 | 5 | 120 | 0-5 | 0.8 | 5800 | n/s | n/s |
| Leguan | 135 | 13.2 | 43 | 6.8 | 230 | 1.33 | 0.75 | 1700 | n/s | n/s |

SELF PROPELLED ARTICULATING BOOM PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Rotation (Degrees) |
|-----------------|-----------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|--------------------|
| Leguan | 135 | 13.2 | 43 | 6.8 | 230 | 1.33 | 0.75 | 1700 | n/s | 360 |
| Kreitzler | KIB 15/133 GT | 13.3 | 44 | 8.1 | 250 | 0-6 | 1.5 | 5500 | n/s | n/s |
| Simon | Boxer 130 NE | 13.3 | 44 | 6.9 | 227 | n/s | n/s | n/s | n/s | n/s |
| Kreitzler | KIB 18/133 GT 4WD | 13.3 | 44 | 8.1 | 250 | 0.8 | 1.5 | 6500 | n/s | 160 |
| Snorkel | A38E | 13.5 | 44 | 6.1 | 215 | 1.24 | 0.71 | 3795 | E | 90 |
| Runshare | GTZZ12D | 14 | 45.9 | 8 | 200 | 1.1 | 0.47 | 5300 | n/s | n/s |
| JLG | E400AJP | 14.19 | 47 | 6.83 | 230 | 0.76 | 1.22 | 6350 | E | n/s |
| JLG | E400AJPN | 14.19 | 47 | 6.83 | 230 | 0.76 | 1.22 | 6850 | E | n/s |
| JLG | M400AJP | 14.19 | 47 | 6.83 | 230 | 0.76 | 1.52 | 6350 | E | n/s |
| JLG | M400AJPN | 14.19 | 47 | 6.83 | 230 | 0.76 | 1.22 | 6850 | E | n/s |
| JLG | E400AN | 14.19 | 47 | 6.45 | 230 | 0.76 | 1.22 | 5800 | E | n/s |
| JLG | M400AN | 14.19 | 47 | 6.45 | 230 | 0.76 | 1.22 | 5800 | E | n/s |
| Genie | Z-40/23 N | 14.32 | 47 | 6.91 | 227 | 0.76 | 1.42 | 6908 | n/s | n/s |
| Genie | Z-40/23 N RJ | 14.32 | 47 | 6.91 | 227 | 0.76 | 1.17 | 6940 | n/s | n/s |
| Kreitzler | KIB 15/149 GT | 14.9 | 49 | 10.1 | 200 | 0-6 | 1.5 | 7400 | n/s | n/s |
| Custers | Traktor S15SP | 15 | 49 | 9.5 | 200 | n/s | n/s | 1600 | n/s | n/s |
| Haulotte | HA15 IP | 15 | 49 | 8.5 | 230 | 1.2 | 0.8 | 7300 | n/s | n/s |
| Manitou | 150 AETJ C | 15 | 49 | 7.6 | 200 | 1.2 | 0.96 | 6700 | n/s | n/s |
| Manitou | 150 AETJ C 3 D | 15 | 49 | 7.6 | 200 | 1.2 | 0.96 | 6700 | n/s | n/s |
| Airo | A15 JE | 15 | 49 | 8.95 | 230 | 1.4 | 0.8 | 7490 | E | 90°+90° |
| Airo | A15 JRTD | 15.1 | 50 | 8.8 | 230 | 1.4 | 0.8 | 6630 | n/s | 370° |
| Manitou | 150 AETJ L Bi-Energie | 15.4 | 51 | 7.81 | 230 | 1.2 | 0.92 | 6435 | n/s | n/s |
| MEC | 45-AJ | 15.5 | 51 | 7.6 | 227 | 6 | 2.3 | 7430 | n/s | n/s |
| Niftylift | HR15N | 15.5 | 51 | 9.7 | 225 | 1.5 | 0.8 | 7250 | E/D/LPG | 180 |
| Niftylift | Height Rider 15 E | 15.6 | 51 | 9.6 | 225 | n/s | n/s | n/s | n/s | n/s |
| Kreitzler | KIB 15/157 GT | 15.7 | 52 | 10.4 | 200 | 0-6 | 1.5 | 7700 | n/s | n/s |
| Niftylift | HR15 | 15.7 | 52 | 9.4 | 225 | 1.8 | 0.85 | 4500 | D | 180 |
| Atlas Kompakt | AAL 14 | 15.72 | 52 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| JLG | E450A | 15.72 | 52 | 7.04 | 230 | 0.76 | 1.52 | 5940 | E | n/s |
| JLG | E450AJ | 15.72 | 52 | 7.24 | 230 | 0.76 | 1.52 | 6670 | E | n/s |
| JLG | M450A | 15.72 | 52 | 7.04 | 230 | 0.76 | 1.52 | 5970 | E | n/s |
| JLG | M450AJ | 15.72 | 52 | 7.24 | 230 | 0.76 | 1.52 | 6700 | E | n/s |
| JLG | 450A Serie II | 15.72 | 52 | 7.47 | 230 | 0.76 | 1.83 | 5900 | n/s | n/s |
| JLG | 450AJ | 15.72 | 52 | 7.47 | 250 | 0.76 | 1.83 | 6250 | n/s | n/s |
| Genie | Z-45/25 XC | 15.86 | 52 | 7.55 | 227 | 0.76 | 1.83 | 6870 | n/s | n/s |
| Genie | Z-45/25 DC | 15.87 | 52 | 7.62 | 227 | 0.6 | 1.83 | 6963 | n/s | n/s |
| Leguan | 160 | 15.9 | 52 | 6.7 | 200 | 1.3 | 0.75 | 2100 | D | 360 |
| Genie | Z-45/25 J Bi-Energy | 15.94 | 52 | 7.65 | 227 | 0.76 | 1.83 | 7620 | n/s | n/s |
| Genie | Z-45/25 J DC | 15.94 | 52 | 7.65 | 227 | 0.76 | 1.83 | 7394 | n/s | n/s |
| Snorkel | A46JE | 16 | 52 | 7.4 | 227 | 1.83 | 1 | 6850 | E | 160 |
| Airo | A16 JE | 16 | 52 | 8.1 | 230 | 1.7 | 0.8 | 7300 | E | 180°+180° |
| Airo | A16 JED | 16 | 52 | 8.1 | 230 | 1.7 | 0.8 | 7600 | E/D | 180°+180° |
| Airo | A16 JRTD | 16 | 52 | 8.1 | 230 | 1.7 | 0.8 | 7160 | D | 180°+180° |
| Haulotte | HA16 RTJ | 16 | 52 | 8.3 | 230 | 1.83 | 0.8 | 6650 | n/s | n/s |
| Haulotte | HA16 RTJ O | 16 | 52 | 8.3 | 230 | 1.83 | 0.8 | 6600 | n/s | n/s |
| Haulotte | HA16 RTJ PRO | 16 | 52 | 8.3 | 230 | 1.83 | 0.8 | 6650 | n/s | n/s |
| LGMG | A14J | 16 | 52.5 | 7.81 | 230 | 1.8 | 0.8 | 7500 | n/s | n/s |
| Dingli | GTBZ16A | 16 | 52.5 | 7.47 | 230 | 1.8 | 0.8 | 7430 | n/s | n/s |
| Dingli | GTBZ16AE | 16 | 52.5 | 7.89 | 230 | 1.45 | 0.8 | 6700 | n/s | n/s |
| Sinoboom | GTZZ14EJ | 16 | 52.5 | 7.4 | 230 | 1.53 | 0.8 | 6500 | n/s | n/s |
| Runshare | GTZZ14D | 16 | 52.5 | 8.1 | 230 | 1.53 | 0.76 | 6780 | n/s | n/s |
| Runshare | GTZZ14 | 16 | 52.5 | 8 | 230 | 1.83 | 0.76 | 7757 | n/s | n/s |
| Manitou | 160 ATJ 4WD-4WS RC | 16.01 | 53 | 8.3 | 230 | 1.8 | 0.8 | 6160 | n/s | n/s |
| Manitou | 160 ATJ 4WD-4WS | 16.01 | 53 | 8.3 | 230 | 1.8 | 0.8 | 6160 | n/s | n/s |
| Manitou | 160 ATJ 4WD-4WS PA | 16.01 | 53 | 8.3 | 230 | 1.8 | 0.8 | 6160 | n/s | n/s |
| Manitou | 160 ATJ 4WD-4WS RC PA | 16.01 | 53 | 8.3 | 230 | 1.8 | 0.8 | 6160 | n/s | n/s |
| Genie | Z-45/25J RT | 16.05 | 53 | 7.62 | 227 | 0.76 | 1.83 | 6460 | n/s | n/s |
| Skyjack | SJ 46 AJ | 16.15 | 53 | 7.68 | 227 | 1.8 | 0.76 | 6500 | n/s | n/s |
| Manitou | 160 ATJ + RC PA | 16.25 | 53 | 8.95 | 400 | 2.3 | 0.93 | 8100 | n/s | n/s |
| Snorkel | A46JRT | 16.3 | 53 | 7.4 | 227 | 1.83 | 1 | 7555 | D | 160 |
| Leguan | 165 | 16.4 | 54 | 7.85 | 230 | 1.33 | 0.8 | 2530 | D | 360 |
| Leguan | 165 | 16.4 | 54 | 7.85 | 230 | 1.33 | 0.75 | 2530 | D | 360 |
| Leguan | 165 | 16.4 | 54 | 7.85 | 230 | 1.33 | 0.75 | 2530 | D | 360 |
| Platform Basket | SEL 17 ELECTRON | 16.6 | 54 | 9.5 | 200 | 0.8 | 1.6 | 7250 | E | 360 |

SELF PROPELLED ARTICULATING BOOM PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Rotation (Degrees) |
|-----------------|-----------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|--------------------|
| Manitou | 170 AETJ L | 16.9 | 55 | 9.4 | 200 | 1.2 | 0.96 | 6910 | n/s | n/s |
| Palazzani | TZX 170 R | 17 | 56 | 7.8 | 200 | 2 | 0.98 | 2000 | n/s | n/s |
| Platform Basket | SEL 17 AJX -ED | 17 | 56 | 9.5 | 200 | 5 | 2.16 | 8400 | n/s | n/s |
| Platform Basket | SEL 17 AJX | 17 | 56 | 9.5 | 200 | 5 | 2.16 | 8400 | n/s | n/s |
| Manitou | 170 AETJ L Bi-Energie | 17 | 56 | 9.43 | 230 | 1.2 | 0.92 | 7435 | n/s | n/s |
| Niftylift | HR17N | 17 | 56 | 9.7 | 225 | 1.5 | 0.8 | 7650 | E/D/LPG | 180 |
| Sinoboom | GTZZ15 | 17 | 55.8 | 7.62 | 250 | 1.45 | 0.9 | 7300 | n/s | n/s |
| Sinoboom | GTZZ15J | 17 | 55.8 | 8.5 | 250 | 1.45 | 0.9 | 7280 | n/s | n/s |
| Niftylift | SD170 | 17.1 | 56 | 8.7 | 200 | 1.1 | 0.65 | 2750 | E/D/LPG | 100 |
| Niftylift | HR17 | 17.2 | 56 | 9.4 | 225 | 1.8 | 0.8 | 5000 | n/s | 180 |
| Kreitzler | KIB 15/173 GT | 17.3 | 57 | 12.4 | 200 | 0-6 | 1.5 | 9900 | n/s | n/s |
| Kreitzler | KIB 18/170 GT | 17.3 | 57 | 9.5 | 250 | 0-6 | 1.8 | 6400 | n/s | n/s |
| Haulotte | HA18 PX | 17.3 | 57 | 10.6 | 230 | 1.8 | 0.8 | 8920 | n/s | n/s |
| Haulotte | HA18 SPX | 17.3 | 57 | 10.6 | 230 | 1.8 | 0.8 | 7950 | n/s | n/s |
| Kreitzler | KIB 22/170 GT 4WD | 17.3 | 57 | 9.5 | 350 | 0.8 | 1.5 | 7500 | n/s | 160 |
| Skyjack | SJ 51 AJ | 17.58 | 58 | 9.16 | 227 | 1.8 | 0.76 | 7300 | n/s | n/s |
| Genie | Z-51/30J RT | 17.62 | 58 | 9.25 | 227 | 0.76 | 1.83 | 7666 | n/s | n/s |
| Airo | A18 JE | 17.76 | 58 | 9.9 | 230 | 1.7 | 0.8 | 8250 | E | 180°+180° |
| Airo | A18 JED | 17.76 | 58 | 9.9 | 230 | 1.7 | 0.8 | 8140 | E/D | 180°+180° |
| Airo | A18 JRTD | 17.76 | 58 | 9.9 | 230 | 1.7 | 0.8 | 8100 | D | 180°+180° |
| Manitou | 180 ATJ RC | 17.85 | 59 | 10.6 | 230 | 1.8 | 0.8 | 8090 | n/s | n/s |
| Manitou | 180 ATJ | 17.85 | 59 | 10.6 | 230 | 1.8 | 0.8 | 8090 | n/s | n/s |
| Manitou | 180 ATJ PA | 17.85 | 59 | 10.6 | 230 | 1.8 | 0.8 | 8090 | n/s | n/s |
| Manitou | 180 ATJ RC PA | 17.85 | 59 | 10.6 | 230 | 1.8 | 0.8 | 8090 | n/s | n/s |
| JLG | 520AJ | 18 | 59 | 10 | 250 | 0.76 | 1.83 | 7.74 | n/s | n/s |
| LGMG | AR16J | 18 | 59.1 | 9.39 | 230 | 1.8 | 0.8 | 7500 | n/s | n/s |
| Dingli | GTBZ18A | 18 | 59.1 | 8.85 | 230 | 1.8 | 0.8 | 7835 | n/s | n/s |
| Dingli | GTBZ18AE | 18 | 59.1 | 8.95 | 230 | 1.45 | 0.8 | 7420 | n/s | n/s |
| Sinoboom | GTZZ16EJ | 18 | 59.1 | 9.37 | 230 | 1.7 | 0.8 | 7200 | n/s | n/s |
| Runshare | GTZZ16D | 18 | 59.1 | 10 | 230 | 1.53 | 0.76 | 6780 | n/s | n/s |
| Runshare | GTZZ16Z | 18 | 59.1 | 9.5 | 230 | 1.83 | 0.76 | 7877 | n/s | n/s |
| Kreitzler | KIB 18/189 GT | 18.9 | 62 | 11.5 | 250 | 0-6 | 1.8 | 8500 | n/s | n/s |
| Palazzani | TZX 190 R | 19 | 62 | 8.5 | 200 | 2 | 0.99 | 2300 | n/s | n/s |
| Avant Tecno | Leguan 190 | 19 | 62 | 9.7 | 230 | 5.2 | 1.33 | 2660 | n/s | n/s |
| Platform Basket | SEL 19 ELECTRON | 19 | 62 | 9.6 | 200 | 0.8 | 1.6 | 7330 | E | 359 |
| Leguan | 190 | 19 | 62 | 9.7 | 230 | 1.33 | 0.75 | 2660 | D | 360 |
| CMC | TB20 | 19.6 | 64 | 8.6 | 200 | 1.4 | 0.6 | 3.5 | n/s | 180 |
| Platform Basket | SEL 20 AJX -ED | 20 | 66 | 11.7 | 200 | 5 | 2.16 | 9180 | n/s | n/s |
| Platform Basket | SEL 20 AJX | 20 | 66 | 11.7 | 200 | 5 | 2.16 | 9180 | n/s | n/s |
| Manitou | 200 ATJ RC | 20 | 66 | 12 | 230 | 2.1 | 0.8 | 10000 | n/s | n/s |
| Manitou | 200 ATJ PA | 20 | 66 | 12 | 230 | 2.1 | 0.8 | 10000 | n/s | n/s |
| Manitou | 200 ATJ RC PA | 20 | 66 | 12 | 230 | 2.1 | 0.8 | 10000 | n/s | n/s |
| Manitou | 200 ATJ | 20 | 66 | 12 | 230 | 2.1 | 0.8 | 10000 | n/s | n/s |
| Dingli | GTBZ20AE | 20 | 65.6 | 11.14 | 230 | 2.2 | 0.8 | 8360 | n/s | n/s |
| Sinoboom | GTZZ18J | 20 | 65.6 | 12.2 | 250 | 1.45 | 0.9 | 10700 | n/s | n/s |
| Runshare | GTZZ18D | 20 | 65.6 | 10.8 | 230 | 1.53 | 0.76 | 8550 | n/s | n/s |
| Runshare | GTZZ18 | 20 | 65.6 | 10.8 | 230 | 1.83 | 0.76 | 8800 | n/s | n/s |
| MEC | 60-J | 20.1 | 66 | 13 | 227 | 6.4 | 2.4 | 7119 | n/s | n/s |
| Genie | Z-60/37 FE | 20.16 | 66 | 11.15 | 227 | 0.91 | 2.44 | 7756 | n/s | n/s |
| Genie | Z-60/37 DC | 20.16 | 66 | 11.15 | 227 | 0.91 | 2.44 | 7530 | n/s | n/s |
| Dingli | GTBZ20SI | 20.19 | 66.2 | 13.5 | 230 | 2.2 | 0.8 | 8800 | n/s | 360 |
| Atlas Kompakt | AAL 18 | 20.2 | 66 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Terex Aerials | TA 60 RT | 20.3 | 67 | 9 | 225 | n/s | n/s | n/s | n/s | n/s |
| Snorkel | AB60J | 20.3 | 67 | n/s | 227 | 2.44 | 0.91 | n/s | D | 180 |
| JLG | 600AN | 20.42 | 67 | 12.07 | 230 | 0.91 | 1.83 | 10840 | n/s | n/s |
| JLG | 600A | 20.42 | 67 | 12.07 | 230 | 0.91 | 1.83 | 10160 | n/s | n/s |
| JLG | 600AJ | 20.46 | 67 | 12.01 | 230 | 0.91 | 1.83 | 10660 | n/s | n/s |
| Dino Lift | Dino 205RXT | 20.5 | 67 | 12.6 | 215 | 1.3 | 0.7 | 4200 | n/s | n/s |
| AIRO | A21 JRTD | 20.55 | 67 | 11.25 | 230 | 1.7 | 0.8 | 12250 | n/s | 360° |
| AIRO | A21 JRTE | 20.55 | 67 | 11.25 | 230 | 1.7 | 0.8 | 13000 | n/s | 360° |
| Haulotte | HA20 RTJ PRO | 20.6 | 68 | 1.2 | 230 | 1.83 | 0.8 | 9600 | n/s | n/s |
| Haulotte | HA20 RTJ | 20.6 | 68 | 12.2 | 230 | 1.83 | 0.8 | 9300 | n/s | n/s |
| Snorkel | A62JRT | 20.8 | 68 | 11.1 | 227 | 2.44 | 0.9 | 10659 | D | 180 |
| Niftylift | HR21 | 20.8 | 68 | 13 | 250 | 1.8 | 0.8 | 6640 | n/s | 160 |

SELF PROPELLED ARTICULATING BOOM PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Rotation (Degrees) |
|-----------------|-------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|--------------------|
| Genie | Z-62/40 | 20.87 | 68 | 12.47 | 227 | 0.91 | 2.44 | 10548 | n/s | n/s |
| Niftylift | SD210 | 21.3 | 70 | 12.8 | 225 | 1.8 | 0.85 | 3950 | D | 100 |
| Skyjack | SJ 63 AJ | 21.38 | 70 | 12.19 | 227 | 1.8 | 0.9 | 10250 | n/s | n/s |
| Kreitzler | KIB 20/215 GT | 21.5 | 71 | 17.5 | 200 | 0-6 | 2 | 10000 | n/s | n/s |
| Dino Lift | Dino 220XSE | 21.95 | 72 | 13.4 | 350 | 2.4 | 1.3 | 11900 | n/s | n/s |
| Palazzani | TZX 225 R | 22 | 72 | 10 | 200 | 2 | 0.99 | 2500 | n/s | n/s |
| Runshare | GTZZ20A | 22 | 72.2 | 12.4 | 230 | 1.83 | 0.76 | 9200 | n/s | n/s |
| Runshare | GTZZ20Z | 22 | 72.2 | 13.3 | 230 | 1.83 | 0.76 | 10000 | n/s | n/s |
| JLG | 740AJ | 22.6 | 74 | 15.8 | 227 | 0.91 | 1.83 | 16420 | n/s | n/s |
| Platform Basket | SEL 23 AJX -ED | 23 | 75 | 13.5 | 200 | 5 | 2.43 | 9600 | n/s | n/s |
| Platform Basket | SEL 23 AJX | 23 | 75 | 13.5 | 200 | 5 | 2.43 | 9600 | n/s | n/s |
| Airo | A23 JRTD | 23.1 | 76 | 13.9 | 230 | 1.7 | 0.8 | 14300 | n/s | 360° |
| Airo | A23 JRTE | 23.1 | 76 | 13.9 | 230 | 1.7 | 0.8 | 15100 | n/s | 360° |
| CMC | TB240 | 23.8 | 78 | 11.3 | 200 | 1.4 | 0.6 | 3.5 | n/s | 180 |
| Kreitzler | KIB 25/240 GT | 24 | 79 | 14 | 250 | 0-6 | 2.5 | 12000 | n/s | n/s |
| Dino Lift | Dino 240RXT | 24 | 79 | 12.1 | 215 | 1.3 | 0.7 | 4420 | n/s | 90 |
| Kreitzler | KIB 25/240 GT 4WD | 24 | 79 | 14 | 350 | 0.8 | 1.5 | 12000 | n/s | 160 |
| Runshare | GTZZ22Z | 24 | 78.7 | 16 | 230 | 1.83 | 0.76 | 13000 | n/s | n/s |
| Dingli | GTBZ24S | 24.22 | 79.5 | 16.36 | 230 | 2.2 | 0.8 | 11040 | n/s | 360 |
| Platform Basket | SPIDER 25 WE | 24.3 | 80 | 13.5 | 200 | 2 | 1 | 5800 | n/s | n/s |
| Haulotte | HA260 PX | 25.6 | 84 | 16.2 | 230 | 1.8 | 0.8 | 15950 | n/s | n/s |
| Genie | Z-80/60 | 25.77 | 85 | 18.29 | 227 | 0.91 | 2.44 | 17010 | n/s | n/s |
| Kreitzler | KIB 25/260 GT | 26 | 85 | 16 | 250 | 0-6 | 2.5 | 14000 | n/s | n/s |
| Kreitzler | KIB 25/260 GT 4WD | 26 | 85 | 16 | 250 | 0.8 | 1.5 | 14000 | n/s | 160 |
| Runshare | GTZZ24Z | 26 | 85.3 | 15.8 | 230 | 1.83 | 0.76 | 15700 | n/s | n/s |
| JLG | 800A | 26.38 | 87 | 16.15 | 230 | 0.91 | 1.83 | 15565 | n/s | n/s |
| JLG | H800AJ | 26.38 | 87 | 16.45 | 230 | 0.91 | 2.44 | 16110 | E | n/s |
| Haulotte | HA26 RTJ PRO | 26.4 | 87 | 16.3 | 250 | 2.44 | 0.8 | 17000 | n/s | n/s |
| Snorkel | AB80J | 26.4 | 87 | n/s | 227 | 2.44 | 0.9 | 16730 | D | 150 |
| JLG | 800AJ | 26.46 | 87 | 15.8 | 230 | 0.91 | 1.83 | 15565 | n/s | n/s |
| Dino Lift | Dino 265RXT | 26.5 | 87 | 11.7 | 215 | 1.3 | 0.7 | 4500 | n/s | 90 |
| Sinoboom | GTZZ25J | 27 | 88.6 | 16.1 | 230 | 1.45 | 0.9 | 15900 | n/s | n/s |
| Snorkel | A85JRT | 27.7 | 91 | 25.7 | 227 | 0.91 | 2.44 | 17500 | n/s | n/s |
| Snorkel | AB85J | 27.7 | 91 | n/s | 227 | 2.44 | 0.9 | 17500 | D | 150 |
| Dingli | GTBZ28SI | 27.9 | 91.5 | 20 | 230 | 2.2 | 0.8 | 15100 | n/s | 360 |
| Skyjack | SJ 85 AJ | 27.91 | 92 | 17.07 | 340 | 1.8 | 0.9 | 16965 | n/s | n/s |
| Niftylift | HR28 | 28 | 92 | 19 | 280 | 2.4 | 0.9 | 14650 | n/s | 180 |
| Dino Lift | DINO 280RXT | 28 | 92 | 16 | 230 | 1.3 | 0.7 | 4860 | n/s | 180 |
| Haulotte | HA32 RTJ PRO | 31.8 | 104 | 21.6 | 250 | 2.44 | 0.8 | 20140 | n/s | n/s |
| Kreitzler | KIB 25/320 GT | 32 | 105 | 20 | 230 | 0.8 | 1.5 | 22500 | n/s | 160 |
| Kreitzler | KIB 25/390 GT | 39 | 128 | 24.5 | 200 | 0.8 | 1.5 | 30000 | n/s | 160 |
| Runshare | GTZZ38Z | 40 | 131.2 | 18.1 | 230 | 2.44 | 0.91 | 20000 | n/s | n/s |
| JLG | 1250AJP | 40.3 | 132 | 22.86 | 450 | 0.91 | 2.44 | 21000 | n/s | n/s |
| Haulotte | HA41 RTJ PRO | 41.5 | 136 | 20.1 | 230 | 2.44 | 0.91 | 23900 | n/s | n/s |
| Platform Basket | SPIDER 43 WE | 42.7 | 140 | 13.5 | n/s | n/s | n/s | n/s | n/s | n/s |
| Genie | ZX135/70 | 43.15 | 142 | 21.26 | 272 | 0.91 | 2.44 | 21092 | n/s | n/s |
| Platform Basket | SEL 48 ALJE | 48 | 157 | 24 | 200 | 0.8 | 1.8 | 29000 | D | 360 |
| JLG | 1500AJP | 48.15 | 158 | 23.55 | 450 | 0.91 | 2.44 | 26027 | n/s | n/s |

TRACKED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Travel Width (m) | Tracked or Wheeled (T/W) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) |
|------------------|-----------------------------------|----------------------------|-----------------------------|------------------------------|------------------|--------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|
| Hitachi | HX 64 B 2 | 8.5 | 28 | 4.24 | n/s | T | 150 | 1.2 | 0.7 | 2500 | n/s |
| Custers | Verda 9 | 9 | 30 | 4.8 | 1.54 | T | 150 | 1 | 0.7 | 2500 | n/s |
| Custers | Verda 10 | 10.2 | 33 | 4.35 | 1.52 | T | 150 | 0.8 | 0.75 | 3500 | n/s |
| Custers | Verda 10 | 10.2 | 33 | 4.35 | 1.5 | T | 150 | 1 | 1 | 3500 | n/s |
| Ruthmann | Bluelift SA 11 | 10.8 | 35 | n/s | n/s | T | n/s | n/s | n/s | 1375 | n/s |
| Ruthmann | BLUELIFT SA 11 | 10.8 | 35 | 6.7 | 0.78 | T | 230 | 1.3 | 0.7 | 1375 | E |
| Aichi | SR12C | 11.7 | 38 | 10.7 | 2.43 | T | 250 | 1.8 | 0.75 | 7400 | D |
| JLG | X14J | 11.8 | 39 | 6.26 | 0.79 | T | 200 | 0.69 | 1.3 | 1490 | n/s |
| Ruthmann | Bluelift C 12/6.5 | 12 | 39 | 6.5 | n/s | T | 120 | 0.7 | 0.85 | 1500 | n/s |
| Ruthmann | Bluelift C 12/6.5 H | 12 | 39 | 6.5 | n/s | T | 200 | 0.7 | 1.3 | 1550 | n/s |
| Ruthmann | Bluelift C 12/6.5 HB | 12 | 39 | 6.5 | n/s | T | 200 | 0.7 | 1.3 | 1920 | n/s |
| Ruthmann | BLUELIFT SA 26 | 12 | 39 | n/s | n/s | T | n/s | n/s | n/s | 3350 | n/s |
| Cela | Spyder 120 | 12 | 39 | 6.8 | n/s | T | 200 | 1.1 | 0.7 | n/s | n/s |
| Teupen | LE012T | 12 | 39 | 8.45 | 1.76 | T | 120 | 0.8 | 0.7 | 2985 | n/s |
| Ruthmann | Bluelift C 12/6.5 | 12 | 39 | 6.5 | 0.78 | T | 120 | 0.85 | 0.7 | 1500 | E |
| Ruthmann | Bluelift C 12/6.5 H | 12 | 39 | 6.5 | 0.78 | T | 200 | 1.3 | 0.7 | 1550 | E |
| Ruthmann | Bluelift C 12/6.5 HB | 12 | 39 | 6.5 | 0.78 | T | 200 | 1.3 | 0.7 | 1920 | E |
| Niftylift | TD120T | 12.2 | 40 | 6.1 | 1.1 | T | 200 | 1.1 | 0.65 | 1850 | D |
| Leguan Lifts | Leguan 135 | 12.2 | 40 | n/s | n/s | T | n/s | n/s | n/s | 1700 | n/s |
| Custers | Verda 12 | 12.3 | 40 | 10.3 | 1.8 | T | 230 | 1.5 | 1 | 4900 | n/s |
| Leguan | 125 | 12.5 | 41 | 6.3 | 1.1 | T | 200 | 1.2 | 0.7 | 165 | LPG |
| Leguan Lifts | Leguan 125 | 12.5 | 41 | 6.3 | 0.95 | T | 200 | 1.33 | 0.75 | 1500 | n/s |
| Hitachi | HX 99 B 2 | 12.7 | 42 | 8.3 | n/s | T | 200 | 1.5 | 0.7 | 5400 | n/s |
| Teupen | LE013GT | 12.75 | 42 | 6.05 | 0.78 | T | 200 | 1.39 | 0.7 | 1400 | n/s |
| CTE | Traccess 135 | 13 | 43 | 6.5 | 0.78 | T | 200 | 1.3 | 0.78 | 1600 | n/s |
| Leguan Lifts | Leguan 135 | 13 | 43 | 6.8 | 1.33 | T | 230 | 1.33 | 0.75 | 1600 | n/s |
| France Elévateur | TR 135 | 13 | 43 | n/s | n/s | T | 200 | n/s | n/s | n/s | n/s |
| Ruthmann | Bluelift C 13 | 13 | 43 | 7.5 | 0.75 | T | 230 | 1.3 | 0.7 | 1500 | E |
| Leguan | 135 | 13.2 | 43 | 6.8 | 1.33 | T | 230 | 1.33 | 0.75 | 1850 | LPG |
| IHlmer | Lem1350 PLUS | 13.3 | 44 | 7.7 | 0.98 | T | 200 | 1.2 | 0.66 | 1750 | n/s |
| Hinowa | Light Lift 13.70 Performance IIIS | 13.3 | 44 | 7.08 | 0.8 | T | 230 | 1.31 | 0.6 | 2185 | D |
| Hinowa | Light Lift 13.70 Performance IIIS | 13.3 | 44 | 7.08 | 0.8 | T | 230 | 1.31 | 0.6 | 2185 | E |
| Airo | R13 DC | 13.3 | 44 | 6.4 | 0.82 | T | 200 | 1.39 | 0.71 | 2150 | n/s |
| JLG | X13J+ | 13.3 | 44 | 6.58 | 0.78 | T | 230 | 0.69 | 1.3 | 2185 | n/s |
| Platform Basket | Spider 13.65 | 13.4 | 44 | 7 | 0.78 | T | 200 | 0.7 | 1.2 | 1400 | D |
| Platform Basket | Spider 13.80 | 13.4 | 44 | 7.8 | 0.78 | T | 200 | 0.7 | 1.2 | 1500 | D |
| Platform Basket | Spider 13.80 E | 13.4 | 44 | 7.8 | 0.78 | T | 200 | 0.7 | 1.2 | 1500 | E |
| Platform Basket | Spider 13.80 ED | 13.4 | 44 | 7.8 | 0.78 | T | 200 | 0.7 | 1.2 | 1500 | D/E |
| Aichi | SR14CJ | 13.6 | 45 | 12.6 | 2.43 | T | 250 | 1.8 | 0.75 | 8800 | D |
| JLG | X14J | 13.8 | 45 | 6.26 | 0.79 | T | 200 | 0.69 | 1.3 | 1440 | n/s |
| JLG | X14J | 13.8 | 45 | 6.26 | 0.79 | T | 200 | 0.69 | 1.3 | 1430 | n/s |
| Oil & Steel | Octopussy 1412 Twin | 14 | 46 | 5.7 | 0.78 | T | 200 | 1.4 | 0.7 | 1700 | D |
| Hinowa | Light Lift 14.72 IIIS | 14 | 46 | 6.8 | 0.8 | T | 200 | 1.34 | 0.7 | 1398 | D |
| Hinowa | Goldlift 14.70 IIIS | 14 | 46 | 7 | 0.8 | T | 200 | 1.34 | 0.7 | 1810 | E |
| Hinowa | Goldlift 14.70 IIIS | 14 | 46 | 7 | 0.8 | T | 200 | 1.34 | 0.7 | 1700 | D |
| Oil & Steel | Octopussy 1402 Classic | 14 | 46 | 6.5 | 0.78 | T | 200 | 1.4 | 0.7 | 1900 | D |
| Hinowa | Light Lift 14.72 IIIS | 14 | 46 | 6.8 | 0.8 | T | 200 | 1.34 | 0.7 | 1448 | E |
| Oil & Steel | Octopus 14 | 14 | 46 | 6.5 | 0.78 | T | 120 | 1.1 | 0.7 | 1900 | LPG/D/E |
| Oil & Steel | Octopussy 1401 Classic | 14 | 46 | 6.5 | 0.78 | T | 120 | 1.4 | 0.7 | 1700 | D |
| JLG | 400SC | 14.05 | 46 | 10.78 | 2.24 | T | 450 | 0.76 | 1.83 | 6805 | n/s |
| Genie | S-40 Trax | 14.2 | 47 | 9.65 | 2.31 | T | 227 | 0.76 | 1.83 | 6564 | n/s |
| Teupen | LE015GT | 14.7 | 48 | 7.6 | 0.78 | T | 200 | 1.4 | 0.7 | 1803 | n/s |
| Niftylift | TD150T | 14.7 | 48 | 7.55 | 1.4 | T | 225 | 1.4 | 0.7 | 2025 | D |
| CMC | S15 | 14.9 | 49 | 6.9 | 0.78 | T | 230 | 1.2 | 0.7 | 31.7 | P |
| Palfinger | P 150 AJTK | 14.9 | 49 | 6.5 | 1.4 | T | 220 | 1.4 | 0.7 | 2000 | P |
| CMC | S15 | 14.9 | 49 | 6.9 | 0.78 | T | 230 | 1.2 | 0.7 | 53 | LPG |
| IHlmer | Lem1500 PLUS | 15 | 49 | 8.5 | 1.06 | T | 200 | 1.2 | 0.66 | 2000 | n/s |
| Oil & Steel | Octopussy 1500 EVO | 15 | 49 | 7 | 0.78 | T | 200 | 1.4 | 0.7 | 2090 | D |
| Socage | SPJ 315 | 15 | 49 | 7 | 1.46 | T | 225 | 1.4 | 0.7 | 1900 | LPG |
| Imer | IM R 15 | 15 | 49 | 6.7 | 1.06 | T | 200 | 1.4 | 0.7 | 1980 | n/s |
| Imer | IM R 15 | 15 | 49 | 6.7 | 1.06 | T | 200 | 1.4 | 0.7 | 1980 | n/s |
| Platform Basket | Spider 15.75 PRO | 15 | 49 | 7.4 | 0.78 | T | 200 | 0.7 | 1.3 | 2100 | D |
| Platform Basket | Spider 15.75 PRO E | 15 | 49 | 7.4 | 0.78 | T | 200 | 0.7 | 1.3 | 2100 | E |
| Cela | Spyder 150 | 15 | 49 | 8.5 | n/s | T | 200 | 1.1 | 0.7 | n/s | n/s |

TRACKED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Travel Width (m) | Tracked or Wheeled (T/W) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) |
|-------------------|--|----------------------------|-----------------------------|------------------------------|------------------|--------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|
| Cela | DT15 | 15 | 49 | 7.5 | 0.8 | T | 200 | 1.4 | 0.7 | 1600 | n/s |
| Cela | DT 15 Spyder | 15 | 49 | 7.5 | 0.8 | T | 200 | 1.4 | 0.7 | 1550 | E |
| JLG | X15J Plus | 15.4 | 51 | 6.6 | 1.1 | T | 230 | 0.7 | 1.34 | 1910 | n/s |
| Teupen | LEO15GTplus | 15.4 | 51 | 7.9 | 0.78 | T | 200 | 1.4 | 0.7 | 2200 | n/s |
| JLG | X15J Plus | 15.4 | 51 | 6.6 | 1.1 | T | 230 | 0.7 | 1.34 | 1910 | n/s |
| Hinowa | Light Lift 15.70 Performance IIIS | 15.4 | 51 | 6.6 | 0.8 | T | 230 | 1.34 | 0.7 | 1950 | D |
| Hinowa | Light Lift 15.70 Performance IIIS | 15.4 | 51 | 6.6 | 0.8 | T | 230 | 1.34 | 0.7 | 1992 | E |
| EuropeLift | TR 15 GT | 15.6 | 51 | 7.5 | 0.78 | T | 220 | 0.8 | 1.2 | 2100 | n/s |
| Genie | S-45 Trax | 15.72 | 52 | 11.18 | 2.31 | T | 227 | 0.76 | 1.83 | 7927 | n/s |
| JLG | 460 SJC | 15.88 | 52 | 12.72 | 2.24 | T | 270 | 0.76 | 1.83 | 8364 | n/s |
| Leguan | 160 | 15.9 | 52 | 6.7 | 1.3 | T | 200 | 1.3 | 0.75 | 2400 | D |
| Hitachi | HX 140 B 2 | 15.9 | 52 | 12.6 | n/s | T | 250 | 1.8 | 0.75 | 7050 | n/s |
| Ruthmann | Bluelift C 16/5.8 | 16 | 52 | 5.8 | n/s | T | 200 | 0.7 | 1.3 | 2050 | n/s |
| Ruthmann | Bluelift SA 16 | 16 | 52 | 7.4 | 0.78 | T | 230 | 1.3 | 0.7 | 1900 | E |
| JLG | 460 SJC | 16.09 | 53 | n/s | n/s | T | n/s | n/s | n/s | n/s | n/s |
| Leguan Lifts | Leguan 165 | 16.4 | 54 | 7.85 | 1.25 | T | 230 | 1.33 | 0.8 | 2530 | n/s |
| Leguan | 165 | 16.4 | 54 | 7.85 | n/s | T | 230 | 1.33 | 0.75 | 2530 | D |
| Leguan Lifts | Leguan 165 | 16.4 | 54 | 7.85 | 1.33 | T | 230 | 1.33 | 0.75 | 2530 | n/s |
| Leguan Lifts | Leguan 165 | 16.4 | 54 | n/s | n/s | T | n/s | n/s | n/s | 2530 | n/s |
| Airo | R17 DC | 16.5 | 54 | 6.5 | 0.82 | T | 200 | 1.39 | 0.71 | 2200 | n/s |
| JLG | X17J | 16.81 | 55 | 7.68 | 0.79 | T | 200 | 0.62 | 1.3 | 2164 | n/s |
| JLG | X17J | 16.81 | 55 | 7.68 | 0.79 | T | 200 | 0.6 | 1.3 | 2152 | n/s |
| JLG | X17J | 16.81 | 55 | 7.68 | 0.79 | T | 200 | 0.62 | 1.3 | 2190 | n/s |
| Multitel Pagliero | SMX 170 | 16.85 | 55 | 7.5 | 0.99 | T | 200 | 1.4 | 0.7 | 2100 | LPG/D/E |
| Hinowa | Goldlift 17.80 XL IIIS | 16.9 | 55 | 8 | 0.8 | T | 200 | 1.34 | 0.7 | 2100 | D |
| Hinowa | Goldlift 17.80 XL IIIS | 16.9 | 55 | 8 | 0.8 | T | 200 | 1.34 | 0.7 | 2150 | E |
| JLG | X17J Plus | 16.96 | 56 | 7 | 1.33 | T | 230 | 0.69 | 1.3 | 2230 | n/s |
| JLG | X17J Plus | 16.96 | 56 | 7 | 1.33 | T | 230 | 0.69 | 1.34 | 2300 | n/s |
| CTE | Traccess 170 | 17 | 56 | 7.5 | 0.8 | T | 200 | 1.3 | 0.7 | 2050 | n/s |
| CTE | Traccess 170 E | 17 | 56 | 7.5 | 0.8 | T | 200 | 1.3 | 0.7 | 2050 | n/s |
| Oil & Steel | Octopussy 1715 Twin | 17 | 56 | 6.8 | 0.78 | T | 200 | 1.4 | 0.7 | 1630 | D |
| Hinowa | Light Lift 17.75 Performance IIIS MK 2 | 17 | 56 | 7.5 | 0.8 | T | 230 | 1.34 | 0.7 | 2230 | D |
| Hinowa | Light Lift 17.75 Performance IIIS MK 2 | 17 | 56 | 7.5 | 0.8 | T | 230 | 1.34 | 0.7 | 2280 | E |
| Oil & Steel | Octopus 17 | 17 | 56 | 6.9 | 0.78 | T | 120 | 1.4 | 0.7 | 1980 | LPG/D/E |
| France Elévateur | TR 170 | 17 | 56 | n/s | n/s | T | 200 | n/s | n/s | n/s | n/s |
| France Elévateur | TR 170 E | 17 | 56 | n/s | n/s | T | 200 | n/s | n/s | n/s | n/s |
| Palazzani | TZX 170 C | 17 | 56 | 7.8 | 0.98 | T | 200 | 1.4 | 0.7 | 2000 | D/E |
| Omme Lift | Omme 1750RBD | 17.2 | 56 | 10.4 | 1.1 | T | 200 | 1.25 | 0.8 | 2900 | n/s |
| Socage | SPJ 318 | 17.6 | 58 | 8.5 | 1.46 | T | 225 | 1.4 | 0.7 | 2100 | n/s |
| Platform Basket | Spider 18.90 PRO | 17.6 | 58 | 9.2 | 0.78 | T | 200 | 0.7 | 1.3 | 2500 | D |
| Platform Basket | Spider 18.90 PRO E | 17.6 | 58 | 9.2 | 0.78 | T | 200 | 0.7 | 1.3 | 2500 | E |
| Palfinger | P 180 AJTK | 17.7 | 58 | 7.7 | n/s | T | 220 | 1.4 | 0.7 | 2400 | P |
| Ruthmann | Bluelift SA 16 Compact | 18 | 59 | 8 | n/s | T | 200 | 0.7 | 1.3 | n/s | n/s |
| Oil & Steel | Octopussy 1800 EVO | 18 | 59 | 8.5 | 0.78 | T | 200 | 1.4 | 0.7 | 2580 | D |
| IHlmer | Lem1800 PLUS | 18 | 59 | 9.2 | 1.07 | T | 200 | 1.3 | 0.7 | 2350 | n/s |
| Oil & Steel | Octopus 18 | 18 | 59 | 8.5 | 0.78 | T | 200 | 1.4 | 0.7 | 2700 | LPG/D/E |
| Palazzani | TSJ 18 | 18 | 59 | 11 | n/s | T | 200 | 1.4 | 0.8 | 2900 | n/s |
| Aichi | SR18A | 18 | 59 | 16.7 | 2.46 | T | 227 | 1.8 | 0.75 | 12800 | D |
| Aichi | SR18AJ | 18 | 59 | 15.8 | 2.46 | T | 227 | 1.8 | 0.75 | 12900 | D |
| Ruthmann | Bluelift SA 18 | 18 | 59 | 9.3 | 0.78 | T | 230 | 1.3 | 0.7 | 1950 | E |
| Ruthmann | BLUELIFT SA 18 HB | 18 | 59 | n/s | 0.78 | T | 230 | 1.3 | 0.7 | 2200 | E |
| Omme Lift | 18.40 RXJ | 18.25 | 60 | 10.5 | 1.18 | T | 200 | 0.7 | 1.4 | 2900 | LPG/D/E |
| Teupen | LEO18GTplus | 18.3 | 60 | 8.5 | 0.78 | T | 200 | 1.4 | 0.7 | 2450 | n/s |
| Genie | S-60 Trax | 18.3 | 60 | 15.48 | 2.59 | T | 227 | 0.91 | 2.44 | 11353 | n/s |
| Omme Lift | Omme 18.40RXBJ | 18.4 | 60 | 10.5 | 1.18 | T | 200 | 1.18 | 0.79 | 2750 | n/s |
| Dino Lift | Dino 185 XTC | 18.5 | 61 | 11.2 | 1.15 | T | 215 | 1.3 | 0.7 | 2860 | n/s |
| Dino Lift | Dino 185 XTS | 18.5 | 61 | 11.7 | 2.29 | T | 250 | 0.8 | 1.8 | 8000 | n/s |
| Dino Lift | Dino 185XTC II | 18.5 | 61 | 11.2 | 1.4 | T | 215 | 1.3 | 0.7 | 2860 | n/s |
| JLG | X19J | 18.67 | 61 | 5.9 | 0.79 | T | 200 | 0.62 | 1.3 | 2118 | n/s |
| JLG | X19J | 18.67 | 61 | 5.9 | 0.79 | T | 200 | 0.62 | 1.3 | 2106 | n/s |
| JLG | X19J | 18.67 | 61 | 5.9 | 0.79 | T | 200 | 0.62 | 1.3 | 2140 | n/s |
| Hinowa | Light Lift 19.65 IIIS | 18.8 | 62 | 6.4 | 0.8 | T | 200 | 1.48 | 0.77 | 2098 | n/s |
| Hinowa | Light Lift 19.65 IIIS | 18.8 | 62 | 6.4 | 0.8 | T | 200 | 1.48 | 0.77 | 2148 | n/s |
| Leguan | 190 | 19 | 62 | 9.7 | n/s | T | 230 | 1.33 | 0.75 | 2660 | D |

TRACKED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Travel Width (m) | Tracked or Wheeled (T/W) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) |
|-------------------|---------------------------------------|----------------------------|-----------------------------|------------------------------|------------------|--------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|
| Palazzani | TZX 190 C | 19 | 62 | 8.5 | 0.99 | T | 200 | 1.4 | 0.7 | 2300 | D/E |
| Imer | IM R 19 | 19 | 62 | 7 | 1.05 | T | 200 | 1.4 | 0.7 | 2300 | n/s |
| Imer | IM R 19 | 19 | 62 | 7 | 1.05 | T | 200 | 1.4 | 0.7 | 2300 | n/s |
| Leguan Lifts | Leguan 190 | 19 | 62 | 9.7 | 1.33 | T | 230 | 1.33 | 0.75 | 2660 | n/s |
| Leguan Lifts | Leguan 135 | 19 | 62 | 9.7 | 1.33 | T | 230 | 1.33 | 0.75 | 2660 | n/s |
| Multitel Pagliero | SHX 190 | 19 | 62 | 8.6 | 0.99 | T | 200 | 1.4 | 0.7 | 2300 | D/E |
| Ascendant | A18-13TK | 19 | 62 | 13 | 2.3 | T | 230 | 0.8 | 1.3 | 5500 | D |
| Omme Lift | Omme 1930RBDX | 19.1 | 63 | 10.2 | 1.1 | T | 200 | 1.25 | 0.8 | 3250 | n/s |
| Teupen | LE019T | 19.2 | 63 | 13.2 | 0.99 | T | 250 | 1.2 | 0.8 | 3050 | n/s |
| Omme Lift | Omme 1950RBD | 19.3 | 63 | 11.7 | 1.1 | T | 200 | 1.25 | 0.8 | 3000 | n/s |
| JLG | X17J Plus | 19.96 | 65 | 7 | 1.33 | T | 230 | 0.69 | 1.34 | 2230 | n/s |
| JLG | X20J Plus | 20.05 | 66 | 9.2 | 0.8 | T | 230 | 0.69 | 1.34 | 2974 | n/s |
| JLG | X20J Plus | 20.05 | 66 | 9.2 | 0.8 | T | 230 | 0.69 | 1.34 | 2880 | n/s |
| JLG | X20J Plus | 20.05 | 66 | 9.2 | 0.8 | T | 230 | 0.69 | 1.34 | 2980 | n/s |
| Hinowa | Light Lift 20.10 Performance IIS MK 2 | 20.1 | 66 | 9.7 | 0.8 | T | 230 | 1.34 | 0.7 | 2940 | D |
| Hinowa | Light Lift 20.10 Performance IIS MK 2 | 20.1 | 66 | 9.7 | 0.8 | T | 230 | 1.34 | 0.7 | 2950 | E |
| JLG | 600SC | 20.36 | 67 | 15.08 | 2.49 | T | 230 | 0.91 | 1.83 | 10230 | n/s |
| Ruthmann | Bluelift C 21/11 | 21 | 69 | 11 | n/s | T | 200 | 0.7 | 1.3 | 3700 | n/s |
| Teupen | LE021GT | 21 | 69 | 12 | 0.98 | T | 250 | 1.4 | 1.1 | 3000 | n/s |
| Oil & Steel | Octopussy 2190 | 21 | 69 | 9 | 1.15 | T | 200 | 1.4 | 0.7 | 3100 | D |
| Aichi | SR21A | 21 | 69 | 18.6 | 2.46 | T | 227 | 1.8 | 0.75 | 14900 | D |
| Aichi | SR21AJ | 21 | 69 | 17.8 | 2.46 | T | 227 | 1.8 | 0.75 | 15200 | D |
| Cela | DT 21 Spyder | 21 | 69 | 9 | 0.8 | T | 200 | 1.4 | 0.7 | 2800 | E |
| Comet | Leopard | 21.3 | 70 | 10.8 | n/s | T | 265 | 1.2 | 0.7 | n/s | E |
| IHlmer | Lem2200 PLUS | 21.7 | 71 | 2 | 0.97 | T | 230 | 1.5 | 0.66 | 2980 | n/s |
| Platform Basket | Spider 22.10 EVO | 21.7 | 71 | 10.3 | 0.98 | T | 230 | 0.7 | 1.5 | 3260 | D |
| Platform Basket | Spider 22.10 E | 21.7 | 71 | 10.3 | 0.98 | T | 230 | 0.7 | 1.5 | 3260 | E |
| Platform Basket | Spider 22.10 ED | 21.7 | 71 | 10.3 | 0.98 | T | 230 | 0.7 | 1.5 | 3260 | D/E |
| Omme Lift | Omme 2200RBD | 21.8 | 72 | 12.2 | 1.1 | T | 200 | 1.25 | 0.8 | 3050 | n/s |
| Genie | S-65 Trax | 21.8 | 72 | 17.1 | 2.59 | T | 227 | 0.91 | 2.44 | 12229 | n/s |
| Omme Lift | 2200 R | 21.8 | 72 | 12.2 | 1.1 | T | 200 | 0.8 | 1.25 | 3050 | D/E |
| Palazzani | TZX 225/C | 22 | 72 | 10 | 0.98 | T | 200 | 1.4 | 0.7 | 2500 | D/E |
| Palazzani | TZX 225/R | 22 | 72 | 10 | 0.99 | T | 200 | 1.4 | 0.7 | 2500 | D/E |
| Palazzani | TZX 225 C | 22 | 72 | 10 | 0.98 | T | 200 | 1.4 | 0.7 | 2500 | D/E |
| Cela | DT22 Spyder | 22 | 72 | 9 | 0.8 | T | 230 | 1.4 | 0.7 | 2830 | E |
| Ruthmann | BLUELIFT SA 22 | 22 | 72 | 10.9 | 0.94 | T | 250 | 1.3 | 0.7 | 1990 | E |
| Ascendant | A22-17TK | 22 | 72 | 17 | 2.3 | T | 280 | 1 | 1.8 | 10000 | D |
| Dino Lift | Dino 220 XTC II | 22.1 | 73 | 11 | 1.4 | T | 215 | 1.3 | 0.7 | 3060 | n/s |
| Oil & Steel | Octopus 23 | 22.3 | 73 | 11.5 | 0.99 | T | 200 | 1.4 | 0.7 | 3200 | LPG/D/E |
| Palazzani | TSJ 23.1 C | 22.3 | 73 | 10.3 | 1.3 | T | 250 | 1.5 | 0.7 | 3100 | D/E |
| JLG | 660SJC | 22.31 | 73 | 17.3 | 2.49 | T | 230 | 0.91 | 1.83 | 12300 | n/s |
| Multitel Pagliero | SMX 225 | 22.4 | 73 | 10.25 | 0.99 | T | 200/120 | 1.4 | 0.7 | 2500 | D/E |
| Teupen | LE023GT | 23 | 75 | 11.2 | 0.98 | T | 200 | 1.42 | 0.7 | 2990 | n/s |
| CTE | Traccess 230 | 23 | 75 | 12 | 0.78 | T | 200 | 1.3 | 0.7 | 2900 | n/s |
| CTE | Traccess 230 E | 23 | 75 | 12 | 0.78 | T | 200 | 1.3 | 0.7 | 2900 | n/s |
| France Elévateur | TR 230 | 23 | 75 | n/s | n/s | T | 200 | n/s | n/s | n/s | n/s |
| France Elévateur | TR 230 E | 23 | 75 | n/s | n/s | T | 200 | n/s | n/s | n/s | n/s |
| JLG | X23J | 23.1 | 76 | 11.1 | 0.99 | T | 200 | 0.69 | 1.3 | 3180 | n/s |
| JLG | X23J | 23.1 | 76 | 11.1 | 0.99 | T | 200 | 0.69 | 1.3 | 3100 | n/s |
| JLG | X23J | 23.1 | 76 | 11.1 | 0.99 | T | 200 | 0.69 | 1.3 | 3200 | n/s |
| Hinowa | Light Lift 23.12 IIS | 23.2 | 76 | 11.6 | 0.99 | T | 200 | 1.34 | 0.7 | 3090 | D |
| Hinowa | Light Lift 23.12 IIS | 23.2 | 76 | 11.6 | 0.99 | T | 200 | 1.34 | 0.7 | 3200 | E |
| Teupen | LE023T | 23.2 | 76 | 12.5 | 0.99 | T | 250 | 1.2 | 0.8 | 3050 | n/s |
| Omme Lift | 2350 RJ | 23.2 | 76 | 12.2 | 1.1 | T | 200 | 0.8 | 1.25 | 3150 | E |
| Teupen | LE024GT | 24 | 79 | 12 | 0.98 | T | 250 | 1.2 | 0.8 | 3300 | n/s |
| Cela | DT 24 SPYDER | 24 | 79 | 12 | 0.8 | T | 200 | 1.4 | 0.7 | 2800 | E |
| Hitachi | HX 220 B | 24.1 | 79 | 20.2 | n/s | T | 200 | 1.5 | 0.7 | 17000 | n/s |
| Omme Lift | 2500 RXJ | 25 | 82 | 13 | 1.1 | T | 200 | 0.8 | 1.25 | 3975 | D/E |
| Teupen | LE025T | 25 | 82 | 12.5 | 1.78 | T | 200 | 1.2 | 0.8 | 3000 | n/s |
| Omme Lift | Omme 2500RBDXJ | 25 | 82 | 13 | 1.1 | T | 200 | 1.25 | 0.8 | 3975 | n/s |
| Palazzani | TSJ 25 C | 25 | 82 | 13 | 1.3 | T | 250 | 1.8 | 0.7 | 3950 | D/E |
| Multitel Pagliero | SMX 250 HD | 25 | 82 | 12.1 | 1.37 | T | 220 | 1.4 | 0.7 | 4000 | n/s |
| Cela | DT25 Spyder | 25 | 82 | 12 | 0.8 | T | 230 | 1.4 | 0.7 | 2920 | E |
| Teupen | LE025Tplus | 25.2 | 83 | 15 | 1.58 | T | 200 | 1.2 | 0.8 | 3760 | n/s |

TRACKED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Travel Width (m) | Tracked or Wheeled (T/W) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) |
|-------------------|---------------------------------|----------------------------|-----------------------------|------------------------------|------------------|--------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|
| Multitel Pagliero | SMX 250 | 25.2 | 83 | 11.65 | 0.98 | T | 200 | 1.4 | 0.7 | 2660 | D/E |
| U G | X26J Plus | 25.6 | 84 | 13.1 | 0.99 | T | 230 | 0.69 | 1.34 | 4365 | n/s |
| U G | X26J Plus | 25.6 | 84 | 13.1 | 0.99 | T | 230 | 0.69 | 1.34 | 4365 | n/s |
| U G | X26J Plus | 25.6 | 84 | 13.1 | 0.99 | T | 230 | 0.69 | 1.34 | 4365 | n/s |
| Hinowa | Light Lift 26.14 IIS | 25.7 | 84 | 13.7 | 0.99 | T | 230 | 1.34 | 0.7 | 4365 | D |
| Hinowa | Light Lift 26.14 IIS | 25.7 | 84 | 13.7 | 0.99 | T | 230 | 1.34 | 0.7 | 4384 | E |
| me Lift | me 2600RBD | 25.8 | 85 | 12.6 | 1.1 | T | 200 | 1.25 | 0.8 | 3625 | n/s |
| me Lift | 2600 R | 25.8 | 85 | 12.6 | 1.1 | T | 200 | 0.8 | 1.25 | 3625 | D/E |
| Ruthmann | BLUELIFT SA 26 | 26 | 85 | 14.5 | 0.99 | T | 250 | 1.3 | 0.7 | 3350 | E |
| Teupen | LEO27T | 27 | 89 | 14.4 | 1.58 | T | 250 | 1.2 | 0.8 | 4050 | n/s |
| Palazzani | TSJ 27 C | 27 | 89 | 13.5 | 1.3 | T | 230 | 1.8 | 0.7 | 4580 | D/E |
| Cela | Spyder 270 | 27 | 89 | 11 | 1.3 | T | 200 | 1.4 | 0.7 | n/s | n/s |
| Palfinger | P 270 TJTK | 27 | 89 | 13.5 | 1.3 | T | 230 | 0.7 | 1.8 | 4580 | D |
| Platform sket | SPID R 27.14 | 27.01 | 89 | 15.11 | 0.89 | T | 230 | 0.8 | 1.8 | 5200 | D |
| Platform sket | SPID R 27.14 ED | 27.01 | 89 | 15.11 | 0.89 | T | 230 | 0.8 | 1.8 | 5200 | D/E |
| me Lift | 2750 RJ | 27.2 | 89 | 12.6 | 1.1 | T | 200 | 0.8 | 1.25 | 3725 | E |
| me Lift | 2750 RXJ | 27.5 | 90 | 15.5 | 1.5 | T | 250 | 0.8 | 1.25 | 5180 | D/E |
| me Lift | me 2750RXBD | 28 | 92 | 15.5 | 1.5 | T | 250 | 1.25 | 0.8 | 5050 | n/s |
| Cela | D 28 spyder | 28.2 | 93 | 14 | 1.2 | T | 350 | 1.8 | 0.7 | 4900 | E |
| Cela | D 28 spyder | 28.2 | 93 | 14 | 1.2 | T | 350 | 1.8 | 0.7 | 4900 | E |
| Multitel Pagliero | SMX 300 | 29 | 95 | 14.4 | 1.5 | T | 270 | 1.6 | 0.7 | 5200 | n/s |
| me Lift | me 3000 RBD | 29.7 | 97 | 12.6 | 1.1 | T | 200 | 1.25 | 0.8 | 3900 | n/s |
| me Lift | me 3000 RBD | 29.7 | 97 | n/s | n/s | T | n/s | n/s | n/s | 4250 | n/s |
| me Lift | 3000 R | 29.7 | 97 | 12.6 | 1.1 | T | 200 | 0.8 | 1.25 | 3900 | D/E |
| Teupen | LEO30T | 30 | 98 | 14 | 1.58 | T | 200 | 1.2 | 0.8 | 4300 | n/s |
| Palazzani | TSJ 30.1 C | 30 | 98 | 13 | 1.3 | T | 230 | 1.8 | 0.7 | 4650 | D/E |
| Multitel Pagliero | SMX 300 HD | 30 | 98 | 14.7 | n/s | T | 270 | 1.6 | 0.7 | 5600 | D/E |
| Cela | D 30 spyder | 30.2 | 99 | 15.5 | 1.2 | T | 225 | 1.8 | 0.7 | 5000 | E |
| Platform sket | Spider 30 T | 30.3 | 99 | 14.2 | 0.89 | T | 230 | 0.8 | 1.8 | 4250 | D |
| Platform sket | Spider 30 WE | 30.3 | 99 | 14 | n/s | T | n/s | n/s | n/s | n/s | E |
| Teupen | LEO31T | 31 | 102 | 14.7 | 1.58 | T | 250 | 1.2 | 0.8 | 4300 | n/s |
| Ruthmann | Bluelift SA 31 | 31 | 102 | 17.5 | n/s | T | 250 | n/s | n/s | n/s | n/s |
| me Lift | 3150 RJ | 31.1 | 102 | 12.6 | 1.1 | T | 200 | 0.8 | 1.25 | 4000 | E |
| Falcon Lifts | FS 320 Z | 32 | 105 | 16 | 1.5 | T | 200 | 0.8 | 1.4 | 5830 | n/s |
| Palazzani | XTJ 32 C | 32 | 105 | 14.5 | 1.1 | T | 330 | 1.8 | 0.7 | 5940 | D/E |
| Falcon Lifts | FS 320 C | 32 | 105 | 15 | 1.6 | T | 200 | 0.8 | 1.4 | 5300 | n/s |
| Falcon Lifts | FS 320 C Vario | 32 | 105 | 14.4 | 1.25 | T | 200 | 0.8 | 1.4 | 5550 | n/s |
| Palfinger | P 320 TJTK | 32 | 105 | 14.5 | 1.4 | T | 330 | 0.7 | 1.8 | 5940 | D |
| Palazzani | TZ 330 C | 32 | 105 | 16.5 | 1.4 | T | 250 | 1.8 | 0.7 | 6700 | D/E |
| Platform sket | Spider 33.15 | 32.4 | 106 | 15.6 | 1.39 | T | 230 | 0.87 | 1.63 | 6800 | D |
| Platform sket | Spider33.15 ED | 32.4 | 106 | 15.6 | 1.39 | T | 230 | 0.87 | 1.63 | 6800 | D/E |
| Hinowa | Lightlift 33.17 Performance IIS | 32.6 | 107 | 16.5 | n/s | T | 230 | 1.6 | 0.7 | 7616 | D |
| Hinowa | Lightlift 33.17 Performance IIS | 32.6 | 107 | 16.5 | n/s | T | 230 | 1.6 | 0.7 | 7616 | E |
| Falcon Lifts | FS 330 Z | 33 | 108 | 19 | 1.5 | T | 200 | 0.8 | 1.4 | 5900 | n/s |
| Falcon Lifts | FS 330 Z Vario | 33 | 108 | 19 | 1.25 | T | 200 | 0.8 | 1.4 | 6450 | n/s |
| Teupen | LEO35T | 35 | 115 | 16.9 | 1.58 | T | 250 | 1.2 | 0.8 | 6100 | n/s |
| Palazzani | M 26/28 | 35 | 115 | 15 | n/s | T | 200 | 2.2 | 0.78 | 9300 | n/s |
| Palazzani | XTJ 35 C | 35 | 115 | 17.5 | 1.5 | T | 230 | 2.4 | 0.7 | 7800 | n/s |
| Palazzani | TSJ 35 C | 35 | 115 | 14.5 | 1.5 | T | 230 | 1.8 | 0.7 | 6600 | D/E |
| Palfinger | P 350 TJTK | 35 | 115 | 14.5 | 1.5 | T | 230 | 0.7 | 1.8 | 6600 | D |
| Teupen | LEO36T | 35.5 | 116 | 13.9 | 1.58 | T | 200 | 1.2 | 0.8 | 4900 | n/s |
| Cela | Spyder 365 | 36.5 | 120 | 15.5 | 1.5 | T | 200 | 2.4 | 0.7 | 7800 | E |
| me Lift | me 3700RBDJ | 36.9 | 121 | 14.2 | 1.5 | T | 250 | 1.25 | 0.8 | 5500 | n/s |
| Falcon Lifts | FS 370 C | 37 | 121 | 17 | n/s | T | 200 | 0.8 | 1.4 | 8000 | n/s |
| me Lift | 3710 RJ | 37 | 121 | 13.7 | 1.5 | T | 250 | 0.8 | 1.25 | 5700 | D/E |
| Palazzani | TSP 38 | 38 | 125 | 15 | n/s | T | 200 | 2.2 | 0.78 | 9300 | n/s |
| Palazzani | TSJ 39 C | 39 | 128 | 16.5 | 1.5 | T | 230 | 1.8 | 0.7 | 8200 | D/E |
| Palfinger | P 390 TJTK | 39 | 128 | 16.5 | 1.5 | T | 230 | 0.7 | 1.8 | 8200 | D |
| Teupen | LEO40GTX | 39.5 | 130 | 16 | 1.58 | T | 400 | 1.5 | 0.8 | 11900 | n/s |
| Palazzani | TSJ 40 | 40 | 131 | 15 | n/s | T | 200 | 2.2 | 0.78 | 9000 | n/s |
| Falcon Lifts | FS 420 C | 42 | 138 | 16 | n/s | T | 200 | 0.8 | 1.4 | 8200 | n/s |
| me Lift | me 4200RBDJ | 42 | 138 | 15.2 | 1.75 | T | 230 | 1.25 | 0.8 | 6900 | n/s |
| me Lift | 4200 RJ | 42 | 138 | 15.2 | 1.75 | T | 230 | 0.8 | 1.25 | 6900 | D/E |
| Palazzani | XTJ 43 C | 43 | 141 | 18 | 1.3 | T | 330 | 2.4 | 0.7 | 10900 | D/E |

TRACKED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Travel Width (m) | Tracked or Wheeled (T/W) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) |
|--------------|------------|----------------------------|-----------------------------|------------------------------|------------------|--------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|
| Palfinger | P 430 TJ K | 43 | 141 | 18 | 1.8 | T | 330 | 0.7 | 2.4 | 10900 | D |
| Palazzani | XTJ 48 C | 48 | 157 | 19.5 | 1.45 | T | 330 | 2.4 | 0.7 | 13420 | n/s |
| Palazzani | XTJ 48.1 C | 49.2 | 161 | 19.3 | 1.45 | T | 330 | 2.4 | 0.7 | 13650 | D/E |
| Palfinger | P 480 TJ K | 49.2 | 161 | 19.3 | 1.9 | T | 330 | 0.7 | 2.4 | 13650 | D |
| Teupen | LE6 OGTX | 49.7 | 163 | 15.2 | 1.58 | T | 400 | 1.5 | 0.8 | 13700 | n/s |
| Teupen | LE6 OGT | 50 | 164 | 20 | 1.58 | T | 200 | 1.5 | 0.8 | 13500 | n/s |
| Falcon Lifts | FS 520 C | 52 | 171 | 19 | n/s | T | 200 | 0.8 | 1.4 | 13900 | n/s |
| Palazzani | XTJ 52 C | 52 | 171 | 19.5 | 1.5 | T | 400 | 2.4 | 0.7 | 14000 | D/E |
| Palfinger | P 520 TJ K | 52 | 171 | 19.5 | 1.9 | T | 400 | 0.7 | 2.4 | 14000 | D |

SIVGE
Always more than your expectation

REACH HIGHER WITH SIVGE



SP50 STOCK PICKER
SELFROLLED MAST TYPE MOBILE
ELEVATING WORK PLATFORM



HANGZHOU SIVGE MACHINERY CO.,LTD

ADD : No.15 Kangxian Road , Hangzhou , Zhejiang , China
TEL : +86-571-88043726 E-mail : info@sivge.com



www.sivge.com



**TOUCH
THE SKY
WITH
MAGNI**

tracce.com



MAGNI TELESCOPIC HANDLERS SRL

Via Magellano, 22 - 41013 - Castelfranco Emilia, Modena, Italia
Tel: +39 059 8630811 - Fax: +39 059 8638012 - commerciale@magnith.com - www.magnith.com

SCISSOR LIFTS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Gradeability (Degrees) |
|------------------|-------------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|------------------------|
| Custom Equipment | HB-P527 | 3.4 | 11 | 227 | 0.94 | 0.56 | 260 | E | n/s |
| Quick Lift | UB6L | 3.5 | 11 | 100 | 0.79 | 0.36 | 135 | E | n/s |
| Mieve | PE-3'7 mini | 3.7 | 12 | 160 | 0.95 | 0.7 | 260 | n/s | n/s |
| Quick Lift | UB6 | 3.8 | 12 | 240 | 1.04 | 0.57 | 270 | E | n/s |
| Quick Lift | UBM6 | 3.8 | 12 | 200 | 1.04 | 0.57 | 325 | E | n/s |
| Almac | Bibi 410 | 3.9 | 13 | 120 | 1.3 | 0.74 | 900 | n/s | n/s |
| Snorkel | S3006P | 4 | 13 | n/s | n/s | n/s | 310 | E | n/s |
| Quick Lift | UB8L | 4 | 13 | 100 | 0.79 | 0.36 | 158 | E | n/s |
| Custom Equipment | HB-P827 | 4.3 | 14 | 245.5 | 1.09 | 0.56 | 360 | E | n/s |
| Snorkel | S3008P | 4.5 | 15 | n/s | n/s | n/s | 350 | E | n/s |
| Quick Lift | UB8 | 4.5 | 15 | 240 | 1.04 | 0.57 | 315 | E | n/s |
| Quick Lift | UBM8 | 4.5 | 15 | 200 | 1.04 | 0.57 | 400 | E | n/s |
| Mieve | PE-4'5 mini | 4.5 | 15 | 160 | 0.95 | 0.7 | 295 | n/s | n/s |
| Airo | XP5 E | 4.55 | 15 | 250 | 1.05 | 0.57 | 370 | n/s | n/s |
| Lift-A-Loft | MP15-10 | 4.57 | 15 | 454 | 1.91 | 0.76 | 907 | E | n/s |
| Lift-A-Loft | SPN16 | 4.72 | 15 | 362 | 1.91 | 0.76 | 1741 | E | 25 |
| Custom Equipment | HB-P1027 | 4.8 | 16 | 249.5 | 0.93 | 0.56 | 395 | E | n/s |
| Custom Equipment | HB-1030 | 4.9 | 16 | 340 | 1.52 | 0.63 | 577 | E | 25 |
| Almac | Bibi 510-A | 4.9 | 16 | 200 | 1.15 | 0.79 | 1200 | n/s | n/s |
| Snorkel | S3010E | 5 | 16 | 227 | 1.09 | 0.51 | 495 | E | 25 |
| Snorkel | S3010P | 5 | 16 | n/s | n/s | n/s | 370 | E | n/s |
| Quick Lift | UB10 | 5 | 16 | 200 | 1.4 | 0.65 | 515 | E | n/s |
| Quick Lift | UBM10 | 5 | 16 | 200 | 1.4 | 0.7 | 580 | E | n/s |
| GMG | 1030-PA | 5 | 16.4 | 240 | 1.23 | 0.76 | 465 | E | n/s |
| Imer | EASY UP 5 SP | 5.2 | 17.1 | 200 | 1.25 | 0.6 | 500 | E | 25 |
| Imer | EASY UP 5 | 5.2 | 17.1 | 200 | 1.25 | 0.6 | 390 | n/s | n/s |
| Imer | EASY UP 5 PICKING | 5.2 | 17.1 | 120 | 1.25 | 0.6 | 585 | n/s | 25 |
| Airo | XP5 E | 5.34 | 18 | 250 | 1.05 | 0.57 | 430 | n/s | n/s |
| Mieve | PE-5'4 mini | 5.4 | 18 | 160 | 1.34 | 0.7 | 445 | n/s | n/s |
| ELS Makine | Junior 5.5 | 5.5 | 18 | 240 | 1.25 | 0.58 | 430 | n/s | n/s |
| Custom Equipment | HB-1230 | 5.5 | 18 | 249.5 | 1.34 | 0.63 | 730 | E | 25 |
| PB Lift | PB ECo S06-7ECS | 5.6 | 18 | 240 | 1.29 | 0.7 | 880 | n/s | 25 |
| Manitou | 78 SEC | 5.6 | 18 | 27 | n/s | n/s | 1503 | n/s | n/s |
| Kreitzler | KIB 08/056 | 5.6 | 18 | 250 | 1.65 | 0.8 | 1300 | n/s | 14 |
| LGMG | AS0407 | 5.6 | 18.4 | 240 | n/s | n/s | 940 | E | 25 |
| GMG | 1330-ED Micro | 5.8 | 19 | 240 | 1.43 | 0.76 | 730 | E | 30 |
| Sinoboom | GTJZ0407SE | 5.8 | 19 | 240 | 1.34 | 0.7 | 880 | E | 25 |
| Lift-A-Loft | SPW19 | 5.84 | 19 | 680 | 2.21 | 1.17 | 1886 | E | 25 |
| Quick Lift | UB12 | 5.9 | 19 | 200 | 1.4 | 0.65 | 540 | E | n/s |
| Quick Lift | UBM12 | 5.9 | 19 | 200 | 1.4 | 0.7 | 605 | E | n/s |
| PB Lift | PB ECo S06-7EC | 5.9 | 19 | 240 | 1.15 | 0.7 | 436 | n/s | 20 |
| Dingli | JCPT0607DCS | 5.9 | 19.4 | 240 | 1.29 | 0.7 | 880 | E | 25 |
| Dingli | JCPT0607DCF | 5.9 | 19.4 | 240 | 1.29 | 0.7 | 890 | E | 25 |
| Dingli | JCPT0607A | 5.9 | 19.4 | 240 | 1.29 | 0.7 | 530 | E | n/s |
| Lift-A-Loft | MP19-15 | 5.94 | 19 | 680 | 1.91 | 0.76 | 1070 | E | n/s |
| MEC | 1330SE | 6 | 20 | 240 | 1.3 | 0.7 | 860 | e | 25 |
| Lift-A-Loft | SPN20 | 6.05 | 20 | 317 | 1.91 | 0.76 | 1986 | E | 25 |
| Aichi | SV06CNL | 6.1 | 20 | 360 | n/s | n/s | 1810 | n/s | n/s |
| Custom Equipment | HB-1430 | 6.1 | 20 | 304 | 1.52 | 0.63 | 746 | E | 25 |
| LGMG | SS0507 | 6.3 | 20.7 | 230 | n/s | n/s | 970 | E | 25 |
| Genie | GS-1530 | 6.4 | 21 | 272 | 1.63 | 0.74 | 1233 | n/s | 30 |
| Genie | GS-1532 | 6.4 | 21 | 272 | 1.63 | 0.74 | 1269 | n/s | 30 |
| Mieve | PE-6'4 mini | 6.4 | 21 | 160 | 1.34 | 0.7 | 460 | n/s | n/s |
| Almac | Bibi 630-BL | 6.4 | 21 | 200 | 1.58 | 1 | 1700 | n/s | n/s |
| GMG | 1530-ED Micro | 6.5 | 21.3 | 240 | 1.69 | 0.76 | 860 | E | 30 |
| Imer | IM 4680 | 6.5 | 21.3 | 230 | 1.63 | 0.8 | 1000 | E | 25 |
| Imer | IM 4680 MC | 6.5 | 21.3 | 230 | 1.63 | 0.8 | 1540 | E | 25 |
| Runshare | GTJZ05M | 6.5 | 21.3 | 230 | 1.71 | 0.8 | 1350 | E | 25 |
| Skyjack | SJ III 3215 | 6.57 | 22 | 227 | 1.63 | 0.66 | 1120 | n/s | 30 |
| JLG | 1532R | 6.57 | 22 | 120/275 | 0.550.76 | 1.59 | 1357 | E | 25 |
| Weiss | SAB A-66 | 6.6 | 22 | 300 | 0.78 | 1.9 | 1629 | n/s | 25 |
| Weiss | SAB A-66 aqua | 6.6 | 22 | 300 | 0.78 | 1.9 | 1629 | n/s | n/s |
| Snorkel | S3215E | 6.6 | 22 | 272 | 1.64 | 0.68 | 1238 | E | 25 |
| Snorkel | S3215L | 6.6 | 22 | 304 | 1.9 | 0.68 | 952 | E | n/s |

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Gradeability (Degrees) |
|--------------|----------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|------------------------|
| JCB | S1530E | 6.6 | 21.7 | 280 | 1.64 | 0.76 | 1330 | E | 30 |
| Sinoboom | GTJZ0408S | 6.6 | 21.7 | 280 | 1.64 | 0.8 | 1210 | E | 30 |
| Sinoboom | GTJZ0408M | 6.6 | 21.7 | 280 | 1.64 | 0.8 | 1261 | E | 30 |
| Airo | XS7E | 6.7 | 22 | 250 | 1.65 | 0.77 | 1430 | n/s | 30 |
| Kreitzler | KIB 08/067 | 6.7 | 22 | 300 | 2.4 | 0.8 | 2300 | n/s | 14 |
| Kreitzler | KIB 12/067 | 6.7 | 22 | 500 | 2.4 | 1.2 | 2250 | n/s | 14 |
| Weiss | SAB AR-66 | 6.7 | 22 | 300 | 0.83 | 1.9 | 1590 | n/s | 100/45 |
| Kreitzler | KIB 08/070 | 7 | 23 | 250 | 1.65 | 0.8 | 1450 | n/s | 14 |
| Lift-A-Loft | SPW24 | 7.21 | 24 | 340 | 2.21 | 1.17 | 2240 | E | 25 |
| Lift-A-Loft | MP24-10 | 7.21 | 24 | 454 | 1.91 | 0.76 | 1338 | E | n/s |
| Dingli | JCPT0708DCS | 7.5 | 24.6 | 230 | 1.37 | 0.7 | 1200 | E | 25 |
| Genie | GS1930 | 7.6 | 25 | 227 | 1.63 | 0.74 | 1498 | n/s | 25 |
| Haulotte | Optimum 8 | 7.6 | 25 | 230 | 1.73 | 0.68 | 1420 | n/s | 25 |
| Genie | GS1932 | 7.6 | 25 | 227 | 1.63 | 0.74 | 1503 | n/s | 25 |
| GMG | 1930-ED | 7.6 | 24.9 | 230 | 1.82 | 0.76 | 1430 | E | 45 |
| Lift-A-Loft | MSP25 | 7.62 | 25 | 1021 | 3.91 | 1.93 | 3243 | LPG/E | 15 |
| Snorkel | S3219E | 7.7 | 25 | 250 | 1.64 | 0.68 | 1611 | E | 25 |
| Aichi | SV06ENS | 7.7 | 25 | 230 | 1.81 | 0.8 | 1525 | n/s | 25 |
| Lift-A-Loft | MP25-15 | 7.7 | 25 | 680 | 2.57 | 1.14 | 1581 | E | n/s |
| JLG | 1930ES | 7.72 | 25 | 230 | 0.76 | 1.87 | 1550 | E | 25 |
| Aichi | SV08CNL | 7.77 | 25 | 230 | n/s | n/s | 2140 | n/s | n/s |
| Skyjack | SJ III 3219 | 7.79 | 26 | 227 | 1.63 | 0.66 | 1312 | n/s | 25 |
| JLG | 6RS | 7.79 | 26 | 230 | 0.69 | 1.82 | 1565 | E | 25 |
| Weiss | SAB A-78 | 7.8 | 26 | 300 | 0.78 | 1.9 | 1729 | n/s | 25 |
| Snorkel | S1930E | 7.8 | 26 | 227 | 0.74 | 1.56 | 1243 | n/s | n/s |
| Snorkel | S1932E | 7.8 | 26 | 227 | 0.74 | 1.56 | 1243 | n/s | n/s |
| PB Lift | PB ECo S78-7EC | 7.8 | 26 | 230 | 1.67 | 0.74 | 1415 | E | 25 |
| Weiss | SAB A-78 aqua | 7.8 | 26 | 300 | 0.78 | 1.9 | 1729 | n/s | n/s |
| Manitou | 100 SEC | 7.8 | 26 | 227 | n/s | n/s | 1959 | n/s | n/s |
| JLG | 1932R | 7.8 | 26 | 120/230 | 0.65 | 1.57 | 1565 | E | 25 |
| MEC | 1930SE | 7.8 | 26 | 227 | 1.7 | 0.79 | 1420 | e | 25 |
| Almac | Bibi 850-HE | 7.8 | 26 | 200 | 1.5 | 0.8 | 1730 | n/s | n/s |
| JCB | S1930E | 7.8 | 25.6 | 230 | 1.64 | 0.76 | 1526 | E | 25 |
| Imer | IM 5980 | 7.8 | 25.6 | 230 | 1.63 | 0.8 | 1290 | E | 25 |
| Imer | IM 5980 EX | 7.8 | 25.6 | 230 | 1.63 | 0.8 | 1500 | E | 25 |
| Imer | IM 5980 MC | 7.8 | 25.6 | 220 | 1.62 | 0.8 | 1730 | E | 25 |
| Dingli | JCPT0807HD | 7.8 | 25.6 | 230 | 1.67 | 0.7 | 1435 | E | 25 |
| Dingli | JCPT0807DC | 7.8 | 25.6 | 230 | 1.67 | 0.7 | 1415 | E | 25 |
| Sinoboom | GTJZ0608S | 7.8 | 25.6 | 230 | 1.64 | 0.8 | 1328 | E | 25 |
| Sinoboom | GTJZ0608M | 7.8 | 25.6 | 230 | 1.64 | 0.8 | 1458 | E | 25 |
| LGMG | AS0607 | 7.8 | 25.6 | 230 | n/s | n/s | 1560 | E/D | 25 |
| LGMG | AS0607W | 7.8 | 25.6 | 230 | n/s | n/s | 1570 | E/D | 25 |
| LGMG | AS0607E | 7.8 | 25.6 | 230 | n/s | n/s | 1560 | E | 25 |
| Runshare | GTJZ06M | 7.8 | 25.6 | 230 | 1.71 | 0.8 | 1420 | E | 25 |
| Genie | GS-2032 | 7.9 | 26 | 363 | 2.26 | 0.81 | 1830 | n/s | 30 |
| Genie | GS-2046 | 7.9 | 26 | 544 | 2.26 | 1.15 | 1974 | n/s | 30 |
| MEC | Micro 19 | 7.9 | 26 | 226 | 1.4 | 0.7 | 1220 | e | 25 |
| Almac | Bibi 850-BL | 7.9 | 26 | 250 | 1.5 | 0.78 | 1990 | n/s | n/s |
| Almac | Bibi 870-BL | 7.9 | 26 | 250 | 1.5 | 1.2 | 2460 | n/s | n/s |
| Almac | Bibi 870-BL | 7.9 | 26 | 200 | 1.5 | 1.2 | 2460 | n/s | n/s |
| Almac | Bibi 870-BL | 7.9 | 26 | 250 | 1.5 | 1.2 | 2460 | E/D | 20 |
| LGMG | AS0608 | 7.9 | 25.9 | 380 | n/s | n/s | 2050 | E/D | 30 |
| Weiss | SAB B-80 | 8 | 26 | 500 | 1.14 | 2.5 | 2490 | n/s | 25 |
| ELS Makine | EL 8 T | 8 | 26 | 350 | 2.3 | 0.83 | 1730 | n/s | 23 |
| PB Lift | PB ECo S80-8EC | 8 | 26 | 380 | 2.27 | 0.81 | 2125 | E | 25 |
| Weiss | SAB B-80 aqua | 8 | 26 | 500 | 1.14 | 2.5 | 2490 | n/s | n/s |
| Airo | XS8 E Light | 8 | 26 | 250 | 1.65 | 0.77 | 1520 | n/s | 29 |
| Weiss | SAB AR-78 | 8 | 26 | 300 | 0.83 | 1.9 | 1660 | n/s | 100/45 |
| Dingli | JCPT0808HD | 8 | 26.2 | 380 | 2.27 | 0.8 | 2085 | E | 25 |
| Dingli | JCPT0807HDS | 8 | 26.2 | 230 | 1.67 | 0.7 | 1720 | E | 25 |
| Dingli | JCPT0807DCS | 8 | 26.2 | 230 | 1.67 | 0.7 | 1720 | E | 25 |
| Dingli | JCPT0808DC | 8 | 26.2 | 380 | 2.27 | 0.8 | 2125 | E | 25 |
| Airo | XS8 E | 8.03 | 26 | 250 | 1.65 | 0.77 | 1770 | n/s | 24 |
| Airo | XS8 E Wind | 8.03 | 26 | 250 | 1.65 | 0.82 | 1770 | n/s | 24 |

SCISSOR LIFTS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Gradeability (Degrees) |
|------------------|---------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|------------------------|
| Aichi | SV06CNL | 8.1 | 27 | 360 | 2.21 | 0.71 | 1810 | n/s | 28 |
| Skyjack | SJ III 3220 | 8.1 | 27 | 408 | 2.13 | 0.71 | 1594 | n/s | 30 |
| Skyjack | SJ III 4620 | 8.1 | 27 | 590 | 2.13 | 1.07 | 1922 | n/s | 30 |
| JLG | 2032ES | 8.1 | 27 | 360 | 0.76 | 2.3 | 1965 | E | 25 |
| Aichi | SV06ENL | 8.1 | 27 | 360 | 2.21 | 0.8 | 1965 | n/s | 25 |
| Snorkel | S3220E | 8.1 | 27 | 408 | 2.18 | 0.66 | 2045 | E | 25 |
| Haulotte | Compact 8 | 8.2 | 27 | 350 | 2.3 | 0.8 | 1730 | n/s | 25 |
| Kreitzler | KIB 12/082 | 8.2 | 27 | 400 | 3 | 1.2 | 2800 | n/s | 14 |
| Haulotte | Compact 8W | 8.27 | 27 | 450 | 2.3 | 1.2 | 1950 | n/s | 23 |
| Airo | X8EN | 8.3 | 27 | 400 | 2.25 | 0.89 | 2000 | n/s | 26 |
| Airo | X8EW Wind | 8.3 | 27 | 500 | 2.25 | 1.2 | 2250 | n/s | 25 |
| JCB | S2032E | 8.3 | 27.2 | 380 | 2.25 | 0.81 | 1834 | E | 25 |
| JCB | S2046E | 8.3 | 27.2 | 550 | 2.25 | 1.15 | 2134 | E | 25 |
| Imer | IM 6390 | 8.3 | 27.2 | 400 | 2.27 | 0.9 | 1640 | E | 25 |
| Imer | IM 6390 EX | 8.3 | 27.2 | 350 | 2.27 | 0.9 | 1940 | E | 25 |
| Sinoboom | GTJZ0608 | 8.3 | 27.2 | 380 | 2.25 | 0.8 | 1770 | E | 30 |
| Sinoboom | GTJZ0612 | 8.3 | 27.2 | 550 | 2.25 | 1.2 | 2070 | E | 25 |
| Snorkel | S2255BE | 8.4 | 28 | 420 | 3.9 | 1.4 | 2760 | n/s | 35 |
| Kreitzler | KIB 08/084 | 8.45 | 28 | 200 | 1.65 | 0.8 | 1700 | n/s | 14 |
| Snorkel | S2255RT | 8.5 | 28 | 420 | 2.73 | 1.4 | 2360 | D | 35 |
| Kreitzler | KIB 08/086 | 8.6 | 28 | 300 | 2.4 | 0.8 | 2300 | n/s | 14 |
| Kreitzler | KIB 12/087 | 8.7 | 29 | 500 | 2.4 | 1.2 | 2550 | n/s | 14 |
| Holland Lift | HL-90 TX22 | 8.8 | 28.9 | 750 | 3.75 | 1.95 | 6540 | D | 35 |
| Weiss | SAB A-90 | 9 | 30 | 250 | 0.78 | 1.9 | 1934 | n/s | 23 |
| Weiss | SAB A-90 aqua | 9 | 30 | 250 | 0.78 | 1.9 | 1934 | n/s | n/s |
| Kreitzler | KIB 12/090 | 9 | 30 | 500 | 4 | 1.2 | 3500 | n/s | 14 |
| France Elévateur | AirLift M 9 | 9.2 | 30 | 400 | 3.3 | 1.85 | 3000 | n/s | n/s |
| Imer | IM 7380 | 9.2 | 30.2 | 200 | 1.63 | 0.8 | 1700 | E | 25 |
| Weiss | SAB AR-90 | 9.3 | 31 | 200 | 0.83 | 1.9 | 1810 | n/s | 100/45 |
| Airo | XS9 E | 9.38 | 31 | 200 | 1.65 | 0.77 | 2000 | n/s | 23 |
| Lift-A-Loft | MP31-10 | 9.45 | 31 | 454 | 2.57 | 1.14 | 1751 | E | n/s |
| Manitou | 120 SE | 9.5 | 31 | 318 | n/s | n/s | 2812 | n/s | n/s |
| GMG | 2632-ED | 9.6 | 31.5 | 227 | 2.45 | 0.8 | 2205 | E | 45 |
| Lift-A-Loft | MSP31 | 9.65 | 32 | 680 | 3.91 | 1.93 | 3470 | LPG/E | 15 |
| Genie | GS-2669 RT | 9.7 | 32 | 680 | 2.79 | 1.6 | 3768 | n/s | 40 |
| Genie | GS-2669 DC | 9.7 | 32 | 680 | 2.79 | 1.5 | 3442 | n/s | 35 |
| Genie | GS-2669BE | 9.7 | 32 | 680 | 2.79 | 1.6 | 3859 | n/s | 35 |
| Lift-A-Loft | SPX32 | 9.75 | 32 | 1361 | 4.57 | 2.13 | 8073 | n/s | 10 |
| MEC | 2684ES | 9.75 | 32 | 770 | 3.65 | 2.13 | 3675 | e | 40 |
| MEC | 2684RT | 9.75 | 32 | 770 | 3.65 | 1.83 | 3400 | D | 45 |
| Aichi | SV08CNL | 9.77 | 32 | 230 | 2.21 | 0.71 | 2140 | n/s | 28 |
| Aichi | SV08ENL | 9.77 | 32 | 230 | 2.21 | 0.8 | 2100 | n/s | 25 |
| Genie | GS-2646 | 9.8 | 32 | 454 | 2.26 | 1.15 | 2447 | n/s | 30 |
| Genie | GS-2632 | 9.8 | 32 | 227 | 2.26 | 0.81 | 1959 | n/s | 25 |
| Weiss | SAB B-99 | 9.9 | 32 | 500 | 1.14 | 2.5 | 2694 | n/s | 25 |
| Weiss | SAB B-99 aqua | 9.9 | 32 | 500 | 1.14 | 2.5 | 2694 | n/s | n/s |
| Snorkel | S3226E | 9.9 | 32 | 250 | 2.18 | 0.66 | 2045 | E | 25 |
| Snorkel | S4726E | 9.9 | 32 | 454 | 2.14 | 1.05 | 2216 | E | 25 |
| Snorkel | S3326E | 9.9 | 32 | 250 | 2.14 | 0.71 | 2045 | n/s | 25 |
| Manitou | 100 SC | 9.9 | 32 | 680 | 2.79 | 1.6 | 3701 | n/s | 40 |
| Kreitzler | KIB 08/099 | 9.9 | 32 | 200 | 1.65 | 0.8 | 1850 | n/s | 14 |
| MEC | 2659ERT | 9.9 | 32 | 450 | 2.31 | 1.17 | 2270 | e | 35 |
| Sinoboom | GTJZ0818D | 9.9 | 32.5 | 680 | 2.8 | 1.6 | 3915 | D | 40 |
| JLG | 260MRT | 9.92 | 33 | 570 | 1.65 | 2.59 | 3390 | n/s | 35 |
| JLG | 2646ES | 9.92 | 33 | 450 | 1.12 | 2.5 | 2600 | E | 25 |
| Skyjack | SJ 6826 RT | 9.92 | 33 | 567 | 2.44 | 1.42 | 3500 | n/s | 50 |
| Skyjack | SJ III 3226 | 9.92 | 33 | 227 | 2.13 | 0.71 | 1890 | n/s | 30 |
| Skyjack | SJ III 4626 | 9.92 | 33 | 454 | 2.13 | 1.07 | 2170 | n/s | 30 |
| Aichi | SV08WL | 9.92 | 33 | 450 | 2.41 | 1.17 | 2760 | n/s | 25 |
| Haulotte | Compact 10N | 10 | 33 | 230 | 2.3 | 0.8 | 2160 | n/s | 23 |
| Snorkel | S2632E | 10 | 33 | 227 | 0.74 | 2.31 | 2224 | n/s | n/s |
| Snorkel | S2646E | 10 | 33 | 454 | 1.14 | 2.38 | 2359 | n/s | n/s |
| ELS Makine | EL 10 T | 10 | 33 | 240 | 0.8 | 2.2 | 2200 | n/s | 23 |
| ELS Makine | EL 10 | 10 | 33 | 450 | 1.17 | 2.27 | 2350 | n/s | 23 |

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Gradeability (Degrees) |
|--------------|------------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|------------------------|
| PB Lift | PB ECo S100-8EC | 10 | 33 | 230 | 2.27 | 0.81 | 2180 | E | 25 |
| PB Lift | PB ECo S100-12EC | 10 | 33 | 450 | 2.27 | 1.12 | 2655 | E | 25 |
| JLG | 2632ES | 10 | 33 | 230 | 0.76 | 2.3 | 2118 | E | 25 |
| Snorkel | S2755BE | 10 | 33 | 300 | 3.9 | 1.4 | 2980 | n/s | 35 |
| MEC | 2632SE | 10 | 33 | 227 | 2.27 | 0.84 | 2120 | e | 25 |
| Almac | Bibi 1090-BL | 10 | 33 | 300 | 1.8 | 1.3 | 2900 | E/D | 25 |
| Almac | Bibi 1090-BL | 10 | 33 | 250 | 1.8 | 1.3 | 2800 | n/s | 25 |
| Almac | Bibi 1090-BL | 10 | 33 | 300 | 2.63 | 1.14 | 2900 | n/s | 25 |
| Snorkel | SL26SL | 10 | 33 | 680 | 3.6 | 1.72 | 3550 | D | 50 |
| GMG | 2646-ED | 10 | 32.8 | 450 | 2.46 | 1.17 | 2560 | E | 35 |
| GMG | 2669-RT | 10 | 32.8 | 680 | 3.12 | 1.75 | 3318 | E | 45 |
| Imer | IM 8290 | 10 | 32.8 | 300 | 2.27 | 0.9 | 2000 | E | 25 |
| Imer | IM 8290 EX | 10 | 32.8 | 230 | 2.27 | 0.9 | 2640 | E | 25 |
| Imer | IM 8122 | 10 | 32.8 | 500 | 2.27 | 1.2 | 1995 | E | 25 |
| Imer | IM 8122 EX | 10 | 32.8 | 500 | 2.27 | 1.2 | 2425 | E | 25 |
| Dingli | JCPT1013(OD) | 10 | 32.8 | 450 | 2.27 | 1.1 | 3120 | E | n/s |
| Dingli | JCPT1012HD | 10 | 32.8 | 450 | 2.27 | 1.1 | 2615 | E | 25 |
| Dingli | JCPT1008HD | 10 | 32.8 | 230 | 2.27 | 0.8 | 2140 | E | 25 |
| Dingli | JCPT1012DC | 10 | 32.8 | 450 | 2.27 | 1.1 | 2655 | E | 25 |
| Dingli | JCPT1008DC | 10 | 32.8 | 230 | 2.27 | 0.8 | 2180 | E | 25 |
| Sinoboom | GTJZ0808 | 10 | 32.8 | 250 | 2.25 | 0.8 | 1920 | E | 25 |
| Sinoboom | GTJZ0812 | 10 | 32.8 | 450 | 2.25 | 1.2 | 2490 | E | 25 |
| LGMG | AS0808 | 10 | 32.8 | 230 | n/s | n/s | 2180 | E/D | 25 |
| LGMG | AS0808E | 10 | 32.8 | 230 | n/s | n/s | 2180 | E | 25 |
| Runshare | GTJZ08 | 10 | 32.8 | 230 | 2.26 | 0.8 | 2010 | E | 25 |
| JCB | S2632E | 10.1 | 33.1 | 250 | 2.25 | 0.81 | 2062 | E | 25 |
| JCB | S2646E | 10.1 | 33.1 | 450 | 2.25 | 1.15 | 2528 | E | 25 |
| Haulotte | Compact 10 | 10.14 | 33 | 450 | 2.3 | 1.2 | 2330 | n/s | 23 |
| Haulotte | Compact 10 DX | 10.15 | 33 | 565 | 2.5 | 1.54 | 3440 | n/s | 40 |
| Skyjack | SJ 7127 | 10.2 | 33 | 681 | 2.96 | 1.62 | 4440 | n/s | 30 |
| Haulotte | Compact 10 RTE | 10.2 | 33 | 565 | 2.5 | 1.54 | 3380 | n/s | 25 |
| Weiss | SAB A-102 | 10.2 | 33 | 250 | 0.78 | 1.9 | 2150 | n/s | 23 |
| PB Lift | PB S101-12E | 10.2 | 33 | 500 | 2.7 | 1.19 | 2770 | E | 25 |
| Airo | X10 EN | 10.2 | 33 | 400 | 2.25 | 0.89 | 2750 | n/s | 20 |
| Airo | X10 EW | 10.2 | 33 | 500 | 2.25 | 1.2 | 2350 | n/s | 25 |
| Airo | X10 EW Wind | 10.2 | 33 | 500 | 2.25 | 1.2 | 2850 | n/s | 18 |
| Weiss | SAB A-102 aqua | 10.2 | 33 | 250 | 0.78 | 1.9 | 2150 | n/s | n/s |
| PB Lift | PB S101-12E | 10.2 | 33 | 500 | 2.7 | 1.19 | 2770 | n/s | 25 |
| Snorkel | S2770RT | 10.23 | 34 | 580 | 3.9 | 1.65 | 2800 | D | 35 |
| Snorkel | S2770BE | 10.3 | 34 | 580 | 2.71 | 1.65 | 3099 | D | 35 |
| Snorkel | S2755RT | 10.4 | 34 | 300 | 2.73 | 1.4 | 2580 | D | 35 |
| Kreitzler | KIB 18/105 GD4WD | 10.6 | 35 | 500 | 2.4 | 1.5 | 3000 | n/s | 40 |
| Weiss | SAB AR-102 | 10.6 | 35 | 200 | 0.83 | 1.9 | 1890 | n/s | 100/45 |
| Kreitzler | KIB 08/107 | 10.7 | 35 | 300 | 2.4 | 0.8 | 3280 | n/s | 14 |
| Kreitzler | KIB 12/107 | 10.7 | 35 | 500 | 2.4 | 1.2 | 2850 | n/s | 14 |
| Kreitzler | KIB 18/107 GD4WD | 10.7 | 35 | 500 | 3 | 1.5 | 2000 | n/s | 40 |
| Kreitzler | KIB 12/108 | 10.8 | 35 | 400 | 3 | 1.2 | 3300 | n/s | 14 |
| Kreitzler | KIB 18/109 | 10.9 | 36 | 1000 | 3 | 1.8 | 3500 | n/s | 14 |
| MEC | 3084ES | 11 | 36 | 680 | 4.27 | 2.13 | 3675 | e | 40 |
| MEC | 3084RT | 11 | 36 | 680 | 4.27 | 1.83 | 3400 | D | 45 |
| Snorkel | SL30SL | 11 | 36 | 590 | 4.23 | 1.7 | 3400 | D | 50 |
| Airo | XL11 E | 11.2 | 37 | 700 | 3.5 | 1.74 | 4850 | n/s | 25 |
| Kreitzler | KIB 08/113 | 11.33 | 37 | 200 | 1.65 | 0.8 | 2350 | n/s | 14 |
| Skyjack | SJ 8831 | 11.4 | 37 | 909 | 3.51 | 1.78 | 5684 | n/s | 30 |
| Genie | GS3246 | 11.5 | 38 | 318 | 2.26 | 1.15 | 1812 | n/s | 25 |
| Genie | GS3232 | 11.5 | 38 | 227 | 2.26 | 0.81 | 2352 | n/s | 25 |
| Skyjack | SJ III 4632 | 11.58 | 38 | n/s | n/s | n/s | 2302 | n/s | n/s |
| JLG | 3246ES | 11.68 | 38 | 320 | 1.12 | 2.5 | 2870 | E | 25 |
| Aichi | SV10WL | 11.7 | 38 | 450 | 2.41 | 1.17 | 2960 | n/s | 25 |
| Skyjack | SJ 6832 RT | 11.75 | 39 | 454 | 2.44 | 1.42 | 3781 | n/s | 40 |
| Skyjack | SJ III 4632 | 11.75 | 39 | 317 | 2.13 | 1.07 | 2300 | n/s | 25 |
| Genie | GS-3369 RT | 11.75 | 39 | 454 | 2.79 | 1.6 | 3949 | n/s | 35 |
| Genie | GS-3369 DC | 11.75 | 39 | 454 | 2.79 | 1.52 | 3623 | n/s | 35 |
| JLG | 10RS | 11.75 | 39 | 320 | 1.07 | 2.16 | 2750 | E | 25 |

SCISSOR LIFTS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Gradeability (Degrees) |
|--------------|--------------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|------------------------|
| Skyjack | SJ III 6832 RTE | 11.75 | 39 | 454 | 2.44 | 1.42 | 3781 | n/s | 45 |
| Genie | G-S3369BE | 11.75 | 39 | 454 | 2.79 | 1.6 | 3741 | n/s | 35 |
| Skyjack | SJ 6832 RTE | 11.75 | 39 | 454 | 2.44 | 1.42 | 3778 | n/s | 45 |
| MEC | 3259ERT | 11.75 | 39 | 340 | 2.31 | 1.17 | 3150 | e | 31 |
| Lissmac | SAB B-118 | 11.8 | 39 | 300 | 1.14 | 2.5 | 3070 | n/s | n/s |
| Weiss | SAB B-118 | 11.8 | 39 | 300 | 1.14 | 2.5 | 3070 | n/s | 25 |
| Snorkel | S3246E | 11.8 | 39 | 317 | 1.14 | 2.38 | 3003 | n/s | n/s |
| Weiss | SAB B-118 aqua | 11.8 | 39 | 300 | 1.14 | 2.5 | 3070 | n/s | n/s |
| Snorkel | S4732E | 11.8 | 39 | 349 | 2.4 | 1.05 | 2740 | E | 25 |
| Genie | GS-3384RT | 11.94 | 39 | 1134 | 3.98 | 1.83 | 6616 | n/s | 50 |
| Genie | GS-3390RT | 11.94 | 39 | 1134 | 3.98 | 1.83 | 6317 | n/s | 50 |
| Genie | GS-3390RT | 11.94 | 39 | 1134 | 7.38 | 1.83 | 6673 | n/s | 50 |
| Manitou | 120 SC | 11.96 | 39 | 454 | 2.79 | 1.6 | 3882 | n/s | 35 |
| Haulotte | Compact 12 | 12 | 39 | 300 | 2.3 | 1.2 | 2630 | n/s | 23 |
| Haulotte | H 12 SD | 12 | 39 | 900 | 4.92 | 1.8 | 5400 | n/s | n/s |
| Haulotte | H12 SXL | 12 | 39 | 700 | 7.3 | 1.9 | 5700 | n/s | 40 |
| Haulotte | H12 SX | 12 | 39 | 700 | 6 | 1.8 | 5510 | n/s | 40 |
| ELS makeine | EL 12 C | 12 | 39 | 300 | 1.17 | 2.2 | 1900 | n/s | n/s |
| ELS makeine | EL 12 | 12 | 39 | 300 | 1.17 | 2.27 | 2700 | n/s | 23 |
| PB Lift | PB ECo S120-12EC | 12 | 39 | 320 | 2.27 | 1.12 | 2965 | E | 25 |
| MEC | 3346SE | 12 | 39 | 340 | 2.3 | 1.2 | 2490 | e | 25 |
| JLG | 330LRT | 12 | 39 | 230 | 1.79 | 3.86 | 5614 | n/s | 45 |
| Almac | Bibi 1270-HE | 12 | 39 | 300 | 2.63 | 1.15 | 3180 | n/s | 25 |
| Almac | Bibi 1270-HE | 12 | 39 | 300 | 2.63 | 1.14 | 2880 | n/s | 25 |
| JCB | S3246E | 12 | 39.4 | 320 | 2.25 | 1.15 | 2646 | E | 25 |
| GMG | 3346-ED | 12 | 39.4 | 350 | 2.46 | 1.17 | 3110 | E | 30 |
| GMG | 3369-RT | 12 | 39.4 | 454 | 3.12 | 1.75 | 3608 | E | 40 |
| Imer | IM 10090 | 12 | 39.4 | 300 | 2.27 | 0.9 | 2850 | E | 25 |
| Imer | IM 10122 | 12 | 39.4 | 450 | 2.27 | 1.2 | 2455 | E | 25 |
| Imer | IM 10122 EX | 12 | 39.4 | 300 | 2.27 | 1.2 | 2930 | E | 25 |
| Dingli | JCPT1218RT | 12 | 39.4 | 454 | 2.88 | 1.5 | 4300 | D | 40 |
| Dingli | JCPT1418DC | 12 | 39.4 | 454 | 2.88 | 1.5 | 4400 | E | 40 |
| Dingli | JCPT1213(OD) | 12 | 39.4 | 400 | 2.27 | 1.1 | 3280 | E | n/s |
| Dingli | JCPT1212HD | 12 | 39.4 | 320 | 2.27 | 1.1 | 2945 | E | 25 |
| Dingli | JCPT1212DC | 12 | 39.4 | 320 | 2.27 | 1.1 | 2965 | E | 25 |
| Sinoboom | GTJZ1012 | 12 | 39.4 | 320 | 2.25 | 1.2 | 2570 | E | 25 |
| Sinoboom | GTJZ1018D | 12 | 39.4 | 450 | 2.8 | 1.6 | 4110 | D | 35 |
| LGMG | AS1012 | 12 | 39.4 | 320 | n/s | n/s | 2950 | E/D | 25 |
| LGMG | AS1012E | 12 | 39.4 | 320 | n/s | n/s | 2950 | E | 25 |
| Runshare | GTJZ10 | 12 | 39.4 | 320 | 2.26 | 1.1 | 2450 | E | 25 |
| Runshare | GTJZ10RT | 12 | 39.4 | 1150 | 3.95 | 1.8 | 5850 | D | 50 |
| JLG | 3369LE | 12.06 | 40 | 450 | 1.65 | 2.92 | 4600 | E | 35 |
| JLG | M3369LE | 12.06 | 40 | 450 | 1.65 | 2.92 | 5250 | E | 35 |
| JLG | 3394RT | 12.06 | 40 | 1020 | 3.81 | 2.18 | 6600 | n/s | 45 |
| PB Lift | PB S121-12E | 12.1 | 40 | 350 | 2.7 | 1.19 | 2880 | n/s | 25 |
| Snorkel | S3370RT | 12.1 | 40 | 450 | 3.9 | 1.65 | 3620 | D | 35 |
| Snorkel | S3370BE | 12.1 | 40 | 450 | 2.71 | 1.65 | 3919 | D | 30 |
| Airo | X12 EN | 12.1 | 40 | 300 | 2.25 | 0.89 | 3430 | n/s | 23 |
| Airo | X12 EW | 12.1 | 40 | 450 | 2.25 | 1.2 | 2820 | n/s | 26 |
| Airo | X12 EW Wind | 12.1 | 40 | 300 | 2.25 | 1.2 | 3320 | n/s | 23 |
| PB Lift | PB S121-12E | 12.1 | 40 | 350 | 2.7 | 1.19 | 2880 | n/s | 25 |
| Haulotte | Compact 12 RTE | 12.14 | 40 | 450 | 2.5 | 1.54 | 3720 | n/s | 25 |
| Haulotte | Compact 12 DX | 12.15 | 40 | 450 | 2.5 | 1.54 | 4060 | n/s | 40 |
| Airo | X12 RTD | 12.15 | 40 | 450 | 2.9 | 1.8 | 4330 | n/s | 35 |
| Airo | X12 RTE | 12.15 | 40 | 450 | 2.4 | 1.6 | 4580 | n/s | 35 |
| Kreitzler | KIB 20/123 GD4WD | 12.3 | 40 | 1000 | 4 | 2 | 4500 | n/s | 40 |
| Kreitzler | KIB 08/124 | 12.4 | 41 | 300 | 2.4 | 0.8 | 3800 | n/s | 14 |
| Kreitzler | KIB 18/124 GD4WD | 12.4 | 41 | 500 | 2.4 | 1.5 | 3500 | n/s | 40 |
| TKD | HL 107 EV | 12.5 | 41 | 420 | 3.14 | 1.52 | n/s | n/s | n/s |
| Kreitzler | KIB 12/126 | 12.6 | 41 | 400 | 2.4 | 1.2 | 3740 | n/s | 14 |
| Skyjack | SJ 7135 | 12.7 | 42 | 454 | 2.96 | 1.62 | 4727 | n/s | 30 |
| Holland Lift | HL-130 E12 | 12.7 | 41.7 | 650 | 3.25 | 1.17 | 4780 | E | 25 |
| Holland Lift | HL-130 E16 | 12.7 | 41.7 | 650 | 3.25 | 1.56 | 4920 | E | 25 |
| PB Lift | PB S128-19E HT 4x4 | 12.8 | 42 | 900 | 4.11 | 1.88 | 7316 | E | 30 |

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Gradeability (Degrees) |
|--------------|------------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|------------------------|
| PB Lift | PB S128-19EP HT | 12.8 | 42 | 900 | 4.11 | 1.88 | 7860 | E | 20 |
| Holland Lift | HL-130 E18 | 12.8 | 42 | 650 | 3.25 | 1.56 | 4980 | E | 25 |
| Holland Lift | HL-130 T22 | 12.8 | 42 | 500 | 3.21 | 1.74 | 7020 | D | 35 |
| PB Lift | PB S128-19E HT | 12.85 | 42 | 900 | 4.11 | 1.88 | 7760 | E | 20 |
| Kreitzler | KIB 12/129 | 12.9 | 42 | 500 | 4 | 1.2 | 4000 | n/s | 14 |
| Kreitzler | KIB 18/129 | 12.9 | 42 | 1000 | 4 | 1.8 | 3800 | n/s | 14 |
| PB Lift | PB S131-16E | 13 | 43 | 700 | 3.08 | 1.58 | 5023 | E | 25 |
| PB Lift | PB S131-16ES | 13 | 43 | 700 | 3.08 | 1.58 | 5300 | E | 25 |
| PB Lift | PB S131-12E | 13 | 43 | 700 | 2.9 | 1.19 | 4549 | E | 25 |
| PB Lift | PB S131-12ES | 13 | 43 | 700 | 2.9 | 1.19 | 4540 | E | 25 |
| PB Lift | PB S131-19E | 13 | 43 | 750 | 4.11 | 1.88 | 7250 | E | 20 |
| PB Lift | PB S131-19EP | 13 | 43 | 750 | 4.11 | 1.88 | 7250 | E | 20 |
| Imer | IM 11180 E | 13 | 42.7 | 600 | 2.7 | 1.6 | 4450 | E | n/s |
| Imer | IM 11180 D | 13 | 42.7 | 600 | 2.7 | 1.6 | 4250 | D | n/s |
| Imer | IM 11180 DE | 13 | 42.7 | 600 | 2.7 | 1.6 | 4650 | E/D | n/s |
| PB Lift | PB S131-16ES LP | 13.04 | 43 | 500 | 4.13 | 1.58 | 5530 | E | 25 |
| PB Lift | PB S131-19E 4x4 | 13.25 | 43 | 700 | 4.11 | 1.88 | 7350 | E | 20 |
| Kreitzler | KIB 12/134 | 13.4 | 44 | 400 | 3 | 1.2 | 4600 | n/s | 14 |
| Kreitzler | KIB 18/135 | 13.5 | 44 | 1000 | 3 | 1.8 | 4500 | n/s | 14 |
| Kreitzler | KIB 20/136 GD4WD | 13.65 | 45 | 800 | 3 | 1.8 | 4750 | n/s | 40 |
| Weiss | SAB B-137 | 13.7 | 45 | 300 | 1.14 | 2.5 | 3510 | n/s | 20 |
| Genie | GS-4047 | 13.7 | 45 | 350 | 2.26 | 1.15 | 3221 | n/s | 25 |
| Weiss | SAB B-137 L | 13.7 | 45 | 300 | 1.14 | 2.5 | 2850 | n/s | 25 |
| Weiss | SAB B-137 aqua | 13.7 | 45 | 300 | 1.14 | 2.5 | 3510 | n/s | n/s |
| Haulotte | Compact 14 | 13.8 | 45 | 350 | 2.3 | 0.8 | 3170 | n/s | 23 |
| PB Lift | PB S140-12EC | 13.8 | 45 | 320 | 2.27 | 1.12 | 2880 | E | 25 |
| Skyjack | SJ III 4740 | 13.8 | 45 | 350 | 2.19 | 1.06 | 2985 | n/s | 25 |
| Skyjack | SJ III 4740 | 13.8 | 45 | 350 | 2.19 | 1.06 | 2985 | n/s | 25 |
| Skyjack | SJ III 4740 | 13.8 | 45 | 350 | 2.19 | 1.06 | 2985 | n/s | 25 |
| Skyjack | SJ III 4740 DC | 13.8 | 45 | 350 | 2.19 | 1.06 | 2985 | n/s | 25 |
| PB Lift | PB ECo S140-12EC | 13.8 | 45 | 320 | 2.27 | 1.2 | 2880 | n/s | 25 |
| MEC | 4046SE | 13.8 | 45 | 250 | 2.3 | 1.1 | 3070 | e | 25 |
| Snorkel | S3970RT | 13.9 | 46 | 350 | 3.9 | 1.65 | 3790 | D | 30 |
| Snorkel | S3970BE | 13.9 | 46 | 350 | 2.71 | 1.65 | 4090 | D | 30 |
| JCB | S4046E | 13.9 | 45.6 | 320 | 2.25 | 1.15 | 2996 | E | 25 |
| JLG | 4045R | 13.96 | 46 | 250/350 | 1.05 | 2.43 | 3175 | E | 25 |
| ELS makine | EL 14 | 14 | 46 | 300 | 1.17 | 2.27 | 3200 | n/s | 23 |
| Airo | X14 EW | 14 | 46 | 400 | 2.25 | 1.2 | 3365 | n/s | 23 |
| Airo | XL14 E | 14 | 46 | 500 | 3.5 | 1.74 | 5150 | n/s | 22 |
| Airo | X14 RTD | 14 | 46 | 400 | 2.9 | 1.8 | 4530 | n/s | 30 |
| Airo | X14 EN | 14 | 46 | 230 | 2.25 | 0.89 | 3600 | n/s | 22 |
| Airo | X14 RTE | 14 | 46 | 400 | 2.4 | 1.6 | 4780 | n/s | 35 |
| MEC | 4069ERT | 14 | 46 | 408 | 3 | 1.5 | 4990 | e | 40 |
| MEC | 4069RT | 14 | 46 | 408 | 3 | 1.5 | 4990 | D | 40 |
| Almac | Bibi 1470-HE | 14 | 46 | 300 | 2.63 | 1.14 | 3380 | n/s | 25 |
| GMG | 4046-ED | 14 | 45.9 | 350 | 2.46 | 1.17 | 3400 | E | 25 |
| GMG | 4069-RT | 14 | 45.9 | 363 | 3.12 | 1.75 | 4651 | E | 40 |
| Imer | IM 12090 | 14 | 45.9 | 220 | 2.27 | 0.9 | 3000 | E | 25 |
| Imer | IM 12122 | 14 | 45.9 | 350 | 2.27 | 1.2 | 2920 | E | 25 |
| Dingli | JCPT1418RT | 14 | 45.9 | 363 | 2.88 | 1.5 | 5050 | D | 40 |
| Dingli | JCPT1218DC | 14 | 45.9 | 363 | 2.88 | 1.5 | 5150 | E | 40 |
| Dingli | JCPT1412HD | 14 | 45.9 | 320 | 2.27 | 1.1 | 2840 | E | 25 |
| Dingli | JCPT1412DC | 14 | 45.9 | 320 | 2.27 | 1.1 | 2880 | E | 25 |
| Sinoboom | GTJZ1212 | 14 | 45.9 | 320 | 2.25 | 1.2 | 2900 | E | 25 |
| Sinoboom | GTJZ1218D | 14 | 45.9 | 365 | 2.8 | 1.6 | 5180 | D | 35 |
| LGMG | AS1212 | 14 | 45.9 | 320 | n/s | n/s | 3300 | E/D | 25 |
| LGMG | AS1212E | 14 | 45.9 | 320 | n/s | n/s | 3250 | E | 25 |
| Runshare | GTJZ12 | 14 | 45.9 | 320 | 2.26 | 1.1 | 2580 | E | 25 |
| Airo | XL16 RTD | 14.1 | 46 | 700 | 4.04 | 1.87 | 8000 | n/s | 40 |
| Genie | GS-4069RT | 14.12 | 46 | 363 | 2.79 | 1.6 | 5136 | n/s | 35 |
| Genie | GS-4069 DC | 14.12 | 46 | 363 | 2.79 | 1.5 | 4810 | n/s | 35 |
| Genie | GS-4069BE | 14.12 | 46 | 363 | 2.79 | 1.6 | 4893 | n/s | 35 |
| JLG | 4069LE | 14.19 | 47 | 360 | 1.65 | 2.92 | 5300 | E | 35 |
| JLG | M4069LE | 14.19 | 47 | 360 | 1.65 | 2.92 | 5700 | E | 35 |

SCISSOR LIFTS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Gradeability (Degrees) |
|--------------|--------------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|------------------------|
| Manitou | 140 SC | 14.2 | 47 | 363 | 2.79 | 1.6 | 5039 | n/s | 35 |
| Airo | XL14 RTD | 14.23 | 47 | 700 | 3.5 | 1.74 | 5870 | n/s | 35 |
| Skyjack | SJ 8841 | 14.5 | 48 | 681 | 3.51 | 1.78 | 6173 | n/s | 30 |
| Skyjack | SJ 9241 | 14.5 | 48 | 681 | 4.27 | 1.88 | 6715 | n/s | 30 |
| Genie | GS-4390RT | 14.75 | 48 | 680 | 3.98 | 1.83 | 6752 | n/s | 50 |
| Kreitzler | KIB 22/149 | 14.9 | 49 | 1000 | 5 | 1.8 | 6000 | n/s | 14 |
| Haulotte | H15 SX | 15 | 49 | 700 | 6 | 1.8 | 5900 | n/s | n/s |
| Liftlux | SL 130-20 | 15 | 49 | 500 | 1.95 | 3.25 | 7050 | n/s | n/s |
| Liftlux | SL 130-20 D | 15 | 49 | 500 | 1.95 | 3.25 | 5350 | n/s | n/s |
| Haulotte | H15 SXL | 15 | 49 | 500 | 7.3 | 1.9 | 6530 | n/s | 40 |
| Haulotte | H15 SX | 15 | 49 | 700 | 6 | 1.8 | 6340 | n/s | 40 |
| PB Lift | PB S151-19E 4x4 | 15 | 49 | 500 | 4.11 | 1.88 | 7310 | E | 30 |
| PB Lift | PB S151-12E | 15 | 49 | 550 | 2.9 | 1.19 | 5400 | E | 25 |
| PB Lift | PB S151-12ES | 15 | 49 | 550 | 2.9 | 1.19 | 5940 | E | 25 |
| PB Lift | PB S151-16E | 15 | 49 | 550 | 3.08 | 1.58 | 4988 | E | 25 |
| PB Lift | PB S151-16ES | 15 | 49 | 550 | 3.08 | 1.58 | 5480 | E | 25 |
| Mieve | PE-15 | 15 | 49 | 500 | 3.9 | 1.88 | 6600 | D | 30 |
| Kreitzler | KIB 12/150 | 15 | 49 | 250 | 2.4 | 1.2 | 4000 | n/s | 14 |
| ATN | CX 15 | 15 | 49.2 | 700 | 4.8 | 2.2 | 7300 | D | 45 |
| Imer | IM 13180 E | 15 | 49.2 | 500 | 2.7 | 1.6 | 4750 | E | n/s |
| Imer | IM 13180 D | 15 | 49.2 | 500 | 2.7 | 1.6 | 4650 | D | n/s |
| Imer | IM 13180 DE | 15 | 49.2 | 500 | 2.7 | 1.6 | 4850 | E/D | n/s |
| Dingli | JCPT1523RT | 15 | 49.2 | 680 | 3.98 | 1.8 | 8200 | D | 50 |
| Runshare | GTJZ13RT | 15 | 49.2 | 680 | 3.95 | 1.8 | 6350 | D | 50 |
| Weiss | SAB C-151 | 15.1 | 50 | 500 | 1.14 | 2.95 | 5750 | n/s | 25 |
| Genie | GS-4390RT | 15.11 | 50 | 680 | 7.38 | 1.83 | 7163 | n/s | 50 |
| JLG | 4394RT | 15.11 | 50 | 680 | 3.81 | 2.18 | 7100 | n/s | 45 |
| PB Lift | PB S151-19E | 15.3 | 50 | 500 | 4.11 | 1.88 | 7650 | E | 30 |
| PB Lift | PB S151-19EP | 15.3 | 50 | 500 | 4.11 | 1.88 | 7650 | E | 30 |
| PB Lift | PB S151-19E HT 4x4 | 15.44 | 51 | 750 | 4.11 | 1.88 | 8610 | E | 30 |
| PB Lift | PB S151-19E HT | 15.44 | 51 | 750 | 4.11 | 1.88 | 8390 | E | 30 |
| PB Lift | PB S151-19EP HT | 15.44 | 51 | 750 | 4.11 | 1.88 | 8410 | E | 30 |
| Holland Lift | HL-160 E18 | 15.5 | 50.9 | 750 | 4.26 | 1.78 | 7480 | E | 25 |
| Holland Lift | HL-160 E24 | 15.5 | 50.9 | 750 | 4.26 | 2.3 | 7480 | E | 25 |
| Kreitzler | KIB 22/156 GD4WD | 15.6 | 51 | 800 | 4 | 2 | 5000 | n/s | 40 |
| PB Lift | PB S160-12EC | 15.7 | 52 | 200 | 2.64 | 1.22 | 3150 | E | 25 |
| PB Lift | PB ECo S160-12EC | 15.7 | 52 | 200 | 2.64 | 1.22 | 3180 | n/s | 25 |
| MEC | 4555SE | 15.7 | 52 | 227 | 2.6 | 1.1 | 3260 | e | 24 |
| Holland Lift | HL-160 H20 4WD/P/N | 15.7 | 51.5 | 750 | 4.07 | 1.85 | 8260 | H | 25 |
| Holland Lift | HL-160 D20 4WD/P/N | 15.7 | 51.5 | 750 | 4.07 | 1.85 | 8300 | D | 25 |
| Holland Lift | HL-160 E20 | 15.7 | 51.5 | 750 | 4.07 | 1.85 | 7760 | E | 25 |
| Airo | XL16 E | 15.8 | 52 | 500 | 4.01 | 1.88 | 7050 | n/s | 22 |
| JCB | S4550E | 15.8 | 51.8 | 227 | 2.64 | 0.81 | 3366 | E | 25 |
| Airo | X16 EW | 15.9 | 52 | 250 | 2.25 | 1.2 | 3600 | n/s | 23 |
| Kreitzler | KIB 12/160 | 16 | 52 | 400 | 3 | 1.2 | 4900 | n/s | 14 |
| Holland Lift | HL-160 E12 | 16 | 52.5 | 750 | 3.38 | 1.16 | 7550 | E | 25 |
| GMG | 4646-ED | 16 | 52.5 | 230 | 2.46 | 1.17 | 3717 | E | 25 |
| Imer | IM 14122 | 16 | 52.5 | 250 | 2.27 | 1.2 | 3000 | E | 25 |
| Imer | IT 14220 E | 16 | 52.5 | 800 | 3.9 | 2 | 8260 | E | 45 |
| Imer | IT 14220 D | 16 | 52.5 | 800 | 3.9 | 2 | 7950 | D | 45 |
| Dingli | JCPT1612HD | 16 | 52.5 | 200 | 2.64 | 1.1 | 3130 | E | 25 |
| Dingli | JCPT1614HD | 16 | 52.5 | 227 | 2.64 | 1.1 | 3280 | E | 25 |
| Dingli | JCPT1614DC | 16 | 52.5 | 227 | 2.64 | 1.1 | 3320 | E | 25 |
| Dingli | JCPT1612DC | 16 | 52.5 | 200 | 2.64 | 1.1 | 3180 | E | 25 |
| Sinoboom | GTJZ1412 | 16 | 52.5 | 227 | 2.64 | 0.8 | 3100 | E | 25 |
| LGMG | AS1412 | 16 | 52.5 | 320 | n/s | n/s | 3300 | E/D | 25 |
| Runshare | GTJZ14K | 16 | 52.5 | 320 | 2.93 | 1.5 | 4100 | D | 20 |
| Holland Lift | Q-135 DL 24 TR | 16 | 52.5 | 750 | 6.07 | 2.3 | 10440 | D | 35 |
| Holland Lift | HL-160 T24 | 16 | 52.5 | 750 | 4.27 | 2.3 | 10400 | D | 35 |
| Kreitzler | KIB 12/162 | 16.2 | 53 | 400 | 4 | 1.2 | 5600 | n/s | 14 |
| Kreitzler | KIB 18/162 | 16.2 | 53 | 750 | 4 | 1.8 | 4900 | n/s | 14 |
| Kreitzler | KIB 20/163 | 16.3 | 53 | 750 | 3 | 2 | 6300 | n/s | 14 |
| Kreitzler | KIB 22/164 GD4WD | 16.4 | 54 | 750 | 3 | 2 | 5250 | n/s | 40 |
| PB Lift | PB S171-16E | 17.03 | 56 | 400 | 3.08 | 1.58 | 5512 | E | 25 |

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Gradeability (Degrees) |
|--------------|--------------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|------------------------|
| PB Lift | PB S171-12E | 17.1 | 56 | 400 | 2.9 | 1.19 | 5370 | E | 25 |
| PB Lift | PB S171-12ES | 17.1 | 56 | 400 | 2.9 | 1.19 | 5710 | E | 25 |
| PB Lift | PB S171-16ES | 17.1 | 56 | 400 | 3.08 | 1.58 | 5984 | E | 25 |
| Skyjack | SJ 9250 | 17.2 | 56 | 681 | 4.47 | 1.88 | 7407 | n/s | 30 |
| Weiss | SAB C-175 | 17.5 | 57 | 500 | 1.14 | 2.95 | 6050 | n/s | 25 |
| PB Lift | PB S175-19E 4x4 | 17.8 | 58 | 500 | 4.11 | 1.88 | 9030 | E | 30 |
| Genie | GS-5390RT | 17.95 | 59 | 680 | 3.9 | 1.83 | 7639 | n/s | 40 |
| Genie | GS-5390RT | 17.95 | 59 | 680 | 7.38 | 1.83 | 8050 | n/s | 40 |
| Haulotte | H18 SXL | 18 | 59 | 500 | 7.3 | 1.9 | 7490 | n/s | 40 |
| Haulotte | H18 SX | 18 | 59 | 500 | 6 | 1.8 | 7300 | n/s | 40 |
| Mieve | PE-18 | 18 | 59 | 500 | 3.9 | 1.88 | 7900 | Diesel | 30 |
| Dingli | JCPT1823RT | 18 | 59.1 | 680 | 3.98 | 1.8 | 9190 | D | 40 |
| Sinoboom | GTJZ1623D | 18 | 59.1 | 680 | 3.98 | 1.8 | 8780 | D | 40 |
| LGMG | SR1623 | 18 | 59.1 | 680 | 3.89 | 1.83 | 8100 | n/s | 40 |
| Runshare | GTJZ16RT | 18 | 59.1 | 680 | 3.95 | 1.8 | 7850 | D | 40 |
| PB Lift | PB S175-19E | 18.1 | 59 | 500 | 4.11 | 1.88 | 8810 | E | 30 |
| PB Lift | PB S175-19EP | 18.1 | 59 | 500 | 4.11 | 1.88 | 8810 | E | 30 |
| JLG | 530LRT | 18.15 | 60 | 680 | 1.91 | 4.06 | 7995 | n/s | 45 |
| Holland Lift | HL 190 E/H/D20 | 18.6 | 61 | 550 | 6.07 | 1.85 | 8660 | E/D | 25 |
| Holland Lift | HL-190 D20 4WD/P/N | 18.6 | 61 | 550 | 4.07 | 1.85 | 8410 | D | 25 |
| Holland Lift | HL-190 H20 4WD/P/N | 18.6 | 61 | 550 | 4.07 | 1.85 | 9950 | H | 25 |
| Holland Lift | HL-190 E20 | 18.66 | 61.2 | 750 | 4.07 | 1.85 | 7760 | E | 25 |
| Holland Lift | HL-190 E25 | 18.7 | 61.4 | 1000 | 4.5 | 2.3 | 11670 | E | 25 |
| Kreitzler | KIB 22/188 GD4WD | 18.8 | 62 | 750 | 4 | 2 | 8000 | n/s | 40 |
| Holland Lift | HL-190 E12 | 18.8 | 61.7 | 500 | 3.38 | 1.16 | 7985 | E | 25 |
| Kreitzler | KIB 20/190 | 19 | 62 | 500 | 3 | 2 | 7500 | n/s | 14 |
| Kreitzler | KIB 22/190 | 19 | 62 | 500 | 5 | 1.8 | 8000 | n/s | 14 |
| Kreitzler | KIB 24/190 GD4WD | 19 | 62 | 500 | 3 | 2 | 7500 | n/s | 40 |
| Imer | IT 17220 E | 19 | 62.3 | 540 | 3.9 | 2 | 8600 | E | 45 |
| Imer | IT 17220 D | 19 | 62.3 | 540 | 3.9 | 2 | 8300 | D | 45 |
| Airo | XL19 E | 19.26 | 63 | 500 | 4.01 | 1.88 | 9645 | n/s | 20 |
| Airo | XL19 RTD | 19.28 | 63 | 500 | 4.04 | 1.88 | 9520 | n/s | 40 |
| Kreitzler | KIB 12/195 | 19.5 | 64 | 400 | 4 | 1.2 | 9500 | n/s | 14 |
| Kreitzler | KIB 18/195 | 19.5 | 64 | 750 | 4 | 1.8 | 6900 | n/s | 14 |
| PB Lift | PB S195-12E | 19.6 | 64 | 600 | 3.98 | 1.19 | 8820 | E | 25 |
| PB Lift | PB S195-12ES | 19.6 | 64 | 600 | 3.98 | 1.19 | 9360 | E | 25 |
| Weiss | SAB C-200 | 20 | 66 | 400 | 1.14 | 2.95 | 6400 | n/s | 25 |
| MEC | 6092RT | 20.2 | 66 | 540 | 5.3 | 1.9 | 9880 | D | 40 |
| Mieve | PE-21 | 21 | 69 | 500 | 3.9 | 1.88 | 10200 | Diesel | 30 |
| Holland Lift | HL-220 H25 4WD/P/N | 21.7 | 71.2 | 750 | 4.5 | 2.3 | 13800 | H | 30 |
| Holland Lift | HL-220 D25 4WD/P/N | 21.7 | 71.2 | 750 | 4.5 | 2.3 | 11990 | D | 30 |
| Holland Lift | HL-220 E12 | 21.7 | 71.2 | 500 | 3.38 | 1.16 | 9120 | E | 25 |
| Holland Lift | HL-220 E25 | 21.7 | 71.2 | 750 | 4.5 | 2.3 | 11670 | E | 25 |
| Kreitzler | KIB 25/220 GD4WD | 22 | 72 | 750 | 4 | 2 | 10000 | n/s | 40 |
| Dingli | JCPT2223RTA | 22 | 72.2 | 750 | 4.35 | 1.9 | 12040 | D | 30 |
| Dingli | JCPT2212HD | 22 | 72.2 | 450 | 3.98 | 1.2 | 9755 | E | 25 |
| PB Lift | PB S225-24DS | 22.3 | 73 | 750 | 4.5 | 2.36 | 12030 | D | 30 |
| PB Lift | PB S225-24DS 4x4 | 22.3 | 73 | 750 | 4.5 | 2.36 | 12160 | D | 30 |
| PB Lift | PB S225-24ES 4x4 | 22.3 | 73 | 750 | 4.5 | 2.36 | 14030 | E | 30 |
| PB Lift | PB S225-12E | 22.5 | 74 | 450 | 3.98 | 1.19 | 9750 | E | 25 |
| PB Lift | PB S225-12ES | 22.5 | 74 | 450 | 3.98 | 1.19 | 10290 | E | 25 |
| Kreitzler | KIB 12/228 | 22.8 | 75 | 400 | 4 | 1.2 | 15000 | n/s | 14 |
| Kreitzler | KIB 20/228 | 22.8 | 75 | 500 | 4 | 2 | 9500 | n/s | 14 |
| Holland Lift | HL-235 D25 4WD/P/N | 23 | 75.5 | 1000 | 5.22 | 2.4 | 17950 | D | 25 |
| Kreitzler | KIB 22/236 | 23.6 | 77 | 400 | 5 | 1.8 | 10000 | n/s | 14 |
| PB Lift | PB S240-24D 4x4 | 23.9 | 78 | 1000 | 5.73 | 2.4 | 21500 | D | 30 |
| PB Lift | PB S240-24E 4x4 | 23.9 | 78 | 1000 | 5.73 | 2.4 | 23990 | E | 30 |
| Mieve | PE-25 | 25 | 82 | 500 | 5.5 | 2.15 | 19500 | Diesel | 30 |
| Kreitzler | KIB 12/258 | 25.8 | 85 | 500 | 6.5 | 1.2 | 24000 | n/s | 14 |
| Kreitzler | KIB 25/258 | 25.8 | 85 | 1000 | 6.5 | 2 | 19000 | n/s | 14 |
| Kreitzler | KIB 25/258 GD4WD | 25.8 | 85 | 1500 | 6.5 | 2 | 20400 | n/s | 40 |
| Holland Lift | HL-275 D27 4WD/P/N | 27.2 | 89.2 | 1000 | 6.15 | 2.5 | 21910 | D | 30 |
| Holland Lift | HL-275 E25 4WD/P/N | 27.2 | 89.2 | 1000 | 6.15 | 2.35 | 24980 | E | 25 |
| Holland Lift | HL-275 H25 | 27.2 | 89.2 | 1000 | 6.15 | 2.35 | 24980 | H | 25 |

SCISSOR LIFTS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Gradeability (Degrees) |
|--------------|-------------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|------------------------|
| PB Lift | PB S270-24D 4x4 | 27.3 | 90 | 1000 | 5.73 | 2.4 | 25320 | D | 30 |
| PB Lift | PB S270-24E 4x4 | 27.3 | 90 | 1000 | 5.73 | 2.4 | 26890 | E | 30 |
| PB Lift | PB S275-14E | 27.5 | 90 | 750 | 6.15 | 1.2 | 696 | E | n/s |
| PB Lift | PB S275-14ES | 27.5 | 90 | 750 | 6.15 | 1.2 | 696 | E | n/s |
| PB Lift | PB S275-18E | 27.5 | 90 | 900 | 6.15 | 1.8 | 23000 | E | n/s |
| PB Lift | PB S275-18ES | 27.5 | 90 | 900 | 6.15 | 1.8 | 23000 | E | n/s |
| PB Lift | PB S275-24DS | 27.5 | 90 | 900 | 6.15 | 2.4 | 22500 | E | n/s |
| PB Lift | PB S275-24E | 27.5 | 90 | 900 | 6.15 | 2.4 | 24500 | E | n/s |
| PB Lift | PB S275-24ES | 27.5 | 90 | 900 | 6.15 | 2.4 | 24500 | E | n/s |
| Kreitzler | KIB 22/280 | 28 | 92 | 400 | 5 | 1.8 | 15000 | n/s | 14 |
| Holland Lift | HL-285 E13 4WDS | 28.2 | 92.5 | 750 | 5.21 | 1.3 | 18770 | E | 25 |
| Holland Lift | HL-285 E13 4WDS/N | 28.2 | 92.5 | 750 | 5.21 | 1.3 | 19370 | E | 25 |
| Kreitzler | KIB 12/315 | 31.5 | 103 | 500 | 6.5 | 1.2 | 28500 | n/s | 14 |
| Kreitzler | KIB 25/315 | 31.5 | 103 | 1000 | 6.5 | 2 | 23650 | n/s | 14 |
| Kreitzler | KIB 25/315 GD4WD | 31.5 | 103 | 1000 | 6.5 | 2 | 25000 | n/s | 40 |
| PB Lift | PB S320-14E | 32.15 | 105 | 600 | 6.15 | 1.2 | 696 | E | n/s |
| PB Lift | PB S320-14ES | 32.15 | 105 | 600 | 6.15 | 1.2 | 696 | E | n/s |
| PB Lift | PB S320-18E | 32.15 | 105 | 750 | 6.15 | 1.8 | 24000 | E | n/s |
| PB Lift | PB S320-18ES | 32.15 | 105 | 750 | 6.15 | 1.8 | 24220 | E | n/s |
| PB Lift | PB S320-24DS | 32.15 | 105 | 900 | 6.15 | 2.4 | 24500 | E | n/s |
| PB Lift | PB S320-24E | 32.15 | 105 | 900 | 6.15 | 2.4 | 26500 | E | n/s |
| PB Lift | PB S320-24ES | 32.15 | 105 | 900 | 6.15 | 2.4 | 26500 | E | n/s |
| Holland Lift | HL-330 E14 4WDS/N | 33 | 108.3 | 600 | 6.4 | 1.2 | 24000 | E | 25 |
| Holland Lift | HL-340 D30 4WDS/N | 33.5 | 109.9 | 1000 | 6.66 | 2.8 | 31200 | D | 35 |
| Holland Lift | HL-340 E30 4WDS/N | 33.5 | 109.9 | 1000 | 6.66 | 2.8 | 34850 | E | 35 |
| Kreitzler | KIB 12/373 | 37.3 | 122 | 500 | 6.5 | 1.2 | 33000 | n/s | 14 |
| Kreitzler | KIB 25/373 | 37.3 | 122 | 800 | 6.5 | 2 | 25000 | n/s | 14 |
| Kreitzler | KIB 25/373 GD4WD | 37.3 | 122 | 1000 | 6.5 | 2 | 30000 | n/s | 40 |
| Kreitzler | KIB 32/430 | 43 | 141 | 1000 | 8 | 2.5 | 29500 | n/s | 14 |
| Haulotte | H 16 SDX | n/s | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Skyjack | SJ III 4749 DC | n/s | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Almac | BiApple 2.0 | n/s | n/s | 400 | 1.52 | 1.5 | 1650 | n/s | 20 |



EXMILE
Premium Special Tyre Manufacturer

Lift The Future

EXMILE SPECIAL TYRE





[EXMILE TYRE]
Website
www.exmiletire.com

EXMILE SPECIAL TYRE CO., LTD.
ADD: Phoenix Industry Park-Laizhou
Economy Developing Zone,
Shandong Province, P.R.China
FAX: +86 535 2717077
E-mail: exmiletire@exmiletire.com

+86 535 2717086
+86 532 85800503





Stock Code : 603338



Italian Design

The Dingli European R&D Centre holds more than 10 global patents, for its Smart Range of eight boom lifts with working heights from 16 to 28 metres, featuring:

- New concept structural design,
- Integrated 4x4x4 axle type drive,
- Modular low weight high performance efficient design,
- High degree of parts and component commonality.

Recruitment

We are looking to recruit overseas senior sales managers for the following regions: Vietnam, Philippines, Brazil, India and the UAE.

If you are looking to challenge yourself, please email your resume/CV to hr@cndingli.com

ZHEJIANG DINGLI MACHINERY CO.,LTD.

No.1255 Baiyun South Road, Deqing, Zhejiang
 P.R.C 313219
 Tel:+86-572-8681688
 Fax:+86-572-8681690
 E-Mail: export@cndingli.com
 Http://www.cndingli.com



Telescopic Boom Lifts



Articulating Boom Lifts



VERTICAL PERSONNEL LIFTS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Height (m) | Platform Width (m) | Transport Weight (kg) |
|--------------|------------------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|-----------------------|
| Power Towers | Pecolift WR | 3.5 | 11 | 150 | 0.72 | 0.6 | 240 |
| Power Towers | Ecolift 2.5 | 3.5 | 11 | 150 | 0.9 | 0.7 | 145 |
| Power Towers | Ecolift WR | 4.2 | 14 | 150 | 0.85 | 0.64 | 335 |
| Power Towers | Ecolift 1.5 | 4.2 | 14 | 150 | 0.85 | 0.64 | 305 |
| Power Towers | 830 P | 4.5 | 15 | 200 | 1 | 0.73 | 285 |
| Power Towers | 830 Sp | 4.5 | 15 | 200 | 1.5 | 0.72 | 478 |
| Power Towers | 830 Sp Zero | 4.5 | 15 | 200 | 1 | 0.73 | 456 |
| Power Towers | 830 Sp Plus | 4.5 | 15 | 200 | 2 | 0.72 | 540 |
| Faraone | Elevah 47 | 4.7 | 15 | 100 | 0.66 | 0.66 | 260 |
| Faraone | Elevah 50 F | 5.1 | 17 | 200 | 0.66 | 0.66 | 168 |
| Faraone | Elevah 50 | 5.1 | 17 | 200 | 0.66 | 0.66 | 206 |
| Faraone | Elevah 53 | 5.1 | 17 | 200 | 0.66 | 0.66 | 160 |
| Faraone | Elevah 50 Move | 5.1 | 17 | 200 | 0.66 | 0.66 | 285 |
| Faraone | Elevah 51 Move Picking | 5.1 | 17 | 200 | 0.66 | 0.66 | 330 |
| Faraone | PK 50 S | 5.1 | 17 | 200 | n/s | n/s | 290 |
| Faraone | PK 60 | 6 | 20 | 200 | 1.25 | 0.78 | 365 |
| Faraone | Elevah 61 | 6.1 | 20 | 200 | 0.66 | 0.66 | 219 |
| ALP-Lift | PHC 650 | 6.5 | 21 | 140 | 0.67 | 0.67 | 250 |
| Faraone | Elevah 65 Move | 6.6 | 22 | 200 | 0.66 | 0.66 | 580 |
| Faraone | Elevah 65 Picking | 6.6 | 22 | 200 | 0.66 | 0.66 | 580 |
| Faraone | Elevah 65 E-Move | 6.6 | 22 | 200 | 0.66 | 0.66 | 620 |
| Haulotte | QuickUp 7 | 6.7 | 22 | 200 | 0.68 | 0.66 | 315 |
| Haulotte | QuickUp 7 | 6.7 | 22 | 200 | 0.68 | 0.66 | 357 |
| AHI | UG18 | 7 | 23 | 200 | 0.68 | 0.66 | 315 |
| Faraone | Elevah 70 | 7.2 | 24 | 200 | 0.66 | 0.66 | 357 |
| Faraone | Elevah 80 E-Move | 7.7 | 25 | 200 | 0.66 | 0.66 | 680 |
| ALP-Lift | PH 800 | 8 | 26 | 140 | 0.67 | 0.67 | 280 |
| ALP-Lift | PHCHI 800 | 8 | 26 | 140 | 0.67 | 0.67 | 678 |
| Faraone | ZP 8 | 8 | 26 | 120 | 0.66 | 0.66 | 300 |
| Snorkel | SPM20 | 8 | 26 | 150 | 0.7 | 0.78 | 850 |
| Leader | AP 20 | 8 | 26 | 159 | 0.69 | 0.66 | 348 |
| Haulotte | QuickUp 8 | 8.1 | 27 | 159 | 0.68 | 0.66 | 340 |
| Haulotte | QuickUp 8 | 8.1 | 27 | 159 | 0.68 | 0.66 | 382 |
| AHI | UE20 | 8.1 | 27 | 159 | 0.68 | 0.66 | 320 |
| AHI | UG20 | 8.1 | 27 | 159 | 0.68 | 0.66 | 340 |
| Genie | AWP-20 SB | 8.22 | 27 | 159 | 0.69 | 0.66 | 307 |
| Genie | AWP-20 NB | 8.22 | 27 | 159 | 0.66 | 0.51 | 296 |
| Genie | AWP-20 RT | 8.22 | 27 | 159 | 0.69 | 0.66 | 299 |
| Genie | IWP-20 S | 8.3 | 27 | 159 | 0.69 | 0.66 | 556 |
| ALP-Lift | PHCHI 940 | 9.4 | 31 | 140 | 0.67 | 0.67 | 715 |
| Leader | AP 25 | 9.4 | 31 | 159 | 0.69 | 0.66 | 371 |
| ALP-Lift | PHC 940 | 9.45 | 31 | 140 | 0.67 | 0.67 | 300 |
| Genie | IWP-25 S | 9.5 | 31 | 159 | 0.69 | 0.66 | 577 |
| Haulotte | QuickUp 9 | 9.5 | 31 | 159 | 0.68 | 0.66 | 360 |
| Haulotte | QuickUp 9 | 9.5 | 31 | 159 | 0.68 | 0.66 | 402 |
| AHI | UG25 | 9.5 | 31 | 159 | 0.68 | 0.66 | 360 |
| Snorkel | UL25AC | 9.6 | 31 | 159 | 0.56 | 0.66 | 390 |
| Snorkel | UL25DC | 9.6 | 31 | 159 | 0.56 | 0.66 | 420 |
| AHI | UE25 | 9.6 | 31 | 159 | 0.68 | 0.66 | 350 |
| Genie | AWP-25 SB | 9.64 | 32 | 159 | 0.69 | 0.66 | 330 |
| Genie | AWP-25 NB | 9.64 | 32 | 159 | 0.66 | 0.51 | 315 |
| Genie | AWP-25 RT | 9.64 | 32 | 159 | 0.69 | 0.66 | 315 |
| Leader | APD 25 | 9.7 | 32 | 340 | 1.83 | 0.7 | 693 |
| Faraone | ZP 10 | 10 | 33 | 120 | 0.66 | 0.66 | 340 |
| Snorkel | PAM26AC | 10 | 33 | 125 | 0.6 | 0.6 | 340 |
| ALP-Lift | PHC 1000 EU | 10.5 | 34 | 140 | 0.67 | 0.67 | 215 |
| ALP-Lift | PHCHI 1100 | 10.8 | 35 | 140 | 0.67 | 0.67 | 825 |
| Haulotte | QuickUp 11 | 10.8 | 35 | 159 | 0.68 | 0.66 | 380 |
| Haulotte | QuickUp 11 | 10.8 | 35 | 159 | 0.68 | 0.66 | 422 |
| Leader | AP 30 | 10.8 | 35 | 159 | 0.69 | 0.66 | 393 |
| ALP-Lift | PHC 1100 | 10.85 | 36 | 140 | 0.67 | 0.67 | 330 |
| AHI | UG30 | 10.9 | 36 | 159 | 0.68 | 0.66 | 380 |
| Genie | IWP-30 S WB | 11.1 | 36 | 159 | 0.69 | 0.66 | 553 |
| Genie | AWP-30 SB | 11.12 | 36 | 159 | 0.69 | 0.66 | 352 |

VERTICAL PERSONNEL LIFTS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Height (m) | Platform Width (m) | Transport Weight (kg) |
|--------------|--------------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|-----------------------|
| Genie | AWP-30 NB | 11.12 | 36 | 159 | 0.66 | 0.51 | 331 |
| Genie | AWP-30 RT | 11.12 | 36 | 159 | 0.69 | 0.66 | 331 |
| Leader | APD 30 | 11.2 | 37 | 340 | 1.83 | 0.7 | 738 |
| Snorkel | UL32AC | 11.7 | 38 | 136 | 0.56 | 0.66 | 435 |
| Snorkel | UL32DC | 11.7 | 38 | 136 | 0.56 | 0.66 | 465 |
| AHI | UE32 | 11.7 | 38 | 136 | 0.68 | 0.66 | 430 |
| ALP-Lift | PHC 1200 | 12 | 39 | 135 | 0.67 | 0.67 | 345 |
| Faraone | ZP 12 | 12 | 39 | 120 | 0.66 | 0.66 | 410 |
| Leader | APS 35 | 12.2 | 40 | 100 | 0.69 | 0.66 | 435 |
| Haulotte | QuickUp 12 | 12.3 | 40 | 136 | 0.68 | 0.66 | 415 |
| Haulotte | QuickUp 12 | 12.3 | 40 | 136 | 0.68 | 0.66 | 457 |
| AHI | UG35 | 12.3 | 40 | 136 | 0.68 | 0.66 | 415 |
| Leader | APD 35 | 12.6 | 41 | 272 | 1.83 | 0.7 | 783 |
| ALP-Lift | PH 1300 | 12.75 | 42 | 135 | 0.67 | 0.67 | 394 |
| Leader | AP 36 | 12.9 | 42 | 159 | 0.69 | 0.66 | 502 |
| Genie | AWP-36 SB | 13.26 | 44 | 159 | 0.69 | 0.66 | 461 |
| Haulotte | QuickUp 13 | 13.7 | 45 | 136 | 0.68 | 0.66 | 455 |
| Haulotte | QuickUp 13 | 13.7 | 45 | 136 | 0.68 | 0.66 | 497 |
| AHI | UG38 | 13.7 | 45 | 136 | 0.68 | 0.66 | 455 |
| Leader | APS 40 | 13.7 | 45 | 100 | 0.69 | 0.66 | 475 |
| ALP-Lift | PH 1400 | 14 | 46 | 115 | 0.67 | 0.67 | 430 |
| Faraone | PK 14000 E | 14 | 46 | 200 | 1.06 | 0.66 | 480 |
| Leader | AP 40 | 14.1 | 46 | 136 | 0.69 | 0.66 | 513 |
| Leader | APD 40 | 14.1 | 46 | 200 | 1.83 | 0.7 | 828 |
| Snorkel | UL40AC | 14.2 | 47 | 136 | 0.56 | 0.66 | 470 |
| Snorkel | UL40DC | 14.2 | 47 | 136 | 0.56 | 0.66 | 500 |
| Haulotte | QuickUp 14 | 14.3 | 47 | 136 | 0.68 | 0.66 | 515 |
| Haulotte | QuickUp 14 | 14.3 | 47 | 136 | 0.68 | 0.66 | 557 |
| AHI | UE40 | 14.3 | 47 | 136 | 0.68 | 0.66 | 460 |
| AHI | UG40 | 14.3 | 47 | 136 | 0.68 | 0.66 | 515 |
| Genie | AWP-40 SB | 14.36 | 47 | 136 | 0.69 | 0.66 | 472 |
| Leader | APD 45 | 15.6 | 51 | 150 | 1.83 | 0.7 | 878 |
| AHI | UE48 | 16.5 | 54 | 110 | 0.68 | 0.66 | 520 |
| Leader | APD 50 | 16.5 | 54 | 150 | 1.83 | 0.7 | 845 |
| Genie | GR-12 Runabout | 5.45 | 18 | 227 | 0.89 | 0.75 | 717 |
| Genie | GS-12 Quickstock R | 5.45 | 18 | 227 | 0.89 | 0.73 | 730 |
| Genie | GRC-12 Runabout | 5.66 | 19 | 227 | 0.99 | 0.75 | 948 |
| Genie | GR-15 Runabout | 6.52 | 21 | 227 | 0.89 | 0.75 | 994 |
| Genie | GS-15 Quickstock R | 6.52 | 21 | 227 | 0.89 | 0.73 | 1107 |
| Genie | GS20J | 7.7 | 25 | 200 | 0.9 | 0.75 | 2250 |
| Genie | GR-20 Runabout | 8.02 | 26 | 159 | 0.89 | 0.75 | 1112 |
| Genie | GS-20 Quickstock R | 8.02 | 26 | 159 | 0.89 | 0.75 | 1124 |
| Genie | GR26J | 9.85 | 32 | 200 | 0.9 | 0.75 | 2650 |

TRAILER MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Rotation (Degrees) |
|--------------------|-----------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|--------------------|
| Moog | MBI 50-1/S | 4.6 | 15 | 5 | 300 | n/s | 1 | 2700 | n/s | 180 |
| Moog | MBI 70-1/S | 6 | 20 | 7 | 400 | n/s | 1 | 3500 | n/s | 180 |
| Moog | MBI 110-1,2/S | 6.7 | 22 | 11 | 500 | n/s | 1.2 | 7200 | n/s | 180 |
| Moog | MBI 90-1/S | 6.8 | 22 | 9 | 450 | n/s | 1 | 5500 | n/s | 180 |
| France Elévateur | 4/AXES | 8.6 | 28 | 3.2 | 265 | 1.45 | 0.83 | 3500 | D | 90 |
| Moog | MBI 180-1,7/S | 8.7 | 29 | 18 | 800 | n/s | 1.7 | 30000 | n/s | 180 |
| Moog | MBI 200-1,5/S | 8.7 | 29 | 20 | 800 | n/s | 1.5 | 30000 | n/s | 180 |
| Snorkel | XT24SD | 8.9 | 29 | n/s | 227 | 1.63 | 1.22 | 1350 | n/s | n/s |
| Moog | MBI 160-1,7/S | 9.4 | 31 | 16 | 800 | n/s | 1.7 | 24500 | n/s | 180 |
| Moog | MBI 175-1,5/S | 9.4 | 31 | 17.5 | 800 | n/s | 1.5 | 24500 | n/s | 180 |
| Moog | MBI 140-1,4/S | 9.5 | 31 | 14 | 600 | n/s | 1.4 | 21000 | n/s | 180 |
| Thomas Hoogwerkers | 100 NW | 10 | 33 | 4.5 | 165 | n/s | n/s | 790 | E | n/s |
| Thomas Hoogwerkers | 100 NW | 10 | 33 | 4.5 | 165 | n/s | n/s | 750 | n/s | n/s |
| Moog | MBI 210-2/S | 10 | 33 | 21 | 1000 | n/s | 2 | 34500 | n/s | 180 |
| Aerial | Q-L 10/2 | 10.2 | 33 | 4.4 | 215 | n/s | n/s | 870 | n/s | n/s |
| Omme Lift | Omme 1050E | 10.5 | 34 | 6.8 | 125 | 0.7 | 0.7 | 1050 | n/s | n/s |
| Dino Lift | Dino 105TL | 10.5 | 34 | 6.5 | 130 | 0.75 | 0.8 | 950 | n/s | n/s |
| Omme Lift | Mini 10.5 E | 10.5 | 34 | 6.8 | 125 | 0.7 | 0.7 | 1050 | E | 355 |
| Omme Lift | Omme Mini12EJB | 11.9 | 39 | 7.85 | 125 | 0.85 | 0.7 | 1200 | n/s | n/s |
| Omme Lift | Mini 12 EJ | 11.9 | 39 | 7.6 | 125 | 0.7 | 0.85 | 1260 | E | 355 |
| Thomas Hoogwerkers | 120 NWT | 12 | 39 | 9 | 250 | 6.7 | 1.4 | 1500 | n/s | n/s |
| Thomas Hoogwerkers | 120 NWT | 12 | 39 | 9 | 250 | 6.7 | 1.4 | 1500 | E | n/s |
| Dino Lift | Dino 120T | 12 | 39 | 7.9 | 120 | 0.8 | 0.75 | 1285 | n/s | n/s |
| Dino Lift | Dino 120TN | 12 | 39 | 7.9 | 120 | 0.8 | 0.7 | 1355 | n/s | n/s |
| Dino Lift | Dino 120TB | 12 | 39 | 7.9 | 130 | 0.8 | 0.75 | 1390 | n/s | n/s |
| Denka Lift | Junior 12 | 12 | 39 | 6.7 | 120 | 0.6 | 0.9 | 990 | n/s | n/s |
| Comet | X Trailer 12 | 12 | 39 | 4.5 | 200 | 1 | 0.7 | 1200 | LPG/E | 360 |
| Comet | Xiraffe | 12 | 39 | 4.5 | 200 | 1 | 0.7 | n/s | LPG/E | 360 |
| Niftylift | Nifty 120T | 12.2 | 40 | 6.1 | 200 | 1.1 | 0.65 | 1400 | LPG/D/E | n/s |
| Snorkel | TL34 | 12.2 | 40 | 5 | 215 | 1.2 | 0.8 | 1300 | n/s | n/s |
| Niftylift | Nifty 120 | 12.3 | 40 | 5 | 200 | 1.1 | 0.65 | 1195 | P/D | n/s |
| Genie | TZ34/20 | 12.36 | 41 | 5.59 | 200 | 0.68 | 1.22 | 1438 | n/s | n/s |
| Bil-Jax | 3522 A | 12.7 | 42 | 6.8 | 227 | 1.2 | 0.88 | 1542 | n/s | 350 |
| Omme Lift | Omme 1300EB | 12.8 | 42 | 9 | 200 | 1.25 | 0.8 | 1790 | n/s | n/s |
| Omme Lift | 1300 E | 12.8 | 42 | 9 | 200 | 0.8 | 1.25 | 1650 | E | 400 |
| Thomas Hoogwerkers | 130 NW | 13 | 43 | 5.5 | 250 | 5.6 | 1.4 | 1100 | n/s | n/s |
| Thomas Hoogwerkers | 130 NW | 13 | 43 | 5.5 | 250 | 5.6 | 1.4 | 1100 | E | n/s |
| EuropeLift | TM 13 G | 13.1 | 43 | 6.1 | 220 | 0.8 | 1.2 | 1495 | n/s | n/s |
| Bil-Jax | 3632 T | 13.2 | 43 | 8.2 | 227 | 1.2 | 0.88 | 2013 | n/s | 350 |
| Snorkel | TL37J | 13.2 | 43 | 5.9 | 215 | n/s | 1.2 | 1586 | LPG/E | 160 |
| Dino Lift | Dino 135T | 13.5 | 44 | 9.1 | 215 | 1.3 | 0.7 | 1635 | n/s | 90 |
| Dino Lift | Dino 135TB | 13.5 | 44 | 9.1 | 215 | 1.3 | 0.7 | 1765 | n/s | 90 |
| Snorkel | TL39 | 13.5 | 44 | n/s | 215 | n/s | 1.2 | 1480 | E/D | n/s |
| Snorkel | TL39DC | 13.8 | 45 | 6.4 | 215 | 1.15 | 0.7 | 1694 | n/s | n/s |
| Bumar | PMT 0143 | 14 | 46 | n/s | 200 | n/s | n/s | n/s | n/s | n/s |
| Comet | X Trailer 14 | 14 | 46 | 6.5 | 200 | 1 | 0.7 | n/s | LPG/E | 360 |
| Omme Lift | Omme Mini15EXBJ | 14.6 | 48 | 8.27 | 125 | 0.85 | 0.7 | 1500 | n/s | n/s |
| Omme Lift | Mini 15 EXJ | 14.6 | 48 | 8.3 | 125 | 0.85 | 0.7 | 1500 | E | 355 |
| Niftylift | Nifty 150T | 14.7 | 48 | 7.55 | 225 | 1.4 | 0.65 | 1775 | LPG/E | n/s |
| Teupen | TL 15 | 15 | 49 | 10.1 | 175 | n/s | n/s | 1750 | n/s | n/s |
| Teupen | TL 15 M | 15 | 49 | 9.8 | 175 | n/s | n/s | 1850 | n/s | n/s |
| Dino Lift | Dino 150T | 15 | 49 | 10 | 215 | 1.3 | 0.7 | 1675 | n/s | 90 |
| Dino Lift | Dino 150TB | 15 | 49 | 10 | 215 | 1.3 | 0.7 | 1835 | n/s | 90 |
| Thomas Hoogwerkers | 150 NW | 15 | 49 | 10 | 265 | n/s | n/s | 1600 | n/s | n/s |
| Thomas Hoogwerkers | 150 NW | 15 | 49 | 10 | 265 | n/s | n/s | 1600 | E | n/s |
| Platform Basket | TR 15.80 | 15 | 49 | 8.6 | 200 | 0.6 | 1.2 | 1900 | P | 360 |
| Omme Lift | Omme 1550EXB | 15.4 | 51 | 8.5 | 200 | 1.25 | 0.8 | 2000 | n/s | n/s |
| Bil-Jax | 4527 A | 15.5 | 51 | 6.4 | 227 | 1.2 | 0.88 | 1905 | n/s | 350 |
| EuropeLift | TM 15 GT | 15.6 | 51 | 8.1 | 220 | 0.8 | 1.2 | 1850 | n/s | n/s |
| Omme Lift | 1550 EX | 15.6 | 51 | 8.5 | 200 | 0.8 | 1.25 | 2000 | E | 400 |
| Thomas Hoogwerkers | 160 NWT | 16 | 52 | 12 | 250 | 7.5 | 1.8 | 2200 | n/s | n/s |
| Thomas Hoogwerkers | 160 NWT | 16 | 52 | 12 | 250 | 7.5 | 1.8 | 2200 | E | n/s |
| EuropeLift | TM 16 TJ | 16 | 52 | 10 | 200 | 0.8 | 1.2 | 1850 | n/s | n/s |
| Dino Lift | Dino 160XT II | 16 | 52 | 9.1 | 215 | 1.3 | 0.7 | 1990 | n/s | 180 |

TRAILER MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Transport Weight (kg) | Power Source (E/D/LPG) | Rotation (Degrees) |
|--------------------|-------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|-----------------------|------------------------|--------------------|
| Dino Lift | Dino 160XTB II | 16 | 52 | 9.1 | 215 | 1.3 | 0.7 | 2195 | n/s | 180 |
| Paus | Worklift GT 16 A | 16 | 52 | 9.2 | 200 | 0.7 | 1.2 | 1740 | n/s | n/s |
| Thomas Hoogwerkers | 160 NW | 16 | 52 | 8.5 | 200 | n/s | n/s | 1650 | E | n/s |
| Thomas Hoogwerkers | 160 NW | 16 | 52 | 8.5 | 265 | n/s | n/s | 1650 | n/s | n/s |
| Omme Lift | Omme 1650EB | 16.5 | 54 | 10.3 | 200 | 1.25 | 0.8 | 2200 | n/s | n/s |
| Omme Lift | 1650 E | 16.6 | 54 | 10.3 | 200 | 0.8 | 1.25 | 2080 | E | 400 |
| Snorkel | TL49J | 16.7 | 55 | 9.1 | 200 | n/s | 1.4 | 2389 | E | 90 |
| Omme Lift | Omme 1700EXB | 16.8 | 55 | 9 | 200 | 1.25 | 0.8 | 2180 | n/s | n/s |
| Omme Lift | 1700 EX | 16.8 | 55 | 9.1 | 200 | 0.8 | 1.25 | 2200 | E | 400 |
| Sky-High | 1700 | 17 | 56 | 9 | 215 | 1.1 | 0.65 | 1800 | n/s | n/s |
| Genie | TZ50/30 DC | 17.09 | 56 | 8.89 | 200 | 0.46 | 1.12 | 2025 | n/s | n/s |
| Genie | TZ50/30 BI-energy | 17.09 | 56 | 8.89 | 200 | 0.46 | 1.12 | 2025 | n/s | n/s |
| Niftylift | Nifty 170 | 17.1 | 56 | 8.7 | 200 | 1.1 | 0.65 | 2160 | LPG/D/E | n/s |
| Genie | TMZ 50/19 | 17.2 | 56 | 9.1 | 227 | 0.76 | 1.22 | 2200 | n/s | n/s |
| Platform Basket | TR 18.90 | 17.7 | 58 | 9.3 | 200 | 0.6 | 1.2 | 1800 | LPG | 360 |
| Dino Lift | ODino 180T | 18 | 59 | 10.7 | 215 | 1.3 | 0.7 | 1840 | n/s | 90 |
| Thomas Hoogwerkers | 180 NWT | 18 | 59 | 10 | 265 | n/s | n/s | 1750 | n/s | n/s |
| Denka Lift | DL 18 | 18 | 59 | 11 | 200 | 0.7 | 1.4 | 1950 | n/s | n/s |
| Thomas Hoogwerkers | 180 NWT | 18 | 59 | 10 | 265 | n/s | n/s | 1750 | E | n/s |
| Denka Lift | DK 18 | 18 | 59 | 11.3 | 200 | 0.7 | 1.2 | 1900 | n/s | n/s |
| Dino Lift | Dino 180XT II | 18 | 59 | 11.2 | 215 | 1.3 | 0.7 | 2300 | n/s | 180 |
| Dino Lift | Dino 180XTB II | 18 | 59 | 11.2 | 215 | 1.3 | 0.7 | 2380 | n/s | 180 |
| Dino Lift | Dino 180TB | 18 | 59 | 10.7 | 215 | 1.3 | 0.7 | 1945 | n/s | 90 |
| Paus | Worklift GT 18 A | 18 | 59 | 9.5 | 200 | 0.7 | 1.2 | 1950 | n/s | n/s |
| Swisslift | GTH 180 | 18 | 59 | 8 | 215 | 1.2 | 0.85 | 1680 | n/s | n/s |
| EuropeLift | TM 18 GT | 18 | 59 | 10 | 200 | 0.8 | 1.2 | 2030 | n/s | n/s |
| Omme Lift | Omme 1830EXB | 18.3 | 60 | 10.15 | 200 | 1.25 | 0.8 | 2550 | n/s | n/s |
| Omme Lift | 1830 EX | 18.3 | 60 | 10.2 | 200 | 0.8 | 1.25 | 2550 | E | 400 |
| Dino Lift | Dino 190XTE | 18.4 | 60 | 7.3 | 250 | 1.8 | 0.8 | 2400 | n/s | 180 |
| Omme Lift | Omme 1850EB | 18.5 | 61 | 11.7 | 200 | 1.25 | 0.8 | 2350 | n/s | n/s |
| Omme Lift | 1850 E | 18.6 | 61 | 11.7 | 200 | 0.8 | 1.25 | 2230 | E | 400 |
| Bil-Jax | 5533 A | 18.7 | 61 | 8.4 | 227 | 1.2 | 0.88 | 2177 | n/s | 350 |
| Thomas Hoogwerkers | 190 NW | 19 | 62 | 10.4 | 200 | n/s | n/s | 1800 | n/s | n/s |
| Thomas Hoogwerkers | 190 NW | 19 | 62 | 10.4 | 200 | n/s | n/s | 1800 | E | n/s |
| Thomas Hoogwerkers | 200 NWT | 20 | 66 | 12 | 265 | n/s | n/s | 2000 | n/s | n/s |
| Thomas Hoogwerkers | 200 NWT | 20 | 66 | 12 | 265 | n/s | n/s | 2000 | E | n/s |
| Dino Lift | Dino 210XT II | 21 | 69 | 11.7 | 215 | 1.3 | 0.7 | 2475 | n/s | 180 |
| Dino Lift | Dino 210XTB II | 21 | 69 | 11.7 | 215 | 1.3 | 0.7 | 2610 | n/s | 180 |
| Paus | Worklift GT 21 A | 21 | 69 | 10 | 200 | 0.7 | 1.2 | 2430 | n/s | n/s |
| Niftylift | Nifty 210 | 21 | 69 | 12 | 225 | 1.4 | 0.7 | 3495 | D | n/s |
| Omme Lift | Omme 2100EB | 21.1 | 69 | 12.2 | 200 | 1.25 | 0.8 | 2500 | n/s | n/s |
| Omme Lift | 2100 E | 21.2 | 70 | 12.2 | 200 | 0.8 | 1.25 | 2380 | E | 400 |
| Denka Lift | DL 21 | 21.4 | 70 | 11.3 | 200 | 0.7 | 1.7 | 2400 | n/s | n/s |
| Teupen | TL 23 | 21.6 | 71 | 9.6 | 175 | 1.2 | 0.8 | 2200 | n/s | n/s |
| Thomas Hoogwerkers | 220 NWT | 22 | 72 | 12 | 265 | n/s | n/s | 2100 | n/s | n/s |
| Thomas Hoogwerkers | 220 NWT | 22 | 72 | 12 | 265 | n/s | n/s | 2100 | E | n/s |
| Omme Lift | Omme 2300EXBB | 22.6 | 74 | 12.7 | 200 | 1.25 | 0.8 | 3270 | n/s | n/s |
| Omme Lift | 2300 EX | 22.6 | 74 | 12.7 | 200 | 0.8 | 1.25 | 3150 | E | 400 |
| Dino Lift | Dino 230T | 23 | 75 | 11.7 | 215 | 1.3 | 0.7 | 2960 | n/s | 90 |
| Denka Lift | DL 25 | 25 | 82 | 12 | 200 | 0.7 | 1.4 | 3200 | n/s | n/s |
| Thomas Hoogwerkers | 250 NWT | 25 | 82 | 12 | 250 | 8.5 | 1.9 | 3000 | n/s | n/s |
| Thomas Hoogwerkers | 250 NWT | 25 | 82 | n/s | n/s | n/s | n/s | n/s | E | n/s |
| Denka Lift | DK 25 | 25 | 82 | 11.4 | 200 | 0.7 | 1.2 | 2450 | n/s | n/s |
| Tecchio | K 325 J | 25 | 82 | 15 | 200 | n/s | n/s | n/s | n/s | n/s |
| Teupen | Gepard 25 T | 25 | 82 | 15.5 | 200 | 0.8 | 1.2 | 3200 | n/s | n/s |
| Paus | PTK 31 | 25 | 82 | 13.8 | 250 | 0.95 | 1.35 | 3500 | n/s | n/s |
| Omme Lift | Omme 2500EBB | 25.1 | 82 | 12.6 | 200 | 1.25 | 0.8 | 3180 | n/s | n/s |
| Omme Lift | 2500 E | 25.1 | 82 | 12.6 | 200 | 0.8 | 1.25 | 3000 | E | 400 |
| Dino Lift | Dino 260XTD | 26 | 85 | 11.7 | 215 | 1.3 | 0.7 | 3370 | n/s | 90 |
| Omme Lift | Omme 2900EBB | 29 | 95 | 12.3 | 200 | 1.25 | 0.8 | 3520 | n/s | n/s |
| Omme Lift | 2900 E | 29 | 95 | 12.3 | 200 | 0.8 | 1.25 | 3400 | E | 400 |
| Denka Lift | DL 30 | 30 | 98 | 11.6 | 200 | 0.7 | 1.4 | 3500 | n/s | n/s |
| Tecchio | K 330 J | 30 | 98 | 19 | 280 | n/s | n/s | n/s | n/s | n/s |

TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|-----------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| Tadano | AT-80TT | 8 | 26 | n/s | 200 | 1 | 0.7 | n/s | 4 | n/s |
| Altec | AN29 | 8.8 | 29 | 4.7 | 159 | 0.61 | 0.61 | n/s | n/s | Y |
| Movex | TLF 9 | 8.8 | 29 | 5 | 120 | n/s | n/s | n/s | n/s | N |
| Palfinger | P 90 T | 8.8 | 29 | 5 | 120 | 0.85 | 0.7 | 2000 | n/s | n/s |
| Hubmeister | HM 9 T | 9 | 30 | 5 | 265 | 1.4 | 0.7 | n/s | n/s | n/s |
| Altec | AN32 | 9.8 | 32 | 5.3 | 159 | 0.61 | 0.61 | n/s | n/s | Y |
| Altec | AN32E | 9.8 | 32 | 5.6 | 159 | 0.61 | 0.61 | n/s | n/s | Y |
| Tadano | AT-100TTE | 9.9 | 32 | n/s | 200 | 1 | 0.7 | n/s | 4 | n/s |
| Tadano | AT-100SR | 9.9 | 32 | n/s | 1000 | 2.5 | 1.5 | n/s | 4 | n/s |
| Bumar | PMB 100 | 10 | 33 | 4.5 | 200 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PMB 100 E | 10 | 33 | 4.5 | 160 | n/s | n/s | n/s | n/s | n/s |
| Custers | Taurus 200-10 | 10 | 33 | 6 | 200 | 1.4 | 0.96 | n/s | n/s | n/s |
| Danilift | P110V | 10 | n/s | 6.8 | 150 | n/s | n/s | n/s | n/s | n/s |
| Multitel | MS 100 | 10 | 33 | 8 | 400 | 3.3 | 1.85 | 3500 | 4 | n/s |
| Tadano | AT-100TG | 10 | 33 | n/s | 200 | 1.2 | 0.7 | n/s | 4 | n/s |
| Time Manufacturing | TEL-29-N | 10.06 | 33 | 6.1 | 159 | n/s | n/s | 6600 | n/s | n/s |
| Socage | forSte 10 A | 10.1 | 40.03 | 4.5 | 120 | 0.7 | 0.7 | 2900 | n/s | n/s |
| Time Manufacturing | TEL-29-EIH | 10.36 | 34 | 6.7 | 159 | n/s | n/s | 6600 | n/s | n/s |
| Time Manufacturing | TEL-29-IH | 10.36 | 34 | 6.1 | 159 | n/s | n/s | 6600 | n/s | n/s |
| Time Manufacturing | T-30-SI | 10.36 | 34 | 6.1 | 204.12 | n/s | n/s | 7500 | n/s | n/s |
| Time Manufacturing | TEL-29-NE | 10.36 | 34 | 6.7 | 136 | n/s | n/s | 6600 | n/s | n/s |
| Time Manufacturing | T-30-I | 10.36 | 34 | 6.7 | 272 | n/s | n/s | 7500 | n/s | n/s |
| Time Manufacturing | T-30-N | 10.36 | 34 | 6.1 | 272 | n/s | n/s | 7480 | n/s | n/s |
| Time Manufacturing | T-30-MHI | 10.36 | 34 | 6.1 | 272 | n/s | n/s | 7480 | n/s | n/s |
| Time Manufacturing | T-30-MHN | 10.36 | 34 | 6.1 | 272 | n/s | n/s | 7480 | n/s | n/s |
| Time Manufacturing | TEL-29-I | 10.36 | 34 | 6.4 | 158.8 | n/s | n/s | 6600 | n/s | n/s |
| Time Manufacturing | VO-29-I | 10.36 | 33.99 | 6.4 | 181.44 | n/s | n/s | 4989 | 2 | Y |
| Custers | Taurus 200-10.5 | 10.5 | 47.02 | 6.5 | 200 | 1.4 | 0.96 | 5000 | n/s | n/s |
| Altec | AT200A | 10.7 | 50.99 | 6.9 | 159 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | TEL-29-EI | 10.7 | 35 | 7.01 | 158.8 | n/s | n/s | 6600 | n/s | n/s |
| Time Manufacturing | TEL-31-NE | 10.7 | 35 | 7.01 | 158.8 | n/s | n/s | 4300 | n/s | n/s |
| Movex | TLF 10 | 10.8 | 50.99 | 5 | 120 | n/s | n/s | n/s | n/s | N |
| Altec | AT30G | 10.9 | 50.99 | 7.2 | 816 | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | AT35G | 11 | 56.01 | 8.6 | 159 | 0.6 | 0.76 | n/s | n/s | n/s |
| Hubmeister | HM 11 T | 11 | 50.99 | 7 | 125 | 0.6 | 0.6 | n/s | n/s | n/s |
| Comet | SOLAR 11 | 11 | 54.01 | 3.5 | 400 | 3.5 | 2 | 3500 | 4 | n/s |
| France Elévateur | 102 TM | 11 | 54.99 | n/s | 265 | 2 | 1 | n/s | n/s | n/s |
| France Elévateur | TOPY 11 | 11 | 54.99 | 6 | 120 | 0.85 | 0.78 | n/s | n/s | n/s |
| France Elévateur | TOPY 11/2 | 11 | 55.78 | n/s | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| Palfinger | P 100 T | 11 | 54.01 | 6.8 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Safi S.r.l. | SC 11 | 11 | 54.01 | 5.8 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Tadano | AT-110TE | 11 | 54.01 | n/s | 120 | 1 | 0.7 | n/s | 4 | n/s |
| Time Manufacturing | ET 29-EIH | 11 | 37.01 | 7.3 | 200 | 1.1 | 0.6 | n/s | n/s | n/s |
| France Elévateur | 111 F i | 11.1 | 56.01 | 6.8 | 120 | 0.85 | 0.72 | n/s | n/s | n/s |
| Time Manufacturing | LT-30-TB | 11.2 | 37 | 6.3 | 200 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | T-33-TN | 11.28 | 37 | 6.1 | 226.8 | n/s | n/s | 7480 | n/s | n/s |
| Time Manufacturing | T-33-MHTN | 11.28 | 37 | 6.1 | 226.8 | n/s | n/s | 7480 | n/s | n/s |
| Time Manufacturing | VO-32-I | 11.28 | 37.01 | 6.4 | 158.76 | n/s | n/s | 4989 | n/s | Y |
| Altec | ALB37PR | 11.3 | 56.99 | 9.3 | n/s | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | ALB37MR | 11.3 | 58.7 | 9.3 | n/s | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | AT37M/P | 11.3 | 58.99 | 8 | 181 | 0.6 | 0.76 | n/s | n/s | n/s |
| Altec | L36A | 11.3 | 58.99 | 8.7 | 181 | n/s | n/s | n/s | n/s | Y |
| Altec | L37M | 11.3 | 58.99 | 8.9 | 159 | n/s | n/s | n/s | n/s | Y |
| Altec | AT37G | 11.5 | 60.01 | 8.6 | 159 | 0.6 | 0.76 | n/s | n/s | n/s |
| Time Manufacturing | T-34-SI | 11.56 | 38 | 7.32 | 204.12 | n/s | n/s | 7480 | n/s | n/s |
| Time Manufacturing | T-34-I | 11.56 | 38 | 7.32 | 272.15 | n/s | n/s | 7480 | n/s | n/s |
| Time Manufacturing | T-34-N | 11.56 | 38 | 7.32 | 272.15 | n/s | n/s | 7480 | n/s | n/s |
| Time Manufacturing | T-34-MHN | 11.58 | 38 | 7.32 | 272.15 | n/s | n/s | 7480 | n/s | n/s |
| Time Manufacturing | T-34-MHI | 11.58 | 38 | 7.32 | 272.15 | n/s | n/s | 7480 | n/s | n/s |
| Time Manufacturing | TEL-35-NE | 11.58 | 38 | 6.1 | 199.58 | n/s | n/s | 6580 | n/s | n/s |
| Movex | TLF 11 | 11.6 | 64.01 | 7.5 | 120 | n/s | n/s | n/s | n/s | N |
| Socage | forSte 12 A | 11.9 | 65 | 5 | 120 | 0.7 | 0.7 | 3000 | n/s | n/s |
| Bumar | PMB 120 | 12 | 71 | 4.7 | 200 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PMB 120 E | 12 | 71 | 4.7 | 160 | n/s | n/s | n/s | n/s | n/s |

TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| Bumar | PMB 123 E | 12 | 75 | 4.7 | 160 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PMB 123 | 12 | 75 | 4.7 | 200 | n/s | n/s | n/s | n/s | n/s |
| Comet | X MINI 12-4.5 HQ | 12 | 65 | 4.5 | 200 | 1 | 0.7 | 2200 | 4 | n/s |
| Custers | Taurus 230- 12ML | 12 | 75 | 7 | 230 | 1.4 | 0.96 | n/s | n/s | n/s |
| Custers | Taurus 230- 12MV | 12 | 75 | 7 | 230 | 1.4 | 0.96 | 5000 | n/s | n/s |
| Custers | Taurus 200-12ML | 12 | 78.74 | n/s | 230 | n/s | n/s | 3500 | n/s | n/s |
| Custers | TAURUS 200-12MVH | 12 | 79.99 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Danilift | P120V | 12 | n/s | 7.4 | 230 | n/s | n/s | 3500 | n/s | n/s |
| France Elévateur | 112 TM | 12 | 66.01 | n/s | 265 | 2 | 1 | n/s | n/s | n/s |
| France Elévateur | B 12 HP | 12 | 68.02 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | TOPY 12 | 12 | 68.02 | n/s | 120 | 0.85 | 0.73 | n/s | n/s | n/s |
| France Elévateur | TOPY 12/2 | 12 | 70.02 | 5 | 200 | 0.85 | 0.78 | n/s | n/s | n/s |
| Movex | TLF 12 | 12 | 70.02 | 7.5 | 200 | n/s | n/s | n/s | 2 | Y |
| Safi S.r.l. | SC 20 | 12 | 65 | 5 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Socage | forSte 12 VT | 12 | 65 | 7.5 | 120 | 0.7 | 0.7 | 3500 | n/s | n/s |
| Tadano | AT-121TG (R) | 12 | 65 | n/s | 200 | 1 | 0.7 | n/s | 4 | n/s |
| Tadano | AT-120SR | 12 | 65 | n/s | 1000 | 3 | 1.75 | n/s | 4 | n/s |
| Time Manufacturing | TEL-35-EIH | 12.19 | 40 | 6.4 | 199.58 | n/s | n/s | 6580 | n/s | n/s |
| Time Manufacturing | SST-36-N | 12.19 | 40 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | SST-36-NE | 12.19 | 40 | 7.92 | 159 | 0.79 | 0.79 | 6500 | n/s | N |
| Time Manufacturing | STP-36-NE | 12.19 | 40 | 8.84 | 158.76 | n/s | n/s | 7937 | 2 | N |
| Altec | AT235P | 12.2 | 79.99 | 8.1 | 181.4 | 0.6 | 0.76 | n/s | n/s | n/s |
| Time Manufacturing | VTP-40-NE | 12.2 | 40.03 | 8.84 | 226.8 | n/s | n/s | 12000 | n/s | N |
| Altec | AT235 | 12.3 | 79.99 | 8.1 | 159 | n/s | n/s | n/s | n/s | n/s |
| Altec | T40P | 12.4 | 85.01 | 8.9 | 227 | 0.76 | 0.76 | n/s | n/s | n/s |
| Time Manufacturing | ET 36-IFH | 12.4 | 41 | 7 | 200 | 1.1 | 0.6 | n/s | n/s | n/s |
| Time Manufacturing | ET 37-EIH | 12.4 | 41 | 7.6 | 200 | 1.1 | 0.6 | n/s | n/s | n/s |
| Time Manufacturing | EST 37-EIH | 12.4 | 41 | 7.6 | 200 | 1.1 | 0.6 | n/s | n/s | n/s |
| Altec | AT41M/P | 12.45 | 85.01 | 9.16 | 181 | 0.6 | 0.76 | n/s | n/s | n/s |
| Altec | TA40 | 12.5 | 90 | 9 | 181 | 0.6 | 0.76 | n/s | n/s | n/s |
| Comet | 13-7.5 HQ | 12.5 | 86 | 7.5 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Custers | Taurus 265-12,5 | 12.5 | 89.01 | 7.5 | 265 | 1.4 | 0.96 | 7500 | n/s | n/s |
| Custers | Taurus 265-12,5E | 12.5 | 89.01 | 7.5 | 265 | 1.4 | 0.96 | 10000 | n/s | n/s |
| Custers | Taurus 230-12MH | 12.5 | 90 | n/s | n/s | n/s | n/s | 3500 | n/s | n/s |
| France Elévateur | 122 F i | 12.5 | 85.01 | 7 | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| Time Manufacturing | ET 34-NE | 12.5 | 41 | 8.2 | 200 | 1.1 | 0.6 | n/s | n/s | n/s |
| Time Manufacturing | T-37-TN | 12.5 | 41 | 7.32 | 226.8 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | T-37-MHTN | 12.5 | 41 | 7.32 | 226.8 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | VST-36-MHN | 12.5 | 41.01 | 7.92 | 272.15 | n/s | n/s | 7937 | 2 | N |
| Time Manufacturing | VO-36-I | 12.5 | 41.01 | 8.84 | 136.08 | n/s | n/s | 9071 | n/s | Y |
| Time Manufacturing | VST-36-I | 12.5 | 41.01 | 7.92 | 272.15 | n/s | n/s | 7937 | n/s | Y |
| Time Manufacturing | VST-36-MHI | 12.5 | 41.01 | 7.92 | 226.8 | n/s | n/s | 7937 | n/s | Y |
| Time Manufacturing | VST-36-N | 12.5 | 41.01 | 7.92 | 272.15 | n/s | n/s | 7937 | 2 | N |
| Time Manufacturing | VST-36-SI | 12.5 | 41.01 | 7.92 | 201.12 | n/s | n/s | 7937 | 2 | Y |
| Altec | AT37S | 12.51 | 90 | 8 | 226 | 1.5 | 0.9 | n/s | n/s | n/s |
| Altec | ALB37P | 12.8 | 92 | 9.3 | 272 | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | ALB37M | 12.8 | 93.02 | 9.3 | 159 | 0.61 | 0.76 | n/s | n/s | n/s |
| Imer | P 13 T 7 | 12.8 | 91.01 | 7.4 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Time Manufacturing | SST-37-EIH | 12.8 | 42 | 8.23 | 204 | 0.99 | 0.99 | 6500 | n/s | Y |
| Time Manufacturing | VOE-36-MHI | 12.8 | 42 | 8.84 | 181.44 | n/s | n/s | 9071 | n/s | Y |
| Time Manufacturing | SST-37-NE | 12.8 | 42 | 8.23 | 181.44 | 0.99 | 0.99 | 6577 | n/s | N |
| Time Manufacturing | SST-37-ENH | 12.8 | 42 | 8.23 | 204 | 0.99 | 0.99 | 6500 | n/s | N |
| Altec | TA37M | 12.9 | 94 | 8.4 | 181 | 0.6 | 0.76 | n/s | n/s | n/s |
| Altec | L42A | 12.9 | 94 | 9.9 | 181 | n/s | n/s | n/s | n/s | Y |
| Altec | AT237 | 13 | 99.02 | 8.6 | 181.4 | 0.66 | 0.76 | n/s | n/s | n/s |
| Altec | L42E | 13 | 104.01 | 10.8 | 181 | 0.61 | 0.76 | n/s | n/s | Y |
| Altec | L42M | 13 | 111 | 10.7 | 181 | 0.61 | 0.76 | n/s | n/s | Y |
| Movex | TLH 13 | 13 | 99.02 | 6 | 200 | n/s | n/s | n/s | 4 | Y |
| Multitel | MX 130 | 13 | 98 | 6.5 | 120 | 0.85 | 0.7 | n/s | n/s | n/s |
| Palfinger | P 130 A | 13 | 99.02 | 6.3 | 250 | 1.4 | 0.7 | 3200 | n/s | n/s |
| Time Manufacturing | EST 37-NE | 13 | 45.02 | 7.7 | 200 | 1.1 | 0.6 | n/s | n/s | n/s |
| Time Manufacturing | VOE 36-MHI | 13 | 45.02 | 8.9 | n/s | 1.6 | 0.76 | n/s | n/s | n/s |
| Movex | TLF 13 | 13.2 | 111 | 7.8 | 200 | n/s | n/s | n/s | 2 | Y |
| Altec | AP45A Single | 13.3 | 41.01 | 9.4 | 907 | 0.76 | 0.76 | n/s | n/s | n/s |

TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|---------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| Altec | AP45A Dual | 13.3 | 41.01 | 9.4 | 1814 | 0.76 | 0.76 | n/s | n/s | n/s |
| GSR | E 140 P Comfort | 13.3 | 41.01 | 6.2 | 200 | 0.7 | 1.2 | n/s | n/s | n/s |
| Time Manufacturing | VST 236-I | 13.4 | 44 | 8.3 | 265 | 1.1 | 0.6 | n/s | n/s | n/s |
| Time Manufacturing | VST 236-MHI | 13.4 | 44 | 7.2 | 265 | 1.1 | 0.6 | n/s | n/s | n/s |
| Time Manufacturing | VST-39-TN | 13.41 | 44 | 7.92 | 226.8 | n/s | n/s | 7937 | 2 | N |
| Time Manufacturing | VO-40-MHI | 13.41 | 44 | 9.45 | 181.44 | n/s | n/s | 7937 | n/s | Y |
| Time Manufacturing | VST-39-MHTN | 13.41 | 44 | 7.72 | 226.8 | n/s | n/s | 7937 | 2 | N |
| Altec | AT40M – JEMS | 13.5 | 54.99 | 9 | 181.4 | 0.6 | 0.76 | n/s | n/s | n/s |
| Altec | AT40P – JEMS | 13.5 | 56.99 | 9 | 181.4 | 0.6 | 0.76 | n/s | n/s | n/s |
| Comet | 14-6 HQ | 13.5 | 49.02 | 6 | 200 | 1.4 | 0.7 | n/s | 4 | n/s |
| Comet | 13.5-5.7 SL | 13.5 | 50 | 5.7 | 200 | 1.06 | 0.6 | n/s | 4 | Y |
| France Elévateur | 132 TM | 13.5 | 45.02 | n/s | 265 | 2 | 1 | n/s | n/s | n/s |
| Palfinger | P 140 T | 13.5 | 42 | 8.4 | 250 | 1.4 | 0.85 | 3500 | n/s | n/s |
| Palfinger | P 140 TX | 13.5 | 44 | 8.4 | 250 | 1.4 | 0.85 | 3500 | n/s | n/s |
| Socage | A 314 | 13.5 | 45.02 | 6.5 | 225 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Altec | L44E | 13.6 | 60.04 | 11.5 | 159 | n/s | n/s | n/s | n/s | Y |
| Altec | L45M | 13.7 | 45 | 11.3 | 181 | n/s | n/s | n/s | n/s | Y |
| Hubmeister | HM 14 TK | 13.7 | 45 | 8.1 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Elliot Equipment | I40F HIREACH | 13.7 | 45 | 9.1 | 272 | 1.02 | 1.52 | 11800 | 4 | Y |
| Elliot Equipment | G40F HiReach | 13.7 | 45 | 9.1 | 454 | 1.02 | 1.52 | 11800 | 4 | N |
| Time Manufacturing | VST-40-I | 13.72 | 45.02 | 9.14 | 272.15 | n/s | n/s | 7937 | 2 | Y |
| Time Manufacturing | VST-40-MHI | 13.72 | 45.02 | 9.14 | 226.8 | n/s | n/s | 7937 | 2 | Y |
| Time Manufacturing | VST-40-MHN | 13.72 | 45.02 | 9.14 | 226.8 | n/s | n/s | 7937 | 2 | N |
| Time Manufacturing | VST-40-N | 13.72 | 45.02 | 9.14 | 272.15 | n/s | n/s | 7937 | 2 | N |
| Time Manufacturing | VST-40-SI | 13.72 | 45.02 | 9.14 | 204.12 | n/s | n/s | 7937 | 2 | Y |
| Time Manufacturing | SST-40-EIH | 13.72 | 45.02 | 8.23 | 204.12 | 0.99 | 0.99 | 6577 | n/s | Y |
| Time Manufacturing | SST-40-ENH | 13.72 | 45.02 | 8.23 | 204.12 | 0.99 | 0.99 | 6577 | n/s | N |
| Time Manufacturing | SST-40-NE | 13.72 | 45.02 | 8.23 | 181.44 | 0.9 | 0.9 | 6577 | n/s | N |
| Time Manufacturing | ET-36-LF | 13.8 | 45 | 7.3 | 200 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | VST-40-AP | 13.8 | 45.28 | 9.2 | 272 | n/s | n/s | 7940 | 2 | N |
| Altec | AT41S | 13.85 | 44 | 9.29 | 226 | 1.5 | 0.9 | n/s | n/s | n/s |
| Altec | AT40G | 13.9 | 45 | 9.1 | 181.4 | 0.6 | 0.76 | n/s | n/s | n/s |
| Time Manufacturing | EST 40-NE | 13.9 | 46 | 7.7 | 200 | 1.1 | 0.6 | n/s | n/s | n/s |
| Time Manufacturing | EST 40-EIH | 13.9 | 46 | 7.8 | 200 | 1.1 | 0.6 | n/s | n/s | n/s |
| Altec | TA41M | 14 | 54 | 9.3 | 159 | 0.6 | 0.76 | n/s | n/s | n/s |
| Comet | 14-9 HQ | 14 | 48 | 9 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Comet | X MINI 14-6.2 HQ | 14 | 48 | 6.2 | 200 | 1 | 0.7 | 2200 | 4 | n/s |
| Comet | 14-8 | 14 | 51 | 8 | 200 | 1.19 | 0.58 | n/s | 4 | Y |
| Comet | 14-9.5 | 14 | 54 | 9.5 | 275 | 1.19 | 0.58 | n/s | 4 | Y |
| Custers | Taurus 230-14 ML | 14 | 51 | 7 | 230 | 1.4 | 0.96 | 3500 | n/s | n/s |
| Custers | Taurus 230-14 MV | 14 | 51 | 7 | 230 | 1.4 | 0.96 | 3500 | n/s | n/s |
| Custers | Taurus 265-14H | | | | | | | | | |
| Custers | Taurus 200-14 MVH | 14 | 54 | n/s | 200 | n/s | n/s | n/s | n/s | n/s |
| Isoli | PT140 | 14 | 45 | 8.2 | 250 | 1.4 | 0.71 | n/s | n/s | n/s |
| Klubb | KAT42 | 14 | n/s | 6.7 | 200 | n/s | n/s | n/s | n/s | n/s |
| Movex | P140 TLR | 14 | 47 | 9 | 200 | n/s | n/s | 3600 | 4 | Y |
| Movex | TLF 14 | 14 | 51 | 7.8 | 200 | n/s | n/s | n/s | 2 | Y |
| Oil & Steel | Scorpion 1490 Smart | 14 | 50 | 9 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Safi S.r.l. | SC 14 | 14 | 47 | 8 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Imer | P 14 T 9 | 14.2 | 56 | 9 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Movex | TLR 15 | 14.2 | 56 | 8.6 | 225 | n/s | n/s | n/s | 4 | Y |
| Oil & Steel | Scorpion 1490 | 14.2 | 55 | 9.2 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Socage | T415 forSte | 14.2 | 56 | 9.5 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Time Manufacturing | ET 40-IFH | 14.2 | 47 | 7 | 200 | 1.1 | 0.6 | n/s | n/s | n/s |
| Time Manufacturing | ET-38-LF | 14.2 | 47 | 7.3 | 200 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | VT-140-F | 14.2 | 47 | 9.2 | 265 | n/s | n/s | n/s | n/s | n/s |
| CMC | PLA148 | 14.25 | 56 | 8.35 | 200 | 1.4 | 0.6 | n/s | 2/4 | n/s |
| Altec | ALB42P | 14.3 | 57 | 9.3 | 272 | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | ALB42PR | 14.3 | 57 | 9.3 | n/s | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | ALB42M | 14.3 | 59 | 9.3 | 227 | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | ALB42MR | 14.3 | 59 | 9.3 | n/s | 0.61 | 0.76 | n/s | n/s | n/s |
| Isoli | MPT140 | 14.3 | 59 | 7 | 200 | 1.25 | 0.7 | 3500 | n/s | n/s |
| Time Manufacturing | VO-42-MHI | 14.33 | 47.02 | 10.67 | 181.44 | n/s | n/s | 11112 | n/s | Y |
| Time Manufacturing | VO-43-I | 14.33 | 47.02 | 10.36 | 181.44 | n/s | n/s | 9071 | n/s | Y |

TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|-----------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| Altec | A47-OC | 14.4 | 59 | 12.4 | 363 | n/s | n/s | n/s | n/s | Y |
| Altec | AT48M/P | 14.48 | 60 | 9.51 | 181 | 0.6 | 0.76 | n/s | n/s | n/s |
| Custers | Taurus 265-14,5 | 14.5 | 60 | 9.15 | 265 | 1.4 | 0.96 | 7500 | n/s | n/s |
| Socage | T 315 | 14.5 | 60 | 9.1 | 225 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Socage | forSte 15 VTJ | 14.5 | 60 | 9.5 | 225 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Elliot Equipment | M43R HiReach | 14.6 | 63 | 11.6 | 227 | 0.76 | 1.37 | 8850 | 4 | N |
| Tadano | AT-146TE | 14.6 | 62 | n/s | 250 | 1.1 | 0.7 | n/s | 4 | n/s |
| Time Manufacturing | VT-145-F | 14.6 | 48 | 9.5 | 265 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | VST-43-MHTN | 14.63 | 48 | 9.14 | 226.8 | n/s | n/s | 7937 | 2 | N |
| Time Manufacturing | VST-43-TN | 14.63 | 48 | 9.14 | 226.8 | n/s | n/s | 7937 | 2 | N |
| Altec | AN46-OC | 14.7 | 65 | 12.8 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AN46E-OC | 14.7 | 65 | 12.8 | 318 | n/s | n/s | n/s | n/s | Y |
| CTE | ZED 15.2 | 14.7 | 65 | 6.3 | 230 | 1.4 | 0.7 | n/s | n/s | n/s |
| Multitel | 145 Alu | 14.7 | 64 | 7.7 | 200 | 1.2 | 0.7 | 3500 | 4 | n/s |
| Tadano | AT-147CE | 14.7 | 65 | n/s | 250 | 1.1 | 0.7 | n/s | 4 | n/s |
| Altec | AT248F | 14.8 | 66 | 8.7 | 159 | 0.66 | 0.76 | n/s | n/s | n/s |
| Tadano | AT-150S | 14.8 | 65 | n/s | 1000 | 4.6 | 1.94 | n/s | 4 | n/s |
| Time Manufacturing | VST 240-I | 14.8 | 49 | 9.5 | 265 | 1.1 | 0.6 | n/s | n/s | n/s |
| Time Manufacturing | VST 240-MHI | 14.8 | 49 | 7.3 | 265 | 1.1 | 0.6 | n/s | n/s | n/s |
| Time Manufacturing | VN-43-I | 14.94 | 49.02 | 8.53 | 340.19 | n/s | n/s | 12700 | n/s | Y |
| Ascendant | A15TVM | 15 | 75 | 7.7 | 230 | 0.8 | 1.3 | 4600 | 2 | n/s |
| Bumar | PMT-15E | 15 | 68 | 6 | 200 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PMT-15 | 15 | 68 | 6 | 200 | n/s | n/s | n/s | n/s | n/s |
| Comet | 15-10 HQ | 15 | 70 | 10 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Comet | SOLAR 15 | 15 | 71 | 3.5 | 400 | 3.5 | 2 | 5000 | 4 | n/s |
| France Elévateur | 142 TPF | 15 | 70 | 9.2 | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| France Elévateur | Z 15/2 | 15 | 71 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Altec | TA45M | 15.1 | 75 | 9.3 | 159 | 0.6 | 0.76 | n/s | n/s | n/s |
| Time Manufacturing | EST 42-NE | 15.1 | 50 | 7.1 | 200 | 1.1 | 0.6 | n/s | n/s | n/s |
| Altec | ALB50P | 15.2 | 80 | 9.3 | 227 | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | ALB50PR | 15.2 | 80 | 9.3 | n/s | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | ALB50M | 15.2 | 80 | 9.3 | 159 | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | ALB50MR | 15.2 | 80 | 9.3 | n/s | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | A50-OC | 15.2 | 80 | 13.2 | 363 | n/s | n/s | n/s | n/s | Y |
| Time Manufacturing | VO-455-MHI | 15.24 | 50 | 14.63 | 317.51 | n/s | n/s | 14968 | 2 | Y |
| Time Manufacturing | VN-43-REV | 15.24 | 50 | 8.53 | 340.19 | n/s | n/s | 12700 | n/s | Y |
| Altec | AA50 | 15.3 | 85 | 10.5 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AA50E | 15.3 | 85 | 11.9 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AN50 | 15.3 | 85 | 10.5 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AN50E | 15.3 | 86 | 11.9 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AM50 | 15.3 | 88 | 13 | 363 | n/s | n/s | n/s | n/s | Y |
| Movex | P150 TLR | 15.3 | 82 | n/s | 200 | n/s | n/s | 3500 | 4 | Y |
| Socage | forSte 15 A | 15.3 | 85 | 6.5 | 225 | 0.7 | 0.7 | 3500 | n/s | n/s |
| France Elévateur | 162 TPM | 15.5 | 88 | 9.8 | 265 | 1.55 | 0.78 | n/s | n/s | n/s |
| Time Manufacturing | VST-47-I | 15.54 | 50.99 | 9.14 | 226.8 | n/s | n/s | 7937 | 2 | Y |
| Time Manufacturing | VST-47-MHI | 15.54 | 50.99 | 9.14 | 181.44 | n/s | n/s | 10886 | 2 | Y |
| Time Manufacturing | VST-47-MHN | 15.54 | 50.99 | 9.14 | 181.44 | n/s | n/s | 7937 | 2 | N |
| Time Manufacturing | VST-47-N | 15.54 | 50.99 | 9.45 | 181.44 | n/s | n/s | 7937 | 2 | N |
| Time Manufacturing | VST-47-SI | 15.54 | 50.99 | 9.45 | 181.44 | n/s | n/s | 7937 | 2 | Y |
| Altec | TA41M-T46 | 15.6 | 89 | 9.3 | 159 | 0.6 | 0.76 | n/s | n/s | n/s |
| Altec | AM50E | 15.7 | 90 | 13.4 | 363 | n/s | n/s | n/s | n/s | Y |
| Altec | AN50-OC | 15.7 | 90 | 13.8 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AN50E-OC | 15.7 | 90 | 13.8 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | LR752 | 15.7 | 91 | 12.3 | 181 | n/s | n/s | n/s | n/s | Y |
| Tadano | AT-157CG | 15.7 | 89 | n/s | 200 | 1.2 | 0.7 | n/s | 4 | n/s |
| Altec | ALB37PE | 15.8 | 92 | 9.3 | 272 | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | ALB37ME | 15.8 | 93 | 9.3 | 159 | 0.61 | 0.76 | n/s | n/s | n/s |
| Altec | AT48S | 15.84 | 93 | 9.67 | 226 | 1.5 | 0.9 | n/s | n/s | n/s |
| Oil & Steel | Scorpion 15E | 15.9 | 94 | 10.3 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Benelligru | P 3003 | 16 | 42 | n/s | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Hubmeister | HM 16 TKI | 16 | 41 | 11.5 | 265 | 1.4 | 0.7 | n/s | n/s | n/s |
| Bumar | PMT-16U | 16 | 99 | 6 | 200 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PMT-16EU | 16 | 103 | 6 | 200 | n/s | n/s | n/s | n/s | n/s |
| CMC | PLA168 | 16 | 94 | 9 | 200 | 1.4 | 0.6 | n/s | 2/4 | n/s |

TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|-----------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| Comet | 16-6 HQ | 16 | 42 | 6 | 200 | 1.4 | 0.7 | n/s | 4 | n/s |
| Custers | Taurus 265-16 | 16 | 41 | 11 | 265 | 1.4 | 0.96 | 10000 | n/s | n/s |
| Easy Lift | ETJ160 | 16 | n/s | 10 | 200 | 1,4 | 0,7 | 8000 | 4 | Y |
| France Elévateur | 162 TLE | 16 | 104 | 10 | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| France Elévateur | 162 TM | 16 | 104 | 10.3 | 265 | 1.55 | 0.78 | n/s | n/s | n/s |
| France Elévateur | B 16 PRO A | 16 | 111 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | B 16 PRO H | 16 | 111 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Imer | P 16 T 9 | 16 | 99 | 9 | 120/200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Isoli | PT160 | 16 | 103 | 11 | 250 | 1.4 | 0.71 | n/s | n/s | n/s |
| Klubb | KT48 | 16 | n/s | 10 | 200 | n/s | n/s | n/s | n/s | n/s |
| Movex | P160 TLR | 16 | 41 | n/s | 200 | n/s | n/s | 3500 | 4 | Y |
| Ruthmann | ECOLINE 160 | 16 | 104 | 9.2 | 250 | 1.3 | 0.7 | 3500 | n/s | n/s |
| Socage | T 316 | 16 | 99 | n/s | n/s | 1.4 | 0.7 | n/s | n/s | n/s |
| Socage | T416 forSte | 16.1 | 44 | 12 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Hubmeister | HM 16 D | 16.15 | 45 | 8 | 265 | 1.4 | 0.7 | n/s | n/s | n/s |
| Multitel | MT 162 EX | 16.15 | 45 | 11.5 | 300 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Movex | TLR 16 | 16.2 | 49 | 9.8 | 230 | n/s | n/s | n/s | 4 | Y |
| Palfinger | P 160 TX | 16.2 | 45 | 9.6 | 250 | 1.4 | 0.85 | 3500 | n/s | n/s |
| France Elévateur | 172 ATL | 16.3 | 60 | 6.8 | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| France Elévateur | 162 ATL i | 16.3 | 53 | 7 | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| Isoli | PT160J | 16.3 | 57 | 10.2 | 250 | 1.4 | 0.72 | n/s | n/s | n/s |
| Multitel | 160 Alu | 16.3 | 55 | 10.2 | 200 | 1.6 | 0.7 | 3500 | 4 | n/s |
| Time Manufacturing | EST 46-NE | 16.3 | 53 | 7.1 | 200 | 1.1 | 0.6 | n/s | n/s | n/s |
| Movex | TLH 16 | 16.4 | 54 | 7.2 | 230 | n/s | n/s | n/s | 4 | Y |
| Pagliari | TMEC 16.3 AluAF | 16.4 | 54 | 8.3 | 200 | n/s | n/s | n/s | n/s | n/s |
| Tecchio | K 416 JI Van | 16.4 | 54 | 10.5 | 200 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | VST-50-MHTN | 16.46 | 54.01 | 9.14 | 226.8 | n/s | n/s | 7937 | 2 | N |
| Time Manufacturing | VST-50-TN | 16.46 | 54.01 | 9.14 | 226.8 | n/s | n/s | 7937 | 2 | N |
| Time Manufacturing | VST-5000-I | 16.46 | 54.01 | 10.97 | 340.19 | n/s | n/s | 14061 | 4 | Y |
| Time Manufacturing | VST-5000-MHI | 16.46 | 54.01 | 10.97 | 294.83 | n/s | n/s | 14061 | 4 | Y |
| CTE | 162 B FE-A | 16.5 | 54 | 10.7 | 250 | 1.4 | 0.7 | n/s | n/s | n/s |
| CTE | 162 B FE-H | 16.5 | 54 | 11.2 | 250 | 1.4 | 0.7 | n/s | n/s | n/s |
| Altec | TA50 | 16.6 | 54 | 11 | 272.2 | 0.9 | 1.5 | n/s | n/s | n/s |
| Altec | TA50S | 16.6 | 54 | 11 | 272.2 | 0.9 | 1.5 | n/s | n/s | n/s |
| CTE | B-Lift 17 E | 16.6 | 54 | 11.3 | 250 | 1.4 | 0.7 | n/s | n/s | n/s |
| Altec | TA45M-L50 | 16.7 | 55 | 9.4 | 159 | 0.6 | 0.76 | n/s | n/s | n/s |
| Altec | TA45M-T50 | 16.7 | 55 | 9.4 | 159 | 0.6 | 0.76 | n/s | n/s | n/s |
| Altec | A55E-OC | 16.7 | 55 | 14.7 | 363 | n/s | n/s | n/s | n/s | Y |
| Altec | A55-OC | 16.7 | 55 | 14.7 | 363 | n/s | n/s | n/s | n/s | Y |
| Elliot Equipment | G50F HiReach | 16.7 | 55 | 12.5 | 272 | 1.02 | 1.52 | 11800 | 4 | N |
| Time Manufacturing | VO-350-MHI | 16.76 | 54.99 | 12.8 | 362.87 | n/s | n/s | 14968 | 2 | Y |
| Time Manufacturing | VO-350-XMHI | 16.76 | 54.99 | 12.8 | 362.87 | n/s | n/s | 14968 | 2 | Y |
| Time Manufacturing | VN-50-I | 16.76 | 54.99 | 9.75 | 340.19 | n/s | n/s | 12700 | n/s | Y |
| Altec | AA55 | 16.8 | 55 | 11.5 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AA55E | 16.8 | 55 | 13.1 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AN55 | 16.8 | 55 | 11.5 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AN55E | 16.8 | 55 | 13.1 | 318 | n/s | n/s | n/s | n/s | Y |
| Elliot Equipment | I50F I50F HiReach | 16.8 | 55 | 12.2 | 272 | 1.02 | 1.52 | 11800 | 4 | Y |
| Elliot Equipment | S50F SkyWalk | 16.8 | 55 | 16.5 | 408 | 0.71 | 4.87 | 15000 | 4 | N |
| France Elévateur | 172 ATBI | 16.8 | 55 | 6.8 | 320 | 1.5 | 1.22 | n/s | n/s | n/s |
| Altec | AM55 | 16.9 | 55 | 14.5 | 363 | n/s | n/s | n/s | n/s | Y |
| CELA | VT170 | 17 | 56 | 9 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Comet | 17-7 HQ | 17 | 56 | 7 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Comet | 17-9 HQ | 17 | 56 | 9 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Comet | 17-12 HQ | 17 | 56 | 12 | 250 | 1.4 | 0.7 | 6000 | 4 | n/s |
| Custers | Taurus 230-17 ML | 17 | 56 | 7 | 230 | 1.4 | 0.96 | 5000 | n/s | n/s |
| Custers | Taurus 230-17 MV | 17 | 56 | 7 | 230 | 1.4 | 0.96 | 5000 | n/s | n/s |
| France Elévateur | 172 TPL | 17 | 56 | 8.2 | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| France Elévateur | 172 TPFCC | 17 | 56 | n/s | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| France Elévateur | B 17 | 17 | 56 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | Z 17 | 17 | 56 | n/s | 200 | n/s | n/s | n/s | n/s | n/s |
| Multitel | MX 170 | 17 | 56 | 7.95 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Oil & Steel | Snake 1770 Compact RE | 17 | 56 | 7.4 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Palfinger | P 170 TXE | 17 | 56 | 11.7 | 250 | 1.4 | 0.85 | 3500 | n/s | n/s |

TRUCK MOUNTED PLATFORMS


| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|---------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| Palfinger | P 170 T | 17 | 56 | 10.8 | 250 | 1.4 | 0.85 | 3500 | n/s | n/s |
| Ruthmann | T 170 | 17 | 56 | 12 | 350 | 1.7 | 0.9 | n/s | n/s | n/s |
| Tadano | AT-170TG | 17 | 56 | n/s | 200 | 1.2 | 0.7 | n/s | 4 | n/s |
| Time Manufacturing | VDT-170-F | 17 | 55.78 | 9 | 230 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | VST-5000-SI | 17.07 | 56.01 | 11.28 | 226.8 | n/s | n/s | 14061 | 4 | Y |
| Time Manufacturing | VST-52-I | 17.07 | 56.01 | 9.14 | 226.8 | n/s | n/s | 10884 | 4 | Y |
| Time Manufacturing | VST-52-MHI | 17.07 | 56.01 | 9.14 | 181.44 | n/s | n/s | 10886 | 2 | Y |
| Time Manufacturing | VST-52-SI | 17.07 | 56.01 | 9.45 | 181.44 | n/s | n/s | 10886 | 2 | Y |
| Time Manufacturing | VO-252-REAR | 17.07 | 56.01 | 13.11 | 204.12 | n/s | n/s | 12700 | 2 | Y |
| Altec | AM55E | 17.1 | 56 | 14.9 | 363 | n/s | n/s | n/s | n/s | Y |
| Elliot Equipment | S50R SkyWalk | 17.1 | 56 | 14.6 | 408 | 0.71 | 3.05 | 11800 | 4 | N |
| GSR | E 179 T Compact | 17.1 | 56 | 9.75 | 250 | 0.7 | 1.4 | n/s | n/s | n/s |
| Altec | AN55-OC | 17.2 | 54 | 15.3 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | LR756 | 17.2 | 54 | 13.5 | 181 | n/s | n/s | n/s | n/s | Y |
| France Elévateur | 172 TPF i | 17.2 | 51 | 7.4 | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| France Elévateur | 172 TPL i | 17.2 | 51 | 7.4 | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| Oil & Steel | Snake 1770 Plus | 17.2 | 51 | 7.3 | 220 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Time Manufacturing | VST 5000-I | 17.2 | 56 | 11.5 | 265 | 1.22 | 0.6 | n/s | n/s | n/s |
| Time Manufacturing | VST 5000-MHI | 17.2 | 56 | 9.4 | 272 | 1.22 | 0.6 | n/s | n/s | n/s |
| Altec | AN55E-OC | 17.3 | 54 | 15.3 | 318 | n/s | n/s | n/s | n/s | Y |
| France Elévateur | 172 CPL | 17.3 | 54 | 10.3 | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| Time Manufacturing | VO-452-MHI | 17.37 | 56.99 | 13.72 | 317.51 | n/s | n/s | 14968 | 2 | Y |
| Time Manufacturing | VO-252-REV | 17.37 | 56.99 | 13.11 | 204.12 | n/s | n/s | 12700 | 2 | Y |
| Time Manufacturing | VN-50-REV | 17.37 | 56.99 | 9.75 | 340.19 | n/s | n/s | 12700 | n/s | Y |
| Bizzocchi | Artica 1750 | 17.5 | 55 | 11.9 | 200 | n/s | n/s | n/s | n/s | n/s |
| Comet | 18-7.5 HQ | 17.5 | 56 | 7.5 | 200 | 1.4 | 0.7 | n/s | 4 | n/s |
| France Elévateur | 172 TBI | 17.5 | 56 | 12 | 265 | 0.9 | 0.72 | n/s | n/s | n/s |
| Imer | P 18 T 12 | 17.5 | 55 | 12 | 120/200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Easy Lift | ET180 | 17.6 | n/s | 10.5 | 200 | 1.4 | 0.7 | 3500 | 4 | Y |
| France Elévateur | 182 TPM | 17.6 | 56 | 12 | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| Elliot Equipment | L55R HiReach | 17.7 | 56 | 15.5 | 227 | 0.76 | 1.37 | 11800 | 4 | N |
| Altec | LR758 | 17.8 | 56 | 14.1 | 181 | n/s | n/s | n/s | n/s | Y |
| Time Manufacturing | VST-55-TN | 17.89 | 58.7 | 9.14 | 226.8 | n/s | n/s | 10886 | 2 | N |
| Time Manufacturing | VST-55-MHTN | 17.98 | 58.99 | 9.14 | 226.8 | n/s | n/s | 10886 | 2 | N |
| Time Manufacturing | VST-5500-SI | 17.98 | 58.99 | 11.58 | 226.8 | n/s | n/s | 14061 | 4 | Y |
| Time Manufacturing | VO-255-REAR | 17.98 | 58.99 | 14.02 | 204.12 | n/s | n/s | 12700 | 2 | Y |
| Ascendant | A18-13TJ | 18 | 60 | 13 | 230 | 0.8 | 1.3 | 3500 | 4 | n/s |
| Benelligru | P 3004 | 18 | 70 | n/s | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Hubmeister | HM 18 TKI | 18 | 65 | 13 | 300 | 1.4 | 0.7 | n/s | n/s | n/s |
| Bumar | PMT-0180 | 18 | 59 | 7 | 250 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PM 0184 H | 18 | 65 | 8.9 | 300 | n/s | n/s | n/s | n/s | n/s |
| CMC | PLA 185 | 18 | 57 | 10 | 200 | 1.4 | 0.6 | n/s | n/s | n/s |
| Comet | 18-8 | 18 | 64 | 8 | 250 | 1.4 | 0.7 | n/s | 4 | Y |
| CTE | 182 B FE-A | 18 | 59 | 10.9 | 250 | n/s | n/s | n/s | n/s | n/s |
| CTE | 182 B FE-H | 18 | 60 | 12.1 | 250 | n/s | n/s | n/s | n/s | n/s |
| Custers | Taurus 265-18 | 18 | 66 | 11 | 265 | 1.4 | 0.96 | 11000 | n/s | n/s |
| Danilift | PD182V | 18 | n/s | 13 | 230 | n/s | n/s | 7500 | 2 | n/s |
| France Elévateur | 182 CPM | 18 | 60 | 12 | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| France Elévateur | B 18 PRO A | 18 | 65 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | B 18 PRO H | 18 | 65 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Isoli | PT180 | 18 | 60 | 12 | 250 | 1.4 | 0.71 | n/s | n/s | n/s |
| Movex | TLR 18 | 18 | 65 | 10.2 | 230 | n/s | n/s | n/s | 4 | Y |
| Oil & Steel | Scorpion 1812 | 18 | 56 | 12.5 | 120 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Scorpion 1812 | 18 | 60 | 12.5 | 225 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Scorpion 1812 Smart | 18 | 65 | 12 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Snake 189 SMART | 18 | 68 | 9 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Snake 189 | 18 | 68 | 9 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Ruthmann | ECOLINE 180 | 18 | 62 | 9.2 | 250 | 1.3 | 0.7 | 3500 | n/s | n/s |
| Safi S.r.l. | SC 18 | 18 | 63 | 10.2 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Safi S.r.l. | SCA 22 HE | 18 | 70 | n/s | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Safi S.r.l. | SCA 22 | 18 | 71 | n/s | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Socage | T 318 | 18 | 59 | 10 | 225 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Socage | T418 forSte | 18 | 65 | 11.5 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Altec | TA55 | 18.1 | 71 | 11.7 | 272.2 | 0.9 | 1.5 | n/s | n/s | n/s |

TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|-----------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| Altec | TA55S | 18.1 | 75 | 11.7 | 272.2 | 0.9 | 1.5 | n/s | n/s | n/s |
| Easy Lift | EZ190 | 18.2 | n/s | 9.5 | 200 | 1,4 | 0,7 | 3500 | 4 | Y |
| Multitel | MT 182 EX | 18.2 | 75 | 13.3 | 200 | 1.6 | 0.7 | 3500 | 4 | n/s |
| Multitel | MT 182 DS | 18.2 | 75 | 9.7 | 200 | 1.6 | 0.7 | 3500 | 4 | n/s |
| Time Manufacturing | VN-55-I | 18.29 | 60.01 | 10.97 | 317.51 | n/s | n/s | 12700 | n/s | Y |
| Time Manufacturing | VST-5500-I | 18.29 | 60.01 | 11.28 | 340.19 | n/s | n/s | 14061 | 4 | Y |
| Time Manufacturing | VST-5500-MHI | 18.29 | 60.01 | 11.28 | 294.83 | n/s | n/s | 14061 | 4 | Y |
| Time Manufacturing | VO-355-MHI | 18.29 | 60.01 | 14.33 | 362.87 | n/s | n/s | 14968 | 2 | Y |
| Time Manufacturing | VO-355-XMHI | 18.29 | 60.01 | 14.33 | 362.87 | n/s | n/s | 14968 | 2 | Y |
| Altec | AA60 | 18.3 | 80 | 12.4 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AA60E | 18.3 | 80 | 14.3 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AN60 | 18.3 | 80 | 12.4 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AN60E | 18.3 | 80 | 14.3 | 318 | n/s | n/s | n/s | n/s | Y |
| Elliot Equipment | H55F HiReach | 18.3 | 75 | 13.1 | 272 | 1.02 | 1.52 | 15000 | 4 | N |
| France Elévateur | 182 TM | 18.3 | 79 | 10.3 | 265 | 1.55 | 0.78 | n/s | n/s | n/s |
| Time Manufacturing | VO-255-REV | 18.3 | 60.04 | 14.02 | 204.1 | n/s | n/s | n/s | 2 | Y |
| Altec | AM60 | 18.4 | 80 | 16.1 | 363 | n/s | n/s | n/s | n/s | Y |
| Altec | LR760 | 18.4 | 82 | 14.8 | 181 | n/s | n/s | n/s | n/s | Y |
| Swisslift | GTA 185 | 18.5 | 85 | 10.4 | 215 | 1.2 | 0.85 | n/s | n/s | n/s |
| Altec | AM60E | 18.6 | 88 | 16.4 | 363 | n/s | n/s | n/s | n/s | Y |
| GSR | E 190 T Compact | 18.6 | 85 | 13.2 | 250 | 0.7 | 1.8 | n/s | n/s | n/s |
| Isoli | PT190J | 18.6 | 86 | 11.2 | 250 | 1.4 | 0.72 | n/s | n/s | n/s |
| Imer | P 19 AS 10 | 18.7 | 89 | 10 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| CMC | PLA190 | 18.8 | 89 | 10.6 | 200 | 1.4 | 0.6 | n/s | 2/4 | n/s |
| Time Manufacturing | LT-56-NE | 18.9 | 62 | 9.45 | 158.76 | n/s | n/s | 7940 | n/s | n/s |
| Time Manufacturing | VN-55-REV | 18.9 | 62.01 | 10.97 | 317.51 | n/s | n/s | 12700 | n/s | Y |
| Bumar | PMT-19 | 19 | 90 | 7 | 250 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PMT-19E | 19 | 91 | 7 | 250 | n/s | n/s | n/s | n/s | n/s |
| Comet | 19-7 HQ | 19 | 93 | 7 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Comet | 19-9 HQ | 19 | 94 | 9 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Comet | 19-14 HQ | 19 | 94 | 14 | 250 | 1.4 | 0.7 | 6000 | 4 | n/s |
| Danilift | PDA190V | 19 | n/s | 11 | 230 | n/s | n/s | 7500 | 4 | n/s |
| Easy Lift | ETJ190 | 19 | n/s | 12 | 200 | 1,4 | 0,7 | 12000 | 4 | Y |
| France Elévateur | 192 CPM | 19 | 93 | 13.4 | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| Klubb | Xtenso 3 | 19 | n/s | 14 | 280 | n/s | n/s | n/s | n/s | n/s |
| Ruthmann | T 190 | 19 | 92 | 14 | 350 | 1.7 | 0.86 | n/s | n/s | n/s |
| Swisslift | GTA 140 | 19 | 94 | 12.6 | 215 | 1.2 | 0.85 | n/s | n/s | n/s |
| Time Manufacturing | VT-190-FSZ | 19 | 90 | 12 | 200 | n/s | n/s | n/s | n/s | n/s |
| Elliot Equipment | V60F HiReach | 19.2 | 98 | 11.6 | 227 | 0.76 | 1.02 | 8850 | 4 | N |
| Elliot Equipment | L60R HiReach | 19.2 | 98 | 17.1 | 227 | 1.02 | 1.52 | 11800 | 4 | N |
| Time Manufacturing | VO-260-REAR | 19.2 | 63 | 15.24 | 158.76 | n/s | n/s | n/s | 2 | Y |
| Altec | LS63 | 19.4 | 99 | 17.3 | 272.2 | 1.5 | 1 | n/s | n/s | n/s |
| France Elévateur | 192 ATL | 19.5 | 103 | n/s | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| Socage | forSte 20 TJ | 19.5 | 99 | 13.5 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Socage | forSte 20 T | 19.5 | 99 | 12.5 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Socage | forSte 20 D | 19.5 | 103 | 9 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Time Manufacturing | VST-6000-SI | 19.51 | 64.01 | 12.19 | 204.12 | n/s | n/s | 14061 | 4 | Y |
| CMC | TB20 | 19.6 | 104 | 8.6 | 200 | 1.4 | 0.6 | 3500 | 2/4 | n/s |
| Tadano | AT-195CG | 19.6 | 104 | n/s | 200 | 1.2 | 0.7 | n/s | 4 | n/s |
| France Elévateur | 192 CBA | 19.65 | 111 | 14.4 | 265 | 1.55 | 0.78 | n/s | n/s | n/s |
| France Elévateur | 192 TBA | 19.65 | 111 | 12.8 | 265 | 1.55 | 0.78 | n/s | n/s | n/s |
| Multitel | HX 195 | 19.65 | 104 | 9.45 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Tadano | AT-200S | 19.7 | 41 | n/s | 1000 | 4.6 | 1.94 | n/s | 4 | n/s |
| Altec | TA60 | 19.8 | 42 | 12.2 | 272.2 | 0.9 | 1.5 | n/s | n/s | n/s |
| Altec | TA60S | 19.8 | 44 | 12.2 | 272.2 | 0.9 | 1.5 | n/s | n/s | n/s |
| Altec | A65 | 19.8 | 45 | 11.2 | 362.9 | n/s | n/s | n/s | n/s | Y |
| Elliot Equipment | I60F HiReach | 19.8 | 41 | 15.8 | 272 | 1.02 | 1.52 | 15000 | 4 | Y |
| Elliot Equipment | H60F HiReach | 19.8 | 41 | 14.9 | 272 | 1.02 | 1.52 | 15000 | 4 | N |
| Multitel | HX 200 DS | 19.8 | 41 | 9.6 | 225 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Palfinger | P 200 A | 19.8 | 42 | 8.4 | 250 | 1.4 | 0.85 | 3500 | n/s | n/s |
| Time Manufacturing | VN-60-I | 19.81 | 65 | 11.89 | 226.8 | n/s | n/s | 12700 | n/s | Y |
| Time Manufacturing | VST-6000-I | 19.81 | 65 | 11.58 | 340.19 | n/s | n/s | 14061 | 4 | Y |
| Time Manufacturing | VST-6000-MHI | 19.81 | 65 | 11.58 | 294.83 | n/s | n/s | 14061 | 4 | Y |
| Time Manufacturing | VO-360-XMHI | 19.81 | 65 | 15.85 | 272.15 | n/s | n/s | 14968 | 2 | Y |

TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|------------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| Time Manufacturing | VO-360-MHI | 19.81 | 65 | 15.85 | 272.15 | n/s | n/s | 14968 | 2 | Y |
| Time Manufacturing | VO-260-REV | 19.81 | 65 | 15.24 | 158.76 | n/s | n/s | 12700 | 2 | Y |
| Time Manufacturing | VO-460-MHI | 19.81 | 65 | 16.15 | 226.8 | n/s | n/s | 14968 | 2 | Y |
| Multitel | HX 200 EX | 19.9 | 45 | 9.6 | 225 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Benelligru | PL3000 | 20 | 66 | 11 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Benelligru | P35 | 20 | 66 | 24 | 200 | 2.2 | 0.7 | n/s | n/s | n/s |
| Bumar | PMT-20 | 20 | 66 | 8 | 200 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PMT-20E | 20 | 66 | 7 | 225 | n/s | n/s | n/s | n/s | n/s |
| Comet | 20-9 HQ | 20 | 66 | 9 | 230 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Comet | 20-15 HQ | 20 | 66 | 15 | 250 | 1.4 | 0.7 | 6000 | 4 | n/s |
| Comet | 20-10 HQ | 20 | 66 | 10 | 200 | 1.4 | 0.7 | n/s | 4 | n/s |
| CTE | ZED 20.3 H | 20 | 66 | 8.5 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Custers | Taurus 300-20 | 20 | 66 | 14 | 300 | 1.4 | 0.96 | 11000 | n/s | n/s |
| Danilift | PDA200V | 20 | n/s | 14.5 | 230 | n/s | n/s | 7500 | n/s | n/s |
| France Elévateur | B 20 PRO A | 20 | 66 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | B 20 PRO H | 20 | 66 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | B 202 R | 20 | 66 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | Z 20/2H | 20 | 66 | n/s | 300 | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | Z 20/2HV | 20 | 66 | n/s | 300 | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | Z 23/2 JH | 20 | 66 | n/s | 230 | n/s | n/s | n/s | n/s | n/s |
| Isoli | PT200 | 20 | 66 | 12 | 250 | 1.4 | 0.71 | n/s | n/s | n/s |
| Isoli | PT200J | 20 | 66 | 14 | 250 | 1.4 | 0.72 | n/s | n/s | n/s |
| Isoli | PNT205NH | 20 | 66 | 9.1 | 230 | 1.4 | 0.71 | 3500 | n/s | n/s |
| Isoli | PNT205N | 20 | 66 | 9.1 | 230 | 1.4 | 0.71 | 3500 | n/s | n/s |
| Movex | TLR 20 | 20 | 66 | 10.2 | 230 | n/s | n/s | n/s | 4 | Y |
| Movex | E209PX | 20 | n/s | n/s | 220 | n/s | n/s | 3500 | 2 | n/s |
| Multitel | MX 200 | 20 | 66 | 9.3 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Oil & Steel | Scorpion 2013 | 20 | 66 | 12.5 | 250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Scorpion 1212 Smart | 20 | 66 | 12 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Snake 2010 Compact RE | 20 | 66 | 10 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Snake 2010 Plus | 20 | 66 | 10 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Snake 2010H Plus | 20 | 66 | 10 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Snake 2010 Compact REL | 20 | 66 | 10 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Palfinger | P 200 TXE | 20 | 45 | 10.8 | 230 | 1.4 | 0.85 | n/s | n/s | n/s |
| Palfinger | P 200 AXE | 20 | 66 | 8.4 | 250 | 1.4 | 0.85 | 3500 | n/s | n/s |
| Ruthmann | ECOLINE R/RS 200 | 20 | 66 | 10.7 | 250 | 1.3 | 0.7 | 3500 | n/s | n/s |
| Socage | T 320 | 20 | 66 | 11 | 225 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Socage | T420 forSte | 20 | 66 | 11 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Socage | DA 320 | 20 | 66 | 9.5 | 225 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Socage | DA 320 B | 20 | 66 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Socage | DA 420 forSte | 20 | 66 | 9.5 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Thomas Hoogwerkers | 200 NKT | 20 | 49 | 14 | 265 | n/s | n/s | n/s | n/s | n/s |
| Thomas Hoogwerkers | 220 NKT | 20 | 50 | 14 | 265 | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | 202 ATP | 20.1 | 66 | 9.6 | 265 | 1.55 | 0.78 | n/s | n/s | n/s |
| Isoli | PNT205NLX | 20.1 | 66 | 9.5 | 230 | 1.4 | 0.71 | 3500 | n/s | n/s |
| Multitel | MJ 201 | 20.1 | 66 | 12.6 | 225 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Multitel | MJ 201 S | 20.1 | 66 | 12.6 | 250 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Time Manufacturing | VN-60-REV | 20.12 | 66.01 | 11.89 | 226.8 | n/s | n/s | 12700 | n/s | Y |
| GSR | E 200 T Comfort X | 20.2 | 66 | 11.7 | 200 | 0.7 | 1.4 | n/s | n/s | n/s |
| Multitel | MT 202 EX | 20.2 | 66 | 12.6 | 200 | 1.6 | 0.7 | 3500 | 4 | n/s |
| Multitel | MT 202 DS | 20.2 | 66 | 9.8 | 200 | 1.6 | 0.7 | 3500 | 4 | n/s |
| Altec | AA67 | 20.4 | 67 | 13.8 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AA67E | 20.4 | 67 | 16.2 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AN67 | 20.4 | 67 | 13.8 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AN67E | 20.4 | 67 | 16.2 | 318 | n/s | n/s | n/s | n/s | Y |
| France Elévateur | 202 TBI | 20.4 | 67 | 12 | 265 | 0.9 | 0.72 | n/s | n/s | n/s |
| CMC | PL 21 J 2 | 20.5 | 67 | 11.5 | 200 | 1.4 | 0.6 | n/s | n/s | n/s |
| Comet | 21-9 HQ | 20.5 | 67 | 9 | 200 | 1.4 | 0.7 | n/s | 4 | n/s |
| Multitel | MT 204 EX | 20.5 | 67 | 14.3 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Socage | forSte 21 DJ | 20.5 | 67 | 10 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| CTE | ZED 21.3 JH | 20.6 | 68 | 9.6 | 250 | 1.4 | 0.7 | n/s | n/s | n/s |
| Altec | AH75A | 20.7 | 68 | 14 | 590 | 0.91 | 2.44 | n/s | n/s | Y |
| Isoli | PNT210JD4 | 20.7 | 68 | 9.8 | 250 | 1.4 | 0.71 | 3500 | n/s | n/s |
| Time Manufacturing | LT-62-NE | 20.73 | 68 | 8.23 | 199.58 | n/s | n/s | 7940 | n/s | n/s |




18.40 RXJ SPIDER LIFT

- ✓ True Hybrid
- ✓ Robust and Powerful
- ✓ 10.5 m Unrestricted Outreach
- ✓ Dual Parallelogram for Vertical Wall Tracking

Follow us on **Linked in**

www.OMMELIFT.com



HIGH IS NOW EVEN MORE SECURE WITH UZMANLAR PLATFORM!

We are looking for distributors and business partners

With the knowledge and the experience of 12 years, Uzmanlar Platform produces Truck mounted platforms and export to 15 countries all over the World






Product range 10m up to 53m various models

Sarımış Mah. Demirkıran Sok. No:4 Kartepe-KOCAELİ/TURKEY

+90 (262 373 64 05- +90 8262) 371 61 08

info@uzmanlarplatform.com

uzmanlarplatform.com

/uzmanlarplatformizmit

/uzmanlar_p



Discover the potential

TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|-----------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| Time Manufacturing | VST-6300-I | 20.73 | 68.02 | 11.58 | 362.87 | n/s | n/s | 14968 | 4 | Y |
| Time Manufacturing | VST-6300-MHI | 20.73 | 68.02 | 11.58 | 317.51 | n/s | n/s | 14968 | 4 | Y |
| GSR | E 210 T Comfort | 20.8 | 68 | 15.2 | 250 | 0.7 | 1.8 | n/s | n/s | n/s |
| Imer | P 21 T 10 | 20.9 | 69 | 10 | 120/200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Bumar | PT-21 | 21 | 69 | 10 | 300 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PT-21E | 21 | 69 | 10 | 300 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PM-0212 | 21 | 69 | 10.9 | 300 | n/s | n/s | n/s | n/s | n/s |
| CMC | PLA212 | 21 | 69 | 12 | 200 | 1.4 | 0.6 | n/s | 2/4 | n/s |
| Comet | 21-14 | 21 | 69 | 14 | 250 | 1.19 | 0.58 | n/s | 4 | Y |
| Comet | 21-9.5 HQ | 21 | 69 | 9.5 | 200 | 1.4 | 0.7 | n/s | 4 | n/s |
| Danilift | PDA210V | 21 | n/s | 16 | 230 | n/s | n/s | 7500 | n/s | n/s |
| Easy Lift | ET210 | 21 | n/s | 10.5 | 200 | 1,4 | 0,7 | 3500 | 4 | Y |
| France Elévateur | Z 21 JH | 21 | 69 | n/s | 280 | n/s | n/s | n/s | n/s | n/s |
| Klubb | Xtenso 4 | 21 | n/s | 16 | 280 | n/s | n/s | n/s | n/s | n/s |
| Oil & Steel | Scorpion 1212 J | 21 | 69 | 12 | 230 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Snake 2112 | 21 | 69 | 12 | 225 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Palfinger | P210BK | 21 | 69 | 16.4 | 230 | 1.2 | 0.8 | n/s | n/s | n/s |
| Swisslift | GTA 210 | 21.1 | 69 | 13.4 | 310 | 1.8 | 0.8 | n/s | n/s | n/s |
| Swisslift | GTA 220 | 21.1 | 69 | 13.4 | 310 | 1.8 | 0.8 | n/s | n/s | n/s |
| Multitel | MX 210 | 21.2 | 70 | 9.8 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Altec | A70 | 21.3 | 70 | 12 | 362.9 | n/s | n/s | n/s | n/s | Y |
| Easy Lift | EZ220 | 21.3 | n/s | 11.5 | 200 | 1,4 | 0,7 | 3500 | 4 | Y |
| Elliot Equipment | H70R HiReach | 21.3 | 70 | 18.9 | 227 | 1.02 | 1.52 | 15000 | 4 | N |
| Time Manufacturing | VST-6600-I | 21.34 | 70.02 | 11.89 | 362.87 | n/s | n/s | 14968 | 4 | Y |
| Time Manufacturing | VST-6600-MHI | 21.34 | 70.02 | 11.89 | 317.51 | n/s | n/s | 14968 | 4 | Y |
| Altec | LR760-E70 | 21.4 | 70 | 14.8 | 181 | n/s | n/s | n/s | n/s | Y |
| Ascendant | A22-17TR | 21.4 | 70 | 18 | 280 | 1 | 1.8 | 9000 | 4 | n/s |
| Time Manufacturing | VO-265-REV | 21.64 | 71 | 14.02 | 204.12 | n/s | n/s | 14514 | 2 | Y |
| Time Manufacturing | VO-265-REAR | 21.64 | 71 | 14.02 | 204.12 | n/s | n/s | n/s | 2 | Y |
| Altec | A72T | 21.9 | 72 | 13.4 | 362.9 | n/s | n/s | n/s | n/s | Y |
| Isoli | PNT220NLX | 21.9 | 72 | 11.1 | 250 | 1.4 | 0.71 | 3500 | n/s | n/s |
| Palfinger | P220B | 21.9 | 72 | 16.4 | 230 | 1.4 | 0.7 | n/s | n/s | n/s |
| Ascendant | A22-17TJ | 22 | 72 | 17 | 280 | 1.2 | 1.8 | 7500 | 4 | n/s |
| Hubmeister | HM 22 TVA | 22 | 72 | 14 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Hubmeister | HM 22 TKI | 22 | 72 | 16 | 280 | 1.4 | 0.7 | n/s | n/s | n/s |
| Comet | 22-12 HQ | 22 | 72 | 12 | 280 | 1.4 | 0.7 | 6000 | 4 | n/s |
| Comet | 22-17 HQ | 22 | 72 | 17 | 250 | 1.4 | 0.7 | 8000 | 4 | n/s |
| Comet | 22-10 HQ | 22 | 72 | 10 | 200 | 1.4 | 0.7 | n/s | 4 | n/s |
| Custers | Taurus 300-22 | 22 | 72 | 16 | 300 | 1.4 | 0.96 | 11000 | n/s | n/s |
| Ruthmann | TBR 220 S7 | 22 | 72 | 16 | 230 | 1.7 | 0.86 | n/s | n/s | n/s |
| Safi S.r.l. | SC 22 | 22 | 72 | 11.5 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Socage | forSte 22T | 22 | 72 | 13 | 300 | 1.4 | 0.7 | 6500 | n/s | n/s |
| Socage | DA 422 forSte | 22 | 72 | 12 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Tecchio | K 422 A | 22 | 72 | 12.5 | 200 | n/s | n/s | n/s | n/s | n/s |
| Tecchio | K 422 DAT | 22 | 72 | 12 | 265 | n/s | n/s | n/s | n/s | n/s |
| Multitel | MT 222 EX | 22.2 | 73 | 12.4 | 200 | 1.6 | 0.7 | 3500 | 4 | n/s |
| Elliot Equipment | G72R HiReach | 22.3 | 73 | 20.1 | 227 | 1.02 | 1.52 | 15000 | 4 | N |
| Tadano | AT-220TG | 22.3 | 73 | n/s | 200 | 1.2 | 0.7 | n/s | 4 | n/s |
| France Elévateur | 222 TBA | 22.5 | 74 | n/s | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| France Elévateur | 222 ATP | 22.5 | 74 | 12 | 265 | 1.55 | 0.78 | n/s | n/s | n/s |
| Imer | P 23 AS 11 | 22.5 | 74 | 10.5 | 120/200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Isoli | PT225 HE HE | 22.5 | 74 | 13.5 | 230 | 1.4 | 0.71 | n/s | n/s | n/s |
| Isoli | PNT230 | 22.5 | 74 | 11.3 | 230 | 1.4 | 0.71 | 3500 | n/s | n/s |
| Isoli | PT230 | 22.6 | 74 | 14 | 250 | 1.4 | 0.72 | n/s | n/s | n/s |
| Multitel | MJ 226 | 22.6 | 74 | 12.4 | 250 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Altec | A75 | 22.8 | 75 | 12.9 | 362.9 | n/s | n/s | n/s | n/s | Y |
| Time Manufacturing | VST-7100-I | 22.86 | 75 | 12.8 | 362.87 | n/s | n/s | 14968 | 4 | Y |
| Time Manufacturing | VST-7100-MHI | 22.86 | 75 | 12.8 | 317.51 | n/s | n/s | 14968 | 4 | Y |
| Time Manufacturing | VO-270-REV | 22.86 | 75 | 15.24 | 204.12 | n/s | n/s | 14514 | 2 | Y |
| Time Manufacturing | VO-270-REAR | 22.86 | 75 | 15.24 | 158.76 | n/s | n/s | 13154 | 2 | Y |
| Ascendant | A26-17TJ | 23 | 75 | 17 | 280 | 1 | 1.8 | 7500 | 4 | n/s |
| Bizzocchi | Autel 230 HD | 23 | 75 | 11.7 | 200 | 0.7 | 1.4 | n/s | n/s | n/s |
| Bizzocchi | Autel 230 HP | 23 | 75 | 11.7 | 200 | 0.7 | 1.4 | n/s | n/s | n/s |
| Danilift | PD230V | 23 | n/s | 14 | 300 | n/s | n/s | 7500 | 4 | n/s |

TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|--------------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| Dino Lift | DINO 230VT | 23 | 75 | 15.1 | 100 | 1.4 | 0.7 | 3460 | n/s | n/s |
| Elliot Equipment | H70F HiReach | 23 | 75 | 17.7 | 272 | 1.02 | 1.52 | 15000 | 4 | N |
| Elliot Equipment | I70F HiReach | 23 | 75 | 18.6 | 272 | 1.02 | 1.52 | 15000 | 4 | Y |
| France Elévateur | 232 CBA | 23 | 75 | 14.4 | 265 | 1.55 | 0.78 | n/s | n/s | n/s |
| France Elévateur | B 23 PRO A | 23 | 75 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | B 23 PRO H | 23 | 75 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Oil & Steel | Scorpion 2313 | 23 | 75 | 12.5 | 250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Scorpion 2313 | 23 | 75 | 12.5 | 250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Snake 2311 Compact REL | 23 | 75 | 10.3 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Ruthmann | T 230 | 23 | 75 | 18 | 350 | 1.7 | 0.86 | n/s | n/s | n/s |
| Socage | forSte 23T | 23.1 | 76 | 13.5 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Elliot Equipment | S70R SkyWalk | 23.2 | 76 | 21.6 | 408 | 0.71 | 3.05 | 24500 | 4 | N |
| Palfinger | P 240 A | 23.2 | 76 | 10.7 | 230 | 1.4 | 0.85 | 3350 | n/s | n/s |
| Palfinger | P 240 AXE | 23.2 | 76 | 10.7 | 200 | 1.4 | 0.85 | n/s | n/s | n/s |
| Altec | A77T | 23.3 | 76 | 14.2 | n/s | n/s | n/s | n/s | n/s | Y |
| Elliot Equipment | G72F HiReach | 23.5 | 77 | 19.2 | 272 | 1.02 | 1.52 | 15000 | 4 | N |
| France Elévateur | 232 ATP | 23.5 | 77 | 13 | 265 | 1.55 | 0.78 | n/s | n/s | n/s |
| Multitel | MX 235 | 23.5 | 77 | 11.5 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Oil & Steel | Snake 2413 Plus | 23.5 | 77 | 12.6 | 250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Socage | forSte 24 DJ | 23.5 | 77 | 13 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Ruthmann | ECOLINE RS 240 | 23.6 | 77 | 11.3 | 250 | 1.3 | 0.7 | 3500 | n/s | n/s |
| CMC | TB240 | 23.8 | 78 | 11.3 | 200 | 1.4 | 0.6 | 3500 | 2/4 | n/s |
| Isoli | PNT240 | 23.9 | 78 | 12 | 250 | 1.4 | 0.71 | 3500 | n/s | n/s |
| Benelligru | PL6000 | 24 | 79 | 14 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Custers | Taurus 300-24 | 24 | 79 | 14 | 300 | 1.4 | 0.96 | 15000 | n/s | n/s |
| Multitel | MT 240 EX | 24 | 79 | 15.9 | 250 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Safi | SCA 24 HE | 24 | 79 | n/s | 220 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Safi | SCA 24 | 24 | 79 | n/s | 220 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Socage | DA 324 B | 24 | 79 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Socage | DA 324 forSte | 24 | 79 | 11 | 225 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Socage | DA 424 forSte | 24 | 79 | 11.5 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Thomas Hoogwerkers | 240 NKT | 24 | 79 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | VTX-240 | 24 | 78.74 | 12.5 | 200 | n/s | n/s | n/s | n/s | n/s |
| Multitel | MX 240 VFO | 24.2 | 79 | 11.5 | 225 | 1.6 | 0.9 | n/s | n/s | n/s |
| Time Manufacturing | VST-7500-I | 24.38 | 79.99 | 14.02 | 362.87 | n/s | n/s | 14968 | 4 | Y |
| Time Manufacturing | VST-7500-MHI | 24.38 | 79.99 | 14.02 | 362.87 | n/s | n/s | 14968 | 4 | Y |
| Time Manufacturing | VST-7500-MHN | 24.38 | 79.99 | 14.02 | 317.51 | n/s | n/s | 14968 | 4 | N |
| Time Manufacturing | VST-7500-N | 24.38 | 79.99 | 14.02 | 362.87 | n/s | n/s | 14968 | 4 | N |
| Time Manufacturing | VST-7500-SI | 24.38 | 79.99 | 14.02 | 362.87 | n/s | n/s | 14968 | 4 | Y |
| Time Manufacturing | VO-350MHI-E75 | 24.38 | 79.99 | 12.8 | 362.87 | n/s | n/s | 22679 | 4 | Y |
| Time Manufacturing | VO-350-XMHI-E75 ELEVATOR | 24.38 | 79.99 | 12.8 | 362.87 | n/s | n/s | 22679 | 4 | Y |
| Altec | AH85A | 24.4 | 80 | 14.6 | 590 | 0.91 | 2.44 | n/s | n/s | Y |
| France Elévateur | 242 TBA | 24.5 | 80 | n/s | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| Socage | forSte 25 D | 24.5 | 80 | 12.7 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Palfinger | P 250 BK | 24.7 | 81 | 17 | 230 | 1.4 | 0.7 | n/s | n/s | n/s |
| Altec | A82T | 24.8 | 81 | 15 | 362.9 | n/s | n/s | n/s | n/s | Y |
| CMC | PLA250 | 24.8 | 81 | 15 | 220 | 1.4 | 0.7 | n/s | 2/4 | n/s |
| Time Manufacturing | VO-452MHI-E77 | 24.99 | 81.99 | 13.72 | 317.51 | n/s | n/s | 22679 | 4 | Y |
| Bumar | PMT-25 | 25 | 82 | 11.6 | 265 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PMT-25 v2 | 25 | 82 | 12 | 265 | n/s | n/s | n/s | n/s | n/s |
| CMC | PLJ250 | 25 | 82 | 16 | 200 | 2.2 | 0.8 | 12000 | 2/4 | 2.2 |
| Safi S.r.l. | SC 25 | 25 | 82 | 15 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Thomas Hoogwerkers | 250 NKT | 25 | 82 | 15.3 | 265 | n/s | n/s | n/s | n/s | n/s |
| Multitel | MX 250 | 25.3 | 83 | 12.2 | 200 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Tadano | AT-255CG | 25.5 | 84 | n/s | 200 | 1.2 | 0.7 | n/s | 4 | n/s |
| Tecchio | K 425 A | 25.5 | 84 | 15 | 200 | n/s | n/s | n/s | n/s | n/s |
| Palfinger | P260B | 25.6 | 84 | 17.4 | 230 | 1.4 | 0.7 | n/s | n/s | n/s |
| Time Manufacturing | VST-8000-I | 25.91 | 85.01 | 15.24 | 362.87 | n/s | n/s | 14968 | 4 | Y |
| Time Manufacturing | VST-8000-MHI | 25.91 | 85.01 | 15.24 | 317.51 | n/s | n/s | 14968 | 4 | Y |
| Time Manufacturing | VO-355MHI-E80 | 25.91 | 85.01 | 14.33 | 362.87 | n/s | n/s | 22679 | 4 | Y |
| Time Manufacturing | VO-355XMHI-E80 | 25.91 | 85.01 | 14.33 | 362.87 | n/s | n/s | 22679 | 4 | Y |
| Hubmeister | HM 26 TKI | 26 | 85 | 18 | 300 | 1.4 | 0.7 | n/s | n/s | n/s |
| Comet | 26-13 HQ | 26 | 85 | 13 | 250 | 1.4 | 0.7 | n/s | 4 | n/s |
| CTE | ZED 26 J | 26 | 85 | 14 | 230 | 1.8 | 0.7 | n/s | n/s | n/s |

ELEVATE

Insights.




Activity



Location



Services



Alarms

We've focused this solution to deliver value from every piece of equipment we build from scissor lifts to telehandlers. ELEVATE is built to deliver actionable insights, which help feed your business decisions and, in turn, improve your customers' satisfaction.

ELEVATE positively impacts day-to-day business in construction rental. Learn more at skyjack.com/elevate.

More than Telematics.



TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|--------------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| CTE | ZED 26 JH | 26 | 85 | 14 | 230 | 1.8 | 0.7 | n/s | n/s | n/s |
| Custers | Taurus 330-26 | 26 | 85 | 20 | 330 | 1.4 | 0.96 | 14000 | n/s | n/s |
| France Elévateur | 264 TBE | 26 | 85 | 21 | 400 | 3.6 | 1 | n/s | n/s | n/s |
| France Elévateur | 262 CBA | 26 | 85 | 16 | 265 | 1.55 | 0.78 | n/s | n/s | n/s |
| France Elévateur | 263 TBE | 26 | 85 | 21 | 300 | 2 | 1 | n/s | n/s | n/s |
| France Elévateur | Z 26 JH | 26 | 85 | n/s | 230 | n/s | n/s | n/s | n/s | n/s |
| Klubb | Xtenso 5 | 26 | n/s | 20 | 280 | n/s | n/s | n/s | n/s | n/s |
| Oil & Steel | Snake 2612REL | 26 | 85 | 12 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Oil & Steel | Snake 2612 Plus | 26 | 85 | 12.2 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Time Manufacturing | VO-455MHI-E80 ELEVATOR | 26.21 | 86 | 14.63 | 317.51 | n/s | n/s | 22679 | 4 | Y |
| Tecchio | K 426 JI | 26.4 | 87 | 17 | 280 | n/s | n/s | n/s | n/s | n/s |
| Elliot Equipment | G85R HiReach | 26.5 | 87 | 18.6 | 227 | 1.02 | 1.52 | 15000 | 4 | N |
| Elliot Equipment | M85 HiReach | 26.5 | 87 | 22.5 | 340 | 0.76 | 1.37 | 11800 | 4 | N |
| Swisslift | GTA 260 | 26.5 | 87 | 13.9 | 310 | 1.8 | 0.8 | n/s | n/s | n/s |
| France Elévateur | 262 TBA | 26.6 | 87 | 16 | 265 | 1.55 | 0.78 | n/s | n/s | n/s |
| Altec | LS87 | 26.8 | 88 | 18.9 | 272 | 1.5 | 1 | n/s | n/s | n/s |
| Isoli | PNT 27 14 | 26.8 | 88 | 13.7 | 200 | 1.8 | 0.8 | n/s | n/s | n/s |
| Time Manufacturing | VO-350MHI-E83 | 26.82 | 88 | 12.8 | 362.87 | n/s | n/s | 23586 | 4 | Y |
| Time Manufacturing | VO-350-XMHI-E83 ELEVATOR | 26.82 | 88 | 12.8 | 362.87 | n/s | n/s | 23586 | 4 | Y |
| Danilift | PD270V | 27 | n/s | 15 | 300 | n/s | n/s | 15000 | 4 | n/s |
| France Elévateur | B 27 | 27 | 89 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Isoli | PTJ270S | 27 | 89 | 19.7 | 200 | 2.2 | 0.8 | n/s | n/s | n/s |
| Movex | E270 PX | 27 | n/s | n/s | 220 | n/s | n/s | 6000 | 4 | n/s |
| Oil & Steel | Snake 2714 Compact | 27 | 89 | 14 | 300 | 1.7 | 0.7 | 3500 | n/s | n/s |
| Safi S.r.l. | SCA 27 | 27 | 89 | 14 | 300 | 1.4 | 0.7 | n/s | n/s | n/s |
| Tadano | AT-270TG | 27 | 89 | n/s | 200 | 1.2 | 0.7 | n/s | 4 | n/s |
| Thomas Hoogwerkers | 270 NK | 27 | 89 | 21 | 400 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | VST-8500-I | 27.13 | 89.01 | 16.15 | 362.87 | n/s | n/s | 22679 | 4 | Y |
| Time Manufacturing | VST-8500-MHI | 27.13 | 89.01 | 16.15 | 317.51 | n/s | n/s | 22679 | 4 | Y |
| Multitel | MX 270 EX | 27.2 | 89 | 13.3 | 225 | 1.7 | 0.8 | 5600 | 4 | n/s |
| Multitel | MX 270 | 27.2 | 89 | 13.3 | 225 | 1.7 | 0.8 | 5600 | 4 | n/s |
| Elliot Equipment | I85F HiReach | 27.4 | 90 | 18 | 272 | 1.02 | 1.52 | 24500 | 4 | Y |
| Elliot Equipment | G85F HiReach | 27.4 | 90 | 17.7 | 272 | 1.02 | 1.52 | 15000 | 4 | N |
| Time Manufacturing | VO-360XMHI-E85 | 27.43 | 90 | 15.85 | 272.15 | n/s | n/s | 22679 | 4 | Y |
| Time Manufacturing | VO-360MHI-E85 | 27.43 | 90 | 15.85 | 272.15 | n/s | n/s | 22679 | 4 | Y |
| Time Manufacturing | VO-452MHI-E85 | 27.43 | 90 | 13.72 | 317.51 | n/s | n/s | 23586 | 4 | Y |
| Palfinger | P 280 B | 27.6 | 91 | 17 | 230 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Time Manufacturing | VO-460MHI-E85 ELEVATOR | 27.74 | 91.01 | 16.15 | 226.8 | n/s | n/s | 22679 | 4 | Y |
| Isoli | PNT280J | 27.8 | 91 | 13.7 | 200 | 1.8 | 0.8 | n/s | n/s | n/s |
| Benelligru | P28 | 28 | 92 | 17 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Hubmeister | HM 28 TKI | 28 | 92 | 18 | 300 | 1.4 | 0.7 | n/s | n/s | n/s |
| Comet | 28-14 HQ | 28 | 92 | 14 | 250 | 1.4 | 0.7 | n/s | 4 | n/s |
| France Elévateur | 284 TBE | 28 | 92 | 21.5 | 360 | 2.35 | 1 | n/s | n/s | n/s |
| Oil & Steel | Snake 2815 Compact | 28 | 92 | 15 | 230 | 1.7 | 0.7 | 3500 | n/s | n/s |
| Palfinger | P 280 AXE | 28 | 92 | 15 | 230 | 1.69 | 0.93 | n/s | n/s | n/s |
| Socage | DA 328 forSte | 28 | 92 | 16 | 225 | 1.8 | 0.7 | 5600 | n/s | n/s |
| Socage | forSte 28 D | 28 | 92 | 14.5 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Thomas Hoogwerkers | 280 NKT | 28 | 92 | n/s | 250 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | VST-7500SI-E88 ELEVATOR | 28.04 | 92 | 14.02 | 362.87 | n/s | n/s | 23586 | 4 | Y |
| CELA | DT28 | 28.2 | 93 | 14 | 350 | 1.8 | 0.7 | 6000 | 4 | n/s |
| Elliot Equipment | H90R HiReach | 28.3 | 93 | 19.8 | 227 | 1.02 | 1.52 | 24500 | 4 | N |
| Time Manufacturing | VO-355MHI-E88 | 28.35 | 93.02 | 14.33 | 362.87 | n/s | n/s | 23586 | 4 | Y |
| Time Manufacturing | VO-355XMHI-E88 | 28.35 | 93.02 | 14.33 | 362.87 | n/s | n/s | 23586 | 4 | Y |
| France Elévateur | 283 TBE | 28.5 | 94 | 23 | 300 | 2 | 1 | n/s | n/s | n/s |
| Ruthmann | T 285 | 28.5 | 94 | 21 | 320 | 1.7 | 0.86 | n/s | n/s | n/s |
| Ruthmann | TU 285 | 28.5 | 94 | 21 | 320 | 1.7 | 0.86 | n/s | n/s | n/s |
| Socage | forSte 28T | 28.5 | 94 | 17.3 | 400 | 1.4 | 0.7 | 12000 | n/s | n/s |
| Time Manufacturing | VST-9000-I | 28.65 | 94 | 17.07 | 362.87 | n/s | n/s | 22679 | 4 | Y |
| Time Manufacturing | VST-9000-MHI | 28.65 | 94 | 17.07 | 317.51 | n/s | n/s | 22679 | 4 | Y |
| Time Manufacturing | VO-455MHI-E88 ELEVATOR | 28.65 | 94 | 14.63 | 317.51 | n/s | n/s | 23586 | 4 | Y |
| CTE | ZED 29 J | 28.7 | 94 | 15.5 | 230 | 1.8 | 0.7 | n/s | n/s | n/s |
| Altec | AH100A | 29 | 95 | 15.4 | 590 | 0.91 | 2.44 | n/s | n/s | Y |
| CELA | TELJ29 | 29 | 95 | 12 | 200 | 2.2 | 1.1 | n/s | n/s | n/s |
| CMC | PLJ290 | 29 | 95 | 22 | 280 | 2.2 | 0.8 | n/s | n/s | n/s |

TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|---------------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| CMC | PLJ300 | 29 | 95 | 22 | 280 | 2.2 | 0.8 | 18000 | 2/4 | n/s |
| Elliot Equipment | H90F HiReach | 29 | 95 | 18.6 | 272 | 1.02 | 1.52 | 24500 | 4 | N |
| France Elévateur | Z 29 J | 29 | 95 | n/s | 230 | n/s | n/s | n/s | n/s | n/s |
| Multitel | MX 290 EX | 29.3 | 96 | 14.9 | 225 | 1.7 | 0.8 | 7500 | 4 | n/s |
| Multitel | MX 290 EX 6ton | 29.3 | 96 | 14.9 | 225 | 1.7 | 0.8 | 6000 | 4 | n/s |
| Altec | A77TE93 | 29.8 | 98 | 14.2 | 318 | n/s | n/s | n/s | n/s | Y |
| Bronto Skylift | SI 102 HDT | 29.8 | 98 | 17.2 | 400 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | VO-360XMH-E93 | 29.87 | 98 | 15.85 | 272.15 | n/s | n/s | 23586 | 4 | Y |
| Time Manufacturing | VO-360MHI-E93 | 29.87 | 98 | 15.85 | 362.87 | n/s | n/s | 23586 | 4 | Y |
| Bumar | PT 30 | 30 | 98 | 21.3 | 365 | n/s | n/s | n/s | n/s | n/s |
| CELA | TL30 | 30 | 98 | 21 | 300 | 2.3 | 0.9 | n/s | n/s | n/s |
| Danilift | PD300V | 30 | n/s | 16 | 300 | n/s | n/s | 15000 | 4 | n/s |
| Multitel | MX 300 VFO | 30 | 98 | 12.2 | 270 | 1.6 | 0.9 | n/s | n/s | n/s |
| Ruthmann | T 300.1 | 30 | 98 | 21 | 320 | 1.7 | 0.86 | n/s | n/s | n/s |
| Socage | TJ 30 | 30 | 98 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | VST-9500-I | 30.18 | 99.02 | 18.59 | 272.15 | n/s | n/s | 22679 | 4 | Y |
| Time Manufacturing | VST-9500-MHI | 30.18 | 99.02 | 18.59 | 272.15 | n/s | n/s | 22679 | 4 | Y |
| Time Manufacturing | VO-460MHI-E93 ELEVATOR | 30.18 | 99.02 | 16.15 | 226.8 | n/s | n/s | 23586 | 4 | Y |
| CELA | DT30 | 30.2 | 99 | 15.5 | 225 | 1.8 | 0.7 | 6000 | 4 | n/s |
| Tadano | AT-300CG | 30.4 | 100 | n/s | 250 | 1.5 | 0.7 | n/s | 4 | n/s |
| Altec | AA67-E100 | 30.5 | 100 | 14 | 908 | n/s | n/s | n/s | n/s | Y |
| Altec | AA67E-E100 | 30.5 | 100 | 16.1 | 907 | n/s | n/s | n/s | n/s | Y |
| Altec | AN67-E100 | 30.5 | 100 | 14 | 318 | n/s | n/s | n/s | n/s | Y |
| Altec | AN67E-E100 | 30.5 | 100 | 16.1 | 318 | n/s | n/s | n/s | n/s | Y |
| Comet | 31-17 HQ | 31 | 102 | 17 | 250 | 1.4 | 0.7 | n/s | 4 | n/s |
| Comet | 31-14 T | 31 | 102 | 14 | 250 | 1.4 | 0.7 | n/s | 4 | n/s |
| Time Manufacturing | VST-7500I-E100 ELEVATOR | 31.39 | 102.99 | 14.02 | 362.87 | n/s | n/s | 23586 | 4 | Y |
| Time Manufacturing | VST-7500MHI-E100 ELEVATOR | 31.39 | 102.99 | 14.02 | 362.87 | n/s | n/s | 23586 | 4 | Y |
| CTE | ZED 32 JHV | 31.6 | 104 | 19.8 | 250 | 2.2 | 0.7 | n/s | n/s | n/s |
| Time Manufacturing | VST-7500SI-E100 ELEVATOR | 31.7 | 104.01 | 14.02 | 362.87 | n/s | n/s | 23586 | 4 | Y |
| Time Manufacturing | VST-9000I-E100 | 31.7 | 104.01 | 17.07 | 362.87 | n/s | n/s | n/s | 4 | Y |
| Time Manufacturing | VST-9000MHI-E100 ELEVATOR | 31.7 | 104.01 | 17.07 | 317.51 | n/s | n/s | n/s | 4 | Y |
| Bumar | PTM-32 | 32 | 105 | 21 | 300 | n/s | n/s | n/s | n/s | n/s |
| CTE | MP 32.19 | 32 | 105 | 19 | 300 | 1.8 | 0.7 | 7500 | n/s | n/s |
| Oil & Steel | Eagle S 3224 | 32 | 105 | 24 | 400 | 2.4 | 1 | 18000 | n/s | n/s |
| Oil & Steel | Eagle Phoenix 3224 | 32 | 105 | 24 | 400 | 2.4 | 1 | n/s | n/s | n/s |
| Palfinger | P3 20 | 32 | 105 | 25.5 | 600 | 3.88 | 1.05 | n/s | n/s | n/s |
| Socage | forSte 32 DJ | 32 | 105 | 19 | 280 | 1.8 | 0.7 | 7500 | n/s | n/s |
| Multitel | MJ 320 | 32.2 | 106 | 24.7 | 280 | 2.2 | 0.8 | 18000 | 4 | n/s |
| Tadano | AT-320TG | 32.2 | 106 | n/s | 250 | 1.2 | 0.7 | n/s | 4 | n/s |
| Nostolift | 32 | 32.5 | 107 | 17.5 | 280 | n/s | n/s | n/s | n/s | n/s |
| CELA | TJ330 | 33 | 108 | 10.8 | 280 | 2.2 | 0.85 | n/s | n/s | n/s |
| Comet | 33-16 HQ | 33 | 108 | 16 | 250 | 1.4 | 0.7 | n/s | 4 | n/s |
| Ruthmann | T 330 | 33 | 108 | 21 | 320 | 1.7 | 0.86 | n/s | n/s | n/s |
| Bronto Skylift | SI 105 HDT | 33.2 | 109 | 20.5 | 680 | 1.02 | 1.52 | n/s | n/s | n/s |
| Time Manufacturing | VST-7500I-E108 ELEVATOR | 33.83 | 111 | 14.02 | 317.51 | n/s | n/s | 23586 | 4 | Y |
| Time Manufacturing | VST-7500MHI-E108 ELEVATOR | 33.83 | 111 | 14.02 | 317.51 | n/s | n/s | 23586 | 4 | Y |
| Tecchio | K 434 J | 34 | 112 | 23 | 360 | n/s | n/s | n/s | n/s | n/s |
| CELA | TL35 | 35 | 115 | 24 | 300 | 2.3 | 0.9 | n/s | n/s | n/s |
| Elliot Equipment | L115 HiReach | 35 | 115 | 24.4 | 272 | 0.76 | 1.37 | 27200 | 4 | N |
| France Elévateur | 354 TBE | 35 | 115 | 24.5 | 400 | 2.5 | 1 | n/s | n/s | n/s |
| Multitel | J 335 Alu | 35 | 115 | 22.5 | 400 | 0.8 | 2.5 | n/s | n/s | n/s |
| Oil & Steel | Eagle 3526 | 35 | 115 | 26 | 400 | 2.4 | 0.8 | 26000 | n/s | n/s |
| Socage | forSte 35 TJ | 35 | 115 | 30 | 400 | 2.2 | 0.9 | 18000 | n/s | n/s |
| Socage | TJ 35 | 35 | 115 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Elliot Equipment | H110R HiReach | 35.1 | 115 | 26.2 | 227 | 1.02 | 1.52 | 25400 | 4 | N |
| Elliot Equipment | H110F HiReach | 35.7 | 117 | 25.6 | 272 | 1.02 | 1.52 | 26300 | 4 | N |
| Isoli | PTJJ36.29 | 35.7 | 117 | 29 | 400 | 3.2 | 0.9 | n/s | n/s | n/s |
| Altec | AH125 | 36 | 118 | 15.4 | 952 | 0.91 | 2.44 | n/s | n/s | Y |
| Bronto Skylift | S 36 XDT | 36 | 118 | 27 | 700 | 2.4 | 1.05 | n/s | n/s | n/s |
| CMC | PLJ360 | 36 | 118 | 25.5 | 400 | 2.4 | 0.8 | 18000 | 2/4 | n/s |
| Ruthmann | T 360 | 36 | 118 | 30.9 | 350 | 1.7 | 0.86 | n/s | n/s | n/s |
| Elliot Equipment | E120 E-Line | 36.9 | 121 | 24.4 | 272 | 0.86 | 1.83 | 27200 | 4 | N |
| Palfinger | WT 370 | 37 | 121 | 28.8 | 300 | 3.88 | 1.05 | n/s | n/s | n/s |

TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|------------------|--------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| Palfinger | P 370 KS | 37 | 121 | 31.5 | 500 | 2 | 0.8 | 15200 | n/s | n/s |
| Socage | forSte 37 DJ | 37.3 | 122 | 23 | 300 | 2 | 0.8 | 12000 | n/s | n/s |
| Bronto Skylift | SI 125 HDT | 37.5 | 123 | 24.5 | 450 | 2 | 0.9 | n/s | n/s | n/s |
| Multitel | MJ 375 | 37.7 | 124 | 25.3 | 500 | 2.2 | 0.9 | 18000 | 4 | n/s |
| Bronto Skylift | S 38 XDT | 38 | 125 | 27 | 700 | 2.4 | 1.05 | n/s | n/s | n/s |
| CELA | TL38 | 38 | 125 | 24 | 300 | 2.3 | 0.9 | n/s | n/s | n/s |
| Comet | 38-14 T | 38 | 125 | 14 | 250 | 1.4 | 0.7 | n/s | 4 | n/s |
| Oil & Steel | Eagle S 3824 | 38 | 125 | 24 | 400 | 2.4 | 1 | 18000 | n/s | n/s |
| Oil & Steel | Eagle Phoenix 3824 | 38 | 125 | 20.5 | 400 | 2.4 | 1 | n/s | n/s | n/s |
| Ruthmann | T 380 | 38 | 125 | 31 | 600 | 2.42 | 0.97 | n/s | n/s | n/s |
| Altec | HL125 | 38.1 | 125 | 13.7 | 363 | n/s | n/s | n/s | n/s | Y |
| CTE | B-Lift 390 HR | 39 | 128 | 26.3 | 450 | 2.4 | 0.9 | n/s | n/s | n/s |
| Socage | forSte 39 TJJ | 39 | 128 | 30 | 300 | 2.3 | 0.9 | 18000 | n/s | n/s |
| Socage | forSte 39 DJJ | 39 | 128 | 30 | 300 | 2.3 | 0.9 | n/s | n/s | n/s |
| Socage | TJJ 39 | 39 | 128 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Bumar | PTM-40 | 40 | 131 | 21 | 365 | n/s | n/s | n/s | n/s | n/s |
| CELA | TJ400 | 40 | 131 | 24.5 | 280 | 2.3 | 0.8 | n/s | n/s | n/s |
| Ruthmann | T 400 | 40 | 131 | 31 | 600 | 2.42 | 0.97 | n/s | n/s | n/s |
| Bronto Skylift | SI 140 HDT-C | 42 | 138 | 23.5 | 860 | 1 | 1.5 | 28500 | 4 | Y |
| CELA | TL42 | 42 | 138 | 25.5 | 300 | 2.3 | 0.9 | n/s | n/s | n/s |
| Multitel | MJ 420 | 42 | 138 | 31 | 500 | 2.5 | 0.9 | n/s | n/s | n/s |
| Oil & Steel | Eagle S 4230 | 42 | 138 | 30 | 500 | 2.4 | 1 | 26000 | n/s | n/s |
| Oil & Steel | Eagle Phoenix 4230 | 42 | 138 | 23.5 | 500 | 2.4 | 1 | n/s | n/s | n/s |
| Socage | Sioux TJ 42 | 42 | 138 | 30.3 | 300 | 2.3 | 0.9 | n/s | n/s | n/s |
| CTE | B-Lift 430 HR | 42.5 | 139 | 25.6 | 450 | 2.4 | 0.9 | n/s | n/s | n/s |
| Elliot Equipment | L140 HiReach | 42.7 | 140 | 24.4 | 272 | 0.76 | 1.37 | 27200 | 4 | N |
| Barin | AP 44/29 | 44 | 144 | 29 | 440 | 2.5 | 0.9 | n/s | n/s | n/s |
| Bronto Skylift | S 44 XDT | 44 | 144 | 24 | 700 | 2.4 | 1.05 | n/s | n/s | n/s |
| Socage | forSte 44 TJ | 44 | 144 | 30 | 600 | 2.3 | 0.9 | 18000 | n/s | n/s |
| Socage | TJ 44 | 44 | 144 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Altec | AH150 | 44.2 | 145 | 18.4 | 726 | 0.91 | 2.44 | n/s | n/s | Y |
| Elliot Equipment | E145 E-Line | 44.2 | 145 | 24.4 | 544 | 0.91 | 1.38 | 26300 | 4 | N |
| Comet | 45-20 T | 45 | 148 | 20 | 250 | 1.4 | 0.7 | n/s | 4 | n/s |
| Palfinger | WT 450 | 45 | 148 | 28.7 | 300 | 3.88 | 1.05 | n/s | n/s | n/s |
| Multitel | MJ 450 | 45.2 | 148 | 32.3 | 500 | 2.5 | 0.9 | 26000 | 4 | n/s |
| Bronto Skylift | S 150 XDT | 46 | 151 | 25 | 700 | 2.2 | 0.9 | 48000 | 4 | n/s |
| CELA | TJ460 | 46 | 151 | 24 | 280 | 2.3 | 0.8 | n/s | n/s | n/s |
| Ruthmann | T 460 | 46 | 151 | 31 | 600 | 2.42 | 0.97 | n/s | n/s | n/s |
| Bronto Skylift | SI 155 HDT | 47 | 154 | 21.3 | 680 | 2.4 | 0.9 | n/s | n/s | n/s |
| Bronto Skylift | S 47 XR | 47 | 154 | 28 | 700 | 2.4 | 1.05 | n/s | n/s | n/s |
| Bronto Skylift | SI 156 HDT-C | 47 | 154 | 24 | 860 | 1 | 1.5 | 32000 | 4 | Y |
| Socage | forSte 47 TJJ | 47 | 154 | 30 | 600 | 2.3 | 0.9 | 18000 | n/s | n/s |
| Socage | TJ 47 | 47 | 154 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Ruthmann | T 480 | 48 | 157 | 31 | 600 | 2.42 | 0.97 | n/s | n/s | n/s |
| CELA | TL50 | 49.4 | 162 | 29.5 | 300 | 2.3 | 0.9 | 26000 | 4 | n/s |
| Bronto Skylift | S 50 XDTJ | 49.5 | 162 | 35.4 | 700 | 2.4 | 1.05 | 26000 | 4 | n/s |
| Bronto Skylift | S 50 MDT ERX | 50 | 164 | 36 | 440 | 2.2 | 0.9 | n/s | n/s | n/s |
| Oil & Steel | Eagle S 5031 | 50 | 164 | 31 | 500 | 2.4 | 1 | 26000 | n/s | n/s |
| CTE | B-Lift 510 HR | 50.5 | 166 | 35 | 450 | 2.4 | 0.9 | n/s | n/s | n/s |
| Oil & Steel | Eagle Phoenix 5031 | 50.7 | 166 | 25 | 500 | 2.4 | 1 | n/s | n/s | n/s |
| Ruthmann | T 510 HF | 51 | 167 | 33 | 600 | 2.42 | 0.97 | n/s | n/s | n/s |
| Socage | forSte 51 TJ | 51 | 167 | 36 | 600 | 2.3 | 0.9 | 26000 | n/s | n/s |
| Socage | TJ 51 | 51 | 167 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Barin | AP 52/32 | 52 | 171 | 32 | 440 | 2.5 | 0.9 | 32000 | 4 | n/s |
| Bronto Skylift | SI 169 HDT-C | 52 | 171 | 24 | 860 | 1 | 1.5 | 32000 | 4 | Y |
| Oil & Steel | Eagle 5227 | 52 | 171 | 27 | 400 | 2.4 | 0.8 | 32000 | n/s | n/s |
| Multitel | MJ 525 | 52.6 | 173 | 37 | 600 | 2.5 | 0.9 | 32000 | 4 | n/s |
| Barin | AP 53/35 J2 | 53 | 174 | 35 | 440 | 2.5 | 0.9 | n/s | n/s | n/s |
| Bronto Skylift | S 53 XDT | 53 | 174 | 35.5 | 700 | 2.4 | 1.05 | n/s | n/s | n/s |
| Bronto Skylift | S 173 XDT | 53 | 174 | 35 | 700 | 2.2 | 0.9 | 48000 | 4 | n/s |
| Palfinger | WT 530 | 53 | 174 | 38.3 | 300 | 3.88 | 1.05 | n/s | n/s | n/s |
| Ruthmann | T 540 | 54 | 177 | 40 | 300 | 2.42 | 0.97 | n/s | n/s | n/s |
| Socage | forSte 54 TJJ | 54 | 177 | 36 | 600 | 2.3 | 0.9 | 26000 | n/s | n/s |
| Socage | TJJ 54 | 54 | 177 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |

TRUCK MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (t) | Outriggers (#) | Insulated Boom (Y/N) |
|------------------|--------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|--------------------------|----------------|----------------------|
| Bronto Skylift | SI 178 HDT | 54.2 | 178 | 22 | 450 | 2.4 | 0.9 | n/s | n/s | n/s |
| Palfinger | P550 | 55 | 180 | 41.2 | 700 | 3.88 | 1 | n/s | n/s | n/s |
| Bronto Skylift | S 56 XR | 56 | 184 | 40 | 700 | 2.4 | 1.05 | 26000 | 4 | n/s |
| Bronto Skylift | S56XR | 56 | 184 | 40 | 700 | 2.4 | 1.05 | 26000 | 4 | n/s |
| CELA | TL56 | 56 | 184 | 31 | 300 | 2.3 | 0.9 | n/s | n/s | n/s |
| Barin | AP 57/36 J2 | 57 | 187 | 36 | 440 | 2.5 | 0.9 | n/s | n/s | n/s |
| Palfinger | P 570 | 57 | 187 | 41 | 600 | 3.88 | 1.4 | 25850 | n/s | n/s |
| Ruthmann | T 570 HF | 57 | 187 | 41 | 600 | 2.42 | 0.97 | n/s | n/s | n/s |
| Elliot Equipment | E190 E-Line | 58 | 190 | 27.4 | 544 | 0.91 | 1.38 | 49000 | 4 | N |
| Socage | TJ 58 | 58 | 190 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Barin | AP 60/30 | 60 | 197 | 31 | 440 | 2.5 | 0.9 | 32000 | 4 | n/s |
| Bronto Skylift | SI 197 HDT | 60 | 197 | n/s | 450 | 2 | 0.9 | n/s | n/s | n/s |
| Bronto Skylift | SI 196 HDT-C | 60 | 197 | 26 | 860 | 1 | 1.5 | 36000 | 4 | Y |
| CELA | TL60JJ | 60 | 197 | 31 | 600 | 2.3 | 0.9 | n/s | n/s | n/s |
| Oil & Steel | Eagle 6035 | 60 | 197 | 30 | 500 | 2.4 | 1 | 3500 | n/s | n/s |
| Multitel | MJ 600 | 60.4 | 198 | 35.5 | 600 | 2.5 | 0.9 | 32000 | 4 | n/s |
| Bronto Skylift | S 61 XDT | 61 | 200 | 37 | 700 | 2.4 | 1.05 | n/s | n/s | n/s |
| CTE | B-Lift 620 HR | 61 | 200 | 35 | 450 | 2.4 | 0.9 | n/s | n/s | n/s |
| Palfinger | WT 610 | 61 | 200 | 36.8 | 300 | 3.88 | 1.05 | n/s | n/s | n/s |
| Socage | forSte 61 TJJ | 61 | 200 | 40 | 600 | 2.3 | 0.9 | 32000 | n/s | n/s |
| Socage | TJJ 61 | 61 | 200 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Oil & Steel | Eagle S 6232 | 62 | 203 | 32 | 500 | 2.4 | 1 | 32000 | n/s | n/s |
| Oil & Steel | Eagle Phoenix 6232 | 62.7 | 206 | 29.5 | 500 | 2.4 | 1 | n/s | n/s | n/s |
| Ruthmann | T 630 | 63 | 207 | 39 | 600 | 2.42 | 0.97 | n/s | n/s | n/s |
| Palfinger | P 640 | 64 | 210 | 40.5 | 600 | 3.88 | 1.4 | 29000 | n/s | n/s |
| Bronto Skylift | S 65 XR | 65 | 213 | 37 | 700 | 2.4 | 1.05 | n/s | n/s | n/s |
| Bronto Skylift | SI 219 HDT-C | 65 | 213 | 27 | 510 | 1 | 1.5 | 41000 | 4 | Y |
| CELA | TL65 | 65 | 213 | 31.5 | 300 | 2.3 | 0.9 | n/s | n/s | n/s |
| Ruthmann | T 650 HF | 65 | 213 | 42 | 600 | 2.42 | 0.97 | n/s | n/s | n/s |
| Elliot Equipment | E160 E-Line | 65.5 | 215 | 27.4 | 544 | 0.91 | 1.38 | 39000 | 4 | N |
| Multitel | MJ 685 | 68.5 | 225 | 35 | 500 | 2.5 | 0.9 | n/s | n/s | n/s |
| Socage | TJJ 70 | 68.5 | 225 | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Bronto Skylift | S 70 XDT | 70 | 230 | 36 | 700 | 2.4 | 1.05 | n/s | n/s | n/s |
| Bronto Skylift | S 70 XR | 70 | 230 | 37 | 700 | 2.4 | 1.05 | 32000 | 4 | n/s |
| Bronto Skylift | S 230 XDT | 70 | 230 | 36 | 700 | 2.2 | 0.9 | 63000 | 4 | n/s |
| Bronto Skylift | S 230 XR | 70 | 230 | 37 | 700 | 2.2 | 0.9 | 75000 | 4 | n/s |
| CELA | TL70JJ | 70 | 230 | 33 | 600 | 2.3 | 0.9 | n/s | n/s | n/s |
| Multitel | MJ 750 | 70 | 230 | 66 | 600 | 3.6 | 0.9 | n/s | n/s | n/s |
| Multitel | MJ 700 | 70 | 230 | 36 | 600 | 2.5 | 0.9 | 36000 | 4 | n |
| Ruthmann | T 720 | 72 | 236 | 38 | 600 | 2.42 | 0.97 | n/s | n/s | n/s |
| Barin | AP 73/35 J2 | 73 | 240 | 35 | 400 | 2.5 | 0.9 | 42000 | 4 | n/s |
| Palfinger | P 750 | 75 | 246 | 39 | 600 | 3.81 | 1.04 | 31800 | n/s | n/s |
| Ruthmann | T 750 HF | 75 | 246 | 41 | 600 | 2.42 | 0.97 | n/s | n/s | n/s |
| Socage | forSte 75 TJJ | 75 | 246 | 40 | 600 | 2.3 | 0.9 | 32000 | n/s | n/s |
| Bronto Skylift | S 78 XDT | 77.8 | 255 | 37 | 700 | 2.4 | 1.05 | n/s | n/s | n/s |
| Bronto Skylift | S 255 HLA | 78 | 256 | 30 | 700 | 2.4 | 1.05 | 48000 | 4 | n/s |
| Palfinger | WT 1000 | 84 | 276 | 30 | 450 | 3.88 | 2.15 | n/s | n/s | n/s |
| WUMAG | WT 850 | 84 | 276 | 31 | 500 | 3.5 | 0.9 | n/s | n/s | n/s |
| Barin | AP 90/34 J2 | 90 | 295 | 34 | 440 | 2.5 | 0.9 | n/s | n/s | n/s |
| Bronto Skylift | S 90 HLA | 90 | 295 | 32.6 | 700 | 2.2 | 0.9 | 48000 | 4 | n/s |
| Bronto Skylift | S 295 HLA | 90 | 295 | 32 | 700 | 2.4 | 1.05 | 48000 | 4 | n/s |
| Palfinger | P 900 | 90 | 295 | 32.5 | 530 | 3.45 | 2.15 | 48000 | n/s | n/s |
| Ruthmann | T 900 HF | 90 | 295 | n/s | 600 | 1.3 | 0.7 | 52000 | n/s | n/s |
| Palfinger | P 1000 | 102.5 | 336 | 35 | 530 | 3.88 | 1.1 | n/s | n/s | n/s |
| Bronto Skylift | S 104 HLA | 103.8 | 341 | 33 | 700 | 2.2 | 0.9 | 62000 | 4 | n/s |
| Bronto Skylift | S 341 HLA | 104 | 341 | 32 | 700 | 2.4 | 1.05 | 63000 | 4 | n/s |
| Bronto Skylift | S 112 HLA | 112 | 367 | 33 | 700 | 2.4 | 1.05 | 74000 | 4 | n/s |
| Bronto Skylift | S 367 HLA | 112 | 367 | 32 | 700 | 2.4 | 1.05 | 75000 | 4 | n/s |
| Movex | E290PX | 28,7 | n/s | n/s | 220 | n/s | n/s | 8000 | 4 | n/s |
| Bumar | PM 0184 HF | n/s | n/s | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| Bumar | PT 40 | n/s | n/s | n/s | n/s | n/s | n/s | n/s | n/s | n/s |
| TCM | MT 14 | n/s | n/s | n/s | n/s | n/s | n/s | n/s | n/s | n/s |

VAN MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (kg) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|---------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|---------------------------|----------------|----------------------|
| Isoli | PT90 | 8.5 | 28 | 4 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Movex | TLF 9 | 8.8 | 28.9 | 5 | 120 | n/s | n/s | n/s | n/s | N |
| France Elévateur | 091 F | 9 | 30 | 5.2 | 120 | 0.85 | 0.73 | n/s | n/s | n/s |
| France Elévateur | 091 FE | 9 | 30 | 4.5 | 120 | 0.85 | 0.78 | n/s | n/s | n/s |
| Easy Lift | ET090 | 9 | 29.5 | 4 | 200 | 1.4 | 0.7 | 3000 | 2 | n/s |
| Klubb | K21 | 9.2 | 30.2 | 5.8 | 120 | n/s | n/s | n/s | n/s | n/s |
| Klubb | K21N | 9.2 | 30.2 | 5.8 | 120 | n/s | n/s | n/s | n/s | n/s |
| Klubb | K20 | 10 | 32.8 | 5 | 120 | n/s | n/s | n/s | n/s | n/s |
| Time Manufacturing | VANTEL-29-IH | 10.1 | 33.1 | 6.1 | 136 | n/s | n/s | 4300 | n/s | Y |
| Time Manufacturing | VANTEL-29-N | 10.1 | 33.1 | 6.1 | 159 | n/s | n/s | 4300 | n/s | N |
| Time Manufacturing | VANTEL-29-EIH | 10.1 | 33.1 | 6.7 | 136 | n/s | n/s | 4300 | n/s | Y |
| France Elévateur | Topy 11.2 | 10.25 | 34 | 5 | 200 | n/s | n/s | 3500 | n/s | n/s |
| Time Manufacturing | VANTEL-29-NE | 10.4 | 34.1 | 6.7 | 159 | n/s | n/s | 4800 | n/s | N |
| Time Manufacturing | VANTEL-29-I | 10.7 | 35.1 | 6.4 | 158.8 | n/s | n/s | 4300 | n/s | Y |
| Time Manufacturing | VANTEL-29-EI | 10.7 | 35.1 | 7.01 | 158.8 | n/s | n/s | 4300 | n/s | Y |
| Movex | TLF 10 | 10.8 | 35.4 | 5 | 120 | n/s | n/s | n/s | n/s | N |
| Time Manufacturing | ET-30-LE | 11.1 | 36 | 6.8 | 120 | n/s | n/s | 3500 | n/s | n/s |
| Time Manufacturing | ET-30-LE | 11.3 | 37 | 6.7 | 120 | n/s | n/s | 3500 | n/s | n/s |
| GSR | S115RA | 11.4 | 37 | 6.2 | 200 | n/s | n/s | n/s | 2 | n/s |
| Danilift | P115V | 11.5 | 37.7 | 7 | 150 | n/s | n/s | 3500 | n/s | n/s |
| Movex | TLF 11 | 11.6 | 38.1 | 7.5 | 120 | n/s | n/s | n/s | n/s | N |
| Palfinger | P 120 V | 11.8 | 39 | 6 | 200 | 1.2 | 0.8 | n/s | n/s | n/s |
| Time Manufacturing | ET-32-LFXS | 11.9 | 39 | 6.8 | 200 | n/s | n/s | 3500 | n/s | n/s |
| GSR | E120TV | 11.9 | 39 | 7.6 | 220/80 | n/s | n/s | n/s | 2 | n/s |
| Thomas Hoogwerkers | 120 NKT | 12 | 39 | n/s | n/s | n/s | n/s | 3500 | n/s | n/s |
| France Elévateur | Topy 12.1 | 12 | 39 | 6.5 | 120 | n/s | n/s | 3500 | n/s | n/s |
| France Elévateur | Topy 12.2 | 12 | 39 | 5 | 200 | n/s | n/s | 3500 | n/s | n/s |
| France Elévateur | 121 F | 12 | 39 | 7 | 120 | 0.85 | 0.73 | n/s | n/s | n/s |
| France Elévateur | 121 FT | 12 | 39 | n/s | 120 | 0.85 | 0.73 | n/s | n/s | n/s |
| France Elévateur | 122 F | 12 | 39 | 7 | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| Comet | X VAN 12-4.5 | 12 | 39 | 4.5 | 200 | 1 | 0.7 | n/s | 4 | n/s |
| Movex | TLF 12 | 12 | 39.4 | 7.5 | 200 | n/s | n/s | n/s | 2 | Y |
| Klubb | K26 | 12 | 39.4 | 6.8 | 120 | n/s | n/s | n/s | n/s | n/s |
| Socage | forSte 12 VT | 12 | 39.4 | 7.5 | 120 | 0.7 | 0.7 | 3500 | n/s | n/s |
| France Elévateur | 121 FCC | 12.1 | 40 | 7 | 120 | 0.85 | 0.73 | n/s | n/s | n/s |
| Easy Lift | EV125 | 12.2 | 40 | 6.8 | 200 | 1.4 | 0.7 | 3500 | 2 | n/s |
| Easy Lift | EV130 | 12.2 | 40 | 7 | 200 | 1.4 | 0.7 | 3500 | 2 | n/s |
| France Elévateur | 121 FC | 12.5 | 41 | n/s | 120 | 0.85 | 0.73 | n/s | n/s | n/s |
| GSR | S125RA | 12.9 | 42 | 7.2 | 200 | n/s | n/s | n/s | 2 | n/s |
| Thomas Hoogwerkers | 130 NKT | 13 | 43 | 8.5 | 180 | n/s | n/s | 3500 | n/s | n/s |
| Bumar | PTM-12E | 13 | 43 | 7 | 225 | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | 132 FC | 13 | 43 | n/s | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| Swisslift | GA 130 | 13 | 43 | 6 | 310 | 1.5 | 0.84 | 3500 | n/s | n/s |
| Ascendant | A12.5VM | 13 | 43 | 7.7 | 230 | 0.8 | 1.3 | 3500 | 2 | n/s |
| Danilift | P130V | 13 | 42.7 | 7.8 | 230 | n/s | n/s | 3500 | n/s | n/s |
| Klubb | K32 | 13 | 42.7 | 7.3 | 120 | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | 131 F | 13.1 | 43 | 7 | 120 | 0.85 | 0.73 | n/s | n/s | n/s |
| France Elévateur | 131 F | 13.1 | 43 | 7 | 120 | 0.85 | 0.71 | n/s | n/s | n/s |
| Palfinger | PD 135 V | 13.2 | 43 | 8.6 | 200 | 1.2 | 0.8 | n/s | n/s | n/s |
| GSR | E140P Basic | 13.2 | 43 | 6 | 250 | 0.7 | 1.2 | n/s | 2/4 | n/s |
| Movex | TLF 13 | 13.2 | 43.3 | 7.8 | 200 | n/s | n/s | n/s | 2 | Y |
| Bumar | PMT-12 | 13.4 | 44 | 7 | 225 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PMT-12E | 13.4 | 44 | 7 | 225 | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | 132 F | 13.5 | 44 | 8.2 | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| GSR | S135RA | 13.5 | 44 | 8.3 | 200 | n/s | n/s | n/s | 2 | n/s |
| France Elévateur | 132 F | 13.5 | 44 | n/s | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| France Elévateur | 132 FCV | 13.5 | 44 | n/s | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| France Elévateur | 132 FV | 13.5 | 44 | n/s | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| GSR | E148T Compact | 13.7 | 45 | 8.4 | 200 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| CMC | ATP145 | 13.7 | 45 | 6.8 | 200 | 1.4 | 0.7 | 3500 | 2/4 | n/s |
| Palfinger | P 140 V | 13.8 | 45 | 7.5 | 200 | 1.2 | 0.8 | n/s | n/s | n/s |
| France Elévateur | 142 TPFCC | 13.9 | 46 | 8.2 | 265 | 1.35 | 0.78 | 3500 | n/s | n/s |
| CTE | ZED 14.2 | 13.9 | 46 | 7.5 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Palfinger | PD 140 V | 14 | 46 | 9.1 | 200 | 1.2 | 0.8 | n/s | n/s | n/s |

VAN MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (kg) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|---------------------------|----------------|----------------------|
| Bumar | PTM-14E | 14 | 46 | 7 | 225 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PTM-14E v2 | 14 | 46 | 7 | 225 | n/s | n/s | n/s | n/s | n/s |
| GSR | S140RA | 14 | 46 | 8.8 | 200 | n/s | n/s | n/s | 2 | n/s |
| France Elévateur | 142 TPFCC | 14 | 46 | 8.2 | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| Comet | 14-8 | 14 | 46 | 8 | 200 | 1.19 | 0.58 | n/s | 4 | n/s |
| Comet | X VAN 14-6.2 | 14 | 46 | 6.2 | 200 | 1 | 0.7 | n/s | 4 | n/s |
| Isoli | MPT140 4x4 | 14 | 46 | 6.3 | 200 | 1.3 | 0.71 | n/s | n/s | n/s |
| Thomas Hoogwerkers | 140 NK | 14 | 46 | 7.5 | 200 | n/s | n/s | 3500 | n/s | n/s |
| Movex | TLF 14 | 14 | 45.9 | 7.8 | 200 | n/s | n/s | n/s | 2 | Y |
| Danilift | P140V | 14 | 45.9 | 8 | 230 | n/s | n/s | 3500 | n/s | n/s |
| Danilift | PD142V | 14 | 45.9 | 9.2 | 230 | n/s | n/s | 7500 | 2 | n/s |
| Klubb | K38p | 14 | 45.9 | 8.2 | 200 | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | 142 TLE | 14.2 | 47 | 9 | 265 | 0.85 | 0.73 | n/s | n/s | n/s |
| Danilift | PD143V | 14.3 | 46.9 | 9.6 | 265 | n/s | n/s | 5000 | 2 | n/s |
| GSR | E140TJV Basic | 14.4 | 47 | 8.5 | 220/80 | 0.7 | 1.2 | n/s | 2/4 | n/s |
| GSR | E140TJV Compact | 14.4 | 47 | 8.5 | 220/80 | 0.7 | 1.2 | n/s | 2/4 | n/s |
| Palfinger | PD 145 V | 14.5 | 48 | 9.9 | 200 | 1.2 | 0.8 | n/s | n/s | n/s |
| France Elévateur | 142 TPL | 14.5 | 48 | n/s | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| CTE | B-Lift 150 Pro | 14.6 | 48 | 8.9 | 80/200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| France Elévateur | 142 TPL i | 14.7 | 48 | 7.4 | 200 | 1.35 | 0.78 | 3500 | n/s | n/s |
| France Elévateur | 142 TPL i | 14.7 | 48 | 8.2 | 80 | 1.35 | 0.78 | 3500 | n/s | n/s |
| France Elévateur | 142 TPL | 14.8 | 49 | 8.2 | 265 | 1.35 | 0.78 | 3500 | n/s | n/s |
| Easy Lift | EV150 | 14.8 | 48.6 | 7 | 200 | 1.4 | 0.7 | 3500 | 2 | n/s |
| Thomas Hoogwerkers | 150 NKT | 15 | 49 | 8.5 | 265 | n/s | n/s | 3500 | n/s | n/s |
| CELA | TL15 | 15 | 49 | 9.1 | 225 | 1.4 | 0.7 | 3500 | n/s | n/s |
| France Elévateur | 152 TPF | 15 | 49 | 8 | 265 | 1.35 | 0.78 | 3500 | n/s | n/s |
| Danilift | PD150V | 15 | 49.2 | 9 | 265 | n/s | n/s | 5000 | 2 | n/s |
| Klubb | K42p | 15 | 49.2 | 8.2 | 200 | n/s | n/s | n/s | n/s | n/s |
| Socage | forSte 15 VTJ | 15 | 49.2 | 9.5 | 225 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Danilift | PV155V | 15.5 | 50.9 | 9.9 | 265 | n/s | n/s | 5000 | 2 | n/s |
| CMC | PLA168 | 16 | 52 | 9 | 200 | 1.4 | 0.6 | n/s | 2/4 | n/s |
| CMC | PLA168 | 16 | 52 | 9 | 200 | 1.4 | 0.6 | n/s | 2/4 | n/s |
| Bumar | PTM-16E | 16 | 52 | 7 | 225 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PTM-16E v2 | 16 | 52 | 7 | 225 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PTM-17E | 16 | 52 | 7 | 225 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PTF-16E | 16 | 52 | 5.9 | 200 | n/s | n/s | n/s | n/s | n/s |
| Swisslift | GTA 160 | 16 | 52 | 6.85 | 215 | n/s | n/s | 3500 | n/s | n/s |
| Danilift | PD162V | 16 | 52.5 | 11 | 265 | n/s | n/s | 7500 | 2 | n/s |
| CTE | B-Lift 162 Pro-H | 16.5 | 54 | 11.2/7.8 | 80/250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| CTE | B-Lift 162 Pro-A | 16.5 | 54 | 11.2/8.3 | 80/250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| CTE | B-Lift 165 | 16.5 | 54 | 8.2 | 250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| GSR | E170TJV Basic | 16.6 | 54 | 7.6 | 220/80 | 0.7 | 1.2 | n/s | 2/4 | n/s |
| GSR | E170TJV Compact | 16.6 | 54 | 7.6 | 220/80 | 0.7 | 1.2 | n/s | 2/4 | n/s |
| CTE | B-Lift 17 | 16.6 | 54 | 11.3 | 250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| France Elévateur | 172 TPF | 17 | 56 | 8.5 | 200 | 1.35 | 0.78 | n/s | n/s | n/s |
| Time Manufacturing | VDT-170-F | 17 | 56 | 9 | 230 | n/s | n/s | 5000 | n/s | n/s |
| Swisslift | GTA 170 | 17 | 56 | 8 | 200 | 1.2 | 0.85 | 3500 | n/s | n/s |
| GSR | E179T Compact | 17.1 | 56 | 12.1 | 200/80 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| Palfinger | PD 175 V | 17.5 | 57 | 8.8 | 265 | 1.2 | 0.8 | n/s | n/s | n/s |
| GSR | B180T Compact VV | 17.9 | 59 | 6.6/11.0 | 300/80 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| GSR | B180T Comfort | 17.9 | 59 | 8.2/12.8 | 300/80 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| GSR | B180T Comfort EV | 17.9 | 59 | 8.2/12.8 | 300/80 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| GSR | E180PX | 17.9 | 59 | 7.6 | 250 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| Thomas Hoogwerkers | 180 NKT | 18 | 59 | 10 | 265 | n/s | n/s | 3500 | n/s | n/s |
| CMC | PLA 185 | 18 | 59 | 10 | 200 | 1.4 | 0.6 | n/s | n/s | n/s |
| CMC | PLA 185 | 18 | 59 | 10 | 200 | 1.4 | 0.6 | n/s | n/s | n/s |
| Palfinger | P 180 | 18 | 59 | 12.5 | 350 | 1.6 | 0.8 | n/s | n/s | n/s |
| CTE | B-Lift 187 Pro-A | 18 | 59 | 10.9/8 | 80/250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| CELA | TL18 | 18 | 59 | 10 | 225 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Bumar | PTM-18E | 18 | 59 | 7 | 225 | n/s | n/s | n/s | n/s | n/s |
| Bumar | PTM-18E v2 | 18 | 59 | 7 | 225 | n/s | n/s | n/s | n/s | n/s |
| France Elévateur | 182 CPM | 18 | 59 | n/s | 265 | 1.35 | 0.78 | n/s | n/s | n/s |
| Danilift | PD175V | 18 | 59.1 | 9 | 265 | n/s | n/s | 5000 | 2 | n/s |
| CTE | B-Lift 187 Pro-H | 18.1 | 59 | 12.1/9 | 80/250 | 1.4 | 0.7 | 3500 | n/s | n/s |

VAN-MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (kg) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------------|--------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|---------------------------|----------------|----------------------|
| GSR | E180TJ Compact | 18.2 | 60 | 14 | 280 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| CELA | Z190 | 18.3 | 60 | 9 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| GSR | E190THD | 19 | 62 | 13.6 | 250 | 0.7 | 1.6 | n/s | 2/4 | n/s |
| CTE | B-Lift 20.13 MP | 19.8 | 65 | 9.3 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| CTE | 202 RB FE-H | 19.8 | 65 | 9.3 | 200 | n/s | n/s | 3500 | n/s | n/s |
| GSR | E209PX | 19.9 | 65 | 8.9 | 220 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| Thomas Hoogwerkers | 200 NKT | 20 | 66 | 14 | 265 | n/s | n/s | 3500 | n/s | n/s |
| CTE | B-Lift 201 Pro-A | 20 | 66 | 10/7.3 | 80/250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| CTE | B-Lift 201 Pro-H | 20 | 66 | 12.5/9.2 | 80/250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| CTE | 202 B FE-H | 20 | 66 | 12.9 | 250 | n/s | n/s | 3500 | n/s | n/s |
| CTE | 202 B FE-A | 20 | 66 | 10 | 250 | n/s | n/s | 3500 | n/s | n/s |
| GSR | B200T Compact VV | 20 | 66 | 7.3/10.6 | 250/80 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| GSR | B200T Comfort EV | 20 | 66 | 8.4/12.2 | 250/80 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| GSR | B200T Comfort XEV | 20 | 66 | 9.0/13.2 | 250/80 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| Bumar | PTM-20E v2 | 20 | 66 | 7 | 225 | n/s | n/s | n/s | n/s | n/s |
| GSR | B200PX Compact | 20 | 66 | 8.7 | 300 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| GSR | B200PX Compact | 20 | 66 | 8.7 | 300 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| CTE | ZED 20.2 EASY | 20 | 66 | 9 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| CTE | ZED 20.3 HV | 20 | 66 | 8.5 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| GSR | E210PX | 20.1 | 66 | 10.4 | 220 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| GSR | E 200 T E4 Comfort | 20.2 | 66 | 12.9 | 200 | 0.7 | 1.4 | n/s | n/s | n/s |
| GSR | E200T Compact | 20.2 | 66 | 13 | 200/80 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| GSR | E200TJ Comfort | 20.2 | 66 | 14.2 | 250 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| CTE | 202 ZB FE-H | 20.3 | 67 | 9.2 | 230 | n/s | n/s | 3500 | n/s | n/s |
| GSR | E210PXJ | 20.5 | 67 | 9.9 | 250 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| Palfinger | P210BK | 21 | 69 | 16.4 | 230 | 1.2 | 0.8 | n/s | n/s | n/s |
| Palfinger | P 210 BK | 21 | 69 | 16.4 | 230 | 1.4 | 0.7 | n/s | n/s | n/s |
| CMC | PLA 210 | 21 | 69 | 11.5 | 200 | 1.4 | 0.6 | n/s | n/s | n/s |
| CMC | PLA 210 | 21 | 69 | 10 | 200 | 1.4 | 0.6 | n/s | n/s | n/s |
| CTE | ZED 21.3 JHV | 21 | 69 | 10 | 300 | 1.4 | 0.7 | 3500 | n/s | n/s |
| GSR | E210THD | 21.1 | 69 | 15.2 | 250 | 0.7 | 1.6 | n/s | 2/4 | n/s |
| CMC | PLA 210 C | 21.5 | 71 | 14 | 200 | 1.4 | 0.6 | n/s | n/s | n/s |
| GSR | E228TJ Comfort | 21.7 | 71 | 17.3 | 280 | 0.7 | 1.6 | n/s | 2/4 | n/s |
| Palfinger | P220B | 21.9 | 72 | 16.2 | 230 | 1.4 | 0.7 | n/s | n/s | n/s |
| Hubmeister | HM 22 T | 22 | 72 | 14 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Ruthmann | TB 220.2 | 22 | 72 | 14 | 200 | 1.4 | 0.7 | n/s | n/s | n/s |
| Ruthmann | TBR 220 | 22 | 72 | 16 | 230 | 1.4 | 0.7 | n/s | n/s | n/s |
| Ruthmann | TBR 220 HV5 | 22 | 72 | 16 | 230 | 1.4 | 1 | n/s | n/s | n/s |
| CELA | DT22 | 22 | 72 | 9 | 230 | 1.4 | 0.7 | 3500 | 4 | n/s |
| CELA | Z220 | 22 | 72 | 12 | 200 | 1.4 | 0.7 | 3500 | n/s | n/s |
| GSR | E220TJ Comfort | 22.2 | 73 | 14.2 | 250 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| CTE | B-Lift 230 Pro-H | 22.5 | 74 | 12.1/9.2 | 80/250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| CTE | B-Lift 230 Pro-A | 22.5 | 74 | 10.4/7.7 | 80/250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| CTE | 232 B FE-A | 22.5 | 74 | 10.4 | 250 | n/s | n/s | 3500 | n/s | n/s |
| CTE | 232 B FE-H | 22.5 | 74 | 12.1 | 250 | n/s | n/s | 3500 | n/s | n/s |
| GSR | B230T Comfort X | 22.5 | 74 | 13.2 | 250/80 | 0.7 | 1.2 | n/s | 2/4 | n/s |
| GSR | B230T Comfort X | 22.5 | 74 | 13.2 | 250/80 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| CTE | ZED 23.2 JH | 22.7 | 74 | 10 | 230 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Palfinger | P 230 | 23 | 75 | 17.6 | 350 | 1.8 | 1 | 6700 | n/s | n/s |
| Palfinger | WT 230 | 23 | 75 | 17.5 | 350 | 1.6 | 0.8 | n/s | n/s | n/s |
| GSR | B240PX Compact | 23.6 | 77 | 12.3 | 250 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| GSR | B240PX Compact | 23.6 | 77 | 12.3 | 250 | 0.7 | 1.4 | n/s | 2/4 | n/s |
| Time Manufacturing | VTX-240 | 24 | 79 | 12.5 | 200 | n/s | n/s | 3500 | n/s | n/s |
| CTE | ZED 25 HV | 24.6 | 81 | 11.7 | 250 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Palfinger | P 250 BK | 24.7 | 81 | 17 | 230 | 1.4 | 0.7 | 3350 | n/s | n/s |
| GSR | E 250 PXJ Comfort | 24.8 | 81 | 14.2 | 250 | 0.7 | 1.8 | n/s | n/s | n/s |
| GSR | E250PXJ | 24.8 | 81 | 14.3 | 280 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| Ruthmann | TBR 250 | 25 | 82 | 16.5 | 230 | 1.4 | 0.7 | n/s | n/s | n/s |
| CELA | DT25 | 25 | 82 | 12 | 230 | 1.4 | 0.7 | 3500 | 4 | n/s |
| Palfinger | P260B | 25.6 | 84 | 17.4 | 230 | 1.4 | 0.7 | n/s | n/s | n/s |
| GSR | E 260 PXJ Comfort | 25.8 | 85 | 14 | 250 | 0.7 | 1.8 | n/s | n/s | n/s |
| GSR | E260TJ Comfort | 26.2 | 86 | 16.3 | 280 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| GSR | E270PX Compact | 26.5 | 87 | 13.5 | 220 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| Palfinger | WT 270 | 27 | 89 | 19.8 | 350 | 1.6 | 0.8 | n/s | n/s | n/s |

VAN MOUNTED PLATFORMS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Horizontal Reach (m) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (kg) | Outriggers (#) | Insulated Boom (Y/N) |
|--------------|-----------------|----------------------------|-----------------------------|------------------------------|--------------------------------|---------------------|--------------------|---------------------------|----------------|----------------------|
| Ruthmann | TB 270+ | 27 | 89 | 14.8 | 230 | 1.4 | 0.7 | 3500 | n/s | n/s |
| Ruthmann | TB 270+ | 27 | 89 | 16.4 | 230 | 1.4 | 0.7 | 3500 | n/s | n/s |
| CTE | B-Lift 27 | 27 | 89 | 13 | 250 | 1.4 | 0.7 | n/s | n/s | n/s |
| Palfinger | P 280 B | 27.6 | 91 | 17 | 230 | 1.4 | 0.7 | 3500 | n/s | n/s |
| GSR | D280TJ | 28 | 92 | 15 | 220 | 0.7 | 1.6 | n/s | 2/4 | n/s |
| GSR | E280TJ Comfort | 28 | 92 | 15 | 220 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| GSR | E290PX Comfort | 28.7 | 94 | 15.6 | 220 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| Ruthmann | TB 290 | 29 | 95 | 16.2 | 230 | 1.4 | 0.7 | n/s | n/s | n/s |
| Palfinger | P 300 KS | 30 | 98 | 20.5 | 350 | 1.8 | 1 | 7350 | n/s | n/s |
| Palfinger | P 300 | 30 | 98 | 20.7 | 350 | 1.8 | 1 | 7200 | n/s | n/s |
| GSR | D300TJ | 30 | 98 | 16 | 220 | 0.7 | 1.6 | n/s | 2 | n/s |
| GSR | E320PXJ Comfort | 32 | 105 | 20 | 280 | 0.7 | 1.8 | n/s | 2/4 | n/s |
| Palfinger | WT 350 | 35 | 115 | 29.7 | 350 | 1.6 | 0.8 | n/s | n/s | n/s |
| GSR | E360PXJ Comfort | 36 | 118 | 22.6 | 320 | 0.7 | 1.8 | n/s | 2/4 | n/s |

200

SOCAGE
PIATTAFORME AEREE DA 10 A 75 METRI

www.socage.it

300 kg

19,80 m

9,00 m

700°

H+H

MIXDESIGN

DELIVERING PEAK performance

When you need to reach high places, our line of electric scissor lifts is always up to the task. Featuring a high lift capacity, the **Snorkel S3220E** delivers a working height of up to 8.1m (26 ft.) and a platform capacity of 408kg (900 lbs.). Engineered to elevate jobsite efficiency, upsized pins provide additional rigidity for safe and secure performance. Its super-heavy-duty steel construction and over engineered components maximize uptime and minimize ownership costs. That's performance that stands above the rest.



408 kg
PLATFORM
CAPACITY

Snorkel S3220E
BUILT TO A HIGHER STANDARD

FOR MORE INFORMATION CALL
Snorkel™ at +44 (0) 845 1550 057
or visit www.snorkellifts.com

© 2018 Snorkel. All rights reserved.

Snorkel™

UNDERBRIDGE INSPECTION UNITS

| Manufacturer | Model | Working Depth (m) | Maximum Depth U/Bridge (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Gross Vehicle Weight (kg) | Rotation (Degrees) |
|--------------------------|---------------|-------------------|-----------------------------|--------------------------------|---------------------|--------------------|---------------------------|--------------------|
| Barin | ABC 60/L | 4 | 13.12 | 150/300 | 6 | 1 | 3500 | n/s |
| Moog | MBI 50-1/SR | 4.5 | 14.76 | 300 | n/s | n/s | 3100 | n/s |
| Barin | ABC 70/L | 5 | 16.41 | 150/350 | 7 | 1.1 | 5700 | n/s |
| Moog | MBI 50-1/S | 5 | 16.41 | 300 | n/s | n/s | 3800 | n/s |
| Anderson Hydra Platforms | HPT 38 | 5 | 16.41 | 455 | 12 | 1 | n/s | n/s |
| Barin | ABC 110/L | 6 | 19.69 | 300/600 | 11 | 1.05 | 14000 | n/s |
| Moog | MBI 70-1/S | 6 | 19.69 | 400 | n/s | n/s | 6400 | n/s |
| Anderson Hydra Platforms | HP35 | 6 | 19.69 | 455 | 11 | 1 | n/s | n/s |
| Anderson Hydra Platforms | HPT 43 | 6 | 19.69 | 635 | 13 | 1 | n/s | n/s |
| Anderson Hydra Platforms | HPT 66 | 7 | 22.97 | 635 | 20 | 1 | n/s | n/s |
| Moog | MBI 90-1/S | 7.2 | 23.62 | 450 | n/s | n/s | 13500 | n/s |
| Moog | MBI 110-1,2/S | 7.5 | 24.61 | 500 | n/s | n/s | 15500 | n/s |
| Barin | ABC 150/LS | 7.6 | 24.94 | 300/500 | 15 | 1.1 | 18000 | n/s |
| Barin | AB 7/S | 7.6 | 24.94 | 250 | n/s | n/s | 14000 | n/s |
| Barin | AB 6.5 Combi | 8 | 26.25 | 200 | n/s | n/s | 18000 | n/s |
| Barin | ABC 200/L | 8.5 | 27.89 | 300/600 | 20 | 1.2 | 25000 | n/s |
| Barin | ABC 230/L | 8.5 | 27.89 | 300/600 | 23 | 1.5 | 32000 | n/s |
| Barin | AB 9/S | 8.5 | 27.89 | 250 | n/s | n/s | 13000 | n/s |
| Moog | MBI 180-1,7/S | 8.7 | 28.54 | 800 | n/s | 1.7 | 35000 | n/s |
| Moog | MBI 200-1,5/S | 8.7 | 28.54 | 800 | n/s | 1.5 | 35000 | n/s |
| Tadano | BT-200 | 9 | 29.53 | 200 | 3 | 0.85 | n/s | n/s |
| Barin | ABC 160/LS | 9 | 29.53 | 200/500 | 16 | 1.3 | 32000 | n/s |
| Moog | MBI 160-1,7/S | 9.4 | 30.84 | 800 | n/s | 1.7 | 26000 | n/s |
| Moog | MBI 175-1,5/S | 9.4 | 30.84 | 800 | n/s | 1.5 | 26000 | n/s |
| Barin | ABC 170/L | 9.5 | 31.17 | 400/800 | 17 | 1.3 | 26000 | n/s |
| Moog | MBI 140-1,4/S | 9.5 | 31.17 | 600 | n/s | 1.4 | 22500 | n/s |
| Aspen Aerials | B-32 | 10 | 32.81 | 204 | 1.37 | 0.97 | 13600 | n/s |
| Barin | AB 10.5 Combi | 11 | 36.09 | 260 | n/s | n/s | 18000 | n/s |
| Aspen Aerials | A-30 | 12.9 | 42.32 | 272 | 1.52 | 1.02 | n/s | n/s |
| Barin | AB 13/S | 14 | 45.93 | 250 | n/s | n/s | 17000 | n/s |
| Aspen Aerials | A-40 | 14.4 | 47.25 | 272 | 1.52 | 1.02 | n/s | n/s |
| Moog | MBL 1200 T | 16.1 | 52.82 | 280 | n/s | n/s | 24000 | 180 |
| Barin | AB 18 | 16.3 | 53.48 | 300 | n/s | n/s | 26000 | n/s |
| Moog | MBL 1300 T | 17.1 | 56.11 | 280 | n/s | n/s | 24000 | 180 |
| Aspen Aerials | A-52 | 17.6 | 57.75 | 272 | 1.52 | 1 | n/s | n/s |
| Tadano | BT-400 | 18.1 | 59.39 | 300 | 2 | 0.85 | n/s | n/s |
| Moog | MBL 1600 T | 19 | 62.34 | 280 | n/s | n/s | 32000 | 180 |
| Barin | AB 22 | 20.5 | 67.26 | 300 | n/s | n/s | 32000 | n/s |
| Aspen Aerials | A-62 | 20.6 | 67.59 | 272 | 1.5 | 1 | n/s | n/s |
| Barin | AB 20/S | 20.8 | 68.24 | 250 | n/s | n/s | 26000 | n/s |
| Aspen Aerials | A-75 | 22.02 | 72.25 | 318 | 1.5 | 1 | n/s | n/s |
| Moog | MBL 1750 T | 23 | 75.46 | 280 | n/s | n/s | 32000 | 180 |
| Barin | ABC 50/C | n/s | n/s | 200/200 | 5 | 1.1 | 3000 | 180 |



Safety above all



Safety | Uptime | Reliability

Finally the real, rugged work machine is available in a smaller package. Bronto Skylift is launching a totally new 35 meter work horse, the **BRONTO S35EM**


brontoskylift.com



Electroelsa lifting machines are conceived to simplify height access on yard. The pre-installed base unit is delivered as one unit, ensuring fast and easier assembly.

Electroelsa range is available in different versions of mast climbers, material hoists and lifts, load capacity up to 5000 Kg.

Quality and versatility...



Contact us :

Ph: +39 0577 913401

info@electroelsa.com www.electroelsa.com

MAST CLIMBING WORK PLATFORMS

| Manufacturer | Model | Maximum Platform Capacity (kg) | Maximum Working Height (m) | Maximum Working Height (ft) | Number of Masts (No) | Platform Length (m) | Platform Width (m) | Power Source (E/D/LPG) | Mast Tie Spacing (m) |
|-----------------------|-------------------------|--------------------------------|----------------------------|-----------------------------|----------------------|---------------------|--------------------|------------------------|----------------------|
| SAEclimber | P08 | 400 | n/s | n/s | 1 | 6 | 1.4 | E | n/s |
| Scanclimber | SC1000 | 500 | 100 | 328 | 1 | 10.12 | 1.5 | E | n/s |
| SAEclimber | P25 | 650 | n/s | n/s | 1 | 7 | 2.05 | E | n/s |
| Fraco | FRSM 1500 | 680 | 100 | 328 | | 5.77 | 2.11 | E | 6.1 |
| CAMAC | Camac 1500 | 750 | 120 | 394 | 1 | 7.01 | 0.9 | E | n/s |
| Scanclimber | SC1000 | 750 | 100 | 328 | 2 | 20.24 | 1.5 | E | n/s |
| SAEclimber | P08 | 800 | n/s | n/s | 2 | 18 | 1.4 | E | n/s |
| Maber | MB S 01/120 | 800 | 120 | 394 | 1 | 7 | 1 | E | n/s |
| Rovers | R 20 | 800 | 120 | 394 | | 7 | 1 | E | n/s |
| Scanclimber | SC3500L | 900 | 150 | 492 | 2 | 41.7 | n/s | E | n/s |
| Scanclimber | SC4000 | 900 | 100 | 328 | 1 | 13.75 | 1.68 | E | n/s |
| Alba | PEC90 Single Mast | 1000 | 90 | 295 | 1 | 6.81 | 0.8 | E | n/s |
| Electroelsa | EP-3125T | 1000 | 30 | 98 | | 7.1 | 1 | E | n/s |
| Scanclimber | SC5000 | 1000 | 100 | 328 | 1 | 16.9 | n/s | E | n/s |
| Scanclimber | SC8000 | 1000 | 150 | 492 | 2 | 46.2 | 1.6 | E | n/s |
| Euroscaf | ESI | 1010 | 150 | 492 | 1 | 6.8 | 1 | E | n/s |
| Alba | PEC120R Single Mast | 1100 | 130 | 427 | 1 | 9.99 | 1.2 | E | n/s |
| CAMAC | Camac 2000 | 1160 | 120 | 394 | 1 | 8.84 | 1.2 | E | n/s |
| Scanclimber | SC3500L | 1200 | 150 | 492 | 1 | 12.4 | n/s | E | n/s |
| Scanclimber | SC6000 | 1200 | 100 | 328 | 2 | 44.6 | 1.6 | E | n/s |
| Electroelsa | ELSA P25 | 1250 | 100 | 328 | 1 | 7 | n/s | E | n/s |
| Maber | MB P 01/150 | 1250 | 150 | 492 | 1 | 10 | 1.34 | E | n/s |
| Scanclimber | SC6000 | 1400 | 100 | 328 | 1 | 16.9 | 1.6 | E | n/s |
| CAMAC | Camac 1500 | 1500 | 120 | 394 | 2 | 20.18 | 0.9 | E | n/s |
| SAEclimber | P25 | 1500 | n/s | n/s | 2 | 25 | 2.05 | E | n/s |
| SAEclimber | P36 / PH10 | 1500 | n/s | n/s | 1 | 10 | 2.3 | E | n/s |
| SAEclimber | XML | 1500 | n/s | n/s | 1 | 7 | 1.7 | E | n/s |
| Alimak Hek | MSHF stat. | 1500 | 80 | 262 | 1 | 13.3 | 1.5 | E | n/s |
| Alimak Hek | MS ProMax 1 M B-FG | 1500 | 200 | 656 | 1 | 15.47 | 1.5 | E | n/s |
| Scanclimber | SC5000 | 1500 | 100 | 328 | 2 | 40.6 | n/s | E | n/s |
| Scanclimber | SC10000 | 1500 | 150 | 492 | 2 | 48.6 | n/s | E | n/s |
| Electroelsa | ELSA P40 | 1600 | 220 | 722 | 1 | 13.19 | 1 | E | n/s |
| Alimak Hek | MSHF 2 M B-FG | 1600 | 200 | 656 | 2 | 32.6 | 1.5 | E | n/s |
| Alimak Hek | MSM Super 2 M B-FG | 1600 | 100 | 328 | 2 | 32.6 | 1.5 | E | n/s |
| Alimak Hek | MSM Super 2 M stat. | 1600 | 100 | 328 | 2 | 32.6 | 1.5 | E | n/s |
| Electroelsa | EP-3125 | 1650 | 120 | 394 | 1 | 8.75 | 1 | E | n/s |
| Alba | PEC120R Twin Mast | 1700 | 130 | 427 | 2 | 32.11 | 1.2 | E | n/s |
| CAMAC | Camac 3000 | 1710 | 120 | 394 | 1 | 11.84 | 1.2 | E | n/s |
| CAMAC | Camac 3000 Selfstanding | 1710 | 120 | 394 | 1 | 11.84 | 1.2 | E | n/s |
| CAMAC | Camac 3000 Selfstanding | 1710 | 17.54 | 58 | 1 | 10.2 | 1.2 | E | n/s |
| CAMAC | Camac 3000 Selfstanding | 1710 | 8.54 | 28 | 1 | 10.2 | 1.2 | E | n/s |
| Alimak Hek | MSM Super 1 M B-FG | 1750 | 100 | 328 | 1 | 5.67 | 1.5 | E | n/s |
| Alimak Hek | MS ProMax 2 M B-FG | 1780 | 200 | 656 | 2 | 38.4 | 1.5 | E | n/s |
| Mastclimber Solutions | AC-13000 | 1800 | 200 | 656 | | 17.5 | 2 | E | n/s |
| Scanclimber | SC10000 | 1800 | 150 | 492 | 1 | 20.7 | n/s | E | n/s |
| Fraco | ACT 4 | 1815 | 168 | 551 | | 14.3 | 1.5 | E | n/s |
| Alimak Hek | MS 2450 | 1880 | 100 | 328 | 1 | 6.9 | 1.6 | E | n/s |
| Euroscaf | COSMOS | 1900 | 150 | 492 | 1 | 1.8 | 1.25 | E | n/s |
| Maber | MB S 02/120 | 2000 | 120 | 394 | 2 | 25 | 1 | E | n/s |
| Scanclimber | SC4000 | 2065 | 100 | 328 | 2 | 31.4 | 1.68 | E | n/s |
| Alba | PEC90 Twin Mast | 2100 | 90 | 295 | 2 | 22.62 | 0.8 | E | n/s |
| Euroscaf | ESA | 2250 | 150 | 492 | 1 | 13.6 | 1.25 | E | n/s |
| Jaso | GP40 | 2300 | 150 | 492 | 1 | 13.44 | 1.3 | E | n/s |
| Jaso | GPI40 | 2300 | 150 | 492 | 1 | 13.44 | 1.3 | E | n/s |
| Mastclimber Solutions | AC-8000 | 2300 | 20 | 66 | | 32.6 | n/s | E | n/s |
| CAMAC | Camac 2000 | 2320 | 120 | 394 | 2 | 25.04 | 1.2 | E | n/s |
| Alimak Hek | MS 2450 | 2380 | 100 | 328 | 2 | 24.6 | 1.6 | E | n/s |
| SAEclimber | P40 | 2500 | n/s | n/s | 1 | 12 | 2.3 | E | n/s |
| SAEclimber | P45 | 2500 | n/s | n/s | 1 | 13 | 2.5 | E | n/s |
| SAEclimber | XMH | 2500 | n/s | n/s | 1 | 12 | 2.5 | E | n/s |
| Alimak Hek | MC 450 1 M | 2500 | 200 | 656 | 1 | 10.2 | 2.2 | E | 8-10 |
| Electroelsa | ELSA P25 | 2600 | 100 | 328 | 2 | 25 | n/s | E | n/s |
| Alimak Hek | MCM-Single | 2680 | 200 | 656 | 1 | 10.4 | 3.5 | E | 8-10 |
| Alba | PEC150 Single Mast | 2700 | 250 | 820 | 1 | 13.65 | 1.5 | E | n/s |

MAST CLIMBING WORK PLATFORMS

| Manufacturer | Model | Maximum Platform Capacity (kg) | Maximum Working Height (m) | Maximum Working Height (ft) | Number of Masts (No) | Platform Length (m) | Platform Width (m) | Power Source (E/D/LPG) | Mast Tie Spacing (m) |
|--------------|-------------------------|--------------------------------|----------------------------|-----------------------------|----------------------|---------------------|--------------------|------------------------|----------------------|
| Euroscaf | ESI | 2800 | 150 | 492 | 2 | 24.6 | 1 | E | n/s |
| Maber | MB P 02/150 | 2800 | 150 | 492 | 2 | 30 | 1.34 | E | n/s |
| Scanclimber | SC8000 | 2800 | 150 | 492 | 1 | 16.9 | 1.6 | E | n/s |
| SAEclimber | XML | 3000 | n/s | n/s | 2 | 25 | 1.7 | E | n/s |
| Rovers | R 28 | 3000 | 120 | 394 | 2 | 28.25 | 1 | E | 9 |
| Rovers | R 28 T | 3100 | 120 | 394 | 3 | 41.2 | 1 | E | n/s |
| CAMAC | Camac 3000 | 3420 | 120 | 394 | 2 | 32.54 | 1.2 | E | n/s |
| CAMAC | Camac 3000 Selfstanding | 3420 | 120 | 394 | 2 | 32.54 | 1.2 | E | n/s |
| CAMAC | Camac 3000 Selfstanding | 3420 | 17.54 | 58 | 2 | 20.2 | 1.2 | E | n/s |
| CAMAC | Camac 3000 Selfstanding | 3420 | 8.54 | 28 | 2 | 20.2 | 1.2 | E | n/s |
| Electroelsa | EP-3125 | 3500 | 120 | 394 | 2 | 28 | 1 | E | n/s |
| SAEclimber | P36 / PH10 | 3600 | n/s | n/s | 2 | 30 | 2.3 | E | n/s |
| Fraco | ACT 8 | 3630 | 168 | 551 | | 15.2 | 1.78 | E | n/s |
| Electroelsa | ELSA P40 | 3700 | 220 | 722 | 2 | 33.9 | 1 | E | n/s |
| Euroscaf | COSMOS | 3800 | 150 | 492 | 2 | 32.1 | 1.25 | E | n/s |
| SAEclimber | P40 | 4000 | n/s | n/s | 2 | 32 | 2.3 | E | n/s |
| Euroscaf | ESA | 4100 | 150 | 492 | 2 | 34.7 | 1.25 | E | n/s |
| SAEclimber | P45 | 4500 | n/s | n/s | 2 | 35 | 2.5 | E | n/s |
| SAEclimber | XMH | 4500 | n/s | n/s | 2 | 32 | 2.5 | E | n/s |
| Alimak Hek | MC 450 2 M | 4500 | 200 | 656 | 2 | 30.4 | 2.2 | E | 8-10 |
| Jaso | GP40 | 4550 | 150 | 492 | 2 | 35.88 | 1.3 | E | n/s |
| Jaso | GPI40 | 4550 | 150 | 492 | 2 | 35.88 | 1.3 | E | n/s |
| Alba | PEC150 Twin Mast | 5000 | 250 | 820 | 2 | 37.8 | 1.5 | E | n/s |
| Alimak Hek | MCM-Twin | 5150 | 200 | 656 | 2 | 32.6 | 2.7 | E | 8-10 |
| Alimak Hek | MCM-ABBA | 2x2000 | 200 | 656 | | 51 | 2.7 | E | 8-10 |



OUR INNOVATIVE SCISSOR-BOOMS *New Concept, Better Value*

32/15 SCISSOR-BOOM
for municipal application

45/22 SCISSOR-BOOM
for construction application

FOR RENTAL COMPANIES:

- Less than half the Boom cost
- Lower maintenance cost
- Quick return on investment

FOR CONTRACTORS:

- Simple operation
- Large working platform
- Easy transportation

CONTACT US AT:

sales@forever-odm.com
Tel. 425-829-0398
www.forever-odm.com
8531 S. 222nd St., Kent, WA

Look for Sales/Dealer Partners



Ideas. Solutions. Possibilities.

Success stories



When it's about efficient safety at work in industrial applications for new constructions and maintenance, you can rely on economical solutions with the Layher Allround Scaffolding®, even in difficult situations.

www.scaffoldingstories.com/industry01



Layher® 

More Possibilities. The Scaffolding System.

PASSENGER HOISTS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Power Source (E/D/LPG) | Mast Tie Spacing (m) |
|--------------|-------------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|------------------------|----------------------|
| Alimak Hek | FM | 15 | 49 | 5000-12000 | n/s | n/s | E | n/s |
| Alimak Hek | FM-Ex | 15 | 49 | 5000-12000 | n/s | n/s | E | n/s |
| De Jong | A34(L) | 21.5 | 71 | 300 | 1.45 | 0.9 | E | n/s |
| De Jong | A34 | 21.5 | 71 | 300 | 1.45 | 0.9 | E | n/s |
| Alba | MC-250 | 40 | 131 | 250 | 0.9 | 0.5 | E | n/s |
| Alimak Hek | SE-H TM EX | 40 | 131 | 2500-6000 | n/s | n/s | E | n/s |
| De Jong | AT30L | 40 | 131 | 300 | 1.55 | 1.3 | E | n/s |
| De Jong | AT30/LH | 40 | 131 | 300 | 1.55 | 1.3 | E | n/s |
| De Jong | AT40 | 40 | 131 | 400 | 1.55 | 1.3 | E | n/s |
| De Jong | AT40/H | 40 | 131 | 400 | 1.55 | 1.3 | E | n/s |
| CAMAC | Camac Smart | 45 | 148 | 250 | 0.82 | 0.47 | E | n/s |
| CAMAC | Camac Smart | 45 | 148 | 250 | 1.2 | 0.72 | E | n/s |
| Alba | PT-450-1V | 50 | 164 | 450 | 1.24 | 0.84 | E | n/s |
| Alba | PT-450-2V | 50 | 164 | 450 | 1.24 | 0.84 | E | n/s |
| Alba | MC-450 | 50 | 164 | 450 | 1.24 | 0.84 | E | n/s |
| Alimak Hek | HEIS-TEK Ex | 50 | 164 | 1000-10000 | n/s | n/s | E | n/s |
| HEK | TPL 300 | 50 | 164 | 300 | 1.6 | 1.4 | E | 7.5 |
| Alimak Hek | TR-H | 60 | 197 | 450-5000 | n/s | n/s | E | n/s |
| Alimak Hek | TR-H Ex | 60 | 197 | 450-5000 | n/s | n/s | E | n/s |
| Alimak Hek | TR | 60 | 197 | 300-5000 | n/s | n/s | E | n/s |
| Alimak Hek | SE-H TM | 70 | 230 | 3200-7000 | n/s | n/s | E | n/s |
| De Jong | AT50 | 75 | 246 | 500 | 1.5 | 1.5 | E | n/s |
| De Jong | AT75 | 75 | 246 | 750 | 1.5 | 1.5 | E | n/s |
| De Jong | PT500A | 75 | 246 | 500 | 1.5 | 1.5 | E | n/s |
| De Jong | PT500SP | 75 | 246 | 500 | 1.5 | 1.5 | E | n/s |
| Alimak Hek | SE-Ex FC | 80 | 262 | 1200-2800 | n/s | n/s | E | n/s |
| Alimak Hek | SE-Ex DOL | 80 | 262 | 450-2000 | n/s | n/s | E | n/s |
| Alimak Hek | HEIS-TEK | 80 | 262 | 630-2500 | n/s | n/s | E | n/s |
| Alimak Hek | AC 750 | 100 | 328 | 750 | 6 | 1.6 | E | n/s |
| Alimak Hek | CT 8/30 | 100 | 328 | 800 | 3 | 1.5 | E | n/s |
| Alimak Hek | CT 10/15 | 100 | 328 | 1000 | 1.5 | 1.5 | E | n/s |
| Alimak Hek | CT 15/60 | 100 | 328 | 1500 | 6 | 1.5 | E | n/s |
| Alimak Hek | CT 16/30x30 | 100 | 328 | 1600 | 3 | 3 | E | n/s |
| Alimak Hek | CT 18/45 | 100 | 328 | 1800 | 4.5 | 1.5 | E | n/s |
| Alimak Hek | CT 21/30 | 100 | 328 | 2100 | 3 | 1.6 | E | n/s |
| CAMAC | EPM-250 | 100 | 328 | 250 | 0.97 | 0.5 | E | n/s |
| Alimak Hek | TPL 500 | 100 | 328 | 500 | 1.6 | 1.4 | E | 7.5 |
| Alimak Hek | TPL 1800 | 100 | 328 | 1800 | 4.4 | 1.5 | E | 7.5 |
| Alimak Hek | TPL 2000 | 100 | 328 | 2000 | 3.2 | 1.5 | E | 7.5 |
| Alimak Hek | TPL 2000 D | 100 | 328 | 2000 | 1.5 | 3.2 | E | 7.5 |
| Alimak Hek | Scaffolders Hoist | 100 | 328 | 500 | 1.6 | 1.4 | E | 6 |
| Piat | PV 500 | 100 | 328 | 500 | 1.3 | 1 | E | 6 |
| Piat | VEGA 700 AS | 100 | 328 | 700 | 2 | 1 | E | 6 |
| Scanclimber | SC8P | 100 | 328 | 500 | 1.38 | 1.7 | E | n/s |
| Scanclimber | SC8P | 100 | 328 | 850 | 1.38 | 1.7 | E | n/s |
| Scanclimber | SC8P | 100 | 328 | 850 | 1.38 | 1.7 | E | n/s |
| Scanclimber | SC20P | 100 | 328 | 1500 | 1.38 | 5.1 | E | n/s |
| Scanclimber | SC20P | 100 | 328 | 2000 | 1.7 | 2.86 | E | n/s |
| Scanclimber | SC20P | 100 | 328 | 2000 | 1.7 | 4.2 | E | n/s |
| Alba | PT-1200-2V | 120 | 394 | 1200 | 2 | 1.4 | E | n/s |
| Alba | PT-1000F-2V | 120 | 394 | 1000 | 2 | 1.4 | E | n/s |
| Alba | PT-1200-1V | 120 | 394 | 1200 | 2 | 1.4 | E | n/s |
| Alba | PT-1000F-1V | 120 | 394 | 1000 | 2 | 1.4 | E | n/s |
| Alba | EPM-1000 | 120 | 394 | 1000 | 2 | 1.4 | E | n/s |
| Alba | EPM-800F | 120 | 394 | 800 | 2.5 | 1.4 | E | n/s |
| Alba | EG-250 | 120 | 394 | 250 | 1.2 | 0.6 | E | n/s |
| Alba | MC-1000 | 120 | 394 | 1000 | 2 | 1.75 | E | n/s |
| Alba | MC-1000 F | 120 | 394 | 1000 | 2.5 | 1.4 | E | n/s |
| CAMAC | EC-600/120 | 120 | 394 | 600 | 1.6 | 1.1 | E | n/s |
| CAMAC | EC-HA-500/120 | 120 | 394 | 500 | 1.2 | 0.85 | E | n/s |
| CAMAC | ECP-500/120 | 120 | 394 | 500 | 1.6 | 1.1 | E | n/s |
| Electroelsa | EHPM 1000 Mini | 120 | 394 | 700 | 1.5 | 1.12 | E | n/s |
| Electroelsa | EHPM 1200 | 120 | 394 | 1200 | 2.28 | 1.34 | E | n/s |
| Electroelsa | EHPM 2500/15 | 120 | 394 | 1500 | 2.36 | 1.31 | E | n/s |

PASSENGER HOISTS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Power Source (E/D/LPG) | Mast Tie Spacing (m) |
|--------------|-----------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|------------------------|----------------------|
| Electroelsa | ELSA H10 | 120 | 394 | 1000 | n/s | n/s | E | n/s |
| Euroscaf | ESM-500 | 120 | 394 | 500 | 1.5 | 1.4 | E | n/s |
| Euroscaf | ESC-500 | 120 | 394 | 500 | 1.5 | 1.4 | E | n/s |
| HEK | GTP dual 1500 | 120 | 394 | 1500 | 4 | 1.6 | E | n/s |
| HEK | GTP dual 500 | 120 | 394 | 500 | 1.6 | 1.25 | E | n/s |
| HEK | GTP dual T 1500 | 120 | 394 | 1500 | 3.3 | 1.4 | E | n/s |
| Maber | MB 3500/120 | 120 | 394 | 3700 | 5 | 3.3 | E | n/s |
| Maber | MB 500/120-M | 120 | 394 | 500 | 1.5 | 1 | E | n/s |
| Maber | MB 500/120-T | 120 | 394 | 500 | 1.5 | 1 | E | n/s |
| Maber | MB C 500/120-M | 120 | 394 | 500 | 1.6 | 1.32 | E | n/s |
| Maber | MB C 500/120-T | 120 | 394 | 500 | 1.6 | 1.32 | E | n/s |
| Alimak Hek | SE-H | 125 | 410 | 2100-3300 | n/s | n/s | E | n/s |
| Alba | MC-750 | 150 | 492 | 750 | 1.55 | 1.05 | E | n/s |
| Alba | MC-750 HA | 150 | 492 | 750 | 1.35 | 1 | E | n/s |
| Alba | MC-1200 | 150 | 492 | 1200 | 2 | 1.75 | E | n/s |
| Alba | MC-1500 F | 150 | 492 | 1500 | 3.2 | 1.4 | E | n/s |
| Alba | MC-1700 | 150 | 492 | 1700 | 2 | 1.75 | E | n/s |
| CAMAC | EPM-1000/150 | 150 | 492 | 1000 | 2 | 1.75 | E | n/s |
| CAMAC | EPM-1500/150 | 150 | 492 | 1500 | 2 | 1.75 | E | n/s |
| CAMAC | EC-1000/150 | 150 | 492 | 1000 | 1.75 | 1.45 | E | n/s |
| CAMAC | EC-1700/150 | 150 | 492 | 1700 | 2 | 1.75 | E | n/s |
| CAMAC | ECP-1000/150 | 150 | 492 | 1000 | 1.75 | 1.4 | E | n/s |
| CAMAC | ECP-1500/150 | 150 | 492 | 1500 | 3.4 | 1.4 | E | n/s |
| De Jong | AT1250 | 150 | 492 | 1250 | 2.2 | 1.5 | E | n/s |
| De Jong | AT2000 | 150 | 492 | 2150 | 2.2 | 1.5 | E | n/s |
| De Jong | PT1000F | 150 | 492 | 1000 | 2.2 | 1.5 | E | n/s |
| De Jong | HP1000F | 150 | 492 | 1000 | 2.2 | 1.5 | E | n/s |
| De Jong | PT 2000A | 150 | 492 | 2000 | 2.2 | 1.5 | E | n/s |
| De Jong | HP1542 | 150 | 492 | 1500 | 4.2 | 1.6 | E | n/s |
| De Jong | HP2032 | 150 | 492 | 2000 | 3.2 | 1.6 | E | n/s |
| De Jong | PE-3 | 150 | 492 | 300 | 1.12 | 0.82 | E | n/s |
| De Jong | PE-4 | 150 | 492 | 400 | 1.32 | 0.82 | E | n/s |
| De Jong | PE-5 | 150 | 492 | 500 | 1.42 | 0.92 | E | n/s |
| De Jong | PE-6 | 150 | 492 | 600 | 1.52 | 0.92 | E | n/s |
| De Jong | HP100S | 150 | 492 | 1000 | 2.2 | 1.5 | E | n/s |
| De Jong | HP150S | 150 | 492 | 1500 | 3 | 1.5 | E | n/s |
| De Jong | HP200S | 150 | 492 | 2000 | 3 | 1.5 | E | n/s |
| De Jong | PT1000SP | 150 | 492 | 1000 | 2.2 | 1.5 | E | n/s |
| Euroscaf | ESM-1000 | 150 | 492 | 1000 | 1.8 | 1.4 | E | n/s |
| Euroscaf | ESM-1500 | 150 | 492 | 1500 | 2.5 | 1.4 | E | n/s |
| Euroscaf | ESC-1000 | 150 | 492 | 1000 | 1.8 | 1.4 | E | n/s |
| Euroscaf | ESC-1500 | 150 | 492 | 1500 | 2.5 | 1.4 | E | n/s |
| Euroscaf | ESP-1000 | 150 | 492 | 1000 | 2 | 1.1 | E | n/s |
| Euroscaf | ESP-1500 | 150 | 492 | 1500 | 3 | 1.4 | E | n/s |
| Jaso | GM1500 | 150 | 492 | 1500 | 3.9 | 1.5 | E | n/s |
| Jaso | GM1500 | 150 | 492 | 1500 | 3.4 | 1.5 | E | n/s |
| Jaso | GM1500 | 150 | 492 | 1500 | 2 | 1.8 | E | n/s |
| Jaso | GM1500 | 150 | 492 | 1500 | 1.7 | 1.5 | E | n/s |
| Jaso | GM1500 | 150 | 492 | 1500 | 1.7 | 1 | E | n/s |
| Jaso | GMI1500 | 150 | 492 | 1500 | 3.4 | 1.5 | E | n/s |
| Jaso | GMI1500 | 150 | 492 | 1500 | 3.4 | 1.5 | E | n/s |
| Jaso | GMI1500 | 150 | 492 | 1500 | 2 | 1.8 | E | n/s |
| Jaso | GMI1500 | 150 | 492 | 1500 | 2 | 1.8 | E | n/s |
| Jaso | GMI1500 | 150 | 492 | 1500 | 2 | 1.8 | E | n/s |
| Maber | MB 1500/150 | 150 | 492 | 1500 | 3.2 | 1.5 | E | n/s |
| Maber | MB 2000/150 | 150 | 492 | 2000 | 3.2 | 1.5 | E | n/s |
| Maber | MB 2000/150-R | 150 | 492 | 2000 | 3.2 | 1.5 | E | n/s |
| Maber | MB 800/150 | 150 | 492 | 800 | 1.75 | 1.4 | E | n/s |
| Maber | MB 800/150-S | 150 | 492 | 1000 | 1.75 | 1.4 | E | n/s |
| Maber | MB C 3500/150 | 150 | 492 | 3000 | 5 | 3.3 | E | n/s |
| Maber | MB C 1000/150 | 150 | 492 | 1000 | 1.75 | 1.4 | E | n/s |
| Maber | MB C 2000/150 | 150 | 492 | 1500 | 3.2 | 1.5 | E | n/s |
| Maber | MB C 2000/150-R | 150 | 492 | 1500 | 3.2 | 1.5 | E | n/s |
| Maber | MB C 2000/150-S | 150 | 492 | 2000 | 3.2 | 1.5 | E | n/s |

PASSENGER HOISTS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Power Source (E/D/LPG) | Mast Tie Spacing (m) |
|-----------------------|------------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|------------------------|----------------------|
| Maber | MB C 2000/150-SR | 150 | 492 | 2000 | 3.2 | 1.5 | E | n/s |
| Maber | MB C 2300/150 | 150 | 492 | 2000 | 4.2 | 2.2 | E | n/s |
| Maber | MB A 1800/150 | 150 | 492 | 1800 | 3 | 1.5 | E | n/s |
| Maber | MB A 1400/150 | 150 | 492 | 1400 | 3 | 1.5 | E | n/s |
| Maber | MB A 1400/150-R | 150 | 492 | 1400 | 3 | 1.5 | E | n/s |
| Maber | MB A 2000/150 | 150 | 492 | 2000 | 3 | 1.5 | E | n/s |
| Maber | MB A 2000/150-R | 150 | 492 | 2000 | 3 | 1.5 | E | n/s |
| Maber | MB A 800/150 | 150 | 492 | 800 | 2.06 | 1.15 | E | n/s |
| Maber | MB A 800/150-S | 150 | 492 | 1000 | 2.06 | 1.15 | E | n/s |
| Piat | PV 1000 AS | 150 | 492 | 1000 | 2 | 1.3 | E | 6 |
| Electroelsa | EHPM 2500/10 | 160 | 525 | 1500 | 3.08 | 1.64 | E | n/s |
| Electroelsa | ELSA H05 | 160 | 525 | 500 | n/s | n/s | E | n/s |
| Alimak Hek | SCANDO 65/32 | 200 | 656 | 2400 | n/s | n/s | E | n/s |
| Alimak Hek | TCL | 200 | 656 | 200 | n/s | n/s | E | n/s |
| Alimak Hek | TPM 1300 SD | 200 | 656 | 1300 | 1.6 | 3.2 | E | 9 |
| Alimak Hek | TPM 1600 S | 200 | 656 | 1600 | 1.6 | 1.6 | E | 9 |
| Alimak Hek | TPM 3000 T | 200 | 656 | 3000 | 4.8 | 1.6 | E | 9 |
| Alimak Hek | TPM 3000 T 2 | 200 | 656 | 3000 | 3.2 | 3.2 | E | 9 |
| Alimak Hek | TPM 3000 TD | 200 | 656 | 3000 | 1.6 | 3.2 | E | 8-10 |
| Alimak Hek | TPM 4000 | 200 | 656 | 4000 | 3.2 | 1.6 | E | n/s |
| Alimak Hek | TPM 4000 T | 200 | 656 | 4000 | 3.2 | 1.6 | E | 9 |
| Jaso | GE0525 | 200 | 656 | 500 | 1.25 | 0.95 | E | n/s |
| Jaso | GE1537 | 200 | 656 | 1500 | 2 | 1.6 | E | n/s |
| Jaso | GE1537 | 200 | 656 | 1500 | 3.2 | 1.6 | E | n/s |
| Jaso | GEI0525 | 200 | 656 | 500 | 1.25 | 0.95 | E | n/s |
| Jaso | GEI1537 | 200 | 656 | 1500 | 2 | 1.6 | E | n/s |
| Jaso | GEI1537 | 200 | 656 | 1500 | 3.2 | 1.6 | E | n/s |
| Mastclimber Solutions | MS-SC-100TD | 200 | 656 | 1000 | n/s | n/s | E | n/s |
| Mastclimber Solutions | MS-SC-120TD | 200 | 656 | 1200 | n/s | n/s | E | n/s |
| Mastclimber Solutions | MS-SC-150TD | 200 | 656 | 1500 | n/s | n/s | E | n/s |
| Mastclimber Solutions | MS-SC-200TD | 200 | 656 | 2000 | n/s | n/s | E | n/s |
| Mastclimber Solutions | MS-SC-100/100TD | 200 | 656 | 1000 | n/s | n/s | E | n/s |
| Mastclimber Solutions | MS-SC-120/120TD | 200 | 656 | 1200 | n/s | n/s | E | n/s |
| Mastclimber Solutions | MS-SC-150/150TD | 200 | 656 | 1500 | n/s | n/s | E | n/s |
| Mastclimber Solutions | MS-SC-200/200TD | 200 | 656 | 2000 | n/s | n/s | E | n/s |
| Piat | UNION AS 1300 | 200 | 656 | 1300 | 3 | 1.5 | E | 43349 |
| Piat | UNION AS 1500 | 200 | 656 | 1500 | 3 | 1.5 | E | 43349 |
| Piat | UNION AS 2000 | 200 | 656 | 2000 | 3 | 1.5 | E | 43349 |
| Piat | UNION AS 2500 | 200 | 656 | 2500 | 3 | 1.5 | E | 43349 |
| Piat | PV 36/1200 | 200 | 656 | 1200 | 3 | 1.5 | E | 6 |
| Piat | PV 36/1500 | 200 | 656 | 1500 | 3 | 1.5 | E | 6 |
| Piat | PV 36/2000 | 200 | 656 | 2000 | 3 | 1.5 | E | 6 |
| Piat | PV20 | 200 | 656 | 1300 | 3 | 1.5 | E | 6 |
| Piat | PV20 | 200 | 656 | 1500 | 4.8 | 3.6 | E | 6 |
| Piat | PV20 | 200 | 656 | 2000 | 3 | 1.5 | E | 6 |
| Alimak Hek | SCANDO 45/30 | 200 | 656 | 2000 | n/s | n/s | E | n/s |
| Scanclimber | SC1432 | 200 | 656 | 1400 | 3.2 | 1.39 | E | n/s |
| Scanclimber | SC2032-48 | 200 | 656 | 2000 | 3.2 | 1.39 | E | n/s |
| Scanclimber | SC1837-65 | 200 | 656 | 1800 | n/s | n/s | E | n/s |
| Scanclimber | SC2032-65 | 200 | 656 | 2000 | 3.2 | 1.51 | E | n/s |
| Scanclimber | SC2037-65 | 200 | 656 | 2000 | 3.2 | 1.51 | E | n/s |
| Scanclimber | SC2532-65H | 200 | 656 | 2500 | 3.2 | 1.51 | E | n/s |
| Scanclimber | SC2537-65H | 200 | 656 | 2500 | 3.2 | 1.51 | E | n/s |
| Scanclimber | SC3232-65H | 200 | 656 | 3200 | 3.2 | 1.51 | E | n/s |
| Scanclimber | SC3237-65H | 200 | 656 | 3200 | 3.2 | 1.51 | E | n/s |
| Scanclimber | SC2032-65VL | 200 | 656 | 2000 | 3.2 | 1.51 | E | n/s |
| Scanclimber | SC300K | 200 | 656 | 300 | 0.78 | 1.01 | E | n/s |
| Scanclimber | SC400K | 200 | 656 | 400 | 0.9 | 1.13 | E | n/s |
| Scanclimber | SC500K | 200 | 656 | 500 | 1.02 | 1.25 | E | n/s |
| Scanclimber | SC600K | 200 | 656 | 600 | 1.02 | 1.49 | E | n/s |
| Scanclimber | SC700K | 200 | 656 | 700 | 1.02 | 1.73 | E | n/s |
| Scanclimber | SC1500K | 200 | 656 | 1500 | 1.55 | 1.26 | E | n/s |
| Scanclimber | SC2000K | 200 | 656 | 2000 | 1.55 | 1.26 | E | n/s |
| Electroelsa | ELSA PM50 | 220 | 722 | 5000 | 3 | n/s | E | n/s |

PASSENGER HOISTS

| Manufacturer | Model | Maximum Working Height (m) | Maximum Working Height (ft) | Maximum Platform Capacity (kg) | Platform Length (m) | Platform Width (m) | Power Source (E/D/LPG) | Mast Tie Spacing (m) |
|--------------|------------------------|----------------------------|-----------------------------|--------------------------------|---------------------|--------------------|------------------------|----------------------|
| Electroelsa | ELSA H20 - ELSA H20PLC | 220 | 722 | 2000 | n/s | n/s | E | n/s |
| Alba | EDC-1700-20 | 250 | 820 | 1700 | 3.2 | 1.4 | E | n/s |
| Alba | EDC-2000-40 | 250 | 820 | 2000 | 3.2 | 1.4 | E | n/s |
| Alba | EDC 2000-60 | 250 | 820 | 2000 | 3.2 | 1.4 | E | n/s |
| Alba | PT-1800FA-2V | 250 | 820 | 1800 | 3.3 | 1.4 | E | n/s |
| Alba | PT-1800FB-2V | 250 | 820 | 1800 | 3.3 | 1.4 | E | n/s |
| Alba | PT-1800FA-1V | 250 | 820 | 1800 | 3.3 | 1.4 | E | n/s |
| Alba | PT-1800FB-1V | 250 | 820 | 1800 | 3.3 | 1.4 | E | n/s |
| Alba | MC-2000 | 250 | 820 | 2000 | 2 | 1.75 | E | n/s |
| Alba | MC-2000FA | 250 | 820 | 2000 | 3.2 | 1.4 | E | n/s |
| Alba | MC-2000FB | 250 | 820 | 2000 | 3.2 | 1.4 | E | n/s |
| Alimak Hek | SE | 250 | 820 | 300-2000 | n/s | n/s | E | n/s |
| Alimak Hek | SE 300 | 250 | 820 | 300 | n/s | n/s | E | n/s |
| Alimak Hek | SE 500 | 250 | 820 | 500 | n/s | n/s | E | n/s |
| Alimak Hek | SE 630 | 250 | 820 | 630 | n/s | n/s | E | n/s |
| Alimak Hek | SE 700 | 250 | 820 | 700 | n/s | n/s | E | n/s |
| Alimak Hek | SE 1000 | 250 | 820 | 1000 | n/s | n/s | E | n/s |
| Alimak Hek | SE 1200 | 250 | 820 | 1200 | n/s | n/s | E | n/s |
| Alimak Hek | SE 2000 | 250 | 820 | 2000 | n/s | n/s | E | n/s |
| Maber | MB A 2200/250 | 250 | 820 | 2200 | 3.2 | 1.5 | E | n/s |
| Maber | MB A 3200/250 | 250 | 820 | 3200 | 3.2 | 1.5 | E | n/s |
| Jaso | GE2060 | 300 | 984 | 2000 | 3.2 | 1.6 | E | n/s |
| Jaso | GE2060 | 300 | 984 | 2000 | 3.2 | 1.6 | E | n/s |
| Jaso | GEI2060 | 300 | 984 | 2000 | 3.2 | 1.6 | E | n/s |
| Jaso | GEI2060 | 300 | 984 | 2000 | 3.2 | 1.6 | E | n/s |
| Alimak Hek | SCANDO 450 | 300 | 984 | 2000 | n/s | n/s | E | n/s |
| Alimak Hek | SCANDO 650 XL | 400 | 1312 | 2400-3000 | n/s | n/s | E | n/s |
| Alimak Hek | SCANDO 650 FC-S | 400 | 1312 | 2400-3200 | n/s | n/s | E | n/s |
| Alimak Hek | SCANDO 650 | 400 | 1312 | 1500-3200 | n/s | n/s | E | n/s |
| Electroelsa | ELSA H50 | 450 | 1476 | 5000 | 6 | 1.5 | E | n/s |
| Alimak Hek | SE SPECIAL FC | 645 | 2116 | 24000 | n/s | n/s | E | n/s |
| Alimak Hek | SE SPECIAL DOL | 645 | 2116 | 24000 | n/s | n/s | E | n/s |
| De Jong | SL300A | n/s | n/s | 300 | 1 | 1 | E | n/s |
| De Jong | SL300 | n/s | n/s | 300 | 1.9 | 1.2 | E | n/s |
| De Jong | SL400 | n/s | n/s | 400 | 1.9 | 1.44 | E | n/s |
| De Jong | SL500 | n/s | n/s | 500 | 1.9 | 1.44 | E | n/s |
| De Jong | SL750 | n/s | n/s | 750 | 1.9 | 1.44 | E | n/s |
| De Jong | SL1000 | n/s | n/s | 100 | 1.9 | 1.44 | E | n/s |
| De Jong | SL1500 | n/s | n/s | 1500 | 1.44 | 1.44 | E | n/s |
| De Jong | SL2000 | n/s | n/s | 2000 | 2.4 | 1.44 | E | n/s |
| De Jong | SL2500 | n/s | n/s | 2500 | 2.9 | 1.44 | E | n/s |
| De Jong | SL3000 | n/s | n/s | 3000 | 3.9 | 1.44 | E | n/s |
| Electroelsa | BASKET 3 | n/s | n/s | 300 | n/s | n/s | E | n/s |
| Alimak Hek | Easyliifter | n/s | n/s | 750/1200 | n/s | n/s | E | n/s |



MULTILIFT Range

The GEDA MULTILIFT Range sets new standards regarding height access. These compact heavy weights can handle almost any challenge on the construction site, thanks to their unique quality and extreme versatility.

The pre-installed base unit is delivered as one unit. This ensures a fast and smooth assembly. Different platform versions, lifting heights of up to 200 m and a load capacity of up to 2,000 kg or 22 persons, prove that the construction hoists of the GEDA MULTILIFT Range are real all-rounders.



LIFTING TECHNOLOGIES



35010 Carmignano di Brenta (PD) - ITALY
Tel. +39 049 595 89 75 - Fax +39 049 943 13 40
Web: www.maber.eu - Email: info@maber.eu



info@geda.de
www.geda.de

access

YEARBOOK

2018-19



CONTACT DETAILS

MANUFACTURERS

72

COMPONENT PRODUCERS

78

Abbey Industries

42 Maffra Street
Coolaroo, Victoria
3048
AUSTRALIA
Tel: +61 (0)3 9351 1000
www.abbeyequip.com.au

AHI Group Asia Limited

Daludian Industrial Park
Heizhuanghu District
Beijing 1000023
CHINA
Tel: +86 10 8538 4165
www.ahiasia.com

Aichi Corporation

1152-10
Aza Yamashita Ryouke
Ageo-City
Saitama-Pref
JAPAN
Tel: +81 48 7811646
www.aichi-corp.jp

Airo Tigieffe Srl

Via Villa Superiore 82
Luzzara,
Reggio Emilia
42045,
ITALY
Tel: +39 052 2977365
www.airo.it

ALBA Maquinaria para la Construccion SA

Carretera de Sangroniz 34
Vizcaya, Sondika
E-48150, SPAIN
Tel: +34 944 711600
www.alba.es

Alimak Hek

Brunkebergstorg 5, 3rd
floor, SE-111 51
Stockholm,
SWEDEN
Phone: +46 (0)8 4021440
www.alimakhek.com

Altec Industries Inc

210 Inverness Center Drive
Birmingham,
Alabama
AL 35242
USA
Tel: +1 205 4088040
www.altec.com

Ascendant Access

Unit 1 Earls Park North
Earlsway
Team Valley Trading Estate
Gateshead
NE11 0RQ, UK
Tel: +44 (0) 191 4879933
www.ascendantaccess.com

ASCLimber SL

S/ Serrania de Ronda 6/8
rea Empresarial Andaluca
Pinto, Madrid, SPAIN
Tel: +34 (0)916 918 580
www.asclimber.com

Aspen Aerials Inc

1428 Vermilion Road
Duluth, MN, 55807
USA
Tel: +1 218 6241111
www.aspenaerials.com

Ateco International Inc

Bulldozer House
New Road,
Sheerness
Kent, ME12 1AU, UK
Tel: +44 (0) 1795 660666
www.atecoaccess.com

ATN

Rue André Thevet
Z.I.Guillaume Mon Am
47400 Fauillet
FRANCE
Tel: +33 (0)553 798 320
www.atnplatforms.com

AVV

Reifeisenstrasse 8
Schwbisch-Hall,
GERMANY
Tel: +49 (0)791 932000
www.avv-arbeitsbuehnen.de

Barin S.R.L.

Via Ca' Nave 101, Cittadella
(PD), Padova,
ITALY
Tel: +39 049 5971300
www.barin.it

Beijing Jingcheng Heavy Machinery Co., Ltd.

No.2, Chuangye Yuan Rd.,
Xinghu Industry Park, Taihu,
Tongzhou District, Beijing,
CHINA
Tel: +86 (0)10 6153 9210
www.jchic.com

Benelligru Srl

Via Romana 27/1
Poviglio RE,
ITALY
Tel: +39 052 2969756
www.benelligru.it

Bil-Jax inc (Haulotte Group)

125 Taylor Parkway
Archbold,
Ohio,
USA
Tel: +1 419 4458915
www.biljax.com

(Shanghai) Boada Engineering Machinery

No 1050,
Youyi Road
Shanghai, PR CHINA
Tel: +86 21 36216789
Fax: +86 21 36212461
www.shbaoda.com

Braviisol Srl

SS Adriatica 16 Km
Castelfidardo (AN)
Ancona, ITALY
Tel: +39 071 7819090
www.braviisol.it

Bronto Skylift Oy AB

Teerivuorenkatu 28
Tampere, FINLAND
Tel: +358 (0) 32727216
www.bronto.fi

Bumar-Koszalin SA

ul. Lechickka 51
Koszalin, 75-950, POLAND
Tel: +48 (0)94 3425042
www.bumar.pl

CABR Construction Machinery Technology Co

608 Chuangye Rd,
ETDZ, Langfang, Hebei,
065001, CHINA
Tel: +86 316 6077157
www.lfcabr.com

Camac S.A.

Avenida Francisc Marimon,
138, Apartido 2
Esparreguera, Barcelona,
8292, SPAIN
Tel: +34 937 771050
www.camacsa.com

CELA Spa

Via Dei Ponticelli 16
Corte Franca, Brescia
I-25040, ITALY
Tel: +39 03 0984123
www.cela.com

CMAX (CNBM International Corp)

Floor 16-18, No.4 Building,
Zhuyu Business Center,
9 Shouti South Road,
Haidian District,
Beijing 100048, CHINA
Tel: +86 10 6339 6346
www.cnbmmech.com

CMC srl

Strada Provinciale
70026 Modugno
BA, ITALY
Tel: +39 0805 326606
www.cmclift.com

Colombo Giuseppe Srl

Via Galvani 29
Settimo Milanese (MI)
I-20019, ITALY
Tel: +39 023 281432
www.colomboelevatori.com

Comabi

Route de Saint Bernard
BP 414, Trvoux F-01604,
FRANCE
Tel: +33 (0)4 74009090
www.comabi.com

CO.ME.T Officine

Via Castelfranco
46 Localita Tivoli
400017 San Giovanni in
Persiceto
BO, ITALY
Tel: +39 0516 878711
www.officinecomet.it

Comet S.A/N.V.

Chaussee de Perwez 301
Namur, B-5003
BELGIUM
Tel: +32 (0)81 733081
www.comet-belgium.com

Comilev Sodamel

Route de Bordeaux
Roquefort F-40120
FRANCE
Tel: +33 (0)5 58457800
www.comilev.com

CTE (International Sales Department)

Via Caproni, 7
Rovereto (TN)
I-38068, ITALY
Tel: +39 0464 485050
www.ctelift.com

Custers Hydraulica BV

PO Box 22
Venray, NL-5800 AA
NETHERLANDS
Tel: +31 (0)47 8553000
www.custers.nl

Custom Equipment

2720 East Progress Drive
West Bend, Wisconsin
53095, USA
Tel: +1 262 3340756
www.hybridlifts.com

De Jong S Liften BV

Hogelandseweg 80
Postbus 6,
Vianen
NL-4130 EA
NETHERLANDS
Tel: +31 (0)34 7373544
www.jong-liften.nl

Dinolift Oy

Raikkolantie 145
Loimaa,
FINLAND
Tel: +358 (0)2 7625900
www.dinolift.com

Dunlop Work Platforms

125 Pleasant Street
Lynn,
MA 01901,
USA
Tel: +1 617 5815800
www.dunlopmastclimbers.com

Dur-A-Lift Inc

PO Box 31
2002 Kingbird Ave
George,
IA 51237
USA
Tel: +1 712 4752804
www.dur-a-lift.com

Easy Lift srl

Via Leonardo da Vinci 22
42041
Brescello RE
ITALY
Tel: +39 0522 967620
www.easy-lift.it

EGI

Rue de la Warenae
Charleville-Mezieres
Les Ayvelles
F-08000,
FRANCE
Tel: +33 (0)3 24373136
www.egie-fr.com

Electroelsa srl

18-20-22 Via Pisana
Barberino Val d'Elsa
Firenze,
I-50021,
ITALY
Tel: +39 055 8078368
www.electroelsa.com

Elliott Equipment Company

4427 South 76th Circle
Omaha,
NE 68127-1806
USA
Tel: +1 402 5924500
www.elliottequip.com

Equipment Technology Inc

341 NW 122nd St
Oklahoma City
OK 73114,
USA
Tel: +1 405 7559703
www.eti1.com

ESDA Fahrzeugwerke GmbH

Im Rinschenrott 3a
Gottingen, D-37079
GERMANY
Tel: +49 (0)5 5138 590
www.esda.de

Euroscif Srl a Socio Unico

Via Fermi 16/B
Casella D'asolo (TV)
I-31010,
ITALY
Tel: +39 042 3950262
www.euroscif.it

Fraco Products

91 Chemin des Patriotes
St-Mathias-sur-Richelieu
Quebec, J3L 6A1
CANADA
Tel: +1 450 6580094
www.fraco.com

France Elevateur

10 Alle des Erables
Park de Haye
Velaine en Haye, 54840
FRANCE
Tel: +33 (0)3 83233132
www.france-eleveur.fr

Fujian Jianyong Machinery Equipment Co (Jyjx)

Room 207c, Building G,
Phase 1,
Datangshijia, Xiamen,
Fujian,
CHINA
Tel: +86 0592 5629238
www.fjtadiao.cn

Gardner Denver Powered Access

Access Platform Division
P O Box 468
Cross Lane / Tong
Bradford, BD4 0SU,
UK
Tel: +44 (0) 1274 683131
www.gdpoweredaccess.com

Geda Dechentreiter GmbH

Mertinger Strae 60
Asbach-Bumenheim
D-8854,
GERMANY
Tel: +49 (0)90 6980931
www.geda.de

Gemmo Group Srl

Via Della Tecnica, 10
Noventa Vicentina
I-36025,
ITALY
Tel: +39 0444 887141
www.rigemmo.it

Genie/Terex USA

6464 185th Ave. NE
Redmond, Washington,
98052, USA
Tel: +1 (425) 881 1800
Fax: +1 (425) 883 3475
http://www.genielift.com

Genie UK Ltd

The Maltings, Wharf Road
Grantham, NG31 6BH, UK
Tel: +44 1476 584 333
Fax: +44 1476 584 364
www.genielift.co.uk

Giraf Track

Hulstsestraat 2
8860 Lendeledede
BELGIUM
Tel: +32 (0)56 738080
www.giraftrack.com

Goian SL

Elevadores Goian sl
Poligono Zubierreka 31-34
Lazkao, Guipuzcoa
E-20210, SPAIN
Tel: +34 943 804001
www.goian.com

GSR S.p.A.

Via Lea Giacaglia 5
Rimini, I-47037
ITALY
Tel: +39 0541 388073
www.gsrspa.it

Guangdong YuHuaXing Construction Machinery Manufacture (YuHuaXing)

88, Liangyuan East Road,
Liangtian Development
Area, Zhuliao Town, Baiyun
District,
Guangzhou 510545
CHINA
Tel: +86-20-62654448
http://en.gd-yhx.com

Guangxi Construction Engineering Group (GXCM)

49 Chaoyang Road, Nanning
City,
Guangxi Zhuang
Autonomous Region,
CHINA
Tel: +86 771 2810325
www.gxjgjt.cn/

Guangzhou Jing Long Eng. Machinery Co (GJJ)

Huadu, Guangzhou,
Guangdong,
CHINA
Tel: +86 020-86788678
www.gjj-cn.com

HAB Service Centre GmbH

Heidigstrasse 17
76709 Kronau
GERMANY
Tel: +49 (0)7253 940118
www.hab-hubarbeitsbuehnen.de

Hunan Heron High Technology Co (Heron)

Room 1212, Building
A, JiaTai International
Building,
No.41 East Fourth Ring
Road,
Chaoyang District, Beijing,
100025
CHINA
Tel: +86 400 6516 918

Hunan Sunward Intelligent Machinery Co (Sunward)

Sunward Intelligent
Industrial Park,
Xingsha, Changsha
Hunan, CHINA
Tel: +86 731 83572828
www.sunward.com.cn

Hangzhou Truemax Machinery & Equipment (Truemax)

1-23A Guodu Development
Building
No.182 Chaohui Road,
Hangzhou, CHINA
Tel: +86 571 85803511
www.truemax.cn

Haulotte Group

BP 9, L'Horme, FRANCE
Tel: +33 (0)4 77292158
www.haulotte.com

Heila Gru Srl

Via della Costituzione 43
Poviglio, Reggio Emilia
I 42028,
ITALY
Tel: +39 (05) 22688244
www.heila.biz

Hidro-Grubert

Ruta Prov No 6 Km 5,5
Rio Tercero, Cordoba 5850,
ARGENTINA
Tel: +54 (0)357 1421500
www.hidrogrubert.com

Hinowa Spa

Via Fontana
Nogara, Verona
I-37054,
ITALY
Tel: +39 0442 539100
www.hinowa.com

Hitachi

Sicilieweg 5
1045 AT
Amsterdam
NETHERLANDS
Tel: +31 (0)20 4476700
www.hcme.com

Holland Lift International

Anodweg 1
Hoorn, 1627 LJ
NETHERLANDS
Tel: +31 (0)22 9285555
www.hollandlift.com

Hunan Runshare Heavy Industry Co

No 8 Panpan Road
Economic & Technical
Development Zone
Changsha
Hunan 410100
CHINA
Tel: +86 (0)731 84083599
www.runshare.com.cn
www.boomliftchina.com

(Terex) Hydra Platforms

1205 Galleria Blvd
Rock Hill
SC 29730
USA
Tel: +1 803 366 8195
www.terex.com

Hydro-Mobile

125 Rue de L'industrie
L'Assomption,
J5W 2T9
CANADA
Tel: +1 450 5890503)
www.hydro-mobile.com

IMA Srl (Faraone)

Zona Industriale Salino
Tortoreto (TE),
64018
ITALY
Tel: +39 086 1781225
www.faraone.it

Imer Group

Business Unit IMER Access
Via San Francesco d'Assisi,
8 46020 Pegognaga
MN
ITALY
Tel: +39 0376 554011
www.imergroup.com

Isoli

Via Boschi 1/C
Fontaniva (PD),
35014
ITALY
Tel: +39 049 5957600
www.isoli.com

Iteco Spa

(See IMER Group)

Jinglong Eng. Machinery Co., Ltd (GJJ)

Overseas Industry Park,
Huashan Town,
Huadu District,
Guangzhou,
Guangdong Province,
P.R. CHINA
Tel: +86 (0)20 8678 8678
www.gjjgzjl.com

JLG Industries (Europe)

Polaris Avenue 63
2132 JH Hoofddorp
THE NETHERLANDS
Tel: +31 (0)23 565 5665
www.jlgeurope.com

JLG Industries Inc

13224 Fountainhead Plaza
Hagerstown, MD, USA
Tel: +1 240 4208721
www.jlg.com

JunjinCSM

33, Oseon-Ri
Geumwang-Myun
Eumsung-Gun
Chungbuk
369-900
SOUTH KOREA
Tel: +82 (0)43 879 2600
www.junjin.com

LDC Industries Inc

1201 7th Street
East Moline, Illinois
61244-1465
USA
Tel: +1 (309) 7521341
www.arrowmaster.com

Leader s.r.l

Via Guerazzi 3
Reggio Emilia, (RE)
42100,
ITALY
Tel: +39 052 2619270
www.leader-piatt.it

Leguan Lifts Oy

Yltie 1,
Ylirvi,
FINLAND
Tel: +358 (0) 33476444
www.leguanlifts.com

Lift-A-Loft Corp

PO Box 2645
9501 S Center Rd,
Muncie
IN 47307, USA
Tel: +1 765 2883691
www.liftaloft.com

Connect. Collect. Control.



ZTR telematics transforms equipment data into smart business.

ztr.com | info@ztr.com | +1 952 233 4340



TRIONIC GROUP

TRIONIC GROUP

ELECTRIC DRIVE SOLUTIONS

Integrated Controls

TrionicGroup.com

ELEVATED SAFETY SYSTEMS

Europe USA China

CMC
AERIAL PLATFORMS

S23

20th ANNIVERSARY
CMC

max working height 22,7m

load on the basket 230Kg

max working outreach 11,2m

total weight 3000Kg

overall width <0,9m

tracks height 535mm

IPAE Member, TÜV, ISO 9001, ISO 14001, Self Control System, CE

VIA BITRITTO, 119 - 70124 BARI, ITALY - TEL +39 080 53266006 - MAIL: INFO@CMCLIFT.COM - WWW.CMCLIFT.COM

Lionlift Srl

Via Lombardia 20/A
Reggio Emilia
42100,
ITALY
Tel +39 0522 274 001
www.lionlift.com

LVM SA

ZAC de Ther
Beauvais-Allonne
F-60000, FRANCE
Tel: +33 (0)3 44025040
www.lvmnacelle.com

Maber Costruzioni Srl

Via Dell'Industria e
dell'Artigianato n. 16,
35010 Carmignano Di
Brenta – PD
ITALY
Tel: +39 049 595 89 75
www.maber.eu

Macrel (Alba)

Carretera Sangroniz 34
Vizcaya, 48150
Sondika,
E-48150
SPAIN
Tel: +34 944 711600
www.alba.es

Manitou BF

430 rue de l'Aubiniere
BP 249, Ancenis Cedex
44158,
FRANCE
Tel: +33 02 40 09 10 55
www.manitou.com

Man-Meccanica

Via Conselvana 169
Masera di Padova
32020 MASERA/PD
ITALY
Tel: +39 049 8860055
www.man-meccanica.it

**Mantall (Nantong)
Heavy Industry Co**

No 62 Binhai Avenue
Binhai Avenue
Binhai Industrial Park
Qidong Economic
Development Area
Nantong, Jiangsu 226236
CHINA
Tel: + 86 (0)513 83905158
www.mantall.com

Matilsa SA

Camino Del Vado 82
Zaragoza 50014
SPAIN
Tel: +34 976535093
www.matilsa.es

MavelTech

Ifangstrasse 111
8153 Rumlang
SWITZERLAND
Tel: +41 (0)44 818 0025
www.maveltech.com

**MEC Aerial Work
Platforms**

14015 Madera Avenue
Kerman,
CA 93630,
USA
Tel: +1 559 842 1500
www.mecawp.com

MECAPLÚS S.L.

Torre catalán, s/n,
Esplús 22535,
SPAIN
Tel: 974435126
www.mecaplus.es

Michaelis Maschinenbau

Huxfelder Str 8
Grasberg, D-28879
GERMANY
Tel: +49 (0)42 083638
www.michaelis-
maschinenbau.de

Mieve

Camino de Becerril, 11
Monzon de Campos
Palencia, 34410
SPAIN
Tel: +34 979 808036
www.mieve.es

Niftylift Ltd

Chalkdell Drive
Shenley Wood
Milton Keynes
United Kingdom
Tel: +44 (0)1908 857899
www.niftylift.com

Niftylift

42B Orchard Street
Kilsyth, VIC, 3137
AUSTRALIA
Phone: +61 3 9725 0077
Fax: +61 3 9725 0044
www.nifty-lift.com.au

Oil & Steel S.p.A.

Via Mozart 91,
Modena, ITALY
Tel: +39 (0) 59 28 53 00
www.oilsteel.com

Omme Lift A/S

Laegardsvej 4
Sonder Omme 7260,
DENMARK
Tel: +45 75 341300
www.ommelift.dk

Oxley Srl

Via Valle Grana 90
San Rocco Bernezzo
(CN), I-12020
ITALY
Tel: +39 017 1857036
www.oxley.it

Pagliari (Multitel) SpA

Via Statale 154
12030 Manta (CN)
ITALY
Tel: +39 017 5255211
www.pagliari.com

Palazzani Spa

Via del Pavione 4
Paderno FC,
Brescia, ITALY
Tel: +39 030 6847073
www.palazzani.it

Palfinger Platforms

Düsseldorfer Str. 100
47809 Krefeld
GERMANY
Tel: +49 (2151) 526151
www.palfinger-platforms.
com

PB Liftechnik GmbH

Gewerbegebiet Gassencker
Oberbechingen,
89429
GERMANY
Tel: +49 (0)90 77950020
www.pbgbmh.de

Piat Srl

Via Feltrina 21
Pederobba (TV), I-31050
ITALY
Tel: +39 042 3639938
www.piatvideasrl.com

Platform Basket Srl

Via Maria Montessori, 1
42028 Poviglio
(Reggio Emilia)
ITALY
Tel: +39 052 967666
www.platformbasket.com

PM Group

Via Emilia Est 1058
Modena,
ITALY
Tel: +39 059 2054711
www.autogrupm.com

Polecat Industries

14141 SW 142nd Street
Miami, Florida
FL 33186
USA
Tel: +1 305 2548999
www.polecatindustries.com

Power Climber

Satenrozen 7
Kontich, B-2550
BELGIUM
Tel: +32 (0)38 773735
www.powerclimber.com

Power Towers

West House
West Avenue
Wigston, Leicester
LE18 2FB
UK
Tel: +44 (0)1751 838 8390
www.powertowers.co.uk

Rovers srl

Via Firmio Leonzio, 60
Salerno, I-84100
ITALY
Tel: +39 089 7724134
www.rovers.it

Ruthman Italia Srl

Via S Andrea, 19
Forlimpopoli, Forli,
I-47034, ITALY
Tel: +39 054 3449347
www.ruthmann.de

Ruthmann GmbH & Co

Postfach 12 63
Gescher-Hochmoor
D-48705, GERMANY
Tel: +49 2863 204338
www.ruthmann.de

Safi Srl

Via San Rocco, 8
Cormuda-TV,
I-31041, ITALY
Tel: +39 042 3639321
www.safi.it

Scale DC

Via Ripa Ticinese 73
Milan (MI), I-20143,
ITALY
Tel: +39 028 9401245
www.scaledc.it

Scaninter Nokia Ltd

Turkkirata 26,
Pirkkala,
FINLAND
Tel: +358 10 680 7000
www.scanclimber.com

Sinoboom

27 Nan'er Road
Economic & Technical
Development Zone
Changsha,
Hunan 410100
CHINA
Tel: +86 (0)731 8525 2828
www.sinoboom

**Shenyang North Traffic
Heavy Industry Group
(N.Traffic)**

No. 16 Central Street,
Economy and Technology
Developing Zone,
Shenyang City,
CHINA
Tel: +86 24 31813723
www.bfjt.com

Sky Aces srl

Via Agnini 47
41037 Mirandola MO
ITALY
Tel: +39)535 730027
www.skyaces.eu

Sky King Equipment

(King Highway Products)
Brunel Road,
Corby
NN17 4JW
UK
Tel: +44 (0) 1536 403140
www.kingtrailers.co.uk

Skyjack Inc

55 Campbell Road
Guelph, Ontario
N1H 1B9,
CANADA
Tel: +1 (0)519 8370888
www.skyjackeurope.com

Snorkel

PO Box 1160
St Joseph,
MO 64502,
USA
Tel: +1 785 9893000
www.snorkellifts.com

Socage srl

Strada Statale 12, n.10
Sorbara di Bomporto
Modena, 41030,
ITALY
Tel: +39 059 902656
www.socage.it

Stros

Strojirenská 791
264 01 Sedlčany
CZECH REPUBLIC
Tel: +420 318 842 111
Fax: +420 318 821 230
www.stros.cz

Tadano Faun GmbH

Postfach 10 02 64
Lauf a d Pegnitz,
D-91205,
GERMANY
Tel: +49 (0)9123 955130
Fax: +49 (0)9123 185530
www.tadanofaun.com

Talleres Velilla S/A
 Paseo de la Ribera s/n
 Canovelles, Barcelona,
 E-08420, SPAIN
 Tel: +34 938 493777
 www.talleresvelilla.com

TCA Lift
 Tolderlundsvej 106
 DK-5000 Odense C
 DENMARK
 Tel: +45 (0)66 13 1100
 www.tcalift.com

Tecchio SRL
 Via Peagnola 24
 Ospedaletto Euganeo
 I 35045, ITALY
 Tel: +39 042 990648
 www.tecchiosrl.com

Terex AWP
 6464 185th Ave. NE
 Redmond, Washington,
 98052, USA
 Tel: +1 (425) 881 1800
 Fax: +1 (425) 883 3475
 www.genielift.com

Teupen Maschinenbau
 Marie-Curie-Strasse 13
 Gronau, D-48599
 GERMANY
 Tel: +49 (2565) 7040
 www.teupen.com

Time International
 Sondervang 3,
 Farsco, DENMARK
 Tel: +45 (0)996 61607
 www.timeintl.dk

Time Manufacturing
 7601 Imperial Drive
 Waco, Texas
 TX 76702-8368
 USA
 Tel: +1 254 3942605
 www.timemfg.com

Tornborgs Maskinfabrik
 Tornborgsvaegen 1
 Lindaas,
 S-36142,
 SWEDEN
 Tel: +46 (0)47 110870
 www.tornborgs.se

**Wuhan Fachman
 Machinery (Fachman)**
 No 17,
 Gutian 5 Road,
 Wuhan
 430035
 CHINA
 Tel: +86 27 83858380
 www.fachman.com

**Xiamen Kangbo
 Machinery & Set Co
 (Kangbo)**
 No. 568,
 North Sunban Road,
 Jimei District,
 Xiamen, Fujian,
 CHINA
 Tel: +86 592 5194998
 www.xmkangbo.com

**Xuzhou Construction
 Machinery Group (XCMG)**
 Industrial Zone 1, Xuzhou
 Economic Development
 Zone, Jiangsu, CHINA
 Tel: +86 516 87739286
 www.xcmg.com

**Xuzhou Silkway
 Machinery & Equipment
 Co (Silkway)**
 F17, Hengmao Business
 Center, No. 6,
 Xi'an Road (N), Xuzhou City,
 221006, Jiangsu Province
 CHINA
 Tel: +86 516 85866725
 www.silkway.net.cn

Youngman Group
 Stane Street, Slinfold
 Horsham, West Sussex
 RH13 7RD, UK
 Tel: +44 (0) 1403 792215
 www.youngmangroup.com

**YUWA Construction
 Machinery Co (YUWA)**
 Guicheng Science and
 Technology Park,
 Nanhai Section,
 Foshan City
 Guangdong Province
 CHINA
 Tel: 86-757-86301773
 www.fs-yuhua.com

**Zhejiang Dingli
 Machinery**
 No 1255 Baiyun South Road
 Leidian Town Deqing
 Zhejiang, CHINA
 Tel: +86 (0)572 868 1688
 www.chinadinli.com




**Access International
 On-line**
 You can read *Access
 International* on-line by
 registering to receive
 the magazine digitally –
 sign up at:
www.khl.com/subs/ai



**WORLD OF
 CONCRETE®**
 informa
 exhibitions

JANUARY 22-25, 2019
 SEMINARS: JANUARY 21-25
 LAS VEGAS CONVENTION CENTER
 LAS VEGAS, NV USA

The concrete and masonry industries don't stop. That's why you give it your all every day. And it's why we give it our all every year. We bring together the most powerful, connected network—new products, innovative technologies, and top education & training—so that you can keep building in the right direction. When you have access to the best, at the world's largest annual international event for concrete and masonry, there's no stopping us.

 A selected participant in the
 International Buyer Program

www.worldofconcrete.com



PLATFORM
B A S K E T



+39 0522 967666



info@platformbasket.com



www.platformbasket.com

BATTERIES/CHARGERS

Banner GmbH

Postfach 7 Salzbürgerstr
29 Linz, A-021
AUSTRIA
Tel: +3 8 85 0
www.bannerbatterien.com

Battery Charger Industry (BCI)

Via Pietro nenni 7 9 Z.A
Colombare di Sirmione
2500, ITALY
Tel: +9 0) 08 0 0610
www.moriradrizzatori.it

Battery Supplies NV

Lindestraat 8, Waregem,
8, BL GIUM
Tel: +2 66 9
www.batterysupplies.be

Crown Battery Manufacturing

8 Maple St Drive
Fremont, Ohio 20, USA
Phone: 8 8 7 81
Fax: 8 8 8
www.crownbattery.com

Emrol

Industrieweg 5
20 Malle, BL GIUM
Tel: +2 08 224
www.emrol.com

Exide

Bilding 200
00 0 erfield Parkway
Milton Georgia, 000 4, USA
Tel: +1 0) 5 56 9000
www.exide.com

Gantic

Postboks 9 58 Agotnes
Levering, 8 ivassveien
8W AY
Tel: +7 055 553
www.gantic.no

LCM Systems

3 2 Somerton Industrial
Park, 8 wport Road
Cowes, Isle of Wight
PO 8 B UK
Tel: +4 0) 8 29 737
lcmssystems.com

ManBat

Unit 4 26 Albert Road
St Philips, Bristol, BS2 0XA, UK
Tel: +4 08 8 77
www.manbat.co.uk

Manumag

Pol.Ind las 8 ias Muel
5080
2 ragoza

SPAIN

Tel: +34 (09) 76 140606
www.manumag.com

Rema-Anderson Ruben Power

Broechemsesteenweg 1211D
Ranst 2520
BELGIUM
Tel: +32 (348) 85071
www.rubenpower.com

Trojan Battery Co

12380 Clark Street
Santa Fe Springs
CA 90670-3804
USA
Tel: +1 5 62) 946 8381
www.trojanbattery.com

Wetac Motive Power

Galvanistraat 117
6716 AE Ede
THE 8 THERLANDS
Tel: +31 (08) 18 696192
www.wetac.com

DISTRIBUTION

Aerial Specialists, Inc

1760 State Street
P.O. Box 085114
Racine WI 53408
USA
Tel: +1 262 632 0123
www.aerialspecialists.com

Equipment Parts Wholesale (EPW)

4780 E. 8 nsen Avenue
Fresno CA, 93725
USA
Tel: +1 5 59) 2639622
www.epwparts.com

Global Parts & Equipment

514 8 rth Laurel Road
London K ,
40741
USA
Tel: +1 6 06) 8785535
www.global-parts.com

Independent Parts & Service (IPS)

Unit A, Hortonwood 2
Telford, Shropshire
TF1 7GW
UK
Tel: +44 (0) 1952 671400
www.ips-ltd.biz

TVH

Brabantstraat 15
Waregem, 8790
BELGIUM
Tel: +32 (56) 43 42 11
www.tvh.be

ELECTRICAL & CONTROL

3B6 Srl

Via Sivo 74, Castelletto Ticino,
Novara, 28053
ITALY
Tel: +39 (0331) 973528
www.3b6.it

A. Van de Perk

Stolwykstraat 33
Rotterdam, 3007 AK
NETHERLANDS
Tel: +31 10 4226577
www.perk-elektrotechniek.nl

Accutest Ltd

South Wren Nest Road
Glossop, Derbyshire
SK 3 8HB, UK
Tel: +44 (0) 1457 866613
www.accutest.co.uk

Autec srl

Via Pomaroli 65
36030 Caldogno
VI, ITALY
Tel: +39 0444 901000
www.autecsafety.com

Albright International Ltd

125 Red Lion Road
Surbiton, Surrey
K 6 7QS, UK
Tel: +44 0208 390 5357
www.albright.co.uk

Ascorel

Rue du Champ de Courses
Pont Éveque,
38780, FRANCE
Tel: +33 (474) 575 466
www.ascorel.com

B D Electrical Inc.

10766 Plaza Drive
Whitmore Lake
MI, 48189, USA
Tel: +1 (800) 5487904
www.bdelectrical.com

Balluff Multiswitch

The Old Mill
Finney Lane,
Cheadle,
Cheshire
SK 3DF, UK
Tel: +44 (161) 2824740
www.balluff.co.uk

Bausser-GME (BAUSER GmbH & Co. KG ?)

Julius-Bausser-Strasse
Empfingen
72186
GERMANY
Tel: +49 7485 1810
www.bausser-control.de

BKR Electronics

Sejs Søvej 80
Silkeborg
DK 8600
DENMARK
Tel: +45 (868) 46367
www.bkr.dk

Cavotec International

Markörgatan 3
Haninge, S-136 44,
SWEDEN
Tel: +46 (8) 556 52220
e-mail:
www.cavotec.com

Comatrol Spa (Sauer Danfoss)

Via Rinaldi 111
Reggio Emilia,
42100, ITALY
Tel: +39 (05) 229 15511
www.comatrol.com

Garos

Rue Galilee
Parc de la Bouvre
Bouguenais, 44340, FRANCE
Tel: +33 (0)240 650538
www.garos.fr

GEA Srl

Via Renata Bianchi 40
Genova,
16152, ITALY
Tel: +39 010 659661
www.gea-automotive.com

Guardian Instruments Inc

303 North Highway 183
Leander
TX, 78641
USA
Tel: +1 (512) 2603554
www.guardianinstruments.com

Hetronic Steuer Systeme GmbH

Adalbert Stifter Straße 2
Langquaid, 84085,
GERMANY
Tel: +49 (945) 2189391
www.hetronic.de

Hirschmann Gruppe - PAT GmbH

Hertzstr. 32-34
Ettlingen, 76275,
GERMANY
Tel: +49 (7243) 709131
www.pat-group.net

ITT Canon

666 E. Dyer Road
Santa Ana
California
92705-5612

USA

Tel: +1 714 557 4700
www.itt.com

Imet srl

Via Fornace 8
33077 Sacile
ITALY
Tel: +39 0434 787823
www.imet.eu

JR Merritt Controls

55 Sperry Avenue
Stratford, CT 06615
USA
Tel: +1 (0)203 381 0400
www.jr.merritt

Lestronic (Lester Electrical)

625 West A Street
Lincoln, Nebraska,
68522, USA
Tel: +1 402 477 8988
www.lesterelectrical.com

Moba Mobile Automation

8 pellenstraße 15
65555, Limburg
GERMANY
Tel: +49 (6431) 95770
www.moba.de

NBB Controls & Components AG

Otto-Hahn-Strasse 1-3
Ölbronn-Dürren, 75248
GERMANY
Tel: +49 (7237) 999260
www.nbb.de

OEM Controls Inc

PO Box 894
Shelton, CT, 6484, USA
Tel: +1 (203) 9298431
www.oemcontrols.com

Oxley

Via Divisione Cuneense 41
San Rocco Bernezzo - Cuneo
12020, ITALY
Tel: +39 0171 857036
www.oxley.it

PAT America Inc

20440 Century Blvd
Germantown, 'MD
20847, USA
Tel: +1 (717) 2172216
www.patamerica.com

Penny & Giles

15 Airfield Road
Christchurch, Dorset
BH23 3TG, UK
Tel: +44 (0) 1202 409409
www.pennyandgiles.com

P G Trionic

23 Western Avenue
Essex, MA, 099
USA
Tel: +1 8 6 33
www.trionigroup.com

PQ-Controls

9 Iphin Road
Bristol, CT, 00
USA
Tel: +1 8 50 4
www.pqcontrols.com

Prolec Limited

25 Benson Road
Mfield Industrial Estate
Poole, Dorset, B7 0GB
UK
Tel: +44 202 6 90
www.prolec.co.uk

RB Components

Pi El Poligono Rio Ebro 7
500 Cuarte de Huerva
Zaragoza, Spain
Tel: +34 97 00 421
www.rbcomponentes.com

Scan-Sense AS

Bekkeveien 8
Veier, Tonsburg, N 3 3,
NW AY
Tel: +47 6 000
www.scansense.no

Sevcon

Kingsway South
Team Valley Trading Estate
Gateshead, Tyne and Wear,
S1 0A
UK
Tel: +4 0 9 8 8516
www.sevcon.com

Vibro-Meter SA

Rte de Moncor 4
Fribourg, CH-17
SWITZERLAND
Tel: +4 26 000 0
www.vibro-meter.com

Volkel Mikroelektronik

Otto-Hahn-Str. 8
Munster-Roxel, 1
GERMANY
Tel: +49 253 9 54
www.voelkel.de

W Gessmann GmbH

Eppingerstrasse 221
Postfach 51
Leingarten
71
GERMANY
Tel: +49 7 06 29
www.gessmann.com

Zapi Spa

Via Parma, 59
Poviglio - Reggio Emilia
42028, ITALY
Tel: +39 0522 960050
www.zapispa.it

ENGINES

Caterpillar Power

100 N E Adams Street
Peoria, Illinois,
61629-0001, USA
Tel: +1 309 6758995
www.cat.com

Cummins Engine Co Ltd

Yarm Road
Bristolington, Co Durham
D1 4PW, UK
Tel: +44 0 1325 556717
www.Cummins.com

Detroit Diesel

13400 Detroit Drive,
West Detroit, Michigan,
48239, USA
Tel: +1 313 592 7633
www.detroitdiesel.com

Deutz AG

Deutz-Mulheimer Strasse
147-149
Cologne, 51063
GERMANY
Tel: +49 0221 8220
www.deutz.de

GM Powertrain

Pontiac, MI, USA
www.gmpowertrain.com

Hatz GmbH

Ernst Hatz Str 16
Ruhstorf a.d. Rott
94095, GERMANY
Tel: +49 (8531) 319-327
www.hatz-diesel.de

HiTech Fuel

PO Box 517
Shrewsbury, MA
01545-0517, USA
Tel: +1 323 293 8622
www.hitechfuel.com

Kubota Engine America

Corporation
505 Schelter Road
Lincolnshire, IL, 60069
USA
Tel: +1 312 9552500
www.kubota.com

Lombardini Srl

Via Cav A, Lombardini 2
Reggio Emilia,
42100

ITALY

Tel: +39 (0522) 3891
www.lombardini.it

Man B&W Diesel

Stadtbachstrasse 1
Augsburg, 86224, GERMANY
Tel: +49 (0)821 322 3850
www.manbw.de

Mitsubishi Engine North America

1250 Greenbriar Drive
Suite E, Addison
IL, 60101-1065, USA
Tel: +1 (630) 2680750
www.mitsubishi-engine.com

MTU Friedrichshafen GmbH

Maybachplatz 1
Friedrichshafen
Baden-Wuerttemberg

88045

GERMANY
Tel: +49 (211) 585868-31
www.mtu-online.com

Perkins Engines Co Ltd

Frank Perkins Way
Eastfield Works,
Peterborough
Cambs,
PE1 5NA
UK
Tel: +44 (0) 1733 583000
www.perkins.com

Scania CV AB (publ)

Scania Industrial & Marine
Engines
Södertälje, SE-151 87
SWEDEN
Tel: +46 (0)85 5389990
www.scania.com

VM Motori Spa


Via Ferrarese 29
Cento (FE),
44042
ITALY
Tel: +39 (05) 16837535
www.vmmotori.it

Volvo Penta

Göteborg
SE, 40508
SWEDEN
Tel: +46 (31) 23 54 60
www.volvo.com

Yanmar Europe BV


P O Box 30112
Almere,
1303 AC
NETHERLANDS
Tel: +31 (36) 549 3200
www.yanmar.nl

No Watering Required

Trojan's Reliant™ AGM maintenance-free batteries with C-Max Technology™ deliver extraordinary total energy over the life of the battery.

These deep-cycle batteries can be counted on day in and day out as a highly reliable power source for a wide range of applications.



trojanbattery.com
+1 562-236-3000
800-423-6569

MADE IN USA
C-MAX TECHNOLOGY

EXTRAORDINARY LIFE
EXTRAORDINARY QUALITY
EXTRAORDINARY SUPPORT

HYDRAULICS

Bailey International

2527 Westcott Road Knoxville, TN 37922, USA
Tel: +1 (615) 588 0017
www.bailey.net.com

Bolfilter Ltd

Commerce Park
Whitehall Road, Colchester,
Essex, CO2 8X, UK
Tel: +44 (0)206 223 4
www.bolfilteruk.co.uk

BPE Electronics Srl

Via Motta 1
Mellera, Reggio Emilia
42073, ITALY
Tel: +39 (05) 2285 7
www.bpe.it

Brevini Hydraulics SpA

Via Antoni 3
Reggio Emilia, 42001, ITALY
Tel: +39 (0522) 26 246
www2.brevinifluidpower.com

BYPY Hydraulics

8 Lingen Road
Ludlow Business Park
Ludlow, Shropshire
SY8 4X, UK
Tel: +44 (0)183 81 2
www.bypy.co.uk

Hawe Hydraulik

Streitfeldstraße 25
München, 80635, GERMANY
Tel: +49 (0)89 1
www.hawe.de

Hercules Hydraulics

106 North Blicher Road
Clearwater, FL, 34615, USA
Tel: +1 (813) 970 00
www.herculeshydraulics.co.uk

HydraForce Hydraulics

500 Barclay Boulevard
Lincolnshire, IL, 60669, USA
Tel: +1 (630) 200
www.hydraforce.com

Hydr-app

3 Dibles Lane Business Park
Holsworthy, Devon,
EX22 8L, UK
Tel: +44 (0)1392 56 6
www.hydr-app.co.uk

O.M.F.B. Hydraulic

Components Spa
Via Cave 8
25050 Provaglio d'Iseo,
ITALY
Tel: +39 030 86 1
www.omfb.it

Oil Control Spa

Via Leonardo da Vinci 5
Nantola, MD, ITALY
Tel: +39 (0) 59545261
www.oilcontrol.com

Parker Hannifin

595 Schelter Road
Lincolnshire, IL 60069, USA
Tel: +1 (647) 9555028
www.parker.com

SAM Hydraulik (Breveni)

via Moscova 10
Reggio Emilia
42100, ITALY
Tel: +39 (0) 522 74800
www.brevinifluidpower.com

**Sauer-Danfoss
(Nordborg) AS**

Nordborgvej 81
Nordborg, DK 6430
Denmark
Tel: +45 (0) 748 884375
www.sauer-danfoss.com

SPX Fluid Power

Ashton Road
Harold Hill, Romford
Essex, RM5 8UA, UK
Tel: +44 (0)1708) 343851
www.fluidpower.spx.com

VPS Brevini (Breveni)

Via Matteotti 47
Rovato, Emilia, 40064, ITALY
Tel: +39 051 6511 530
www.vpsbrevini.com

**MECHANICAL POWER
TRANSMISSION**

Avon Bearings Ltd

1500 Angle Road
Avon, MA, 44011, USA
Tel: +1 (414) 8712500
www.avonbearings.com

Berco

Via 1 Maggio 237
Copparo (FE) 44034, ITALY
Tel: +39 0532 864 111
www.berco.com

Blue Diamond Bearings Ltd

Rolway House
School Close, Eastleigh,
Hampshire, SO3 4BY, UK
Tel: +44 (0)23 8025 8966
www.blue-diamond.co.uk

Bonfiglioli Riduttori Spa

Via Giovanni XXIII 7/A
Lippo Calderara, BO
40012, ITALY
Tel: +39 (05) 16473111
www.bonfiglioli.com

Bosch Rexroth AG

Glockerau Str. 2
Elchingen, 89275, GERMANY
Tel: +49 (7308) 822260
www.boschrexroth.de

Brevini Group

Via U Degola 14
Reggio Emilia, 42100, ITALY
Tel: +39 (0522 9281)
www.brevini.it

**Clark-Hurth
Components Ltd**

Spicer Off Highway
Den Briele 3, Brugge
8200, BELGIUM
Tel: +32 (50) 402580
www.clarkhurthparts.com

CNH Power Components

850 North State Street Ste
27F, Chicago, IL, 60610, USA
Tel: +1 (312) 482 8103
e-mail: oskar.berg@
combiparts.com

COBO Group

Via Tito Speri 10
25024 Leno, Brescia, ITALY
Tel: +39 030 904511
www.cobospa.it

Dana Corporation Inc

Heavy Vehicle Technologies
& Systems Group
4500 Dorr Street
Toledo, OH, 43615, USA
Tel: +1 (419) 891 1970
www.dana.com

Fabreka International

PO Box 210
1023 Turnpike Street
Stoughton, MA 02072, USA
Tel: +1 (0)781 341 3655
www.fabreka.com

Gemmo Group Srl

Via Broli, 66A
Noventa Vicentina
Vicenza, 36025, ITALY
Tel: +39 (0) 444 887 141
www.gemmogroup.it

**Halifax Rack & Screw
Cutting Co**

Armytage Road,
Brighouse, West Yorkshire
HD6 1QA, UK
Tel: +44 (0) 1484 714667
www.hrs-ccl.co.uk

Helac Corporation

120 Drummakilly Road
Omagh, Co Tyrone
BT79 0JT, UK

Tel: +44 (0)28 8077 1568
www.helac.com

**International Transmissions
Ltd**

Wrexham Industrial Estate
Wrexham, Clywd,
LL13 9UF, UK
Tel: +44 (0)1978 661140
www.itl-trans.co.uk

Kinematics

2221 West Melinda Lane A2
Phoenix, AZ 85027, USA
Tel: +1 (909) 9305992
www.kinematicsmfg.com

Metalrota

Via Bulgaria 46
Moderna, 41122, ITALY
Tel: +39 059 315204
www.metalrota.it

Minnpar

900 Sixth Avenue Southeast
Minneapolis, MN 55414, USA
Tel: +1 (0)612 379 0606
www.minnpar.com

**Quadrant Engineering
Plastic Products**

Anth. Fokkerweg 2
Almelo, 7602, NETHERLANDS
Tel: +31 (0)546 877710
www.quadrantplastics.com

Roballo Engineering Ltd

Mill Hill
North West Industrial Estate
Peterlee, Co Durham
SR8 2HR, UK
Tel: +44 (0)191 5185600
www.roballo.co.uk

Siebenhaar

Max-Eyth-Strasse 5
Hofgeismar, 34369, GERMANY
Tel: +49 (5671) 99400
www.siebenhaar-
antriebstechnik.de

SKF

Sundon Park Road
Luton, Bedfordshire
LU3 3BL, UK
Tel: +44 (1582) 490049
www.skf.com

Stromag

Hansastraße 120
Unna, 59425, GERMANY
Tel: +49 (2303) 102205
www.stromag.de

Tibet Makina

Manisa yolu 4. km.
Menemen Izmir, 35670

TURK Y

Tel: +90 (232) 843 9050
www.tibetmakina.com

ZF Friedrichshafen AG

Zentrale Marktkommunikation
Friedrichshafen
BW 88038, GERMANY
Tel: +49 (0)7541 77 2332
www.zf.com

SEATS/BASKETS

**Diversified Product
Development**

1001 Webster Avenue
Waco, TX 76706, USA
Tel: +1 (254) 757 1177
www.diversified-product.com

Ferrari International 2 SpA

Via Lombardia 20/B
Reggio Emilia,
42100, ITALY
Tel: +39 (05)22 2387
www.ferrariint2.com

Grammer

Kaiser-Wilhelm-Ring 25
Amberg, 92224
GERMANY
Tel: +49 (9621) 662 886
www.grammer.com

Kab Seating

Round Spinney
Northampton
NN3 8RS, UK
Tel: +44 (1300) 130522
www.kabseating.com

TYRES

Bridgestone Europe NV/SA

Kleine Koostrastraat 10
Zaventem
1932, BELGIUM
Tel: +32 (2714) 6840
www.bridgestone.eu

Michelin

Place Des Carmes
Clermont-Ferrand
63000, BELGIUM
Tel: +33 (4) 73 32 92 38
www.michelin.com

Trelleborg Wheel Systems

3816 Grandview Drive
Carrollton, TX, 75007, USA
Tel: +1 (214) 6301530
www.trelleborg.com

Camoplast

Via Dei Ponticelli 16
Corte Franca, Brescia
I-25040, ITALY
Tel: +39 (030) 988 4084
www.camoplast.com

HIGH QUALITY LARGE RANGE GREAT SERVICE

Thanks to a stock of over 109 000 references and a database with 1 220 000 known references, you'll find quality parts for your aerial work platforms such as joysticks, printed circuit boards, switches, chargers, non-marking wheels...

Our specialised sales advisors will gladly help you so that you receive the delivery the next day.

TOTALSOURCE[®]





Multitel.
The quality
of details
since ever.

IRONIKA

Multitel.
Professionality
at your service.

With more than a century of history, Multitel Pagliero has become a strong reference point for the whole access industry. Aluminium components are the result of a continuous research and technological development since more than 30 years. Technical innovation, perfect market fit, and outstanding performances make the Multitel product the solution for your safety at work.



MULTITEL
SINCE 1911

www.multitelgroup.com

ONLY SPIDERS CAN DO IT

SPIDER LIFTS FROM 13 TO 42 METERS



EASY LIFT - Brescello (RE) - Italy
Tel. +39 0522 967620 - Fax +39 0522 961873
info@easy-lift.it - www.easy-lift.it



REGISTER FOR THE
FREE DIGITAL ISSUE



Delivered instantly anywhere in the world

Interactive Searchable Archiveable

For more details and to register for your own, **FREE**, digital copies go to:

www.khl.com



INFORMATION THAT BUILDS AND POWERS THE WORLD

www.khl.com

access
YEARBOOK

2018-19



IPAF CONTACT DETAILS

IPAF TRAINING CENTRES

84

International Powered Access Federation (IPAF) training is provided by a network of approved training centres that operate independently. New centres are being added every month – to see the most up-to-date list visit www.ipaf.org

| COMPANY NAME | LOCATION | WEBSITE |
|--------------|----------|---------|
|--------------|----------|---------|

ARGENTINA

| | | |
|--------------------|--------------|--|
| Haulotte Argentina | Buenos Aires | www.haulotte.com |
|--------------------|--------------|--|

AUSTRIA

| | | |
|--|----------------|--|
| Cramo GmbH & Co KG | Wiener Neudorf | www.cramo.at |
| Dorn Lift GmbH | Lauterach | www.dornlift.com |
| Felbermayr Transport- und Hebetchnik GmbH & CoKG | Wels | www.felbermayr.cc |
| FLOTT Arbeitsbühnen GmbH | Lieboch | www.flott.cc |
| Kögl GmbH | Eisenstadt | www.koegl.at |
| Lift-Manager GmbH, Jäkel & Rothlehner | Graz | www.lift-manager.de |
| Lorenz Lift | Feldkirch | www.lorenzlift.at |
| Mayer & Schöftner Arbeitsbühnen GmbH | Hörsching | www.mayer-schoeftner.at |

BAHRAIN

| | | |
|---|---------|--|
| MMETC (Modern, Mechanical, Electrical & Transport Co.WLL) | Bahrain | www.mmetc.com |
| Sarens Nass Middle East WLL | Hidd | www.sarensnass.com |

BELGIUM

| | | |
|-----------------------|----------------------|--|
| Allift Michielsens NV | Deurne (Antwerpen) | www.allift.be |
| DK Rental NV | Waregem | www.dkrental.be |
| Omnitalent Benelux BV | Antwerpen | www.omnitalent.nl |
| Omnitalent Benelux BV | Brussel | www.omnitalent.nl |
| Omnitalent Benelux BV | Gent | www.omnitalent.nl |
| Omnitalent Benelux BV | Hasselt | www.omnitalent.nl |
| Omnitalent Benelux BV | Luik | www.omnitalent.nl |
| Vertimac BVBA | Waregem | www.vertimac.com |
| Wim Verhuur BVBA | Sint-Katelijne-Waver | www.wimverhuur.be |

BRAZIL

| | | |
|---|------------------------------|--|
| Aura Brasil Máquinas e Equipamentos Ltda | São Bernardo Do Camp SP | www.aurabrasil.com.br |
| Cesario's Treinamentos & Consultoria | Abreu e Lima | www.cesariostreinamentos.com.br |
| Eleva Brasil soluções em elevação S/A | SP - São Paulo | www.elevabr.com.br |
| Haulotte Do Brasil Ltda | SP - Barueri | www.haulotte.com.br |
| JLG Latino Americana | SP - Indaiatuba | www.jlg.com |
| Manitou Brasil Manipulação de Cargas Ltda | Vinhedo SP | www.manitou-group.com |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | RJ - Itatiaia | www.mills.com.br |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | RS - Porto Alegre | www.mills.com.br |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | ES - Serra | www.mills.com.br |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | BA - Simões Filho | www.mills.com.br |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | MG - Belo Horizonte | www.mills.com.br |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | RJ - Rio de Janeiro | www.mills.com.br |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | RJ - Itaboraí | www.mills.com.br |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | PA - Paraupébas | www.mills.com.br |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | PE - Cabo de Santo Agostinho | www.mills.com.br |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | MA - Maranhão | www.mills.com.br |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | SP - Campinas | www.mills.com.br |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | PR - Curitiba | www.mills.com.br |
| Mills Rental, Mills Estruturas e Serviços de Engenharia S.A | São Paulo | www.mills.com.br |
| Motormac - Distribuidora Meridional de Motores Cummins, S/A | SC - Sao José | www.motormac.com.br |

| COMPANY NAME | LOCATION | WEBSITE |
|--------------|----------|---------|
|--------------|----------|---------|

| | | |
|---|--------------------------|--|
| Motormac - Distribuidora Meridional de Motores Cummins, S/A | RS - Porto Alegre | www.motormac.com.br |
| RCB Locações de Equipamentos e Máquinas Ltda | SP - Santana do Parnaíba | www.rcbplataformas.com.br |
| Rival do Brasil Locações De Equipamentos Ltda | PR - Parana | |
| Rosa Rentals | SANTA CRUZ DO SUL / RS | www.rosarentals.com.br |
| SK Rental Locação De Equipamentos Ltda | PR - Curitiba | www.skrental.com.br |
| Skyjack Brasil | SP - Indaiatuba | www.skyjack.com |
| Socage do Brasil Ltda | SP - Indaiatuba | www.socage.com.br |
| Solaris Equipamentos e Serviços Ltda | RJ - Rio de Janeiro | www.solarisbrasil.com.br |
| Solaris Equipamentos e Serviços Ltda | MG - Belo Horizonte | www.solarisbrasil.com.br |
| Solaris Equipamentos e Serviços Ltda | ES - Serra | www.solarisbrasil.com.br |
| Terex Latin America | SP - Barueri | www.terex.com.br |
| Trimak Engenharia e Comércio Ltda | RJ - Rio de Janeiro | www.trimak.com.br |
| W Rental Locadora de Equipamentos Ltda | RS - Eldorado do sul | www.wrental.com.br |

CANADA

| | | |
|--------------------------|---------------|--|
| Acces Location Inc | Beloil | www.acceslocation.com |
| AGF Access Inc | Quebec | www.groupeagf.com/en |
| Hydro Mobile Inc | QC Quebec | www.hydro-mobile.com |
| Location Ideal C.H. Ltee | Quebec | www.locationideal.com |
| Ocean Work Cranes Inc | Summerside | www.oceanworkcranes.com |
| Palfinger North America | Niagara Falls | www.palfinger-northamerica.com |
| Skyjack Inc | Guelph | www.skyjack.com |

CHILE

| | | |
|------------------------------|-------------------|--|
| ALO Training Ltda, Alo Group | Concón | www.alotraining.com |
| ALO Training Ltda, Alo Group | Concepción | www.alotraining.com |
| ALO Training Ltda, Alo Group | La Serena | www.alotraining.com |
| ALO Training Ltda, Alo Group | Antofagasta | www.alotraining.com |
| ALO Training Ltda, Alo Group | Santiago de Chile | www.alotraining.com |
| Haulotte Chile | Santiago | www.haulotte-chile.com |
| SK Rental S.A. | Santiago | www.skrental.cl |

CHINA

| | | |
|--|----------|---|
| Haulotte Trading (Shanghai) Co. | Shanghai | http://www.haulotte.com |
| Hunan Sinoboom Heavy Industry Co Ltd | Hunan | www.sinoboom.com |
| JLG Industries Shanghai Branch | Shanghai | www.jlg.com |
| Shanghai Yacotee Industrial Co Ltd | Shanghai | www.yacotee.com |
| Tianjin Prosperity Bai-Li Engineering & Mechanical Co Ltd | Tianjin | www.zs-baili.com |
| Zoomlion Heavy Industry Branch Science & Technology Co., Ltd, Aerial Work Platform Machinery | Cavan | www.zoomlion.com |

COLOMBIA

| | | |
|-----------------------|------------------------|--|
| Proing, Ltda | Bogotá DC | www.proingcol.net |
| Rolift | Valle del Cauca | www.rolift.com.co |
| Torres Equipos S.A.S. | Cali (Valle del Cauca) | www.torresequipos.com |

CZECH REPUBLIC

| | | |
|---------------------------------|---------------------------|--|
| Rothlehner pracovní plošiny sro | Praha 9 - Horní Počernice | www.rothlehner.cz |
| Statech S.R.O. | Dolní Berkovice | www.statech.cz |

DENMARK

| | | |
|------------------------|-----------|--|
| AMU-Fyn | Odense SØ | www.amu-fyn.dk |
| Rival Denmark A/S | Odense SØ | www.rival.dk |
| Time International A/S | Farsoe | www.timeintl.dk |

ECUADOR

| | | |
|-----------------------------|-----------|--|
| Gruas Valeriano Ecuador S/A | Guayaquil | www.gruasvaleriano.ec |
|-----------------------------|-----------|--|

FINLAND

| | | |
|----------------------|----------|--|
| Bronto Skylift OY AB | Tampere | www.bronto.fi |
| Scanclimber Oy | Pirkkala | www.scanclimber.com |

COMPANY NAME LOCATION WEBSITE

FRANCE

| | | |
|---------------------|----------------------|----------------------|
| France Elevateur SA | Flavigny Sur Moselle | www.fe-group.com/en/ |
| France Elevateur SA | Laval | www.fe-group.com/en/ |
| France Elevateur SA | St Priest | www.fe-group.com/en/ |
| France Elevateur SA | Colomers | www.fe-group.com/en/ |

GERMANY

| | | |
|---|------------------------|----------------------------------|
| Alimak Hek GmbH | Eppingen | www.alimakhek.de |
| Allgaier Hebesysteme GmbH | Neu-Ulm | www.allgaier-hebesysteme.de |
| Arbeitsbühnen Buchtman GmbH | Delmenhorst | www.buchtman.de |
| Arbeitsbühnen Koch GmbH | Leipzig | www.arbeitsbuehnen-koch.de |
| Arbeitsbühnenverleih Vogel | Ehrenfriedersdorf | www.vogel-arbeitsbuehnen.de |
| Arbeitsbühnenvermietung GOSSNER GmbH | Freystadt-Forchheim | www.gossner-arbeitsbuehnen.de |
| ARMO GmbH | Lebach | www.ar-mo-gmbh.de |
| AST GmbH Arbeitssicherheit & Technik | Blaustein | www.ast-safety.com |
| AVV Arbeitsbühnen-Vertriebs- und Vermietungs GmbH | Schwäbisch Hall | www.avv-arbeitsbuehnen.de |
| Basan GmbH, Arbeitsbühnen und Baumaschinen Handel | Oelsnitz | http://www.lift-ankauf.de |
| Begemann's Mietlift GmbH | Leopoldshöhe | www.begemanns-mietlift.de |
| Beyer-Akademie Gesellschaft für betriebliche und berufliche Aus- und Weiterbildung GmbH | Erlensee | www.beyer-akademie.de |
| Beyer-Akademie Gesellschaft für betriebliche und berufliche Aus- und Weiterbildung GmbH | Etzbach | www.beyer-akademie.de |
| BHV-Arbeitsbühnenverleih | Bonn | www.bhv-arbeitsbuehnen.de |
| Bleser Mietstation GmbH | Neuwied | www.blesermietstation.de |
| Boels Verleih GmbH | Willich | www.boelstraining.de |
| Brinckmann Arbeitsbühnen GmbH | Bocholt | www.brinckmann-arbeitsbuehnen.de |
| Butsch & Meier GmbH | Baden-Baden | www.butsch-meier.de |
| Castell Arbeitsbühnen GmbH | Koblenz | www.castell-koblenz.de |
| Cegema GmbH | Potsdam | www.cegema.de |
| Collé Vermietung Und Verkauf GmbH | Bad Salzuflen | www.colle.eu |
| Cramo AG | Feldkirchen | www.cramo.com |
| d bollmeyer GmbH Co & KG | Kirchlengern | www.bollmeyer.com |
| Friedhelm Bock Schulungszentrum | Rüdesheim | www.schulung-arbeitsbuehnen.de |
| Gerken GmbH | OT Dölbau | www.gerken-arbeitsbuehnen.de |
| Gerken GmbH | Berlin | www.gerken-arbeitsbuehnen.de |
| Gerken GmbH | Bremerhaven | www.gerken-arbeitsbuehnen.de |
| Gerken GmbH | Dortmund | www.gerken-arbeitsbuehnen.de |
| Gerken GmbH | Frankfurt | www.schulung-arbeitsbuehnen.de |
| Gerken GmbH | Bremerhaven | www.gerken-arbeitsbuehnen.de |
| Gerken GmbH | Norderstedt | www.gerken-arbeitsbuehnen.de |
| Gerken GmbH | Bersenbrück | www.gerken-arbeitsbuehnen.de |
| Gerken GmbH | Wilhelmshaven | www.gerken-arbeitsbuehnen.de |
| Gerken GmbH | Düsseldorf | www.gerken-arbeitsbuehnen.de |
| Gräber Arbeitsbühnen | Weil am Rhein | www.graeber.rentals |
| Haulotte Hubarbeitsbühnen GmbH | Eschbach | www.haulotte.de |
| Heiko Zimmer | Bietigheim-Bissingen | www.szb-schulung.de |
| Hematec Arbeitsbühnen GmbH | Dresden | www.hematec-arbeitsbuehnen.de |
| Hert Arbeitsbühnen Vermietung GmbH | Saarwellingen | www.hert-arbeitsbuehnen.de |
| HKL Baumaschinen GmbH | Dortmund | www.hkl-baumaschinen.de |
| HKL Baumaschinen GmbH | Hamburg | www.hkl-baumaschinen.de |
| HKL Baumaschinen GmbH | Hamburg | www.hkl-baumaschinen.de |
| Hytec Arbeitsbühnen Vermietung GmbH | Bremen | www.hytec-bremen.de |
| JLG Deutschland GmbH | Ritterhude-Ihlpohl | www.jlg-europe.com |
| Kölbl Training & Consulting | Altomünster | www.koelbl-gruppe.de |
| Kuhnle GmbH | Fellbach | www.kuhnle.eu |
| Lehmann Zugangstechnik | Oldenburg | www.liftshop.de |
| Lift-Manager GmbH, Jäkel & Rothlehner | Waldhufen-Jänkendorf | www.lift-manager.de |
| manroland web Industriepark GmbH | Augsburg | www.manroland-web.com |
| Mateco GmbH | Berlin | www.mateco.de |
| Mateco GmbH | Duisburg | www.mateco.de |
| Mateco GmbH | Köln | www.mateco.de |
| Mateco GmbH | Nürnberg | www.mateco.de |
| Mateco GmbH | Braunschweig | www.mateco.de |
| Mateco GmbH | Frankfurt | www.mateco.de |
| Mateco GmbH | Schkeuditz OT Radefeld | www.mateco.de |
| Mateco GmbH | München | www.mateco.de |
| Mateco GmbH | Rheinfelden | www.mateco.de |
| Mateco GmbH | Lohfelden | www.mateco.de |

COMPANY NAME LOCATION WEBSITE

| | | |
|---|--------------------|-------------------------------------|
| Mateco GmbH | Alpen | www.mateco.de |
| Mayer Hubarbeitsbühnen GmbH | Aalen | www.mayer-arbeitsbuehnen.de |
| Merlo Deutschland GmbH | Bremen | www.merlo.de |
| Mietpark Gushurst GmbH | Iffezheim | www.mietpark-gushurst.de |
| Minimax E.I.S. GmbH | Magdeburg | www.minimax.de |
| Minimax GmbH & Co KG, Region Süd/Ost - Büro Nürnberg | Nürnberg | www.minimax.de |
| Neumann&Müller GmbH & Co. KG | Taufkirchen | www.neumannmueller.com |
| NMV Neubrandenburger | Neubrandenburg | www.nmv-neubrandenburg.de |
| Maschinen Vertriebsgesellschaft mbH | | |
| Nord-Lift GmbH | Langenhagen | www.nord-lift.de |
| Omnitalent Benelux BV | Aachen | www.omnitalent.nl |
| Omnitalent Benelux BV | Essen | www.omnitalent.nl |
| Omnitalent Benelux BV | Heinsberg | www.omnitalent.nl |
| Omnitalent Benelux BV | Köln | www.omnitalent.nl |
| Omnitalent Benelux BV | Moers | www.omnitalent.nl |
| P & B Hundrup GmbH & Co KG | Waltrup | www.hundrup.de |
| Palfinger Platforms GmbH | Krefeld | www.palfinger-platforms.com |
| Peter Cramer GmbH & Co KG | Hagen | www.cramer-arbeitsbuehnen.de |
| Pradel Arbeitsbühnen GmbH | Cottbus-Gallinchen | www.pradel-lift.de |
| Radicke Lift GmbH | Magdeburg | www.radickelift.de |
| Richter Gabelstapler GmbH & Co KG | Stuhr | www.richter-gabelstapler.de |
| Riwal Arbeitsbühnenvermietung GmbH, Riwal Akademie | Ingersheim | www.riwal.com |
| Riwal Arbeitsbühnenvermietung GmbH, Riwal Akademie | Gelsenkirchen | www.riwal.com |
| Riwal Arbeitsbühnenvermietung GmbH, Riwal Akademie | Maulburg | www.riwal.com |
| Riwal Arbeitsbühnenvermietung GmbH, Riwal Akademie | Eching | www.riwal.com |
| Riwal Arbeitsbühnenvermietung GmbH, Riwal Akademie | Frankfurt | www.riwal.com |
| Riwal Arbeitsbühnenvermietung GmbH, Riwal Akademie | Dortmund | www.riwal.com |
| Riwal Arbeitsbühnenvermietung GmbH, Riwal Akademie | Ludwigshafen | www.riwal.com |
| Riwal Arbeitsbühnenvermietung GmbH, Riwal Akademie | Chemnitz | www.riwal.com |
| Riwal Arbeitsbühnenvermietung GmbH, Riwal Akademie | Bingen | www.riwal.com |
| Riwal Arbeitsbühnenvermietung GmbH, Riwal Akademie | Hamburg | www.riwal.com |
| Roggenland Arbeitsbühnen und Staplervermietung GmbH | Everswinkel | www.roggenland-arbeitsbuehnen.de |
| Roggermaier GmbH | Aschheim | www.roggermaier.de |
| Rothlehner Liftverleih GmbH & Co.KG | Winhöring | www.rothlehner-k.de |
| Ruthmann GmbH & Co KG | Gascher-Hochmoor | www.ruthmann.de |
| Salgert GmbH | Lohmar | www.salgert.eu |
| Sanders GmbH & Co KG | Diemelstadt | www.sanders-online.de |
| Schirmer GmbH & Co. KG, Hub-Arbeits-Bühnen-Vermietung | Ulm | www.schirmer-hub.de |
| Schmidt GmbH & Co. KG | Neu-Isenburg | www.schmidt-info.de |
| Schwenk Arbeitsbühnen GmbH | Schramberg-Sulgen | www.schwenk-arbeitsbuehnen.de |
| Sielke Arbeitsbühnen GmbH & Co KG | Sulingen | www.sielke-arbeitsbuehnen.de |
| Starlift GmbH | Großbeeren | www.starlift.de |
| Starlift GmbH | Broderstorf | www.starlift.de |
| Starlift GmbH | Oststeinbek | www.starlift.de |
| Terex Genie Germany GmbH & Co KG | Delmenhorst | www.genieilift.de |
| Wagert Arbeitsbühnen-Vermietung | Bayreuth | www.wagert.de |
| Weidler Arbeitsbühnenvermietung GmbH | Heddeshheim | www.weidler-arbeitsbuehnen.de |
| WEMO-tec GmbH | Würzburg | www.wemo-tec.com |
| WEMO-tec GmbH | Mörfelden-Walldorf | www.wemo-tec.com |
| WEMO-tec GmbH | Eichenzell | www.wemo-tec.com |
| Werner Middeke Arbeitsbühnen | Erfurt | www.wm-rent.com |
| Werner Middeke Arbeitsbühnen | Erwitte | www.wm-rent.com |
| Werner Middeke Arbeitsbühnen | Holzwickede | www.wm-rent.com |
| Wiesecker Werkzeugvermietung e.K. | Alten Buseck | www.wiesecker.de |
| Zeppelin Rental GmbH | Heimstetten | www.zeppelin-streif-baulegistik.com |
| Zeppelin Rental GmbH | Wuppertal | www.zeppelin-streif-baulegistik.com |
| Zeppelin Rental GmbH | Hamburg | www.zeppelin-streif-baulegistik.com |
| Zeppelin Rental GmbH | Berlin | www.zeppelin-streif-baulegistik.com |

| COMPANY NAME | LOCATION | WEBSITE |
|---|--------------------------------|-------------------------------|
| HONG KONG | | |
| Modern (International) Access & Scaffolding Ltd | Yuen Long | www.modern-access.com |
| INDIA | | |
| Eastman Logistics & Infrastructure Pvt Ltd | Mumbai | www.eastman-group.in |
| Manlift India Private Ltd | Gujarat | www.manliftgroup.com |
| Manlift India Private Ltd | Uttar Pradesh | www.manliftgroup.com |
| Sudhir Power Limited, Access Division | Haryana | www.sudhirpower.com |
| IRAQ | | |
| Al Khudairi Rentals Company | Baghdad | www.alkhudairirentals.com |
| IRELAND | | |
| Access & Forklift Services Ltd | Limerick | www.aafs.ie |
| Corlurgan Training Centre | Cavan | www.thinksafety.ie |
| Euro Access Ltd | Cork | www.euroaccess.ie |
| Frank Thornton Health & Safety Ltd | Kanturk | www.fthealthservices.com |
| Height for Hire Ltd | Ashbourne | www.heightforhire.com |
| HSS Training Ireland | Dublin 9 | www.hss.com |
| HSS Training Ireland | Newtonabbey | www.hss.com |
| HSS Training Ireland | Limmerick | www.hss.com |
| Lift Hire Ireland Ltd | Mullingar | www.lifthireireland.com |
| Loxam Ltd | Greenogue | www.loxam.ie |
| Loxam Ltd | Greenogue | www.loxam.ie |
| M Walsh Hire Ltd T/a MW Hire Group | Urlingford | www.mwhire.com |
| Salus Training Services | Rathcoole | www.salustrainingservices.com |
| ITALY | | |
| Airo by Tigieffe Srl | Luzzara (RE) | www.airo.com |
| Alimak Hek Srl | Colle Di Val D'Elsa (SI) | www.alimakhek.com |
| ASIMOV SRL, Attività Scolastica | Belforte Monferrato | www.asimovsrl.it |
| Ispezione Macchine Operatrici Verifiche | | |
| ASIMOV SRL, Attività Scolastica | Cuneo | www.asimovsrl.it |
| Ispezione Macchine Operatrici Verifiche | | |
| ASIMOV SRL, Attività Scolastica | Roma | www.asimovsrl.it |
| Ispezione Macchine Operatrici Verifiche | | |
| ASIMOV SRL, Attività Scolastica | Cuneo | www.asimovsrl.it |
| Ispezione Macchine Operatrici Verifiche | | |
| BERTI Piattaforme Aeree Srl | Concorezzo (MI) | www.piattaformeberti.com |
| Bigman Srl | Varna (BZ) | www.bigman.it |
| Centro Formazione e Ricerca Merlo Srl | Cuneo (CN) | www.cfrm.it |
| Giemme Srl | Seregno (MB) | www.giemme-noleggio.it |
| COMET OFFICINE Srl, Piattaforme Aeree | San Giovanni in Persiceto (BO) | www.officinecomet.com |
| CTE SpA | Rovereto (TN) | www.ctelift.com |
| Elevateur Srl | Nola (NA) | www.elevateur.it |
| ELEVO Srl, Noleggio e Vendita macchine elevatrici | Lallio (BG) | www.elevo.it |
| FPM System Srl | Rimini (RN) | www.fpmssystem.it |
| Gianfranco Savani Srl | Lavariano (UD) | www.savani.it |
| GM Srl, Centro Di Formazione | Genova (GE) | www.gmnoleggio.it |
| Haulotte Italia Srl, Headquarter | San Giuliano Milanese (MI) | www.haulotte.it |
| Hinowa SpA | Nogara (VR) | www.hinowa.com |
| IMER International SPA, IMER Access | Pegognaga (MN) | www.imergroup.com |
| JLG Industries Italia Srl | Pregnana Milanese (MI) | www.jlg.com |
| Loxam Access Srl | Montichiari (BS) | www.nacanco.it |
| Mollo Srl | Alba (CN) | www.mollofratelli.com |
| Nolo Rico Srl | Rimini (RN) | www.nolorico.it |
| O.MEC Srl | Ancona (AN) | www.omec.it |
| Oil & Steel SpA | S. Cesario Sul Panaro (MO) | www.oilsteel.it |
| Parmiani noleggi Srl | Montagna in Valtellina (SO) | www.parmianinoleggi.it |
| Piattaforme Aeree Formazione SRL | Castagnito (CN) | www.paftraining.com |
| S.A.M.A Srl | San Sperate (CA) | www.samagroupe.it |
| Savis Service Srl, Di Avitabile Antonio & C., | San Mauro Torinese (TO) | www.savisservice.com |
| SE.I. Servizi industriali Srl | Bolzano (BZ) | www.seiserviziindustriali.it |
| SETIF, Centro di Formazione IPAF | Malo (VI) | www.setif-tecnologia.com |
| Tecman Srl | Missaglia (LC) | www.tecman.it |
| TECNOALT Srl | Roma (RM) | www.tecnoalt.it |
| TECNOCAR Srl, Noleggio | Nizza Monferrato (AT) | www.tecnocarsrl.it |

| COMPANY NAME | LOCATION | WEBSITE |
|---|------------------------------|---------------------------|
| Venpa Sud Srl | Martina Franca (TA) | www.venpasud.it |
| KAZAKHSTAN | | |
| Riwal Equipment Services LLP, Rental Sales and Training | Atyrau | www.riwal.kz |
| KOREA SOUTH | | |
| BNB Global | Seoul | www.bnbglobal.co.kr |
| KUWAIT | | |
| Rapid Access LLC- Kuwait | Safat | www.rapidaccess-gulf.com |
| LIECHTENSTEIN | | |
| Mietlift AG | Schaan | www.mietlift-ag.com |
| LUXEMBOURG | | |
| Omnitalent Benelux BV | Luxembourg | www.omnitalent.nl |
| MALAYSIA | | |
| Aerial Global Sdn Bhd | Cheras, Selangor Darul Ehsan | www.aerialglobal.com.my |
| Aerial Lift & Equipment Sdn Bhd | Selangor | www.aeriallift.com.my |
| Aver Asia Rental Sdn Bhd | Pengerang | www.averasia.com |
| Aver Asia Rental Sdn Bhd | Bandar Seri Alam | www.averasia.com |
| Keng Guan Skylift Sdn Bhd | Selangor | www.kengguan.com |
| PMB Quick Access Sdn Bhd | Selangor | www.qaccess-scaffolds.com |
| MEXICO | | |
| AMMEC Comercial S.A. de C.V. | Mexico DF | www.ammec.com.mx |
| Haulotte Mexico S.A. de C.V. | Morelos | www.haulotte.com.mx |
| Promotora De Maquinaria | Tamauipipas | www.pmltamira.mx |
| De Altamira S.A., PMA | | |
| Rental Lift de Mexico SA de CV | Querétaro | www.rental-lift.com |
| MOROCCO | | |
| Adam Industries | Casablanca | www.adamindustrie.com |
| NETHERLANDS | | |
| Access Equipment BV | Raamsdonksveer | www.accessequipment.nl |
| Blom Opleidingen BV | Hengelo | www.blomopleidingen.nl |
| Boels Verhuur BV | Sittard | www.boelstraining.com |
| BT-Opleidingen | Garderen | www.bt-opleidingen.eu |
| Collé Safety & Training | Sittard | www.colle.eu |
| Doornbos Equipment B.V | Rotterdam | www.doornbosequipment.com |
| Eigenraam Hoogwerkers BV | Berkel en Rodenrijs | www.eigenraam.nl |
| Eurosupply Hoogwerksystemen B.V. | Moerdijk | www.eurosupply.net |
| Gerken Hoogwerker Verhuur BV | Eisloo | www.gerken-hoogwerkers.nl |
| HEAMS Rental & Sales BV | LC Capelle a/d IJssel | www.heams.nl |
| Hoogwerker Centrum Nederland BV | Groot-Ammers | www.hoogwerkercentrum.nl |
| Hoogwerkservice BV | Hardinxveld-Giessendam | www.hoogwerkservice.nl |
| HOOGWERKT | Rotterdam | www.hoogwerkt.nl |
| HWS Verhuur BV | Noordwijk | www.hws.nl |
| JLG EMEA BV | Hoofddorp | www.jlg.com |
| Kamphuis Hoogwerkers BV | Zutphen | www.hoogwerken.nl |
| Loxam BV | Ridderkerk | www.loxam.nl |
| Mateco BV | Rotterdam | www.mateco.nl |
| Omnitalent Benelux BV | Apeldoorn | www.omnitalent.nl |
| Omnitalent Benelux BV | Amsterdam | www.omnitalent.nl |
| Omnitalent Benelux BV | Breda | www.omnitalent.nl |
| Omnitalent Benelux BV | Groningen | www.omnitalent.nl |
| Omnitalent Benelux BV | Rotterdam | www.omnitalent.nl |
| Omnitalent Benelux BV | Sittard | www.omnitalent.nl |
| Omnitalent Benelux BV | Venlo | www.omnitalent.nl |
| Omnitalent Benelux BV | Maastricht | www.omnitalent.nl |
| Omnitalent Benelux BV | Sittard | www.omnitalent.nl |
| PJH Verhuur BV | Wateringen | www.pjhverhuur.nl |
| PortLinq | Hoogvliet | www.portpeople.nl |
| Riwal | Dordrecht | www.riwal.com |
| Riwal | Dordrecht | www.riwal.com |
| RIXAX Verhuur BV | Almere | www.rifax.nl |
| Siesling Hoogwerker Verhuur BV | Eelde | www.siesling.nl |

| COMPANY NAME | LOCATION | WEBSITE |
|--|-------------|----------------------------|
| Van Appeldoorn Technical Support BV | Spijkenisse | www.vanappeldoorn-ts.nl |
| Van Asten Rescue Trainingen | Roermond | www.vanasten-trainingen.nl |
| V-Tas BV | Bladel | www.v-tas.nl |

NEW ZEALAND

| | | |
|-------------------------|--------------|-----------------------|
| Accessman Ltd | Christchurch | www.accessman.co.nz |
| Total Access Ltd | Auckland | www.totalaccess.co.nz |

OMAN

| | | |
|---|------------------------|--------------------------|
| Mobilift & Partners LLC, Access Rental & Sales | Sultanate of Oman | www.mobiliftoman.com |
| Rapid Access LLC- Oman | Jiffnain (near Muscat) | www.rapidaccess-gulf.com |

PERU

| | | |
|-----------------------|-------------------|-----------------------|
| Alo Group Perú | Lima | www.alogroup.pe |
| SK RENTAL SAC | Villa EL Salvador | www.skrental.com/Peru |

POLAND

| | | |
|----------------------------|------|---------------|
| Riwal Poland SP ZOO | Łódź | www.riwal.com |
|----------------------------|------|---------------|

PORTUGAL

| | | |
|--|------------------|-------------------|
| Jorge Lozano - Trabalhos Em Altura - Form/Serv Unipessoal, Lda | Queluz | www.jorgeozano.pt |
| Machrent SA | Cabanas- Palmela | www.machrent.pt |
| Transgrua – Transportes, Representações e Aluguer de Equipamentos, S.A. | Alcochete | www.transgrua.pt |

QATAR

| | | |
|--|------|--------------------------|
| Doha Petroleum Construction Co Ltd, (Rapid - Qatar) | Doha | www.rapidaccess-gulf.com |
| Enertech Qatar | Doha | www.enertechqatar.com |
| Manlift Qatar LLC | Doha | www.manliftgroup.com |
| Qatar International Safety Centre | Doha | www.QISC.net |
| Qatar Welding and Fabrication Supplies WLL (Q-Fab) | Doha | www.qfab.com.qa |

SAUDI ARABIA

| | | |
|--------------------------------------|-----------|---------------------------|
| Access Rental Gulf | Dhahran | www.accessrental.gulf.com |
| NEFT Energies Training Centre | Al Khobar | www.neftenergies.com |
| Rapid Saudi Arabia Co Ltd | Dammam | www.rapidaccess-gulf.com |

SINGAPORE

| | | |
|--|-------------------|---------------------------|
| Absolute Kinetics Consultancy Pte Ltd | Singapore | http://www.sg-akc.com |
| Aver Asia (S) Pte Ltd | WSH Lab Singapore | www.averasia.com |
| Aver Asia (S) Pte Ltd | Singapore | www.averasia.com |
| BS Technology Pte Ltd | Singapore | www.bokseng-ipl.com/bst |
| Galmon (S) Pte Ltd | Singapore | www.galmon.com |
| Global Training Services Pte Ltd | Singapore | www.globaltraining.com.sg |
| JP Nelson Equipment Pte Ltd | Singapore | www.jpnelson.com.sg |
| Manitou Asia Pte Ltd | Singapore | www.manitou-group.com |
| Modern (Singapore) | Singapore | www.modernsg.com.sg |
| Access & Equipment Pte. Ltd | | |

SLOVENIA

| | | |
|--------------------|---------|--------------|
| Civis d.o.o | Maribor | www.civis.si |
|--------------------|---------|--------------|

SOUTH AFRICA

| | | |
|---|---------|-------------------------------------|
| Goscor Access Solutions (Pty) Ltd | Midrand | www.goscorhireach.co.za |
| Uplift Quality Solutions (Pty) Ltd | Midrand | www.eazi.co.za/training-centre.aspx |

SPAIN

| | | |
|--|-------------------------|--------------------------------|
| Alberto Piñeiro Lift, SL | Caldas de Reis | www.aplift.com |
| Alsetrans 2000 SL | Ontinyent | www.alsetrans.com |
| AP Aerial Platforms SA | San Fernando de Henares | www.apaerial.com |
| CTC De Maquinaria SA | La Puebla de Alfinden | www.ctcmaquinaria.com |
| D.F. OPERACIONES Y MONTAJES, S.A. | Gijón (Asturias) | www.durofelguera.com |
| Displacar SL (Grupo Cruz Araba) | Vitoria-Gasteiz | www.cruzaraba.es |
| Elevaciones Archipiélago, S.A.U. | Aguimes (Las Palmas) | www.elevacionesarchipelago.com |
| Escuela Europea De Maquinaria SL | Granda (Siero) | www.escuelamaquinaria.es |
| FEMPA | Alicante | www.fempa.es |
| Genie Industries Ibérica SL | Montcada I Reixac | www.genielift.es |

| COMPANY NAME | LOCATION | WEBSITE |
|--|---------------------|-------------------------------|
| Gruas Roxu SA (PLAAS) | Siero (Asturias) | www.gruasroxu.com |
| Haulotte Ibérica SL | Alcalá de Henares | www.haulotte.com |
| Hune Rental, S.L.U. | CP 15165 | www.hune.com |
| Hune Rental, S.L.U. | Castellbisbal | www.hune.com |
| Hune Rental, S.L.U. | Bilbao | www.hune.com |
| Hune Rental, S.L.U. | Madrid | www.hune.com |
| Joysat, S.L., Joy Sol-luciones | Manresa | www.joysat.eu |
| D'averies Telescòpiques, SL | | |
| Maquinaria Industrial | Heras | www.mainsapoligruas.com |
| Santander SL | | |
| Oil & Steel Ibérica SL | Riba Roja del Turia | www.oilsteel.com |
| Plataformas Daryat S.L. | Etxebarri | www.niftylift.es |
| Plataformas Lozano S.L. | Sevilla | www.gruaslozano.com |
| Portalada 2006 SL (Jisuma) | Logroño | www.jisuma.com |
| Rent Wheeler SL (Alpesur) | Alcala de Guadaira | www.alpesur.com |
| Socage Iberica S.L. | Riba Roja | www.socage.it |
| Talleres Velilla SA (Movex) | Canovelles | www.talleresvelilla.com |
| Williams Powered Access | Utebo | www.williamsapas.com |
| Soluciones SLL | | |
| YXCON Ideas y proyectos, SL, Autoescuela Industrial | Almassora | www.autoescuelaindustrial.com |

SWITZERLAND

| | | |
|---|-------------------------|---------------------------|
| a1-ausbildung.ch GmbH | Balsthal | www.a1-ausbildung.ch |
| Accès & Elévatiqque SA | Crissier | www.elevatiqque.ch |
| Avesco Rent AG | Langenthal | www.catrental.ch |
| Avesco Rent AG | Puidoux | www.catrental.ch |
| Biu Wash Service SAGL, Impresa Pulizie | Stabio | www.piddinigr.ch |
| BOAL AG | Raron | www.safetyworks.ch |
| BOAL AG | Zofingen | www.safetyworks.ch |
| BOAL AG | Kölliken | www.safetyworks.ch |
| Bronto Skylift AG | Rümlang | www.bronto.ch |
| Brügger HbTc | Kappel SO | www.bruegger-hbtc.ch |
| Camillo Vismara SA | Cadro | www.vismara.ch |
| Chevalier Pierre | Troistorrents | www.chevalierp.ch |
| Driving Graubünden | Cazis | www.drivinggraubunden.ch |
| Indupro AG | Dietlikon | www.indupro.ch |
| Kompetenzzentrum für Arbeitssicherheit AG | Pratteln | www.komp-zentrum.ch |
| Lenobag AG | Oberbüren | www.hebebuehnen-mieten.ch |
| Maltech.ch AG | Cheseaux sur Lausanne | www.maltech.ch |
| Maltech.ch AG | Härkingen | www.maltech.ch |
| Maltech.ch AG | Rümlang | www.maltech.ch |
| ME Machines Elévatriques SA | Vufflens-la-Ville | www.memachines.ch |
| Neuwerth Logistics SA | Ardon | www.neuwerth.ch |
| Regiomech | Zuchwil | www.regiomech.ch |
| rent-it ag | Goldach | www.rentitag.ch |
| Ruthmann Schweiz AG | Kloten | www.ruthmann.de/Schweiz |
| Schweizerisches Kompetenzzentrum hfs GmbH | Reiden | www.skz-hfs.ch |
| Senn AG | Oftringen | www.sennag.ch |
| SkyAccess AG | Goldswil b. Interlaken | www.skyaccess.ch |
| SkyAccess AG | Oensingen | www.skyaccess.ch |
| SVBL, Schweizerische Vereinigung für die Berufsbildung in der Logistik | Marly 2 | www.svbl.ch |
| SVBL, Schweizerische Vereinigung für die Berufsbildung in der Logistik | Giubiasco | www.svbl.ch |
| SVBL, Schweizerische Vereinigung für die Berufsbildung in der Logistik | Rapperswil | www.svbl.ch |
| Swiss Logistics Academy AG, Ausbildungszentrum für Logistik | Otelfingen | www.sulsergroup.ch |
| Swiss LT GmbH, Logistik & Lifter Trainingscenter | Muhen | www.swisslt.ch |
| TCFT Trainingscenter | Wettingen | www.tcft.ch |
| Fördertechnik GmbH | | |
| Toggenburger & Co. AG | Reutlingen (Winterthur) | www.toggenburger.ch |
| UP AG | Plan-Les-Ouates | www.upag.ch |
| UP AG | Worb | www.upag.ch |
| UP AG | Affoltern a.A | www.upag.ch |
| Würth Innovation AG | Muolen | www.wuerth-innovation.ch |

| COMPANY NAME | LOCATION | WEBSITE |
|--------------|----------|---------|
|--------------|----------|---------|

TURKEY

| | | |
|---------------------------------|----------|------------------------|
| CR Platform / Rent Rise | Istanbul | www.rentrise.com.tr |
| Mak-Ser Makina Ltd. Äti. | Istanbul | www.makserplatform.com |

UNITED ARAB EMIRATES

| | | |
|--|-----------|---------------------------|
| Access Rental Gulf LLC | Dubai | www.accessrental-gulf.com |
| AJI Heavy Equipment Rental LLC | Dubai | www.ajirentals.com |
| Al Laith Scaffolding LLC | Dubai | www.allaith.com |
| Bureau Link Safety | Abu Dhabi | www.blsmcglobal.com |
| Management Consultancy | | |
| Chess Safety Security & Occupational Health Consultancy | Abu Dhabi | www.chesssystems.com |
| Euro Gulf Safety Consultant LLC | Abu Dhabi | www.egsc.ae |
| Instant Access For Sales and Rental of Construction Equipment LLC | Abu Dhabi | www.instantaccess-co.com |
| Johnson Arabia LLC | Dubai | www.jonarabia.ae |
| Manlift Middle East LLC | Dubai | www.manliftgroup.com |
| Rapid Access LLC | Dubai | www.rapidaccess-gulf.com |
| Safelift LLC | Abu Dhabi | www.safelift-gulf.com |

UNITED KINGDOM - EAST ANGLIA

| | | |
|--|--------------------|---------------------------------------|
| National Construction College, Study Centre C | Ashbourne | www.nationalconstructioncollege.co.uk |
| Liebherr Great Britain | Biggleswade | www.liebherr.com |
| Star Platforms Ltd | Dunstable | www.starplatforms.co.uk |
| MV & Sons Training Services Ltd | Eye | www.mv-forklifttraining.co.uk |
| Brand Energy & Infrastructure Services UK Ltd T/A SGB | Glasgow | www.sgb.co.uk |
| BJB Lift Trucks Ltd | Grimsby | www.bjblifttrucks.co.uk |
| Warren Access Huntingdon Ltd | Huntingdon | www.warrenaccesstraining.co.uk |
| National Construction College, Study Centre C | Ilford | www.nationalconstructioncollege.co.uk |
| Sky High Access Ltd | Ipswich | www.skyhigh.org.uk |
| Aurelia Ltd | Kentford | www.aureliatraining.co.uk |
| National Construction College, Study Centre C | Kings Lynn | www.nationalconstructioncollege.co.uk |
| JMS - Jackson Mechanical Services Ltd | Leeds | www.jms-access.co.uk |
| JMS - Jackson Mechanical Services Ltd | Leeds | www.jms-access.co.uk |
| BFT Mastclimbing Ltd | Leighton Buzzard | www.bftmastclimbing.com |
| Certs Assured Training Ltd | Letchworth | www.training.certsassured.com |
| National Construction College, Study Centre C | London | www.nationalconstructioncollege.co.uk |
| Alan Barker T/a SkillsTec | Norwich | www.skillstec.co.uk |
| Eastern Counties Access Solution | Norwich | www.ecaccessolutions.com |
| Autec Training Ltd | Peterborough | www.autec.co.uk |
| Safeymen Ltd | Thorpe le Soken | www.safeymen.co.uk |
| Brand Energy & Infrastructure Services UK Ltd T/A SGB | W Thurrock | www.sgb.co.uk |
| Brogan Group (UK) Ltd T/A Brogan Group | Welwyn Garden City | www.brogangroup.com |
| Britannia Safety and Training | Wyndham | www.britanniaits.com |

UNITED KINGDOM - EAST MIDLANDS

| | | |
|---|------------------------|-------------------------------|
| Nationwide Platforms Ltd | Aberdeen | www.nationwideplatforms.co.uk |
| Total Hire & Sales | Alvaston, Derby | www.totalhireandsales.co.uk |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Avonmouth | www.aplant.com |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Barking | www.aplant.com |
| Nationwide Platforms Ltd | Besthorpe | www.nationwideplatforms.co.uk |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Birmingham | www.aplant.com |
| AFI-Uplift Ltd | Bishop Stortford | www.afi-uplift.co.uk |
| Nationwide Platforms Ltd | Bishops Waltham | www.nationwideplatforms.co.uk |
| Nationwide Platforms Ltd | Blackburn | www.nationwideplatforms.co.uk |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Bridgend Mid Glamorgan | www.aplant.com |
| Nationwide Platforms Ltd | Bristol | www.nationwideplatforms.co.uk |
| Nationwide Platforms Ltd | Broxburn | www.nationwideplatforms.co.uk |
| TIME - Versalift | Burton Latimer | www.versalift.co.uk |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Bury | www.aplant.com |

| COMPANY NAME | LOCATION | WEBSITE |
|--------------|----------|---------|
|--------------|----------|---------|

| | | |
|---|-------------------------------|-----------------------------------|
| Nationwide Platforms Ltd | Cardiff | www.nationwideplatforms.co.uk |
| AFI-Uplift Ltd | Castle Donington | www.afi-uplift.co.uk |
| Genie UK Ltd | Cavan | www.genielift.co.uk |
| KNT Training Limited | Chesterfield | www.knt-training.co.uk |
| Mentor Training Solutions Ltd | Chesterfield | www.mentortrainingsolutions.co.uk |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Clyst St.Mary | www.aplant.com |
| Universal Training Services (Midlands) Ltd | Corby | www.uetraining.co.uk |
| Nationwide Platforms Ltd | Cowley | www.nationwideplatforms.co.uk |
| Midland Access Platforms Ltd | Croft | www.midlandaccessplatforms.co.uk |
| Plantool Ltd | Daventry | www.hirecentres.com |
| Total Hire & Sales | Derby | www.totalhireandsales.co.uk |
| Banner Plant Ltd | Dronfield | www.bannerplant.co.uk |
| Nationwide Platforms Ltd | Dundee | www.nationwideplatforms.co.uk |
| Nationwide Platforms Ltd | Durham | www.nationwideplatforms.co.uk |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Fareham | www.aplant.com |
| JJ Training (UK) Limited | Glossop | www.jj.training.org.uk |
| Nationwide Platforms Ltd | Hawarden | www.nationwideplatforms.co.uk |
| UK Tool Hire Ltd T/a UK Powered Access | Ilkeston | www.ukindustriestesting.co.uk |
| Nationwide Platforms Ltd | Kirkby | www.nationwideplatforms.co.uk |
| Nationwide Platforms Ltd | Leeds | www.nationwideplatforms.co.uk |
| Nationwide Platforms Ltd | Leicester | www.nationwideplatforms.co.uk |
| Ormerod Management Services (T/as OMS) | Leicester | www.oms.uk.com |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Lenton | www.aplant.com |
| Nationwide Platforms Ltd | Lisheard | www.nationwideplatforms.co.uk |
| Nationwide Platforms Ltd | Luton | www.nationwideplatforms.co.uk |
| Nationwide Platforms Ltd | Lutterworth | www.nationwideplatforms.co.uk |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Milton Keynes | www.aplant.com |
| Nationwide Platforms Ltd | Motherwell | www.nationwideplatforms.co.uk |
| Nationwide Platforms Ltd | Newstead | www.nationwideplatforms.co.uk |
| Nationwide Platforms Ltd | North Hykeham | www.nationwideplatforms.co.uk |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | North Killingholme, Immingham | www.aplant.com |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Norwich | www.aplant.com |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Nottingham | www.aplant.com |
| PRS Hire Services Ltd | Nottingham | www.prshealthandsafety.co.uk |
| Nationwide Platforms Ltd | Nr.Rochester | www.nationwideplatforms.co.uk |
| Nationwide Platforms Ltd | Peterborough | www.nationwideplatforms.co.uk |
| Shear Training & Consultancy Ltd | Pinchbeck Spalding | www.sheartraining.co.uk |
| AFI-Uplift Ltd | Poole | www.afi-uplift.co.uk |
| AFI-Uplift Ltd | Rotherwell Leeds | www.afi-uplift.co.uk |
| Alimak Hek Ltd | Rushden | www.alimakhek.co.uk |
| AFI-Uplift Ltd | Salisbury | www.afi-uplift.co.uk |
| Lincs Lifts Ltd | Scunthorpe | www.lincslifts.co.uk |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Stockton on Tees | www.aplant.com |
| Mainline (1982) Ltd | Swadlincote | www.mainline-hire.co.uk |
| Nationwide Platforms Ltd | Swansea | www.nationwideplatforms.co.uk |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Swinton, Rotherham | www.aplant.com |
| Nationwide Platforms Ltd | Taunton | www.nationwideplatforms.co.uk |
| Nationwide Platforms Ltd | Warrington | www.nationwideplatforms.co.uk |
| Nationwide Platforms Ltd | West Thurrock | www.nationwideplatforms.co.uk |
| Ashtead Plant Hire Co Ltd, Customer & Technical Training | Wideopen | www.aplant.com |
| Workplatform Ltd | Willow Farm Business Park | www.workplatformltd.co.uk |
| AFI-Uplift Ltd | Winchester | http://www.afi-uplift.co.uk |

UNITED KINGDOM - GREATER LONDON

| | | |
|-----------------------------------|----------|------------------------------|
| LJS Training Services Ltd | Bedmond | www.ljstrainingsservices.com |
| Mr Plant Hire PLC | London | www.mrplanthire.co.uk |
| PHD Hoists & Masts Ltd | Uxbridge | www.phdhm.com |
| RSC Training Ltd | Woolwich | www.rsc-training.co.uk |

| COMPANY NAME | LOCATION | WEBSITE |
|---|---------------------|-----------------------------------|
| UNITED KINGDOM - NORTH EAST | | |
| RS Industrial Services Ltd | Billingham | www.rsis.co.uk |
| North East Access Training Ltd | Birtley | www.northeastaccesstraining.co.uk |
| Wood Group Industrial Services Ltd | Gateshead | www.woodgroup-isl.com |
| Expedient Training Services Ltd | Jarrow | www.expedient-training.co.uk |
| Omega Powered Access Ltd | Middlesbrough | www.omega-access.co.uk |
| Health & Safety Training Ltd | Newcastle upon Tyne | www.hst.uk.com |
| NIS Training Ltd | Newcastle upon Tyne | www.nistraining.co.uk |
| Warren Access Ltd | Newcastle Upon Tyne | www.warrenaccesstraining.co.uk |
| Kean Training Services | Stockton on Tees | |
| Northern Safety Ltd | Thornaby | www.northernsafetyltd.co.uk |
| Tyne & Wear Access NE Ltd | Tyne & Wear | www.tyneandwearaccess.co.uk |

| COMPANY NAME | LOCATION | WEBSITE |
|--|----------------------|---|
| UNITED KINGDOM - NORTH WEST | | |
| G H Training Ltd | Ashton-in-Makerfield | |
| Smart Platform Rental Ltd | Avonmouth | www.smartplatforms.co.uk |
| HSS Hire Service Group Ltd, Training Department | Barnsley | www.hsstraining.com |
| HSS Hire Service Group Ltd, Training Department | Beckton | www.hsstraining.com |
| Higher Safety & Training Solutions Ltd | Blackburn | www.highersafetytraining solutions.co.uk |
| One Stop Hire | Blackburn | www.onestophire.com |
| Smiths Equipment Hire | Blackpool | www.smithsequipmenthire.com |
| Alliance Learning Ltd | Bolton | www.alliancelearning.com |
| Bolton Hire And Training Ltd | Bolton | www.boltonhireandtraining.co.uk |
| Severfield UK Ltd | Bolton | www.severfield.com |
| HSS Hire Service Group Ltd, Training Department | Bristol | www.hsstraining.com |
| Higher Access | Burnley | www.higheraccess.co.uk |
| HSS Hire Service Group Ltd, Training Department | Calcot | www.hsstraining.com |
| HSS Hire Service Group Ltd, Training Department | Cardiff | www.hsstraining.com |
| System People Ltd, t/a SP Training | Carlisle | www.sptraining.uk.com |
| System Training | Carlisle | www.system-training.com |
| Adept Training Services Ltd | Chester | www.adept-training-services-ltd.mytrainingwebsite.co.uk |
| HSS Hire Service Group Ltd, Training Department | Coatbridge | www.hsstraining.com |
| HSS Hire Service Group Ltd, Training Department | Crawley | www.hsstraining.com |
| Smart Platform Rental Ltd | Dartford | www.smartplatforms.co.uk |
| HSS Hire Service Group Ltd, Training Department | Derby | www.hsstraining.com |
| HSS Hire Service Group Ltd, Training Department | Gateshead | www.hsstraining.com |
| HSS Hire Service Group Ltd, Training Department | Greater Manchester | www.hsstraining.com |
| Smart Platform Rental Ltd | Hemel Hempstead | www.smartplatforms.co.uk |
| HSS Hire Service Group Ltd, Training Department | Leeds | www.hsstraining.com |
| Aerial Platforms Ltd | Leigh | www.apltraining.co.uk |
| Astley Hire Ltd | Leigh | www.astleyhiretraining.co.uk |
| Adapt (UK) Training Services | Liverpool | www.adapt-training.co.uk |
| HSS Hire Service Group Ltd, Training Department | London | www.hsstraining.com |
| HSS Hire Service Group Ltd, Training Department | London | www.hsstraining.com |
| HSS Hire Service Group Ltd, Training Department | Manchester | www.hsstraining.com |
| JLG Industries (UK) Ltd | Manchester | www.jlg.com |
| Taylor Training Services (UK) Ltd | Manchester | www.taylor-training.co.uk |
| HSS Hire Service Group Ltd, Training Department | Manor Royall | www.hsstraining.com |
| Smart Platform Rental Ltd | Minworth | www.smartplatforms.co.uk |
| Lancaster Training Services Ltd | Morecambe | www.lantrain.co.uk |
| Speedy Support Services Ltd | Newton-le-Willows | www.speedyservices.com |
| Heyrod Construction Ltd | Oldham | www.heyrod.co.uk |
| SWAT Access Ltd | Preston | |


| COMPANY NAME | LOCATION | WEBSITE |
|--|----------------|---------------------------|
| HSS Hire Service Group Ltd, Training Department | Salford | www.hsstraining.com |
| Smart Platform Rental Ltd | Sheffield | www.smartplatforms.co.uk |
| HSS Hire Service Group Ltd, Training Department | Solihull | www.hsstraining.com |
| HSS Hire Service Group Ltd, Training Department | Southampton | www.hsstraining.com |
| Speedy Support Services Ltd | Tamworth | www.speedyservices.com |
| HSS Hire Service Group Ltd, Training Department | Tebay | www.hsstraining.com |
| HSS Hire Service Group Ltd, Training Department | Telford | www.hsstraining.com |
| Hire Station Limited | Trafford Park | www.hirestation.co.uk |
| Smart Platform Rental Ltd | Trafford Park | www.smartplatforms.co.uk |
| MHA Training Ltd | Warrington | www.mhatraining.co.uk |
| SIM Training Services Ltd | Warrington | |
| HSS Hire Service Group Ltd, Training Department | Wellingborough | www.hsstraining.com |
| Taylor Training Services (UK) Ltd | Wigan | www.taylor-training.co.uk |
| Quick Reach Powered Access Ltd | Wishaw | www.quick-reach.co.uk |
| HSS Hire Service Group Ltd, Training Department | Worcester | www.hsstraining.com |
| Gen II Training & Technology | Workington | www.gen2.ac.uk |
| Lawson's Training Centre Ltd | Workington | www.lawsonstraining.co.uk |
| Trainrite Ltd | Workington | www.trainriteuk.co.uk |
| HSS Hire Service Group Ltd, Training Department | Wyomondham | www.hsstraining.com |

| COMPANY NAME | LOCATION | WEBSITE |
|---|-------------------|-----------------------|
| UNITED KINGDOM - NORTHERN IRELAND | | |
| Balloo Hire Centres Ltd | Belfast | www.balloohire.com |
| Highway Plant Co Ltd | Belfast | www.highwayplant.com |
| KDM Hire Ltd | Co.Tyrone | www.kdmhire.com |
| PFI Training Ltd | Dungannon | www.pfitraining.co.uk |
| Height for Hire (Safety Training) Ltd-UK | Gateshead | www.heightforhire.com |
| Height for Hire (Safety Training) Ltd-UK | Grays | www.heightforhire.com |
| Belfast Skills Development Ltd | Lisburn | www.bsdraining.com |
| Height for Hire (Safety Training) Ltd-UK | Manchester | www.heightforhire.com |
| Height for Hire (Safety Training) Ltd-UK | Newtown Abbey | www.heightforhire.com |
| KDM Hire Ltd | Newtownabbey | www.kdmhire.com |
| Height for Hire (Safety Training) Ltd-UK | North Lanarkshire | www.heightforhire.com |
| Height for Hire (Safety Training) Ltd-UK | Warwickshire | www.heightforhire.com |

| COMPANY NAME | LOCATION | WEBSITE |
|--|-----------------------------|-----------------------------------|
| UNITED KINGDOM - SCOTLAND | | |
| Your Equipment Properties Ltd | Bankside | www.you equipmentsolutions.co.uk |
| Sibbald Ltd | Blackridge | www.sibbaldtraining.com |
| Central Training Services Ltd | Bo'ness | www.central-training.co.uk |
| TrainingPlus.Com Ltd | Broxburn, West Lothian | www.trainingplus.com |
| Access Services (Scotland) Ltd | Coatbridge | www.scotaccess.co.uk |
| Award Training Services Ltd | Dingwall | www.awardtraining.co.uk |
| Access Platforms Aberdeen Ltd | Dyce, Aberdeen | www.accessaberdeen.com |
| Outreach Truck Limited | Falkirk | www.outreachltd.co.uk |
| Fife Council, Skills Development Centre | Fife | www.fifedirect.org.uk/hscourses |
| Contour Training Ltd | Glasgow | www.contourtraining.com |
| Industrial Access Systems Ltd | Glasgow | www.indaccess.co.uk |
| MG Scotland Ltd | Glasgow | www.mgtrainingscotland.co.uk |
| Ritchies HGV Training Centre Ltd | Glasgow | www.ritchiestraining.co.uk |
| TALA Training Ltd | Glasgow | www.talatraining.co.uk |
| TrainingPlus.Com Ltd | Glasgow | www.trainingplus.com |
| Turner Access Ltd | Glasgow | www.turner-access.co.uk |
| J & D Pierce (Contracts) Ltd | Glengarnock | www.jdpierce.co.uk |
| Onestop Access (Scotland) Ltd | Hamilton | www.onestopaccess equipment.co.uk |
| TrainingPlus.Com Ltd | Irvine | www.trainingplus.com |
| Plantfinder (Scotland) Ltd | Kilmarnock | www.plantfinderlimited.co.uk |
| TrainingPlus.Com Ltd | Kintore | www.trainingplus.com |
| Martin Plant Hire Ltd | Motherwell | www.martinplanthire.co.uk |
| Award Training Services Ltd | Muir of Ord | www.awardtraining.co.uk |
| M B Plant | Peterhead | www.mbplant.co.uk |
| Active Access Ltd | Righead Ind Est., Bellshill | www.activeaccess.co.uk |
| FES Ltd | Stirling | www.fes.ltd.uk |

We Put The Life In Your Lift

XC2 High Density Paste Maximizes Runtime and Battery Life



- Highest initial capacity.
- Fastest cycle up to full rated capacity.
- Highest total energy delivered over the life of the battery.

Tough Polypropylene Case Design

High Torque Terminals

Handcrafted in the USA
WWW.USBATTERY.COM

Connecting Global Competence




THE HEARTBEAT OF OUR INDUSTRY

All Key Players. All Trends. All Innovations.

bauma is more than the world's leading trade fair: it is the heartbeat of the industry. With around 600,000 participants, additional halls, and larger space. For even more business.



YOUR VISIT.
YOUR BUSINESS.
YOUR TICKET.



Munich, April 8-14, 2019
www.bauma.de

Contact: Pattern Limited, info@pattern.co.uk, Tel. +44 20 3375 8230



COMPANY NAME LOCATION WEBSITE

UNITED KINGDOM - SOUTH EAST

| | | |
|--|-----------------|------------------------------------|
| TCA Lifting Limited | Alton | www.tcalifting.com |
| Operator Training Services Ltd | Ashford | www.operatortrainingservices.co.uk |
| Mark One Hire Ltd | Chelmsford | www.mark1training.co.uk |
| P Chalk Ltd T/a Orion Access Service | Erith | www.orionaccess.co.uk |
| Safe Training Services (Southern) Ltd | Fareham | www.safetrainingservices.co.uk |
| Operator Training Services Ltd | Godstone | www.operatortrainingservices.co.uk |
| Gamble Training Services Ltd | Guilford | www.gambletraining.co.uk |
| Charles Wilson Engineers Ltd | Hayes | www.cwplant.co.uk |
| Facelift Access Hire | Hickstead | www.facelift.co.uk |
| Kingfisher Access Limited | Hornchurch | www.kingfisheraccess.com |
| Southern Cranes & Access Ltd | Horsham | www.southerncranes.co.uk |
| PG Platforms Ltd | Kent | www.pgplatforms.co.uk |
| Placing Leaders Training Ltd | Lighton Buzzard | |
| Facelift Access Hire | Liverpool | www.facelift.co.uk |
| Kingfisher Access Limited | London | www.kingfisheraccess.com |
| Elavation Ltd | Milton Keynes | www.elavation.net |
| Niftylift Ltd | Milton Keynes | www.niftylift.com |
| Platform Sales & Hire Ltd | Milton Keynes | www.platformsales.co.uk |
| 2 Cousins Access Ltd | Oxford | www.2cousins.co.uk |
| Southern Cranes & Access Ltd | Pulborough | www.southerncranes.co.uk |
| Facelift Access Hire | Purfleet | www.facelift.co.uk |
| Fenton Plant Hire | Reading | www.fentonplant.co.uk |
| South East Powerline Services Ltd | Ringmer | www.seps.uk.com |
| Kingfisher Access Limited | Rochester | www.kingfisheraccess.com |
| Facelift Access Hire | Southampton | www.facelift.co.uk |
| New Forest Training Services | Southampton | www.nfrainingservices.co.uk |
| Mark One Hire Ltd | Southend | www.mark1training.co.uk |
| UK Power Networks | Sundridge | www.ukpowernetworks.co.uk |
| Advanced Access Platforms Ltd | Sutton | www.accessplatformsuk.com |
| Kingfisher Access Limited | Telford | www.kingfisheraccess.com |
| Kentec Training Ltd | Tonbridge | www.kentectraining.co.uk |
| JPS Platforms Ltd | Waltham Abbey | www.jpstoolandaccess.co.uk |
| Safe Training Services (Southern) Ltd | Wareham | www.safetrainingservices.co.uk |
| Facelift Access Hire | West Bromwich | www.facelift.co.uk |
| Summit Platforms Ltd | Wishaw | www.summitplatforms.co.uk |
| Gamble Training Services Ltd | Worthing | www.gambletraining.co.uk |

UNITED KINGDOM - SOUTH WEST

| | | |
|---|------------|------------------------------|
| Davis Access Ltd | Bristol | www.davisaccess.co.uk |
| Prolift Access Ltd | Bristol | www.proliftaccess.co.uk |
| LTC Training Services Ltd, (A Div. of LTC Group87 Ltd) | Cullompton | www.lctrainingservices.co.uk |
| Prolift Access Ltd | Dorset | www.proliftaccess.co.uk |
| Ermin Plant (Hire & Services) Ltd | Gloucester | www.ermind.co.uk |
| Global FLT Ltd | Gloucester | www.globalflt.com |
| OTJ Training, Ladder And Fencing Industries (Newent) Ltd | Newent | www.otjtraining.com |
| LTC Training Services Ltd, (A Div. of LTC Group87 Ltd) | Plymouth | www.lctrainingservices.co.uk |
| A1 Hire & Sales Ltd | Poole | www.a1hire.co.uk |
| LTC Training Services Ltd, (A Div. of LTC Group87 Ltd) | Redruth | www.lctrainingservices.co.uk |
| Prolift Access Ltd | Victoria | www.proliftaccess.co.uk |
| Prolift Access Ltd | Wellington | www.proliftaccess.co.uk |

UNITED KINGDOM - WALES

| | | |
|---|----------|--------------------------------------|
| Anglesey Safety Training | Anglesey | www.angleseysafetytraining.com |
| AJ Access Platforms Ltd | Caldicot | www.accessplatforms.com |
| Alpha Safety Training Ltd | Cardiff | www.alphasafety.co.uk |
| Training-4-Safety | Deeside | www.training-4-safety.co.uk |
| Mid Glamorgan Fork Truck Training Services Ltd | Hengoed | www.midglam-forktruck-training.co.uk |
| Barry Training Services Ltd | Penarth | www.barrytrainingservices.co.uk |
| Alpha Safety Training Ltd | Swansea | www.alphasafety.co.uk |

UNITED KINGDOM - WEST MIDLANDS

| | | |
|--|---------------|------------------------------|
| Kingscote Ltd T/a Webbs Training Services | Birmingham | www.webbs-training.com |
| P B Training Services Ltd | Brierley Hill | www.pbtrainingservices.co.uk |

COMPANY NAME LOCATION WEBSITE

| | | |
|---|----------------|---|
| GT Access Ltd | Bromsgrove | www.gtaccess.co.uk |
| Premier Platforms Ltd | Cavan | www.premier-platforms.co.uk |
| Oakbarn Training | Coventry | www.poweredaccess.co.uk |
| SAT Services Training Ltd | Dudley | www.satservices.org |
| Bella Access Ltd | Fenton | www.bellaaccess.com |
| Hire Safe Solutions Ltd | Leamington Spa | www.hiresafesolutions.com |
| Kingscote Ltd T/a Webbs Training Services | Milton Keynes | www.webbs-training.com |
| Generation (UK) Ltd | Oldbury | www.generationhireandsale.co.uk |
| Interserve Industrial Services Ltd, QSHE Department, Floor 7 | Renfrewshire | www.interserve.com |
| Generation (UK) Ltd | Rutherglen | www.generationhireandsale.co.uk |
| Forcegroup Training Services Ltd | Stoke on Trent | www.forcegrouptraining.co.uk |
| Shropshire County Trainers Ltd | Telford | www.sctcentre.com |
| Generation (UK) Ltd | Wakefield | www.generationhireandsale.co.uk |
| Adastra Access Ltd | Walsall | www.adastra-access.co.uk |
| Harris Safety Training Services Ltd | Worcester | www.harrissafetytraining-services.co.uk |

UNITED KINGDOM - YORKSHIRE

| | | |
|---|------------|----------------------------------|
| Apollo Cradles Ltd | Barnsley | www.apollocradles.co.uk |
| Lifterz Ltd | Bathgate | www.lifterz.co.uk |
| ALS Safety Limited | Berkshires | www.alsafety.co.uk |
| 1 Up Access Ltd | Bolton | www.1upaccess.co.uk |
| Boss Training Ltd | Brighouse | www.bosstraining.co.uk |
| Boss Training Ltd | Brighouse | www.bosstraining.co.uk |
| Lifterz Ltd | Daventry | www.lifterz.co.uk |
| Hird Ltd | Doncaster | www.hird.co.uk |
| MECsafe Ltd | Doncaster | www.mecsafe.co.uk |
| Hird Ltd | Hull | www.hird.co.uk |
| National Safety Training Services | Hull | www.nationalsafetytraining.co.uk |
| ALS Safety Limited | Hunslet | www.alsafety.co.uk |
| The Safety Maintenance Company Ltd | Leeds | www.thesmcl.co.uk |
| Horizon Platforms Ltd | Normanton | www.ipaftrainingcourses.co.uk |
| Hird Ltd | Redhill | www.hird.co.uk |
| Elevation Training & Development Ltd | Rotherham | www.elevationtraining.co.uk |
| 1 Up Access Ltd | Sheffield | www.1upaccess.co.uk |
| Eagle Platforms Ltd | Sheffield | www.eagleplatforms.com |
| British Telecommunications PLC | Stone | www.btplc.com |
| Gardner Denver Ltd | Tong | www.gdpoweredaccess.com |
| Lifterz Ltd | Wakefield | www.lifterz.co.uk |
| Lifterz Ltd | Wakefield | www.lifterz.co.uk |
| Horizon Platforms Ltd | Warrington | www.ipaftrainingcourses.co.uk |
| Boss Training Ltd | Wednesbury | www.bosstraining.co.uk |
| ALS Safety Limited | Wembley | www.alsafety.co.uk |

UNITED STATES

| | | |
|---|----------------|--------------------------------------|
| 8a Consulting and Training Services, Cuautemoc Ochoa | Chula Vista | www.8atraining.com/ |
| All Access Equipment LLC | Wilmington | www.allaccessequipment.com |
| Alpha Platforms, (SSP Group Inc) | Brooklyn | www.alphaplatforms.com |
| AMP Sales and Services LLC | Bedford | www.ampservicesllc.com |
| Area Work Platform Inspection, Inc. | Covington | |
| BAE Systems, U.S. Combat System | York | www.baesystems.com |
| Blade Platforms LLC | Abilene | www.bladeplatforms.com |
| Butler County Area Vocational-Technical School | Butler | www.bcvl.tec.pa.us/ |
| Construction Safety Council | Hillside | www.buildsafe.org |
| Eckstine & Associates, Inc | Waynesboro PA | |
| Haulotte US | Virginia Beach | www.haulotte-usa.com |
| Hoj Engineering & Sales Co | Salt Lake City | www.hoj.ne |
| Institute For Aerial Lift Safety | Philadelphia | www.aerialliftsafety.org |
| JCB Inc | Pooler | www.jcbna.com |
| JLG Industries, Inc | McConnellsburg | www.jlg.com |
| Mastclimbers LLC | Grayson | www.mastclimbers.com |
| Niftylift Inc | Greer | www.niftylift.com/usa |
| O&G Industries Inc. | Torrington | www.ogind.com |
| Operating Engineers Local 324 JATF | Howell | www.benesysinc.com/benefit/oe324jatl |
| Operating Engineers, Local 150 Apprenticeship | Wilmington | www.asiplocal150.org |

| COMPANY NAME | LOCATION | WEBSITE |
|---|------------------|--|
| ReachMaster Inc | Porter | www.reachmaster.com |
| Scaffold and Access Industry Association | Kansas City | www.scaffold.org |
| Sheet Metal Workers #33 Cleveland JATC | Parma | |
| Sheet Metal Workers Local 137 JATC, Signage | Long Island City | www.info@local137.com |
| Sheet Metal Workers Local 73 Chicago | Belwood | www.jatc73.org |
| Sheet Metal Workers Local Union 1 & Central IL, Chapter of SMACNA, Inc | Morton | www.smw1.com |
| Sheet Metal Workers Union Local 33 - Toledo area | Rossford | www.smwlu33.org |

| COMPANY NAME | LOCATION | WEBSITE |
|---|--------------|--|
| Skyjack Inc | St. Charles | www.skyjack.com |
| Teupen North America | Pineville | www.teupen-usa.com |
| United Rentals Inc, Corporate Headquarters | Stamford | www.unitedrentals.com |
| Valcourt Exterior Building Services of NJ, LLC | Millstone | www.valcourt.net |
| URUGUAY | | |
| Ramirez | Canelones | www.ramirez.com.uy |
| TecnoAndamio - Nizepel SA | San Bernardo | www.tecnoandamio.cl |
| ZAMBIA | | |
| Boogart Technical Ltd | Kitwe | www.btech.co.zm |



SMART DRIVE ACCESS.

GROWTH HACK YOUR BUSINESS WITH BRAVI'S INTELLIGENT APPROACH TO OPERATIONAL WORK SPACES. DISCOVER A MULTIPLE PURPOSE AERIAL PLATFORM DESIGNED TO TICK ALL THE BOXES .

SAFELY ACCESS, MULTIPLE POSITIONS, OPTIMISE TASK RATES & OPERATIONS.

BRAVI[®]
PLATFORMS

WWW.BRAVI-PLATFORMS.COM

OR REGISTER ONLINE AT: www.khl.com/subs/AI

1 CHOOSE YOUR MAGAZINE/S

- Access International**
- Access, Lift & Handlers*
- American Cranes & Transport*
- Construction Europe*
- Construction Latin America*
- Demolition & Recycling International*
- International Construction*
- International Construction (Turkish)*
- International Cranes and Specialized Transport*
- International Rental News*
- Cranes & Project Transport (Turkish)*

2 CHOOSE YOUR E-NEWSLETTER/S

- Access International**
- Access, Lift & Handlers*
- Construction Latin America*
- Demolition & Recycling International*
- International Construction China (Chinese)*
- International Rental News*
- World Construction Week*
- World Crane Week*

3 ORGANIZATION TYPE

- Contractors/Sub-Contractor
- Equipment Rental
- Industrial Maintenance
- Industrial Establishment
- Manufacturer of Equipment
- Distributor / Agent / Equipment Sales
- Airports / Ports / Docks / Offshore
- Public/Private Utilities
- Consultant/finance/regulator
- Other (Please specify) :

POST TO: KHL Group,
Circulation, Southfields, Southview Road,
Wadhurst, East Sussex, TN5 6TP, UK
E-MAIL: circulation@khl.com



4 YOUR DETAILS

Name: _____

Job title: _____

Company: _____

Address: _____

Town: _____

Country: _____

County/State: _____

Post code/Zip code: _____

e-mail: _____

5 Do you purchase or influence the purchase of construction equipment or services?

YES NO

6 What is the annual turnover of your company (US\$ millions):

Under \$1 million \$1-3million

\$3-5million \$5-20million

\$20-100million Over \$100 million

7 FORMAT OF MAGAZINE

PRINT DIGITAL PRINT & DIGITAL

8 YOUR PREFERENCES

KHL Group Ltd will keep you up to date with industry insight, products and events relevant to you as a professional in the construction or power industry. If you do not wish to receive such information, please tick the selected boxes below.

e-mail Telephone Post

KHL works with other companies in the construction and power industry and will contact you about their products and services.

I would like to receive e-mails from KHL about other third party products

All e-mails will contain a link in the footer to enable you to unsubscribe at any time. For more information, please see our Privacy Policy: www.khl.com/privacy-policy

9 SIGN AND DATE:

SIGNATURE: _____

DATE: _____

CONVERSION TABLES

These tables and conversion factors are provided to help readers with comparisons between Imperial (UK), US, and metric measurements.

| SPEED | | | | | | | | | |
|-----------------------|----|----|----|----|----|-----|-----|-----|-----|
| Miles per hour (mph) | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 |
| Kilometre/hour (km/h) | 32 | 48 | 64 | 80 | 96 | 112 | 128 | 144 | 160 |

| FUEL | | | | | | | | | |
|--------------|------|------|-------|-------|-------|-------|-------|-------|--|
| Gallons (UK) | 1 | 2 | 4 | 6 | 8 | 10 | 12 | 14 | |
| Litres | 4.55 | 9.09 | 18.18 | 27.27 | 36.37 | 45.46 | 54.54 | 63.64 | |
| Gallons (US) | 1 | 2 | 4 | 6 | 8 | 10 | 12 | 14 | |
| Litres | 3.78 | 7.54 | 15.14 | 22.71 | 30.28 | 37.85 | 45.45 | 53.00 | |

| WEIGHT | | | | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| Pounds | 1 | 2 | 3 | 4 | 5 | 10 | 14 | 20 | |
| kilograms | 0.454 | 0.907 | 1.361 | 1.814 | 2.268 | 4.536 | 6.350 | 9.072 | |

| TEMPERATURE | | | | | | | | | | | | |
|-------------|----|----|----|----|----|----|----|----|-----|-----|-----|-----|
| °F | 32 | 40 | 50 | 60 | 70 | 75 | 85 | 95 | 105 | 140 | 175 | 212 |
| °C | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 60 | 80 | 100 |

| METRIC CONVERSION | | |
|---|---|---|
| LENGTH | | |
| 1 millimetre (mm) | = | 0.0394 ins |
| 1 metre (m) (1000 mm) | = | 1.0936 yds |
| 1 kilometre (km) (1000 m) | = | 0.5214 mile |
| 1 inch | = | 25.4 mm |
| 1 yard (36 inches) | = | 0.9144 m |
| 1 mile (1760 yards) | = | 1.6093 km |
| AREA | | |
| 1 square metre (m ²) (10000 cm ²) | = | 1.1960 square yds |
| 1 hectare (he) (10000 m ²) | = | 2.4711 acres |
| 1 square km (km ²) (100 hectares) | = | 0.3851 square mile |
| 1 square yard (9 square feet) | = | 0.8361 m ² |
| 1 acre (4840 yards ²) | = | 4046.9 m ² |
| VOLUME | | |
| 1 cubic metre (m ³) | = | 1.3080 cubic yards |
| 1 litre (l) | = | 0.2200 gallon |
| 1 cubic yard (27 cubic feet) | = | 0.7646 m |
| 1 pint (4 gills) | = | 0.5683 litre |
| 1 gallon (8 pints) | = | 4.5401 litres |
| HEAT | | |
| 1 British Thermal Unit (BTU) | = | 1055 joules |
| 1 BTU/lb | = | 2.326 kilojoules/kg |
| WEIGHT | | |
| 1 gramme (g) (1000 mg) | = | 0.0353 oz |
| 1 pound (lb) (16 ounces) | = | 0.4536 kg |
| 1 ton (2240 pounds) | = | 1.0161 tonnes |
| 1 US ton | = | 2000 lb |
| 1 metric tonne | = | 2200 lb |
| 1 hundred weight (cwt) | = | 112 lb |
| POWER | | |
| 1 horsepower (hp) | = | 746 watts (0.75 kW) |
| 1 kilowatt (kW) | = | 1.34 hp |
| PRESSURE | | |
| 1 bar (atmosphere) | = | 14.2 psi |
| 1 pound/inch ² (psi) | = | 6895 N/m ² |
| 1 (Newton/m ²) Nm ² | = | 1 pascal (Pa) |
| 20 lb/in ² | = | 1.41 kg/cm ² |
| USA WET MEASURE EQUIVALENTS | | |
| 1 US pint (16 fl oz) (0.8327 UK pt) | = | 0.4732 litre |
| 1 US gallon (0.8327 UK gal) | = | 3.7653 litres |
| 1 UK pint | = | 0.473 litres |
| 1 US barrel | = | 5.62 ft ³ = 0.159 m ³ |

Please do not use the conversion factors in important technical or safety calculations as they are offered as a guide to conversion and not as a precise listing.

| Inches (") | Millimetres (mm) |
|------------|------------------|
| 0.039 | 1 |
| 0.079 | 2 |
| 0.118 | 3 |
| 0.157 | 4 |
| 0.197 | 5 |
| 0.236 | 6 |
| 0.276 | 7 |
| 0.315 | 8 |
| 0.354 | 9 |

| Miles | Kilometres (km) |
|-------|-----------------|
| 0.621 | 1 |
| 1.243 | 2 |
| 1.864 | 3 |
| 2.485 | 4 |
| 3.105 | 5 |
| 3.728 | 6 |
| 4.350 | 7 |
| 4.971 | 8 |
| 5.592 | 9 |

| Feet (') | Metres (m) |
|----------|------------|
| 3.281 | 1 |
| 6.562 | 2 |
| 9.843 | 3 |
| 13.123 | 4 |
| 16.404 | 5 |
| 19.685 | 6 |
| 22.966 | 7 |
| 26.247 | 8 |
| 29.528 | 9 |

| Yards (yd) | Metres (m) |
|------------|------------|
| 1.094 | 1 |
| 2.187 | 2 |
| 3.281 | 3 |
| 4.375 | 4 |
| 5.468 | 5 |
| 6.564 | 6 |
| 7.658 | 7 |
| 8.752 | 8 |
| 9.846 | 9 |

| Square Feet (ft ²) | Square Metres (m ²) |
|--------------------------------|---------------------------------|
| 10.764 | 1 |
| 21.528 | 2 |
| 32.292 | 3 |
| 43.056 | 4 |
| 53.819 | 5 |
| 64.583 | 6 |
| 75.347 | 7 |
| 86.111 | 8 |
| 96.875 | 9 |

| Square Yards (yd ²) | Square Metres (m ²) |
|---------------------------------|---------------------------------|
| 1.196 | 1 |
| 2.392 | 2 |
| 3.588 | 3 |
| 4.784 | 4 |
| 5.980 | 5 |
| 7.176 | 6 |
| 8.372 | 7 |
| 9.568 | 8 |
| 10.764 | 9 |

| Cubic Feet (ft ³) | Cubic Metres (m ³) |
|-------------------------------|--------------------------------|
| 35.315 | 1 |
| 70.629 | 2 |
| 105.943 | 3 |
| 141.258 | 4 |
| 176.572 | 5 |
| 211.887 | 6 |
| 247.201 | 7 |
| 282.516 | 8 |
| 317.830 | 9 |

| Cubic Yards (yd ³) | Cubic Metres (m ³) |
|--------------------------------|--------------------------------|
| 1.308 | 1 |
| 2.616 | 2 |
| 3.924 | 3 |
| 5.232 | 4 |
| 6.540 | 5 |
| 7.848 | 6 |
| 9.156 | 7 |
| 10.464 | 8 |
| 11.772 | 9 |

| Ounces (oz) | Grammes (g) |
|-------------|-------------|
| 0.035 | 1 |
| 0.071 | 2 |
| 0.106 | 3 |
| 0.141 | 4 |
| 0.176 | 5 |
| 0.212 | 6 |
| 0.247 | 7 |
| 0.282 | 8 |
| 0.317 | 9 |

| Pounds (lb) | Kilograms (kg) |
|-------------|----------------|
| 2.205 | 1 |
| 4.409 | 2 |
| 6.614 | 3 |
| 8.819 | 4 |
| 11.023 | 5 |
| 13.226 | 6 |
| 15.432 | 7 |
| 17.637 | 8 |
| 19.842 | 9 |

| Gallons (gall) | Litres (l) |
|----------------|------------|
| 0.220 | 1 |
| 0.440 | 2 |
| 0.660 | 3 |
| 0.880 | 4 |
| 1.101 | 5 |
| 1.321 | 6 |
| 1.541 | 7 |
| 1.761 | 8 |
| 1.981 | 9 |

| Pints (pt) | Litres (l) |
|------------|------------|
| 1.761 | 1 |
| 3.521 | 2 |
| 5.282 | 3 |
| 7.043 | 4 |
| 8.804 | 5 |
| 10.564 | 6 |
| 12.325 | 7 |
| 14.086 | 8 |
| 15.847 | 9 |

The key figures printed in the centre column, can be read as either metric or imperial, example: 1 metre = 1.094 yards or 1 yard = 0.914 metres

DESIGNED

WITH THE JOBSITE IN MIND



NOT YOUR TYPICAL SCISSOR LIFT.



LIGHTWEIGHT



CONSTRUCTION READY



COMPACT



HEAVY DUTY

HY-BRID LIFTS
BY CUSTOM EQUIPMENT LLC

FOR MORE INFORMATION CONTACT US TODAY 262-644-1300 // WWW.HYBRIDLIFTS.COM



The world authority
in powered access

IPAF PAL Cards are welcomed on **Build UK sites.**

If you use one of these,



you need one of these.



Courses available:
Operator, Demonstrator,
Harness, Load/Unload,
Pre-delivery Inspection
(PDI) and Management

IPAF Approved Training Centres train more than 150,000 operators every year in the safe and effective use of powered access platforms.

The IPAF PAL Card is recognised worldwide across industries as proof that your operators have been trained to the highest safety standards and meet all legal requirements.

Find an IPAF approved training centre at www.ipaf.org

The IPAF operator training programme is certified by TÜV as conforming to ISO 18878.

