Fujitsu recommends Windows 10 Pro.



Data Sheet FUJITSU Notebook LIFEBOOK E756

Uncompromising Elegant Design and Functionality

As a member of the FUJITSU Notebook LIFEBOOK E7 Series, the LIFEBOOK E756 is the right choice if you need a stylish notebook with high value features to support you in your daily work. With its 39.6 cm (15.6-inch) display, light weight of only 1.9 kg (4.2 lbs), extensive set of interfaces and high-end security features this modular notebook offers you full convenience and flexibility.

Family Concept

Reduce your acquisition cost as well as the complexity of your IT equipment

- Shared components such as AC Adapter, modular bay elements, port replicator, keyboard layout and shared mainboard with same drivers, BIOS, bit image with LIFEBOOK E736 and LIFEBOOK E77.6
- Port replicator compatible with previous model and shared across 8 devices in LIFEBOOK notebook, 2 in 1 and mobile workstation.



Maximize your productivity with premium notebooks providing ultimate convenience and best feature set for business users

- Modular bay for 2nd battery, 2nd HDD, DVD Super Multi, Blu-ray Disc[™] Triple Writer, Weight Saver for convenient and flexible working
- Integrated fingerprint sensor, SmartCard reader and latest TPM for protection of company data
- Full set of interfaces with VGA, Display Port shared for HDMI and optional embedded 4G/LTE

High-end Design

Outstanding mobility, ease of use and sleek looks for highest business demands

Especially slim from 20 mm (0.78-inch), weighing only 1.9 kg (4.2 lbs), high-value material of magnesium lid, aluminum palm rest and strong metal hinges













Page 1 / 7 www.fujitsu.com/fts/mobile

Components

| Base unit | LIFEBOOK E756 non-vPro | LIFEBOOK E756 vPro | |
|--------------------------------|---|---|--|
| Operating systems | | | |
| Operating system pre-installed | Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home Windows 7 Professional (available through downgrade rights from Windows 10 Pro) | Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home Windows 7 Professional (available through downgrade rights from Windows 10 Pro) | |
| Operating system compatible | Windows 8.1 Pro (available through downgrade rights from Windows 10 Pro) | Windows 8.1 Pro (available through downgrade rights from Windows 10 Pro) | |
| Operating system notes | Operating system compatible Windows 7 Professional 64- bit (with 6th generation Intel® processors) Windows 7 Professional 32-bit (with 6th generation Intel® processors) Certified for SUSE Enterprise Desktop | Operating system compatible Windows 7 Professional 64-bit (with 6th generation Intel® processors) Windows 7 Professional 32-bit (with 6th generation Intel® processors) Certified for SUSE Enterprise Desktop | |
| | *Processor only for retail, SMB, education and government | | |
| | Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes Intel® Core™ Processor with Intel® Small Business Advantage - Smart Platform for Unmanaged Small Business | | |
| Hard disk notes | One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III (6GBit/s) If configured with an HDD, the drive has an integrated shock sensor. | | |
| Modular bay options | 2nd hard disk drive | | |
| Multimedia | | | |

Base unit

| Base unit | LIFEBOOK E756 non-vPro | LIFEBOOK E756 vPro |
|-------------------------------|--|--|
| General system information | | |
| Chipset | Integrated | Integrated |
| Chipset notes | | Supports iAMT 11.0 Intel® vPro™ requires Core i5-63xx & i7-66xx CPU, Intel WLAN 8260ac, TPM module |
| Supported capacity RAM (max.) | 32 GB | 32 GB |
| Memory slots | 2 DIMM (DDR4) | 2 DIMM (DDR4) |
| Memory notes | DDR4 - 2133 MHz | DDR4 - 2133 MHz |
| LAN | Built-in 10/100/1,000 MBit/s Intel® I219V | Built-in 10/100/1,000 MBit/s Intel® I219LM |
| BIOS version | UEFI Specification 2.4 | UEFI Specification 2.4 |
| BIOS features | InsydeH20 Bios | InsydeH20 Bios |
| Audio type | On board | On board |
| Audio codec | Realtek ALC255 | Realtek ALC255 |
| Audio features | Stereo speakers | Stereo speakers |
| MIL-STD tested | Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty. | Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty. |

Page 2 / 7 www.fujitsu.com/fts/mobile

| Display | | |
|---|---|---|
| Display notes | ISO 9241-307 - Pixel class II HD: Viewing angle: L/R 40°, T 10°, B 30°, Color Gammut: 45% | ISO 9241-307 - Pixel class II HD: Viewing angle: L/R 40°, T 10°, B 30°, Color Gammut: 45% |
| | FHD IPS: Viewing angle: L/R/T/B: 85°; Color Gammut: 60% | FHD IPS: Viewing angle: L/R/T/B: 85°; Color Gammut: 60% |
| Graphics | | |
| Base unit | LIFEBOOK E756 non-vPro | LIFEBOOK E756 vPro |
| TFT resolution (DisplayPort) | up to 4,096 × 2,160 | up to 4,096 × 2,160 |
| TFT resolution (VGA) | up to 1,920 x 1,200 | up to 1,920 x 1,200 |
| TFT resolution (DVI on Port Replicator) | up to 1,920 x 1,200 | up to 1,920 x 1,200 |
| Graphics brand name | Intel® HD Graphics 520 | Intel® HD Graphics 520 |
| Graphics features | 3 Display Support (2 external, 1 internal) | 3 Display Support (2 external, 1 internal) |
| Graphics notes | Shared memory depending on main memory size and operating system | Shared memory depending on main memory size and operating system |
| Interfaces | | |
| DC-in | 1 | |
| Audio: line-out / headphone | 1 | |
| Audio: line-in / microphone | 1 | |
| Internal microphones | 2x digital microphones (array) | |
| USB 2.0 total | 1 | |
| USB 3.1 Gen1 (USB 3.0) total | 3 (1 with Anytime USB Charge functionality) | |
| VGA | 1 (exclusive with DP) | |
| DisplayPort | 1 (exclusive with VGA) | |
| HDMI | 1 | |
| Ethernet (RJ-45) | 1 | |
| Memory card slots | 1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB) | |
| SmartCard slot | 1 (optional) | |
| SIM card slot | 1 (only for models with integrated 3G/UMTS or 4G/LTE models | dule) |
| Keyboard and pointing devices | | |
| nersould and pointing devices | Black colored key caps for backlight keyboard#Black colore keyboard#Standard keyboard w/o touchstick (spill-resistar | |
| | Number of keyboard keys: 104, Keyboard pitch: 19 mm, Ke | eyboard stroke: 1.7 mm |
| | Multi gesture touchpad (105mmx66mm) with 2 integrate Application buttons Status LED | d mouse buttons |
| Wireless technologies | | |
| Antennas | 2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional | |
| Bluetooth | v4.2 | |
| WLAN encryption | WEP, WPA, WPA2 | |
| WLAN notes | Import and usage according to country-specific regulation | S. |
| WiDi support | Yes (with Intel W-LAN) | |
| GPS | · | Embedded in 3G/4G module if configured with WWAN |
| Power supply | | |
| Notes | 65W AC Adapter for usage with system/ 80 & 90W AC Adapter for usage with Port Replicator | |
| | up to 14h | |
| Runtime 1st dattery | | |
| Runtime 1st battery Runtime 1st + 2nd battery | up to 19 h | |

Page 3 / 7 www.fujitsu.com/fts/mobile

| Power supply | | |
|-------------------------------------|---|---|
| Battery notes | Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. | |
| Noise emission | | |
| Noise emission | Please refer to the Eco Declaration | Please refer to the Eco Declaration |
| Dimensions / Weight / Environmental | | |
| Dimensions (W x D x H) | 374 x 250 x 20 (front) - 27 (rear) mm | |
| | 14.72 x 9.84 x 0.78 (front) - 1.06 (rear) inch | |
| Weight | from 1.9 kg | |
| Weight (lbs) | from 4.2 lbs | |
| Weight notes | Incl. weight saver. Weight may vary depending on actu | ual configuration. |
| Operating ambient temperature | 5 - 35 °C (41 - 95 °F) | |
| Operating relative humidity | 20 - 80 % | |
| Compliance with standards | | |
| Germany | GS (Full HD Display only) | |
| Europe | CE | |
| <u>'</u> | СВ | |
| USA/Canada | FCC (depending on configuration) | |
| Global | RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) EPEAT® Gold (dedicated regions) | |
| China | CCC (depending on configuration) | |
| Compliance link | https://sp.ts.fujitsu.com/sites/certificates | |
| Additional Software | | |
| Additional software (preinstalled) | Adobe® Reader® (pdf reader) Win7 or Win 8.1 only McAfee Internet Security and Antivirus Software (60 days trial version) Fujitsu LIFEBOOK Application Panel Fujitsu Display Manager Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Microsoft Office (buy license to activate the pre-installed Microsoft Office) Win10 and Win 8.1: Microsoft Push Button Recovery (hard disk based recovery) Win7: Fujitsu Recovery (hard disk based recovery) | |
| Additional software (optional) | Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows® LTE / UMTS Connection Manager (if configured with 4G/LTE or 3G/UMTS) DVD playback software CyberLink YouCam (webcam software) | |
| Manageability | | |
| Security | | |
| Physical Security | Kensington Lock support | Kensington Lock support |
| System and BIOS Security | Absolute Persistence® technology capable BIOS Optional: Trusted platform module (TPM 1.2 or 2.0) EraseDisk (optional) | Absolute Persistence® technology capable BIOS Optional: Trusted platform module (TPM 1.2 or 2.0) EraseDisk (optional) |

Page 4 / 7 www.fujitsu.com/fts/mobile

Security Access protection via internal SmartCard reader (optional) Access protection via internal SmartCard reader (optional) **User Security** Embedded fingerprint sensor (optional) Embedded fingerprint sensor (optional) Hard disk password Hard disk password User and supervisor BIOS password User and supervisor BIOS password Workplace Protect (secure authentication solution) Workplace Protect (secure authentication solution) SystemLock 3 SmartCard Security (optional): BIOS based SystemLock 3 SmartCard Security (optional): BIOS based pre-boot/ two-factor authentication for high level of access pre-boot/ two-factor authentication for high level of access

| Warranty | | |
|--|--|--|
| Warranty period | 2 years (for countries within EMEIA) | |
| Warranty type | Bring-in Service / Collect & Return Service (depending on country) | |
| Warranty Terms & Conditions Product Support Services - the perfe | http://support.ts.fujitsu.com/warranty ect extension | |
| Recommended Service | 9x5, Onsite Response Time: Next Business Day | |
| Spare Parts availability | 5 years after end of product life | |
| | 5 years | |
| Service Weblink | htttp://ts.fujitsu.com/Supportservice | |

Recommended Accessories

Port Replicator for LIFEBOOK T7, E5, E7 Series and CELSIUS H730, H760



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.

Order Code: S26391-F1337-L109

Second Battery for Modular Bay



Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.

Order Code: S26391-F1314-L509

Wireless Mouse WI200



The Wireless Mouse WI200 uses the latest wireless 2.4 GHz technology. and a high-resolution 1000 dpi optical sensor to give you the precision and \$26381-K462-L100 reliability you need. Sporting a compact design with a stylish black finish, the WI200 wireless mouse is well suited to all environments and to each user whether right or left handed.

Order Code:

UC&C USB Headset Stereo H650e



The UC&C USB Headset Stereo H650e is the ultimate in style and functionality. Long, uncomfortable work calls are a thing of the past thanks to the cushioned ear pads and crystal clear sound. Adjustable headband and microphone provides the perfect fit for everyone. Optimized for Microsoft® Lync™ the headset displays a red 'in-call' LED to let your co-workers know when you're available, thus helping to boost office productivity.

Order Code: S26391-F7139-L10

Page 5 / 7 www.fujitsu.com/fts/mobile

MicroSaver Slim 2.0



The new Fujitsu Kensington MicroSaver 2.0 slim features the patented T-Bar Order Code: locking mechanism with carbon tempered steel core cable and an external S26361-F1650-L202 braided steel sheath. The MicroSaver slim 2.0 is available with Kensington Master Access. This security solution allows you to manage and maintain a limitless number of locks with a master key.

Prestige Top Case 15



The Prestige Top Case 15 protects notebooks with up to 15.6-inch screens. A Order Code: padded top-loading notebook compartment made of shock-absorbing foam \$26391-F1194-L50 ensures additional protection. It's front pouch is ideal for storing of power adaptors, office supplies or personal items. It is the perfect business case in a practical design.

Display P27-8 TS Pro



If you're a pixel, color and performance-hungry professional using demanding applications, the FUJITSU P27-8 TS Pro Display is the perfect choice. The display provides outstanding picture performance thanks to cutting-edge panel technology and 3.7 Mio pixels. It also boasts unique and innovative features such as our patent-applied Presence Sensor technology and USB support during standby.

Order Code: S26361-K1594-V160

Wireless Keyboard Set LX901



The Wireless Keyboard LX901 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set offers ambitious users more functions and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption.

S26381-K565-L4** (**: Country specific variation)

Second Hard Disk Drive or SSD Carrier for Modular Bay



Modern business generates more and more data everyday so you may find Order Code: yourself needing some extra storage space for critical data. Extend your storage with this 2nd HDD or SSD option by simply sliding this carrier into the modular bay slot on your Fujitsu LIFEBOOK. Choose the storage capacity to suit your needs and order separately from the list of options.

S26391-F1244-L709

More information

Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK E756, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK E756, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html

Copyright 2019 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2019-03-25 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html
Copyright 2019 Fujitsu Technology Solutions GmbH