Data sheet

HP LaserJet Managed E60075 series



This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.



HP LaserJet Managed E60075dn



HP LaserJet Managed E60075x

The world's most secure printing1

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.
- Give workgroups what they need to succeed. Easily choose and deploy over 175 HP and third-party solutions.

High-speed performance meets energy efficiency.

- Speed through tasks and save paper. Print two-sided documents nearly as fast as one-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as _ seconds.4
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.5
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

More. Pages, Performance, and Protection.6


- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.6
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersEveurityclaims. ² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/yebjetadmin. ³ Weasured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. ⁵ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/liclaims ⁶ More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original Laser/let Toner Cartridges. For more information, see http://www.hp.com/go/liclamaboutsupplies ⁷ HP 37X High Yield Black Original Laser/let Toner Cartridges not included; please purchase separately.

Product walkaround

- 1. Hardware Integration Pocket³
- 2. 4.3-inch (10.9 cm) color touchscreen control panel
- 3. Easy-access USB port1
- 4. 100-sheet multipurpose tray 1
- 5. Front door access to toner cartridges
- 6. 550-sheet input tray 2
- 7. 550-sheet input tray 3
- 8. 500-sheet output bin
- 9. Automatic two-sided printing
- 10. Host USB port
- 11. Gigabit Ethernet network port
- 12. Hi-Speed USB 2.0 printing port
- 13. Slot for cable-type security lock

LaserJet Managed E60075x



Series at a glance

Wireless direct, NFC touch-to-print

HP High-Performance Secure Hard Disk

Wireless networking⁷





Optional

Optional

Optional

| Model | HP LaserJet Managed E60075dn | HP LaserJet Managed E60075x |
|---|------------------------------------|--------------------------------------|
| Part number | MOP39A | M0P40A |
| Print speeds (letter/A4) ² | Up to 75/71 pages per minute (ppm) | Up to 75/71 ppm |
| Control panel | 2.7-inch (6.9 cm) LCD with keypad | 4.3-inch (10.9 cm) color touchscreen |
| Hardware Integration Pocket ³ | $\sqrt{}$ | \checkmark |
| 100-sheet multipurpose tray 1, 550-sheet tray 2 | 2 √ | $\sqrt{}$ |
| 550-sheet paper feeder | Optional (up to four) | √ (plus up to three optional) |
| 2,100-sheet paper feeder⁴ | Optional | Optional |
| Envelope feeder | Optional (up to two) | Optional (up to two) |
| Printer stand | Optional | Optional |
| 5-bin stapler/stacker/mailbox with job offset | Optional | Optional |

Optional

Optional

Optional

¹An administrator must enable the easy-access USB port before use. ²Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³Solutions deployed through the Hardware Integration Pocket (HIP) may require additional princase. ⁴Both models come standard with the 100-sheet multipurpose tray and 550-sheet tray 2. The HP Laser let Managed E60075x model comes with one additional optional 550-sheet paper feeders and the optional 2, 100-sheet paper feeder. The E60075dn model can add up to four additional optional 550-sheet paper feeders and the optional 2, 100-sheet paper feeder. All optional accessories support media up to letter size (A4). SAdd wireless direct by purchasing the optional II-P lettiered 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a wireless direct supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. 6Add touch-to-print capability by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must supported MFP or printer prior to printing. Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. 7Add wireless networking by purchasing the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day Onsite – 4 hour 9x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Next Business Day Exchange:

Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.

For carepack availability visit: hp.com/go/cpc

energy STAR











Top features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 75 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.

Accessories

LOH17A - HP LaserJet 550-Sheet Paper feeder LOH18A - HP LaserJet 2100 sheet Paper feeder

LOH19A - HP LaserJet Printer Stand

LOH20A - HP LaserJet Stapler/Stacker/ Mailbox

LOH21A- HP Envelope Feeder B5L28A - HP Internal USB Ports

B5L29A - HP Secure High Perf Hard Disk Drive
J8031A - HP Jetdirect 2900nw Print Server
F5S62A - HP Trusted Platform Module Accessory

G6W84A - 1 GB Memory DIMM Kit

LOH22A - HP Extension Tray Cover (MOP39A)

Supplies

J8J96A HP Staple Cartridge Refill,

LOH24A HP LaserJet 110v Maintenance Kit LOH25A HP LaserJet 220v Maintenance Kit

W9004MC HP Black Managed LaserJet Toner (50,000 yield)

Services

U9NC7E HP 5 year Next Business Day HW Support w/DMR

U9ND0E HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention

U9ND3E HP 5 year NBD Parts Exchange Service for LaserJet

U9ND5PE HP 2 year Post Warranty Next Business Day HW Support w/DMR U9ND7PE HP 2 year Post Warranty 4 hour 9x5 HW Support w/DMR

U9ND9PE HP 2 yr Post Wty NBD Parts Exchange Service

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims. ² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/bebjetadmin. ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerslaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. ⁵ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Ljclaims. ⁶ More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies. ⁷ HP 37X High Yield Black Original LaserJet Toner Cartridges purchase separately.

HP LaserJet Managed E60075 series

| Technical Specifications | HP LaserJet Managed E60075dn (M0P39A) | HP LaserJet Managed E60075x (M0P40A) | |
|---|--|---|--|
| Print speed | Letter: Up to 75 ppm black; ⁷ ; First | Page Out Black: As fast as 5.3 sec; 9 | |
| Print resolution | Black (best) : Up to 1200 x 1200 dpi | | |
| Print Technology | Laser; Print Resolution Technologies : FastRes 1200; 1200 x 1200 dpi | | |
| Print Cartridges Number | 1 (black) | | |
| Standard Print Languages | HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ | | |
| Printer Smart Software Features | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB | | |
| Printer Management | HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver | | |
| Standard Connectivity | 1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network | | |
| Mobile Printing Capability | HP ePrint; Apple AirPrint™; Mopria-certified ⁶ | HP ePrint; Wireless direct printing; Apple AirPrint™; Mopria-certified ⁶ | |
| Memory | Standard: 512 MB; Maximum: 1.5 GB, MAX m | nemory, when 1 GB Accessory DIMM is installed | |
| Processor Speed | 1.2 GHz / Hard disk: Optional, 500 GB (with accessory B5L29A) | | |
| Duty Cycle | Monthly, letter: Up to 450,000 pages Recom | Monthly, letter: Up to 450,000 pages Recommended Monthly Page Volume: 5000 to 50,000 pages | |
| Paper Handling | Input Capacities: 100-sheet multipurpose feeder, S50-sheet input feeder; Up to 650 sheets standard labels legal; Output Capacities: 500 sheet output bin; Up to 500 sheets standard labels legal; Duplex Options: Automatic (standard); Envelope Feeder, Yes, 75 (optional); Standard Paper Trays; 2; Media Types Supported; Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope; Media Weight Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain); Media Sizes Supported: feeder 1: 1etter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/41), 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2 letter, executive, legal, Media Sizes Custom; feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in | Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope; Media Weight Supported : Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 3: 16 to 32 lb bond (plain); Media Stzes Supported : feeder 1: | |
| Product Dimensions | W x D x H; 17 x 18.3 x 15 in; Maximum: 17 x 40.9 x 17.8 in | WxDxH: 17 x 18.3 x 19.9 in; Maximum: 17 x 43.3 x 22.9 in | |
| Product Weight | 47.7 lb | 58 lbs | |
| What's in the box | HP Laser let Printer: HP Black Original Laser let Toner Cartridge (~11K yield): CD with so | oftware drivers and documentation;Documentation (Hardware Install Guide); Power cord ² | |
| Warranty Features | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. (w | | |
| Energy Efficiency Compliance | ENERGY STAR® qualified | | |
| Control Panel | Rotating 2.7-in QVGA LCD (color graphics) with 24 key pad. | Rotating 4.3-in touch screen, LCD (color graphics) | |
| Display Description | 2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) | 4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) | |
| Software Included | HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals | | |
| Fonts and Typefaces | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts | | |
| Compatible Operating Systems | Android, Linux Boss (5 0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 1.8), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), Os macOS 10.112 Sierra, 0.5 X 10.110 (Logitan, UNIX, Windows 10 all 32 - 8.64-bit editions (excluding RT OS for Tablets), Windows 7 all 32 - 8.64-bit editions (excluding RT OS for Tablets), Windows Windows SUSE (13.2 43.1), Windows S | | |
| Compatible Network Operating Systems | Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1.2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008R2/2008R2/2008R2/2008R2/2008R2 SP1, Citrix on Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 5.0/6.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 5.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 5.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 5.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 5.0/6.5/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit], Novell Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Novell Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Novell Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Novell Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Novell Server 2008 R2 SP1 Terminal Services, Windows Server 2008 R2 SP1 Terminal Services, Windows Server 2008/2008 R2 32-64-bit (SP1/SP2), Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 R2 SP1 Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 R2 SP1 Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 R2 SP1 Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 R2 SP1 Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 R2 SP1 Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 R2 SP1 Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 R2 SP1 Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 R2 SP1 Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 R2 SP1 SP1 SP2 Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 R2 SP1 SP1 SP2 SP1 SP1 SP1 SP1 SP1 SP2 SP1 | | |
| Minimum System Requirements | 1 | B available hard drive space; Internet; OS hardware requirements see Apple.com for more info | |
| Power | Power Supply Type: Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier); Power Requirements: 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60 nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A; Power Consumption: 780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off) ³ | | |
| Acoustics | Acoustic Power Emissions: 7.1 B(A); Acoustic Pressure Emissions: 56 dB(A) | Acoustic Power Emissions: 7.0 B(A); Acoustic Pressure Emissions: 55 dB(A) | |
| Operating Environment | Operating Temperature Range: 15 to 27°C; Recommended Operating Temperature: 59 to 80.6°F; Storage Temperature Range: -4 to 104°F; Non-Operating Humidity Range: 10 to 80% RH; Operating Humidity Range: 30 to 70% RH; Recommended Humidity Operating Range: 10 to 90% RH | | |
| Security Management | Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 80.2.1X authentication (EAP-PEAP-EAP-EA) validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device; Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Invitegity Ch | y advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and 5); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (luses FIPS 140 curity lock slot; USB port disablement; hardware integration pocket for security solutions; Intusion Detection with Red ecking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: syslog Messages processed and accessable in Arcsight and Splunk SIEMs | |

Learn more at hp.com

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation AirPrint, 1964, iPhone, and IPOd touch are addemarks of Apple lnc, registered in the U.S. and other countries.



¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.hp.com/go/learnaboutsupplies³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device. ⁵ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. ⁶ May require a firmware upgrade to be compatible, download at http://www.hp.com/go/support. ⁷ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁸ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹⁰ eMMC is non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Erase – Job Data; Secure Erase – Disk ¹¹ Original HP Laserel and "To mer cartridges are also compatible with this product. ¹² Based on the BA TEC method with the following possible except