


NEC DISPLAY SOLUTIONS

LARGE FORMAT DISPLAY MOUNTING SOLUTIONS

WALL MOUNTS | VIDEOWALL MOUNTS | MOBILE SOLUTIONS | HEIGHT-ADJUSTABLE SOLUTIONS



NEC WALL MOUNTS



Slim Universal Wall Mount

PDW S 32-55 L / PDW S 32-55 P

Slim universal wall mount for Large Format Displays from 32" to 55" offering tilt functionality.

PDW S 32-55 L	ORDER CODE: 100012666
PDW S 32-55 P	ORDER CODE: 100012665



Medium Universal Wall Mount

PDW T M L / PDW T M P

Medium universal wall mount for Large Format Displays from 32" to 46" with tilt functionality, offering perfect positioning and flexible adjustments. Optional Connector Kits easily connect mounts to create multi-monitor menu board configurations. Optional accessories (e.g. camera and component shelf) make it the ideal solution for video conferencing applications.

PDW T M L	ORDER CODE: 100013089
PDW T M P	ORDER CODE: 100013088



Large Universal Wall Mount

PDW T L L / PDW T L P

Large universal wall mount for Large Format Displays from 40" to 65" with tilt functionality, offering perfect positioning and flexible adjustments. Optional Connector Kits easily connect mounts to create multi-monitor menu board configurations. Optional accessories (e.g. camera and component shelf) make it the ideal solution for video conferencing applications.

PDW T L L	ORDER CODE: 100013091
PDW T L P	ORDER CODE: 100013090



Extra Large Universal Wall Mount


PDW T XL

Extra large universal wall mount for Large Format Displays from 65" to 80" with tilt functionality. Only one mount for landscape and portrait orientation. Camera shelf PD01VC for video conferencing is available as option.

PDW T XL	ORDER CODE: 100013412
----------	-----------------------



NEC VIDEOWALL MOUNTS




2 x 2 Videowall Mount

PD02VWXUN 2x2 46 L & PDVWXUN 2x2 55 L

Single box solution for 2x2 videowall installation of NEC MultiSync® X462UNV/X463UN/X464UN or X551UN/X552UN. Only one mount for four displays. Displays just need to be hanged in, no post- installation adjustment necessary.

PD02VWXUN 2x2 46 L	ORDER CODE: 100013131
PDVWXUN 2x2 55 L	ORDER CODE: 100013001



Entry Flat Videowall Mount

PD02VWXUN 46 L / PDVWXUN 46 P & PDVWXUN 55 L / PDVWXUN 55 P

Modular videowall mount for NEC MultiSync® X462UNV/X463UN/X464UN or X551UN/X552UN. Three part adjustable wall mount kit that ensures perfect alignment for smaller sized video walls.

PD02VWXUN 46 L	ORDER CODE: 100012994
PDVWXUN 46 P	ORDER CODE: 100012481
PDVWXUN 55 L	ORDER CODE: 100012783
PDVWXUN 55 P	ORDER CODE: 100012484



Universal Flat Videowall Mount


PD02VW 46 55 L

Universal flat videowall mount for NEC MultiSync® 46" and 55" XUN/V, P and XS Series offering tool-less micro-adjustment at 8 point seamlessly align the displays. Modular design allows creation of unlimited videowall configurations. Optional Connector Kits eliminate on-site calculations.

PD02VW 46 55 L	ORDER CODE: 100013263
----------------	-----------------------



NEC VIDEOWALL MOUNTS (CONTINUED)




Universal Front Serviceable Videowall Mount

PDVW MFS 46 55 L / PDVW MFS 46 55 P

Universal videowall mount with manual front service for NEC MultiSync® 46" and 55" XUN/V and P Series offering fine-tuning plumb adjustment to ensure perfect alignment of the displays. Only recommended for smaller sized videowall configurations (max. 3x3)

PDVW MFS 46 55 L	ORDER CODE: 100012930
PDVW MFS 46 55 P	ORDER CODE: 100012715



High-End Universal Front Serviceable Videowall Mount

PD02VW MFS 46 55 L / PD02VW MFS 46 55 P

High-end universal videowall mount with manual front service for NEC MultiSync® 46" and 55" XUN/V, XS and P Series, offering tool-less micro-adjustment at 8 point for seamless alignment. Modular design allows creation of unlimited videowall configurations. A spring-loaded click-in-place solution. Optional Connector Kits eliminate on-site calculations.

PD02VW MFS 46 55 L	ORDER CODE: 100013100
PD02VW MFS 46 55 P	ORDER CODE: 100013099



NEC MOBILE MOUNTING SOLUTIONS



Large Mobile Single Trolley

PDMHM-L

Large trolley for Large Format Displays from 40" to 80" offering mechanical height-adjustment by hand or using a power drill. Flexible cable covers allow access to lay in cables at any point along the column. Optional video conference equipment available.

PDMHM-L	ORDER CODE: 100013383
---------	-----------------------




Mobile Video Conference Trolley for Double Displays

PDMVC

Video conference trolley for 2x1 installations of Large Format Displays from 46" and 65" offering professional cable management and storage space inside main body. VC camera shelf included.

PDMVC	ORDER CODE: 100013379
-------	-----------------------




Mobile 2 x 2 Videowall Trolley

PDVWM 2x2 46 55 L

Mobile videowall trolley for 2x2 or 2x1 installations of NEC MultiSync® 46" and 55" XUN/V, XS and P Series. This videowall trolley holds in total 227kg. Tool-less micro-adjustment allows precise alignment of displays. Converts from a trolley into a stand using the optional Cart Feet FT01.

PDVWM 2x2 46 55 L	ORDER CODE: 100013262
-------------------	-----------------------




Mobile 3 x 3 Videowall Trolley

PDVWM 3x3 46 55 L

Mobile videowall trolley for 3x3 installations of NEC MultiSync® 46" and 55" XUN/V, XS and P Series. This videowall trolley holds in total 454kg. Tool-less micro-adjustment allows precise alignment of displays. Converts from a trolley into a stand using the optional Cart Feet FT01.

PDVWM 3x3 46 55 L	ORDER CODE: 100013265
-------------------	-----------------------



Rental Videowall Solution

easyFrame02 X46UN / easyFrame X55UN

This modular solution can be built into almost any videowall size offering the ultimate in mounting flexibility for videowall installations of NEC MultiSync® 46" and 55" XUN Series. Landscape or portrait orientation. Easy and quick installation make it ideal for the rental market.

easyFrame02 X46UN	Sold as a kit *
easyFrame X55UN	Sold as a kit *



* Please contact NEC for the order codes of a specific easyFrame configuration.

NEC HEIGHT-ADJUSTABLE SOLUTIONS FOR TOUCH DISPLAYS



Medium Wall Mount, Height-adjustable, Manual for Touch Displays

PDWHM-M

Mechanical height-adjustable wall mount for Large Format Touch Displays from 46" to 55". The handle allows easy positioning and fixing of the display. The optional cover PD01COV is needed when used with displays less than 800mm in height.

PDWHM-M ORDER CODE: 100013378



Large Wall Mount, Height-adjustable, Manual for Touch Displays

PDWHM-L

Mechanical height-adjustable wall mount for Large Format Touch Displays from 65" to 80". The handle allows easy positioning and fixing of the display.

PDWHM-L ORDER CODE: 100013377



Mobile, Height-adjustable, Automatic Trolley for Touch Displays

PDMHA

High-end motorized height-adjustable trolley for Large Format Touch Displays from 46" to 80". Professional cable management and storage space for equipment makes it the perfect solution for classroom as well as for corporate meeting rooms.

PDMHA ORDER CODE: 100013365



+ Image of only landscape version is shown portrait versions may differ.



NEC ON-LINE MOUNTING SOLUTION INFORMATION

For a full listing of current NEC Large Format Display mounting solutions, together with pricing and more detailed images and specifications, manuals and datasheets please visit:

www.nec-displays-solutions.com / Large Format Display Options

ICON DESCRIPTIONS

	Mountable Screen Size Range		Landscape Mounting		Four Screen 2 x 2 Mounting Possible
	Mountable Screen Size		Portrait Mounting		Nine Screen 3 x 3 Mounting Possible
	Mount includes Tilt Capability		Portrait and Landscape Mounting Possible		Manual Front Serviceable (Pull-Out) Capability
	Height Adjustment Capability		Dual Side by Side Screen Mounting Possible		Maximum Weight per Display

SPECIFICATIONS

NEC Wall Mounts

WALL MOUNT		PDW S 32-55 L PDW S 32-55 P	PDW T M L PDW T M P	PDW T L L PDW T L P	PDW T XL
Order Code	Portrait	100012665	100013088	100013090	100013412
	Landscape	100012666	100013089	100013091	
Min. Depth (mm)	Portrait	35.0	61.0	86.0	77.0
	Landscape	35.0	50.5	50.5	
Tilt Function	Portrait	-2°	3° to 10°	0° to 11°	-5° to 15°
	Landscape	-2° to 5°	0° to 12°	0° to 12°	
Lateral Shift (mm)	Portrait	N/A	215.9	133.4	N/A
	Landscape	N/A	368.3	444.5	
Configuration		Single	Single / Menu Boards	Single / Menu Boards	Single
Orientation		Portrait / Landscape	Portrait / Landscape	Portrait / Landscape	Portrait and Landscape
Max. Weight Capacity (kg)	Portrait	50.0	56.7	90.7	102.0
	Landscape	50.0	56.7	90.7	
Weight of Mount (kg)	Portrait	3.0	8.0	11.8	4.08
	Landscape	1.5	17.0	18.0	
Supported NEC Displays		32" - 55"	32" - 46"	40" - 65"	65" - 80"
Optional Accessories		-	Connector Kits * CK MB S (100013092) CK MB M (100013093) CK MB L (100013094) VC camera shelf (tbd)	Connector Kits * CK MB S (100013092) CK MB M (100013093) CK MB L (100013094) VC camera shelf PD02VC (tbd)	VC camera shelf PD01VC (100013421)

*To find the right configuration of mounts and connectors, refer to product datasheet.

NEC Videowall Mounts

VIDEOWALL MOUNT		PD02VWXUN 2x2 46 L	PDVWXUN 2x2 55 L	PD02VWXUN 46 L PDVWXUN 46 P	PDVWXUN 55 L PDVWXUN 55 P	PD02VW 46 55 L	PDVW MFS 46 55 L PDVW MFS 46 55 P	PD02VW MFS 46 55 L PD02VW MFS 46 55 P
Order Code	Portrait	-	-	100012481	100012784	-	100012715	100013099
	Landscape	100013131	100013001	100012994	100012783	100013263	100012930	100013100
Min. Depth (mm)	Portrait	-	-	85.0	96.2	-	94.3	81.0-100.0
	Landscape	56.0	56.0	85.0	96.2	79.0	94.0	87.0-97.0
Front-Servicable / Pull-Out		NO	NO	NO	NO	NO	YES	YES
Max. Extension (mm)	Portrait	-	-	-	-	-	271.8	297.0
	Landscape	-	-	-	-	-	271.8	294.0
Max. Height Adjustment (mm)	Portrait	-	-	-	-	-	N/A	25.0
	Landscape	-	-	-	-	93.0	N/A	25.0
Lateral Shift (mm)	Portrait	-	-	N/A	N/A	N/A	101.6	N/A
	Landscape	-	-	N/A	N/A	N/A	444.5	N/A
Configuration		2x2 only	2x2 only	Unlimited; 2x2 (recommended)	Unlimited; 2x2 (recommended)	Unlimited	Unlimited; 2x2 (recommended); 3x3 (max.)	Unlimited
Orientation		Landscape	Landscape	Portrait / Landscape	Portrait / Landscape	Landscape	Portrait / Landscape	Portrait / Landscape
Max. Weight Capacity (kg)	Portrait	Equal to weight of displays	Equal to weight of displays	Equal to weight of displays	Equal to weight of displays	-	68.0	57.0
	Landscape	-	-	-	-	57.0	68.0	56.8
Weight of Mount (kg)	Portrait	-	-	3.0	5.0	-	12.5	15.0
	Landscape	13.5	14.5	6.0	7.0	12.0	12.5	15.9
Supported NEC Displays		MultiSync® X462UNV, X463UN and X464UN	MultiSync® 55" XUN Series	MultiSync® 46" XUN/V Series	MultiSync® 55" XUN Series	MultiSync® 46" and 55" XUN/V, XS and P Series	MultiSync® 46" and 55" XUN/V, XS and P Series	MultiSync® 46" and 55" XUN/V, XS and P Series
Optional Accessories		-	-	-	-	Connector Kits for specific NEC Large Format Displays *	-	Connector Kits for specific NEC Large Format Displays *

*To find the right configuration of mounts and connectors, refer to product datasheet.

NEC Videowall Accessories

		X462UNV	X463UN	X464UN	X551UN	X552UN
Accessory	Order Code	Compatibility				
Over Frame Kit (KT-46UN-OF2)	100012993	●	●	●	-	-
Over Frame Kit (KT-55UN-OF2)	100012785	-	-	-	●	●
Remote Control Kit (KT-RC)	100012479	●	●	○	●	○
Remote Control Kit (KT-RC2)	TBD	-	-	●	-	●
Calibration Kit (KT-X46UN-CC)	100012942	●	●	●	●	●

SPECIFICATIONS

NEC Mobile Mounting Solutions

MOBILE MOUNT	PDMHM-L	PDMVC	PDVWM 2x2 46 55 L	PDVWM 3x3 46 55 L	easyFrame02 X46UN	easyFrame X55UN
Order Code	100013383	100013379	100013262	100013265	Sold as Kit	Sold as Kit
Mounting Solution	Trolley	Trolley	Trolley / Floor Stand	Trolley / Floor Stand	Floor Stand	Floor Stand
Min. Height (mm)	1,271.3 (Centre of Display)	N/A	N/A	N/A	N/A	N/A
Max. Height (mm)	1,271.3 (Centre of Display)	N/A	N/A	N/A	N/A	N/A
Stroke (mm)	500	-	-	-	-	-
Tilt Function	± 5°	-	-	-	-	-
Configuration	Single	2x1	2x2 (2x1 possible)	3x3	Unlimited (up to a height of 5 displays)	Unlimited (up to a height of 5 displays)
Orientation	Landscape	Landscape	Landscape	Landscape	Landscape / Portrait	Landscape / Portrait
Max. Weight Capacity (kg)	90.7	55.0 (per Display)	227.0 (total weight)	454.0 (total weight)	Equal to weight of display	Equal to weight of display
Weight of Mount (kg)	31.3	83.0	134.0	168.0	Depending on configuration	Depending on configuration
Casters Diameter (mm)	100.0	100.0	127.0	127.0	-	-
Supported NEC Displays	40" - 80"	46" - 65"	MultiSync® 46" and 55" XUN/V, XS and P-Series	MultiSync® 46" and 55" XUN/V, XS and P-Series	MultiSync® X462UNV, X463UN and X464UN	MultiSync® 55" XUN Series
Finish	Black	Anthracite / Grey	Black	Black	Black	Black
Optional Accessories	Camera shelf (tbd), Component shelf (tbd)	-	Cart Feet FT01 (100013264)	Cart Feet FT01 (100013264)	Flying version available on request (Please contact NEC for further details)	Flying version available on request (Please contact NEC for further details)

NEC Height-Adjustable Solutions for Touch Displays

HEIGHT ADJUSTABLE MOUNT	PDWHM-M	PDWHM-L	PDMHA
Order Code	100013378	100013377	100013365
Mounting Solution	Wall Mount	Wall Mount	Trolley
Height-adjustment	Mechanical	Mechanical	Motorized
Min. Height (mm)	N/A	N/A	1,368 (Centre of the Display)
Max. Height (mm)	N/A	N/A	1,868 (Centre of the Display)
Stroke (mm)	370	370	500
Configuration	Single	Single	Single
Orientation	Landscape	Landscape	Landscape
Max. Weight Capacity (kg)	45.0	115.0	120.0
Weight of Mount (kg)	30.0	35.0	82.0
Supported NEC Displays	46" - 55" Touch Displays	65" - 80" Touch Displays	55" - 80" Touch Displays
Caster Diameter (mm)	-	-	100.0
Finish	Anthracite	Anthracite	Anthracite / Grey
Optional Accessories	Cover PD01COV (100013429)	Cover PD01COV (100013429)	-



NEC Display Solutions Europe GmbH – HQ
 Landshuter Allee 12-14, D-80637 München
 info@mail@nec-displays.com
 Phone: +49 (0) 89 99 699-0
 Fax: +49 (0) 89 99 699-500
 www.nec-display-solutions.com

Document Name: LFD Mounting Solutions
 Document Revision: Version 1
 Document Date: 08/13

Empowered by Innovation

