



HP ScanJet Pro 2000 s1 Sheet-feed Scanner (L2759A)

Active as of 28/10/2016



Overview

Fast, affordable, and designed to handle everything from simple color jobs to complex workflows. Quickly and reliably digitize larger projects with scan speeds up to 24 ppm/48 ipm and a 50-page ADF.¹ Recommended for 2,000 pages per day.

Small size. Fast scans. Same reliable results.

Produce scans at up to 24 ppm/48 ipm¹ with two-sided scanning that captures both sides at once.

Free up space for work. This HP ScanJet Pro is small and slim—a modern design perfect for the desktop.

Don't wait for warm-up—HP Instant-on Scanning lets you begin scanning quickly.

Optimize workflows with one-touch scanning

Streamline routine work with one-touch scanning—create one-button, custom settings for recurring scan jobs.

Scan images directly into applications with included and full-featured TWAIN and ISIS®.

Easily transfer scans into editable text, secure PDF files, and more file types, using built-in OCR.

Capture business documents like a pro

Define scan profiles for common document types, and scan to multiple destinations with HP Scan software.

Capture and organize documents, business cards, and other file types with feature-rich software.

Produce clear, legible scans—up to 600-dpi resolution.



One-pass duplex scanning

Save time and reduce waste with two-sided scanning that captures all your data in a single pass



One-touch scanning



HP Scan software

Capture a wide range of document types



Built-in optical character recognition (OCR) with PDF security

Built in OCR software lets you create searchable files right from your multifunction laser printer, so you can find the document you need, when you need it.



Scan to cloud

Specifications

Scanner type

Sheetfed

Scan file format

For text & images: PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (rtf) and Searchable PDF

Scan resolution, optical

Up to 600 dpi (color and mono, Sheet-feed)

Duty cycle (daily)

Recommended for 2000 pages per day

Bit depth

24-bits external 48-bits internal

Levels of grayscale

256

Media types

Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Previously stapled media with staple removed

Scan input modes

One default scan mode on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA

Scanner advanced features

Auto-color detect, auto-crop, auto-exposure, auto orient, OCR, edge removal, background cleanup, remove hole, color drop out, straighten the page, scan to cloud, scan to email, PDF security

Control panel

Scan button, Power button with a LED and a LED for Error indication

Mac compatible

Yes

Automatic document feeder capacity

50 sheets of 75 g/m² paper

Automatic document feeder scan speed

Up to 24 ppm/48 ipm

Scan size (ADF), maximum

216 x 863 mm

Scan size ADF (minimum)

50.8 x 50.8 mm

Media weights, supported ADF

50 to 180 g/m²

Connectivity, standard

USB 2.0 (Hi-Speed)

Minimum system requirements

Apple® OS X Yosemite, OS X Mavericks, OS X Mountain Lion; 1 GB HD; Internet required; USB; Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer

Minimum system requirements for Macintosh

Apple® OS X Yosemite, OS X Mavericks, OS X Mountain Lion; 1 GB HD; Internet required; USB

Compatible operating systems

OS X Mavericks 10.9, OS X Yosemite 10.10, OS X El Capitan 10.11, Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit

Twain version

Windows: TWAIN version 2.1; Mac: n/a

Memory, standard

64 MB

Power

Input Voltage range: 90 - 264 VAC, Rated Frequency: 50 - 60HZ, Worldwide use

Power supply type

External Power Adapter

Power consumption

3.6 Watts (ready), 1.0 Watts (sleep), 0.1 Watts (auto-off), 0.1 Watts (off)

ENERGY STAR® certified

Yes

Operating temperature range

10 to 35°C

Operating humidity range

15 to 80% RH (non-condensing)

Minimum dimensions (W x D x H)

300 x 172.9 x 152.1 mm

Maximum dimensions (W x D x H)

300 x 488 x 303 mm

Weight

2.6 kg

UPC number

(BGJ) 889894865311; (B19) 889894865373; (ABT) 889894865380; (ABY) 889894865397; (BAZ) 889894865410; (ACQ) 889894865403; (ABG) 889894865342; (AB2) 889894865335; (AC4) 889894865328; (BG8) 889894865359; (BG9) 889894865366; (AC8) 889894975003; (AKV) 889894975010

Package dimensions (W x D x H)

397 x 248 x 242 mm

Package weight

4.0 kg

Quantity per pallet

EMEA/APJ pallet = 108, NA pallet = 120, slip sheet = 120

Pallet dimensions (W x D x H)

pallet = 1200 x 1000 x 2304 mm, NA pallet = 1200 x 1000 x 2571 mm, slip sheet = 1200 x 1000 x 2421 mm

Pallet weight

EMEA/APJ pallet = 456 kg, NA pallet = 505 kg, slip sheet = 488 kg

Country of origin

Made in China

What's in the box

HP ScanJet Pro 2000 s1 Sheet-feed Scanner
Install guide
Support flyers
Warranty cards
2 CDs
Power cords
Power adaptor
USB cables (All regions)

Cable included

Yes for all regions

Software included

Win: HP WIA scan driver
HP TWAIN scan driver
HP Scan
HP Scanner Tools Utility

Nuance PaperPort (Win only)
I.R.I.S Readiris
I.R.I.S Cardiris (Win only)
EMC ISIS (Win only)

Warranty

1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)

Overview

1 Scanspeed measured at 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Data sheet (1)

[APJ Datasheet for HP ScanJet Pro 2000 s1 Sheet-feed Scanner \(English Version\)](#)

APJ Datasheet with messaging and technical specification for HP ScanJet Pro 2000 s1 Sheet-feed Scanner (English Version)

Product family guide (2)

[HP Pro scanning devices. Product family guide](#)

A selection guide providing SMB customers with the information they need to choose between purchasing an HP Pro scanner or Pro MFP/All-in-One. Includes qualifying questions and tables comparing device features.

[HP ScanJet Pro 2000 s1. Product Guide \(NA\)](#)

Learn everything you need to know about the HP ScanJet Pro 2000 s1, including key features and benefits, a product walk around, ordering information, and technical specifications.

Sales guide (2)

[HP ScanJet portfolio. Family Guide \(A4\)](#)

An HP document that provides an overview of HP ScanJets including capabilities, benefits, and a customer success story, and guides customers in selecting scanners for their businesses.

[HP ScanJet portfolio. Family Guide \(LTR\)](#)

An HP document that provides an overview of HP ScanJets including capabilities, benefits, and a customer success story, and guides customers in selecting scanners for their businesses.

Solution brief (1)

[Digitizing healthcare](#)

Paper-based healthcare processes can be labor-intensive. The HP ScanJet Pro, 2000, 3000, 5000 and 7000 can transform paper-based processes in healthcare settings.

Solution overview (2)

[HP Scan software. Solution overview \(A4\)](#)

A solution guide showing how to get the most out of HP ScanJet scanners with HP Scan software. Customize options to enhance, send and store scanned documents and images. Use convenient built-in scan shortcuts or customize settings for frequent jobs.

[HP Scan software. Solution overview \(LTR\)](#)

A solution guide showing how to get the most out of HP ScanJet scanners with HP Scan software. Customize options to enhance, send and store scanned documents and images. Use convenient built-in scan shortcuts or customize settings for frequent jobs.

Success story (1)

[Mercury Insurance Group engaged HP MPS to empower their technology vision.](#)

Mercury Insurance Group transitioned from a break/fix environment of unreliable printers and toner to a proactive, optimized print infrastructure using HP MPS.

Images - Product (7)

			
Center facing	Left facing	Right facing	Detail view
54 x 41 (jpg) 54 x 41 (jpg)	54 x 41 (jpg) 54 x 41 (png)	54 x 41 (jpg) 54 x 41 (png)	54 x 41 (jpg) 54 x 41 (png)

54 x 41 (png)	54 x 41 (png)
100 x 70 (jpg)	100 x 70 (jpg)
96 x 72 (jpg)	96 x 72 (jpg)
96 x 72 (png)	96 x 72 (png)
99 x 74 (png)	99 x 74 (png)
153 x 115 (png)	153 x 115 (png)
180 x 135 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (jpg)
240 x 180 (png)	240 x 180 (png)
247 x 185 (png)	247 x 185 (png)
170 x 190 (jpg)	170 x 190 (jpg)
257 x 193 (png)	257 x 193 (png)
320 x 240 (jpg)	320 x 240 (jpg)
320 x 240 (png)	320 x 240 (png)
474 x 356 (png)	474 x 356 (png)
513 x 385 (png)	513 x 385 (png)
400 x 400 (jpg)	400 x 400 (jpg)
400 x 400 (png)	400 x 400 (png)
573 x 430 (png)	573 x 430 (png)
800 x 600 (png)	800 x 600 (png)
1659 x 1246 (png)	1659 x 1246 (png)
1500 x 1818 (jpg)	6035 x 3022 (png)
6033 x 3161 (jpg)	4674 x 4227 (png)
4675 x 4393 (jpg)	

100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)
320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
5933 x 3745 (png)	5933 x 3898 (jpg)

100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)
320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
6431 x 4098 (png)	6431 x 4251 (jpg)

100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)
320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
6370 x 5663 (jpg)	6370 x 5663 (png)



Hero

54 x 41 (jpg)	54 x 41 (png)
100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)
320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
6507 x 3498 (png)	6506 x 3613 (jpg)



Rear facing

54 x 41 (jpg)	54 x 41 (png)
100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)
320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
1500 x 1519 (jpg)	5585 x 2953 (png)
5592 x 3080 (jpg)	



Top view open

54 x 41 (jpg)	54 x 41 (png)
100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)
320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
1500 x 2551 (jpg)	4214 x 5649 (png)
4995 x 5715 (jpg)	

Videos (1)

HP Scanjet - Product Overview

[Search additional assets \(Asset Hub\)](#)

Search for additional assets

This link is being provided as a convenience and for informational purposes only. HP Sales Central bears no responsibility for the accuracy, legality or content of the external site or for that of subsequent links. Contact the external site for answers to questions regarding its content.

HP Care Services

Hardware Installation Services

Active	HP Installation Service with network configuration for Personal Scanner and Printer (1 unit)	U9JT1E
--------	--	--------

Hardware Support Services

Active	HP 1 year Post Warranty Next Business Onsite Exchange Hardware Support for ScanJet Pro 2xxx	U9JQ8PE
Active	HP 1 year Post Warranty Return to Depot Hardware Support for ScanJet Pro 2xxx	U9JQ9PE
Active	HP 3 year Next Business Onsite Exchange Hardware Support for ScanJet Pro 2xxx	U9JQ4E
Active	HP 3 year Return to Depot Hardware Support for ScanJet Pro 2xxx	U9JQ5E

Imaging and Printing Commercial Care Services

Active	HP 1 year Post Warranty Exchange Hardware Support for ScanJet Pro 2xxx	U9JQ7PE
Active	HP 1 year Post Warranty Standard Exchange Hardware Support for ScanJet Pro 2xxx	U9JQ6PE
Active	HP 3 year Exchange Hardware Support for ScanJet Pro 2xxx	U9JQ3E
Active	HP 3 year Standard Exchange Hardware Support for ScanJet Pro 2xxx	U9JQ2E

Detailed Specifications

Accessories

HP ScanJet Pro 2000 s1 roller replacement kit (L2760A)

Additional information about HP in the countries

hp.com

Automatic document feeder capacity

50 sheets of 75 g/m² paper

Automatic document feeder scan speed

Up to 24 ppm/48 ipm

Automatic document feeder scan speed

Up to 24 ppm/48 ipm

Bit depth

24-bits external 48-bits internal

Cable included

Yes for all regions

Code name

Pinnacles

Color scanning

Yes

Compatible operating systems

OS X Mavericks 10.9, OS X Yosemite 10.10, OS X El Capitan 10.11, Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit

Connectivity, standard

USB 2.0 (Hi-Speed)

Control panel

Scan button, Power button with a LED and a LED for Error indication

Copyright notice

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Count of cartons per pallet layer

12

Count of layers in pallet

EMEA/APJ pallet = 9, NA pallet = 10, slip sheet = 10

Country of origin

Made in China

Customer segment

SMB, SOHO

Dimension footnote number

[1]

Document weight ADF (maximum)

180 g/m²

Document weight ADF (minimum)

50 g/m²

Duty cycle (daily)

Recommended for 2000 pages per day

Electromagnetic compatibility

Class B Emissions; CISPR 22:2008 (International); European Union EMC Directive 2014/30/EU, EN 55022:2010 (CE mark); China GB9254-2008 (CCC); Taiwan CNS13438:2006 (BSMI); USA CFR47 Part 15, Subpart B (FCC); ICES-003:2012 Issue 6 (Canada); Australia C-tick (includes New Zealand); KN 22 and Korea KCC; EAC EMC Certificate; Ukraine EMC approval; EN 61000-3-2:2014 (harmonics); EN 61000-3-3:2013 (flicker); Immunity CISPR 24:2010, EN 50024:2010

ENERGY STAR® certified

Yes

Environmental

RoHS-compliant

Image legal disclaimer

Product image may differ from actual product

Image scaling or enlargement range

Will not perform any arbitrary scaling.

Legal disclaimer

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

Levels of grayscale

256

Mac compatible

Yes

Maximum dimensions (W x D x H)

300 x 488 x 303 mm

Media size (ADF)

U.S.-Letter: 215.9 x 279.4 mm (8.5 x 11 in); U.S.-Legal: 215.9 x 355.6 mm (8.5 x 14 in); U.S.-Executive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); JIS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mm (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in)

Media types

Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Previously stapled media with staple removed

Media weights, supported ADF

50 to 180 g/m²

Memory, standard

64 MB

Minimum dimensions (W x D x H)

300 x 172.9 x 152.1 mm

Minimum system requirements

Apple® OS X Yosemite, OS X Mavericks, OS X Mountain Lion; 1 GB HD; Internet required; USB; Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer

Minimum system requirements for

Macintosh

Apple® OS X Yosemite, OS X Mavericks, OS X Mountain Lion; 1 GB HD; Internet required; USB

Operating humidity range

15 to 80% RH (non-condensing)

Operating humidity range

15 to 80% RH (non-condensing)

Operating temperature range

10 to 35°C

Output resolution dpi settings

75; 150; 200; 240; 300; 400; 500; 600 ppi

Package dimensions (W x D x H)

397 x 248 x 242 mm

Package weight

4.0 kg

Pallet dimensions (W x D x H)

pallet = 1200 x 1000 x 2304 mm, NA pallet = 1200 x 1000 x 2571 mm, slip sheet = 1200 x 1000 x 2421 mm

Pallet weight

EMEA/APJ pallet = 456 kg, NA pallet = 505 kg, slip sheet = 488 kg

Ports

1 X USB 2.0

Power

Input Voltage range: 90 - 264 VAC , Rated Frequency: 50 - 60HZ, Worldwide use

Power consumption

3.6 Watts (ready), 1.0 Watts (sleep), 0.1 Watts (auto-off), 0.1 Watts (off)

Power supply type

External Power Adapter

Processor speed

120 MHz

Product logos

USB 2.0; E-Star; EPEAT; MSFT Windows; Mac; TWAIN; ISIS

Product long name specifications

HP ScanJet Pro 2000 s1 Sheet-feed Scanner - Resolution: Up to 600 dpi (colour and mono, Sheet-feed); Colour depth: 24-bits external 48-bits internal; Scan speed: Up to 24 ppm/48 ipm ADF (A4) & Up to 24 ppm/48 ipm ADF (letter); Interface: USB 2.0 (Hi-Speed)

Quantity per pallet

EMEA/APJ pallet = 108, NA pallet = 120, slip sheet = 120

Recommended operating temperature range**range**

10 to 35°C

RMN number

SHNGD-1601

Safety

IEC 60950-1:2005 +A1+A11+A12 and all applicable amendments; CSA/UL 60950-1, 2nd edition (2007); EN 60950-1:2006 +A11 +A1 +A12+A2; EAC safety; Canada cUL CoC; China CCC; European Union CE; Kenya PVOC; Kuwait TER; Nigeria SON; Saudi Arabia SASO; South Africa NRCS; Taiwan BSMI; Ukraine safety approval

Scan file format

For text & images: PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (rtf) and Searchable PDF

Scan input modes

One default scan mode on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA

Scan resolution, hardware

Up to 600 dpi (color and mono, Sheet-feed)

Scan resolution, optical

Up to 600 dpi (color and mono, Sheet-feed)

Scan size (ADF), maximum

216 x 863 mm

Scan size ADF (minimum)

50.8 x 50.8 mm

Scan speed footnote number

[2]

Scan speed in preview mode

##BLANK##

Scan speed OCR (A4)

< 10 sec

Scan technology

CMOS CIS

Scanner advanced features

Auto-color detect, auto-crop, auto-exposure, auto orient, OCR, edge removal, background cleanup, remove hole, color drop out, straighten the page, scan to cloud, scan to email, PDF security

Scanner type

Sheetfed

Services

HP 3 year Exchange Hardware Support for ScanJet Pro 2xxx

Services

HP 3 year Return to Depot Hardware Support for ScanJet Pro 2xxx

Services (Care Pack)

HP 2y Nbd Onsite Exch SJ Pro 2000 SVC; HP 3y Nbd Onsite Exch SJ Pro 2000 SVC; HP 3y Nbd Exch SJ Pro 2000 Service; HP 3y Std Exch SJ Pro 2000 Service; HP 3y Return SJ Pro 2000 Service

Services description headline 01

U9JQ3E

Services description headline 02

U9JQ5E

Software included

Win: HP WIA scan driver, HP TWAIN scan driver, HP Scan, HP Scanner Tools Utility, Nuance PaperPort (Win only), I.R.I.S Readiris, I.R.I.S Cardiris (Win only), EMC ISIS (Win only)

Storage humidity

0 to 90% RH (non-condensing)

Storage temperature range

-40 to 60°C

Sub-brand name

ScanJet

Tariff numbers

8471608000

Task speed

10 x 15 cm (4 x 6 in) color photo to file (200 dpi, 24-bit, tiff): about 6.90 sec for single image scan; OCR A4 (8.27 x 11.69 in), 300 dpi, 24-bit to RTF: about 9.13 sec for single image scan; 10 x 15 cm (4 x 6 in) color photo to e-mail (150 dpi, 24-bit): about 10.65 sec for single image scan; A4 (8.5 x 11 in) PDF to e-mail (300 dpi, 24-bit): about 12.98 sec for single image scan

Tech spec footnote

[1] With input and output trays folded and covers closed

Tech spec footnote

[2] Actual speeds may vary depending on scan resolution, connectivity type, computer performance and application software.

Twain version

Windows: TWAIN version 2.1; Mac: n/a

UNSPSC code

43211711

UPC number

(BGJ) 889894865311; (B19) 889894865373; (ABT) 889894865380; (ABY) 889894865397; (BAZ) 889894865410; (ACQ) 889894865403; (ABG) 889894865342; (AB2) 889894865335; (AC4) 889894865328; (BG8)

889894865359; (BG9) 889894865366; (AC8) 889894975003; (AKV)
889894975010

Warranty

1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)

Weight

2.6 kg

What's in the box

HP ScanJet Pro 2000 s1 Sheet-feed Scanner; Install guide; Support flyers; Warranty cards; 2 CDs; Power cords; Power adaptor; USB cables (All regions)

The product could differ from the images shown. © Copyright 2015 HP Inc. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.