

Spec Sheet

## 15 ft DisplayPort<sup>™</sup> to VGA Adapter Converter Cable – DP to VGA 1920x1200 - Black

StarTech ID: DP2VGAMM15B



The DP2VGAMM15B 15ft active DisplayPort to VGA converter cable lets you connect your DisplayPortequipped desktop or laptop directly to a VGA monitor or projector at a longer distance than a standard-length cable would support, while saving the expense of additional adapters.

Plus, because the converter cable supports video resolutions up to 1920x1200 you can convert a DisplayPort video source to VGA without sacrificing video quality.

The DP2VGAMM15B is backed by a 2-year StarTech.com warranty and free lifetime technical support.

### Applications

- Connect your existing VGA display device (monitor, projector) to a DisplayPort output device (Desktop, Laptop computer)
- Use your VGA monitor as a secondary display, connected to a DisplayPort output
- Connect a DisplayPort computer to a VGA projector for presentations or meetings in a boardroom or auditorium setting

### Features

- Active DisplayPort to VGA conversion
- Plug-and-Play Installation
- Supports resolutions up to 1920x1200 (WUXGA) and HDTV resolutions up to 1080p

au.startech.com 1800 808 346

# StarTechcom

Hard-to-find made easy\*

# Spec Sheet

#### **Technical Specifications**

Warranty	2 Years
Adapter Style	Cable Adapter
Audio	No
Chipset ID	ANALOGIX 9832
Converter Type	Active
Maximum Analog Resolutions	1920x1200 / 1080p (Output)
Maximum Cable Length	15 ft [4.6 m]
Maximum Digital Resolutions	1920x1200 / 1080p (Input)
Connector A	1 - DisplayPort (20 pin) Latching Male
Connector B	1 - VGA (15 pin; High Density D-Sub) Male
Cable Length	15 ft [4.6 m]
Product Height	0.6 in [15 mm]
Product Length	180 in [4572 mm]
Product Weight	3.2 oz [90 g]
Product Width	1.6 in [40 mm]
Humidity	40%-85%RH
Operating Temperature	0°C to 60°C (32°F to 140°F)
Storage Temperature	-10°C to 70°C (14°F to 158°F)
Shipping (Package) Weight	0.4 lb [0.2 kg]
Included in Package	1 - DisplayPort™ to VGA Adapter Cable

## Certifications, Reports and Compatibility





