Print with confidence



CLX-8640ND / CLX-8650ND A4 Colour Multifunctional Printers

For Every Business







The Samsung CLX-8640ND and CLX-8650ND deliver incredible performance, reliability and outstanding value for money.

Our Dual Core technology offers high productivity and allows you to enjoy impressive cost savings thanks to low power consumption. You'll discover everything about these devices has been designed to make it robustly reliable and amazingly cost effective.

Twice the power delivers more performance

For those big print or copy jobs, You'll find the CLX-8640ND and CLX-8650ND is up the task with power to spare.


With a fully integrated Samsung 1GHz Dual Core processor, office productivity increases dramatically with fast printing and scanning capabilities.



Figure 1. Dual Core processor boosts speeds

High compression of scanned files

Samsung's MRC (Mixed Raster Content) technology compresses the scanned file size significantly without any reduction in quality. So you can save storage space and time.



- * MRC (Mixed Raster Content): extracted text and image for PDF format scan.

 * Evaluation from internal test lab.
- * Evaluation from internal test lab.

Figure 2. Example of MRC compression

Enjoy quality printouts

Samsung's unique ReCP (Rendering Engine for Clean Page) technology and real 1200x1200 dpi improves the overall quality and vibrancy of your colour printing, ensuring every printout looks perfect. It automatically sharpens the focus of both graphics and text, while solid objects are overlapped to eliminate white gaps.



Figure 5. Example of ReCP technology

Polymerized toner

Our newly developed polymerized toner has smaller, more uniform particles than conventional toner, giving your output crisper lines and more vivid colours. Additionally, its higher wax content improves image gloss and enhances durability.



Figure 4. Example of Samsung polymerized toner

Every document your business produces needs to be the very best, every time. Innovative technology, amazing dpi and a revolutionary new toner mean that you're always guaranteed consistently high quality results, everytime.

Experience image quality like never before

An extraordinary resolution of 1200 x 1200 dpi brings you vivid results directly from the display screen. The CLX-8640ND and CLX-8650ND offer superior image quality, allowing you to create high glossy, professional documents.



Figure 3. Example of improve image quality

Save time with reliability that won't let you down

Busy businesses can't afford to waste time with unreliable products. That's why our innovative anti-jam technology stops stress-causing device blocks by using a roller that provides a backward friction during the paper pickup process. Our newly developed polymerized toner has smaller, more uniform particles than conventional toner, giving your output crisper lines and more vivid colours. Additionally, its higher wax content improves image gloss and enhances durability.



Cut job times with fast scanning and printing

Scanning itself takes less time too. You can now enjoy the fastest duplex scan speed of any multifunctional device – an impressive 70ipm. And forget waiting forever for printouts.



The CLX-8640ND and CLX-8650ND are simple and intuitive to use, thanks to our functional yet ergonomic design principles.

Intuitive, Smart UI

For maximum control and visibility, the CLX-8640ND and CLX-8650ND features a 7" colour touch panel with smooth sliding and scrolling screen. Thanks to the intuitive, smart user interface, you can manage and control even the most complex jobs quickly and easily.

- 1. User menu customisation (up to 40 shortcut icons) Save time with those jobs you might do regularly.
- 2. Smart search
 Find specific functions quickly by just typing in the keyword.
- 3. Quick copy
 Access all copy functions at a glance.




2 3

www.samsung.com/printer

Low power consumption


With its ingenious features, overall energy consumption is kept low by minimising power requirements. In fact, compared to a conventional board it reduces TEC (Typical Electricity Consumption) by up to 42% (CLX-8640ND). Meanwhile, Samsung Instant Fusing System (IFS) technology helps you print and copy faster, use less energy, and reduce energy costs.



- * CLX-8640ND
- * Evaluation from internal test lab.

Separated, interchangeable consumables

With separated Toner, OPC and a Developer unit, your company can reduce maintenance costs. Also, because the OPC (Organic Photo Conductor) Drums are common for all colours, they are inter-changeable, reducing your cost in terms of inventory control.



Control costs the Eco way

Every business sees the need to cut costs wherever it can. You can save paper and energy with the Eco button. All it takes is one push and you can print more onto every page, including 2-up, 4-up and duplex, and also save more toner with automatic blank pages skipping.



With the Samsung Easy-Eco Driver you'll be able to adjust colour quality and other settings to meet your requirements to help achieve more economical and efficient printing.

Figure 5. Eco button




Figure 6. Easy Eco Driver preview and adjustments



Keeping a secure office environment

Data security is a big concern with business today. The Samsung Security Framework is standard and offers a secure network, that helps prevent unauthorised access to confidential information.



Secure user	- Authentication- Authorisation- Accounting
Secure network	- SSL/TLS - SNMPv3 - IPSec (IPv4, IPv6) - 802.1x (with EAP) - Protocol/Port management - IP/MAC filtering
Secure document	- Secure print - Secure scan - Secure fax - Document tagging (watermarks, stamps)
Secure data	- Encryption - HDD image overwrite
Secure management	- System logs - System back-up - E-mail notification

XOA (Open Architecture Platform)



Based on open standards, XOA allows print solution vendors to create embedded applications that enhance the use of the device's capabilities to improve business processes.

- Intelligent integration across a wide range of network services
- Easy integration and minimal downtime during installation
- A flexible solution for continuous productivity
- Maximized extensibility and customise ability

Smart Samsung solution support

Samsung offers various solutions such as Device Management, Document Solutions, Security Solutions as well as Mobile Solutions to meet modern office solution requirements.

Device Management



Easy to install and manage, Samsung SyncThru™ Admin manages networked, single and multifunction print devices. SyncThru™ Admin 6 is an award winning fleet management software tool that provides increased efficiency and productivity by allowing users to manage, monitor and diagnose multiple printing devices remotely.

Secure Printing



A network poses the risk of unauthorised access to retained information on the device, and network penetration. Samsung address these threats with features like PIN printing HDD and Data Encryption. Samsung is committed to delivering "Common Criteria" (CC) certified products. CC is a Certification for Secure IT adopted by government and military organisations.

Document Capture



Customers can effectively streamline their document related processes through Samsung's SmarThru™ workflow. This dramatically improves office work efficiency by capturing hardcopy documents and organising them digitally to ensure delivery to the next stage of a business process, or into intelligent archive storage for simplified retrieval whenever necessary.

Billing and Job Accounting



Samsung's Job Accounting feature is designed to provide administrators with in-depth information on printing, scanning, copying and faxing performed by each user on any device. This enables any business to set up individual and group accounts for printing, ensuring that user, device and output activity can be monitored and reported on for any time period.

www.samsung.com/printer

Powerful. Compact. Efficient.

Technical specifications

Highlights

- 1GHz Dual Core Processor provides powerful performance
- ReCP Technology improves the overall print / copy / scan quality
- 7" Colour Touch LCD offers flexibility and simplicity
- Enhanced design maximizes office efficiency
- Eco-features reduces energy costs
- XOA expands functionality easily and affordably
- Advanced security features, as standard, enhances office data protection
- Integrated secure workflow with Samsung Solutions

Configurations & options



Caradi Calana / DOW	av and a contract of the contr
Speed: Colour / B&W	CLX-8640ND: 38 ppm in A4 / CLX-8650ND: 48 ppm in A4
Processor	1 GHz Dual Core
Memory	1 GB DDR3 Memory
Display	7" Colour Touch Panel LCD (1,024 x 600)
Interface	USB 2.0 Device (1EA), USB 2.0 Host (2EA), Ethernet 10 / 100 / 1000 Base TX
Storage	Standard: 1GB / Maximum: 1GB
Duty Cycle	200,000 page monthly
Dimension	(W x D x H) 550 x 523 x 776mm (with DADF)
First Print Out Time	(From Ready Mode): Mono: 9 seconds / Colour: 11 seconds
Weight	70.4 Kg (with DADF & Consumables)
Network Protocols	TCP / IPv4, HTTP, SNM(Pv1 / V2c / v3 LDAP, SMTP, SSL / TLS, IPSec, DNS, WINS, SLP, Bonjour, SSDP, DDNS, IPS, DHCP / BOOTP, IPv6, HTTPS, LDAPS.
Network Security	SSL / TLS, IP sec (IPv4, IPv6), SNMPv3, Protocol & Port Management, 802.1 x (with EAP), IP / MAI filtering
OS Compatibility	[Unindows] 2000 / XP (32/64 bit) / 2003 (32/64 bit) / Vista (32/64 bit) / 2008/Win7 / 2008 R2 (64 or [Linux] - RedHat* Enterprise Linux WS 4,5 (32/64 bit) - Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 (32/64 bit) - SuSE Linux 10.1 (32 bit) - OpenSuSE™ 10.2 10.3, 11.0, 11.1, 11.2 (32/64 bit) - Mandrina 2007, 2008, 2009, 2009, 12010 (32/64 bit) - Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04 8.10, 9.04, 9.10, 10.04 (32/64 bit) - SuSE Linux Enterprise Desktop 10, 11 (32/64 bit) - Debian 4.0, 5.0 (32/64 bit) [Mac] - Mac OS x 10.5 = 10.7
Power Consumption [†]	Max 1.6kW (Ready: <80W, Sleep : <1.5W)
TEC	Europe: AC 220-240V
Paper handling	
Input Capacity & Types	Max: 2,180 sheets @ 80 g/m² (Std: 520 x 1 + 100 sheets MP @ 80 g/m² Option: 520 sheets x 3 @ 80 g/m²)
Output Capacity	Std: 500 sheets Center Output
Media Type	Plain Paper, Thin Paper, Bond, Punched, Pre-Printed, Recycled, Label, CardStock, Letterhead, Thick, Cotton, Coloured, Archive, Glossy
Media Weights	MP Tray: 60~ 175 g/m² (16 ~ 47 lb.) Tray1&2: 60 ~ 220 g/m² (16 ~ 59 lb.)
DADF Document Size	Letter, Legal, Oficio, Folio, A4, JIS B5, ISO B5, Executive, A5, Statement, Custom
DADF Capacity	100 sheets @ 80 g/m ²
Envelope Capacity	10 sheets MP Tray
Copy specifications First Copy Out Time	
(Mono/Colour)	CLX-8640ND: 38 ppm in A4 / CLX-8650ND: 48 ppm in A4
Resolution	Up to 600 x 600 dpi
Zoom Rate	25% ~ 400%
Multi Copy	Up to 9,999
Duplex Copy	Flatbed - 1 -> 1 Sided / - 1 -> 2 Sided (Output: Book, Calendar) DADF - 1 -> 1 Sided / - 1 -> 2 Sided (Output: Book, Calendar) - 2 -> 1 Sided (Output: Book, Calendar) - 2 -> 2 Sided (Output: Book, Calendar)
Copy Features	Quick Copy, ID Copy, N-up Copy, Book Copy, Job Interrupt, etc
Other Copier Features	Original Type: Text, Text/Photo, Magazine, Photo, Copied Original, Map, Light Original. / Colour Setting: Auto Colour, Full Colour, B&W. / Image Modify: Book Centre Erase, Watermark / Cop. Automatic Background Suppression, Time & Date Stamp, ID Stamp
Print specifications	
Resolution	High Quality: Real 1,200 x 1,200 dpi (Half Speed) / Normal: 2,400 x 600 dpi Effective / Best: 9,600 x 600 dpi Effective
Emulation	PCL5C, PCL6 (XL), Post Script Level 3, PDF 1.7+, XPS
Fonts	PCL: 93 scalable, 1 bitmap, OCR-A/B, PS: 136 scalable
Duplex Network Operating System	CLX-9201NA: 14ppm (without 2nd Exit) 20ppm (with 2nd Exit) 7.0LX-9251NA: 17ppm (without 2n Exit) 25ppm (with 2nd Exit) / CLX-9301NA: 21ppm (without 2nd Exit) 30ppm (with 2nd Exit) [Windows] - Microsoft™ Windows 2000 / XP (32/64 bits) / 2003 (32/64 bits) / Vista (32/64 bits) / Windows] - Mac OS 10.5 – 10.6 [Linut] - RedHat™ 8 ~ 9, Fedora Core 1 ~ 4 / Madrake 9.2 ~ 10.1, SuSE 8.2 ~ 9.2 [Novell] - Netware 5.x, 6.x (TCP / IP Only)
	[Others] - Unix (HP-UX, Solaris, SunOS, SCO)
Solutions	Web Admin Service / SmarThru™ Workflow (Optional) / SecuThru™ (Optional) / CounTrru™ (Optional)

Scanner	specificatio	ins
Speed		70 ipm (300 dpi / A4/Letter)
Compatibility		Network Twain
Scan File Formats		JPEG, PDF, PDF/A, PDF-Compact, PDF-Encryption, TIFF, XPS
Resolution (Optical/Enhanced)		600 x 600 dpi, 4,800 x 4,800 dpi (Default Setting: 300 dpi)
Method		Flatbed / DADF
Scan to Modes		Scan to Email (with LDAP support) / Scan to USB, Scan to PC / Scan to Server (FTP / SMB) / Scan to Shared Folder (HDD)
Security	specificatio	ins
Secure Data: Standard Data Overwrite Security Method	Custom*	Select to determine the number of times the memory will be overwritten. The hard disk will be overwritten as many times as the number you select (up to 7 times).
ect n	Secure User	Authentication (Basic, Device, Application), Authorization, Group / Role based Authorization
HDD Encryption Method to protect against data theft	Secure Document	Secure Print, Secure Fax, Document Tagging (Watermark, Stamp) Secure PDF - PDF Encryption Document Tagging of Secure PDF, Digital Signature in PDF, Code Signing, Print Job Encryption
	Secure Management	Job Auditing, Job Operation, Security Event Logging, System Log Back Up, Email Notification
Fax speci	ifications (o	optional)
Modem Spe	eed	33,6kbps ~ 2,400bps with Automatic Speed Selection
Compatibility		ITU-T G3, Super G3
Resolution		203 x 98 dpi (Std), 203 x 196 dpi (Fin)), 300 x 300 dpi (Super.Fine), 600 x 600 dpi (Ultra. Fine)
Resolution		203 x 98dpi (Std), 203 x 196dpi (Fin)), 300 x 300dpi (Super.Fine), 600 x 600dpi (Ultra. Fine)
Speed		1.5sec (Std), 4sec (Fine), Depends on Document (Super.Fine, Ultra.Fine)
Compression Method		MH / MR / MMR / JBIG
Auto Dialing		500 Locations Speed Dial, 500 Group Dial
Fax Functions		Speed Dial, Group Dial, On-hook Dial, Auto Redial, Caller ID, Secure Reception, Fax forwarding, etc.
Fax To Modes		Fax to SMB, Fax to Email, Fax to FTP
Paper inp	out and finis	shing options
Double Case	sette Feeder	
Input Capac	city	520 Sheets
Media Weig	jhts	60 ~ 163 g/m² (16~59 lb.)
Inner Finish	ier	
Output Capa	acity	350 Sheets- (Main 300, Top 50) (A4 80 gsm)
Media Weights		60 ~ 220 g/m² (16~59 lb.)
Staple Capacity		50 sheets (under 90 gsm)
520 x 3 Triple Cassette Feed		eder
Media Capacity		1560 Sheets (520 Sheets x 3)
Media Weights		60 ~ 163 g/m² (16~59 lb.)
Others		
520 Sheet 0	Cassette & Cab	inet (All in One), 520 x 3 Triple Cassette Feeder, 2 Bin Staple Finisher, Fax Kit, FDI Kit
Consumable	es	
Black Toner Cartridge		20,000 pages (CLT-K659S/ELS)
Colour (Y/M/C) Toner Cartridges		20,000 pages (Yellow - CLT-C659S/ELS / Magenta - CLT-M659S/ELS / Yellow - CLT-Y659S/ELS)
Colour Drum		40,000 Pages (CLT-R659/SEE)

† Typical Electricity Consumption (Energy Star Test Method), *Estimated Toner Yields @ 5% coverage. For best performance and yield, we recommend using genuine Samsung parts and consumables. *Specifications above are subject to change without prior notice.

www.samsung.com/printer

To learn more about Samsung Print, please visit: www.samsung.com/printer

©2013 Samsung Electronics Ltd. Samsung is a registered mark of Samsung Electronics Corp., Ltd. Specification and design are subject to change without notice. Non-metric weights and measurements are approximate. All data is correct at time of creation, Samsung are not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies are hereby recognised and acknowledged.

Copyright© 1995-2013 SAMSUNG. All rights reserved.

Samsung Electronics (UK) Ltd.

Samsung House 1000 Hillswood Drive Chertsey, Surrey KT16 0PS



