



IMO safety signs

Low Location Lighting

Electrical emergency exit signs

Pipe markings and marine tapes

2022

 Marahrens

www.marahrens.com

Your project deserves the best

Marahrens Group:
www.marahrens.com

Fon: +49 421/69444-51
Fax: +49 421/69444-52
E-Mail: info@marahrens.com

Postal address:
Grambker Heerstraße 12
28719 Bremen · GERMANY

Same Day Dispatch:
Ex Stock dispatch guaranteed
same day, if order placed:
Before 14:00 on Monday - Thursday
Before 11:00 on Friday

Business hours:
Monday - Thursday 08:00 - 17:00
Friday 08:00 - 14:30

Managing Director:
Janina Marahrens-Hashagen
Jan-Christian Hashagen

We are not responsible
for printing error

WE PROVIDE A FULL SERVICE FROM CONCEPTION AND PRODUCTION THROUGH TO INSTALLATION AND ONGOING MAINTENANCE:

- Vessel survey - we survey your vessels to define the scope of supply, ensuring compliance with the applicable regulations
- Full engineering service - our offer includes the drafting of safety plans for Class approval
- Worldwide installation - team of experienced and highly skilled professionals
- No hidden cost - our prices are clear and transparent
- In-house production "Made in Germany" - fast delivery of our high quality products as well as options to customise

ONGOING SERVICE AND SUPPLY:

- Consultation - precise implementation of the latest regulations
- Measurement of photoluminescent low location lighting systems - performed worldwide by our certified staff using the latest fully certified equipment
- Spare parts & replacements - supply and installation services

Kind regards,



RESCUE BOAT NAME

PORT OF REGISTRY





SAFETY SIGNS AND MARKINGS

MES - Means of escape signs

from Page 6

EES - Emergency equipment signs

from Page 12

LSS - Life saving systems and appliances signs

from Page 16

FES - Fire fighting equipment signs

from Page 22

PSS - Prohibition signs

from Page 26

International Ship and Port Facility Security Code

from Page 30

MSS - Mandatory action signs

from Page 34

WSS - Warning signs

from Page 40

SIS - Fire control plan signs for trained personal

from Page 44

Combination signs

from Page 48

Photoluminescent LLL - Low Location Lighting

from Page 52

Posters for emergency instructions and informations

from Page 58

Yacht signs

from Page 66

LED exit signs by Marahrens

from Page 68

Pipe markings

from Page 70

Various - Hazardous Substances Directive

from Page 72



MES - Means of escape signs

i Escape route identification

Means of escape signs are safe condition signs used to indicate location within the ship and to provide directional guidance from any area within the ship to a designated assembly station (and subsequently to exits and embarkation stations).



Assembly Station
[MES001]

Order-No.	WxH/mm	Code*
ME001.150.12	150 x 150	A
ME001.150.22	150 x 150	A
ME001.300.12	300 x 300	BD
ME001.300.22	300 x 300	BD



Evacuation temporary refuge
[E024]

Order-No.	WxH/mm	Code*
ME403.150.12	150 x 150	A
ME403.150.22	150 x 150	A
ME403.300.12	300 x 300	BD
ME403.300.22	300 x 300	BD



Emergency Exit
(left hand)
[MES002]

Order-No.	WxH/mm	Code*
ME002.150.12	150 x 150	A
ME002.150.22	150 x 150	A



Emergency Exit
(right hand)
[MES003]

Order-No.	WxH/mm	Code*
ME003.150.12	150 x 150	A
ME003.150.22	150 x 150	A



Door slides right to open
[MES004]

Order-No.	WxH/mm	Code*
ME004.100.12	100 x 100	IB
ME004.100.22	100 x 100	IB
ME004.150.12	150 x 150	A
ME004.150.22	150 x 150	A



Door slides left to open
[MES005]

Order-No.	WxH/mm	Code*
ME005.100.12	100 x 100	IB
ME005.100.22	100 x 100	IB
ME005.150.12	150 x 150	A
ME005.150.22	150 x 150	A



Turn anticlockwise to open
[MES006]

Order-No.	WxH/mm	Code*
ME006.100.12	100 x 100	IB
ME006.100.22	100 x 100	IB
ME006.150.12	150 x 150	A
ME006.150.22	150 x 150	A



Turn clockwise to open
[MES007]

Order-No.	WxH/mm	Code*
ME007.100.12	100 x 100	IB
ME007.100.22	100 x 100	IB
ME007.150.12	150 x 150	A
ME007.150.22	150 x 150	A



Door opens by pulling on left-hand side
[MES008]

Order-No.	WxH/mm	Code*
ME008.100.12	100 x 100	IB
ME008.100.22	100 x 100	IB
ME008.150.12	150 x 150	A
ME008.150.22	150 x 150	A



Door opens by pulling on right-hand side
[MES009]

Order-No.	WxH/mm	Code*
ME009.100.12	100 x 100	IB
ME009.100.22	100 x 100	IB
ME009.150.12	150 x 150	A
ME009.150.22	150 x 150	A



Push door on right-hand side to open
[MES010]

Order-No.	WxH/mm	Code*
ME010.100.12	100 x 100	IB
ME010.100.22	100 x 100	IB
ME010.150.12	150 x 150	A
ME010.150.22	150 x 150	A



Push door on left-hand side to open
[MES011]

Order-No.	WxH/mm	Code*
ME011.100.12	100 x 100	IB
ME011.100.22	100 x 100	IB
ME011.150.12	150 x 150	A
ME011.150.22	150 x 150	A



Direction indicator

Order-No.	WxH/mm	Code*
ME401.150.12	150 x 150	A
ME401.150.22	150 x 150	A



Direction indicator

Order-No.	WxH/mm	Code*
ME402.150.12	150 x 150	A
ME402.150.22	150 x 150	A



Station letter A-Z
(please specify letter)

Order-No.	WxH/mm	Code*
ME501.150.12	150 x 150	A
ME501.150.22	150 x 150	A
ME501.300.12	300 x 300	BD
ME501.300.22	300 x 300	BD



Station number 0-9
(please specify number)

Order-No.	WxH/mm	Code*
ME502.150.12	150 x 150	A
ME502.150.22	150 x 150	A
ME502.300.12	300 x 300	BD
ME502.300.22	300 x 300	BD



Station letter A-Z
(please specify letter)

Order-No.	WxH/mm	Code*
ME503.075.12	75 x 150	HA
ME503.075.22	75 x 150	HA
ME503.150.12	150 x 300	AE
ME503.150.22	150 x 300	AE



Station number 0-9
(please specify number)

Order-No.	WxH/mm	Code*
ME504.075.12	75 x 150	HA
ME504.075.22	75 x 150	HA
ME504.150.12	150 x 300	AE
ME504.150.22	150 x 300	AE



Order-No.	WxH/mm	Code*
ME508.300.12	300 x 100	B
ME508.300.22	300 x 100	B
ME508.400.12	400 x 150	D
ME508.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME509.300.12	300 x 100	B
ME509.300.22	300 x 100	B
ME509.400.12	400 x 150	D
ME509.400.22	400 x 150	D

i *Please refer to our price list.

MES - MEANS OF ESCAPE SIGNS



Order-No.	WxH/mm	Code*
ME510.300.12	300 x 100	B
ME510.300.22	300 x 100	B
ME510.400.12	400 x 150	D
ME510.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME511.300.12	300 x 100	B
ME511.300.22	300 x 100	B
ME511.400.12	400 x 150	D
ME511.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME512.300.12	300 x 100	B
ME512.300.22	300 x 100	B
ME512.400.12	400 x 150	D
ME512.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME513.300.12	300 x 100	B
ME513.300.22	300 x 100	B
ME513.400.12	400 x 150	D
ME513.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME514.300.12	300 x 100	B
ME514.300.22	300 x 100	B
ME514.400.12	400 x 150	D
ME514.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME515.300.12	300 x 100	B
ME515.300.22	300 x 100	B
ME515.400.12	400 x 150	D
ME515.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME516.300.12	300 x 100	B
ME516.300.22	300 x 100	B
ME516.400.12	400 x 150	D
ME516.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME517.300.12	300 x 100	B
ME517.300.22	300 x 100	B
ME517.400.12	400 x 150	D
ME517.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME518.300.12	300 x 100	B
ME518.300.22	300 x 100	B
ME518.400.12	400 x 150	D
ME518.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME519.300.12	300 x 100	B
ME519.300.22	300 x 100	B
ME519.400.12	400 x 150	D
ME519.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME520.300.12	300 x 100	B
ME520.300.22	300 x 100	B
ME520.400.12	400 x 150	D
ME520.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME521.300.12	300 x 100	B
ME521.300.22	300 x 100	B
ME521.400.12	400 x 150	D
ME521.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME522.300.12	300 x 100	B
ME522.300.22	300 x 100	B
ME522.400.12	400 x 150	D
ME522.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME523.300.12	300 x 100	B
ME523.300.22	300 x 100	B
ME523.400.12	400 x 150	D
ME523.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME524.300.12	300 x 100	B
ME524.300.22	300 x 100	B
ME524.400.12	400 x 150	D
ME524.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME525.300.12	300 x 100	B
ME525.300.22	300 x 100	B
ME525.400.12	400 x 150	D
ME525.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME526.300.12	300 x 100	B
ME526.300.22	300 x 100	B
ME526.400.12	400 x 150	D
ME526.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME527.300.12	300 x 100	B
ME527.300.22	300 x 100	B
ME527.400.12	400 x 150	D
ME527.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME552.300.12	300 x 100	B
ME552.300.22	300 x 100	B
ME552.400.12	400 x 150	D
ME552.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME505.150.12	150 x 150	A
ME505.150.22	150 x 150	A



Order-No.	WxH/mm	Code*
ME506.150.12	150 x 150	A
ME506.150.22	150 x 150	A



Arrow
(only in combination with
ME505.150.12/22 and
ME506.150.12/22)

Order-No.	WxH/mm	Code*
ME507.075.12	75 x 150	HA
ME507.075.22	75 x 150	HA



Order-No.	WxH/mm	Code*
ME528.300.12	300 x 100	B
ME528.300.22	300 x 100	B
ME528.400.12	400 x 150	D
ME528.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME529.300.12	300 x 100	B
ME529.300.22	300 x 100	B
ME529.400.12	400 x 150	D
ME529.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME530.300.12	300 x 100	B
ME530.300.22	300 x 100	B
ME530.400.12	400 x 150	D
ME530.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME531.300.12	300 x 100	B
ME531.300.22	300 x 100	B
ME531.400.12	400 x 150	D
ME531.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME532.300.12	300 x 100	B
ME532.300.22	300 x 100	B
ME532.400.12	400 x 150	D
ME532.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME533.300.12	300 x 100	B
ME533.300.22	300 x 100	B
ME533.400.12	400 x 150	D
ME533.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME534.300.12	300 x 100	B
ME534.300.22	300 x 100	B
ME534.400.12	400 x 150	D
ME534.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME535.300.12	300 x 100	B
ME535.300.22	300 x 100	B
ME535.400.12	400 x 150	D
ME535.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME536.300.12	300 x 100	B
ME536.300.22	300 x 100	B
ME536.400.12	400 x 150	D
ME536.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME537.300.12	300 x 100	B
ME537.300.22	300 x 100	B
ME537.400.12	400 x 150	D
ME537.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME538.200.12	200 x 100	QA
ME538.200.22	200 x 100	QA
ME538.300.12	300 x 150	BB
ME538.300.22	300 x 150	BB



Order-No.	WxH/mm	Code*
ME539.200.12	200 x 100	QA
ME539.200.22	200 x 100	QA
ME539.300.12	300 x 150	BB
ME539.300.22	300 x 150	BB

i Material specification

- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398



Order-No.	WxH/mm	Code*
ME540.300.12	300 x 100	B
ME540.300.22	300 x 100	B
ME540.400.12	400 x 150	D
ME540.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME541.300.12	300 x 100	B
ME541.300.22	300 x 100	B
ME541.400.12	400 x 150	D
ME541.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME546.300.12	300 x 100	B
ME546.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
ME547.300.12	300 x 100	B
ME547.300.22	300 x 100	B



Deck number (please specify figures)

Order-No.	WxH/mm	Code*
ME548.300.12	300 x 100	B
ME548.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
ME549.300.12	300 x 100	B
ME549.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
ME550.300.12	300 x 100	B
ME550.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
ME551.300.12	300 x 100	B
ME551.300.22	300 x 100	B

i Not sure about the correct implementation of safety rules and regulations? Leave it to us!



i *Please refer to our price list.

SAFE AREA SIGNS FOR THE MOBILITY IMPAIRED



Evacuation temporary refuge [E024]

Order-No.	WxH/mm	Code*
ME403.150.12	150 x 150	A
ME403.150.22	150 x 150	A
ME403.300.12	300 x 300	BD
ME403.300.22	300 x 300	BD



Evacuation temporary refuge [E024]

Order-No.	WxH/mm	Code*
ME100.150.12	150 x 150	A
ME100.150.22	150 x 150	A
ME100.300.12	300 x 300	BD
ME100.300.22	300 x 300	BD



Order-No.	WxH/mm	Code*
ME102.300.12	300 x 100	B
ME102.300.22	300 x 100	B
ME102.400.12	400 x 150	D
ME102.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME103.300.12	300 x 100	B
ME103.300.22	300 x 100	B
ME103.400.12	400 x 150	D
ME103.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME104.300.12	300 x 100	B
ME104.300.22	300 x 100	B
ME104.400.12	400 x 150	D
ME104.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME105.300.12	300 x 100	B
ME105.300.22	300 x 100	B
ME105.400.12	400 x 150	D
ME105.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME106.300.12	300 x 100	B
ME106.300.22	300 x 100	B
ME106.400.12	400 x 150	D
ME106.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME107.300.12	300 x 100	B
ME107.300.22	300 x 100	B
ME107.400.12	400 x 150	D
ME107.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME108.300.12	300 x 100	B
ME108.300.22	300 x 100	B
ME108.400.12	400 x 150	D
ME108.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME109.300.12	300 x 100	B
ME109.300.22	300 x 100	B
ME109.400.12	400 x 150	D
ME109.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME110.300.12	300 x 100	B
ME110.300.22	300 x 100	B
ME110.400.12	400 x 150	D
ME110.400.22	400 x 150	D



Order-No.	WxH/mm	Code*
ME111.300.12	300 x 100	B
ME111.300.22	300 x 100	B
ME111.400.12	400 x 150	D
ME111.400.22	400 x 150	D



i Material specification

- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398



SAFE AREA SIGNS FOR THE MOBILITY IMPAIRED



Disability assistance call point



Disability assistance telephone



Disability assistance call point

Order-No.	WxH/mm	Code*
FE100.150.12	150 x 150	A
FE100.150.22	150 x 150	A
FE100.300.12	300 x 300	BD
FE100.300.22	300 x 300	BD

Order-No.	WxH/mm	Code*
EE100.150.12	150 x 150	A
EE100.150.22	150 x 150	A
EE100.300.12	300 x 300	BD
EE100.300.22	300 x 300	BD

Order-No.	WxH/mm	Code*
EE116.150.12	150 x 150	A
EE116.150.22	150 x 150	A
EE116.300.12	300 x 300	BD
EE116.300.22	300 x 300	BD

i ALL Photoluminescent...

... vinyl signs have a luminance higher than 50 mcd/m² (after 10 min, class B acc. ISO 17398)

... rigid signs have a luminance higher than 140 mcd/m² (after 10 min, class C acc. ISO 17398)

Photoluminescent rigid signs are equipped with a high performance double sided adhesive tape for easy and durable installation.

i *Please refer to our price list.



EES - Emergency equipment signs

i Use and location of first aid facilities and portable safety equipment

These signs are safe condition signs used to indicate the exact location of first aid facilities, first aid equipment or portable safety equipment, the type of facility or equipment and any instructions for its use.



First Aid
[EES001]

Order-No.	WxH/mm	Code*
EE001.150.12	150 x 150	A
EE001.150.22	150 x 150	A



First Aid
[EES001]

Order-No.	WxH/mm	Code*
EE101.150.12	150 x 150	A
EE101.150.22	150 x 150	A



Emergency telephone
[EES002]

Order-No.	WxH/mm	Code*
EE002.150.12	150 x 150	A
EE002.150.22	150 x 150	A




Emergency telephone
[EES002]

Order-No.	WxH/mm	Code*
EE102.150.12	150 x 150	A
EE102.150.22	150 x 150	A



Eye wash station
[EES003]

Order-No.	WxH/mm	Code*
EE003.150.12	150 x 150	A
EE003.150.22	150 x 150	A




Eye wash station
[EES003]

Order-No.	WxH/mm	Code*
EE103.150.12	150 x 150	A
EE103.150.22	150 x 150	A



Safety shower
[EES004]

Order-No.	WxH/mm	Code*
EE004.150.12	150 x 150	A
EE004.150.22	150 x 150	A



Safety shower
[EES004]

Order-No.	WxH/mm	Code*
EE104.150.12	150 x 150	A
EE104.150.22	150 x 150	A



Stretcher
[EES005]

Order-No.	WxH/mm	Code*
EE005.150.12	150 x 150	A
EE005.150.22	150 x 150	A



Stretcher
[EES005]

Order-No.	WxH/mm	Code*
EE105.150.12	150 x 150	A
EE105.150.22	150 x 150	A



Medical grab bag
[EES006]

Order-No.	WxH/mm	Code*
EE006.150.12	150 x 150	A
EE006.150.22	150 x 150	A



Medical grab bag
[EES006]

Order-No.	WxH/mm	Code*
EE106.150.12	150 x 150	A
EE106.150.22	150 x 150	A



Oxygen resuscitator
[EES007]

Order-No.	WxH/mm	Code*
EE007.150.12	150 x 150	A
EE007.150.22	150 x 150	A



Oxygen resuscitator
[EES007]

Order-No.	WxH/mm	Code*
EE107.150.12	150 x 150	A
EE107.150.22	150 x 150	A



Emergency escape breathing device (EEBD)
[EES008]

Order-No.	WxH/mm	Code*
EE008.150.12	150 x 150	A
EE008.150.22	150 x 150	A



Emergency escape breathing device (EEBD)
[EES008]

Order-No.	WxH/mm	Code*
EE108.150.12	150 x 150	A
EE108.150.22	150 x 150	A



Doctor
[EES009]

Order-No.	WxH/mm	Code*
EE009.150.12	150 x 150	A
EE009.150.22	150 x 150	A




Doctor
[EES009]

Order-No.	WxH/mm	Code*
EE109.150.12	150 x 150	A
EE109.150.22	150 x 150	A



Automated external heart defibrillator
[EES010]

Order-No.	WxH/mm	Code*
EE010.150.12	150 x 150	A
EE010.150.22	150 x 150	A



Automated external heart defibrillator
[EES010]

Order-No.	WxH/mm	Code*
EE110.150.12	150 x 150	A
EE110.150.22	150 x 150	A



Safety equipment
[EES011]

Order-No.	WxH/mm	Code*
EE011.150.12	150 x 150	A
EE011.150.22	150 x 150	A




Safety equipment
[EES011]

Order-No.	WxH/mm	Code*
EE111.150.12	150 x 150	A
EE111.150.22	150 x 150	A



Shipboard general alarm
[EES012]

Order-No.	WxH/mm	Code*
EE012.150.12	150 x 150	A
EE012.150.22	150 x 150	A



Shipboard general alarm
[EES012]

Order-No.	WxH/mm	Code*
EE112.150.12	150 x 150	A
EE112.150.22	150 x 150	A

i *Please refer to our price list.



Break to obtain access
[EES013]

Order-No.	WxH/mm	Code*
EE013.150.12	150 x 150	A
EE013.150.22	150 x 150	A



Break to obtain access
[EES013]

Order-No.	WxH/mm	Code*
EE113.150.12	150 x 150	A
EE113.150.22	150 x 150	A

i Material specification

- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398



Evacuation mattress

Order-No.	WxH/mm	Code*
EE014.150.12	150 x 150	A
EE014.150.22	150 x 150	A



Evacuation mattress

Order-No.	WxH/mm	Code*
EE117.150.12	150 x 150	A
EE117.150.22	150 x 150	A



Person overboard call point

Order-No.	WxH/mm	Code*
EE015.150.12	150 x 150	A
EE015.150.22	150 x 150	A



Person overboard call point

Order-No.	WxH/mm	Code*
EE118.150.12	150 x 150	A
EE118.150.22	150 x 150	A



Emergency stop button

Order-No.	WxH/mm	Code*
EE401.150.12	150 x 150	A
EE401.150.22	150 x 150	A



Emergency stop button

Order-No.	WxH/mm	Code*
EE114.150.12	150 x 150	A
EE114.150.22	150 x 150	A



Drinking water

Order-No.	WxH/mm	Code*
EE402.150.12	150 x 150	A
EE402.150.22	150 x 150	A



Drinking water

Order-No.	WxH/mm	Code*
EE115.150.12	150 x 150	A
EE115.150.22	150 x 150	A



Location indicator panel for life saving system or appliance

Order-No.	WxH/mm	Code*
EE501.075.12	75 x 150	HA
EE501.075.22	75 x 150	HA



Breathing apparatus

Order-No.	WxH/mm	Code*
EE502.300.12	300 x 100	B
EE502.300.22	300 x 100	B
EE502.400.12	400 x 150	D
EE502.400.22	400 x 150	D



Emergency eye wash

Order-No.	WxH/mm	Code*
EE504.300.12	300 x 100	B
EE504.300.22	300 x 100	B
EE504.400.12	400 x 150	D
EE504.400.22	400 x 150	D



Stretcher

Order-No.	WxH/mm	Code*
EE505.300.12	300 x 100	B
EE505.300.22	300 x 100	B
EE505.400.12	400 x 150	D
EE505.400.22	400 x 150	D



Emergency stop

Order-No.	WxH/mm	Code*
EE506.300.12	300 x 100	B
EE506.300.22	300 x 100	B
EE506.400.12	400 x 150	D
EE506.400.22	400 x 150	D



Emergency shower

Order-No.	WxH/mm	Code*
EE507.300.12	300 x 100	B
EE507.300.22	300 x 100	B
EE507.400.12	400 x 150	D
EE507.400.22	400 x 150	D



First aid

Order-No.	WxH/mm	Code*
EE508.300.12	300 x 100	B
EE508.300.22	300 x 100	B
EE508.400.12	400 x 150	D
EE508.400.22	400 x 150	D



Emergency telephone

Order-No.	WxH/mm	Code*
EE509.300.12	300 x 100	B
EE509.300.22	300 x 100	B
EE509.400.12	400 x 150	D
EE509.400.22	400 x 150	D



Emergency equipment

Order-No.	WxH/mm	Code*
EE503.300.12	300 x 100	B
EE503.300.22	300 x 100	B
EE503.400.12	400 x 150	D
EE503.400.22	400 x 150	D



Pollution control equipment

Order-No.	WxH/mm	Code*
EE510.300.12	300 x 100	B
EE510.300.22	300 x 100	B
EE510.400.12	400 x 150	D
EE510.400.22	400 x 150	D



Defibrillator

Order-No.	WxH/mm	Code*
EE512.300.12	300 x 100	B
EE512.300.22	300 x 100	B
EE512.400.12	400 x 150	D
EE512.400.22	400 x 150	D

i *Please refer to our price list.

i Not sure about the correct implementation of safety rules and regulations? Leave it to us!



A photograph of a ship's deck, viewed from a high angle. The deck is blue and has a white railing. In the background, a large orange lifeboat is mounted on a white structure. The sky is clear blue. A green rectangular overlay is positioned on the left side of the image, containing white text.

**LSS - Life saving
systems and appliances
signs**

i Use and location of life saving systems and appliances

Life saving systems and appliance signs are safe condition signs used to indicate the exact location or storage of the life-saving equipment, the type of equipment, the identification number and any instructions for its correct use.



Lifeboat
[LSS001]

Order-No.	WxH/mm	Code*
LA001.150.12	150 x 150	A
LA001.150.22	150 x 150	A
LA001.300.12	300 x 300	BD
LA001.300.22	300 x 300	BD



Lifeboat
[LSS001]

Order-No.	WxH/mm	Code*
LA101.150.12	150 x 150	A
LA101.150.22	150 x 150	A
LA101.300.12	300 x 300	BD
LA101.300.22	300 x 300	BD



Rescue boat
[LSS002]

Order-No.	WxH/mm	Code*
LA002.150.12	150 x 150	A
LA002.150.22	150 x 150	A



Rescue boat
[LSS002]

Order-No.	WxH/mm	Code*
LA102.150.12	150 x 150	A
LA102.150.22	150 x 150	A



Liferaft
[LSS003]

Order-No.	WxH/mm	Code*
LA003.150.12	150 x 150	A
LA003.150.22	150 x 150	A
LA003.300.12	300 x 300	BD
LA003.300.22	300 x 300	BD



Liferaft
[LSS003]

Order-No.	WxH/mm	Code*
LA103.150.12	150 x 150	A
LA103.150.22	150 x 150	A
LA103.300.12	300 x 300	BD
LA103.300.22	300 x 300	BD



Davit-launched-
liferaft
[LSS004]

Order-No.	WxH/mm	Code*
LA004.150.12	150 x 150	A
LA004.150.22	150 x 150	A



Davit-launched-
liferaft
[LSS004]

Order-No.	WxH/mm	Code*
LA104.150.12	150 x 150	A
LA104.150.22	150 x 150	A



Lifebuoy
[LSS005]

Order-No.	WxH/mm	Code*
LA005.150.12	150 x 150	A
LA005.150.22	150 x 150	A



Lifebuoy
[LSS005]

Order-No.	WxH/mm	Code*
LA105.150.12	150 x 150	A
LA105.150.22	150 x 150	A



Lifebuoy with line
[LSS006]

Order-No.	WxH/mm	Code*
LA006.150.12	150 x 150	A
LA006.150.22	150 x 150	A



Lifebuoy with line
[LSS006]

Order-No.	WxH/mm	Code*
LA106.150.12	150 x 150	A
LA106.150.22	150 x 150	A



Lifebuoy with light
[LSS007]

Order-No.	WxH/mm	Code*
LA007.150.12	150 x 150	A
LA007.150.22	150 x 150	A



Lifebuoy with light
[LSS007]

Order-No.	WxH/mm	Code*
LA107.150.12	150 x 150	A
LA107.150.22	150 x 150	A



Lifebuoy with
line and light
[LSS008]

Order-No.	WxH/mm	Code*
LA008.150.12	150 x 150	A
LA008.150.22	150 x 150	A



Lifebuoy with
line and light
[LSS008]

Order-No.	WxH/mm	Code*
LA108.150.12	150 x 150	A
LA108.150.22	150 x 150	A



Lifebuoy with
light and smoke
[LSS009]

Order-No.	WxH/mm	Code*
LA009.150.12	150 x 150	A
LA009.150.22	150 x 150	A




Lifebuoy with
light and smoke
[LSS009]

Order-No.	WxH/mm	Code*
LA109.150.12	150 x 150	A
LA109.150.22	150 x 150	A



Search and rescue
locating device
[LSS013]

Order-No.	WxH/mm	Code*
LA013.150.12	150 x 150	A
LA013.150.22	150 x 150	A



Search and rescue
locating device
[LSS013]

Order-No.	WxH/mm	Code*
LA113.150.12	150 x 150	A
LA113.150.22	150 x 150	A

i *Please refer to our price list.



Lifejacket
[LSS010]

Order-No.	WxH/mm	Code*
LA010.150.12	150 x 150	A
LA010.150.22	150 x 150	A



Lifejacket
[LSS010]

Order-No.	WxH/mm	Code*
LA110.150.12	150 x 150	A
LA110.150.22	150 x 150	A



Child's Lifejacket
[LSS011]

Order-No.	WxH/mm	Code*
LA011.150.12	150 x 150	A
LA011.150.22	150 x 150	A



Child's Lifejacket
[LSS011]

Order-No.	WxH/mm	Code*
LA111.150.12	150 x 150	A
LA111.150.22	150 x 150	A



Infant's Lifejacket
[LSS012]

Order-No.	WxH/mm	Code*
LA012.150.12	150 x 150	A
LA012.150.22	150 x 150	A



Infant's Lifejacket
[LSS012]

Order-No.	WxH/mm	Code*
LA112.150.12	150 x 150	A
LA112.150.22	150 x 150	A



Lifejacket XXL

Order-No.	WxH/mm	Code*
LA501.150.12	150 x 150	A
LA501.150.22	150 x 150	A



Lifejacket XXL

Order-No.	WxH/mm	Code*
LA126.150.12	150 x 150	A
LA126.150.22	150 x 150	A



Distress signals
[LSS014]

Order-No.	WxH/mm	Code*
LA014.150.12	150 x 150	A
LA014.150.22	150 x 150	A



Distress signals
[LSS014]

Order-No.	WxH/mm	Code*
LA114.150.12	150 x 150	A
LA114.150.22	150 x 150	A



Rocket parachute flares
[LSS015]

Order-No.	WxH/mm	Code*
LA015.150.12	150 x 150	A
LA015.150.22	150 x 150	A



Rocket parachute flares
[LSS015]

Order-No.	WxH/mm	Code*
LA115.150.12	150 x 150	A
LA115.150.22	150 x 150	A



Line-throwing appliance
[LSS016]

Order-No.	WxH/mm	Code*
LA016.150.12	150 x 150	A
LA016.150.22	150 x 150	A



Line-throwing appliance
[LSS016]

Order-No.	WxH/mm	Code*
LA116.150.12	150 x 150	A
LA116.150.22	150 x 150	A



Two-way VHF radiotelephone apparatus
[LSS017]

Order-No.	WxH/mm	Code*
LA017.150.12	150 x 150	A
LA017.150.22	150 x 150	A




Two-way VHF radiotelephone apparatus
[LSS017]

Order-No.	WxH/mm	Code*
LA117.150.12	150 x 150	A
LA117.150.22	150 x 150	A



Emergency Position Indicating Radio Beacon (EPIRB)
[LSS018]

Order-No.	WxH/mm	Code*
LA018.150.12	150 x 150	A
LA018.150.22	150 x 150	A



Emergency Position Indicating Radio Beacon (EPIRB)
[LSS018]

Order-No.	WxH/mm	Code*
LA118.150.12	150 x 150	A
LA118.150.22	150 x 150	A



Embarkation ladder
[LSS019]

Order-No.	WxH/mm	Code*
LA019.150.12	150 x 150	A
LA019.150.22	150 x 150	A



Embarkation ladder
[LSS019]

Order-No.	WxH/mm	Code*
LA119.150.12	150 x 150	A
LA119.150.22	150 x 150	A



Marine evacuation system (slide)
[LSS020]

Order-No.	WxH/mm	Code*
LA020.150.12	150 x 150	A
LA020.150.22	150 x 150	A



Marine evacuation system (slide)
[LSS020]

Order-No.	WxH/mm	Code*
LA120.150.12	150 x 150	A
LA120.150.22	150 x 150	A



Marine evacuation system (chute)
[LSS021]

Order-No.	WxH/mm	Code*
LA021.150.12	150 x 150	A
LA021.150.22	150 x 150	A
LA021.300.12	300 x 300	BD
LA021.300.22	300 x 300	BD




Marine evacuation system (chute)
[LSS021]

Order-No.	WxH/mm	Code*
LA121.150.12	150 x 150	A
LA121.150.22	150 x 150	A
LA121.300.12	300 x 300	BD
LA121.300.22	300 x 300	BD



Survival clothing
[LSS022]

Order-No.	WxH/mm	Code*
LA022.150.12	150 x 150	A
LA022.150.22	150 x 150	A



Survival clothing
[LSS022]

Order-No.	WxH/mm	Code*
LA122.150.12	150 x 150	A
LA122.150.22	150 x 150	A



Liferaft knife
[LSS023]

Order-No.	WxH/mm	Code*
LA023.150.12	150 x 150	A
LA023.150.22	150 x 150	A



Liferaft knife
[LSS023]

Order-No.	WxH/mm	Code*
LA123.150.12	150 x 150	A
LA123.150.22	150 x 150	A

i Material specification

- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398



Escape ladder

Order-No.	WxH/mm	Code*
LA401.150.12	150 x 150	A
LA401.150.22	150 x 150	A



Escape ladder

Escape ladder

Order-No.	WxH/mm	Code*
LA124.150.12	150 x 150	A
LA124.150.22	150 x 150	A



Evacuation chair

Order-No.	WxH/mm	Code*
LA402.150.12	150 x 150	A
LA402.150.22	150 x 150	A



Evacuation chair

Evacuation chair

Order-No.	WxH/mm	Code*
LA125.150.12	150 x 150	A
LA125.150.22	150 x 150	A



Thermal protection aid

Order-No.	WxH/mm	Code*
LA502.150.12	150 x 150	A
LA502.150.22	150 x 150	A



Thermal protection aid

Thermal protection aid

Order-No.	WxH/mm	Code*
LA127.150.12	150 x 150	A
LA127.150.22	150 x 150	A



Anti-exposure suit

Order-No.	WxH/mm	Code*
LA503.150.12	150 x 150	A
LA503.150.22	150 x 150	A



Anti-exposure suit

Anti-exposure suit

Order-No.	WxH/mm	Code*
LA128.150.12	150 x 150	A
LA128.150.22	150 x 150	A



Chemical protective clothing

Order-No.	WxH/mm	Code*
LA504.150.12	150 x 150	A
LA504.150.22	150 x 150	A



Quantity (figures to be announced)

Order-No.	WxH/mm	Code*
LA510.150.12	150 x 50	AB
LA510.150.22	150 x 50	AB



Heaving line

Order-No.	WxH/mm	Code*
LA505.150.12	150 x 150	A
LA505.150.22	150 x 150	A



Heaving line

Heaving line

Order-No.	WxH/mm	Code*
LA129.150.12	150 x 150	A
LA129.150.22	150 x 150	A



Man ropes

Order-No.	WxH/mm	Code*
LA506.150.12	150 x 150	A
LA506.150.22	150 x 150	A



Man ropes

Man ropes

Order-No.	WxH/mm	Code*
LA130.150.12	150 x 150	A
LA130.150.22	150 x 150	A



Dual watch VHF radio

Order-No.	WxH/mm	Code*
LA507.150.12	150 x 150	A
LA507.150.22	150 x 150	A



Dual watch VHF radio

Dual watch VHF radio

Order-No.	WxH/mm	Code*
LA131.150.12	150 x 150	A
LA131.150.22	150 x 150	A



Two way telephone apparatus

Order-No.	WxH/mm	Code*
LA508.150.12	150 x 150	A
LA508.150.22	150 x 150	A



Two way telephone apparatus

Two way telephone apparatus

Order-No.	WxH/mm	Code*
LA132.150.12	150 x 150	A
LA132.150.22	150 x 150	A

i Customize your own signs




Further information on page 43.



Descent unit

Order-No.	WxH/mm	Code*
LA509.150.12	150 x 150	A
LA509.150.22	150 x 150	A



Descent unit

Descent unit

Order-No.	WxH/mm	Code*
LA133.150.12	150 x 150	A
LA133.150.22	150 x 150	A

i *Please refer to our price list.

IDENTIFICATION AND DIRECTIONS

USING MANAGEMENT INFORMATION

Example of combination signs with location indicator



USING DIRECTIONAL INFORMATION

Example of vertical and horizontal combination signs using location indicator panel, supplementary signs and directional arrows




i ALL Photoluminescent...

... vinyl signs have a luminance higher than 50 mcd/m² (after 10 min, class B acc. ISO 17398)

... rigid signs have a luminance higher than 140 mcd/m² (after 10 min, class C acc. ISO 17398)

Photoluminescent rigid signs are equipped with a high performance double sided adhesive tape for easy and durable installation

i Not sure about the correct implementation of safety rules and regulations? Leave it to us!





**FES - Fire-fighting
equipment signs**

i Use and location of fire-fighting equipment

Fire-fighting equipment signs are used to indicate the exact location of the fire-fighting equipment, the type of equipment and any instructions for its effective and safe use.



Fire extinguisher
[FES001]

Order-No.	WxH/mm	Code*
FE001.150.12	150 x 150	A
FE001.150.22	150 x 150	A



Fire extinguisher
[FES001]

Order-No.	WxH/mm	Code*
FE101.150.12	150 x 150	A
FE101.150.22	150 x 150	A



Fire hose reel
[FES002]

Order-No.	WxH/mm	Code*
FE002.150.12	150 x 150	A
FE002.150.22	150 x 150	A



Fire hose reel
[FES002]

Order-No.	WxH/mm	Code*
FE102.150.12	150 x 150	A
FE102.150.22	150 x 150	A



Fire locker
(Collection of fire
fighting equipment)
[FES003]

Order-No.	WxH/mm	Code*
FE003.150.12	150 x 150	A
FE003.150.22	150 x 150	A



Fire locker
(Collection of fire
fighting equipment)
[FES003]

Order-No.	WxH/mm	Code*
FE103.150.12	150 x 150	A
FE103.150.22	150 x 150	A



Fire alarm
call point
[FES004]

Order-No.	WxH/mm	Code*
FE004.075.12	75 x 75	H
FE004.075.22	75 x 75	H
FE004.150.12	150 x 150	A
FE004.150.22	150 x 150	A



Fire alarm
call point
[FES004]

Order-No.	WxH/mm	Code*
FE104.075.12	75 x 75	H
FE104.075.22	75 x 75	H
FE104.150.12	150 x 150	A
FE104.150.22	150 x 150	A



Fixed fire
extinguishing battery
[FES005]

Order-No.	WxH/mm	Code*
FE005.150.12	150 x 150	A
FE005.150.22	150 x 150	A



Fixed fire
extinguishing battery
[FES005]

Order-No.	WxH/mm	Code*
FE105.150.12	150 x 150	A
FE105.150.22	150 x 150	A



Wheeled fire
extinguisher
[FES006]

Order-No.	WxH/mm	Code*
FE006.150.12	150 x 150	A
FE006.150.22	150 x 150	A



Wheeled fire
extinguisher
[FES006]

Order-No.	WxH/mm	Code*
FE106.150.12	150 x 150	A
FE106.150.22	150 x 150	A



Portable foam
applicator unit
[FES007]

Order-No.	WxH/mm	Code*
FE007.150.12	150 x 150	A
FE007.150.22	150 x 150	A



Portable foam
applicator unit
[FES007]

Order-No.	WxH/mm	Code*
FE107.150.12	150 x 150	A
FE107.150.22	150 x 150	A



Water fog applicator
[FES008]

Order-No.	WxH/mm	Code*
FE008.150.12	150 x 150	A
FE008.150.22	150 x 150	A



Water fog applicator
[FES008]

Order-No.	WxH/mm	Code*
FE108.150.12	150 x 150	A
FE108.150.22	150 x 150	A



Fixed fire extinguish-
ing installation
[FES009]

Order-No.	WxH/mm	Code*
FE009.150.12	150 x 150	A
FE009.150.22	150 x 150	A



Fixed fire extinguish-
ing installation
[FES009]

Order-No.	WxH/mm	Code*
FE109.150.12	150 x 150	A
FE109.150.22	150 x 150	A



Fixed fire
extinguishing bottle
[FES010]

Order-No.	WxH/mm	Code*
FE010.150.12	150 x 150	A
FE010.150.22	150 x 150	A



Fixed fire
extinguishing bottle
[FES010]

Order-No.	WxH/mm	Code*
FE110.150.12	150 x 150	A
FE110.150.22	150 x 150	A



Remote
release station
[FES011]

Order-No.	WxH/mm	Code*
FE011.150.12	150 x 150	A
FE011.150.22	150 x 150	A



Remote
release station
[FES011]

Order-No.	WxH/mm	Code*
FE111.150.12	150 x 150	A
FE111.150.22	150 x 150	A



Fire monitor
[FES012]

Order-No.	WxH/mm	Code*
FE012.150.12	150 x 150	A
FE012.150.22	150 x 150	A



Fire monitor
[FES012]

Order-No.	WxH/mm	Code*
FE112.150.12	150 x 150	A
FE112.150.22	150 x 150	A

i *Please refer to our price list.



Unconnected fire hose

Order-No.	WxH/mm	Code*
FE013.150.12	150 x 150	A
FE013.150.22	150 x 150	A



Unconnected fire hose

Order-No.	WxH/mm	Code*
FE116.150.12	150 x 150	A
FE116.150.22	150 x 150	A



Fire emergency telephone

Order-No.	WxH/mm	Code*
FE401.150.12	150 x 150	A
FE401.150.22	150 x 150	A



Fire emergency telephone

Order-No.	WxH/mm	Code*
FE113.150.12	150 x 150	A
FE113.150.22	150 x 150	A



Fire ladder

Order-No.	WxH/mm	Code*
FE402.150.12	150 x 150	A
FE402.150.22	150 x 150	A



Fire ladder

Order-No.	WxH/mm	Code*
FE114.150.12	150 x 150	A
FE114.150.22	150 x 150	A



Fire blanket

Order-No.	WxH/mm	Code*
FE403.150.12	150 x 150	A
FE403.150.22	150 x 150	A



Fire blanket

Order-No.	WxH/mm	Code*
FE115.150.12	150 x 150	A
FE115.150.22	150 x 150	A

SUPPLEMENTARY SIGNS



Supplementary sign for extinguishing media: Foam

Order-No.	WxH/mm	Code*
FE202.075.12	75 x 150	HA
FE202.075.22	75 x 150	HA



Supplementary sign for extinguishing media: CO₂

Order-No.	WxH/mm	Code*
FE203.075.12	75 x 150	HA
FE203.075.22	75 x 150	HA



Supplementary sign for extinguishing media: Powder

Order-No.	WxH/mm	Code*
FE204.075.12	75 x 150	HA
FE204.075.22	75 x 150	HA




Supplementary sign for extinguishing media: Water

Order-No.	WxH/mm	Code*
FE205.075.12	75 x 150	HA
FE205.075.22	75 x 150	HA



Supplementary sign for extinguishing media: Drencher

Order-No.	WxH/mm	Code*
FE206.075.12	75 x 150	HA
FE206.075.22	75 x 150	HA



Supplementary sign for extinguishing media: Sprinkler

Order-No.	WxH/mm	Code*
FE207.075.12	75 x 150	HA
FE207.075.22	75 x 150	HA



Supplementary sign for extinguishing media: Novec

Order-No.	WxH/mm	Code*
FE208.075.12	75 x 150	HA
FE208.075.22	75 x 150	HA



Supplementary sign for extinguishing media: Nitrogen

Order-No.	WxH/mm	Code*
FE209.075.12	75 x 150	HA
FE209.075.22	75 x 150	HA



Station number
(please specify number)

Order-No.	WxH/mm	Code*
FE501.150.12	150 x 150	A
FE501.150.22	150 x 150	A



Location indicator panel
for fire-fighting equipment

Order-No.	WxH/mm	Code*
FE201.075.12	75 x 150	HA
FE201.075.22	75 x 150	HA


i Material specification

- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398



Water fire extinguisher instructions

Order-No.	WxH/mm	Code
FE301.100.12	100 x 200	ID




Foam fire extinguisher instructions

Order-No.	WxH/mm	Code
FE302.100.12	100 x 200	ID



Powder fire extinguisher instructions

Order-No.	WxH/mm	Code
FE303.100.12	100 x 200	ID




CO2 fire extinguisher instructions

Order-No.	WxH/mm	Code
FE304.100.12	100 x 200	ID

IDENTIFICATION AND DIRECTIONS

USING DIRECTIONAL INFORMATION

Example of vertical and horizontal combination signs using location indicator panel, supplementary signs and directional arrows



USING SUPPLEMENTARY INFORMATION

Example of fire extinguisher combination signs using location indicator, media identification panel and directional arrow right supplementary signs



i Not sure about the correct implementation of safety rules and regulations?

Leave it to us!



i *Please refer to our price list.



PSS - Prohibition signs

i Prohibited actions

Prohibition signs are used to restrict or prohibit the movement and actions of persons.



No open flame; Fire, open ignition source and smoking prohibited [PSS003]

Order-No.	WxH/mm	Code*
PS003.150.12	150	A
PS003.150.22	150	A



No thoroughfare [PSS004]

Order-No.	WxH/mm	Code*
PS004.150.12	150	A
PS004.150.22	150	A



General prohibition sign [PSS001]

Order-No.	WxH/mm	Code*
PS001.150.12	150	A
PS001.150.22	150	A



No smoking [PSS002]

Order-No.	WxH/mm	Code*
PS002.150.12	150	A
PS002.150.22	150	A



No drinking water [PSS005]

Order-No.	WxH/mm	Code*
PS005.150.12	150	A
PS005.150.22	150	A



No access for fork lift trucks and other industrial vehicles [PSS006]

Order-No.	WxH/mm	Code*
PS006.150.12	150	A
PS006.150.22	150	A



No access for people with active implanted cardiac devices [PSS007]

Order-No.	WxH/mm	Code*
PS007.150.12	150	A
PS007.150.22	150	A



No metallic articles or watches [PSS008]

Order-No.	WxH/mm	Code*
PS008.150.12	150	A
PS008.150.22	150	A



Do not touch [PSS009]

Order-No.	WxH/mm	Code*
PS009.150.12	150	A
PS009.150.22	150	A



Do not extinguish with water [PSS010]

Order-No.	WxH/mm	Code*
PS010.150.12	150	A
PS010.150.22	150	A



No activated mobile phone [PSS011]

Order-No.	WxH/mm	Code*
PS011.150.12	150	A
PS011.150.22	150	A



No access for persons with metallic implants [PSS012]

Order-No.	WxH/mm	Code*
PS012.150.12	150	A
PS012.150.22	150	A



No reaching in [PSS013]

Order-No.	WxH/mm	Code*
PS013.150.12	150	A
PS013.150.22	150	A



No pushing [PSS014]

Order-No.	WxH/mm	Code*
PS014.150.12	150	A
PS014.150.22	150	A



No sitting [PSS015]

Order-No.	WxH/mm	Code*
PS015.150.12	150	A
PS015.150.22	150	A



No stepping on surface [PSS016]

Order-No.	WxH/mm	Code*
PS016.150.12	150	A
PS016.150.22	150	A



Do not use lift in the event of fire [PSS017]

Order-No.	WxH/mm	Code*
PS017.150.12	150	A
PS017.150.22	150	A



No dogs [PSS018]

Order-No.	WxH/mm	Code*
PS018.150.12	150	A
PS018.150.22	150	A



No eating or drinking [PSS019]

Order-No.	WxH/mm	Code*
PS019.150.12	150	A
PS019.150.22	150	A



Do not obstruct [PSS020]

Order-No.	WxH/mm	Code*
PS020.150.12	150	A
PS020.150.22	150	A



Do not walk or stand here [PSS021]

Order-No.	WxH/mm	Code*
PS021.150.12	150	A
PS021.150.22	150	A



Do not spray with water

Order-No.	WxH/mm	Code*
PS401.150.12	150	A
PS401.150.22	150	A

i Material specification

- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398



No trespassing

Order-No.	WxH/mm	Code*
PS402.150.12	150	A
PS402.150.22	150	A



Do not use this incomplete scaffold

Order-No.	WxH/mm	Code*
PS403.150.12	150	A
PS403.150.22	150	A

i *Please refer to our price list.



Do not use this device in a bathtub, shower or water-filled reservoir

Order-No.	WxH/mm	Code*
PS404.150.12	150	A
PS404.150.22	150	A



Do not use this lift for people

Order-No.	WxH/mm	Code*
PS405.150.12	150	A
PS405.150.22	150	A



Do not wear gloves

Order-No.	WxH/mm	Code*
PS406.150.12	150	A
PS406.150.22	150	A



No photography

Order-No.	WxH/mm	Code*
PS407.150.12	150	A
PS407.150.22	150	A



Do not tie knots in rope

Order-No.	WxH/mm	Code*
PS408.150.12	150	A
PS408.150.22	150	A



Do not alter the state of the switch

Order-No.	WxH/mm	Code*
PS409.150.12	150	A
PS409.150.22	150	A



Do not use for face grinding

Order-No.	WxH/mm	Code*
PS410.150.12	150	A
PS410.150.22	150	A



Do not use for wet grinding

Order-No.	WxH/mm	Code*
PS411.150.12	150	A
PS411.150.22	150	A



Do not use with hand-held grinding machine

Order-No.	WxH/mm	Code*
PS412.150.12	150	A
PS412.150.22	150	A



No children allowed

Order-No.	WxH/mm	Code*
PS413.150.12	150	A
PS413.150.22	150	A



No heavy load

Order-No.	WxH/mm	Code*
PS414.150.12	150	A
PS414.150.22	150	A



Do not wear metal studded footwear

Order-No.	WxH/mm	Code*
PS415.150.12	150	A
PS415.150.22	150	A



No climbing

Order-No.	WxH/mm	Code*
PS416.150.12	150	A
PS416.150.22	150	A



Hot works prohibited

Order-No.	WxH/mm	Code*
PS417.150.12	150	A
PS417.150.22	150	A



No diving

Order-No.	WxH/mm	Code*
PS418.150.12	150	A
PS418.150.22	150	A



No outdoor footwear

Order-No.	WxH/mm	Code*
PS419.150.12	150	A
PS419.150.22	150	A



Unauthorised persons may not service machines

Order-No.	WxH/mm	Code*
PS501.150.12	150	A
PS501.150.22	150	A




Do not clean or oil

Order-No.	WxH/mm	Code*
PS502.150.12	150	A
PS502.150.22	150	A



No weapons

Order-No.	WxH/mm	Code*
SS505.150.12	150	A
SS505.150.22	150	A



Do not remove guards

Order-No.	WxH/mm	Code*
PS504.300.12	300 x 100	B
PS504.300.22	300 x 100	B



Do not use unless guards are in position

Order-No.	WxH/mm	Code*
PS505.300.12	300 x 100	B
PS505.300.22	300 x 100	B



Do not open

Order-No.	WxH/mm	Code*
PS506.300.12	300 x 100	B
PS506.300.22	300 x 100	B



Do not close

Order-No.	WxH/mm	Code*
PS507.300.12	300 x 100	B
PS507.300.22	300 x 100	B




No exit

Order-No.	WxH/mm	Code*
PS508.300.12	300 x 100	B
PS508.300.22	300 x 100	B




No smoking, drinking or eating within this area

Order-No.	WxH/mm	Code*
S509.300.12	300 x 100	B
S509.300.22	300 x 100	B



No unauthorised person may touch this switch gear

Order-No.	WxH/mm	Code*
PS510.300.12	300 x 100	B
PS510.300.22	300 x 100	B



No admittance without ear protectors

Order-No.	WxH/mm	Code*
PS511.300.12	300 x 100	B
PS511.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS512.300.12	300 x 100	B
PS512.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS513.300.12	300 x 100	B
PS513.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
PS514.300.12	300 x 100	B
PS514.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS515.300.12	300 x 100	B
PS515.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS520.300.12	300 x 100	B
PS520.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS521.300.12	300 x 100	B
PS521.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS522.300.12	300 x 100	B
PS522.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS523.300.12	300 x 100	B
PS523.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS524.300.12	300 x 100	B
PS524.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS530.300.12	300 x 100	B
PS530.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS531.300.12	300 x 100	B
PS531.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS532.300.12	300 x 100	B
PS532.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS533.300.12	300 x 100	B
PS533.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS534.300.12	300 x 100	B
PS534.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS540.300.12	300 x 100	B
PS540.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS541.300.12	300 x 100	B
PS541.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS542.300.12	300 x 100	B
PS542.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS543.300.12	300 x 100	B
PS543.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS550.300.12	300 x 100	B
PS550.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS551.300.12	300 x 100	B
PS551.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS560.300.12	300 x 100	B
PS560.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS561.300.12	300 x 100	B
PS561.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS570.300.12	300 x 100	B
PS570.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS571.300.12	300 x 100	B
PS571.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS580.300.12	300 x 100	B
PS580.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS581.300.12	300 x 100	B
PS581.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS582.300.12	300 x 100	B
PS582.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS583.300.12	300 x 100	B
PS583.300.22	300 x 100	B

i *Please refer to our price list.



International Ship and Port Facility Security Code

i ISPS CODE

The purpose of the Code is to provide a standardized, consistent framework for evaluating risk, enabling governments to offset changes in threat with changes in vulnerability for ships and port facilities through determination of appropriate security levels and corresponding security measures.



Order-No.	WxH/mm	Code*
PS584.300.12	300 x 100	B
PS584.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
SS510.300.12	300 x 100	B
SS510.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
SS511.300.12	300 x 100	B
SS511.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
SS512.300.12	300 x 100	B
SS512.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
SS513.300.12	300 x 100	B
SS513.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
SS514.300.12	300 x 100	B
SS514.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
SS515.300.12	300 x 100	B
SS515.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
SS520.300.12	300 x 100	B
SS520.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
SS521.300.12	300 x 100	B
SS521.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
PS523.300.12	300 x 100	B
PS523.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
SS530.300.12	300 x 100	B
SS530.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
SS531.300.12	300 x 100	B
SS531.300.22	300 x 100	B

i Customize your own signs



Further information on page 43.




Order-No.	WxH/mm	Code*
SS532.300.12	300 x 100	B
SS532.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
SS533.300.12	300 x 100	B
SS533.300.22	300 x 100	B

i *Please refer to our price list.



Order-No.	WxH/mm	Code*
SS546.300.12	300 x 400	BE



Order-No.	WxH/mm	Code*
SS547.300.12	300 x 400	BE



Order-No.	WxH/mm	Code*
SS548.300.12	300 x 400	BE



Photoluminescent vinyl on a steel plate with magnetic numbers

Order-No.	WxH/mm	Code*
SS544.200.12	200 x 180	QB



Order-No.	WxH/mm	Code*
SS545.300.12	300 x 200	BC

i Material specification

- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398



ISPS

**Locked
at SL 1**

Order-No.	WxH/mm	Code*
SS541.200.12	200 x 100	QA

**Locked
at SL 2**

Order-No.	WxH/mm	Code*
SS542.200.12	200 x 100	QA

**Locked
at SL 3**

Order-No.	WxH/mm	Code*
SS543.200.12	200 x 100	QA



Order-No.	WxH/mm	Code*
SS560.300.11	300 x 30	BA



Order-No.	WxH/mm	Code*
SS561.150.11	150 x 30	AA



Order-No.	WxH/mm	Code*
SS562.150.11	150 x 30	AA

i ALL Photoluminescent...

... vinyl signs have a luminance higher than 50 mcd/m² (after 10 min, class B acc. ISO 17398)

... rigid signs have a luminance higher than 140 mcd/m² (after 10 min, class C acc. ISO 17398)

Photoluminescent rigid signs are equipped with a high performance double sided adhesive tape for easy and durable installation

i Not sure about the correct implementation of safety rules and regulations? Leave it to us!



i *Please refer to our price list.



MSS - Mandatory action signs

i MANDATORY NOTICES AND INSTRUCTIONS

Mandatory action signs are used to instruct persons of a specific course of action that shall be followed.



General mandatory action sign [MSS001]

Order-No.	WxH/mm	Code*
MA001.150.12	150	A
MA001.150.22	150	A



Refer to instruction manual/booklet [MSS002]

Order-No.	WxH/mm	Code*
MA002.150.12	150	A
MA002.150.22	150	A



Wear ear protection [MSS003]

Order-No.	WxH/mm	Code*
MA003.150.12	150	A
MA003.150.22	150	A



Wear eye protection [MSS004]

Order-No.	WxH/mm	Code*
MA004.150.12	150	A
MA004.150.22	150	A



Connect an earth terminal to the ground [MSS005]

Order-No.	WxH/mm	Code*
MA005.150.12	150	A
MA005.150.22	150	A



Disconnect mains plug from electrical outlet [MSS006]

Order-No.	WxH/mm	Code*
MA006.150.12	150	A
MA006.150.22	150	A



Opaque eye protection must be worn [MSS007]

Order-No.	WxH/mm	Code*
MA007.150.12	150	A
MA007.150.22	150	A



Wear safety footwear [MSS008]

Order-No.	WxH/mm	Code*
MA008.150.12	150	A
MA008.150.22	150	A



Wear protective gloves [MSS009]

Order-No.	WxH/mm	Code*
MA009.150.12	150	A
MA009.150.22	150	A



Wear protective clothing [MSS010]

Order-No.	WxH/mm	Code*
MA010.150.12	150	A
MA010.150.22	150	A



Wash your hands [MSS011]

Order-No.	WxH/mm	Code*
MA011.150.12	150	A
MA011.150.22	150	A



Use handrail [MSS012]

Order-No.	WxH/mm	Code*
MA012.150.12	150	A
MA012.150.22	150	A



Wear face shield [MSS013]

Order-No.	WxH/mm	Code*
MA013.150.12	150	A
MA013.150.22	150	A



Wear head protection [MSS014]

Order-No.	WxH/mm	Code*
MA014.150.12	150	A
MA014.150.22	150	A



Wear high visibility clothing [MSS015]

Order-No.	WxH/mm	Code*
MA015.150.12	150	A
MA015.150.22	150	A



Wear a mask [MSS016]

Order-No.	WxH/mm	Code*
MA016.150.12	150	A
MA016.150.22	150	A



Wear respiratory protection [MSS017]

Order-No.	WxH/mm	Code*
MA017.150.12	150	A
MA017.150.22	150	A



Wear safety harness [MSS018]

Order-No.	WxH/mm	Code*
MA018.150.12	150	A
MA018.150.22	150	A



Wear welding mask [MSS019]

Order-No.	WxH/mm	Code*
MA019.150.12	150	A
MA019.150.22	150	A



Use barrier cream [MSS020]

Order-No.	WxH/mm	Code*
MA020.150.12	150	A
MA020.150.22	150	A



Use footbridge [MSS021]

Order-No.	WxH/mm	Code*
MA021.150.12	150	A
MA021.150.22	150	A



Wear safety belts [MSS022]

Order-No.	WxH/mm	Code*
MA022.150.12	150	A
MA022.150.22	150	A



Close hatches [MSS023]

Order-No.	WxH/mm	Code*
MA023.150.12	150	A
MA023.150.22	150	A



Start engine [MSS024]

Order-No.	WxH/mm	Code*
MA024.150.12	150	A
MA024.150.22	150	A

i *Please refer to our price list.



Lower to the water (lifeboat)
[MSS025]

Order-No.	WxH/mm	Code*
MA025.150.12	150	A
MA025.150.22	150	A



Lower to water (liferaft)
[MSS026]

Order-No.	WxH/mm	Code*
MA026.150.12	150	A
MA026.150.22	150	A



Lower to water (rescue boat)
[MSS027]

Order-No.	WxH/mm	Code*
MA027.150.12	150	A
MA027.150.22	150	A



Release falls
[MSS028]

Order-No.	WxH/mm	Code*
MA028.150.12	150	A
MA028.150.22	150	A



Start water spray
[MSS029]

Order-No.	WxH/mm	Code*
MA029.150.12	150	A
MA029.150.22	150	A



Start air supply
[MSS030]

Order-No.	WxH/mm	Code*
MA030.150.12	150	A
MA030.150.22	150	A



Release lifeboat grips
[MSS031]

Order-No.	WxH/mm	Code*
MA031.150.12	150	A
MA031.150.22	150	A



Disconnect before carrying out maintenance or repair

Order-No.	WxH/mm	Code*
MA401.150.12	150	A
MA401.150.22	150	A



Protect infants' eyes with opaque eye protection

Order-No.	WxH/mm	Code*
MA402.150.12	150	A
MA402.150.22	150	A



Use this walkway

Order-No.	WxH/mm	Code*
MA403.150.12	150	A
MA403.150.22	150	A



Use protective apron

Order-No.	WxH/mm	Code*
MA404.150.12	150	A
MA404.150.22	150	A



Keep locked

Order-No.	WxH/mm	Code*
MA405.150.12	150	A
MA405.150.22	150	A



Sound horn

Order-No.	WxH/mm	Code*
MA406.150.12	150	A
MA406.150.22	150	A



Use litter bin

Order-No.	WxH/mm	Code*
MA407.150.12	150	A
MA407.150.22	150	A



Use table saw adjustable guard

Order-No.	WxH/mm	Code*
MA408.150.12	150	A
MA408.150.22	150	A



Wear anti-static footwear

Order-No.	WxH/mm	Code*
MA409.150.12	150	A
MA409.150.22	150	A



Use gas detector

Order-No.	WxH/mm	Code*
MA410.150.12	150	A
MA410.150.22	150	A



Use self-contained breathing appliance

Order-No.	WxH/mm	Code*
MA411.150.12	150	A
MA411.150.22	150	A



Check guard

Order-No.	WxH/mm	Code*
MA412.150.12	150	A
MA412.150.22	150	A



Secure gas cylinders

Order-No.	WxH/mm	Code*
MA413.150.12	150	A
MA413.150.22	150	A



Wear personal floatation devices

Order-No.	WxH/mm	Code*
MA414.150.12	150	A
MA414.150.22	150	A



Keep children under supervision in the aquatic environment

Order-No.	WxH/mm	Code*
MA415.150.12	150	A
MA415.150.22	150	A

i Material specification


- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398



Order-No.	WxH/mm	Code*
MA501.300.12	300 x 100	B
MA501.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA502.300.12	300 x 100	B
MA502.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA503.300.12	300 x 100	B
MA503.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA504.300.12	300 x 100	B
MA504.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA505.300.12	300 x 100	B
MA505.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA506.300.12	300 x 100	B
MA506.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA507.300.12	300 x 100	B
MA507.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA508.300.12	300 x 100	B
MA508.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA509.300.12	300 x 100	B
MA509.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA510.300.12	300 x 100	B
MA510.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA511.300.12	300 x 100	B
MA511.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA512.300.12	300 x 100	B
MA512.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA513.300.12	300 x 100	B
MA513.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA514.300.12	300 x 100	B
MA514.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA515.300.12	300 x 100	B
MA515.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA516.300.12	300 x 100	B
MA516.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA517.300.12	300 x 100	B
MA517.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA518.300.12	300 x 100	B
MA518.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA519.300.12	300 x 100	B
MA519.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA520.300.12	300 x 100	B
MA520.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA521.300.12	300 x 100	B
MA521.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA522.300.12	300 x 100	B
MA522.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA523.300.12	300 x 100	B
MA523.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA530.300.12	300 x 100	B
MA530.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA531.300.12	300 x 100	B
MA531.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA532.300.12	300 x 100	B
MA532.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA540.300.12	300 x 100	B
MA540.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA541.300.12	300 x 100	B
MA541.300.22	300 x 100	B

*Please refer to our price list.



Order-No.	WxH/mm	Code*
MA542.300.12	300 x 100	B
MA542.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA543.300.12	300 x 100	B
MA543.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA550.300.12	300 x 100	B
MA550.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA551.300.12	300 x 100	B
MA551.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA552.300.12	300 x 100	B
MA552.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA560.300.12	300 x 100	B
MA560.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA561.300.12	300 x 100	B
MA561.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA562.300.12	300 x 100	B
MA562.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA570.300.12	300 x 100	B
MA570.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA571.300.12	300 x 100	B
MA571.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA572.300.12	300 x 100	B
MA572.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA573.300.12	300 x 100	B
MA573.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA574.300.12	300 x 100	B
MA574.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA575.300.12	300 x 100	B
MA575.300.22	300 x 100	B




Order-No.	WxH/mm	Code*
MA576.300.12	300 x 100	B
MA576.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
MA577.450.12	450 x 150	S
MA577.450.22	450 x 150	S

i Customize your own signs



Further information on page 43.

i ALL Photoluminescent...

... vinyl signs have a luminance higher than 50 mcd/m² (after 10 min, class B acc. ISO 17398)

... rigid signs have a luminance higher than 140 mcd/m² (after 10 min, class C acc. ISO 17398)

Photoluminescent rigid signs are equipped with a high performance double sided adhesive tape for easy and durable installation



Order-No.	WxH/mm	Code*
MA581.150.12	150	A
MA581.150.22	150	A



Order-No.	WxH/mm	Code*
MA582.150.12	150	A
MA582.150.22	150	A



Order-No.	WxH/mm	Code*
MA583.150.12	150	A
MA583.150.22	150	A



Order-No.	WxH/mm	Code*
MA584.150.12	150	A
MA584.150.22	150	A



Order-No.	WxH/mm	Code*
MA585.150.12	150	A
MA585.150.22	150	A



Order-No.	WxH/mm	Code*
MA586.150.12	150	A
MA586.150.22	150	A



Order-No.	WxH/mm	Code*
MA587.150.12	150	A
MA587.150.22	150	A



Order-No.	WxH/mm	Code*
MA588.150.12	150	A
MA588.150.22	150	A



Order-No.	WxH/mm	Code*
MA589.150.12	150	A
MA589.150.22	150	A



Order-No.	WxH/mm	Code*
MA590.150.12	150	A
MA590.150.22	150	A



Order-No.	WxH/mm	Code*
MA591.150.12	150	A
MA591.150.22	150	A



Order-No.	WxH/mm	Code*
MA592.150.12	150	A
MA592.150.22	150	A



Order-No.	WxH/mm	Code*
MA593.150.12	150	A
MA593.150.22	150	A



Order-No.	WxH/mm	Code*
MA594.150.12	150	A
MA594.150.22	150	A



Order-No.	WxH/mm	Code*
MA595.150.12	150	A
MA595.150.22	150	A



Order-No.	WxH/mm	Code*
MA596.150.12	150	A
MA596.150.22	150	A



Order-No.	WxH/mm	Code*
MA597.150.12	150	A
MA597.150.22	150	A



Order-No.	WxH/mm	Code*
MA598.150.12	150	A
MA598.150.22	150	A



Order-No.	WxH/mm	Code*
MA599.150.12	150	A
MA599.150.22	150	A



Order-No.	WxH/mm	Code*
MA600.150.12	150	A
MA600.150.22	150	A

i Material specification

- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398

i *Please refer to our price list.



WSS - Warning signs

i Identification of hazards

Warning signs are used to warn persons of possible dangerous conditions, hazards and risks that exist on board a ship.



General warning sign [WSS001]

Order-No.	WxH/mm	Code*
WS001.150.12	150	A
WS001.150.22	150	A



Warning; Explosive material [WSS002]

Order-No.	WxH/mm	Code*
WS002.150.12	150	A
WS002.150.22	150	A



Warning; Radioactive material or ionizing radiation [WSS003]

Order-No.	WxH/mm	Code*
WS003.150.12	150	A
WS003.150.22	150	A



Warning; Laser beam [WSS004]

Order-No.	WxH/mm	Code*
WS004.150.12	150	A
WS004.150.22	150	A



Warning; Non-ionizing radiation [WSS005]

Order-No.	WxH/mm	Code*
WS005.150.12	150	A
WS005.150.22	150	A



Warning; Magnetic field [WSS006]

Order-No.	WxH/mm	Code*
WS006.150.12	150	A
WS006.150.22	150	A



Warning; Floor level obstacle / Mind the step [WSS007]

Order-No.	WxH/mm	Code*
WS007.150.12	150	A
WS007.150.22	150	A



Warning; Drop (fall) [WSS008]

Order-No.	WxH/mm	Code*
WS008.150.12	150	A
WS008.150.22	150	A



Warning; Biological hazard [WSS009]

Order-No.	WxH/mm	Code*
WS009.150.12	150	A
WS009.150.22	150	A



Warning; Low temperature/ freezing conditions [WSS010]

Order-No.	WxH/mm	Code*
WS010.150.12	150	A
WS010.150.22	150	A



Warning; Slippery surface [WSS011]

Order-No.	WxH/mm	Code*
WS011.150.12	150	A
WS011.150.22	150	A



Warning; Electricity [WSS012]

Order-No.	WxH/mm	Code*
WS012.150.12	150	A
WS012.150.22	150	A



Warning; Guard dog [WSS013]

Order-No.	WxH/mm	Code*
WS013.150.12	150	A
WS013.150.22	150	A



Warning; Fork lift trucks and other industrial vehicles [WSS014]

Order-No.	WxH/mm	Code*
WS014.150.12	150	A
WS014.150.22	150	A



Warning; Overhead load [WSS015]

Order-No.	WxH/mm	Code*
WS015.150.12	150	A
WS015.150.22	150	A



Warning; Toxic material [WSS016]

Order-No.	WxH/mm	Code*
WS016.150.12	150	A
WS016.150.22	150	A



Warning; Hot surface [WSS017]

Order-No.	WxH/mm	Code*
WS017.150.12	150	A
WS017.150.22	150	A



Warning; Automatic start-up [WSS018]

Order-No.	WxH/mm	Code*
WS018.150.12	150	A
WS018.150.22	150	A



Warning; Crushing [WSS019]

Order-No.	WxH/mm	Code*
WS019.150.12	150	A
WS019.150.22	150	A



Warning; Overhead obstacle/ Mind your head [WSS020]

Order-No.	WxH/mm	Code*
WS020.150.12	150	A
WS020.150.22	150	A



Warning; Flammable material [WSS021]

Order-No.	WxH/mm	Code*
WS021.150.12	150	A
WS021.150.22	150	A



Warning; Sharp element [WSS022]

Order-No.	WxH/mm	Code*
WS022.150.12	150	A
WS022.150.22	150	A



Warning; Crushing of hands

Order-No.	WxH/mm	Code*
WS401.150.12	150	A
WS401.150.22	150	A



Warning; Counterrotating rollers

Order-No.	WxH/mm	Code*
WS402.150.12	150	A
WS402.150.22	150	A

i *Please refer to our price list.



Warning;
Battery charging

Order-No.	WxH/mm	Code*
WS403.150.12	150	A
WS403.150.22	150	A



Warning;
Optical radiation

Order-No.	WxH/mm	Code*
WS404.150.12	150	A
WS404.150.22	150	A



Warning;
Oxidizing substance

Order-No.	WxH/mm	Code*
WS405.150.12	150	A
WS405.150.22	150	A



Warning;
Pressurized cylinder

Order-No.	WxH/mm	Code*
WS406.150.12	150	A
WS406.150.22	150	A



Warning;
Corrosive substance

Order-No.	WxH/mm	Code*
WS407.150.12	150	A
WS407.150.22	150	A



Warning;
Hand crushing
between press
brake tool

Order-No.	WxH/mm	Code*
WS408.150.12	150	A
WS408.150.22	150	A



Warning;
Hand crushing
between press
brake and material

Order-No.	WxH/mm	Code*
WS409.150.12	150	A
WS409.150.22	150	A



Warning;
Barbed wire

Order-No.	WxH/mm	Code*
WS410.150.12	150	A
WS410.150.22	150	A



Warning;
Falling objects

Order-No.	WxH/mm	Code*
WS411.150.12	150	A
WS411.150.22	150	A



Warning;
Run over by remote
operator controlled
machine

Order-No.	WxH/mm	Code*
WS412.150.12	150	A
WS412.150.22	150	A



Warning;
Sudden loud noise

Order-No.	WxH/mm	Code*
WS413.150.12	150	A
WS413.150.22	150	A



Warning;
Strong winds

Order-No.	WxH/mm	Code*
WS414.150.12	150	A
WS414.150.22	150	A



Warning;
Noise source

Order-No.	WxH/mm	Code*
WS501.150.12	150	A
WS501.150.22	150	A



Order-No.	WxH/mm	Code*
WS502.300.12	300 x 100	B
WS502.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS504.300.12	300 x 100	B
WS504.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS522.300.12	300 x 100	B
WS522.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS523.300.12	300 x 100	B
WS523.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS531.300.12	300 x 100	B
WS531.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS532.300.12	300 x 100	B
WS532.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS533.300.12	300 x 100	B
WS533.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS535.300.12	300 x 100	B
WS535.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS540.300.12	300 x 100	B
WS540.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS543.300.12	300 x 100	B
WS543.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS546.300.12	300 x 100	B
WS546.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS550.300.12	300 x 100	B
WS550.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS560.300.12	300 x 100	B
WS560.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS562.300.12	300 x 100	B
WS562.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS563.300.12	300 x 100	B
WS563.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS570.300.12	300 x 100	B
WS570.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS571.300.12	300 x 100	B
WS571.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS590.300.12	300 x 100	B
WS590.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS601.300.12	300 x 100	B
WS601.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS610.300.12	300 x 100	B
WS610.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS632.300.12	300 x 100	B
WS632.300.22	300 x 100	B



Order-No.	WxH/mm	Code*
WS633.300.12	300 x 100	B
WS633.300.22	300 x 100	B

PRINT SERVICE

CREATE YOUR OWN SIGNS

Choose a symbol and create your own text singlelined or multilined.

1. CHOOSE SYMBOL



2. CHOOSE COLOR(S)



3. CREATE YOUR OWN TEXT

WORDING

Text and character in foreign language must be announced by you. Look at examples below:

	Fire extinguisher		This door to be kept locked in port
	No access to car deck while vessel is at sea		All visitors please report to
	Emergency fire pump		High visibility clothing must be worn in this area
	Helideck		DANGER Unmanned machinery space. Machinery may start without warning.
	Smoking area		Comprimé gaz
	逃生路線		ОПАСНО неровный поверхность

Order-No.	WxH/mm	Code
VS001.300.12	300 x 100	BS2
VS001.300.22	300 x 100	BS2
VS001.400.12	400 x 150	D1
VS001.400.22	400 x 150	D1

i Material specification

- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398

i *Please refer to our price list.



**SIS - Fire control plan
signs for trained
personnel**

i SPECIFIC INFORMATION FOR QUALIFIED PERSONNEL

Specific information for qualified personnel on the use of specialised safety and fire protection equipment and lifesaving appliances on board the ship.



Fire control plan
[SIS001]

Order-No.	WxH/mm	Code*
IP001.150.12	150 x 150	A
IP001.150.22	150 x 150	A




Safety Plan
[SIS002]

Order-No.	WxH/mm	Code*
IP002.150.12	150 x 150	A
IP002.150.22	150 x 150	A




Fire & Safety Plan
[SIS003]

Order-No.	WxH/mm	Code*
IP003.150.12	150 x 150	A
IP003.150.22	150 x 150	A




Ventilation remote control or shut off (Accommodation)
[SIS004]

Order-No.	WxH/mm	Code*
IP004.150.12	150 x 150	A
IP004.150.22	150 x 150	A



Ventilation remote control or shut off (Machinery)
[SIS005]

Order-No.	WxH/mm	Code*
IP005.150.12	150 x 150	A
IP005.150.22	150 x 150	A




Ventilation remote control or shut off (Cargo)
[SIS006]

Order-No.	WxH/mm	Code*
IP006.150.12	150 x 150	A
IP006.150.22	150 x 150	A



Remote control for skylight
[SIS007]

Order-No.	WxH/mm	Code*
IP007.150.12	150 x 150	A
IP007.150.22	150 x 150	A




Remote control for water tight doors
[SIS008]

Order-No.	WxH/mm	Code*
IP008.150.12	150 x 150	A
IP008.150.22	150 x 150	A




Remote control for fire doors
[SIS009]

Order-No.	WxH/mm	Code*
IP009.150.12	150 x 150	A
IP009.150.22	150 x 150	A




Fire damper (Accommodation)
[SIS010]

Order-No.	WxH/mm	Code*
IP010.150.12	150 x 150	A
IP010.150.22	150 x 150	A




Fire damper (Machinery)
[SIS011]

Order-No.	WxH/mm	Code*
IP011.150.12	150 x 150	A
IP011.150.22	150 x 150	A




Fire damper (Cargo)
[SIS012]

Order-No.	WxH/mm	Code*
IP012.150.12	150 x 150	A
IP012.150.22	150 x 150	A




Remote control for Fire damper(s) (Accommodation)
[SIS013]

Order-No.	WxH/mm	Code*
IP013.150.12	150 x 150	A
IP013.150.22	150 x 150	A



Remote control for Fire damper(s) (Machinery)
[SIS014]

Order-No.	WxH/mm	Code*
IP014.150.12	150 x 150	A
IP014.150.22	150 x 150	A




Remote control for Fire damper(s) (Cargo)
[SIS015]

Order-No.	WxH/mm	Code*
IP015.150.12	150 x 150	A
IP015.150.22	150 x 150	A




Closing device for ventilation device inlet or outlet (Accommodation)
[SIS016]

Order-No.	WxH/mm	Code*
IP016.150.12	150 x 150	A
IP016.150.22	150 x 150	A




Drencher section valves
[SIS511]

Order-No.	WxH/mm	Code*
IP511.150.12	150 x 150	A
IP511.150.22	150 x 150	A




Fire main section valves
[SIS035]

Order-No.	WxH/mm	Code*
IP035.150.12	150 x 150	A
IP035.150.22	150 x 150	A




Sprinkler section valves
[SIS036]

Order-No.	WxH/mm	Code*
IP036.150.12	150 x 150	A
IP036.150.22	150 x 150	A




Powder section valves
[SIS037]

Order-No.	WxH/mm	Code*
IP037.150.12	150 x 150	A
IP037.150.22	150 x 150	A




Foam section valves
[SIS038]

Order-No.	WxH/mm	Code*
IP038.150.12	150 x 150	A
IP038.150.22	150 x 150	A




Closing device for ventilation device inlet or outlet (Machinery)
[SIS017]

Order-No.	WxH/mm	Code*
IP017.150.12	150 x 150	A
IP017.150.22	150 x 150	A



Closing device for ventilation device inlet or outlet (Cargo)
[SIS018]

Order-No.	WxH/mm	Code*
IP018.150.12	150 x 150	A
IP018.150.22	150 x 150	A



Remote control closing device(s) for ventilation inlet and outlet (Accommodation)
[SIS019]

Order-No.	WxH/mm	Code*
IP019.150.12	150 x 150	A
IP019.150.22	150 x 150	A


i *Please refer to our price list.

SIS - FIRE CONTROL PLAN SIGNS FOR TRAINED PERSONAL



Remote control closing device(s) for ventilation inlet and outlet (Machinery) [SIS020]

Order-No.	WxH/mm	Code*
IP020.150.12	150 x 150	A
IP020.150.22	150 x 150	A




Remote control closing device(s) for ventilation inlet and outlet (Cargo) [SIS021]

Order-No.	WxH/mm	Code*
IP021.150.12	150 x 150	A
IP021.150.22	150 x 150	A



Remote control for fire pumps [SIS022]

Order-No.	WxH/mm	Code*
IP022.150.12	150 x 150	A
IP022.150.22	150 x 150	A




Fire pump [SIS023]

Order-No.	WxH/mm	Code*
IP023.150.12	150 x 150	A
IP023.150.22	150 x 150	A



Emergency fire pump remote control [SIS024]

Order-No.	WxH/mm	Code*
IP024.150.12	150 x 150	A
IP024.150.22	150 x 150	A



Emergency fire pump [SIS025]

Order-No.	WxH/mm	Code*
IP025.150.12	150 x 150	A
IP025.150.22	150 x 150	A



Fuel pump(s) remote shut-off [SIS026]

Order-No.	WxH/mm	Code*
IP026.150.12	150 x 150	A
IP026.150.22	150 x 150	A



Lube oil pump remote shut-off [SIS027]

Order-No.	WxH/mm	Code*
IP027.150.12	150 x 150	A
IP027.150.22	150 x 150	A



Remote control for bilge pump(s) [SIS028]

Order-No.	WxH/mm	Code*
IP028.150.12	150 x 150	A
IP028.150.22	150 x 150	A



Remote control for emergency bilge pump [SIS029]

Order-No.	WxH/mm	Code*
IP029.150.12	150 x 150	A
IP029.150.22	150 x 150	A



Remote control for fuel oil valves [SIS030]

Order-No.	WxH/mm	Code*
IP030.150.12	150 x 150	A
IP030.150.22	150 x 150	A




Remote control for lube oil valves [SIS031]

Order-No.	WxH/mm	Code*
IP031.150.12	150 x 150	A
IP031.150.22	150 x 150	A




Remote control for fire pump valves [SIS032]

Order-No.	WxH/mm	Code*
IP032.150.12	150 x 150	A
IP032.150.22	150 x 150	A



International shore connection [SIS033]

Order-No.	WxH/mm	Code*
IP033.150.12	150 x 150	A
IP033.150.22	150 x 150	A




Fire Hydrant [SIS034]

Order-No.	WxH/mm	Code*
IP034.150.12	150 x 150	A
IP034.150.22	150 x 150	A



High expansion foam supply trunk (outlet) [SIS039]

Order-No.	WxH/mm	Code*
IP039.150.12	150 x 150	A
IP039.150.22	150 x 150	A



Water spray system valves [SIS040]

Order-No.	WxH/mm	Code*
IP040.150.12	150 x 150	A
IP040.150.22	150 x 150	A




Inert gas installation [SIS041]

Order-No.	WxH/mm	Code*
IP041.150.12	150 x 150	A
IP041.150.22	150 x 150	A



Emergency Generator [SIS048]

Order-No.	WxH/mm	Code*
IP048.150.12	150 x 150	A
IP048.150.22	150 x 150	A



Emergency Source of Power (battery) [SIS049]

Order-No.	WxH/mm	Code*
IP049.150.12	150 x 150	A
IP049.150.22	150 x 150	A

i ALL Photoluminescent...

... vinyl signs have a luminance higher than 50 mcd/m² (after 10 min, class B acc. ISO 17398)


... rigid signs have a luminance higher than 140 mcd/m² (after 10 min, class C acc. ISO 17398)

Photoluminescent rigid signs are equipped with a high performance double sided adhesive tape for easy and durable installation




Emergency switchboard [SIS050]

Order-No.	WxH/mm	Code*
IP050.150.12	150 x 150	A
IP050.150.22	150 x 150	A




Space or group of spaces protected by a water fire-extinguishing system [SIS042]

Order-No.	WxH/mm	Code*
IP042.150.12	150 x 150	A
IP042.150.22	150 x 150	A




Space or group of spaces protected by a sprinkler or high-pressure water fire-extinguishing system [SIS047]

Order-No.	WxH/mm	Code*
IP047.150.12	150 x 150	A
IP047.150.22	150 x 150	A




Space or group of spaces protected by a powder fire-extinguishing system [SIS045]

Order-No.	WxH/mm	Code*
IP045.150.12	150 x 150	A
IP045.150.22	150 x 150	A




Space or group of spaces protected by a foam fire-extinguishing system [SIS043]

Order-No.	WxH/mm	Code*
IP043.150.12	150 x 150	A
IP043.150.22	150 x 150	A




Space or group of spaces protected by a gas other than CO₂ fire-extinguishing system [SIS044]

Order-No.	WxH/mm	Code*
IP044.150.12	150 x 150	A
IP044.150.22	150 x 150	A




Space or group of spaces protected by a CO₂ fire-extinguishing system [SIS046]

Order-No.	WxH/mm	Code*
IP046.150.12	150 x 150	A
IP046.150.22	150 x 150	A




Air compressor for breathing devices [SIS051]

Order-No.	WxH/mm	Code*
IP051.150.12	150 x 150	A
IP051.150.22	150 x 150	A



Control panel for fire detection and alarm system [SIS052]

Order-No.	WxH/mm	Code*
IP052.150.12	150 x 150	A
IP052.150.22	150 x 150	A



CO₂ Fire alarm horn

Order-No.	WxH/mm	Code*
IP501.150.12	150 x 150	A
IP501.150.22	150 x 150	A



Fire alarm horn

Order-No.	WxH/mm	Code*
IP510.150.12	150 x 150	A
IP510.150.22	150 x 150	A



Bilge pump

Order-No.	WxH/mm	Code*
IP502.150.12	150 x 150	A
IP502.150.22	150 x 150	A




Emergency bilge pump

Order-No.	WxH/mm	Code*
IP503.150.12	150 x 150	A
IP503.150.22	150 x 150	A




Fire blanket

Order-No.	WxH/mm	Code*
IP504.150.12	150 x 150	A
IP504.150.22	150 x 150	A




Space or group of spaces protected by drenching system

Order-No.	WxH/mm	Code*
IP505.150.12	150 x 150	A
IP505.150.22	150 x 150	A



Portable CO₂ fire extinguisher, 5 kg

Order-No.	WxH/mm	Code*
IP506.150.12	150 x 150	A
IP506.150.22	150 x 150	A




Portable foam fire extinguisher, 9 litres

Order-No.	WxH/mm	Code*
IP507.150.12	150 x 150	A
IP507.150.22	150 x 150	A


i Material specification

- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398



Portable powder fire extinguisher, 6 kg


Order-No.	WxH/mm	Code*
IP508.150.12	150 x 150	A
IP508.150.22	150 x 150	A



Closing appliance

Order-No.	WxH/mm	Code*
IP509.150.12	150 x 150	A
IP509.150.22	150 x 150	A

i Not sure about the correct implementation of safety rules and regulations? Leave it to us!



i *Please refer to our price list.



Combination signs

Battery Locker

Danger
Battery acid

No entry to unauthorised personnel
No smoking or naked lights

Minimum safety requirements:
Overalls
Face shield
Safety gloves

Order-No.	WxH/mm	Code*
CO501.300.11	300 x 300	BD
CO501.300.20	300 x 300	BD

Paint Store

Danger
Flammable Liquid

No entry to unauthorised personnel
No smoking or naked lights

Keep well ventilated

Order-No.	WxH/mm	Code*
CO502.300.11	300 x 300	BD
CO502.300.20	300 x 300	BD

Machinery Space

Caution
Space protected by gas flood system
if alarm sounds vacate immediately
Machinery may start and stop
without warning

No entry to unauthorised personnel
No smoking or naked lights
except in designated areas

Minimum safety requirements:
Overalls
Head protection
Ear protection
Safety boots
Other requirements apply in certain areas

Order-No.	WxH/mm	Code*
CO503.300.11	300 x 300	BD
CO503.300.20	300 x 300	BD

Emergency Generator

Danger
High voltage
Machinery may start
without warning

No entry to unauthorised personnel
No smoking or naked lights

Minimum safety requirements:
Overalls
Safety gloves
Ear protection
Safety boots

Order-No.	WxH/mm	Code*
CO504.300.11	300 x 300	BD
CO504.300.20	300 x 300	BD

Steering Gear

Danger
moving machinery

No entry to unauthorised personnel
No smoking or naked lights

Minimum safety requirements:
Overalls
Head protection
Ear protection
Safety boots

Order-No.	WxH/mm	Code*
CO505.300.11	300 x 300	BD
CO505.300.20	300 x 300	BD

Refrigerated Space

Caution
Low temperature
and slip hazard

No smoking

Wear hair net
at all times

Order-No.	WxH/mm	Code*
CO506.300.11	300 x 300	BD
CO506.300.20	300 x 300	BD

Galley

No smoking

Wash hands
before
preparing food

Minimum safety requirements:
Hair net
Safety footwear

Order-No.	WxH/mm	Code*
CO507.300.11	300 x 300	BD
CO507.300.20	300 x 300	BD

Gas Bottle Store

Danger
Compressed gases

No entry to unauthorised personnel
No smoking or naked lights

Keep well ventilated

Order-No.	WxH/mm	Code*
CO508.300.11	300 x 300	BD
CO508.300.20	300 x 300	BD

Switch Gear

Danger
High voltage

No entry to unauthorised personnel
No smoking or naked lights

Minimum safety requirements:
Overalls
Face shield
Safety gloves

Order-No.	WxH/mm	Code*
CO509.300.11	300 x 300	BD
CO509.300.20	300 x 300	BD

Forecastle Space

Caution
Space protected by gas flood system
if alarm sounds vacate immediately
Machinery may start and stop
without warning

No entry to unauthorised personnel
No smoking or naked lights

Minimum safety requirements:
Overalls
Head protection
Ear protection
Safety boots

Order-No.	WxH/mm	Code*
CO510.300.11	300 x 300	BD
CO510.300.20	300 x 300	BD

Fridge Machinery

Danger
Flammable Liquid

No entry to unauthorised personnel
No smoking or naked lights

Keep well ventilated

Order-No.	WxH/mm	Code*
CO511.300.11	300 x 300	BD
CO511.300.20	300 x 300	BD

Pump Room

Caution
Confined space with
moving machinery

No entry to unauthorised personnel
No smoking or naked lights

Minimum safety requirements:
Overalls
Head protection
Ear defenders
Safety gloves

Order-No.	WxH/mm	Code*
CO512.300.11	300 x 300	BD
CO512.300.20	300 x 300	BD

Security Notice

Authorised access only

No unauthorised weapons or photography

Legal action will be taken on any violations

Order-No.	WxH/mm	Code*
CO513.300.11	300 x 300	BD
CO513.300.20	300 x 300	BD

Danger
Explosion risk

No smoking

No naked lights

No hot work, No chipping
No unapproved electrical equipment

Order-No.	WxH/mm	Code*
CO520.300.11	300 x 300	BD
CO520.300.20	300 x 300	BD

Security Notice

Permit to board required. Visitors must report to the Security Officer on arrival and departure. Baggage and personal searches may be conducted.

No weapons, incendiary devices and explosives

All mobile phones, pagers and other electronic equipment must be switched off or used in specified locations.

No photography

Order-No.	WxH/mm	Code*
CO521.300.11	300 x 400	BE
CO521.300.20	300 x 400	BE

Warning
Dangerous Cargo

No visitors

No smoking
No naked lights

Mobile phones, pagers and other electronic equipment must only be switched on and used in specified locations

International shore connection is located at:

Order-No.	WxH/mm	Code*
CO522.600.20	600 x 840	BF

Combination signs


*Please refer to our price list.



Order-No.	WxH/mm	Code*
C0530.300.11	300 x 200	BC
C0530.300.20	300 x 200	BC



Order-No.	WxH/mm	Code*
C0531.300.11	300 x 200	BC
C0531.300.20	300 x 200	BC



Order-No.	WxH/mm	Code*
C0534.300.11	300 x 200	BC
C0534.300.20	300 x 200	BC



Order-No.	WxH/mm	Code*
C0535.300.11	300 x 200	BC
C0535.300.20	300 x 200	BC



Order-No.	WxH/mm	Code*
C0532.300.11	300 x 200	BC
C0532.300.20	300 x 200	BC



Order-No.	WxH/mm	Code*
C0533.300.11	300 x 200	BC
C0533.300.20	300 x 200	BC




Order-No.	WxH/mm	Code*
C0536.300.11	300 x 200	BC
C0536.300.20	300 x 200	BC

i Material specification

- .11 = white vinyl (self-adhesive)
- .20 = white rigid PVC



Order-No.	WxH/mm	Code*
CO537.300.11	300 x 200	BC
CO537.300.20	300 x 200	BC



Order-No.	WxH/mm	Code*
CO538.300.11	300 x 200	BC
CO538.300.20	300 x 200	BC



Order-No.	WxH/mm	Code*
CO539.300.11	300 x 200	BC
CO539.300.20	300 x 200	BC



Order-No.	WxH/mm	Code*
CO540.300.11	300 x 200	BC
CO540.300.20	300 x 200	BC



Order-No.	WxH/mm	Code*
CO541.300.11	300 x 200	BC
CO541.300.20	300 x 200	BC



Order-No.	WxH/mm	Code*
CO542.300.11	300 x 200	BC
CO542.300.20	300 x 200	BC



Order-No.	WxH/mm	Code*
CO543.300.11	300 x 200	BC
CO543.300.20	300 x 200	BC



Order-No.	WxH/mm	Code*
CO544.300.11	300 x 200	BC
CO544.300.20	300 x 200	BC


i *Please refer to our price list.



Photoluminescent LLL - Low Location Lighting

i Photoluminescent LLL - Low Location Lighting

LLL - Low Location Lighting acc. to SOLAS and ISO 15370




ROUND PLATES FOR WAYFINDING

MOUNTING INSTRUCTIONS

Drill a hole in the floor at the selected place. Screw a countersunk bolt through the aluminum circular plate in the ground and stick the selected symbol onto the plate. Ready!

Robust round plate made of 0.12 inch / 3 mm high-quality aluminum with a circular cutout for photoluminescent and self-adhesive wayfinding dots. Photoluminescent dots are not included.



Wayfinding dots, self-adhesive, photoluminescent

Sheet of 4 or 12 pieces

Order-No.	WxH/mm	Code*
LL520.090.12	90	VA



Wayfinding dots, self-adhesive, photoluminescent

Sheet of 4 or 12 pieces

Order-No.	WxH/mm	Code*
LL521.090.12	90	VB



Circular aluminium support for wayfinding dots

Order-No.	WxH/mm	Code*
LL522.110.40	110	VC

HANGING SIGN EVACUATED

Mark rooms, which have been evacuated during an emergency so that rescue operations can be conducted smoothly and speedily and help prevent duplicity. Tags are printed one-sided. Fits on a door handle or knob easily.



Order-No.	WxH/mm	Code*
LL590.060.27	60 x 150	Z



Order-No.	WxH/mm	Code*
LL591.060.27	60 x 150	Z


i Material specification

- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398
- .27 = photolumin. rigid PVC, class C
- .40 = aluminum silver-anodised

i *Please refer to our price list.


ONWALL PROFILES

Profile with 35 mm visible height of insert.




Order-No.	Class	Description	Profile	Dimensions/mm	Code*	
1	LL550.035.40	Profile for Low Location Lighting (LLL)	flat	3000 x 50	EAF	
2	LL551.035.40	Profile for Low Location Lighting (LLL)	beveled	3000 x 44	EAB	
3	LL560.035.00	End cap for flat profile LL550.035.40	flat	50	GAF1	
4	LL561.035.00	End cap for beveled profile LL551.035.40	beveled left	44	GAB1	
5	LL562.035.00	End cap for beveled profile LL551.035.40	beveled right	44	GAB1	
6	LL563.035.00	End cap for beveled profile LL551.035.40	beveled left	44	GBB2	
7	LL564.035.00	End cap for beveled profile LL551.035.40	beveled right	44	GBB2	
8	LL570.035.28	D	Insert for flat profile LL550.035.40	flat	1000 x 39,5	FAF
9	LL571.035.28	D	Insert for beveled profile LL551.035.40	beveled	1000 x 39,5	FAB
8	LL570.035.29	E	Insert for flat profile LL550.035.40	flat	1000 x 39,5	FAG
9	LL571.035.29	E	Insert for beveled profile LL551.035.40	beveled	1000 x 39,5	FAH
10	LL572.035.23	D	LLL self-adhesive stripe	-	1000 x 35	FAS2
10	LL572.035.24	E	LLL self-adhesive stripe	-	1000 x 35	FAS3
PET						
8	LL570.035.88	D	Insert for flat profile LL550.035.40	flat	1000 x 39,5	FPAF
9	LL571.035.88	D	Insert for beveled profile LL551.035.40	beveled	1000 x 39,5	FPAB
8	LL570.035.89	E	Insert for flat profile LL550.035.40	flat	1000 x 39,5	FPAG
9	LL571.035.89	E	Insert for beveled profile LL551.035.40	beveled	1000 x 39,5	FPAH
10	LL572.035.83	D	LLL self-adhesive stripe	-	1000 x 35	FPAS2
10	LL572.035.84	E	LLL self-adhesive stripe	-	1000 x 35	FPAS3

Profile with 50 mm visible height of insert.



Order-No.	Class	Description	Profile	Dimensions/mm	Code*	
1	LL550.050.40	Profile for Low Location Lighting (LLL)	flat	3000 x 65	EBF	
2	LL551.050.40	Profile for Low Location Lighting (LLL)	beveled	3000 x 60	EBB	
3	LL560.050.00	End cap for flat profile LL550.050.40	flat	65	GBF	
4	LL561.050.00	End cap for beveled profile LL551.050.40	beveled left	60	GBB	
5	LL562.050.00	End cap for beveled profile LL551.050.40	beveled right	60	GBB	
6	LL563.050.00	End cap for beveled profile LL551.050.40	beveled left	60	GBB2	
7	LL564.050.00	End cap for beveled profile LL551.050.40	beveled right	60	GBB2	
8	LL570.050.27	C	Insert for flat profile LL550.050.40	flat	1000 x 53,5	FBF
9	LL571.050.27	C	Insert for beveled profile LL551.050.40	beveled	1000 x 54,5	FBB
8	LL570.050.28	D	Insert for flat profile LL550.050.40	flat	1000 x 53,5	FBK
9	LL571.050.28	D	Insert for beveled profile LL551.050.40	beveled	1000 x 54,5	FBL
8	LL570.050.29	E	Insert for flat profile LL550.050.40	flat	1000 x 53,5	FBG
9	LL571.050.29	E	Insert for beveled profile LL551.050.40	beveled	1000 x 54,5	FBH
10	LL572.050.22	C	LLL self-adhesive stripe	-	1000 x 50	FBS1
10	LL572.050.23	D	LLL self-adhesive stripe	-	1000 x 50	FBS2
10	LL572.050.24	E	LLL self-adhesive stripe	-	1000 x 50	FBS3
PET						
8	LL570.050.87	C	Insert for flat profile LL550.050.40	flat	1000 x 53,5	FPBF
9	LL571.050.87	C	Insert for beveled profile LL551.050.40	beveled	1000 x 54,5	FPBB
8	LL570.050.88	D	Insert for flat profile LL550.050.40	flat	1000 x 53,5	FPBK
9	LL571.050.88	D	Insert for beveled profile LL551.050.40	beveled	1000 x 54,5	FPBL
8	LL570.050.89	E	Insert for flat profile LL550.050.40	flat	1000 x 53,5	FPBG
9	LL571.050.89	E	Insert for beveled profile LL551.050.40	beveled	1000 x 54,5	FPBH
10	LL572.050.82	C	LLL self-adhesive stripe	-	1000 x 50	FPBS1
10	LL572.050.83	D	LLL self-adhesive stripe	-	1000 x 50	FPBS2
10	LL572.050.84	E	LLL self-adhesive stripe	-	1000 x 50	FPBS3

Profile with 75 mm visible height of insert.



Order-No.	Class	Description	Profile	Dimensions/mm	Code*
1 LL550.075.40		Profile for Low Location Lighting (LLL)	flat	3000 x 90	ECF
2 LL551.075.40		Profile for Low Location Lighting (LLL)	beveled	3000 x 85	ECB
3 LL560.075.00		End cap for flat profile LL550.075.40	flat	90	GCF
4 LL561.075.00		End cap for beveled profile LL551.075.40	beveled left	85	GCB
5 LL562.075.00		End cap for beveled profile LL551.075.40	beveled right	85	GCB
8 LL570.075.27	C	Insert for flat profile LL550.075.40	flat	1000 x 79,4	FCF
9 LL571.075.27	C	Insert for beveled profile LL551.075.40	beveled	1000 x 81,3	FCB
10 LL572.075.22	C	LLL self-adhesive stripe	-	1000 x 75	FCS1
PET					
8 LL570.075.87	C	Insert for flat profile LL550.075.40	flat	1000 x 79,4	FPCF
9 LL571.075.87	C	Insert for beveled profile LL551.075.40	beveled	1000 x 81,3	FPCB
10 LL572.075.82	C	LLL self-adhesive stripe	-	1000 x 75	FPCS1

i Material specification

- .00 = plastic
- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photolumin. rigid PVC, self-adhesive, class C
- .23 = photolumin. rigid PVC, self-adhesive, class D
- .24 = photolumin. rigid PVC, self-adhesive, class E
- .27 = photolumin. rigid PVC, class C
- .28 = photolumin. rigid PVC, class D
- .29 = photolumin. rigid PVC, class E
- .40 = aluminum silver-anodised
- .82 = photolumin. rigid PET, self-adhesive, class C
- .83 = photolumin. rigid PET, self-adhesive, class D
- .84 = photolumin. rigid PET, self-adhesive, class E
- .87 = photolumin. rigid PET, class C
- .88 = photolumin. rigid PET, class D
- .89 = photolumin. rigid PET, class E

i Luminance classification of photoluminescent base materials

Classification category: ISO 17398 Limarlite

Class	After 10 minutes	After 60 minutes
C	140 mcd/m ²	20 mcd/m ²
D	260 mcd/m ²	35 mcd/m ²

Higher luminances available, especially for small LLL-Systems

E	500 mcd/m ²	60 mcd/m ²
---	------------------------	-----------------------

Luminance is expressed in millicandelas per square metre (mcd/m²) after exposure as per classification category DIN 67510 Part 1 (five minutes at 1000 lux).

i ALL Photoluminescent...

... vinyl signs have a luminance higher than 50 mcd/m² (after 10 min, class B acc. ISO 17398)

... rigid signs have a luminance higher than 140 mcd/m² (after 10 min, class C acc. ISO 17398)

Photoluminescent rigid signs are equipped with a high performance double sided adhesive tape for easy and durable installation

i *Please refer to our price list.



Assembly Station

Order-No.	H/mm	Code*
LL501.070.11	35	N
LL501.100.11	50	IA
LL501.150.11	75	AC



Assembly Station

Order-No.	H/mm	Code*
LL502.070.11	35	N
LL502.100.11	50	IA
LL502.150.11	75	AC



Emergency Exit

Order-No.	H/mm	Code*
LL503.070.11	35	N
LL503.100.11	50	IA
LL503.150.11	75	AC



Emergency Exit

Order-No.	H/mm	Code*
LL504.070.11	35	N
LL504.100.11	50	IA
LL504.150.11	75	AC



Stairs left

Order-No.	H/mm	Code*
LL505.035.11	35	KA
LL505.050.11	50	MA
LL505.075.11	75	H



Stairs right

Order-No.	H/mm	Code*
LL506.035.11	35	KA
LL506.050.11	50	MA
LL506.075.11	75	H



Emergency Exit

Order-No.	H/mm	Code*
LL507.035.11	35	KB
LL507.050.11	50	MB
LL507.075.11	75	HB



Emergency Exit

Order-No.	H/mm	Code*
LL508.035.11	35	KB
LL508.050.11	50	MB
LL508.075.11	75	HB



Fire alarm call point

Order-No.	H/mm	Code*
LL509.035.11	35	KA
LL509.050.11	50	MA
LL509.075.11	75	H



Fire extinguisher

Order-No.	H/mm	Code*
LL510.035.11	35	KA
LL510.050.11	50	MA
LL510.075.11	75	H



Fire hose reel

Order-No.	H/mm	Code*
LL511.035.11	35	KA
LL511.050.11	50	MA
LL511.075.11	75	H



Actuating direction for door handle

Order-No.	WxH/mm	Code*
LL540.100.12	100 x 165	IC
LL540.100.22	100 x 165	IC



Actuating direction for door handle

Order-No.	WxH/mm	Code*
LL541.100.12	100 x 165	IC
LL541.100.22	100 x 165	IC




Actuating direction for door handle

Order-No.	WxH/mm	Code*
LL543.070.12	70 x 120	IC
LL543.070.22	70 x 120	IC



Direction for opening

Order-No.	WxH/mm	Code*
LL542.120.12	120 x 60	O
LL542.120.22	120 x 60	O



i Material specification

- .11 = white vinyl (self-adhesive)
- .12 = photoluminescent vinyl (self-adhesive) according to DIN 67510, luminance class B according to ISO 17398
- .22 = photoluminescent rigid PVC (self-adhesive) according to DIN 67510, luminance class C according to ISO 17398

i Measurement service



Service ▶
supplier certificate

FIVE-YEAR MANDATORY LOW-LOCATION-LIGHTING-SYSTEMS (LLL) TESTING ACCORDING TO SOLAS REGULATIONS.


OUR SERVICES:

- On-board measurement
- Worldwide measurement surveys
- Protocol for your class certification renewal
- Certified measurement devices acc. IACS Z.17 in accordance with Class Programme DNVGL-CP-0484



▲ Measuring Protocol

i Not sure about the correct implementation of safety rules and regulations? Leave it to us!



i *Please refer to our price list.



**POSTERS - FOR EMER-
GENCY INSTRUCTIONS
AND INFORMATION**

Be Familiar With Your Safety Signs

Order-No.	WxH/mm	Code*
PO501.330.11	330 x 475	C
PO501.330.20	330 x 475	C

Confined Space Entry Safety Signs

Order-No.	WxH/mm	Code*
PO503.330.11	330 x 475	C
PO503.330.20	330 x 475	C

IMO Fire Control Symbols

IMO fire control symbols in accordance with ISO 17831:2002(E)

Order-No.	WxH/mm	Code*
PO504.330.11	330 x 475	C
PO504.330.20	330 x 475	C

IMO Safety Symbols

Symbols for life-saving appliances in accordance with A. 760(16) and ISO 17831 (partly)

Order-No.	WxH/mm	Code*
PO505.330.11	330 x 475	C
PO505.330.20	330 x 475	C

IMO Fire Control Symbols and their various meanings

Order-No.	WxH/mm	Code*
PO513.330.11	330 x 475	C
PO513.330.20	330 x 475	C

Pipe Markings according to ISO 14726

Order-No.	WxH/mm	Code*
PO529.330.11	330 x 475	C
PO529.330.20	330 x 475	C

Hazard Signs Classification of Dangerous Goods

Order-No.	WxH/mm	Code*
PO530.330.11	330 x 475	C
PO530.330.20	330 x 475	C

Fire Extinguishers Basic extinguisher instruction

Order-No.	WxH/mm	Code*
PO518.330.11	330 x 475	C
PO518.330.20	330 x 475	C

Totally Enclosed Lifeboats

Additional launching procedures under conditions of toxic fumes, flammable gas, fire and smoke

Order-No.	WxH/mm	Code*
PO506.330.11	330 x 475	C
PO506.330.20	330 x 475	C

Partially And Totally Enclosed Lifeboats

Launching procedures in clear atmosphere conditions

Order-No.	WxH/mm	Code*
PO507.330.11	330 x 475	C
PO507.330.20	330 x 475	C

Free Fall Lifeboat Launching Procedure

Order-No.	WxH/mm	Code*
PO512.330.11	330 x 475	C
PO512.330.20	330 x 475	C

Lifeboat Launching Procedures

Order-No.	WxH/mm	Code*
PO515.330.11	330 x 475	C
PO515.330.20	330 x 475	C

POSTERS

*Please refer to our price list.

Launching Procedure For Open Lifeboats

Order-No.	WxH/mm	Code*
PO509.330.11	330 x 475	C
PO509.330.20	330 x 475	C

Hoisting Hook Directions For Launching Procedures

Order-No.	WxH/mm	Code*
PO519.330.11	330 x 475	C
PO519.330.20	330 x 475	C

Lifeboat Launching in a Dangerous Atmosphere

Procedures for launching an enclosed lifeboat in a dangerous atmosphere

Order-No.	WxH/mm	Code*
PO542.330.11	330 x 475	C
PO542.330.20	330 x 475	C

Fully Enclosed Lifeboat Launching from Stowed Position

Procedures for launching, (SOLAS chapter II, regulation 28) See on-board training manual - drill frequently

Order-No.	WxH/mm	Code*
PO547.330.11	330 x 475	C
PO547.330.20	330 x 475	C

Descender Device

Order-No.	WxH/mm	Code*
PO528.330.11	330 x 475	C
PO528.330.20	330 x 475	C

Donning Instruction For Immersion Suit

Order-No.	WxH/mm	Code*
PO520.330.11	330 x 475	C
PO520.330.20	330 x 475	C

Abandon Ship

Vital actions preparing to abandon ship

Order-No.	WxH/mm	Code*
PO526.330.11	330 x 475	C
PO526.330.20	330 x 475	C

Inflatable Life rafts

"Vital actions" after launching

Order-No.	WxH/mm	Code*
PO508.330.11	330 x 475	C
PO508.330.20	330 x 475	C

Liferaft Launching

Launching Procedures For Throw-Overboard Liferafts

Order-No.	WxH/mm	Code*
PO510.330.11	330 x 475	C
PO510.330.20	330 x 475	C

Davit Launched Liferafts

Procedures for davit launching inflatable liferafts

Order-No.	WxH/mm	Code*
PO511.330.11	330 x 475	C
PO511.330.20	330 x 475	C

Davit Launched Liferaft Procedure

Preparations for launching

Order-No.	WxH/mm	Code*
PO514.330.11	330 x 475	C
PO514.330.20	330 x 475	C


Evacuation Chutes and Slides

Abandon ship procedures using vertical chutes or angled slides


Order-No.	WxH/mm	Code*
PO540.330.11	330 x 475	C
PO540.330.20	330 x 475	C




Order-No. **WxH/mm** **Code***
 PO532.330.11 330 x 475 C
 PO532.330.20 330 x 475 C




Order-No. **WxH/mm** **Code***
 PO554.330.11 330 x 475 C
 PO554.330.20 330 x 475 C




Order-No. **WxH/mm** **Code***
 PO564.330.11 330 x 475 C
 PO564.330.20 330 x 475 C



Order-No. **WxH/mm** **Code***
 PO517.330.11 330 x 475 C
 PO517.330.20 330 x 475 C




Order-No. **WxH/mm** **Code***
 PO536.330.11 330 x 475 C
 PO536.330.20 330 x 475 C




Order-No. **WxH/mm** **Code***
 PO548.330.11 330 x 475 C
 PO548.330.20 330 x 475 C




Order-No. **WxH/mm** **Code***
 PO559.330.11 330 x 475 C
 PO559.330.20 330 x 475 C




Order-No. **WxH/mm** **Code***
 PO584.475.11 475 x 300 T
 PO584.475.20 475 x 300 T



Order-No. **WxH/mm** **Code***
 PO587.475.11 475 x 300 T
 PO587.475.20 475 x 300 T




Order-No. **WxH/mm** **Code***
 PO583.475.11 475 x 300 T
 PO583.475.20 475 x 300 T



Order-No. **WxH/mm** **Code***
 PO580.475.11 475 x 300 T
 PO580.475.20 475 x 300 T



Order-No. **WxH/mm** **Code***
 PO600.475.11 475 x 300 T
 PO600.475.20 475 x 300 T



Order-No. **WxH/mm** **Code***
 PO601.475.11 475 x 300 T
 PO601.475.20 475 x 300 T

i Material specification

- .11 = white vinyl (self-adhesive)
- .20 = white rigid PVC

i *Please refer to our price list.

DISPATCHED OVERVIEW OF THE DISCHARGE PROVISIONS OF THE BOSSOS MARPOL ANNEX V

Garbage type*	All ships except platforms†		Regulation 5	Regulation 6	Regulation 8
	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8
Food waste (comminuted or ground)	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8
Food waste not comminuted or ground	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8
Discarded plates, cutlery, crockery and other articles	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8
Discarded glass, including broken bottles and jars	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8
Discarded paper, cardboard, rags, glass, waste, metal, plastics and other waste	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8
Discarded oil or oily mixtures	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8
Discarded oil or oily mixtures (comminuted)	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8
Discarded oil or oily mixtures (not comminuted)	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8
Discarded oil or oily mixtures (not comminuted) in bulk	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8
Discarded oil or oily mixtures (not comminuted) in bulk (not in tanks)	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8
Discarded oil or oily mixtures (not comminuted) in bulk (in tanks)	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8
Discarded oil or oily mixtures (not comminuted) in bulk (not in tanks) (not in tanks)	Regulation 4	Regulation 5	Regulation 5	Regulation 6	Regulation 8



Regulations for Garbage Disposal at Sea, acc. to MARPOL

Order-No.	WxH/mm	Code*
PO558.175.11	175 x 250	P
PO558.175.20	175 x 250	P

Entering Closed Compartments

- Closed compartments are dangerous**
- Prepare space before entry**
- Prepare work equipment**
- Prepare safety equipment**
- Communications and procedures**
- Avoid additional hazards**

Order-No.	WxH/mm	Code*
PO502.330.11	330 x 375	C
PO502.330.20	330 x 375	C

Craneage Safety

Craneage hand signals and safe working practices

Order-No.	WxH/mm	Code*
PO538.330.11	330 x 375	C
PO538.330.20	330 x 375	C

Gas Bottle Safety

Safe handling, storage and working practices

Order-No.	WxH/mm	Code*
PO541.330.11	330 x 375	C
PO541.330.20	330 x 375	C

Mooring

Procedures for Mooring / Unmooring

Order-No.	WxH/mm	Code*
PO543.330.11	330 x 375	C
PO543.330.20	330 x 375	C

Towing

Recommended procedures for safe towing operations

Order-No.	WxH/mm	Code*
PO545.330.11	330 x 375	C
PO545.330.20	330 x 375	C

Accommodation Ladders

Order-No.	WxH/mm	Code*
PO531.330.11	330 x 375	C
PO531.330.20	330 x 375	C

Gangway

Order-No.	WxH/mm	Code*
PO533.330.11	330 x 375	C
PO533.330.20	330 x 375	C

Procedures To Reduce The Risk Of Oil Spills Occurring

Order-No.	WxH/mm	Code*
PO521.330.11	330 x 375	C
PO521.330.20	330 x 375	C

Recommended Procedures For Minimising Oil Spill Contamination

1 On Discovery Of Shipboard Spill - Immediate Action

2 Containment On Deck

3 On Discovery Of External Spill - Immediate Action

4 Ship's Actions - External Spill

Order-No.	WxH/mm	Code*
PO522.330.11	330 x 375	C
PO522.330.20	330 x 375	C

Safety Procedures For Bunkering

1 Before Commencing Bunkering

2 During Bunkering

3 After Bunkering Completed

Order-No.	WxH/mm	Code*
PO524.330.11	330 x 375	C
PO524.330.20	330 x 375	C

Discharge Of Oil Prohibited

The Federal Water Pollution Control Act prohibits the discharge of oil or oily waste into or upon the navigable waters of the United States or the waters of the contiguous zone, or which may affect natural resources belonging to, appertaining to, or under the exclusive management authority of the United States, if such discharge causes a film or discoloration of the surface of the water.

Violators are subject to substantial civil penalties and / or criminal sanctions including fines and imprisonment.

Order-No.	WxH/mm	Code*
PO582.330.11	330 x 250	CA
PO582.330.20	330 x 250	CA

Engine & Machinery Room Safety

Procedures for safe working practice

1 General

2 Unmanned E.R. and machinery spaces

3 Main engines and auxiliaries

4 Boilers

5 Refrigeration machinery

6 Workshops and stores

Order-No.	WxH/mm	Code*
PO539.330.11	330 x 375	C
PO539.330.20	330 x 375	C

Engine Room

2,5m

2,5m

Order-No.	WxH/mm	Code*
PO560.330.11	330 x 375	C
PO560.330.20	330 x 375	C

Safety Recommendations For Hot Work Situations

1 Work Planning

2 Minimizing Dangers

3 Preparation of Hot Work Areas

4 Safety During and After Hot Work

Order-No.	WxH/mm	Code*
PO523.330.11	330 x 375	C
PO523.330.20	330 x 375	C

Welding & Flamecutting

Safety procedures during welding operations

1 General

2 Protective clothing

3 Precautions against fire and explosion

4 Electric welding equipment

5 Precautions during arc welding

6 Precautions during welding and cutting

Order-No.	WxH/mm	Code*
PO546.330.11	330 x 375	C
PO546.330.20	330 x 375	C

Helicopter Rescue Sling

Directions for use

1 Rescue sling

2 Putting on the rescue sling

3 Never unhook

4 Other means of rescue

Order-No.	WxH/mm	Code*
PO516.330.11	330 x 375	C
PO516.330.20	330 x 375	C

Helicopter Rescue Sling Rocket Apparatus

Directions for use

1 Other means of rescue

2 Rocket sling

3 Putting on the rocket sling

Directions for using the rocket apparatus

Order-No.	WxH/mm	Code*
PO549.330.11	330 x 375	C
PO549.330.20	330 x 375	C

Personal Protective Equipment

Choosing the correct equipment for your safety

1 Head protection

2 Eye protection

3 Ear protection

4 Respiratory protection

5 Hand protection

6 Foot protection

7 Fall protection

8 High visibility clothing

9 Cold protection

10 Sun protection

11 Skin protection

12 First aid kit

Order-No.	WxH/mm	Code*
PO534.330.11	330 x 375	C
PO534.330.20	330 x 375	C

Working Aloft or Outboard

Be aware of the risks when working outboard and aloft

1 Preparation

2 Risk awareness

3 Briefing

4 Working aloft

5 Use of portable equipment

6 Working outboard

Order-No.	WxH/mm	Code*
PO537.330.11	330 x 375	C
PO537.330.20	330 x 375	C

POSTERS

*Please refer to our price list.

Man Overboard

Order-No.	WxH/mm	Code*
PO525.330.11	330 x 375	C
PO525.330.20	330 x 375	C

Drowning, Electric Shock Or Serious Injury

Order-No.	WxH/mm	Code*
PO527.330.11	330 x 375	C
PO527.330.20	330 x 375	C

Fire & Explosion Actions

Vital actions following a fire or explosion

Order-No.	WxH/mm	Code*
PO535.330.11	330 x 375	C
PO535.330.20	330 x 375	C

Shipboard Food Hygiene

Recommended procedures for health and safety in pantries, galleys and freezers

Order-No.	WxH/mm	Code*
PO544.330.11	330 x 375	C
PO544.330.20	330 x 375	C

General Emergency Instructions - Low-Location-Lighting -

Use of photoluminescent Low Location Lighting system

Order-No.	WxH/mm	Code*
PO585.210.11	210 x 148,5	RA
PO585.210.20	210 x 148,5	RA

General Emergency Instructions - Low-Location-Lighting -

Use of electrical Low Location Lighting system

Order-No.	WxH/mm	Code*
PO586.210.11	210 x 148,5	RA
PO586.210.20	210 x 148,5	RA

Donning Instructions for Lifejackets

Order-No.	WxH/mm	Code*
PO581.210.11	210 x 190	RB
PO581.210.20	210 x 190	RB




i ALL Photoluminescent...

... vinyl signs have a luminance higher than 50 mcd/m² (after 10 min, class B acc. ISO 17398)

... rigid signs have a luminance higher than 140 mcd/m² (after 10 min, class C acc. ISO 17398)

Photoluminescent rigid signs are equipped with a high performance double sided adhesive tape for easy and durable installation



Drug warning information

Order-No.	WxH/mm	Code*
PO550.330.11	330 x 475	C
PO550.330.20	330 x 475	C



Drug warning information

Order-No.	WxH/mm	Code*
PO551.330.11	330 x 475	C
PO551.330.20	330 x 475	C



Drugs & alcohol warning notice

Order-No.	WxH/mm	Code*
PO552.330.11	330 x 475	C
PO552.330.20	330 x 475	C




Warning

Order-No.	WxH/mm	Code*
PO553.330.11	330 x 475	C
PO553.330.20	330 x 475	C




i Material specification

- .11 = white vinyl (self-adhesive)
- .20 = white rigid PVC




First Aid – Cuts and Abrasions

Order-No.	WxH/mm	Code*
PO555.210.11	210 x 297	RC
PO555.210.20	210 x 297	RC



First Aid – Burns and Scalds

Order-No.	WxH/mm	Code*
PO556.210.11	210 x 297	RC
PO556.210.20	210 x 297	RC



First Aid – Fractures

Order-No.	WxH/mm	Code*
PO557.210.11	210 x 297	RC
PO557.210.20	210 x 297	RC

i *Please refer to our price list.



YACHT SIGNS

i **SIGNS FOR YACHTS**

2010 ADA Standards for accessible design

ALUMINUM GLOSSY



1 mm aluminum silver glossy with printed symbol, fully self-adhesive equipped from the reverse.

Order-No.	WxH/mm	Code*
**040.46	40 x 40	LA
**080.46	80 x 40	Y

STAINLESS STEEL



1 mm polished stainless steel with printed symbol, fully self-adhesive equipped from the reverse.

Order-No.	WxH/mm	Code*
**040.50	40 x 40	LA
**080.50	80 x 40	Y

ACRYLIC



3 mm acrylic with bevelled edges, fully self-adhesive equipped from the reverse.

Order-No.	WxH/mm	Code*
**040.32	40 x 40	LA
**080.32	80 x 40	Y



i **Please note: list all signs you would like to order**

**Order-No. to be announced, use specific sign number to complete. For example, acrylic sign in 80 x 40 mm: Order-No. FE002.080.32

i *Please refer to our price list.

An aerial photograph of a river with a massive, swirling whirlpool. A small boat is navigating through the turbulent water, positioned in the lower right quadrant of the frame. The water is a mix of dark green and white foam, creating a complex, circular pattern. A dark green banner is overlaid on the left side of the image, containing white text.

LED exit signs
BY MARAHRENS

Escape route & emergency sign

The escape route and emergency signs by Marahrens distinguish themselves through an elegant, flat construction. The utilised materials meet the highest requirements. Homogeneous illumination without glare with individually customisable motifs complement the overall high-quality

impression. Thanks to its design, our signs are especially suitable for refits and mounting on ceilings and walls. The high variability of the materials and widths ensure a consistently uniform overall impression of the compulsory escape and emergency route signage.

Custom
sizes on
request!

The signs are available as single or double-sided versions.

Surface mounting

Visible surface of the
illuminated sign: 370 x 73 mm



Recess mounting

Visible surface of the
illuminated sign: 370 x 73 mm

Casing	
Description	High-quality escape sign
Basic body	PVC
Cover finishes	brushed anodised stainless steel look [ca. 1370 g] powdered acc. to RAL color scale [ca. 1370 g] Stainless steel brushed [ca. 1560 g] Stainless steel chromed [ca. 1560 g]
Dimensions	400 x 80 x 28 mm (Complete) Visible surface of illuminated sign: 370 x 73 mm
Power connection	230 V 50/60 Hz (Connectors acc. to customer requirements at extra charge)
Protection classes	Certification for IP 22 - IP 67

Illumination	
Light source	1300-100396 - 15 LED/Stripe
Light output	370 lm (measured at the LED strip)
Light color	6000 - 7000 K
LED type	LED Rigid board
Energy efficiency class	A
Power consumption / LED	max. 4 W
Average lifespan	30.000 hours

Custom signs

Individual widths, heights & motives available on request.



*Please refer to our price list.

A photograph of an industrial piping system. The pipes are primarily white, with some blue markings. There are several blue handwheels on valves. The background shows a complex network of pipes and structural elements.

Pipe markings

i Pipe marking according to ISO 14726

All colours acc. to ISO 14726, other colours (e.g. BS) on request. Supplementary indications as flow direction or additional markings by text are possible on request.

PM501 - 644.090.11
(example: PM516.090.11)



Material: PVC-foil
Heat resistance: 80°C
(on request 130°C)
Size: 90 mm x 25 m
(length on roll)

PM500.050.11



Material: PVC-foil
Heat resistance: 80°C
(on request 130°C)
Size: 50 mm x 25 m
(length on roll)

Waste media
(Main colour is black)

Type	Order-No.	Colour
General	PM501.090.11	BK BK BK
Black water	PM502.090.11	BK BU BK
Waste oil / used oil	PM503.090.11	BK BN BK
Bilge water	PM504.090.11	BK GN BK
Exhaust gas	PM505.090.11	BK GY BK
	PM506.090.11	BK MN BK
	PM507.090.11	BK OG BK
	PM508.090.11	BK SR BK
	PM509.090.11	BK RD BK
	PM510.090.11	BK VT BK
Grey water	PM511.090.11	BK WH BK
Sewage, contaminated	PM512.090.11	BK YEO BK

Sea water
(Main colour is green)

Type	Order-No.	Colour
General	PM537.090.11	GN GN GN
	PM538.090.11	GN BK GN
Decont. water	PM539.090.11	GN BU GN
Sea water, san.	PM540.090.11	GN BN GN
	PM541.090.11	GN GY GN
	PM542.090.11	GN MN GN
	PM543.090.11	GN OG GN
	PM544.090.11	GN SR GN
	PM545.090.11	GN RD GN
Ballast water	PM546.090.11	GN VT GN
	PM547.090.11	GN WH GN
Cooling sea water	PM548.090.11	GN YEO GN

Oil other than fuel
(Main colour is orange)

Type	Order-No.	Colour
General	PM573.090.11	OG OG OG
	PM574.090.11	OG BK OG
Thermal fluid	PM575.090.11	OG BU OG
	PM576.090.11	OG BN OG
Lub. oil for gas turb.	PM577.090.11	OG GN OG
Hydraulic fluid	PM578.090.11	OG GY OG
	PM579.090.11	OG MN OG
Lub. oil (steam turb.)	PM580.090.11	OG SR OG
	PM581.090.11	OG RD OG
Lub. oil for gears	PM582.090.11	OG VT OG
	PM583.090.11	OG WH OG
Lub. oil (int. engines)	PM584.090.11	OG YEO OG

Acids, alkalis
(Main colour is violet)

Type	Order-No.	Colour
General	PM609.090.11	VT VT VT
	PM610.090.11	VT BK VT
	PM611.090.11	VT BU VT
	PM612.090.11	VT BN VT
	PM613.090.11	VT GN VT
	PM614.090.11	VT GY VT
	PM615.090.11	VT MN VT
	PM616.090.11	VT OG VT
	PM617.090.11	VT SR VT
	PM618.090.11	VT RD VT
	PM619.090.11	VT WH VT
	PM620.090.11	VT YEO VT

Fresh water
(Main colour is blue)

Type	Order-No.	Colour
General	PM513.090.11	BU BU BU
	PM514.090.11	BU BK BU
Fresh water, sanitary	PM515.090.11	BU BN BU
Potable water	PM516.090.11	BU GN BU
Distillate	PM517.090.11	BU GY BU
	PM518.090.11	BU MN BU
Gas turb. wash water	PM519.090.11	BU OG BU
Feed water	PM520.090.11	BU SR BU
	PM521.090.11	BU RD BU
Cooling fresh water	PM522.090.11	BU VT BU
Chilled water	PM523.090.11	BU WH BU
Condensate	PM524.090.11	BU YEO BU

Non-flammable gases
(Main colour is grey)

Type	Order-No.	Colour
General	PM549.090.11	GY GY GY
	PM550.090.11	GY BK GY
Oxygen	PM551.090.11	GY BU GY
Inert gas	PM552.090.11	GY BN GY
Nitrogen	PM553.090.11	GY GN GY
Refrigerant	PM554.090.11	GY MN GY
Compressed air LP	PM555.090.11	GY OG GY
	PM556.090.11	GY SR GY
Compressed air HP	PM557.090.11	GY RD GY
Control air / reg. air	PM558.090.11	GY VT GY
Breathing air	PM559.090.11	GY WH GY
Breathing gas	PM560.090.11	GY YEO GY

Steam
(Main colour is silver)

Type	Order-No.	Colour
General	PM585.090.11	SR SR SR
Steam for heat. purp.	PM586.090.11	SR BK SR
	PM587.090.11	SR BU SR
	PM588.090.11	SR BN SR
	PM589.090.11	SR GN SR
	PM590.090.11	SR GY SR
	PM591.090.11	SR MN SR
	PM592.090.11	SR OG SR
	PM593.090.11	SR RD SR
	PM594.090.11	SR VT SR
Exhaust steam	PM595.090.11	SR WH SR
Supply steam	PM596.090.11	SR YEO SR

Air in ventilation systems
(Main colour is white)

Type	Order-No.	Colour
General	PM621.090.11	WH WH WH
Discharge air	PM622.090.11	WH BK WH
Mech. supply air, cold	PM623.090.11	WH BU WH
Natural exhaust air	PM624.090.11	WH BN WH
Atmospheric air	PM625.090.11	WH GN WH
Mech. exhaust air	PM626.090.11	WH GY WH
Decont. supply air	PM627.090.11	WH MN WH
Mech. recirculated air	PM628.090.11	WH OG WH
Mech. supply air, warm	PM629.090.11	WH SR WH
Smoke clearance	PM630.090.11	WH RD WH
Conditioned supply air	PM631.090.11	WH VT WH
Natural supply air	PM632.090.11	WH YEO WH

Fuel
(Main colour is brown)

Type	Order-No.	Colour
General	PM525.090.11	BN BN BN
Heavy fuel (HFO)	PM526.090.11	BN BK BN
Aviation fuel	PM527.090.11	BN BU BN
	PM528.090.11	BN GN BN
	PM529.090.11	BN GY BN
	PM530.090.11	BN MN BN
	PM531.090.11	BN OG BN
	PM532.090.11	BN SR BN
	PM533.090.11	BN RD BN
Biological fuel	PM534.090.11	BN VT BN
Gas turbine fuel	PM535.090.11	BN WH BN
Diesel fuel (MDO)	PM536.090.11	BN YEO BN

Air & sound. pipes
(Main colour is maroon)

Type	Order-No.	Colour
General	PM561.090.11	MN MN MN
Waste Media	PM562.090.11	MN BK MN
Fresh water	PM563.090.11	MN BU MN
Fuel	PM564.090.11	MN BN MN
Sea water	PM565.090.11	MN GN MN
Non-flam. gases	PM566.090.11	MN GY MN
Oil other than fuel	PM567.090.11	MN OG MN
Steam	PM568.090.11	MN SR MN
Fire fighting	PM569.090.11	MN RD MN
Acids, alkalis	PM570.090.11	MN VT MN
Ventilation system	PM571.090.11	MN WH MN
Flammable gases	PM572.090.11	MN YEO MN

Fire-fighting / Fire protection
(Main colour is red)

Type	Order-No.	Colour
General	PM597.090.11	RD RD RD
	PM598.090.11	RD BK RD
	PM599.090.11	RD BU RD
	PM600.090.11	RD BN RD
Fire-fighting water	PM601.090.11	RD GN RD
Fire-fighting gas	PM602.090.11	RD GY RD
	PM603.090.11	RD MN RD
Sprinkler water	PM604.090.11	RD OG RD
	PM605.090.11	RD SR RD
Spray water	PM606.090.11	RD VT RD
Fire-fighting powder	PM607.090.11	RD WH RD
Fire-fighting foam	PM608.090.11	RD YEO RD

Flammable gases
(Main colour is yellow)

Type	Order-No.	Colour
General	PM633.090.11	YEO YEO YEO
	PM634.090.11	YEO BK YEO
Hydrogen	PM635.090.11	YEO BU YEO
	PM636.090.11	YEO BN YEO
	PM637.090.11	YEO GN YEO
	PM638.090.11	YEO GY YEO
Acetylene	PM639.090.11	YEO MN YEO
	PM640.090.11	YEO OG YEO
	PM641.090.11	YEO SR YEO
	PM642.090.11	YEO RD YEO
Liquid gas	PM643.090.11	YEO VT YEO
	PM644.090.11	YEO WH YEO

*Please refer to our price list.



Various - Hazardous Substances Directive

Sub-classes

For the sub-classes 1.4, 1.5 and 1.6 the letter of the compatibility group needs to be given in addition to the number of the class. For correct identification please note the following:

* In addition to the order no. please name the compatibility group

** In addition to the order no. please name the class / sub-class. (Pricing on request)



Class 1
Explosives * **
With additional
information.
(Pricing on request)

Order-No.	WxH/mm	Code*
F 170.16.028	100 x 100	HSD1
F 170.16.029	150 x 150	HSD2
F 170.16.030	300 x 300	HSD3



Class 1
Subclass 1.4
Explosives *

Order-No.	WxH/mm	Code*
F 170.16.001	100 x 100	HSD1
F 170.16.002	150 x 150	HSD2
F 170.16.003	300 x 300	HSD3



Class 1
Subclass 1.5
Explosives *

Order-No.	WxH/mm	Code*
F 170.16.022	100 x 100	HSD1
F 170.16.023	150 x 150	HSD2
F 170.16.024	300 x 300	HSD3



Class 1
Subclass 1.6
Explosives *

Order-No.	WxH/mm	Code*
F 170.16.025	100 x 100	HSD1
F 170.16.026	150 x 150	HSD2
F 170.16.027	300 x 300	HSD3



Class 2
Subclass 2.1
Flammable gas

Order-No.	WxH/mm	Code*
F 170.16.040	100 x 100	HSD1
F 170.16.041	150 x 150	HSD2
F 170.16.042	300 x 300	HSD3



Class 2
Subclass 2.1
Flammable gas

Order-No.	WxH/mm	Code*
F 170.16.110	100 x 100	HSD1
F 170.16.111	150 x 150	HSD2
F 170.16.112	300 x 300	HSD3



Class 2
Subclass 2.2
Non-flammable,
non-poisonous gas

Order-No.	WxH/mm	Code*
F 170.16.031	100 x 100	HSD1
F 170.16.032	150 x 150	HSD2
F 170.16.033	300 x 300	HSD3



Class 2
Subclass 2.2
Non-flammable,
non-poisonous gas

Order-No.	WxH/mm	Code*
F 170.16.115	100 x 100	HSD1
F 170.16.116	150 x 150	HSD2
F 170.16.117	300 x 300	HSD3



Class 2
Subclass 2.3
Poison gas

Order-No.	WxH/mm	Code*
F 170.16.135	100 x 100	HSD1
F 170.16.136	150 x 150	HSD2
F 170.16.137	300 x 300	HSD3



Class 3
Flammable liquid

Order-No.	WxH/mm	Code*
F 170.16.105	100 x 100	HSD1
F 170.16.106	150 x 150	HSD2
F 170.16.107	300 x 300	HSD3



Class 3
Flammable liquid

Order-No.	WxH/mm	Code*
F 170.16.120	100 x 100	HSD1
F 170.16.121	150 x 150	HSD2
F 170.16.122	300 x 300	HSD3



Class 4
Subclass 4.1
Flammable solids
or substances

Order-No.	WxH/mm	Code*
F 170.16.046	100 x 100	HSD1
F 170.16.047	150 x 150	HSD2
F 170.16.048	300 x 300	HSD3



Class 4
Subclass 4.2
Flammable solids or
substances (self-igniting
substances)

Order-No.	WxH/mm	Code*
F 170.16.049	100 x 100	HSD1
F 170.16.050	150 x 150	HSD2
F 170.16.051	300 x 300	HSD3



Class 4
Subclass 4.3
Substances which,
in contact with water,
emit flammable gases

Order-No.	WxH/mm	Code*
F 170.16.052	100 x 100	HSD1
F 170.16.053	150 x 150	HSD2
F 170.16.054	300 x 300	HSD3



Class 4
Subclass 4.3
Substances which,
in contact with water,
emit flammable gases

Order-No.	WxH/mm	Code*
F 170.16.125	100 x 100	HSD1
F 170.16.126	150 x 150	HSD2
F 170.16.127	300 x 300	HSD3



Class 5
Subclass 5.1
Oxidizing substances

Order-No.	WxH/mm	Code*
F 170.16.058	100 x 100	HSD1
F 170.16.059	150 x 150	HSD2
F 170.16.060	300 x 300	HSD3



Class 5
Subclass 5.2
Organic peroxides

Order-No.	WxH/mm	Code*
F 170.16.061	100 x 100	HSD1
F 170.16.062	150 x 150	HSD2
F 170.16.063	300 x 300	HSD3



Class 6
Subclass 6.1
Toxic, poison
substances

Order-No.	WxH/mm	Code*
F 170.16.067	100 x 100	HSD1
F 170.16.068	150 x 150	HSD2
F 170.16.069	300 x 300	HSD3




Class 6
Subclass 6.2
Infectious substance
material

Order-No.	WxH/mm	Code*
F 170.16.070	100 x 100	HSD1
F 170.16.071	150 x 150	HSD2
F 170.16.072	300 x 300	HSD3



Class 7
Category 1
Radioactive
substances

Order-No.	WxH/mm	Code*
F 170.16.101	100 x 100	HSD1
F 170.16.102	150 x 150	HSD2
F 170.16.103	300 x 300	HSD3

 *Please refer to our price list.

VARIOUS - HAZARDOUS SUBSTANCES DIRECTIVE



Class 7
Category 2
Radioactive
substances

Order-No.	WxH/mm	Code*
F 170.16.079	100 x 100	HSD1
F 170.16.080	150 x 150	HSD2
F 170.16.081	300 x 300	HSD3



Class 7
Category 3
Radioactive
substances

Order-No.	WxH/mm	Code*
F 170.16.082	100 x 100	HSD1
F 170.16.083	150 x 150	HSD2
F 170.16.084	300 x 300	HSD3



Class 8
Corrosive material
"Corrosive"

Order-No.	WxH/mm	Code*
F 170.16.159	100 x 100	HSD1
F —	150 x 150	HSD2
F —	300 x 300	HSD3



Class 8A
Corrosive material

Order-No.	WxH/mm	Code*
F 170.16.088	100 x 100	HSD1
F 170.16.089	150 x 150	HSD2
F 170.16.090	300 x 300	HSD3



Class 9
Miscellaneous
dangerous
substances

Order-No.	WxH/mm	Code*
F 170.16.094	100 x 100	HSD1
F 170.16.095	150 x 150	HSD2
F 170.16.096	300 x 300	HSD3



Class 9A
Lithium
batteries

Order-No.	WxH/mm	Code*
F 170.16.160	100 x 100	HSD1
F 170.16.161	150 x 150	HSD2
F —	300 x 300	HSD3



Limited
quantities

Order-No.	WxH/mm	Code*
F 170.16.140	100 x 100	HSD1
F 170.16.141	150 x 150	HSD2
F 170.16.142	300 x 300	HSD3



Limited
quantities

Order-No.	WxH/mm	Code*
F 170.16.150	100 x 100	HSD1
F 170.16.151	150 x 150	HSD2
F 170.16.152	300 x 300	HSD3



Limited
quantities "Y"

Order-No.	WxH/mm	Code*
F 170.16.153	100 x 100	HSD1
F 170.16.154	150 x 150	HSD2
F 170.16.155	300 x 300	HSD3



"NON"
for individual labeling

Order-No.	WxH/mm	Code*
F 170.16.143	100 x 100	HSD1
F 170.16.144	150 x 150	HSD2
F 170.16.145	300 x 300	HSD3




"NON"
Please select the
number printed on
the sign. (Pricing on
request)

Order-No.	WxH/mm	Code*
F 170.16.146	100 x 100	HSD1
F 170.16.147	150 x 150	HSD2
F 170.16.148	300 x 300	HSD3



Hazardous
to environment

Order-No.	WxH/mm	Code*
F 170.16.156	100 x 100	HSD1
F 170.16.157	150 x 150	HSD2
F 170.16.158	300 x 300	HSD3



Vinyl tape,
photoluminescent

Order-No.	WxH/mm	Code*
LL530.050.12	5 x 1000	JA1
LL530.100.12	10 x 1000	JA2



Wayfinding tape,
photoluminescent,
pointing left

Order-No.	WxH/mm	Code*
LL531.050.12	5 x 1000	JB1
LL531.100.12	10 x 1000	JB2



Wayfinding tape,
photoluminescent,
pointing right

Order-No.	WxH/mm	Code*
LL532.050.12	5 x 1000	JB1
LL532.100.12	10 x 1000	JB2



Red diagonal tape,
photoluminescent,
pointing left

Order-No.	WxH/mm	Code*
LL533.050.12	5 x 1000	JB1
LL533.100.12	10 x 1000	JB2



Red diagonal tape,
photoluminescent,
pointing right

Order-No.	WxH/mm	Code*
LL534.050.12	5 x 1000	JB1
LL534.100.12	10 x 1000	JB2



Green diagonal tape,
photoluminescent,
pointing left

Order-No.	WxH/mm	Code*
LL535.050.12	5 x 1000	JB1
LL535.100.12	10 x 1000	JB2



Green diagonal tape,
photoluminescent,
pointing right

Order-No.	WxH/mm	Code*
LL536.050.12	5 x 1000	JB1
LL536.100.12	10 x 1000	JB2




Black diagonal tape,
photoluminescent,
pointing left

Order-No.	WxH/mm	Code*
LL537.050.12	5 x 1000	JB1
LL537.100.12	10 x 1000	JB2



Black diagonal tape,
photoluminescent,
pointing right

Order-No.	WxH/mm	Code*
LL538.050.12	5 x 1000	JB1
LL538.100.12	10 x 1000	JB2



VARIOUS

SLIP-RESISTANT MARKS AS STRIPE AND TAPES

Slip-resistant marks prevent trip hazards, accidents and accident related costs. It helps to provide a stable slip-resistant surface even in the presence of water or oil or with smudged floors inside and outside. High performance adhesive creates excellent bond.

¹The type extra strong is especially useful for areas with heavy duty and / or extreme pollution.

SAFETY FOR SLIPPERY SURFACES



Type 1: UNIVERSAL

Type	Color	WxH/mm x m	Order-No.	Code*
roll	transparent	25 x 18,3	344.25.128	OS1
roll	transparent	50 x 18,3	344.25.129	OS2
roll	transparent	100 x 18,3	344.25.130	OS3
roll	transparent	150 x 18,3	344.25.131	OS4



Type 1: UNIVERSAL

Type	Color	WxH/mm	Order-No.	Code*
stripe	black	25 x 800	344.25.005	OS5
stripe	black	50 x 800	344.25.006	OS6
stripe	black	25 x 1000	344.25.007	OS7
stripe	black	50 x 1000	344.25.008	OS8

Type	Color	WxH/mm x m	Order-No.	Code*
roll	black	25 x 18,3	344.25.064	OS1
roll	black	50 x 18,3	344.25.065	OS2
roll	black	100 x 18,3	344.25.066	OS3
roll	black	150 x 18,3	344.25.067	OS4

CLASSIFICATION

TYPE 1: SAFETY WALK UNIVERSAL

Material information: A mineral-coated, slip-resistant material adhered by a durable resin to a pressure-sensitive adhesive backed plastic film.

Areas of application: For light to heavy shoe-traffic areas. Highly durable surface withstands the rigors of equipment traffic (e.g. gangways, storage or machine shops, ramps, stairways, ladders, treads on machines etc.)

Available colors: black (R13), yellow (R13), transparent (R13)
Type 4: Safety walk extra strong

Material information: same as safety walk universal, but with stronger, more slip resistant mineral-coating

Areas of application: extreme, heavy traffic conditions (e.g. platforms and ramps, machine shops, etc.)

Available colors: black (R13)



Type 4: EXTRA STRONG

Type	Color	WxH/mm	Order-No.	Code*
stripe ¹	black	25 x 800	344.25.017	OS9
stripe ¹	black	50 x 800	344.25.018	OS10
stripe ¹	black	25 x 1000	344.25.019	OS11
stripe ¹	black	50 x 1000	344.25.020	OS12

Type	Color	WxH/mm x m	Order-No.	Code*
roll ¹	black	25 x 18,3	344.25.075	OS13
roll ¹	black	50 x 18,3	344.25.076	OS14
roll ¹	black	100 x 18,3	344.25.077	OS15
roll ¹	black	150 x 18,3	344.25.078	OS16

VARIOUS

ⁱ *Please refer to our price list.



Type 1: UNIVERSAL warning marks

Type	Color	WxH/mm	Order-No.	Code*
stripe	black/yellow	25 x 800	344.25.001	OS17
stripe	black/yellow	50 x 800	344.25.002	OS18
stripe	black/yellow	25 x 1000	344.25.003	OS19
stripe	black/yellow	50 x 1000	344.25.004	OS20

Type	Color	WxH/mm x m	Order-No.	Code*
roll	black/yellow	25 x 18,3	344.25.068	OS21
roll	black/yellow	50 x 18,3	344.25.069	OS22
roll	black/yellow	100 x 18,3	344.25.070	OS23
roll	black/yellow	150 x 18,3	344.25.071	OS24



Type 1: UNIVERSAL warning marks

Type	Color	WxH/mm	Order-No.	Code*
stripe	black/yellow photolumin.	25 x 800	344.25.013	OS25
stripe	black/yellow photolumin.	50 x 800	344.25.014	OS26
stripe	black/yellow photolumin.	25 x 1000	344.25.015	OS27
stripe	black/yellow photolumin.	50 x 1000	344.25.016	OS28



Type 1: UNIVERSAL warning marks

Type	Color	WxH/mm	Order-No.	Code*
stripe	photoluminescent	25 x 800	344.25.009	OS29
stripe	photoluminescent	50 x 800	344.25.010	OS30
stripe	photoluminescent	25 x 1000	344.25.011	OS31
stripe	photoluminescent	50 x 1000	344.25.012	OS32

Type	Color	WxH/mm x m	Order-No.	Code*
role	photoluminescent	25 x 6,0	344.25.154	OS33
role	photoluminescent	50 x 6,0	344.25.155	OS34
role	photoluminescent	25 x 18,3	344.25.150	OS35
role	photoluminescent	50 x 18,3	344.25.151	OS36
role	photoluminescent	100 x 18,3	344.25.152	OS37
role	photoluminescent	150 x 18,3	344.25.153	OS38



Type 1: UNIVERSAL warning marks


Type	Color	WxH/mm	Order-No.	Code*
stripe	red/white	25 x 800	344.25.156	OS17
stripe	red/white	50 x 800	344.25.157	OS18
stripe	red/white	25 x 1000	344.25.158	OS19
stripe	red/white	50 x 1000	344.25.159	OS20

Type	Color	WxH/mm x m	Order-No.	Code*
role	red/white	25 x 18,3	344.25.164	OS21
role	red/white	50 x 18,3	344.25.165	OS22
role	red/white	100 x 18,3	344.25.166	OS23
role	red/white	150 x 18,3	344.25.167	OS24



Type 1: UNIVERSAL warning marks

Type	Color	WxH/mm	Order-No.	Code*
stripe	red/white photolumin.	25 x 800	344.25.160	OS25
stripe	red/white photolumin.	50 x 800	344.25.161	OS26
stripe	red/white photolumin.	25 x 1000	344.25.162	OS27
stripe	red/white photolumin.	50 x 1000	344.25.163	OS28



VARIOUS

SOLAS RETRO-REFLECTIVE-TAPES
XT 1800

For rough maritime applications e.g. PSA for devices and equipment with rigid substrates (steel, aluminum) .

- High performance microprismatic tape for maritime applications
- For harsh maritime applications e.g. PSA for devices and equipment with rigid substrates (steel, aluminum).
- The brightest marine tape in the market
- Permanently marked with shipswheel logo for immediate compliance identification
- Specifically designed for use in harsh environments which includes continuous immersion in sea water and extreme temperatures
- Single layer construction for durability, abrasion resistance and flexibility
- No risk of water penetration
- Available with pressure sensitive adhesive
- Type I accelerated weathering test – 750 hrs
- Type II accelerated weathering test – 1500 hr



0525

Type	Base material	Color	WxH/mm x m	Order-No.	Code*
roll	metalised polyester	silver	50 x 45,7	VS400.050.00	RRT


i *Please refer to our price list.

FLOOR SAFETY SIGNS

Perfect for fast, mobile placement on deck, inside the vessel and if needed on the gangway. Short dangerous spots will be secured fast and with little effort. The integrated carry handles provide easy transportation and only need a small storage space. Stickers acc. to ISO 7010 or customized with text and symbols. Stickers are included!

Size: 280 x 670 mm
Sticker Size: 180 x 300 mm

Type	Order-No.	Code*
1	353.07.010_EN	FSS1
2	353.07.002_EN	FSS1
3	353.07.003_EN	FSS1
4	353.07.005_EN	FSS1
5	353.07.100_EN	FSS2
blank	353.07.101_EN	FSS3



VARIOUS

i We change the lettering on your rescue boats and lifebuoys


Text and character to be announced by you. Prices on request



VARIOUS

i *Please refer to our price list.

ALUMINUM SUPPORT FOR SAFETY SIGNS



Material: aluminum, silver

Order-No.	WxH/mm	Code*
VS522.150.41	150 x 150	SF1




Material: aluminum, silver

Order-No.	WxH/mm	Code*
VS523.300.41	300 x 150	SF2



Text on foil (r = 5 mm)

Order-No.	WxH/mm	Code*
VS520.200.11	200 x 80	SF4




Aluminum white coated support, blank (r = 10 mm)

Order-No.	WxH/mm	Code*
VS521.210.44	210 x 90	SF3

ASSEMBLY SAMPLES

VS521.210.44 mounted on rail



i ALL Photoluminescent...

... vinyl signs have a luminance higher than 50 mcd/m² (after 10 min, class B acc. ISO 17398)


... rigid signs have a luminance higher than 140 mcd/m² (after 10 min, class C acc. ISO 17398)

Photoluminescent rigid signs are equipped with a high performance double sided adhesive tape for easy and durable installation


SNAP FRAMES

Mounting the posters is very fast. You do not need any tools. For illustration of any kind. Sizes indicated are to be understood as paper formats.

- nice design, lightweight
- simplified mounting of posters with snap frame system
- E6/EV1 aluminium-anodised
- UV resistant anti-reflex PVC sheet



round corners



mitred corners



Snap-frame, 20 mm profile

Format	WxH/mm	Order-No.	Code*
DIN A4, round corners	210 x 297	VS600.210.00	SF5
DIN A4, mitred corners	210 x 297	VS601.210.00	SF6
DIN A3, round corners	297 x 420	VS602.297.00	SF7
DIN A3, mitred corners	297 x 420	VS603.297.00	SF8
DIN A2, round corners	420 x 594	VS604.420.00	SF9
DIN A2, mitred corners	420 x 594	VS605.420.00	SF10

Snap-frame, 25 mm profile



Format	WxH/mm	Order-No.	Code*
DIN A4, round corners	210 x 297	VS610.210.00	SF19
DIN A4, mitred corners	210 x 297	VS611.210.00	SF20
DIN A3, round corners	297 x 420	VS612.297.00	SF21
DIN A3, mitred corners	297 x 420	VS613.297.00	SF22
DIN A2, round corners	420 x 594	VS614.420.00	SF23
DIN A2, mitred corners	420 x 594	VS615.420.00	SF24

Snap-frame, 32 mm profile

Format	WxH/mm	Order-No.	Code*
DIN A3, round corners	297 x 420	VS620.297.00	SF11
DIN A3, mitred corners	297 x 420	VS621.297.00	SF12
DIN A2, round corners	420 x 594	VS622.420.00	SF13
DIN A2, mitred corners	420 x 594	VS623.420.00	SF14
DIN A1, round corners	594 x 841	VS624.594.00	SF15
DIN A1, mitred corners	594 x 841	VS625.594.00	SF16
DIN A0, round corners	841 x 1189	VS626.841.00	SF17
DIN A0, mitred corners	841 x 1189	VS627.841.00	SF18

Snap-frame, 45 mm profile

Format	WxH/mm	Order-No.	Code*
DIN A1, mitred corners	594 x 841	VS630.594.00	SF25



VARIOUS

*Please refer to our price list.





 **Marahrens**

OUR TERMS AND CONDITIONS ARE
SHOWN ON THE WEB PAGE:

www.marahrens.com/en/terms-and-conditions

Marahrens

Our locations and representative offices



Marahrens USA Inc.

Miami, USA
+1 (786) 259 0489
usa@marahrens.com

Marahrens Finland Branch

Turku, Finland
+358 40 725 1893
finland@marahrens.com

Marahrens Asia c/o Jada Marine

Shanghai, China & Singapore
+86 21 5763 8189
asia@marahrens.com

Marahrens Maritime Sign Solutions

Bremen, Germany
+49 421 69 444-51
info@maritime-sign-solutions.com



H. Marahrens GmbH
Schiffs- u. Sicherheits-
beschilderung

Address:

P.O. Box 770140
28701 Bremen | Germany
Grambker Heerstraße 12
28719 Bremen | Germany

Contact:

Phone +49 421 69444-51
Fax +49 421 69444-52
www.marahrens.com
info@marahrens.com