

SAMSUNG

CLX-8640ND / CLX-8650ND SAMSUNG COLOR LASER MULTIFUNCTION PRINTERS

**FASTER, SMARTER AND MORE
EFFICIENT BUSINESS.**



THE NEW
BUSINESS
EXPERIENCE




There are only so many hours in the day. And the Samsung CLX-8640ND and CLX-8650ND color laser MFPs help you and your team get the very most out of each and every one of them. With professional features designed to simplify and increase workflow efficiencies, along with stunning color output, these high-volume, reliable business machines are the expert answers to every workgroup's needs.

Whether your audience is internal or external, it's important to always represent yourself as professionally as possible. Samsung CLX-8640ND and CLX-8650ND MFPs provide advanced features and deliver professional results that allow you to get more productivity from your workday.

Superior Samsung Technology Delivers Sharp, Colorful Prints

Samsung's exclusive Rendering Engine for Clean Page (ReCP) technology automatically sharpens both graphics and text for professional results. Color is trapped precisely for crisp images, and the images are de-screened to look cleaner and more natural.

| CONVENTIONAL | RECP | |
|--------------|------|---------------------------|
| | | Composite Color Reduction |
| | | De-screening |
| | | Edge Enhancement |
| | | Color Trapping |



Superior, Polymerized Toner

Samsung's polymerized toner features smaller and more uniform particles than conventional toner for crisper lines and more vivid colors. Its higher wax content adds a rich glossiness to images while preventing fading. And its lower fusing temperature eliminates paper curling while saving energy.

XOA (eXtensible Open Architecture) Platform



The Samsung CLX-8640ND and CLX-8650ND MFPs connect to your line-of-business applications through the unique eXtensible Open Architecture (XOA) platform. Based on open standards, XOA allows third-party vendors to create embedded applications that multiply MFP capabilities in order to improve business processes.

Powerful Processing

A fully integrated 1GHz Dual Core processor increases office productivity dramatically. Large print and copy jobs are easily handled, as well as scan throughput. Every task is completed up to 1.5 times quicker, so your team can spend more time producing and less time waiting.



High File Compression



Samsung's Mixed Raster Content (MRC) technology significantly compresses scanned files, with no reduction in quality. Smaller file size means you can save storage space, and send scanned files more easily.



The simpler and more intuitive your MFP is to use, the faster even the newest members of your team can work. Every feature of the Samsung CLX-8640ND and CLX-8650ND MFPs is designed for efficient and productive operation.

Samsung MPS, Mobile, Security and Productivity Solutions

Samsung's strategic partnerships allow us to offer simplified, seamless solutions that increase both security and office productivity.

| SAMSUNG | INTEGRATED SOLUTION VENDOR | | SAMSUNG SOLUTIONS |
|---|------------------------------------|--|--|
| MPS / FLEET MANAGEMENT | Compass Sales Solutions FMAudit | MWA Intelligence▲ PrintFleet | SyncThru Admin™ |
| OUTPUT MANAGEMENT COST ACCOUNTING | Copittrak Drive▲ Equitrac▲ | Jetmobile▲★ PaperCut MF▲ Pharos Systems▲★ | BUSINESS CORE™ PRINTING SOLUTIONS Usage Tracker▲ SecuThru™ Lite 2▲ |
| DOCUMENT DISTRIBUTION CONTENT MANAGEMENT | EMC Drive▲ GoldFax▲ | InfoDynamics▲★ Intellinetics Notable Solutions, Inc.▲★ | Cloud Connector▲ Secure Login Manager▲ SmarThru™ Workflow Lite▲ SmarThru™ Workflow 3▲ |
| MOBILE AND CLOUD | Drive▲ | EFI | PrinterOn |

★Available mid-2014 ▲XOA Solution


Quick and Easy Setup

Samsung CLX-8640ND and CLX-8650ND MFPs install easily and get to work quickly. Setup is simple and fast with everything you need, including an installed single pass duplexing Automatic Document Feeder (ADF).

Easy, Economical and Exceptional Toner and Drum

Separate toners and OPC drums mean you don't have to change both when only one part wears out. Additionally, OPC drums can be used for any color, so you can keep a smaller inventory on hand. The developer unit provides a yield of 300,000 pages* for even further reduced maintenance.

*Declared cartridge yield value in accordance with ISO/IEC targets.



Single Pass Duplexing Saves Time

A dual scan document feeder automatically scans both sides of a document at once to scan stacks of documents faster.

Space Saver

Compact, streamlined designs mean the CLX-8640ND and CLX-8650ND MFPs occupy very little floor space. The space-saving 350-sheet 2-bin finisher and internal card reader add utility without adding size.



Intuitive 7" Color Touch Screen

Get up to speed quickly with an intuitive user interface. The large, easy-to-read color touch screen guides users with smooth scrolling. Even first-time users can manage complex jobs quickly and easily.

- User Menu Customization (Create up to 40 Shortcut Icons) Save time with jobs you do regularly.
- Smart Search Find specific functions quickly by entering a keyword.
- Quick Copy Access all of the copy functions at a glance.

Free Samsung Mobile Print App

Lets you print, scan and fax to/from mobile devices. Just connect to your MFP wirelessly and print, scan or fax without the need to install any drivers.*

*Note: Wireless Access Point (AP) is required





The Samsung Easy Mobile Print App earned the 2012 Outstanding Achievement Award from Buyers Lab, Inc.

Data security is a major concern of businesses today. The Samsung Security Framework is standard on the CLX-8640ND and CLX-8650ND MFPs. It increases network protection and helps prevent unauthorized access to confidential information.

Security is Paramount

To ensure data security, the Samsung Security Framework is standard, and provides a secure network that helps prevent unauthorized access to confidential information.

| | | |
|---|---------------------------|---|
|  | AUTHENTICATED USER | <ul style="list-style-type: none"> • Authentication • Authorization • Accounting |
|  | PROTECTED NETWORK | <ul style="list-style-type: none"> • Secure Socket Layer (SSL)/ Transport Layer Security (TLS) • Simple Network Management Protocol (SNMP) v3 • Internet Protocol Security IPSec (Internet Protocol [IP] v4, IPv6) • 802.1x with Extensible Authentication Protocol [EAP] • Protocol/port management • MAC/IP filtering |
|  | SECURE DOCUMENT | <ul style="list-style-type: none"> • Secure print • Secure scan • Secure fax • Document tagging (watermark, stamps) |
|  | SECURE DATA | <ul style="list-style-type: none"> • Encryption • Hard disk drive image overwrite • Digital signature |
|  | SECURE MANAGEMENT | <ul style="list-style-type: none"> • System logs • System back up • Email notification |



Efficiency that Saves Money and Resources

Save paper and energy with the CLX-8640ND and CLX-8650ND MFPs' ECO button. With a single touch, you can print more images on every page, including 2-up, 4-up and duplex printing, which saves paper. Save more paper with automatic blank pages skipping. The Easy Eco Driver also allows you to preview your document before printing, thereby reducing wasted printouts and saving even more paper and toner.

Monitor More, Use Less

With Single Sign On, users log in once to access all Samsung solutions. And with Samsung SyncThru™ Admin, your IT department can easily monitor and manage usage.



Samsung Eco Driver earned the 2012 Outstanding Achievement Award from Buyers Lab, Inc.

FEATURES AND OPTIONS THAT MATCH YOUR WORKGROUP'S REQUIREMENTS.

Dual Scan Document Feeder (Standard)

- Single pass duplexing ADF
- 100-sheet capacity
- Two-sided document scanning
- Paper empty / width / length detect

Two-Bin Finisher (Option)

- 350-sheet capacity
- Corner stapling up to 50 sheets

Triple Cassette Feeder (Option)

- 1,560-sheet capacity
- Paper empty / size detect



7" Color LCD Touch Panel (Standard)

Fax Kit (Option)

- ITU-T G3, Super G3

Second Cassette Feeder (Option)

- 520-sheet capacity
- Paper empty / size detect

| Specifications | CLX-8650ND | CLX-8640ND |
|-----------------------------------|---|--|
| Print | | |
| Speed (Mono/Color) | Up to 51 pages per minute (in letter) | Up to 40 pages per minute (in letter) |
| First Print Out Time (Mono/Color) | Less than 9 seconds / Less than 11 seconds | Less than 9 seconds / Less than 11 seconds |
| Resolution | Up to 1200 x 1200 dpi | |
| Emulation | PCL5, PCL6, PostScript, PDF 1.7 | |
| Duplex | Built-in | |
| Copy | | |
| Speed (Mono/Color) | Up to 51 pages per minute (in letter) | Up to 40 pages per minute (in letter) |
| First Copy Out Time (Mono/Color) | Less than 9 seconds | Less than 9 seconds |
| Resolution (Platen / DADF) | 600 x 600 dpi / 600 x 300 dpi | |
| Reduce & Enlarge | 25% ~ 400% (Platen Copy), 25% ~ 200% (Single pass duplexing ADF Copy) | |
| Multi Copy | 1~9,999 pages | |
| Duplex Copy | Built-in | |
| Copy Features | ID Card copy (Platen only), Auto fit, Book copy (Platen only), Booklet, N-up | |
| Scan | | |
| Compatibility | TWAIN (N/W) | |
| Method | Color CCD, Dual Scan | |
| Resolution (Optical / Enhanced) | Up to 600 x 600 dpi / Up to 4,800 x 4,800 dpi | |
| Scan to | HDD, Email, FTP, SMB, USB, PC | |
| Fax | | |
| Compatibility | ITU-T G3, Super G3 | |
| Modem Speed | 33.6 Kbps | |
| Resolution (Mono) | Up to 600 x 600 dpi | |
| Memory | HDD Back-up | |
| Fax Feature | Speed Dial, Group Dial, On-hook Dial, Auto Redial, Caller ID, Secure Reception, Fax Forwarding | |
| Paper Handling | | |
| Input Capacity and Types | Standard: 520-sheet cassette Tray, 100-sheet MP tray / Max: 2,180 sheets | |
| Output Capacity and Type | 500 sheets Face Down | |
| Media Size | 3.85" x 5.83" ~ 8.5" x 35.4" | |
| Media Type | Plain Paper, Thick Paper, Thin Paper, Bond Paper, Color Paper, CardStock, Labels, Envelope, Preprinted, Letterhead, Recycled Paper, Cotton, Archive | |
| ADF Document Size | Width: 5.7"~ 8.5" (145 ~ 216 mm) Length: 5.7" ~ 14.0" (145 ~ 356 mm) | |
| Capacity | 100-sheet single pass duplexing ADF | |
| General Features | | |
| Display | 800 x 480 7" WVGA Color Touch Screen | |
| Interface | Hi-Speed USB 2.0 Host (2 Ports), Hi-Speed USB 2.0 Peripheral (1 Port), Ethernet 10/100/1000 base TX, FDI (Optional) | |
| Noise Level | Printing: 55dBA / Copying: 59dBA / Standby: 43dBA / Sleep: 30dBA | |
| Memory | RAM: 1GB Standard/Max | |
| HDD Standard | 320GB | |
| Operating System | [Windows] XP 32/64bits, Vista 32/64bits, Windows 7/8 32/64bits, Windows 2003 Server 32/64bits, Windows Server 2008 32/64bits, Windows Server 2008 R2 64bits / [Linux] RedHat Enterprise Linux WS 4, 5 (32/64 bit) Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 (32/64 bit) / SuSE Linux 10.1 (32 bit) / OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2 (32/64 bit) / Mandriva 2007, 2008, 2009, 2009.1, 2010 (32/64 bit) / Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 (32/64 bit) / SuSE Linux Enterprise Desktop 10, 11 (32/64 bit) / Debian 4.0, 5.0 (32/64 bit) / [UNIX] Sun Solaris 9,10 (x86, SPARC) / HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium)- IBM AIX 5.1, 5.2, 5.3, 5.4 / [Mac] Mac OS X 10.4 ~ 10.7 | |
| Monthly Duty Cycle | 200,000 sheets/month | |
| Dimension (W x D x H) | 21.7" x 20.2" x 30.6" | |
| Weight | 155.2 lbs. with Consumables | |
| Consumables | | |
| CLT-C659S | Cyan Toner 20K* Yield | |
| CLT-M659S | Magenta Toner 20K* Yield | |
| CLT-Y659S | Yellow Toner 20K* Yield | |
| CLT-K659S | Black Toner 20K* Yield | |
| CLT-R659 | CMYK Imaging Unit 40K* Yield | |
| CLT-W659 | Waste Container 20K* Yield | |
| Options | | |
| CLX-DSK20M | Second Cassette Feeder + Stand (520 sheet) | |
| CLX-S8640T | Triple Cassette Feeder (1,560 sheet) | |
| CLX-FAX170 | Fax Kit | |
| CLX-FIN25S | 2-bin Finisher | |
| SCX-STP000 | Finishing Staples Cartridge 15K Yield | |

SAMSUNG

Product Support: 1-866-SAM4BIZ | 1-800-SAMSUNG | samsung.com/business or samsung.com/b2bprinters

Follow us:  youtube.com/samsungbizusa |  @SamsungBizUSA



Samsung Electronics has been named 2013 ENERGY STAR Partner of the Year in the product manufacturing category by the U.S. Environmental Protection Agency (EPA).

©2014 Samsung Electronics America, Inc. Samsung is a registered mark of Samsung Electronics Corp., Ltd. Specifications and designs are subject to change without notice. Print speed will be affected by operating system used, computing performance, application software, connection method, media type, media size and job complexity. Copy speed is based on Single Document Multiple Copy. Non-metric weights and measurements are approximate. All other brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies. Simulated screen images. See samsung.com for detailed information. Printed in USA on 50% recycled (30% post-consumer waste) paper using soy inks. PNT-CLX8640NDCLX8650ND-APR14T

