

Fujitsu recommends Windows.

# Data Sheet

## FUJITSU LIFEBOOK U745

### Notebook

#### Business Elegance Meets Premium Security

The FUJITSU Notebook LIFEBOOK U745 is a slim and light Ultrabook™ for professionals supporting optimum mobility for business trips and ergonomics in the office. Its low weight from 1.55 kg combined with a 35.6 cm (14-inch) anti-glare display with touch panel and backlit keyboard options offers you mobile comfort. The 4G/LTE or 3G/UMTS option and the pull-out LAN connector grant you added connectivity. Moreover, an embedded palm vein sensor option guarantees ultimate protection of your data. The common port replicator with the LIFEBOOK E family facilitates workplace sharing; the VGA port allows you to present on demand.



#### Elegance in combination with ergonomics

Elegant design and comfortable working in every situation

- A slim 19 mm and lightweight notebook from 1.55 kg, HD+ anti-glare display with touch panel option, magnesium housing with aluminum palm rest

#### Optimum mobility and workplace convenience in one

Convenient working anywhere with a variety of features for the most demanding mobile user

- Ultrabook™ with VGA port, display port, common port replicator with LIFEBOOK E family, Anytime USB Charge to charge phones, media devices even when the system is turned off, backlit keyboard option



#### Premium security

Guarantee protection of your notebook and company data from unauthorized access

- Embedded palm vein sensor or fingerprint sensor option, Advanced Theft Protection, Full Disk Encryption, SmartCard reader option, Trusted Platform Module option

#### Ultimate connectivity

Flexibility and increased availability through a variety of options

- Pull-out LAN connector, embedded 4G/LTE or 3G/UMTS option, WLAN and Bluetooth



#### Easy upgradeability

Direct access to key components reduces upgrade time and costs

- Door to exchange the battery, memory and internal storage



# Components

|   |  |
|---|--|
| <b>Processor</b>                                    | Intel® Core™ i5-5200U processor (2.2 GHz, up to 2.7 GHz, 3 MB) *<br>Intel® Core™ i3-5010U processor (2.1 GHz, 3 MB) *<br>Intel® Core™ i7-5600U processor (2.6 GHz, up to 3.2 GHz, 4 MB)<br>Intel® Core™ i5-5300U processor (2.3 GHz, up to 2.9 GHz, 3 MB)<br>*Processor only for retail, SMB, education and government<br>Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes |
| <b>Operating systems</b>                            |  |
| <b>Operating system</b>                             | Windows 8.1 Pro 64-bit<br>Windows 8.1 64-bit<br>Windows 7 Professional 64-bit  |
| <b>Operating system compatible</b>                  | Windows 8 64-bit<br>Windows 8 32-bit<br>Windows 7 Professional 32-bit  |
| <b>Memory modules</b>                               | 4 GB (1 module(s) 4 GB) DDR3 L, 1,600 MHz, PC3-12800, SO DIMM<br>8 GB (1 module(s) 8 GB) DDR3 L, 1,600 MHz, PC3-12800, SO DIMM   |
| <b>Hard disk drives (internal)</b>                  | SSHD, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T.<br>SSD SATA III, 512 GB, 2.5-inch, OPAL capable<br>SSD SATA III, 256 GB, 2.5-inch, OPAL capable<br>SSD SATA III, 256 GB, 2.5-inch<br>SSD SATA III, 128 GB, 2.5-inch  |
| <b>Hard disk notes</b>                              | One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.<br>Accessible capacity may vary, also depending on used software.<br>Up to 20 GB of HDD space is reserved for system recovery<br>Internal HDD interface: S-ATA III (6GBit/s)  |
| <b>Interface add on cards/components (optional)</b> |  |
| <b>3G/4G (optional)</b>                             | Sierra Wireless EM8805 (Downlink speed 42 Mbit/s, Uplink speed 5.76 Mbit/s)<br>LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)  |
| <b>WLAN (optional)</b>                              | Intel® Wireless-N 7265 2x2 b/g/n with integrated Bluetooth 4.0<br>Intel® Dual Band Wireless-N 7265 2x2 ac with integrated Bluetooth 4.0  |
| <b>Display</b>                                      | 35.6 cm (14-inch), LED backlight, (HD+), Anti-glare touchscreen, magnesium, 1,600 x 900 pixel, 400:1, 250 cd/m <sup>2</sup><br>35.6 cm (14-inch), LED backlight, (HD+), Anti-glare display, magnesium, 1,600 x 900 pixel, 400:1, 250 cd/m <sup>2</sup>   |
| <b>Multimedia</b>                                   |  |
| <b>Camera</b>                                       | Built-in webcam (HD) with Status LED   |

# Base unit

|                                      |  |
|--------------------------------------|--|
| <b>Base unit</b>                     | LIFEBOOK U745 14.0-inch  |
| <b>General system information</b>    |  |
| <b>Chipset</b>                       | Integrated   |
| <b>Chipset notes</b>                 | Supports iAMT 10.0<br>Intel® vPro™ requires Core i5-53xx & i7-56xx CPU, Intel WLAN 7265 ac, TPM module |
| <b>Memory slots</b>                  | 1 DIMM (DDR3L)   |
| <b>Supported capacity RAM (max.)</b> | 12 GB  |

**General system information**

|                |   |
|----------------|---|
| Memory notes   | DDR3L – 1,600 MHz<br>4 GB onboard, 1 DIMM slot with max. 8 GB |
| LAN            | Built-in 10/100/1,000 MBit/s Intel® 218LM                     |
| BIOS features  | BIOS based on Phoenix SecureCore                              |
| Audio type     | On board  |
| Audio codec    | Realtek ALC3233   |
| Audio features | Stereo speakers   |

**Display**

|               |  |
|---------------|--|
| Display notes | ISO 9241-307 - Pixel class II<br>Viewing angle: Left/Right 40°, Top 10°, Bottom 30°; 16ms response time; Color Gammut: 45% |
|---------------|--|

**Graphics**

|   |  |
|---|--|
| Base unit                               | LIFEBOOK U745 14.0-inch  |
| TFT resolution (DisplayPort)            | up to 2,560 x 1,600  |
| TFT resolution (VGA)                    | up to 1,920 x 1,200  |
| TFT resolution (DVI on Port Replicator) | up to 1,920 x 1,200  |
| Graphics brand name                     | Intel® HD Graphics 5500  |
| Graphics features                       | 3 Display Support  |
| Graphics notes                          | Shared memory depending on main memory size and operating system |

**Interfaces**

|                             |  |
|-----------------------------|--|
| DC-in                       | 1  |
| Audio: line-out / headphone | 1  |
| Audio: line-in / microphone | 1  |
| Internal microphones        | 2x digital microphones (array)                               |
| USB 3.0 total               | 3 (1 with Anytime USB Charge functionality)                  |
| VGA                         | 1  |
| DisplayPort                 | 1  |
| Ethernet (RJ-45)            | 1 (pull-out connector)                                       |
| Memory card slots           | 1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)          |
| SmartCard slot              | 1 (optional)   |
| SIM card slot               | 1 (only for models with integrated 3G/UMTS or 4G/LTE module) |

**Port Replicator interfaces (optional)**

|                         |  |
|-------------------------|--|
| DC-in                   | 1 (19V)  |
| Power on switch         | 1  |
| Audio: headphone        | 1  |
| Audio: microphone       | 1  |
| USB 3.0 total           | 4  |
| DisplayPort             | 2 (up to 2560 x 1600) - 1 DP (next to DVI) is shared with DVI, works when DVI not connected      |
| VGA                     | 1 (up to 1920 x 1200)  |
| DVI                     | 1 (up to 1920 x 1200) - shared with DP (next to DVI) - works when DP (next to DVI) not connected |
| Ethernet (RJ-45)        | 1 (10/100/1000)  |
| Kensington Lock support | 1 (Portrep & System)   |
| eSATA                   | 1  |
| Notes                   | Port replicator supports 0-Watts functionality   |

**Keyboard and pointing devices**

Black colored key caps for backlight keyboard#Black colored key caps with red frame for regular keyboard#Isolation keyboard#Spill-resistant standard keyboard  
Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm  
Touchpad with two mouse buttons  
EcoButton  
Status LED

**Wireless technologies**

|                   |   |
|-------------------|---|
| <b>Antennas</b>   | 2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional, Bluetooth antenna shared with WLAN |
| <b>WLAN notes</b> | Import and usage according to country-specific regulations.                                 |

**Power supply**

|                              |  |
|------------------------------|--|
| <b>AC Adapter</b>            | 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter<br>19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology<br>19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter   |
| <b>Notes</b>                 | 65W AC Adapter for usage with system/ min. 80W AC Adapter for usage with Port Replicator   |
| <b>1st battery options</b>   | Lithium polymer battery 4-cell, 45 Wh  |
| <b>Runtime 1st battery</b>   | Up to 14:00 h (MobileMark® 2007), Up to 7:30 h (MobileMark® 2012) (tbc)  |
| <b>Battery charging time</b> | ~120 min   |
| <b>Battery notes</b>         | Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2007 (readers mode) and BAPCo® MobileMark® 2012 (office productivity) see <a href="http://www.bapco.com">www.bapco.com</a> for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. |

**Noise emission**

|                       |                                     |
|-----------------------|-------------------------------------|
| <b>Noise emission</b> | Please refer to the Eco Declaration |
|-----------------------|-------------------------------------|

**Dimensions / Weight / Environmental**

|                                      |  |
|--------------------------------------|--|
| <b>Dimensions (W x D x H)</b>        | 332.6 mm (13.09 inch) x 234.0 mm (9.21 inch) x 19.0 mm (0.75 inch)                       |
| <b>Weight</b>                        | From 1.55 kg (3.42 lb) with non-touch display, from 1.70 kg (3.75 lb) with touch display |
| <b>Weight notes</b>                  | Weight may vary depending on actual configuration  |
| <b>Operating ambient temperature</b> | 5 - 35 °C (41 - 95 °F)   |
| <b>Operating relative humidity</b>   | 20 - 85 %  |

**Compliance**

|                        |   |
|------------------------|---|
| <b>Europe</b>          | CE<br>CB  |
| <b>Global</b>          | RoHS (Restriction of hazardous substances)<br>WEEE (Waste electrical and electronic equipment)<br>Microsoft Operating Systems (HCT / HCL entry / WHQL)<br>ENERGY STAR® 6.0<br>EPEAT® Gold (dedicated regions) |
| <b>Compliance link</b> | <a href="http://globalsp.ts.fujitsu.com/sites/certificates">http://globalsp.ts.fujitsu.com/sites/certificates</a>   |

**Additional Software**

|   |   |
|---|---|
| <b>Additional software (preinstalled)</b> | Adobe® Reader® (pdf reader)<br>McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version)<br>Fujitsu LIFEBOOK Application Panel<br>Fujitsu Display Manager<br>ShockSensor Utility<br>Power Saving Utility<br>Fujitsu Plugfree Network (network management utility)<br>EasyGuide online user documentation<br>Microsoft Office (buy license to activate the pre-installed Microsoft Office)<br>Win8: Microsoft Push Button Recovery (hard disk based recovery)<br>Win7: Fujitsu Recovery (hard disk based recovery) |
| <b>Additional software (optional)</b>     | Drivers & Utilities DVD (DUDVD)<br>Recovery DVD for Windows®<br>Connection manager (optional with 4G/LTE or 3G/UMTS)<br>CyberLink YouCam (webcam software)  |

**Manageability**

|                                 |   |
|---------------------------------|---|
| <b>Manageability technology</b> | DeskUpdate Driver management<br>PXE 2.1 Boot code<br>Wake up from S5 (off mode)<br>Intel® vPro™ technology<br>WoL (Wake on LAN)<br>iAMT 10.0 (depending on CPU)                                     |
| <b>Manageability software</b>   | DeskView Client<br>DeskView Instant BIOS Management<br>DeskView Integration for Symantec Management Platform  |
| <b>DeskView components</b>      | Inventory Management<br>BIOS Management<br>Driver Management<br>Security Management<br>Alarm Management   |
| <b>Supported standards</b>      | WMI<br>PXE<br>BootP (made4you)  |
| <b>Manageability link</b>       | <a href="http://www.fujitsu.com/fts/solutions/business-technology/manageability/feature-finder.html">http://www.fujitsu.com/fts/solutions/business-technology/manageability/feature-finder.html</a> |

**Security**

|                                 |   |
|---------------------------------|---|
| <b>Physical Security</b>        | Kensington Lock support   |
| <b>System and BIOS Security</b> | Computrace® ready BIOS<br>Advanced Theft Protection (Computrace® only)<br>Optional: Trusted platform module (TPM 1.2)   |
| <b>User Security</b>            | Access protection via internal SmartCard reader (optional)<br>SystemLock BIOS SmartCard security<br>Embedded palm vein sensor (optional)<br>Embedded fingerprint sensor (optional)<br>Hard disk password<br>User and supervisor BIOS password<br>Workplace Protect (secure authentication solution) |

**Warranty**

|   |   |
|---|---|
| <b>Warranty period</b>                                  | 2 years (depending on country)  |
| <b>Service level</b>                                    | Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations) |
| <b>Warranty Terms &amp; Conditions</b>                  | <a href="http://support.ts.fujitsu.com/warranty">http://support.ts.fujitsu.com/warranty</a>   |
| <b>Product Support Services - the perfect extension</b> |   |
| <b>Recommended Service</b>                              | 9x5, Onsite Response Time: Next Business Day  |
| <b>Spare Parts availability</b>                         | 5 years after end of product life   |
| <b>Service Weblink</b>                                  | <a href="http://ts.fujitsu.com/Supportservice">http://ts.fujitsu.com/Supportservice</a>   |

## Recommended Accessories

Port Replicator for LIFEBOOK (U745, T725, E754, E744, E734, E554 and E544) and CELSIUS H730



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options. Order Code: S26391-F1337-L100

**AC Adapter LIFEBOOK or  
STYLISTIC**

Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a slim stick type adapter to standard adapters, or even the innovative 0-Watt AC Adapter.

Order Code:  
S26391-F1246-L500

**AC Adapter LIFEBOOK or  
STYLISTIC**

Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a slim stick type adapter to standard adapters, or even the innovative 0-Watt AC Adapter.

Order Code:  
S26391-F1246-L540

**Prestige Pro Case Midi 14**

The Fujitsu Prestige Pro Case Midi 14 offers you a stylish high-quality leather and nylon combination which will impress everyone who sees it. It protects your 35.6 cm (14-inch) notebook plus your essential accessories in padded compartments. Everything will be safe but accessible in dedicated front, document, and identification pockets.

Order Code:  
S26391-F1191-L80

**Wireless Notebook Mouse  
WI610**

The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.

Order Code:  
S26381-K460-L100

**Wireless Keyboard Set LX901**

The Wireless Keyboard LX901 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set with offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption for security.

S26381-K565-L4\*\* (\*\*:  
Country specific variation)

# More information

## Fujitsu OPTIMIZATION Services

In addition to FUJITSU LIFEBOOK U745 , Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU LIFEBOOK U745 , please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/fts/mobile](http://www.fujitsu.com/fts/mobile)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
Copyright © Fujitsu Technology Solutions

## Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

## CONTACT

Fujitsu Technology Solutions  
Website: [www.fujitsu.com/fts](http://www.fujitsu.com/fts)  
2015-03-24 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
Copyright © Fujitsu Technology Solutions