Fujitsu recommends Windows® 7.



Data Sheet Fujitsu LIFEBOOK UH552 Notebook

Your Slim and Stylish Partner

For everyday business, the slim and attractive Fujitsu LIFEBOOK UH552 is the ideal device. Its light weight of 1.6 kg, small form factor and 33.8 cm (13.3-inch) anti-glare display offer you the mobility you desire. Its combination of good looks and thin design lets you arouse attention in all situations. Moreover, the notebook provides effective working with optional embedded 3G/UMTS and Computrace® enabled BIOS to keep your data safe.

Stylish design combined with a small form factor

Enhanced mobility on business trips or in the office.

■ Attractive notebook in a slim design with aluminum housing, only 1.6 kg and 18 mm thin

Mobile office for every requirement

Enhanced convenience in all situations.

 Small form factor, anti-glare display, long battery runtime, HD webcam, Anytime USB Charge functionality to charge telephone and media devices even when the system is switched off, large touchpad with integrated mouse button functionality

Enhanced connectivity

Be available, even when there is no hotspot nearby.

Optional embedded 3G/UMTS, WLAN and Bluetooth

Security

Protect your data against third-party access

■ Computrace® enabled BIOS, Kensington Lock support



























Components

| Processor | Intel® Core™ i3-3217U (1.8 GHz, 3 MB) | Intel® Core™ i5-3317U (1.7 GHz, 3 MB) | |
|--------------------------------------|--|--|--|
| Memory | 2GB (1Modul) DDR3, 1600 MHz | 2GB (1Modul) DDR3, 1600 MHz | |
| , | 4GB (1Modul) DDR3, 1600 MHz | 4GB (1Modul) DDR3, 1600 MHz | |
| | 8GB (1Modul) DDR3, 1600 MHz | 8GB (1Modul) DDR3, 1600 MHz | |
| Hard disk drives | SSD SATA III, 256GB, 2.5-inch | SSD SATA III, 256GB, 2.5-inch | |
| | SSD SATA III, 128GB, 2.5-inch | SSD SATA III, 128GB, 2.5-inch | |
| | SATA, 5400 rpm, 500GB, 2.5-inch | SATA, 5400 rpm, 500GB, 2.5-inch | |
| | SATA, 5400 rpm, 320GB, 2.5-inch | SATA, 5400 rpm, 320GB, 2.5-inch | |
| WLAN | Intel® Centrino Wireless-N2230 b/g/n | Intel® Centrino Wireless-N2230 b/g/n | |
| | Atheros WLAN WB222 a/b/g/n | Atheros WLAN WB222 a/b/g/n | |
| 3G/4G | Sierra Wireless MC8305 GOBI 3000 module (downlink | Sierra Wireless MC8305 GOBI 3000 module (downlink | |
| | speed up to 14,4 Mbit/s, uplink speed up to 7,2Mbit/s) | speed up to 14,4 Mbit/s, uplink speed up to 7,2Mbit/s) | |
| | *Processor only for retail, SMB, education and governm | ent | |
| Operating systems | | | |
| Operating system | Windows® 7 Professional 64-bit | | |
| - F 2 · · · · · · · · · · · · · | Windows® 7 Home Premium 64-bit | | |
| Mamaru madulas | 2 CP /1 modulo/c) 2 CP) DDD2 1600 MHz DC2 12000 | CO DIMM | |
| Memory modules | 2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM | | |
| | 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, | SO DIMM | |
| Base unit memory | LIFEBOOK UH552 i3 SILVER (Intel® Core™ i3) | LIFEBOOK UH552 i5 SILVER (Intel® Core™ i5) | |
| Supported capacity RAM (min.) | 2 GB | | |
| Supported capacity RAM (max.) | 16 GB | | |
| Memory slots total | 2 | | |
| Memory slot type | SO DIMM (DDR3, 1600 MHz) | | |
| Memory notes | DDR3 - 1600 MHz | | |
| welliory flotes | DDK3 - 1000 MINZ | | |
| Hard disk drives (internal) | SSD SATA III, 256 GB, 2.5-inch | | |
| | SSD SATA III, 128 GB, 2.5-inch | | |
| | SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. | | |
| | SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. | | |
| | SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. | | |
| Hard disk notes | | a hard diek driva capacity | |
| | One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. | | |
| | Up to 18 GB of HDD space is reserved for system recovery | | |
| | <u> </u> | У | |
| WLAN (optional) | Atheros Minicard WB222 a/b/g/n | | |
| | Intel® Centrino® Wireless-N2230 b/g/n | | |
| Wireless technologies | | | |
| Bluetooth | Integrated V4.0 + HS | | |
| Integrated WLAN | Intel® Centrino Wireless-N2230 b/g/n | | |
| | Atheros WLAN WB222 a/b/g/n | | |
| WLAN encryption | WEP, WPA, WPA2 | | |
| WLAN max. data rate | up to 300 Mbit/s | | |
| WLAN notes | Import and usage according to country-specific regulations. | | |
| 3G/4G (optional) | Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, | Uplink speed 5.76 Mbit/s) | |
| Base unit | LIFEBOOK UH552 i3 SILVER (Intel® Core™ i3) | LIFEBOOK UH552 i5 SILVER (Intel® Core™ i5) | |
| | | | |
| General system information | | | |
| General system information Processor | Intel® Core™ i3-3217U processor (1.8 GHz), 3 MB, | Intel® Core™ i5-3317U processor (1.7 GHz), 3 MB, | |

Page 2 / 5 www.fujitsu.com/fts/mobile

| General system information Chipset Intel® HM76 Product design Color Silver/Black Silver/Black Material Aluminum lid Aluminum lid Display Display Display 33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, 1366 x 768 pixel, 220 cd/m2 Aspect ratio 16:9 Brightness - typical 220 cd/m2 Graphics Graphics Graphics brand name Intel® HD Graphics 4000 Interfaces | |
|---|----------|
| Product design Color Silver/Black Silver/Black Material Aluminum lid Aluminum lid Display Display 33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, 1366 x 768 pixel, 220 cd/m2 Aspect ratio 16:9 Brightness - typical 220 cd/m2 Graphics Graphics brand name Intel® HD Graphics 4000 | |
| Color Silver/Black Silver/Black Material Aluminum lid Aluminum lid Display Display 33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, 1366 x 768 pixel, 220 cd/m2 Aspect ratio 16:9 Brightness - typical 220 cd/m2 Graphics Graphics brand name Intel® HD Graphics 4000 | |
| Material Aluminum lid Aluminum lid Display Display 33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, 1366 x 768 pixel, 220 cd/m2 Aspect ratio 16:9 Brightness - typical 220 cd/m2 Graphics Graphics brand name Intel® HD Graphics 4000 | |
| Display Display 33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, 1366 x 768 pixel, 220 cd/m2 Aspect ratio 16:9 Brightness - typical 220 cd/m2 Graphics Graphics brand name Intel® HD Graphics 4000 | |
| Display 33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, 1366 x 768 pixel, 220 cd/m2 Aspect ratio 16:9 Brightness - typical 220 cd/m2 Graphics Graphics brand name Intel® HD Graphics 4000 | |
| Display 33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, 1366 x 768 pixel, 220 cd/m2 Aspect ratio 16:9 Brightness - typical 220 cd/m2 Graphics Graphics brand name Intel® HD Graphics 4000 | |
| Aspect ratio 16:9 Brightness - typical 220 cd/m2 Graphics Graphics brand name Intel® HD Graphics 4000 | |
| Graphics Graphics brand name Intel® HD Graphics 4000 | |
| Graphics brand name Intel® HD Graphics 4000 | |
| Graphics brand name Intel® HD Graphics 4000 | |
| | |
| IIII PLIACES | |
| Memory card slots 1 (4in1 Card Reader supporting (MS/MS Pro/SD/SDXC) | |
| SIM card slot 1 (usable only with 3G/UMTS) | |
| USB 3.0 total 2 | |
| USB 2.0 total 1 (incl. 1x Anytime USB Charge functionality) | |
| HDMI 1 | |
| Ethernet (RJ-45) via USB | |
| DC-in 1 | |
| Audio: line-out / headphone 1 | |
| Kensington Lock support 1 | |
| Wired communication | |
| LAN USB to LAN | |
| | |
| Keyboard and pointing devices | |
| Keyboard Multi gesture touchpad with integrated mouse button functionality | |
| Multimedia | |
| Audio type On board | |
| Audio codecRealtek ALC269Q-VB6 (HD audio) | |
| Audio features 2x built-in speakers (stereo), Support of high-definition audio, DTS Boost™ - maximizes acoustic power of y notebook by boosting perceived overall level of the mix | OUL |
| Audio notes Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rig Reserved. | |
| Camera Built-in webcam, HD | |
| Power supply | |
| Rated voltage range 100 V - 240 V (AC Input) | |
| Rated frequency range 50 Hz - 60 Hz | |
| 1st battery Lithium polymer battery 4-cell, 2840 mAh, 42 Wh | |
| Benchmark Mobile Mark 2007 (readers mode – e.g. surfing the internet, writing E-mails, viewing documents) | |
| Runtime 1st battery up to 7.5 h | |
| Battery life may vary depending on product model, configuration, applications, power management settin features utilized. Battery recharge time varies depending on usage. The recharge capacity may decrease al months so that the battery lifetime as well as operating time can not be assured for the whole lifetime of notebook. | ter some |
| Dimensions / Weight / Environmental | |
| Dimensions (W x D x H) 323 x 234 x 18.0 mm | |
| Weight Approx. 1.57 kg | |
| Weight notes Weight may vary depending on actual configuration (including battery pack) | |

Page 3 / 5 www.fujitsu.com/fts/mobile

| Additional Software | | |
|--|---|--|
| Additional software (preinstalled) | EasyGuide online user documentation | |
| | Adobe® Reader® | |
| | CyberLink YouCam | |
| | Fujitsu Recovery (Hard Disk Based Recovery) | |
| | Bluetooth Software Suite | |
| | Norton Internet Security (incl. Firewall) 60 days version | |
| | Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook® | |
| | Buy Office 2010 to use the full-featured software. | |
| Additional software (optional) | Drivers & Utilities DVD (DUDVD) | |
| | UMTS connection manager (optional with UMTS) | |
| Additional software (included as a CD/ | Drivers & Utilities DVD (DUDVD) | |
| DVD) | Recovery DVD (Windows® 7) | |
| ecurity | | |
| ystem protection | Kensington Lock support | |
| Audit proof protection | Computrace® enabled BIOS | |
| Access protection | User and supervisor BIOS password | |
| | Hard disk password | |
| Compliance | | |
| Model | Fujitsu LIFEBOOK UH552 | |
| Compliance link | https://sp.ts.fujitsu.com/sites/certificates/default.aspx | |
| | | |
| Standard Warranty | 1 year / 2 years (depending on country) | |
| Service level | Collect & Return Service / Bring-in Service (depending on country specific requirements) | |
| Maintenance and Support Services - the | perfect extension | |
| Recommended Service | 3 years Collect & Return Service | |
| Spare Parts availability | 3 years | |
| Service Weblink | http://www.fujitsu.com/fts/services/support | |

Recommended Accessories

| | Order Code: S26341-F103-L127 |
|--------------------|--|
| CELVIN® Drive M200 | The CELVIN Drive M200 is an ultra-portable and high-class storage device. Since it is compatible with USB3.0 and USB 2.0, it can be used with a large variety of devices. It is ideal for notebook and desktop users. It makes data backup easier and faster than ever. |
| | Order Code: \$26391-F938-L900 |
| USB2.0-LAN-Adapter | The Fujitsu USB2.0-LAN-Adapter allows you to connect your computer to a 10/100 Mbps network simply by a USB port. The USB 2.0 (480 Mbps) ensures full network speed without any compromise. With the PXE support you are able to boot your computer using a network |

Page 4 / 5 www.fujitsu.com/fts/mobile

independently of data storage devices or installed operating systems.

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK UH552, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK UH552, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2012-07-25 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions