

UNITED STATES
NUCLEAR REGULATORY COMMISSION
OFFICE OF INSPECTION AND ENFORCEMENT
WASHINGTON, D. C. 20555

December 16, 1982

IE INFORMATION NOTICE NO. 82-49: CORRECTION FOR SAMPLE CONDITIONS FOR AIR
AND GAS MONITORING

Addressees:

All nuclear power plant facilities holding an operating license (OL) or construction permit (CP), research and test reactors, fuel facilities, and Priority I material licensees.

Purpose:

This information notice is provided as notification of errors in radioactive gaseous effluent monitoring. Regional surveys of equipment and practices at selected light water reactors (LWRs) revealed that a number of LWRs were not routinely correcting for pressure differentials between main vent effluent streams and associated offline sampling systems. Failure to correct for this pressure differential can introduce errors (both in direct-reading gas monitoring and in flow indication) in monitoring gaseous effluents with offline sampling systems. These sampling errors can cause a significant underestimation when quantifying effluent releases.

The potential also exists for systematic errors in occupational air monitoring programs. Failure to apply pressure correction factors for flow measuring devices when calibrating air samplers could lead to erroneous determinations of airborne radioactivity levels.

It is expected that recipients will review the information for applicability to their facilities. No specific action or response is required at this time.

Description of Circumstances:

A problem of pressure differentials in gas monitoring systems was identified by the licensee at the Diablo Canyon nuclear power plant. At Diablo Canyon the gas monitor takes suction through an isokinetic sampling head about 100 feet up the plant vent stack. In maintaining a flow of 10 cfm, necessary to ensure isokinetic sampling, it was found that the gas monitor chamber pressure was approximately 12 inches of Hg below atmospheric pressure (30 inches of Hg). This resulted in a reduction in the density of the sample chamber gas by approximately 40 percent.

The licensee has found that the reduced pressure phenomenon is most pronounced in systems with long sample lines and is less noticeable where sample lines are short. The licensee plans to incorporate pressure or ΔP gauges on the gas monitoring equipment and to include corrections for pressure variations in calculation of gaseous activity.

8208190267

As a result of this reported sampling deficiency, each Region conducted a survey of selected operating LWRs to determine whether licensees were making the necessary pressure differential corrections for effluent monitoring. Results of these Regional surveys indicate that a generic deficiency does exist. Twenty plants were surveyed and eleven facilities reported they made no pressure differential corrections.

Discussion:

Since calibration of normal range noble gas detectors (sensors) is usually done at atmospheric pressure using Kr-85 gas, it is essential that calibration and operational readouts be automatically corrected for the reduced pressure conditions encountered in system operation, or procedures specify the application of appropriate correction factors. Current models of effluent air monitoring systems provided by major vendors usually incorporate such correction factors.

Particulate and iodine effluent release determinations also are sensitive to sample flowrate which may be affected by system pressure variations. Errors in the order of 10 percent to 50 percent in the calculation of particulates and iodine can result if no compensation is provided for measurement of actual gas flow in the sampling system at reduced pressure.

One of the simplest and most commonly used gas flow measurement devices is the variable area flow meter, commonly known as the rotameter. A rotameter calibrated at atmospheric pressure will not read correctly at either higher or lower pressure, unless properly compensated. (D. K. Craig, See Attachment 1). Pressure correction factors for specific rotameters are available from the various manufacturers as part of the instruction manuals supplied with the equipment.

Operating variables such as the length of sample run, and variations in ΔP across a particulate filter can affect operating pressure. In addition to long sample runs, another significant factor is the increase in pressure drop across a particulate filter caused by dust loading. Craig cites an example involving dust buildup on a filter where ΔP increased from 5.9 inches of Hg to 10.7 inches of Hg while the rotameter float reading was kept constant. The initial flow rate was measured at 5.08 liters/minute and the end flow was 4.02 liters/minute.

Assuming linear change in flow rate, the true mean value would have been 4.55 liters/minute. A determination of total volume flow made on the assumption that the 5.08 liters/minute initial value prevailed over the entire sampling period would have been 11.7% too high, and air contaminant concentrations obtained using the initial flow rate would have been too low, by the same percentage.

Manufacturers of sampling/monitoring systems are aware of the flow-measurement discrepancies just discussed. Current systems provide built-in compensation of air flow rate indication for operation at less-than-atmospheric pressure through the use of pressure and temperature transducers and computer software algorithms. Older analog systems may require application of manual correction

factors for given conditions of ΔP and flow. Instruction manuals provided to licensees by the vendors of older sampling/monitoring systems describe the procedures for making the necessary corrections.

Independent verification of calibration of a flow rate measurement system can be accomplished by placing a calibrated rotameter in series at the sample intake end of the system and comparing readings of the system rotameter under various system pressure conditions with those of the calibrated rotameter. Since the verification rotameter operates at ambient pressure, the only corrections needed for the calibration procedure are the correction for ambient pressure (relative to standard) and a small correction for temperature (the latter is only necessary for high precision work--the error in assuming a standard condition of 70°F is less than 5% for the temperature range 24°F to 116°F which encompasses most plant effluent streams).

Existing NRC regulations require the control of radioactive releases from nuclear facilities and require measurements of radioactive materials in effluents. It is implicit in all requirements for effluent monitoring that these measurements be reasonably accurate. Licensees are expected to review their facility's effluent monitoring program to determine the applicability of the information provided in this notice.

No written response to this information notice is required. If you need additional information about this matter, please contact the Regional Administrator of the appropriate NRC Regional Office or this Office.

Reference:

Craig, D. K., "The Interpretation of Rotameter Air Flow Readings,"
Health Physics. Pergamon Press 1971. Vol. 21 (August) pp. 328-332.

*Original Signed By
R. C. DeYoung*

Richard C. DeYoung, Director
Office of Inspection and Enforcement

Technical Contact: J. E. Wigginton
301-492-4967

P. G. Stoddart
301-492-7633

Attachments:

1. Article by D. K. Craig, "The Interpretation of Rotameter Air Flow Readings."
2. List of Recently Issued IE Information Notices

*DEQA: IE *DEQA: IE *DEQA: IE *SEE PREVIOUS CONCURRENCES *DEQA: IE *DD: IE D: IE
JWigginton:mkm LCunningham RBaer EJordan JSniezek RDeYoung
11/19/82 11/ /82 11/ /82 11/ /82 12/ /82 12/ /82

factors for given conditions of ΔP and flow. Instruction manuals provided to licensees by the vendors of older sampling/monitoring systems describe the procedures for making the necessary corrections.

Independent verification of calibration of a flowrate measurement system can be accomplished by placing a calibrated rotameter in series at the sample intake end of the system and comparing readings of the system rotameter under various system pressure conditions with those of the calibrated rotameter. Since the verification rotameter operates at ambient pressure, the only corrections needed for the calibration procedure are the correction for ambient pressure (relative to standard) and a small correction for temperature (the latter is only necessary for high precision work--the error in assuming a standard condition of 70°F is less than 5% for the temperature range 24°F to 116°F which encompasses most plant effluent streams).

Conclusions:

Existing NRC regulations require the control of radioactive releases from nuclear facilities and require measurements of radioactive materials in effluents. It is implicit in all requirements for effluent monitoring that these measurements be reasonably accurate. Licensees are expected to review their facility's effluent monitoring program to determine the applicability of the information provided in this notice. Licensees are reminded that effluent reports may have to be amended to reflect any necessary adjustments in the estimated release quantities over the reporting period of facility operation.

No written response to this information notice is required. If you need additional information about this matter, please contact the Regional Administrator of the appropriate NRC Regional Office or this Office.

Reference:

Craig, D. K., "The Interpretation of Rotameter Air Flow Readings," Health Physics. Pergamon Press 1971. Vol. 21 (August) pp. 328-332.

Richard C. DeYoung, Director
Office of Inspection and Enforcement

Technical Contact: J. E. Wigginton
301-492-4967

P. G. Stoddart
301-492-7633

*SEE PREVIOUS CONCURRENCES

Attachments:

1. Article by D. K. Craig, "The Interpretation of Rotameter Air Flow Readings."
2. List of Recently Issued IE Information Notices

*DEQA:IE	*DEQA:IE	*DEQA:IE	DEQA:IE	DD:IE	D:IE
JWigginton:mkm	LCunningham	RBaer	EJordan	JSniezek	RDeYoung
11/19/82	11/ /82	11/ /82	11/ /82	11/ /82	11/ /82

factors for given conditions of ΔP and flow. Instruction manuals provided to licensees by the vendors of older sampling/monitoring systems describe the procedures for making the necessary corrections.

Independent verification of calibration of a flow rate measurement system can be accomplished by placing a calibrated rotameter in series at the sample intake end of the system and comparing readings of the system rotameter under various system pressure conditions with those of the calibrated rotameter. Since the verification rotameter operates at ambient pressure, the only corrections needed for the calibration procedure are the correction for ambient pressure (relative to standard) and a small correction for temperature (the latter is only necessary for high precision work--the error in assuming a standard condition of 70°F is less than 5% for the temperature range 24°F to 116°F which encompasses most plant effluent streams).

Existing NRC regulations require the control of radioactive releases from nuclear facilities and require measurements of radioactive materials in effluents. It is implicit in all requirements for effluent monitoring that these measurements be reasonably accurate. Licensees are expected to review their facility's effluent monitoring program to determine the applicability of the information provided in this notice.

No written response to this information notice is required. If you need additional information about this matter, please contact the Regional Administrator of the appropriate NRC Regional Office or this Office.

Reference:

Craig, D. K., "The Interpretation of Rotameter Air Flow Readings," Health Physics. Pergamon Press 1971. Vol. 21 (August) pp. 328-332.

Richard C. DeYoung, Director
Office of Inspection and Enforcement

Technical Contact: J. E. Wigginton
301-492-4967

P. G. Stoddart
301-492-7633

Attachments:

1. Article by D. K. Craig, "The Interpretation of Rotameter Air Flow Readings."
2. List of Recently Issued IE Information Notices

*DEQA: IE
JWigginton:mkm
11/19/82

*DEQA: IE
LCunningham
11/ /82

*DEQA: IE
RBAer
11/ /82

*SEE PREVIOUS CONCURRENCES

DEQA: IE
EJordan
11/ /82

DD:JE
JAnozek
12/10/82

D: IE
RDeYoung
12/ /82

Reproduced from *Health Physics* Vol. 21, (2), pp. 328-332 (August 1971) by permission of the Health Physics Society.)

Health Physics Pergamon Press 1971. Vol. 21 (August), pp. 328-332. Printed in Northern Ireland

The Interpretation of Rotameter Air Flow Readings*

(Received 14 September 1970;
in revised form 30 November 1970)

1. Introduction

VARIABLE area flow meters, commonly known as rotameters, are extensively used in industrial hygiene and health physics practice to measure the volume of air samples. The principles upon which the rotameter operates are simple and, provided certain elementary precautions are taken, flow rate readings accurate to within $\pm 5\%$ should be obtained. However, as LOYSEN⁽¹⁾ has pointed out in a recent paper on "Errors in measurement of working level," inaccuracies may arise due to incorrect calibration of the rotameter used.

The purpose of this note is to emphasize the considerable importance of a few of the factors involved in interpreting rotameter air flow readings. Some of these involve the flow meter calibration, others do not. For example, it is obvious that any leakage between a sampling device and the rotameter will result in error, as will incorrect recording of the sampling time.

What we are concerned with here are the errors that arise as a consequence of the rotameter operating at conditions of temperature and pressure other than standard. In air sampling applications, it is a general rule that the sampling device is placed upstream of the rotameter in order as far as possible to minimize sampling line losses and to prevent dust or corrosive substances from entering the rotameter. If there is any pressure drop across the sampling device, the rotameter is automatically operating at a pressure other than ambient. Seldom is any clear explanation given in the literature as to exactly what the effect of this will be.⁽²⁾

2. Theoretical

Very briefly, the mass of air flowing through a rotameter, which consists simply of a tapered glass tube containing a float of suitable shape (Fig. 1), is obtained by reading off the scale on the tube the position of the float and comparing the reading with the flow rate on the appropriate calibration curve. This position is that at which the downward gravita-

* This note is based on work performed under USAEC Contract AT(45-1)-1830.

SCHEMATIC OF ROTAMETER




Fig. 1.

tion force due to the weight of the float is exactly balanced by the upward force due to the flow of the fluid through the annulus between the float and the tapered tube. The detailed theory of operation of the rotameter has been discussed by several authors⁽³⁻⁷⁾ and may be summarized for the present purpose in the equation

$$\frac{Q_o}{Q_s} = \frac{K_o}{K_s} \left(\frac{P_o T_o}{P_s T_s} \right)^{1/2} \quad (1)$$

where Q = volumetric flow rate (cu. ft/sec or cm^3/sec)

K = flow parameter ($\text{ft}^{1/2}/\text{sec}$ or $\text{cm}^{1/2}/\text{sec}$)

P = gas pressure (lb/in^2 or g/cm^2)


T = absolute temperature

while the subscripts refer to operating conditions (0) and standard conditions ($P_s = 29.92$ inHg, $T_s = 70^\circ\text{F} = 530^\circ\text{R}$), respectively. K_o is a constant for a given rotameter reading (i.e., for a fixed value of D_o/D_s), but K_s is a function of the operating conditions which may be obtained experimentally or from a family of curves of K versus the viscous influence number N for various D_o/D_s values.⁽⁸⁾

FISHER and PORTER state in Catalog 10A1022:⁽⁹⁾ "Density correction factors alone cannot be used on ball floats $\frac{1}{2}$ in. size and smaller. . . For all corrections on $\frac{1}{2}$ in. and smaller floats, refer to Catalog Number 10A1025."⁽¹⁰⁾ This latter catalog was supposed to have been available December 1968, but does not yet appear to have been issued. Since most air sampling that is carried out for health physics, industrial

NOTES

SCHEMATIC OF EXPERIMENTAL ARRANGEMENT FOR $P_0 < P_s$



WTM = WET TEST METER F = FLOW METER
 S = SAMPLING DEVICE V = REGULATING VALVE
 P = PRESSURE/VACUUM GAUGE B = BLOWER

FIG. 2.

INFLUENCE OF
 PRESSURE ON ROTAMETER READINGS




FIG. 3.

hygiene or inhalation toxicity evaluations is carried out at flow rates of less than 30 L/min, this is the region of major concern to us.

3. Experimental

All the work involved in these experiments was with either a Fisher and Porter triflat rotameter with tube No. FP-1/4-20-G-5/77 and $\frac{1}{2}$ in.-SS spherical float, the tube being graduated from 1 through 20 (D_1/D_2) corresponding to 18.3 L/min at 14.7 p.s.i.a. and 70°F, or a 0-2.4 L/min Brooks rotameter with tube No. 2-65B and a $\frac{1}{2}$ in. diameter sapphire float. A variety of other flow meters are also available, but the above two types are fairly representative. The wet test meter (W.T.M.) used to measure flow under standard conditions was checked and found to be accurate to within $\pm 1\%$. The pressure/vacuum gauges used were checked against a mercury manometer.

In general, an experimental arrangement such as that shown in Fig. 2 was used for these calibrations. A typical series of results obtained on an FP triflat rotameter is presented in Fig. 3. W.T.M. readings were made at various fixed scale readings (D_1/D_2 ratios) for S (Fig. 2) comprising varying numbers of filters from 0 through 10. It is seen that two sets of straight lines can be obtained, one for each number of in-line filters and another set for each rotameter scale reading. These results may also be plotted in a

different way, as has been done in Fig. 4. Here, the scale reading under operating conditions has been plotted against the standard flow rate F_s for each value of the gauge-indicated pressure drop ΔP . Obviously, a similar set of lines exists on the other side of the $\Delta P = 0$ line for positive values of ΔP .

4. Discussion

In Fig. 4, straight lines have been drawn through the experimental points, even though some systematic deviation from linearity is apparent. The large error caused by drawing straight lines is of the order of +4%. The manufacturer's calibration curve for this rotameter under standard conditions is plotted: crosses and is seen to agree quite well with the $\Delta P = 0$ line. The actual values from which the graph was obtained are given in Table 1.

Figure 4 is obviously a fairly satisfactory set of calibration curves for this rotameter, i.e., by reading the scale value and the pressure under standard conditions, the flow under standard conditions can be obtained. However, it is clearly not a practical proposition to calibrate all one's rotameters in this way, nor is there a simple way of calculating the correct flow under standard conditions.

The importance of taking the actual pressure at the rotameter into account may be appreciated by examining Table 1. For a scale reading of 8, the manufacturer's calibration curve indicates an F_s value

ROTAMETER READING VERSUS AIR FLOW RATE UNDER STANDARD CONDITIONS FOR VARIOUS PRESSURE GAUGE READINGS AT ROTAMETER




FIG. 4.

NOTES

Table 1. Standard flow rate (F , L/min) values as a function of rotameter reading and pressure drop from atmospheric

		Rotameter scale reading D_1/D_2														
ΔP inHg		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
0	—	0.80	1.64	2.52	3.31	4.13	4.95	5.85	6.92	7.84	8.85	9.70	—	—	—	—
-2	—	0.58	1.43	2.30	3.08	3.87	4.66	5.31	6.53	7.44	8.41	9.43	—	—	—	—
-4	—	0.36	1.22	2.06	2.83	3.62	4.36	5.19	6.14	7.03	7.96	8.98	—	—	—	—
-6	—	—	1.00	1.80	2.59	3.35	4.05	4.86	5.75	6.62	7.50	8.50	9.35	—	—	—
-8	—	—	0.79	1.50	2.35	3.09	3.75	4.53	5.30	6.20	7.02	8.00	8.90	—	—	—
-10	—	—	0.59	1.36	2.11	2.82	3.46	4.20	5.00	5.9	6.35	7.50	8.25	9.12	—	—
-12	—	—	—	1.09	1.87	2.54	3.15	3.85	4.58	5.5	6.07	6.96	7.66	8.46	9.20	—
-14	—	—	—	0.75	1.62	2.76	2.85	3.49	4.18	4.88	5.56	6.37	7.06	7.76	8.44	—
-16	—	—	—	—	1.32	1.96	2.53	3.12	3.74	4.40	5.05	5.76	6.45	7.05	7.66	—
-18	—	—	—	—	—	1.62	2.17	2.71	3.29	3.88	4.49	5.12	5.74	6.30	6.86	—
-20	—	—	—	—	—	1.19	1.75	2.25	2.81	3.3	3.85	4.48	5.00	5.52	6.00	—
-22	—	—	—	—	—	—	1.20	1.70	2.31	2.70	3.18	3.79	4.20	4.69	5.10	—
-24	—	—	—	—	—	—	—	1.15	1.72	2.05	2.46	3.00	3.35	3.76	4.21	—

Manufacturer's calibration
 L/min

0.15	0.70	1.55	2.43	3.30	4.20	5.15	6.05	7.00	8.00	8.95	9.95	10.85	11.95	13.00
------	------	------	------	------	------	------	------	------	------	------	------	-------	-------	-------

Fischer and Porter Tube FP-20-G-5.
 Float 1/8 SS.

of 6.05 L/min for $P = 29.92$ inHg and $T = 70^\circ\text{F}$. The present work indicates that the same scale reading on the rotameter can give F_s values ranging from 5.85 L/min for $\Delta P = 0$ down to 1.15 L/min for $\Delta P = -24$ inHg, where the atmospheric pressure was 29.2 inHg.

The above is obviously an extreme example of what could happen, so we need to examine what is more likely to happen. Millipore HA or Gelman GA-6 filter paper, both having a mean pore size of 0.45 μm , are frequently used in air sampling situations, the 1 in. and 2 in. dia. being used among other sizes. For the 1 in. diameter paper, a scale indication of 8 gave $\Delta P = 5.9$ inHg and $F_s = 5.08$ L/min, compared with 5.85 L/min at $\Delta P = 29.2$ inHg and the manufacturer's value of 6.05 L/min at 29.92 inHg and 70°F (see Table 1). This means that, had the manufacturer's value been taken as the flow rate, this would have been in error by some 19%. Even for the 2 in. dia. paper, with a nearly five-fold larger effective area, $F_s = 5.55$ L/min and the error would have been 9%.

When sampling from dusty atmospheres, a further problem arises in that, as dust builds up on the filter paper, the pressure drop increases and, even if the flow reading is adjusted to a constant value, the meaning of that reading changes. For example, assume that ΔP increased from 5.9 inHg to 10.7 inHg while the rotameter reading was kept constant at 8 on the gauge, for $\Delta P = 29.2$ inHg. The final value for F_s is 4.02 L/min. If we assume that the change in flow rate was constant with time, the true mean would

have been

$$\frac{5.08 + 4.02}{2} = 4.55 \text{ L/min.}$$

The value of 6.05 L/min for $\Delta P = 0$ and $\Delta P = 29.92$ inHg exceeds this value by 33%, and even the value of 5.08 L/min obtained by calibration for conditions as they were at the start of sampling would yield a result that was 11.7% too high. The air contaminant concentrations obtained by using these values (6.05 or 5.08 L/min) could, therefore, have been LOW by corresponding amounts. Table 1 shows that substantial errors can arise, even when the rotameter reading is fairly small. If the temperature differs significantly from the standard calibration value of 70°F = 530°K, then corrections must be made for this. However, the error caused by using 70°F is less than 5% for the temperature range 24°F < T < 116°F.

LORENZ's analysis⁽¹⁾ of errors due to incorrect flowmeter calibration is confusing in that it does not make it very clear as to what flow rate is desired and, further, does not seem to take into account the effect of pressure changes on the operating characteristics of the rotameter. In addition, his equation (2) (p. 632) appears to be incorrect, containing a T_m in the denominator instead of P_m . Logically, all flow rates should be reduced to standard conditions of temperature and pressure, i.e., a fixed mass of air. This latter point cannot be over-emphasized, since it is widely ignored. For example, the author recently discovered that the manufacturer of a widely used

multistage sampling device gives the airflow and stage calibrations applicable to air at 4500 ft above sea level with no indication to the purchaser that this is the case.

8. Area meters, Rotameters. (Edited by JOHN H. PERRY.) pp. 5-13 in *Chemical Engineers' Handbook* 4th Ed. McGraw-Hill (1969).

3. Conclusions

The importance of calibrating rotameters under exactly the same conditions as those under which they will be used is discussed. Calibration data is presented to demonstrate the magnitude of the errors that can arise when using a rotameter downstream of a sampling device across which there is a pressure drop. It is clearly essential to always have a pressure gauge to measure the pressure at the flowmeter (on the same side of the valve as the rotameter float). Not only does this enable corrections to be applied, but it serves as a very good leak detector since, for a given sampling device and flow rate, the pressure drop should be roughly the same from one sample to another. It is also obviously desirable to use flow rates that will give as low a pressure drop as possible and meter readings at the upper end of the rotameter scale.

DOUGLAS K. CRABO

Battelle Memorial Institute
Battelle Northwest Laboratories
Biology Department
P.O. Box 999
Richland, Washington 99352 /

References

1. P. LOVSEN, Errors in measurement of working level. *Health Phys.* 16, 629 (1969).
2. —Air flow calibration of air sampling equipment. p. 5, Section B-5 of, *The Industrial environment—its evaluation and control. Short courses for industrial Hygiene Engineers and Chemists.* USDHE. P.H.S. (1958).
3. E. M. SCHOENBORN JR. and A. P. COLBURN, The flow mechanism and performance of the rotameter: *Trans. Am. Inst. Chem. Engrs.* 35, 359 (1939).
4. KERNIT FISCHER, How to predict calibration of variable-area flow meters. *Chem. Engng* p. 180, June (1952).
5. V. P. HEAD, Coefficients of float-type variable area flowmeters. *Trans. A.S.M.E.* 76, 851 August (1954).
6. M. C. COLEMAN, Variable area flow meters. *Trans. Am. Inst. Chem. Engrs.* 34, 339 (1956).
7. Fischer and Porter Co., catalogues: (a) 10A1021. Vol. 1. Variable area flowmeter handbook, Basic rotameter principles. (b) 10A1022. Vol. 2. Variable area flowmeter handbook, rotameter calculations. (c) 10A1025. Vol. 5. Variable area flowmeter handbook, ball float handbook.

LIST OF RECENTLY ISSUED
 IE INFORMATION NOTICES

Information Notice No.	Subject	Date of Issue	Issued to
82-48	Failures of Agastat CR 0095 Relay Sockets	12/3/82	All nuclear power reactor facilities holding an OL or CP
82-47	Transportation of Type A Quantities of Non-Fissile Radioactive Material	11/30/82	All NRC licensees
82-46	Defective and Obsolete Combination padlocks	11/26/82	All facilities pursuant to 10 CFR Parts 50 and 70 and Part 95 applicable facilities
82-45	PWR Low Temperature Over-pressure Protection	11/19/82	All PWR facilities holding an OL or CP
82-44	Clarification of Emergency Plan Exercise Requirements	11/18/82	All power reactor facilities holding an OL or CP
82-43	Deficiencies in LWR Air Filtration/Ventilation Systems	11/16/82	All power reactor facilities holding an OL or CP
82-42	Defects Observed in Panasonic Model 801 and Model 802 Thermoluminescent Dosimeters	11/5/82	All NRC licensees
82-41	Failure of Safety/Relief Valves to Open at a BWR	10/22/82	All power reactor facilities holding an OL or CP
80-35 Supp. 1	Leaking and Dislodged Iodine-125 Implant Seeds	10/6/82	Medical licensees holding specific licenses for human use of byproduct material in sealed sources
82-40	Deficiencies in Primary Containment Electrical Penetration Assemblies	09/22/82	All power reactor facilities holding an OL or CP

OL = Operating License
 CP = Construction Permit

LIST OF RECENTLY ISSUED
 IE INFORMATION NOTICES

Information Notice No.	Subject	Date of Issue	Issued to
82-48	Failures of Agastat CR 0095 Relay Sockets	12/3/82	All nuclear power reactor facilities holding an OL or CP
82-47	Transportation of Type A Quantities of Non-Fissile Radioactive Material	11/30/82	All NRC licensees
82-46	Defective and Obsolete Combination padlocks	11/26/82	All facilities pursuant to 10 CFR Parts 50 and 70 and Part 95 applicable facilities
82-45	PWR Low Temperature Overpressure Protection	11/19/82	All PWR facilities holding an OL or CP
82-44	Clarification of Emergency Plan Exercise Requirements	11/18/82	All power reactor facilities holding an OL or CP
82-43	Deficiencies in LWR Air Filtration/Ventilation Systems	11/16/82	All power reactor facilities holding an OL or CP
82-42	Defects Observed in Panasonic Model 801 and Model 802 Thermoluminescent Dosimeters	11/5/82	All NRC licensees
82-41	Failure of Safety/Relief Valves to Open at a BWR	10/22/82	All power reactor facilities holding an OL or CP
80-35 Supp. 1	Leaking and Dislodged Iodine-125 Implant Seeds	10/6/82	Medical licensees holding specific licenses for human use of byproduct material in sealed sources
82-40	Deficiencies in Primary Containment Electrical Penetration Assemblies	09/22/82	All power reactor facilities holding an OL or CP

OL = Operating License
 CP = Construction Permit

..... NEWS

THE DEFAULT JOB TIME IS 60 MINUTES PER STEP AND THE DEFAULT LINES
IS 5000 LINES. NEWS
NEWS

.....
IN THE FUTURE, THIS FACILITY WILL CARRY SUCH THINGS AS HOURS OF
OPERATION, MVS JOB CLASSES, ETC., AND OTHER INFORMATIONAL SERVICES. NEWS
NEWS
NEWS

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

GROUP # 01 TYPE LABELS - 3
99999

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

GROUP # 01 TYPE LABELS - 3
99999

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

GROUP # 01 TYPE LABELS - 3
99999

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

GROUP # 01 TYPE LABELS - 3
99999

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

SELECTION - 000000 SETS - 01

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

SELECTION - 000000 SETS - 01

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

SELECTION - 000000 SETS - 01

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

SELECTION - 000000 SETS - 01

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

W0# 006578 W0 DATE - 121382

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

W0# 006578 W0 DATE - 121382

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

W0# 006578 W0 DATE - 121382

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

W0# 006578 W0 DATE - 121382

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

LABELS 2,627
DATE COMPLETED - 12/13/82
TIME COMPLETED - 1637
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

LABELS 2,627
DATE COMPLETED - 12/13/82
TIME COMPLETED - 1637
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

LABELS 2,627
DATE COMPLETED - 12/13/82
TIME COMPLETED - 1637
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

LABELS 2,627
DATE COMPLETED - 12/13/82
TIME COMPLETED - 1637
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

GROUP # 01 TYPE LABELS - 3
99999

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

GROUP # 01 TYPE LABELS - 3
99999

019320005428 1 99999
MARJORIE M AAMODT
R D #5
COATESVILLE PA 19320

017120005319 1 99999
ROBERT W ADLER
ASST ATTY GEN BUR OF REG CMCL
505 EXEC HOUSE PO BOX 2357
HARRISBURG PA 17120

043220081505 1 99999
THOMAS APPEGATE
3950 WOODBRIDGE RD
COLUMBUS OH 43220

077098005144 1 99999
BRYAN L BAKER
1923 HAWTHORNE
HOUSTON TX 77098

065061006491 1 99999
SAMUEL J BIRK
RR #1 BOX 243
MURRISUM MO 65061

061801001587 1 99999
C ALLEN BOCK
ESQUIRE
PO BOX 342
URBANA IL 61801

017102007111 1 99999
LOUISE BRADFORD
1011 GREEN ST
HARRISBURG PA 17102

029076000867 1 99999
BRETT A BURSEY
ROUTE 1 BOX 93-C
LITTLE MOUNTAIN SC 29076

092672001263 1 99999
CITY OF SAN CLEMENTE
GEORGE CARVALMO
CITY MANAGER
100 AVENIDO PRESIDIO
SAN CLEMENTE CA 92672

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

SELECTION - 000000 SETS - 01

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

SELECTION - 000000 SETS - 01

002109000444 1 99999
WILLIAM S ABBOTT
ATTORNEY & COUNSELLOR AT LAW
50 CONGRESS STREET
SUITE 925
BOSTON MA 02109

093401000949 1 99999
ELIZABETH APFELBERG
1415 COZADERO
SAN LUIS OBISPO CA 93401

032217006296 1 99999
MITCHELL ATTALLA
4028 POMCE DELEON AVE
JACKSONVILLE FL 32217

049720005503 1 99999
JOANN BIER
204 CLINTON ST
CHARLEVOIX MI 49720

027608005490 1 99999
SHELLY BLUM
1716 SCALES STREET
RALEIGH NC 27608

011778066814 1 99999
RONALD BOMM A
10 WALNUT A/D
ROCKY POINT NY 11773

0652620 5490 1 99999
EARL F OWN
SCHOOL DISTRICT SUPERINTENDENT
PO BOX
KINGDOM CITY MO 65262

008080 0246 1 99999
DAVID J ACCIA
RD 2 BOX 70
SEWELL NJ 08080

092037005012 1 99999
A S CARSTENS
2071 CAMINITO CIRCULO NORTE
MT LA JOLLA CA 92037

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

MO# 006578 MO DATE - 121382

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

MO# 006578 MO DATE - 121382

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

LABELS 2,627
DATE COMPLETED - 12/13/82
TIME COMPLETED - 1637
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

LABELS 2,627
DATE COMPLETED - 12/13/82
TIME COMPLETED - 1637
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

LABELS 2,627
DATE COMPLETED - 12/13/82
TIME COMPLETED - 1637
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

ALFRED S COLEMAN ELEANOR G COLEMAN 35 K DRIVE PENNSVILLE NJ 08070	99999	CARLENA CONN 1414 SCENIC RIDGE HOUSTON TX 77043	99999
015228055532 1 JAMES COOKINHAM 100 ROYCRUPP AVE PITTSBURGH PA 15228	99999	033433006203 1 FREDERICK P COWAN 6152 VERDE TRAIL BOCA RATON FL 33433	99999
003833057219 1 JUNE M DAIGNEAUL 14 WOODLAWN CIRCLE EXETER NH 03833	99999	074119005186 1 ANDREW T DALTON JR ESQ 1437 SOUTH MAIN STREET TULSA OK 74119	99999
047250001461 1 THOMAS M DATTILO ESQUIRE 311 EAST MAIN STREET MADISON IN 4 250	99999	047250030048 1 THOMAS M DATTILO ATTORNEY AT LAW 311 E MAIN STREET MADISON IN 47250	99999
021613005335 1 RALPH S DECKER ROUTE 4 BOX 190D CAMBRIDGE MD 21613	99999	085027032286 1 STEPHEN DI CENSO 19203 N 29TH AVE PHOENIX NO AZ 465 85027	99999
028461005902 1 CHARLES R DIETZ PLANT MANAGER PO BOX 458 SOUTHPORT NC 28461	99999	077021005108 1 JOHN E DOUGHERTY 4327 ALCONBURY ST HOUSTON TX 77021	99999
063130040077 1 LEO DREY 515 WEST POINT AVENUE UNIVERSITY CITY MO 63130	99999	046514066159 1 STEPHEN J BRISCOLL 3444 E LAKE DR NORTH ELKHART IN 46514	99999
027705007049 1 WELLS EDDLEMAN 718-A IREDELL ST DURHAM NC 27704	99999	027602000467 1 THOMAS ERWIN ESQUIRE 115 W MORGAN ST RALEIGH NC 27602	99999
060630080001 1 JOHN J FINERTY 5055 W WINDSOR AVE CHICAGO IL 60630	99999	085282062527 1 WILLIAM G FISHER 2039 EAST BROADWAY RD SUITE 112 TEMPE AZ 85282	99999 SUITE
073101005993 1 DAVID S FLEISCHAKEN PO BOX 1178 OKLAHOMA CITY OK 73101	99999	093440000948 1 MAYE FLEMING 1920 MATTIE ROAD SHELL BEACH CA 93440	99999
080210001343 1 JOHN W FLORA NUCLEAR CONSULTANT 3076 SOUTH HIGH STREET DENVER CO 80210	99999	097702006255 1 RICHARD F FOSTER PO BOX 4263 SUNRIVER OR 97702	99999
097110006134 1 J C FREEDMAN BOX 553 CANNON BEACH OR 97110	99999	00210706465 1 D FREEMAN 8 PENNACOOK ST NORFOLK MA 02107	99999

CREATH	IL 20906	4TH FLOOR CHICAGO	IL 60611
077471035145 1 ROBIN C RIFFITH 1034 A LY ANN ROSE BERG	99999 IA 77471	070119007040 1 GARY L GROESCH 2257 BAYOU RD NEW ORLEANS	99999 LA 70119
0292 0007018 1 ROBERT GUILD ESQ 314 FULL MALL COLUMBIA	99999 SC 29201	097258006279 1 RE WILLIAM L HALLMARK ESQUIRE ONE SOUTHWEST COLUMBIA SUITE 800 PORTLAND	99999 OR 97258
002111006563 1 HENRY HERRMANN 151 TREMONT RM 1045 BOSTON	99999 MA 02111	033138000804 1 MARTIN M HOODER ESQUIRE 1131 N E 86TH STREET MIAMI	99999 FL 33138
003842007123 1 BEVERLY A MOLLINGWORTH 7 A STREET HAMPTON BEACH	99999 NH 03842	085040005306 1 PATRICIA L HOURIHAN 6413 SOUTH 26TH ST PHOENIX	99999 AZ 85040
048072005002 1 DAVID E HOWELL ESQUIRE 3239 WOODWARD AVENUE BERKLEY	99999 MI 48072	094586006532 1 HELEN HUBBARD PO BOX 63 SUNOL	99999 CA 94586
077043006246 1 M C JM BISHOP 11418 OAK SPRING HOUSTON	99999 TX 71043	061107001584 1 PHILIP B JOHNSON MRS 1907 STRATFORD LANE ROCKFORD	99999 IL 61107
037830005105 1 WALTER H JORDAN 881 W OUTER DRIVE OAK RIDGE	99999 TN 37830	097258005944 1 FRANK JOSSELYN ONE SOUTHWEST COLUMBIA PORTLAND	99999 OR 97258
027514006154 1 JAMES C LAMB 313 WOODHAVEN ROAD CHAPEL HILL	99999 NC 27514	017319005422 1 JANE LEE RD 3 BOX 3521 ETTERS	99999 PA 17319
077043005139 1 ROSEMARY N LEMMER 11423 OAK SPRING HOUSTON	99999 TX 77043	019149005421 1 MARVIN I LEWIS 6504 BRADFORD TERRACE PHILADELPHIA	99999 PA 19149
019149029826 1 MARVIN LEWIS 6504 BRADFORD TERRACE PHILADELPHIA	99999 PA 19149	027612005453 1 LINDA W LITTLE 5000 HERMITAGE DR RALEIGH	99999 NC 27612
021045078882 1 FREDERICK B LOBBIN CONSULTING ENGINEER 6186 CAMPFIRE COLUMBIA	99999 MO 21045	016801006436 1 WILLIAM A LOCHSTET 119 E AARON DRIVE STATE COLLEGE	99999 PA 16801

BELLAI-R	TX 77401	MOUNTAIN TOP	PA 19707
048640081591 1 WENDALL MARSHALL ROUTE 10 MIDLAND	99999 MI 48640	048640001423 1 WENDELL MARSHALL ROUTE 10 MIDLAND	99999 MI 48640
092653006388 1 CHARLES E MCCLUNG 24012 CALLE DE LA PLATA SUITE 330 LAGUNA HILLS	99999 CA 92653	077074001170 1 BRENDA A MCCORKLE 6140 DARNELL HOUSTON	99999 TX 77074
053711006541 1 GARY L MILHOLLIN CHAIRMAN 1815 JEFFERSON ST MADISON	99999 MI 53711	049720005386 1 JIM E MILLS ROUTE 2 BOX 108 C CHARLEVOIX	99999 MI 49720
077035006262 1 MR & MRS FRAMSON 4822 WAYNESBORO DR HOUSTON	99999 TX 77035	094549058789 1 ROBERT L NEWACHECK 819 MOUNTAIN VIEW DRIVE 149 LAFAYETTE	99999 CA 94549
085012000980 1 BRUCE NORTON ESQUIRE 3216 N THIRD S SUITE 202 SUITE 202 PHOENIX	99999 AZ 85012	094602064669 1 B E NYE RECORDS SPECIALIST 4308 EVERETT AVENUE OAKLAND	99999 CA 94602
049664005390 1 JOHN O'NEILL II ROUTE 2 BOX 44 MAPLE CITY	99999 MI 49664	070808055135 1 RCY A PARKER 5061 ABELIA DRIVE BATON ROUGE	99999 LA 70808
095814077536 1 ALAN D PASTERNAK 455 CAPITOL MALL SUITE 380 SACRAMENTO	99999 CA 95814	027605007047 1 TRAVIS PAYNE ESQ 723 W JOHNSON ST BOX 12643 RALEIGH	99999 NC 27605
077025005147 1 WILLIAM PENNENDG 4070 MERRICK HOUSTON	99999 TX 77025	003051064402 1 RINA PETIT RFD 4 132 PAGE RD LITCHFIELD	99999 NH 03051
027101006419 1 WILLIAM C PFEFFERKORN PO BOX 43 WINSTON-SALEM	99999 NC 27101	070893007081 1 JAMES W PIERCE PO BOX 23571 BATON ROUGE	99999 LA 70893
077080006247 1 F M PCTHOFF 1814 PINE VILLAGE DR HOUSTON	99999 TX 77080	019087006118 1 PAUL W PURDOM 245 GULPH HILLS ROAD RADNOR	99999 PA 19087
019348005334 1 LAWRENCE R QUARLES KENDAL AT LONGWOOD APT 51 KENNETH SQUARE	99999 PA 19348	065262006110 1 JOHN G REED RFD #1 KINGDOM CITY	99999 MO 65262

01104500191 1 99999
WILLIAM J SCHUESSLER
5810 DARNELL
HOUSTON TX 77043

019475006437 1 99999
JOHN SHNIKER
MEETING HOUSE LAW BLDG
MENNONITE CHURCH RD-RT 24
SPRING CITY PA 19415

060172064217 1 99999
KEITH M SIEGEL
531 DEC LANE
ROSELLE IL 60172

093401000946 2 99999
GORDON A SILVER
SANDRA A SILVER
1760 ALISAL STREET
SAN LUIS OBISPO CA 93411

066205006523 1 99999
JOHN M SIMPSON
ATTORNEY FOR INTERVENORS
4400 JOHNSON DRIVE
SUITE 110
SHANNEE MISSION KS 66205

048640021864 1 99999
MARY SINCLAIR
5711 SOMERSET DRIVE
MIDLAND MI 48640

014618005398 1 99999
MICHAEL SLADE
12 TRAILWOOD CIRCLE
ROCHESTER NY 14618

019404001255 1 99999
JOSEPH A SMYTH
ASSISTANT COUNTY SOLICITOR
MONTGOMERY COUNTY COURTHOUSE
NORRISTOWN PA 19404

048623005178 1 99999
BARBARA STAMIRIS
5795 N RIVER
FREELAND MI 48623

065024006487 1 99999
HOWARD STEFFEN
MAYOR
CHAMPAIGN MO 65024

049503005388 1 99999
PETER W STEKETEE
505 PEOPLES BUILDING
GRAND RAPIDS MI 49503

006114081138 1 99999
ROBYN TAYLOR
39 WHITMORE NO 2
HARTFORD CT 06114

028122006569 1 99999
FRANKY THOMAS
CHIRMAN-BD OF COMMISSIONERS
PO BOX 249
BURLINGHAM NC 28422

OCANAD079706 1 99999
CHRIS TOOMEY
37 LOCKDARE STREET-AGINCOURT
ONTARIO M1S 2Z5 CANADA

094302006000 1 99999
PAUL C VALENTINE
321 LYTON AVENUE
PALO ALTO CA 94302

060602006323 1 99999
ROBERT J VOLLEN
109 NORTH DEARBORN
CHICAGO IL 60602

060601005360 1 99999
N REGION ENVIR CONTROL DIV
JOHN V VRANKEN
188 WEST RANDOLPH STREET
CHICAGO IL 60601

020815029135 1 99999
SEYMOUR WENNER
4807 MORGAN DRIVE
ASLBP
CHEVY CHASE MD 20815

061010082236 1 99999
WILLIAM WHITAKER
BOX D
BYRON IL 61010

019010006461 1 99999
JOSEPH M WHITE
11 SOUTH MERION AVE
BRYN MAWR PA 19010

019010066205 1 99999
JOSEPH M WHITE
8 N WARNER AVE
BRYN MAWR PA 19010

008221006299 1 99999
JOHN WILLIAMSON
211 FOREST DRIVE
LINWOOD NJ 08221

023883005666 1 99999
J L WILSON
MANAGER
PO BOX 315

027502007046 1 99999
RICHARD D WILSON
725 HUNTER ST
ADEY NC 27502

077459053152 1 99999
ACCESS CORP
D E MERCHANT
NORTHEAST MARKET MANAGER
4315 PANA DRIVE
CINCINNATI OH 45237

077459053152 1 99999
ALF INDUSTRIES INC
M-K-M VALVE DIVISION
C E MURKATE
QA MANAGER
16500 SOUTH MAIN ST
MISSOURI CITY TX 77459

092672000874 1 99999
ADVOCATE FOR GUARD
LYN H MICKS
MS
3908 CALLE ARIANA
SAN CLEMENTE CA 92672

019002006465 1 99999
AIR & WATER POLLUTION PATROL
FRANK R ROMANO
CHAIRMAN
61 FOREST AVENUE
AMBLER PA 19002

036130056611 1 99999
ALABAMA DEPT OF PUBLIC HEALTH
ENVIRONMENTAL HEALTH ADMIN
AUBREY GUDWIN
CHIEF-BUREAU OF RAD HEALTH
110 STATE OFC BLDG
MONTGOMERY AL 36130

035291081005 1 99999
ALABAMA POWER CO
PO BOX 2641
BIRMINGHAM AL 35291

036312007601 1 99999
ALABAMA POWER CO
FARLEY NUCLEAR PLANT
M G HAIRSTON
PLANT MANAGER
PO BOX 470
ASHFORD AL 36312

035291006550 1 99999
ALABAMA POWER CO
R P McDONALD
VICE PRESIDENT-NUC GENERATION
PO BOX 2641
BIRMINGHAM AL 35291

035291002958 1 99999
ALABAMA POWER CO
NUCLEAR GENERATION
M G THRASH
GENERAL MANAGER
P O BOX 2641
BIRMINGHAM AL 35291

035291005822 1 99999
ALABAMA POWER CO
W O WHITT
EXECUTIVE VICE PRESIDENT
PO BOX 2641
BIRMINGHAM AL 35291

007006079661 1 99999
ALISON CONTROL INC
JAMES D MIGEL
DIRECTOR OF MARKETING
35 DANIEL ROAD WEST
FAIRFIELD NJ 07006

029812064600 1 99999
ALLIED GENERAL NUC SERVICES
G F FIELDS
P.O. BOX 10000

077459053152 1 99999
ALF INDUSTRIES INC
M-K-M VALVE DIVISION
R J MURKINS
MGR-RELIABILITY/PRODUCT ASSR
3663 BRIARPAK
HOUSTON TX 77062

099352056854 1 99999
ADVANCED ENGRG CONSULTANTS INC
RICHARD WONG
VP OF OPERATIONS
1955 JAUMIN AVE
SUITE 470
RICHLAND WA 99352

072203063658 1 99999
AFCO STEEL INC
ROBERT F DATES
QA MANAGER
PO BOX 231
LITTLE ROCK AR 72203

036174005842 1 99999
ALABAMA DEPT OF PUBLIC HEALTH
STATE HEALTH OFFICER
STATE OFFICE BUILDING
MONTGOMERY AL 36104

036420006551 1 99999
ALABAMA ELECTRIC CO
CHARLES R LOWMAN
PO BOX 550
ANDALUSIA AL 36420

035291005828 1 99999
ALABAMA POWER CO
F L CLAYTON
SENIOR VICE PRESIDENT
PO BOX 2641
BIRMINGHAM AL 35291

035291002946 1 99999
ALABAMA POWER CO
NUCLEAR ENGINEERING
OLIVER D KINGSLEY
MANAGER
PO BOX 2641
BIRMINGHAM AL 35291

035291002953 1 99999
ALABAMA POWER CO
SAFETY AUDIT & ENGRNG REVIEW
J M MCGOWAN
P O BOX 2641
B-300
BIRMINGHAM AL 35291

0363120080905 1 99999
ALABAMA POWER CO
SAFETY AUDIT & ENGRNG REVIEW
M G WARE
SUPERVISOR
DRAWER 470
ASHFORD AL 36312

099811011192 1 99999
ALASKA ENVIRON CONSERV DEPT
ERNST W MUELLER
COMMISSIONER
POUGH O
JUNEAU AK 99811

029812025953 1 99999
ALLIED GENERAL NUC SERVICES
J A BUCKHAM
PO BOX 847
BARNWELL SC 29812

017405052918 1 99999
ALLIS CHALMERS CORP
VALVE DIVISION

0000000000 1 99999
ANDERSON GREENWOOD & CO
GC BENEGAN
C C DUNOGAN
QA MANAGER
5425 SOUTH RICE AVENUE
HOUSTON TX 77036

006877031780 1 99999
ANEF CO INC
J D MURPHY
904 EIMAN ALLEN HIGHWAY
PO BOX 433
RIDGFIELD CT 06077

017404005427 1 99799
ANTI-NUCLEAR GROUP REPRES YORK
GAIL P BRADFORD
245 N PHILADELPHIA STREET
YORK PA 17404

020460006162 1 99999
ANTIOCH SCHCOL OF LAW
URBAN LAW INSTITUTE
HERBERT SEMMEL
COUNSEL FOR CHRISTA-MARIA ETAL
2633 16TH ST NW
WASHINGTON DC 20460

060435001635 1 99999
APPLESEED COORDINATOR
BRIDGET L ROREM
117 NORTH LINDEN STREET
ESSEX IL 60935

029115055443 1 99999
APPLIED ENGINEERING CO INC
NUCLEAR PROJECTS MANAGER
PO BOX 1327
ORANGEBURG SC 29115

030080067150 1 99999
APPLIED PHYSICAL TECHNOLOGY
NUCLEAR DATA POWER DIV
SUE MALTESE
3830 SOUTH COBB DRIVE
SUITE 125
SMYRNA GA 30080

098118064584 1 99999
ARCADIA ASSOC
K P ASCHNER
PRESIDENT
PO BOX 18587
SEATTLE WA 98118

083401002213 1 99999
ARGONNE NATIONAL LABORATORY
IDAHO FACILITIES
LIBRARIAN
P O BOX 2528
IDAHO FALLS ID 83401

083401053702 1 99999
ARGONNE NATIONAL LABORATORY
HEFF/BRAD
WADE J RICHARDS
REACTOR MANAGER
PO BOX 2528
IDAHO FALLS ID 83401

085007001376 1 99999
ARIZONA ATTORNEY GENERAL
CHARLES S PIERSON
ASSISTANT ATTORNEY GENERAL
1700 WEST WASHINGTON
PHOENIX AZ 85007

085036081095 1 99999
ARIZONA PUBLIC SERVICE CO
G C ANDOGGINI
VP OF ELECTRIC OPERATIONS

077401041434 1 99999
ANDERSON GREENWOOD & CO
INDUSTRIAL PRODUCTS DIVISION
TED MOENBAUGH
PO BOX 1097
BELLAIRE TX 77401

017401081551 1 99999
ANSALDO SPA DBGV
TULLIO BADINO
DGP MANAGER
VIALE SARCA 336
MILANO 20126 ITALY

020460007119 1 99999
ANTIOCH SCHCOL OF LAW
URBAN LAW INSTITUTE
HERBERT SEMMEL
COUNSEL FOR CHRISTA MARIA
2633 16TH ST NW
WASHINGTON DC 20460

025117002966 1 99999
APPALACHIAN POWER CO
F Z COMBS
SAFETY/SECURITY COORDINATOR
818 SKINNER DRIVE
ST ALBANS WV 25117

095030066339 1 99999
APPLIED ENGINEERING ASSOC
ROBERT PETROKAS
PRESIDENT
15425 LOS GATOS BLVD
LOS GATOS CA 95030

029115052926 1 99999
APPLIED ENGINEERING CO INC
S METTA
QA MANAGER
1525 CHARLESTOWN ROAD
ORANGEBURG SC 29115

094303056998 1 99999
APTECH ENGINEERING SERVICES
STEVE A LEFTON
795 SAN ANTONIO ROAD
PALO ALTO CA 94303

098105064757 1 99999
ARCADIA ASSOC
F M KLUNDER
VICE PRESIDENT
4732 18TH AVE NORTHEAST 5
SEATTLE WA 98105

060439006414 1 99999
ARGONNE NATIONAL LABORATORY
NRC ASSISTANCE PROJECT
I CHARAK
MANAGER
9700 SOUTH CASS AVENUE
ARGONNE IL 60439

060443055307 1 99999
ARGONNE NATIONAL LABORATORY
OFFICE OF OPERATIONAL SAFETY
EDWARD A MURPHY
9700 S CASS AVENUE
ARGONNE IL 60443

085007001377 1 99999
ARIZONA GOVERNORS OFFICE
ECON PLAN & DEV - ENERGY PROG
MARGARET WALKER
DEPUTY DIRECTOR
1700 WEST WASHINGTON
PHOENIX AZ 85007

085036001550 1 99999
ARIZONA PUBLIC SERVICE CO
NUCLEAR PROJECTS
F F VAN DINE

ARIZONA POWER & LIGHT CO
JESSALYN DAVIS
ASST UFG SERVICES SUPERVISOR
PO BOX 604
RUSSELLVILLE AR 72801

072203005808 1 99999
ARKANSAS POWER & LIGHT CO
JOHN MARSHALL
MANAGER-LICENSING
PO BOX 551
LITTLE ROCK AR 72203

095003067159 1 99999
ARREMONY ASSOCIATES
NDE SUPPORT SERVICES
DON ARREMONY
3060 VALENCIA AVE SUITE C8
APTOS CA 95003

044047006445 1 99999
ASHTABULA COUNTY
JOHN G CARDINAL
PROSECUTING ATTORNEY
COUNTY COURTHOUSE
JEFFERSON OH 44047

084015052930 1 99999
ASSOC PIPING & ENGINEERING CO
T J JONES
VICE PRESIDENT
851 FREEPORT INDUSTRIAL PKWY
CLEARFIELD UT 84015

007013055837 1 99999
ASSOCIATED TECHNOLOGIES INC
T RALLO
1200 ROUTE 46
CLIFTON NJ 07013

008404005789 1 99999
ATLANTIC CITY ELECTRIC CO
FRANK J FIGANDENTI
SR VICE PRESIDENT
1600 PALIFIC AVE
ATLANTIC CITY NJ 08404

007012052931 1 99999
ATLAS INDUSTRIAL MFG CO
F DELOKENZO
QA MANAGER
81 SOMERSET PLACE
CLIFTON NJ 07012

0CANAD056819 1 99999
ATOMIC ENERGY OF CANADA LTD
LIBRARY
SUSAN NISH
1000 DORCHESTER BLVD WEST
H3H 1P9
MONTREAL QUEBEC CANADA

007932079111 1 99999
AUTOMATIC SWITCH CO
WILLIAM M BROWN
SUPERVISOR-GOVT & NUCLEAR SALE
MANOVER ROAD
FLORHAM PARK NJ 07932

0CANAD053197 1 99999
B & W CANADA LTD
GALT ONTARIO CANADA

044203052935 1 99999
BARCOCK & WILCOX CO
NED-DIST
91 STIRLING PO BOX 271
BARBERTON OH 44301

ARKANSAS POWER & LIGHT CO
ARKANSAS NUCLEAR ONE
JIM M LEVINE
PLANT MANAGER
PO BOX 608
RUSSELLVILLE AR 72801

032785052928 1 99999
AHMCO INC
STAINLESS STEEL DIV
ROBERT W SCHULTZ
QUALITY ASSURANCE SUPV
RT 2 BOX 1A
MILCWOOD FL 32785

020853079690 1 99999
ARTHUR M CARTER JR & ASSOC
14632 CROSSWAY RD
ROCKVILLE MD 20853

090224052929 1 99999
ASSOC PIPING & ENGINEERING CO
DIV OF JOHNSON CONTROLS
1707 W COMPTON BLVD
COMPTON CA 90224

065401005183 1 99999
ASSOCIATED ELEC COOP INC
GERALD F DIDDLE
GENERAL MANAGER
PO BOX 754
SPRINGFIELD MO 65801

030603081899 1 99999
ATHENIANS FOR CLEAN ENERGY
TOM CLEMENTS
PO BOX 47
ATHENS GA 30603

023502056821 1 99999
ATLANTIC NUCLEAR SERVICES INC
ALAN SONNER
PO BOX 12716
NORFOLK VA 23502

0TAIWAD067161 1 99999
ATOMIC ENERGY COUNCIL
VICTOR CHEN-HWA CHENG
ADMINISTRATOR
67 LANE 144 KEELUNG RD SEC 4
TAIPEI 107 TAIWAN

020814040062 1 99999
ATOMIC INDUSTRIAL FORUM
TECHNICAL DEPT
PATRICK C HIGGINS
MANAGER
7101 WISCONSIN AVENUE
BETHESDA MD 20814

020910038054 1 99999
AUTOMATION INDUSTRIES INC
VITRO LABORATORIES DIVISION
JAY TEBB
14000 GEORGIA AVE
4-1107
SILVER SPRING MD 20910

062249052949 1 99999
B LINE SYSTEMS INC
E D MATLUCK
E & A MANAGER
509 WEST MONROE STREET
HIGHLAND IL 62249

024505065892 3 99999
BARCOCK & WILCOX CO
NUCLEAR POWER GENERATION DIV
LIBRARY
BARBERTON OH 44301

SENICK PROJECT MANAGER
PO BOX 1260
LYNCHBURG VA 24505

026006006266 1 99999
BAKER & BOTTS
GORDON GOOCH
ESQUIRE
1701 PENNSYLVANIA AVE NW
WASHINGTON DC 20006

035201005824 1 99999
HALCH BINGHAM BAKER & HANTHORN
ROBERT A BUETTNER
PO BOX 306
BIRMINGHAM AL 35201

021203081567 1 99999
BALTIMORE GAS & ELECTRIC CO
GENERAL SERVICES
NORMAN HUNMAKER
VICE PRESIDENT
PO BOX 1475
BALTIMORE MD 21203

020657006431 1 99999
BALTIMORE GAS & ELECTRIC CO
QUALITY ASSURANCE DEPARTMENT
S M DAVIS
SUPERVISOR
CLVET CLIFFS NUC PWR PLANT
LUSBY MD 20657

021203081568 1 99999
BALTIMORE GAS & ELECTRIC CO
SECURITY SERVICES
K C DERNOGA
GENERAL SUPERVISOR
PO BOX 1475
BALTIMORE MD 21203

021203005880 1 99999
BALTIMORE GAS & ELECTRIC CO
A E LUNDVALL
VICE PRESIDENT-SUPPLY
PO BOX 1475
BALTIMORE MD 21203

020657005871 1 99999
BALTIMORE GAS & ELECTRIC CO
CALVERT CLIFFS NUC POWER PLANT
LEON B RUSSELL
PLANT SUPERINTENDENT
LUSBY MD 20657

021203079435 3 99999
BALTIMORE GAS & ELECTRIC CO
J A TIERNAN
MANAGER-NUCLEAR POWER
PO BOX 1475 CHARLES CENTER
LUSBY MD 21203

091749052940 1 99999
BARTON INSTRUMENTS
UNIT OF IIT
G R WELT
QA DIRECTOR
900 SOUTH TURNBULL CANYON RD
CITY OF INDUSTRY CA 91749

043201064637 1 99999
BATTELLE COLUMBUS LAB
LIBRARY
B A RAWLES
MGR ADMIN & INFO SERVICES
505 KING AVENUE
COLUMBUS OH 43201

099352006329 1 99999
BATTELLE PACIFIC NORTHWEST LAB
SPENCER M BUSH
PO BOX 999
ACRS
RICHLAND WA 99362

ONE SHELL PLAZA
HOUSTON TX 77002

077002000168 1 99999
BAKER & BOTTS
MELBERT D SCHWARZ
ESQUIRE
ONE SHELL PLAZA
HOUSTON TX 77002

021203005869 1 99999
BALTIMORE GAS & ELECTRIC CO
JAMES A BIDDISON
GENERAL COUNSEL
PO BOX 1475
BALTIMORE MD 21203

020657007022 1 99999
BALTIMORE GAS & ELECTRIC CO
CALVERT CLIFFS NPS
S M DAVIS
SUPERVISOR-OPERATIONS GA
MARYLAND RTES 2 & 4
LUSBY MD 20657

020657007023 1 99999
BALTIMORE GAS & ELECTRIC CO
CALVERT CLIFFS NPS
R E DENTON
SUPERVISOR-TRAIN & TECH SERV
MARYLAND RTES 2 & 4
LUSBY MD 20657

021203005875 1 99999
BALTIMORE GAS & ELECTRIC CO
QUALITY ASSURANCE DEPT
R M DOUGLASS
FORT SMALLWOOD ROAD COMPLEX
BOX 1475
BALTIMORE MD 21203

021203005870 1 99999
BALTIMORE GAS & ELECTRIC CO
R C OLSON
ROOM 922 G&E BUILDING
BOX 1475
BALTIMORE MD 21203

020657007021 1 99999
BALTIMORE GAS & ELECTRIC CO
CALVERT CLIFFS NPS
J A TIERNAN
MANAGER-NUCLEAR POWER DEPT
MARYLAND RTES 2 & 4
LUSBY MD 20657

095060061660 1 99999
BARON & ASSOCIATES INC
STEPHEN L BARON
207 MISSION STREET
SANTA CRUZ CA 95060

043201082125 1 99999
BATTELLE COLUMBUS LAB
NUCLEAR TECH & PHYS SCI DEPT
WALTER J ELGIN
PROJECT MANAGER
505 KING AVE
COLUMBUS OH 43201

099352006415 1 99999
BATTELLE PACIFIC NORTHWEST LAB
WALT APLEY
C/O MAX CLAUSEN
BATTELLE BLVD-SIGMA IV BLDG
RICHLAND WA 99352

049106001113 1 99999
BECHTEL POWER CORP
CENTRAL LIBRARY
LIBRARIAN
P O BOX 1000
ANNE ARBOR MI 48106

377252052166 1 99999 BECHTEL POWER CORP NANCY G CHAPMAN 15740 SHADY GROVE RD GAITHERSBURG MD 20877	077252052166 1 99999 BECHTEL POWER CORP JULIA T COLLY PO BOX 2166 HOUSTON TX 77252
048106052944 1 99999 BECHTEL POWER CORP J I DOTSON PROJECT MANAGER POST OFFICE BOX 1000 ANN ARBOR MI 48106	090060001126 1 99999 BECHTEL POWER CORP LOS ANGELES POWER DIVISION JEAN GREGORY LIBRARIAN TERMINAL ANNEX PO BOX 60860 LOS ANGELES CA 90060
077001007067 1 99999 BECHTEL POWER CORP CHARLES HALLIGAN PO BOX 2166 HOUSTON TX 77001	077252064612 1 99999 BECHTEL POWER CORP V L HICKMAN RECORDS MANAGER PO BOX 2166 HOUSTON TX 77252
020877064676 1 99999 BECHTEL POWER CORP F P JONES SUPERVISOR REC MGMT 15740 SHADY GROVE ROAD GAITHERSBURG MD 20877	094119006457 1 99999 BECHTEL POWER CORP G B JONES PROJECT MANAGER 50 BEALE STREET - PO BOX 3965 SAN FRANCISCO CA 94119
020877006749 1 99999 BECHTEL POWER CORP QA DEPT D C KANSAL 15740 SHADY GROVE ROAD IAI GAITHERSBURG MD 20877	094119064719 1 99999 BECHTEL POWER CORP D M LANIER PROJECT ADMINISTRATOR-SUPP GRP PO BOX 3965 SAN FRANCISCO CA 94119
090650064620 1 99999 BECHTEL POWER CORP C Y LOPINSKY STAFF ENGINEER 12400 E IMPERIAL HWY NORWALK CA 90650	090060007127 1 99999 BECHTEL POWER CORP S MCCLUSKY PO BOX 60860 TERMINAL ANNEX LOS ANGELES CA 90060
094119006290 1 99999 BECHTEL POWER CORP M E MORRIS PO BOX 3976 SAN FRANCISCO CA 94119	077252064631 1 99999 BECHTEL POWER CORP M B GITO PROJECT ADMINISTRATIVE MANAGER PO BOX 2166 HOUSTON TX 77252
094119006444 1 99999 BECHTEL POWER CORP E B POSER PROJECT ENGINEER PO BOX 3965 SAN FRANCISCO CA 94119	094119006104 1 99999 BECHTEL POWER CORP S F POWER DIVISION S W SMOR PO BOX 3965 MET 35/B5 SAN FRANCISCO CA 94119
090650064648 1 99999 BECHTEL POWER CORP T SMITH PROJECT ADMINISTRATOR 12400 E IMPERIAL HWY NORWALK CA 90650	020760001247 1 99999 BECHTEL POWER CORP GRAND GULF NUCLEAR STATION R TRICKOVIC PROJECT ENGINEER GAITHERSBURG MD 20760
048106029704 1 99999 BECHTEL POWER CORP ANN ARBOR POWER HOWARD W WAHL VICE PRESIDENT & GENL MGR PO BOX 1000 ANN ARBOR MI 48106	077252064736 1 99999 BECHTEL POWER CORP LOS ANGELES POWER DIVISION B J HELLS BUSINESS DEVELOPMENT REPRE PO BOX 2166 HOUSTON TX 77252
043613081083 1 99999 BENCHMARK TECHNOLOGIES CORP JAMES R BROWN HEALTH PHYSICS INSTRUCTOR 1995 TREMAINSVILLE RD TCLEDU OH 43613	029360052946 1 99999 BENJAMIN F SHAM CO PLANT-FABRICATION LEONARD P SNEAL V P-QUALITY ASSURANCE P O BOX 169 LAURENS SC 29360
003246053738 1 99999 BERGEN PATERSON PIPESUPPORT CO 34 HOULTON ST BERGEN NJ 07001	094526052095 1 99999 BERGEN PATERSON PIPESUPPORT CO WILLIAM HOWARD

JA MANAGER 2800 N W FRONT AVENUE PORTLAND OR 97210		PRESIDENT 65 EAY STREET BOSTON MA 02125	
064114001128 1 99999 BLACK & VEATCH LEG HACK LIBRARIAN 1500 MEADOW LAKE PKWY KANSAS CITY MO 64114		054114005181 1 99999 BLACK & VEATCH M H ROBINSON PO BOX 8405 KANSAS CITY MO 64114	
064114021969 1 99999 BLACK & VEATCH POWER M J ROBINSON P O BOX 8405 KANSAS CITY MO 64114		011801001412 1 99999 BLAU & CUMM HOWARD L BLAU ESQUIRE 217 NEWBRIDGE RD MICKSVILLE NY 11801	
0WGERM005318 1 99999 HMFT REACTOR SAFETY HEINZ SEIPEL ADMINISTRATOR HEINEMANNSTRASSE 2 5300 BONN 2 WGERMANY		098124052953 1 99999 BOEING CO ENGR & CONSTRUCTION GEORGE I COULBOURN PO BOX 3707 MS 9A-73 SEATTLE WA 98124	
022180064704 1 99999 BOEING COMPUTER SERVICES ENERGY TECH APPL S G LINEKER 7980 GALLOW'S COURT CV-31 VIENNA VA 22180		097208029759 1 99999 BONNEVILLE POWER ADMIN PO BOX 3621 PORTLAND OR 97208	
OCANAD052964 1 99999 BORG WARNER CORP BYRON JACKSON DIV JACK ANDERSON SUPER-R&M ENGINEERING PO BOX 130 STATION M - TORONTO ONTARIO M4C 5J1 CANADA		090749078990 1 99999 BORG WARNER CORP BYRON JACKSON PUMP DIVISION HEMMITT HUGINS PO BOX 4966 M/S 99 CARSON CA 90749	
091409053079 1 99999 BORG WARNER CORP NUCLEAR VALVE DIVISION P L MILINAZZO MANAGER QUALITY ASSURANCE 7500 TYRONE AVENUE VAN NUYS CA 91409		090749077817 1 99999 BORG WARNER CORP BYRON JACKSON PUMP DIVISION JOHN MILLAN ENERGY SYSTEMS DEVELOPMT CTR PO BOX 4966 CARSON CA 90749	
090059052965 1 99999 BORG WARNER CORP BYRON JACKSON PUMP DIV R L HOMERU 2300 EAST VERNON AVENUE 06 LOS ANGELES CA 90058		002199064706 1 99999 BOSTON EDISON CO W L ANDERSON NUCLEAR ENGINEER 800 BOYLSTON STREET BOSTON MA 02199	
002199001541 1 99999 BOSTON EDISON CO NUCLEAR PROJECTS M M BUTLER MANAGER 800 BOYLSTON STREET BESTON MA 02199		002184006262 1 99999 BOSTON EDISON CO NUCLEAR OPERATIONS JOHN F FRASER 25 BRAINTREE HILL PARK P 260 BRAINTREE MA 02184	
002199064607 1 99999 BOSTON EDISON CO B A GORDON ENGR PERMANENT FILE SYS 800 BOYLSTON STREET BOSTON MA 02199		002199080929 1 99999 BOSTON EDISON CO M/C NUCLEAR WILLIAM D HARRINGTON SENIOR V PRESIDENT OF NUCLEAR 800 BOYLSTON STREET BOSTON MA 02199	
002199001437 1 99999 BOSTON EDISON CO PILGRIM NUCLEAR STATION WILLIAM F HICKEY LICENSING MANAGER 900 BOYLSTON STREET BOSTON MA 02199		002360005625 1 99999 BOSTON EDISON CO RICHARD D MACHON PILGRIM STATION MANAGER RFD 1 ROCKY HILL ROAD PLYMOUTH MA 02360	
0023600041566 1 99999 BOSTON EDISON CO C J MATHEIS STATION MANAGER RFD 1 ROCKY HILL RD PLYMOUTH MA 02360		002184005624 1 99999 BOSTON EDISON CO NUCLEAR A V MORISE 25 BRAINTREE HILL PARK BOSTON MA 02184	

WASHINGTON DC 20036		LA MANAGER BRISTOL/WASH COUNTY INDUST PA BRISTOL VA 24201	
011973005037 1 99999		011973066851 1 99999	
BROOKHAVEN NATIONAL LABORATORY NUCLEAR SAFETY LIBRARY LIBRARIAN BLOC 130 UPTON NY 11973		BROOKHAVEN NATIONAL LABORATORY REACTOR DIVISION W J BRYNDA UPTON BLDG 703 LONG ISLAND NY 11973	
011973030913 1 99999		077001064710 1 99999	
BROOKHAVEN NATIONAL LABORATORY ASSOC UNIVER.ITIES INC LEONARD C EMMA ASSISTANT TO THE DIRECTOR UPTON NY 11973		BROWN & ROOT INC P M DARLAND MANAGER RECORDS MGMT DEP PO BOX 3 01-362 HOUSTON TX 77001	
077001064762 1 99999		077001064659 1 99999	
BROWN & ROOT INC P JORDAN PO BOX 3 HOUSTON TX 77001		BROWN & ROOT INC RICHARD P NEGRI ASSISTANT QA MANAGER PO BOX 3 HOUSTON TX 77001	
077001064728 1 99999		077001052958 1 99999	
BROWN & ROOT INC J C PADEN MGR ENG DOCUMENTATION PO BOX 3 BLDG 41 HOUSTON TX 77001		BROWN & ROOT INC POWER W M RICE GROUP VICE PRESIDENT POST OFFICE BOX 3 HOUSTON TX 77001	
019477053734 1 99999		0WGERM053329 1 99999	
BROWN BOVERI ELECTRIC INC SWITCHGEAR SYSTEMS DIV D D DUVAALL VICE PRESIDENT ROUTE 309 & MORRISTOWN ROAD SPRING HOUSE PA 19477		BROWN BOVERI REAKTOR GMBH ADT TPE 14 FACHBUCHEREI DUDESTR 44 6800 MANNHEIM 1 WGERMANY	
040202000508 1 99999		006856057905 1 99999	
BROWN TODD & HEYBURN JOSEPH B HELM ESQUIRE 16TH FLOOR CITIZENS PLAZA LOUISVILLE KY 40202		BURNBY CORP POWER M R MONASHKIN CONN AND RICHARDS AVE 203 NORWALK CT 06856	
007649006086 1 99999		099352006467 1 99999	
BURNS & ROE INC S BARON 700 KINDERKAMACK ROAD ORADELL NJ 07649		BURNS & ROE INC W G CONN N/M GROUP SUPERVISOR 601 WILLIAMS BLVD RICHLAND MA 99352	
007649064616 1 99999		007649006459 1 99999	
BURNS & ROE INC S A JORDAN STAFF ADMINISTRATOR 800 KINDERKAMACK ROAD ORADELL NJ 07649		BURNS & ROE INC MATERIALS K& STANDARDS SUPV M C JUNG 700 KINDERKAMACK RD ORADELL NJ 07649	
007649006828 1 99999		007649064639 1 99999	
BURNS & ROE INC KENNETH LISH 700 KINDERKAMACK RD ORADELL NJ 07649		BURNS & ROE INC M L REISS DOCUMENT CONTROL SUPVR 700 KINDERKAMACK RD ORADELL NJ 07649	
007649001160 1 99999		015077005708 1 99999	
BURNS & ROE INC NUCLEAR LICENSING STANLEY S ROSEN 800 KINDERKAMACK RD ORADELL NJ 07649		BURBROUGH OF SHIPPINGPORT THOMAS J CZERPAH MAYOR PO BOX 26 SHIPPINGPORT PA 15077	
007645038055 1 99999		091802008724 1 99999	
BUTLER SERVICE GROUP ALEXANDER J MACDOUGALL VICE PRESIDENT-SALES 110 SUMMIT AVE P O BOX 460 MONTVALE NJ 07645		C F BRAUN & CO WILLIAM A JACK VICE PRESIDENT 1000 SOUTH FREMONT ALHAMBRA CA 91802	

350 McALLISTER ST
SAN FRANCISCO CA 94102

020003005766 1 99999
CALIFORNIA STATE OFFICE
ELEANOR SCHWARTZ
600 PENNSYLVANIA AVE SE
RM 201
WASHINGTON DC 20003

010016001415 1 99999
CAMMER & SHAPIRO
RALPH SHAPIRO
ESQUIRE
9 EAST 40TH STREET
NEW YORK NY 10016

019004052967 1 99999
CAPITAL PIPE & STEEL PRODUCT
EDWARD NAUGHTON
MANAGER TECHNICAL SERVICE
301 CITY LINE AVENUE
BALA CYNWYD PA 19004

027602080900 1 99999
CAROLINA POWER & LIGHT CO
411 FAYETTEVILLE ST
RALEIGH NC 27602

028461080961 1 99999
CAROLINA POWER & LIGHT CO
BRUNSWICK NPS
C R DIETZ
PLANT MANAGER
BOX 458
SOUTHPORT NC 28461

027562080899 1 99999
CAROLINA POWER & LIGHT CO
HARRIS NPS
R W PARSONS
PROJECT GENERAL MANAGER
BOX 101
NEW HILL NC 27562

028461030566 1 99999
CAROLINA POWER & LIGHT CO
BRUNSWICK STEAM ELECTRIC PLANT
M V STEWART
P O BOX 10429
SOUTHPORT NC 28461

027602006083 1 99999
CAROLINA POWER & LIGHT CO
POWER SUPPLY CONSTRUCT & ENGN
E E UTLEY
EXEC VICE PRESIDENT
PO BOX 1551
RALEIGH NC 27602

060521079443 1 99999
CATALYTIC INC
2001 SPRING RD
SUITE 53C
OAK BROOK IL 60521

090064001221 1 99999
CENTER FOR LAW PUBLIC INTEREST
JGMN R PHILLIPS
ESQUIRE
10951 WEST PICO BLVD
LOS ANGELES CA 90064

078403001480 1 99999
CENTRAL POWER & LIGHT CO
G W MUENCH
R L RANGE
PO BOX 2121
CORPUS CHRISTI TX 78403

SECRETARY FOR RESOURCES
1416 9TH STREET
ROOM 1311
SACRAMENTO CA 95814

095630078956 1 99999
CALIFORNIANS FOR SAFE ENERGY
FLLIS S TRAUBER
CHAIRMAN
3673 MESA VERDE AVE
EL DORADO HILLS CA 95630

091361079030 1 99999
CANYON RESEARCH GROUP INC
ERNEST J CONWAY
741 LAKEFIELD ROAD
SUITE B
WESTLAKE VILLAGE CA 91361

028208000669 1 99999
CAROLINA ENVIRON STUDY GROUP
JESSE L RILEY
PRESIDENT
854 HENLEY PLACE
CHARLOTTE NC 28208

027602006390 1 99999
CAROLINA POWER & LIGHT CO
CHARLES D BARMAN
V PRESIDENT & SENIOR COUNSEL
PO BOX 1551
RALEIGH NC 27602

027602000897 1 99999
CAROLINA POWER & LIGHT CO
RICHARD JONES ESQ
336 FAYETTEVILLE ST
RALEIGH NC 27602

029550080894 1 99999
CAROLINA POWER & LIGHT CO
ROBINSON 2 NPS
R B STARKEY
PLANT GENERAL MANAGER
PO BOX 790
HARTSVILLE SC 29550

027602005449 1 99999
CAROLINA POWER & LIGHT CO
POWER SUPPLY CONSTRUCT & ENGN
E E UTLEY
EXEC VICE PRESIDENT
PO BOX 1551
RALEIGH NC 27602

019603052968 1 99999
CARFENTER TECHNOLOGY CORP
M R KEGERISE
GEN MGR NUCLEAR PRODUCTS
101 WEST BERN STREET
READING PA 19603

019102028466 1 99999
CATALYTIC INC
PAUL REICHAUT
1500 MARKET STREET
PHILADELPHIA PA 19102

0SPAIN023959 1 99999
CENTRAL NUCLEAR DE ALMARAZ
JUAN M BLANCO
PRINCESA 3
MADRID - 8 SPAIN

0BELG1057562 1 99999
CENTRE D'ETUDE DE L'ENER NUCL
POWER PLANT BH 3
FRANCOIS MOTTE
ADMINISTRATOR
RIJERETANG 200

THREE FIRST NATIONAL PLAZA
SUITE 3700
CHICAGO IL 60602

038113052969 1 99999
CHICAGO BRIDGE & IRON CO
2700 CHANNEL AVE P O BOX 13308
MEMPHIS TN 38113

060611005731 1 99999
CHICAGO METRO SANITARY DIST
CECIL LUE HING
DIRECTOR OF RESEARCH & DEV
100 EAST ERIE STREET
CHICAGO IL 60611

045219032023 1 99999
CINCINNATI ALLI FOR RESPON ENG
TOM CARPENTER
DIRECTOR
2270 VINE STREET
CINCINNATI OH 45219

045153080925 1 99999
CINCINNATI GAS & ELECTRIC CO
WM H EIMMER NUCLEAR STATION
J R SCHUTT
PLANT MANAGER
PO BOX 201
MUSCON OH 45153

074107005184 1 99999
CITIZENS ACT FOR SAFE ENER INC
CARRIE DICKERSON
PO BOX 924
CLAREMORE OK 74107

018501001498 1 99999
CITIZENS AGAINST NUC DANGERS
THOMAS J HALLIGAN
CHAIRPERSON
PO BOX 5
SCRANTON PA 18501

075224001600 1 99999
CITIZENS ASSOC FOR SOUND ENGY
JUANITA ELLIS
PRESIDENT
1426 SOUTH POLK
DALLAS TX 75224

060605006404 1 99999
CITIZENS FOR A BETTER ENVIRON
JANIEL MINTZ
COUNSEL FOR PETITIONERS
59 EAST VAN BUREN STREET
SUITE 1600
CHICAGO IL 60605

077422005309 1 99999
CITIZENS FOR EQUITABLE UTILS
PEGGY BUCHORN
EXECUTIVE DIRECTOR
ROUTE 1 BOX 1684
BRAZORIA TX 77422

078767001481 1 99999
CITY OF AUSTIN
ELECTRIC UTILITY DEPARTMENT
M L PETERSON
G POKORNY
PO BOX 1088
AUSTIN TX 78767

019107006437 1 99999
CITY OF PHILADELPHIA
M W GOODE
MANAGING DIRECTOR
PHILADELPHIA PA 19107

609 MONTPELIER STREET
BALTIMORE MD 21218

035201052971 1 99999
CHICAGO BRIDGE & IRON CO
WELDING & QA DEPT
PO BOX 277
BIRMINGHAM AL 35201

020006082254 1 99999
CHUBA ELECTRIC POWER CO INC
900 17TH ST NW SUITE 714
WASHINGTON DC 20006

045201079120 1 99999
CINCINNATI GAS & ELECTRIC CO
NUCLEAR SERVICES DEPT
K K CHITKARA
MANAGER
PO BOX 960
CINCINNATI OH 45201

045201082140 1 99999
CINCINNATI GAS & ELECTRIC CO
LEGAL DEPT
JEROME A VENNEMANN
PO BOX 960
CINCINNATI OH 45201

045220081495 1 99999
CITIZENS AGAINST A RADIO ENVIR
2699 CLIFTON AVE
CINCINNATI OH 45220

027612007043 1 99999
CITIZENS AGAINST NUCLEAR POWER
CO-COORDINATORS
PATRICIA T NEWMAN
SLATER E NEWMAN
2309 WEYMOUTH CT
RALEIGH NC 27612

078233006150 1 99999
CITIZENS CONCERNED ABT NUC PWR
LANNY SINKIN
3106 CASA LORO
SAN ANTONIO TX 78233

017043005514 1 99999
CITIZENS FOR A SAFE ENVIRON
VIRGINIA SOUTHARD
CHAIRMAN
264 WALTON ST
LEMOYNE PA 17043

078767007039 1 99999
CITY OF AUSTIN
RICHARD C BALOUGH
ASST CITY ATTORNEY
PO BOX 1088
AUSTIN TX 78767

049106005691 1 99999
CITY OF BRIDGMAN
JAMES BEMENEK
MAYOR
BRIDGMAN MI 49106

015219005711 1 99999
CITY OF PITTSBURGH
MARVIN FEIN
UTILITY COUNSEL
313 CITY COUNTY BUILDING
PITTSBURGH PA 15219

PERNICK IRELAND
10544 NE SIMPSON
PORTLAND OR 97220

080220004291 1 99999
COLORADO DEPT OF HEALTH
RAD CONTROL
ALBERT J HAZLE
DIRECTOR
4210 EAST 11TH AVENUE
DENVER CO 80220

053511051945 1 99999
COLT INDUSTRIES
WESLEY A BRILL
701 LANTON AVE
Beloit WI 53511

003801052976 1 99999
COMBUSTION ENGINEERING INC
C-E AVEKY DIVISION
OLD DOVER ROAD
NEWINGTON NH 03801

020014005904 1 99999
COMBUSTION ENGINEERING INC
C-E POWER SYSTEMS
CHARLES B BRINKMAN
4853 CORDELL AVE
SUITE A-1
BETHESDA MD 20014

006095006333 1 99999
COMBUSTION ENGINEERING INC
V C MALL
1000 PROSPECT HILL ROAD
WINDSOR CT 06095

006905008721 1 99999
COMBUSTION ENGINEERING INC
P L MCGILL
VICE PRESIDENT
1000 PROSPECT HILL ROAD
WINDSOR CT 06905

006095001440 1 99999
COMBUSTION ENGINEERING INC
A NEWMAN
1000 PROSPECT HILL ROAD
WINDSOR CT 06095

037402052975 1 99999
COMBUSTION ENGINEERING INC
W A STONE
QUALITY ENGNR MANAGER
911 W MAIN ST
CHATTANOOGA TN 37602

OMEXIC066478 1 99999
COMISION FEDERAL ELECTRICIDAD
APOD POSTAL NO 5-214
MEXICO 5-DF MEXICO

0BRAZIO08064 1 99999
COMISSAU NACIONAL DE ENERGIA
INTERNATIONAL AFFAIRS OFFICE
ELVE M DE CASTRO
ADMINISTRATOR
RUA GENERAL SEVERIANO 90
RIO DE JANEIRO 20000 BRAZIL

06C690064240 1 99999
COMMONWEALTH EDISON CO
NUCLEAR SECURITY ADMIN OFFICE
PO BOX 767
72 WEST ADAMS - ROOM 1230 F

COMMISSION FOR THE ENVIRONMENT
ST LOUIS REGION
DAN I HOLEF
PRESIDENT-BD OF DIRECTORS
6267 DELMAR BLVD
UNIVERSITY CITY MO 63130

030117052974 1 99999
COLT INDUSTRIES
TREAT TUBE DIV OF CRUCIBLE INC
141 HAMMONDS STREET
CARROLLTON GA 30117

053511052973 1 99999
COLT INDUSTRIES
FAIRBANK MORSE ENGINE DIV
E L FAY
MGR C A
701 LANTON AVENUE
Beloit WI 53511

006095038343 1 99999
COMBUSTION ENGINEERING INC
PSG LIBRARY-DEPT 6435-405
LIBRARIAN-ATTN R&D DOCUMENTS
1000 PROSPECT HILL ROAD
WINDSOR CT 06095

006095064587 1 99999
COMBUSTION ENGINEERING INC
H D BROSMAN
MGR GROUP RECS & SECRTY
1000 PROSPECT HILL ROAD
6110-1901
WINDSOR CT 06095

006095005873 1 99999
COMBUSTION ENGINEERING INC
P W KRUSE
MANAGER-ENGINEERING SERVICES
PO BOX 500
WINDSOR CT 06095

020014038032 1 99999
COMBUSTION ENGINEERING INC
ELEANOR MUELLER
4853 CORDELL AVE
BETHESDA MD 20014

006095026584 1 99999
COMBUSTION ENGINEERING INC
A E SCHERER
DIRECTOR-NUCLEAR LICENSING
1000 PROSPECT HILL ROAD
9438-1922
WINDSOR CT 06095

006095001299 1 99999
COMBUSTION ENGINEERING INC
C-E POWER SYSTEMS
J W VEIRS
1000 PROSPECT HILL ROAD
WINDSOR CT 06095

OMEXIC064504 1 99999
COMISION NACIONAL SEGURIDAD
NUCLEAR Y SALVAGUARDIAS
INSURGENTES SUR NO 1806
MEXICO DF 01030 MEXICO

049201029240 1 99999
COMMONWEALTH ASSOCIATES INC
POWER DIVISION
W H HANDALL
SR REG CONSULTANT
209 E WASHINGTON AVE
JACKSON MI 49201

060690079384 1 99999
COMMONWEALTH EDISON CO
R COSARO
SITE CONSTRUCTION SUPERINTENDT
PO BOX 777

LA SALLE
J L SHAMBLIN
CONSTRUCTION SUPERINTENDENT
RP 1 BOX 220
MARSEILLES IL 61341

060690080924 1 99999
COMMONWEALTH EDISON CO
B B STEPHENSON
PROJECT MANAGER
PO BOX 767
CHICAGO IL 60690

08ELG1063097 1 99999
COMPTON BELGIE NV
G DE WILOR
GEN ENG MANAGER
NOORDERLAAN 139
2030 ANTWERPEN BELGIUM

095129081633 1 99999
COMPUTER DATA ENGINEERING CORP
JAMES CROUCH
2858 STEVENS CREEK BLVD
SAN JOSE CA 95128

006115006475 1 99999
CONNECTICUT OFC POLICY & MGMT
ENERGY DIVISION
UNDERSECRETARY FOR ENERGY
80 WASHINGTON ST
HARTFORD CT 06115

006101004675 1 99999
CONNECTICUT YANKEE ATOM PWR CO
NUCLEAR ENGINEERING & OPER
G COUNCIL
SENIOR VICE PRESIDENT
P O BOX 270
HARTFORD CT 06101

020006001147 1 99999
CONNER & WETTERHANN
TROY R CONNER ESQUIRE
1747 PENNSYLVANIA AVENUE NW
SUITE 1050
WASHINGTON DC 20006

020006057875 1 99999
CONNER & WETTERHANN
MARK J WETTERHANN
1747 PENNSYLVANIA AVE NW
SUITE 1050
WASHINGTON DC 20006

006801052978 1 99999
CONSOLIDATED CONTROLS CORP
15 DURANT AVENUE
BETHEL CT 06801

010003005723 1 99999
CONSOLIDATED EDISON CO OF NY
BRENT L BRANDENBURG
ASSISTANT GENERAL COUNSEL
4 IRVING PLACE
1822
NEW YORK NY 10003

010511079130 1 99999
CONSOLIDATED EDISON CO OF NY
INDIAN POINT NUC PWR STATION
KEVIN BURKE
DIRECTOR-REGULATORY AFFAIRS
BROADWAY & BLEAKLEY AVE
BUCHANAN NY 10511

010511006549 1 99999
CONSOLIDATED EDISON CO OF NY
INDIAN POINT 3 NPS
D HALAMA
QUALITY ASSURANCE SUPERINTENDT

OVNERP SUNDEN
SITE PROJECT SUPERINTENDENT
PO BOX 767
CHICAGO IL 60690

060099064689 1 99999
COMMONWEALTH EDISON CO
ZION GEN STATION
W STONE
STAFF ASST
SMITH BLVD & LAKE MICHIGAN
ZION IL 60099

094705066574 1 99999
COMPUTECH ENGINEERING SVCS INC
LINDSAY R JONES
PRESIDENT
2855 TELEGRAPH AVE
SUITE 410
BERKELEY CA 94705

014225024720 1 99999
CGNAX CORP
NUCLEAR PRODUCTS DIVISION
W S RAUTIO
VICE PRESIDENT
2300 WALDEN AVENUE
BUFFALO NY 14225

006115067149 1 99999
CONNECTICUT OFC POLICY & MGMT
ENERGY DIVISION
BHALFORD S CHASE
ACTING UNDERSECRETARY FOR ENGY
80 WASHINGTON STREET
HARTFORD CT 06115

006424005751 1 99999
CONNECTICUT YANKEE ATOM PWR CO
HADDAM NECK PLANT
R H GRAVES
RR 1 BOX 127E
E HAMPTON CT 06424

020006000984 1 99999
CONNER & WETTERHANN
MARK J WETTERHANN
ESQUIRE
1747 PENNSYLVANIA AVENUE NW
SUITE 1050
WASHINGTON DC 20006

05PAIN008080 1 99999
CONSEJO DE SEGURIDAD NUCLEAR
BENJAMIN F MUKIAS
COUNSELOR
PASEO CASTELLANA
MADRID-16 SPAIN

010003005725 1 99999
CONSOLIDATED EDISON CO OF NY
JOSEPH D BLOCH
EXECUTIVE VICE PRESIDENT ADMIN
4 IRVING PLACE
NEW YORK NY 10003

010511005716 1 99999
CONSOLIDATED EDISON CO OF NY
KEVIN BURKE
DIRECTOR OF TECHNICAL ENGR
BROADWAY AND BLEAKLEY AVES
BUCHANAN NY 10511

010003005685 1 99999
CONSOLIDATED EDISON CO OF NY
LAW DEPARTMENT
THOMAS J FARRELLY
4 IRVING PLACE
NEW YORK NY 10003

010003004955 1 99999
CONSOLIDATED EDISON CO OF NY
ARTHUR HAUSPURG
PRESIDENT
4 IRVING PLACE

JACKSON MI 49201	212 WEST MICHIGAN AVENUE JACKSON MI 49201
049201064735 1 99999 CONSUMERS POWER CO D W BUDZIK PROJ RECORDS MGMT SUPVR 1945 W PARNELL ROAD JACKSON MI 49201	049201006276 1 99999 CONSUMERS POWER CO J W COOK VICE PRESIDENT 1945 WEST PARNALL RD JACKSON MI 49201
049201003026 1 99999 CONSUMERS POWER CO WILMA G FOGG NUCLEAR LICENSING ANALYST 1945 WEST PARNALL ROAD JACKSON MI 49201	049201064581 1 99999 CONSUMERS POWER CO J R FREY MANAGEMENT SYSTEMS ADMIN 1945 W PARNALL RD JACKSON MI 49201
049720081510 1 99999 CONSUMERS POWER CO B G ROCK POINT NPS D P HOFFMAN PLANT SUPERINTENDENT ROUTE 3 BOX 591 CHARLEVOIX MI 49720	020814006416 1 99999 CONSUMERS POWER CO RUGER W MUSTON 7910 MCCORMONT AVE SUITE 220 BETHESDA MD 20814
049043005337 1 99999 CONSUMERS POWER CO PALISADES PLANT ROBERT W MUNTROSS PLANT MANAGER COVERT MI 49043	049201005391 1 99999 CONSUMERS POWER CO PAUL A PERRY SECRETARY 212 WEST MICHIGAN AVE JACKSON MI 49201
060450081512 1 99999 CONSUMERS POWER CO DRESDEN NPS D J SCOTT STATION SUPERINTENDENT RR 1 MORRIS IL 60450	048640066519 1 99999 CONSUMERS POWER CO NUCLEAR TRAINING CENTER PEGGY STOLL PO BOX 1807 MIDLAND MI 48640
049201005497 1 99999 CONSUMERS POWER CO DAVID VANDENALLE NUCLEAR LIC ADMINISTRATOR 212 W MICHIGAN AVE JACKSON MI 49201	092714052938 1 99999 CONTROL COMPONENTS INC 2567 SE MAIN STREET IRVINE CA 92714
020852064749 1 99999 CONTROL DATA CORP R L PETERM MARKETING ASSOCIATE 6003 EXECUTIVE BLVD ROCKVILLE MD 20852	043050052981 1 99999 COOPER INDUSTRIES INC COOPER ENERGY SERVICES G W RIZER TECH SERV AND QA MANAGER NORTH SANDUSKY STREET MT VERNON OH 43050
068321005853 1 99999 COOPER NUCLEAR STATION L LESSOR STATION SUPERINTENDENT PO BOX 98 BROWNVILLE NE 68321	043050052980 1 99999 COOPER SERVICE INC M J HELMICH MANAGER RECIPROCATING ENG NORTH SANDUSKY STREET MT VERNON OH 43050
016423052982 1 99999 COPE'S VULCAN ADV MANAGER POST OFFICE BOX 577 LAKE CITY PA 16423	002910052983 1 99999 CORNER & LADA CO INC W T ALLEN QUALITY ASSURANCE MNGR 1341 ELMWOOD AVENUE CRANSTON RI 02910
027622057209 1 99999 CORPORATE CONSULTING & DEV CO STEPHEN A LEHRMAN MANAGER SEISMIC PROJECTS PO BOX 30096 HALEIGH NC 27622	054601006426 1 99999 CULLEE REGION ENERGY COALITION GEORGE R NYGAARD 2307 EAST AVENUE LACROSSE MI 54601
031513005790 1 99999 COUNTY OF APPLING COUNTY COMMISSIONERS CHAIRMAN COUNTY COURTHOUSE BAXLEY GA 31513	065251006106 1 99999 COUNTY OF CALLAWAY ROBERT G WRIGHT ASSOCIATE JUDGE-EASTERN DIST ROUTE #1 COUNTY COURT FULTON MD 21731

CHAIRPERSON HD OF COMMISSIONER FRONT & MARKET STREET HARRISBURG PA 17101		PAUL TAYLOR COUNTY AUDITOR RED WING MN 55066	
060450005402 1 COUNTY OF GRUNDY CHAIRMAN SUPERVISORS GRUNDY COUNTY COURTHOUSE MORRIS IL 60450	99999	044077006128 1 COUNTY OF LAKE DONALD T. EZZONE ASSISTANT PROSECUTING ATTORNEY 105 MAIN STREET PAINSVILLE OH 44077	99999
052406005646 1 COUNTY OF LINN BOARD OF SUPERVISORS CHAIRMAN CEDAR RAPIDS IA 52406	99999	065069006488 1 COUNTY OF MONTGOMERY FRED LUEKEY PRESIDING JUDGE RURAL ROUTE RHINELAND MO 65069	99999
068305005855 1 COUNTY OF NEMAMA BOARD OF COMMISSIONERS WILLIAM SIEBERT COMMISSIONER NEMAMA COUNTY COURTHOUSE AUBURN NE 68305	99999	029621005804 1 COUNTY OF OCOREE JAMES M. PHINNEY COUNTY SUPERVISOR WALHALLA SC 29621	99999
043452005779 1 COUNTY OF OTTAWA BOARD OF COMMISSIONERS PRESIDENT PORT CLINTON OH 43452	99999	072801005811 1 COUNTY OF POPE ERMILO GRANT ACTING COUNTY JUDGE POPE COUNTY COURTHOUSE RUSSELLVILLE AR 72801	99999
061201005850 1 COUNTY OF ROCK ISLAND BOARD OF SUPERVISORS PAUL MULCAHEY CHAIRMAN ROCK ISLAND COUNTY COURTHOUSE ROCK ISLAND IL 61201	99999	095814007101 1 COUNTY OF SACRAMENTO BOARD OF SUPERVISORS 827 7TH ST ROOM 424 SACRAMENTO CA 95814	99999
092101005377 1 COUNTY OF SAN DIEGO BOARD OF SUPERVISORS CHAIRMAN SAN DIEGO CA 92101	99999	033450005903 1 COUNTY OF ST LUCIE WELDON B. LEWIS COUNTY ADMINISTRATOR 2300 VIRGINIA AVENUE ROOM 104 FORT PIERCE FL 33450	99999
023683005668 1 COUNTY OF SURRY BOARD OF SUPERVISORS SHERLOCK HOLMES CHAIRMAN SURRY COUNTY COURTHOUSE VA 23683	99999	068008005922 1 COUNTY OF WASHINGTON BOARD OF SUPERVISORS JACK JENSEN CHAIRMAN COURTHOUSE-16TH & COLFEX ST BLAIR NE 68008	99999
080631006315 1 COUNTY OF WELD BO OF COUNTY COMMISSIONERS CHAIRMAN GREELEY CO 80631	99999	055313005664 1 COUNTY OF WRIGHT BOARD OF COMMISSIONERS D S DOUGLAS AUDITOR BUFFALO MN 55313	99999
007094037904 1 COURTIER & CO INC QA/JC JAMES T SCHMIT 150 MEADOWLANDS PKWY SECAUCUS NJ 07094	99999	060521052984 1 CRANE CO DIRECTOR OF ENGINEERING 649 EXECUTIVE BLVD WILLOW BROOK IL 60521	99999
001151053737 1 CRANE CO INDIAN ORCHARD PLANT D E KUHN S MANAGER 203 HAMPSHIRE STREET INDIAN ORCHARD MA 01151	99999	063104052985 1 CRANE MIDWEST FITTINGS D F BETZ QA MANAGER 1450 SOUTH SECOND STREET ST LOUIS MO 63104	99999
002093052986 1 CROSBY VALVE & GAGE CO 43 KENDRICK STREET WRENTHAM MA 02093	99999	019468052203 1 CROUSE NUCLEAR ENERGY SERVICES M J RANDES VICE PRESIDENT UPPER LEWIS ROAD	99999

PATRICK F. MOHANA
10 DUFF RD
PITTSBURGH PA 15235

054632006289 1 99999
DAIRYLAND POWER COOPERATIVE
LACROSSE BUILDING WATER REACTOR
JIMM PARRYN
PO BOX 135
GENEA WI 54632

054632007116 1 99999
DAIRYLAND POWER COOPERATIVE
LACROSSE BUILDING WATER REACTOR
R E SHIMSHAK
PO BOX 275
GENEA WI 54632

075201005627 1 99999
DALLAS POWER & LIGHT CO
MAX H TANNER
VICE PRESIDENT
1506 COMMERCE STREET
DALLAS TX 75201

006103005416 1 99999
DAY BERRY & HOWARD
COUNSELORS AT LAW
ONE CONSTITUTION PLAZA
HARTFORD CT 06103

020036001372 1 99999
DEBEVOISE & LIBERMAN
J B KNIGHTS
1200 17TH ST NW
WASHINGTON DC 20036

010004054611 1 99999
DEBEVOISE & LIBERMAN
JAMES R LIBERMAN
ESQ
26 BROADWAY
NEW YORK NY 10004

020036000900 1 99999
DEBEVOISE & LIBERMAN
J M MCGARRY III
ESQUIRE
1200 SEVENTEENTH STREET NW
WASHINGTON DC 20036

020814079197 1 99999
DEFENSE NUCLEAR AGENCY
ARMED FORCES RADIOBIO RES INST
REACTOR BR-PHYSICIST-IN-CHARGE
BETHESDA MD 20814

019901006459 1 99999
DELAWARE DEPT OF NATL RESOURCE
DIV OF ENVIRONMENTAL CONTROL
THOMAS P EICHLER
DIRECTOR
PO BOX 1401
DOVER DE 19901

019901001251 1 99999
DELAWARE DEPT OF NATL RESOURCE
F M PARKOWSKI
DEPUTY ATTORNEY GENERAL
TATNALL BUILDING
DOVER DE 19901

019899003040 1 99999
DELMARVA POWER & LIGHT CO
F A COOK
800 KING STREET
WILMINGTON DE 19899

GENERAL MANAGER
2615 EAST AVENUE SOUTH
LACROSSE WI 54601

054601005332 1 99999
DAIRYLAND POWER COOPERATIVE
FRITZ SCHUBERT
STAFF ATTORNEY
2615 EAST AVENUE SOUTH
LACROSSE WI 54601

054632006468 1 99999
DAIRYLAND POWER COOPERATIVE
LACROSSE NUCLEAR POWER PLANT
W E SHIMSHAK
SUPERINTENDENT
PO BOX 275
GENEA WI 54632

029405051944 1 99999
DATCOMATION INC
NED JOHNSON
PO BOX 7109
CHARLESTON SC 29405

006103000699 1 99999
DAY BERRY & HOWARD
WILLIAM H CUDDY ESQ
ONE CONSTITUTION PLAZA
HARTFORD CT 06103

020036000476 1 99999
DEBEVOISE & LIBERMAN
JOSEPH B KNIGHTS
ESQUIRE
1200 SEVENTEENTH ST NW
SUITE 700
WASHINGTON DC 20036

010004005446 1 99999
DEBEVOISE & LIBERMAN
J B LIBERMAN
26 BROADWAY
NEW YORK NY 10004

020036000187 1 99999
DEBEVOISE & LIBERMAN
NICHOLAS REYNOLDS
1200 SEVENTEENTH ST NW
WASHINGTON DC 20036

018917006525 1 99999
DEL-AWARE
JAMES M NEILL
ASSOCIATE COUNSEL
BOX 541
DUBLIN PA 18917

019901036537 1 99999
DELAWARE DEPT OF NATL RESOURCE
ENVIRONMENTAL CONTROL
HARRY OTTO
MANAGER-TECHNICAL SERVICE
PO BOX 1401
DOVER DE 19901

019901005639 1 99999
DELAWARE DEPUTY ATTORNEY GEN
JUNE O MACARTOR
DEPUTY ATTORNEY GENERAL
TATNALL BUILDING
BOX 1401
DOVER DE 19901

080203006316 1 99999
DENVER DEPT OF LOCAL AFFAIRS
DIVISION OF PLANNING
DIRECTOR
1845 SHEPMAN-615 COLUMBINE BGD
DENVER CO 80203

DETROIT EDISON CO WAYNE JENS 2000 SECOND AVE DETROIT MI 48226	99999	DETROIT EDISON CO L E JONES DIR PROJ REC MGMT 2000 SECOND AVENUE DETROIT MI 48226	99999
048226000530 1 DETROIT EDISON CO PETER A MARQUARDT ESQUIRE 2000 SECOND AVENUE DETROIT MI 48226	99999	048226079139 1 DETROIT EDISON CO R G RATEICK 2000 SECOND AVE DETROIT MI 48226	99999
048084006500 1 DETROIT EDISON CO LARRY E SCHUERMAN 3331 WEST BIG BEAVER ROAD TROY MI 48084	99999	048226006228 1 DETROIT EDISON CO ENGINEERING & CONSTRUCTION HARRY TAUBER VICE PRESIDENT 2000 SECOND AVE DETROIT MI 48226	99999
012301081110 1 DIVERSIFIED NUCLEAR INC RADIOLOGICAL ENGRG STEPHEN E MILLER MANAGER PO BOX 209 SCHEMECTADY NY 12301	99999	015077001767 1 DICK CORP J A LONG QA COORDINATOR PO BOX 49 SHIPPINGPORT PA 15077	99999
002138021605 1 DIS/ADLPIPE INC WALLACE B WRIGHT 55 WHEELER ST CAMBRIDGE MA 02138	99999	022101065227 1 DOMINION ENGINEERING INC M J PARTRIDGE 6862 ELM STREET H'LEAN VA 22101	99999
049106005696 1 DONALD C COOK NUCLEAR PLANT W C SMITH PLANT MANAGER PO BOX 458 BRIDGMAN MI 49106	99999	094102005654 1 DONGHOE JONES BROWN & CLIFFORD LINDA J BROWN 100 VAN NESS AVE 19TH FLOOR SAN FRANCISCO CA 94102	99999
048640067269 1 DOW CHEMICAL CO RESEARCH CENTER BUILDING MANAGER-1602 DOW TRIGA REACTOR MIDLAND MI 48640	99999	048640081493 1 DOW CHEMICAL CO REACTOR OPERATIONS CMTE F J KNELL RESEARCH MANAGER & CHAIRMAN 1602 BUILDING MIDLAND MI 48640	99999
048640081494 1 DOW CHEMICAL CO C W KUCHER REACTOR SUPERVISOR 1602 BUILDING MIDLAND MI 48640	99999	048640081492 1 DOW CHEMICAL CO RADIATION SAFETY CMTE L W RAMPY CHAIRMAN 1603 BUILDING MIDLAND MI 48640	99999
090650052991 1 DRAGON VALVES INC ROBERT E BOND VICE PRESIDENT PO BOX 489 MURWALK CA 90650	99999	045750052992 1 DRAYO CORP PIPE FABRICATION DIVISION KENNETH B ANDERSON GENERAL MANAGER 1115 GILMAN AVENUE MARIETTA OH 45750	99999
060450005418 1 DRESDEN NUCLEAR POWER STATION PLANT SUPERINTENDENT RURAL ROUTE #1 MORRIS IL 60450	99999	029342080967 1 DUKE POWER CO CHEROKEE NUCLEAR STATION M E BAILEY SITE MANAGER PO BOX 400 GAFFNEY SC 29342	99999
029679026043 1 DUKE POWER CO OCCREE NUCLEAR STATION RICHARD P BUGERT PO BOX 1436 SENECA SC 29678	99999	028242003045 1 DUKE POWER CO NUCLEON PRODUCTION DEPT N S CANADY 422 S CHURCH ST CHARLOTTE NC 28242	99999
028242007094 1 DUKE POWER CO STEAM PRODUCTION DIV G A COPP	99999	028242001547 1 DUKE POWER CO DESIGN ENGINEERING DEPARTMENT L C DALL	99999

01507707112 1 DUQUESNE LIGHT CO QUALITY ASSURANCE DEPT C E EWING MANAGER PO BOX 186 SHIPPINGPORT PA 15077 99999	015077079396 1 DUQUESNE LIGHT CO QUALITY ASSURANCE DEPT C E EWING QUALITY ASSURANCE MANAGER PO BOX 186 SHIPPINGPORT PA 15077 99999
015077006546 1 DUQUESNE LIGHT CO NUCLEAR OPERATIONS T D JONES MANAGER PO BOX 4 SHIPPINGPORT PA 15077 99999	015205079395 1 DUQUESNE LIGHT CO E F KURTZ DIRECTOR OF LICENSING ROBINSON PLAZA BLDG #2-RTE 60 SUITE 210 PITTSBURGH PA 15205 99999
015205007013 1 DUQUESNE LIGHT CO BROWN VALLEY 2 E F KURTZ ROBINSON PLAZA BLDG 2 RT 60 PITTSBURGH PA 15205 99999	015077080917 1 DUQUESNE LIGHT CO M S LACEY CHIEF ENGINEER PO BOX 4 SHIPPINGPORT PA 15077 99999
015219030948 1 DUQUESNE LIGHT CO R M MARRICE NUCLEAR ENGINEER 435 SIXTH AVENUE PITTSBURGH PA 15219 99999	015219081569 1 DUQUESNE LIGHT CO R MARTIN NUCLEAR ENGINEER 435 SIXTH AVE PITTSBURGH PA 15219 99999
015077062825 1 DUQUESNE LIGHT CO SHIPPINGPORT ATOMIC POWER STA J V MCGEE STATION OFFICE MANAGER BOX 57 SHIPPINGPORT PA 15077 99999	015077079147 1 DUQUESNE LIGHT CO NUCLEAR SAFETY & LICENSING DPT J D SIEBER MANAGER PO BOX 4 SHIPPINGPORT PA 15077 99999
015205079394 1 DUQUESNE LIGHT CO M M SIEGEL DIRECTOR OF ENGINEERING ROBINSON PLAZA BLDG #2-RTE 60 SUITE 210 PITTSBURGH PA 15205 99999	015205007014 1 DUQUESNE LIGHT CO BEAVER VALLEY 2 M M SIEGEL DIRECTOR OF ENGINEERING ROBINSON PLAZA BLDG 2 RT 60 PITTSBURGH PA 15205 99999
015077079148 1 DUQUESNE LIGHT CO BEAVER VALLEY NPS-NUCLEAR V R TUNNEY MANAGER-NUCLEAR ENGINEERING PO BOX 4 SHIPPINGPORT PA 15077 99999	015205006499 1 DUQUESNE LIGHT CO R J WASHBAUGH BV-2 PROJECT MANAGER ROBINSON PLAZA BLDG 2-ROUTE 60 SUITE 210 PITTSBURGH PA 15205 99999
015205079434 1 DUQUESNE LIGHT CO NUCLEAR CONSTRUCTION -IV R WASHBAUGH PROJECT MANAGER ROBINSON PLAZA NO 2 SUITE 210 PITTSBURGH PA 15205 99999	015077005709 1 DUQUESNE LIGHT CO BEAVER VALLEY POWER STATION H P WILLIAMS STATION SUPERINTENDENT PO BOX 4 SHIPPINGPORT PA 15077 99999
015205001563 1 DUQUESNE LIGHT CO NUCLEAR CONSTRUCTION EARL J MOLEVER VICE PRESIDENT ROBINSON PLAZA NO 2 RTE 60 PITTSBURGH PA 15205 99999	008903057904 1 E R SQUIBB & SONS INC CHARLES F BOYLE GEORGES ROAD NEW BRUNSWICK NJ 08903 99999
084119053002 1 E SYSTEMS INC MONTEK DIV J LYNCH QA MGR 2268 SOUTH 3270 WEST SALT LAKE CITY UT 84119 99999	044202053103 1 EA:GN CORP PCC DIVISION M C PERRIN QUALITY ASSURANCE MANAGER 1199 S CHILLICOTHE ROAD AURORA OH 44202 99999
010048024303 1 EBASCO SERVICES INC J C BRODSKY SUPERVISING MAINT ENGR 2 WORLD TRADE CTR 88TH FLOOR NEW YORK NY 10048 99999	030092038060 1 EBASCO SERVICES INC PIPE STRESS ANALYSIS R H DIETZ SUPERVISING ENGINEER 145 TECHNOLOGY PARK NORCROSS GA 30092 99999
011375000979 1 EBASCO SERVICES INC IVAN GRUSZ 110-74 99999	010048065530 1 EBASCO SERVICES INC 99999

LIBRARIAN 333 TECHNOLOGY PARK NORCROSS GA 30092		R A FLEMING 220 MONTGOMERY ST SAN FRANCISCO CA 94104	
094104064767 1 99999 EDS NUCLEAR INC C M FRANK TITLE 220 MONTGOMERY STREET SAN FRANCISCO CA 94104		094104065766 1 99999 EDS NUCLEAR INC ADVANCED ANALYSIS DIV ARON SEIKEN SR ENGR 220 MONTGOMERY ST SAN FRANCISCO CA 94104	
083415063556 1 99999 EGGG IDAHO INC CAL D DOUCETTE P O BOX 1625 IDAHO FALLS ID 83415		083401064611 1 99999 EGGG IDAHO INC K L MEGSTROM MANAGEMENT CONSULTANT PO BOX 1625 TSA BLDG IDAHO FALLS ID 83401	
083415031484 1 99999 EGGG IDAHO INC INEL TECHNICAL LIBRARY BRENT N JACOBSEN LIBRARY SUPERVISOR PO BOX 1625 IDAHO FALLS ID 83415		083415064221 1 99999 EGGG IDAHO INC QUALITY DEPT M J KIRSCHENMANN MANAGER PO BOX 1625 IDAHO FALLS ID 83415	
083401064744 1 99999 EGGG IDAHO INC F J KOCSIS III CONFIG DDC CONTROL MGR PO BOX 1625 IDAHO FALLS ID 83401		083401062537 1 99999 EGGG IDAHO INC DAVID B VAN LEUVEN PO BOX 1625 TRA 649 IDAHO FALLS ID 83401	
083415062748 1 99999 EGGG IDAHO INC POWER REACTORS SPECIAL PROJECT M S VARGO MANAGER PO BOX 1625 IDAHO FALLS ID 83415		046320001446 1 99999 EICHHORN MORROW & EICHHORN WILLIAM H EICHHORN ESQUIRE 524 J HOFFMAN AVENUE HAMMOND IN 46320	
05WIT2057566 1 99999 EIDG AMT FUR ENERGIEWIRTSCHAFT NUCLEAR SAFETY DIVISION ROLAND NAEGELIN ADMINISTRATOR 5303 WUERENLINGEN SWITZERLA		094303064766 1 99999 ELECTRIC POWER RESEARCH INST NSAC JOSEPHINE FISHER 3412 HILLVIEW AVENUE BOX 10412 PALO ALTO CA 94303	
094303054728 1 99999 ELECTRIC POWER RESEARCH INST NSAC ROBERT LEYSE PROGRAM MANAGER PO BOX 10412 PALO ALTO CA 94303		020008079698 1 99999 EMBASSY OF GREAT BRITAIN ALISON COULTER 3100 MASSACHUSETTS AVE NW WASHINGTON DC 20008	
020037000346 1 99999 EMBASSY OF JAPAN SCIENCE SECTION TETSUHISA SHIRAKAWA 600 NEW HAMPSHIRE AVE NW SUITE 900 WASHINGTON DC 20037		0ITALY008074 1 99999 ENEA EXTERNAL RELATIONS DISP PIERO VANNI ADMINISTRATOR VIALE REGINA MARGHERITA 125 00198 RCME ITALY	
015222062525 1 99999 ENERGY CONSULTANTS INC CORPORATE LIBRARIAN 121 SEVENTH STREET PITTSBURGH PA 15222		015222065752 1 99999 ENERGY CONSULTANTS INC OPERATION SERVICES DIV LIBRARIAN 800 PENN AVENUE PITTSBURGH PA 15222	
020850051943 1 99999 ENERGY INC KAY DOVE RESEARCH CONSULTANT 118 MONKUE ST #302 ROCKVILLE MD 20850		083402002752 1 99999 ENERGY INC TECHNICAL LIBRARY JACKIE LOOP PO BOX 736 IDAHO FALLS ID 83402	
002154032003 1 99999 ENERGY RESEARCH GROUP INC ROBERT CAPSTICK 400-1 TUTTEN POND ROAD WALTHAM MA 02154		002154001413 1 99999 ENERGY RESEARCH GROUP INC MARC W GOLDSMITH 400-1 TUTTEN POND ROAD WALTHAM MA 02154	

TECHNICAL SERVICES INC
D L MARTIN
PRESIDENT
PO BOX 59387
DALLAS TX 75229

050158053007 1 99999
FINLAND INST OF RADIAT PROTECT
ADMNSTRATOR
PO BOX 268
00101 HELSINKI 10 FINLAND

050158053007 1 99999
FISHER CONTROLS CO
J R BOVEE
PO BOX 190
MARSHALLTOWN IA 50158

091720057035 1 99999
FLEET ANALYSIS CENTER
WDEP
WILLIAM ARNITZ
PROGRAM DIRECTOR
CORNCA CA 91720

032301005902 1 99999
FLORIDA CLEARINGHOUSE
STATE PLANNING & DEVELOPMENT
CAPITAL BLDG EXEC OFC OF GOV
TALLAHASSEE FL 32301

032301004858 1 99999
FLORIDA DEPT OF ENVIR REG
HAMILTON OWEN JR
ADMINISTRATOR
2600 BLAIRSTONE ROAD
TALLAHASSEE FL 32301

032231009733 1 99999
FLORIDA DEPT OF HLTH & REHAB
JOHN LANHAM
PUBLIC HEALTH PHYSICIST
PO BOX 210
JACKSONVILLE FL 32231

033450080956 1 99999
FLORIDA POWER & LIGHT CO
ST LUCIE 2 NPS
B J ESCUE
PLANT MANAGER
PO BOX 128
FT PIERCE FL 33450

033152064725 1 99999
FLORIDA POWER & LIGHT CO
D F MORGAN
MGR-CORP RECO'DS SERVICE
PO BOX 529100
MIAMI FL 33152

033450080957 1 99999
FLORIDA POWER & LIGHT CO
ST LUCIE 1 NPS
NAT WEEMS
QA CONSTRUCTION MANAGER
PO BOX 128
FT PIERCE FL 33450

033101006556 1 99999
FLORIDA POWER & LIGHT CO
TURKEY POINT NPS
HENRY YAEGER
PLANT MANAGER
PO BOX 013100
MIAMI FL 33101

033733005795 1 99999
FLORIDA POWER CORP
S A BRANDIMORE
VICE PRESIDENT & GEN COUNSEL

FATRUCHIO WESTON SYSTEMS INC
WESTON CONTROLS DIV
A F ACHL
TECH LIBRN
KENNEDY DRIVE
ARCHBALD PA 18403

050158021209 1 99999
FINLAND INST OF RADIAT PROTECT
DEPARTMENT OF NUCLEAR SAFETY
A VUORINEN
DIRECTOR
P O BOX 268
00101 HELSINKI 10 FINLAND

050158021209 1 99999
FISHER CONTROLS CO
ROY R BRODIN
ENG CODES & STDS
PO BOX 11
MARSHALLTOWN IA 50158

032304005799 1 99999
FLORIDA ATTORNEY GENERAL
DEPT OF LEGAL AFFAIRS
THE CAPITOL
TALLAHASSEE FL 32304

032301005798 1 99999
FLORIDA DEPT OF ENVIR REG
POWER PLANT SITING SECTION
ADMINISTRATOR
2600 BLAIR STONE ROAD
TALLAHASSEE FL 32301

032301012056 3 99999
FLORIDA DEPT OF HLTH & REHAB
RADIATION CONTROL PROGRAM
LYLE JERRETT
DIRECTOR
1317 WINEWOOD BLVD SUITE 219
TALLAHASSEE FL 32301

032304005797 1 99999
FLORIDA OFFICE OF PUBL COUNSEL
JACK SCHREVE
HOLLAND BLDG
ROOM 4
TALLAHASSEE FL 32304

033454064618 1 99999
FLORIDA POWER & LIGHT CO
J P LEWIS
VAULT CUSTODIAN
PO BOX 128
PSL-1 QC
FT PIERCE FL 33454

033408006241 1 99999
FLORIDA POWER & LIGHT CO
ADVANCED SYSTEMS & TECHNOLOGY
ROBERT E UHRIG
VICE PRESIDENT
PO BOX 14000
JUNO BEACH FL 33408

033454079153 1 99999
FLORIDA POWER & LIGHT CO
ST LUCIE UNITS 1 & 2
C M WEITHY
PLANT MANAGER
PO BOX 128
FORT PIERCE FL 33454

033152064656 1 99999
FLORIDA POWER & LIGHT CO
K N YORK
DOCUMENT CONTROL SUPVR
PO BOX 529100
MIAMI FL 33152

033733005803 1 99999
FLORIDA POWER CORP
NUCLEAR OPERATIONS
J A HANCOCK

007039053011 1 99999	007039056039 1 99999
FOSTER WHEELER ENERGY CORP W J FINAN QUALITY ASSURANCE 110 SOUTH ORANGE AVENUE LIVINGSTON NJ 07039	FOSTER WHEELER ENERGY CORP CHARLES WASH 110 SOUTH ORANGE AVENUE LIVINGSTON NJ 07039
017110005449 1 99999	002035064465 1 99999
FOX FAHR & CUNNINGHAM JORDAN D CUNNINGHAM 2320 N SECOND ST HARRISBURG PA 17110	FOXBORO CO SYSTEMS OPERATIONS SYSTEMS QUALITY SERVICE MECHANIC ST 0961 FOXBORO MA 02035
002035053012 3 99999	002333064466 1 99999
FOXBORO CO NEPONSET PLANT HAROLD O DENZER JR 38 NEPONSET AVENUE DEPT. 137 FOXBORO MA 02035	FOXBORO CO QUALITY CONTROL ENGINEERING GEORGE DUSTMAN 600 N BEDFORD ST D-704 EAST BRIDGEWATER MA 02333
015235011881 1 99999	019103064783 1 99999
FRAMATOME 670 WESTINGHOUSE NES CLAUDIA GRANCHE 300 PENN CENTER BLVD SUITE 600 PITTSBURGH PA 15235	FRANKLIN INSTITUTE FRANKLIN RESEARCH CENTER S P CARFAGNO MRC CONTRACT 20TH & RACE STS PHILADELPHIA PA 19103
020037006298 1 99999	019065006440 1 99999
FRIED FRANK HARRIS ET AL HAROLD P GREEN THE WATERGATE 600 600 NEW HAMPSHIRE AVE NW SUITE 1000 WASHINGTON DC 20037	FRIENDS OF THE EARTH DELAWARE VALLEY ROBERT L ANTHONY 103 VERNON LANE BOX 186 MOYLAN PA 19065
094111006026 1 99999	043603007102 1 99999
FRIENDS OF THE EARTH ANDREW BALDWIN 124 SPEAR ST SAN FRANCISCO CA 94111	FULLER & HENRY PAUL A SMART 300 MADISON AVE PO BOX 2088 TOLEDO OH 43603
08BRAZ1028680 1 99999	085010052916 1 99999
FURNAS CENTRAIS ELÉTRICAS SA DIV BIBLIOTECA RUA REAL GRANDEZA 219 2038 RIO DE JANEIRO 22283 BRAZIL	GARRETT TURBINE ENGINE CO LIBRARY 111 SOUTH 34TH STREET PHOENIA AZ 85010
094123064672 1 99999	002149053014 1 99999
GATEWAY SYSTEM INC R L ANDERSON PRESIDENT 2271 UNION ST SUITE 5 SAN FRANCISCO CA 94123	GAULIN CORP 44 GARDEN ST EVERETT MA 02149
092138001584 1 99999	020006006319 1 99999
GENERAL ATOMIC CO NUCLEAR MATLS CONTROL DIV LICENSING ADMINISTRATOR P O BOX 81608 SAN DIEGO CA 92138	GENERAL ATOMIC CO EAST COAST OFFICE JAMES B GRAMAM 2021 K STREET NW SUITE 709 WASHINGTON DC 20006
092138064750 1 99999	092138001466 1 99999
GENERAL ATOMIC CO L M WABJOHNS SUPERVISOR REC MGMT PO BOX 81608 SAN DIEGO CA 92138	GENERAL ATOMIC CO FRANK A WARNER P O BOX 81608 SAN DIEGO CA 92138
006340020097 2 99999	075125001598 1 99999
GENERAL DYNAMICS CORP ELECTRIC BOAT DIVISION MAINFILE-DEPT 633 EASTERN POINT RD GRUFCN CT 06340	GENERAL ELECTRIC CO NUCLEAR ENERGY DIV LIBRARY 175 CURTNER AVE MC 528

40 FEDERAL STREET WEST LYNN MA 01910		175 CURTNER AVENUE M/C 827 SAN JOSE CA 95125	
094566001593 1 GENERAL ELECTRIC CO VALLECITOS NUCLEAR CENTER G E CUNNINGHAM PO BOX 460 PLEASANTON CA 94566	99999	094566020460 1 GENERAL ELECTRIC CO VALLECITOS NUCLEAR CENTER R W GARMITZEL PO BOX 460 PLEASANTON CA 94566	99999
028402053025 1 GENERAL ELECTRIC CO WILMINGTON MFG DEPARTMENT C W DOYLE POST OFFICE BOX 780 A32 WILMINGTON NC 28402	99999	019142055290 1 GENERAL ELECTRIC CO PWR SYS MGMT BUS DEPT E J FIERKO GENERAL MANAGER 6901 ELMWOOD AVE PHILADELPHIA PA 19142	99999
095125007112 1 GENERAL ELECTRIC CO D L FOREMAN PROJECT MANAGER 175 CURTNER AVE SAN JOSE CA 95125	99999	052601053024 1 GENERAL ELECTRIC CO SWITCHGEAR BUSINESS DEPARTMENT ROGER F GREENE MGR BURLINGTON PLANT OPERATION AGENCY ROAD P O BOX 488 BURLINGTON IA 52601	99999
060521065205 1 GENERAL ELECTRIC CO R C HOOPER 814 COMMERCE DR SUITE 305 OAK BROOK IL 60521	99999	095125064718 1 GENERAL ELECTRIC CO T C LANCASTER SPECIALIST OP SUP ENG 175 CURTNER AVENUE 714 SAN JOSE CA 95125	99999
095125006263 1 GENERAL ELECTRIC CO RAY LEPRE PROJECT MANAGER ACNGS 175 CURTNER AVE SAN JOSE CA 95125	99999	028402064770 1 GENERAL ELECTRIC CO F M MALIGA MGR QUAL VERI & RECORDS PO BOX 780 M/C B72 WILMINGTON NC 28402	99999
095125006442 1 GENERAL ELECTRIC CO J M MILLARD PROJECT MANAGER 175 CURTNER AVE-MAIL SAN JOSE CA 95125	99999	094086066484 1 GENERAL ELECTRIC CO LICENSING & REACTOR SYSTEMS W H PHELAN 310 DEGUIGNE DRIVE PO BOX 508 SUNNYVALE CA 94086	99999
017355063069 1 GENERAL ELECTRIC CO POWER SYS MGMT BUSINESS DEPT CASE SCOTT 205 GREAT VALLEY PKY MD-1106 MALVERN PA 17355	99999	095125006033 1 GENERAL ELECTRIC CO GLENN SHERWOOD 175 CURTNER AVENUE M/C 682 SAN JOSE CA 95125	99999
095125006384 1 GENERAL ELECTRIC CO NUCLEAR ENERGY DIVISION JOHN M SKARPELOS 175 CURTNER AVENUE MC117 SAN JOSE CA 95125	99999	020014039641 1 GENERAL ELECTRIC CO JOAN STARR 7910 WOODMONT AVENUE SUITE 203 BETHESDA MD 20014	99999
095125065234 1 GENERAL ELECTRIC CO HOWARD T WATANABE 175 CURTNER AVE MC 682 SAN JOSE CA 95125	99999	061701038048 1 GENERAL ELECTRIC CO CHARLES WETTER PO BOX 2913 BLOOMINGTON IL 61701	99999
074036055265 1 GENERAL ELECTRIC CO NUCLEAR ENERGY R M WYATT ROUTE 1 BOX 378 INDLA OK 74036	99999	037415026373 1 GENERAL PHYSICS CORP CHATTANOOGA DIVISION TECHNICAL INFORMATION CENTER ONE NORTHGATE PARK CHATTANOOGA TN 37415	99999
021044079621 1 GENERAL PHYSICS CORP TECHNICAL INFORMATION CENTER M L KNIGHT ADMINISTRATOR 1000 CENTURY PLAZA	99999	020144064653 1 GENERAL PHYSICS CORP R R TOUZIN SENIOR SPECIALIST 1000 CENTURY PLAZA COLUMBIA	99999

CHARLES H. BADGER 270 WASHINGTON STREET SW ROOM 610 ATLANTA	GA 30334	GEORGIA POWER CO J T BECKHAM VICE PRESIDENT-NUC GENERATION PO BOX 4545 ATLANTA	GA 30302
030302008706 1 GEORGIA POWER CO NUCLEAR GENERATION J T BECKHAM JR PO BOX 4545 333/16 ATLANTA	99999 GA 30302	031513080897 1 GEORGIA POWER CO C E BELFLOWER SITE QA SUPERVISOR PO BOX 442 BAXLEY	99999 GA 31513
030302001549 1 GEORGIA POWER CO POWER SUPPLY DUGG DUTTON VICE PRESIDENT-PRODUCT MGMT PO BOX 4545 ATLANTA	99999 GA 30302	030302006493 1 GEORGIA POWER CO D G FOSTER PO BOX 4545 ATLANTA	99999 GA 30302
030302080901 1 GEORGIA POWER CO D O FOSTER PROJECT GENERAL MANAGER PO BOX 4545 ATLANTA	99999 GA 30302	030830080903 1 GEORGIA POWER CO H H GREGORY CONSTRUCTION PROJECT MANAGER PO BOX 282 WAYNESBORO	99999 GA 30830
030830080902 1 GEORGIA POWER CO E C GROOVER QA SITE SUPERVISOR PO BOX 282 WAYNESBORO	99999 GA 30830	030302001431 1 GEORGIA POWER CO L T GUCWA CHIEF NUCLEAR ENGINEER PO BOX 4545 ATLANTA	99999 GA 30302
030302080904 1 GEORGIA POWER CO R J KELLY EXECUTIVE VICE PRESIDENT PO BOX 4545 ATLANTA	99999 GA 30302	030830004711 1 GEORGIA POWER CO VOGTL NPS M HANRY PLANT MANAGER PO BOX 282 WAYNESBORO	99999 GA 30830
031513005791 1 GEORGIA POWER CO EDWIN I HATCH PLANT MAX HANRY PO BOX 442 BAXLEY	99999 GA 31513	031513080898 1 GEORGIA POWER CO MATCH NPS 1 & 2 M C NIX PLANT MANAGER PO BOX 439 BAXLEY	99999 GA 31513
030830064729 1 GEORGIA POWER CO B H QUICK SITE RECORDS MGMT SUPVR PO BOX 282 PLANT VOGTLE WAYNESBORO	99999 GA 30J30	020830064731 1 GEORGIA POWER CO W L SHUMAN SITE DOCUMENT SUPERVISOR PO BOX 282 WAYNESBORO	99999 GA 20830
030334080966 1 GEORGIA PUBLIC SERVICE COM HUGH S JORDAN EXECUTIVE SECRETARY 244 WASHINGTON ST SW ATLANTA	99999 GA 30334	OMGERM081467 1 GESELLSCHAFT FUR REAKTOR SICHE E LINDAUER GLOCKENGASSE 2 5000 COLOGNE 1 NGERMAN	99999 NGERMAN
010001001192 1 GIBBS & HILL INC LIBRARY RALPH F DEANGELIS CHIEF LIBRARIAN 11 PENN PLAZA NEW YORK	99999 NY 10001	010001022168 1 GIBBS & HILL INC M N REDDIS MANAGER QA 393 7TH AVE NEW YORK	99999 NY 10001
010001081577 1 GIBBS & HILL INC D C PURDY MANAGER-ADVANCED TECH 11 PENN PLAZA NEW YORK	99999 NY 10001	095110064501 1 GIBBS & HILL INC WESTERN REGIONAL OFFICE JACQUELYN L RICHARDSON SR TECH ADM SPECIALIST 226 W BROKAW RD SAN JOSE	99999 CA 95110
010001006517 1 GIBBS & HILL INC H R ROCK 393 SEVENTH AVE NEW YORK	99999 NY 10001	010001008707 1 GIBBS & HILL INC PETER M SMITH PRESIDENT 393 SEVENTH AVENUE	99999

019603064712	1	99999	044081064634	1	99999
GILBERT COMMONWEALTH			GILBERT COMMONWEALTH		
L B EILAND			R D POTTS		
RECORDS MGMT CONSULTANT			RECORDS MGMT SUPERVISOR		
PO BOX 1498			PO BOX 97		
READING PA 19603			PERRY OH 44081		
019606064635	1	99999	070116001282	1	99999
GILBERT COMMONWEALTH			GILLESPIE & JONES		
INFORMATION MGMT DEPT			LUKE FONTANA		
B W PRATHER			ESQUIRE		
MANAGER			824 ESPLANADE AVENUE		
PO BOX 1498			NEW ORLEANS LA 70116		
READING PA 19606					
031520026178	1	99999	044316022802	1	99999
GLYNN COUNTY HEALTH DEPT			GOODYEAR CORP		
JERRY MORRIS			RESEARCH DIVISION		
RADIATION SAFETY OFFICER			P J REILLY		
PO BOX 1219			142 GOODYEAR BLVD		
BRUNSWICK GA 31520			AKRON OH 44316		
021048081045	1	99999	019042053031	1	99999
GOULD INC			GOULD INC		
MOTOR CONTROL CENTER			INDUSTRIAL BATTERY DIVISION		
GENE CUNAHAN			RAYMOND R FLETCHER		
PRODUCT SALES MANAGER			2050 CAROT BLVD W		
2002 BETHEL RD			LANGHORNE PA 19042		
FINKSBURG MD 21048					
021048021778	1	99999	007054005790	1	99999
GOULD INC			GPU NUCLEAR		
DISTRIBUTION & CONTROLS DIV			MU LIBRARY		
ROBERT WATHEN			LIBRARIAN		
2002 BETHEL RD			100 INTERPACE PKWY		
FINKSBURG MD 21048			PARSIPPANY NJ 07054		
017057054322	1	99999	017057081274	1	99999
GPU NUCLEAR			GPU NUCLEAR		
ROBERT C ARNOLD			DOUG BEDELL		
PRESIDENT			PO BOX 480		
PO BOX 480			MIDDLETOWN PA 17057		
MIDDLETOWN PA 17057					
008731081561	1	99999	017057081558	1	99999
GPU NUCLEAR			GPU NUCLEAR		
OSTER CREEK NPS			TMI-2		
P B FIEDLER			B K KANGA		
VICE PRESIDENT & DIRECTOR			DIRECTOR		
PO BOX 388			PO BOX 480		
FORKED RIVER NJ 08731			MIDDLETOWN PA 17057		
008731080930	1	99999	017057080922	1	99999
GPU NUCLEAR			GPU NUCLEAR		
OSTER CREEK NUC GENERATING ST			TMI 2		
M LAGGERT			J E LARSON		
LICENSING SUPERVISOR			SUPERVISOR OF LICENSING		
PO BOX 388			PO BOX 480		
FORKED RIVER NJ 08731			MIDDLETOWN PA 17057		
017057007114	1	99999	017057081559	1	99999
GPU NUCLEAR			GPU NUCLEAR		
TMI-1			J W THIESING		
C W SMYTH			MANAGER-RECOVERY PROGRAMS		
LICENSING SUPERVISOR			PO BOX 480		
PO BOX 480			MIDDLETOWN PA 17057		
MIDDLETOWN PA 17057					
017057006294	1	99999	007054001271	1	99999
GPU NUCLEAR			GPU NUCLEAR		
R J TOOLE			E G WALLACE		
MANAGER TMI-1			LICENSING MANAGER		
PO BOX 480			100 INTERSPACE PARKWAY		
MIDDLETOWN PA 17057			PARSIPPANY NJ 07054		
007054039640	1	99999	007054080995	1	99999
GPU NUCLEAR			GPU SERVICE CORP		
E G WALLACE			R K PASTOR		
PMR LICENSING MANAGER			PROJECT MANAGER		
100 INTERSPACE PARKWAY			260 CHERRY HILL RD		
PARSIPPANY NJ 07054			PARSIPPANY NJ 07054		

<p>NUCLEAR REGULATORY SERVICES AGHIA PANASKEVI ATTIKI GREECE</p>	<p>816 ENTERPRISE BLDG TULSA OK 74105</p>
<p>040040053034 1 99999 GREER HYDRAULICS INC DONALD DIPACLA SUPERVISOR CONTRACTS ADMINISTR 6500 E. SLOANSON AVENUE CITY OF COMMERCE CA 90040</p>	<p>008876064458 1 99999 GULF & WESTERN MFG CO TAYLOR BENNEY DIV M B GRUHL GA MFG-TAYLOR FORGE STAINLESS READINGTON RD SUMERVILLE NJ 08876</p>
<p>052803055300 1 99999 GULF & WESTERN MFG CO EAGLE SIGNAL DIVISION JAY HARRINSON QA MANAGER 736 FEDERAL STREET DAVENPORT IA 52003</p>	<p>060690053033 1 99999 GULF & WESTERN MFG CO ENERGY PRODUCTS GROUP DAVID L SMIRA P O BOX 485 CHICAGO IL 60690</p>
<p>002886064453 1 99999 GULF & WESTERN MFG CO FLUID SYSTEMS JOHN F WALTER GENERAL MANAGER 25 GRAYSTONE STREET WARWICK RI 02886</p>	<p>032520008709 1 99999 GULF POWER CO B M GUTHRIE EXECUTIVE VICE PRESIDENT PO BOX 1151 PENSACOLA FL 32520</p>
<p>070775062571 1 99999 GULF STATES UTILITIES CO RIVER BEND STATION LIBRARY PO BOX 220 ST FRANCISVILLE LA 70775</p>	<p>077704064583 1 99999 GULF STATES UTILITIES CO T E AMERINE SUPV NUCLEAR DOCUMENT CTR PO BOX 2951 BEAUMONT TX 77704</p>
<p>077704001519 1 99999 GULF STATES UTILITIES CO R BEND NUCLEAR GROUP WILLIAM J CAMILL SENIOR VICE PRESIDENT PO BOX 2951 BEAUMONT TX 77704</p>	<p>077701064636 1 99999 GULF STATES UTILITIES CO R G RAMSEY NUCLEAR STAFF ASSISTANT PO BOX 2951 BEAUMONT TX 77701</p>
<p>077704006483 1 99999 GULF STATES UTILITIES CO WILLIAM J REED DIRECTOR-NUCLEAR LICENSING PO BOX 2951 BEAUMONT TX 77704</p>	<p>077701064765 1 99999 GULF STATES UTILITIES CO J W SYME NUCLEAR RECORDS REPRESENT PO BOX 2951 BEAUMONT TX 77701</p>
<p>092627053035 1 99999 GULFON INDUSTRIES INC GULFON S C O BRUCE FITZHUGH PRESIDENT 1646 WHITTIER AVENUE COSTA MESA CA 92627</p>	<p>007029053513 1 99999 GUYON ALLOYS INC GEORGE GRUNTHALER 959 SOUTH FOURTH STREET HARRISON NJ 07029</p>
<p>706424005415 1 99999 MADDAM NECK PLANT SUPERINTENDENT POST OFFICE BOX 127E RFD #1 EAST HAMPTON CT 06424</p>	<p>020006007117 1 99999 HARMON & WEISS UNION OF CONCERNED SCIENTISTS 1725 I STREET NW SUITE 506 WASHINGTON DC 20006</p>
<p>020006007097 1 99999 HARMON & WEISS LYNNE A BERNABEI 1725 I STREET NW SUITE 506 WASHINGTON DC 20006</p>	<p>020006007121 1 99999 HARMON & WEISS DIANE CURRAN 1725 I STREET NW SUITE 506 WASHINGTON DC 20006</p>
<p>020006005741 1 99999 HARMON & WEISS WILLIAM S JORDAN 1725 I STREET NW SUITE 506 WASHINGTON DC 20006</p>	<p>020006005447 1 99999 HARMON & WEISS KARIN P SHELDON 1725 I STREET NW SUITE 506 WASHINGTON DC 20006</p>
<p>020006007076 1 99999 HARMON & WEISS ELLYN R WEISS 1725 I STREET NW SUITE 506 WASHINGTON DC 20006</p>	<p>053201053037 1 99999 HARNISCHFEGER CORP HEAVY DUTY CRANES GUY JOHNSON GENERAL SALES MANAGER POST OFFICE BOX 310</p>

FRANCIS T JOBA
56 PROSPECT STREET
HARTFORD CT 06102

005401053038 1 99999
MAYNARD TYLER PUMP CO
RICHARD GROESCHEL
JA MANAGER
POST OFFICE BOX 492
BURLINGTON VT 05401

020036005460 1 99999
HILL CHRISTOPHER & PHILLIPS
HERBERT F BROWN
LAWRENCE CUE LANPHER
1900 M ST NW
WASHINGTON DC 20036

0ENGLA053198 1 99999
MOPKINSONS LTD
BRITANNIA WORKS
R WATSON
PO BOX B27
HDZ ZURJ
HUDDERSFIELD ENGLAND

036301005823 1 99999
HOUSTON COUNTY COMMISSION
CHAIRMAN
DUTHAN AL 36301

077001001479 1 99999
HOUSTON LIGHTING & POWER CO
SOUTH TEXAS PROJECT
D G BARKER
MANAGER
PO BOX 1700
HOUSTON TX 77001

077001006267 1 99999
HOUSTON LIGHTING & POWER CO
NUCLEAR ENGINEERING & CONSTRUCT
J H GOLDBERG
VICE PRESIDENT
PO BOX 1700
HOUSTON TX 77001

077001001528 1 99999
HOUSTON LIGHTING & POWER CO
G W OPREA
VICE PRESIDENT
PO BOX 1700
HOUSTON TX 77001

077001064651 1 99999
HOUSTON LIGHTING & POWER CO
P A SWERINGEN JR
GEN SUPVR PROJ ADMIN
PO BOX 1700
HOUSTON TX 77001

083642053042 1 99999
HUICO INC
POST OFFICE BOX 208
MERIDIAN ID 83642

023212005665 1 99999
HUNTUN & WILLIAMS
MICHAEL W MAUPIN
PO BOX 1535
RICHMOND VA 23212

049770007061 1 99999
MURST & HANSON
COUNSEL FOR INTERVENORS
311 172 E MITCHELL
PEIOSKY MI 49770

HEALTH DEPT OF HEALTH
MELVIN A KOZUMI
DEPUTY DIR FOR ENVIRON HEALTH
PO BOX 3378
HONOLULU HI 96801

060507053039 1 99999
HENRY PRATT CO
A K WILSON
VICE PRESIDENT ENGINEERING
401 SOUTH HIGHLAND AVENUE
AURORA IL 60507

021045063964 1 99999
HITMAN NUCLEAR & DEVELOP CORP
ENGINEERING
CHARLES W HALLORY
VICE PRESIDENT
9190 RED BRANCH ROAD
COLUMBIA MD 21045

077002001156 1 99999
HOUSTON BAR CENTER
CARRC HINDERSTEIN
723 MAIN STREET
SUITE 500
HOUSTON TX 77002

077001006243 1 99999
HOUSTON LIGHTING & POWER CO
EXECUTIVE VICE PRESIDENT
PO BOX 1700
HOUSTON TX 77001

077002064711 1 99999
HOUSTON LIGHTING & POWER CO
T DZIALO
LEADER RECORDS MANAGEMENT
611 WALKER
HOUSTON TX 77002

077001006265 1 99999
HOUSTON LIGHTING & POWER CO
P A HORN
PO BOX 1700
HOUSTON TX 77001

077001064730 1 99999
HOUSTON LIGHTING & POWER CO
P REID
RECORDS MANAGEMENT SUPVR
PO BOX 1700
HOUSTON TX 77001

077001005308 1 99999
HOUSTON LIGHTING & POWER CO
MARK R WISENBERG
MANAGER-NUCLEAR LICENSING
PO BOX 1700
HOUSTON TX 77001

061856063895 1 99999
HUMAN FACTORS SOCIETY
CHARLES O HOPKINS
28 FOOTHILL RD
MONTICELLO IL 61856

023212000793 1 99999
HUNTUN & WILLIAMS
W T REVELEY III
ESQUIRE
PO BOX 1535
RICHMOND VA 23212

094105064599 1 99999
IBM CORP
L A EVERS
SENIOR INDUSTRY SPECIALIST
425 HARVEY ST 10TH FLOOR

1035 OUTER PARK DRIVE 5TH FL
SPRINGFIELD IL 62704

062704080974 1 99999
ILLINOIS DEPT OF NUCLEAR SFTY
NUCLEAR FACILITY SAFETY
GARY N WRIGHT
MANAGER
1035 OUTER PARK DRIVE
SPRINGFIELD IL 62704

062525007035 1 99999
ILLINOIS POWER CO
JULIUS GEIER
500 SOUTH 27TH STREET
DECATUR IL 62525

061727064734 1 99999
ILLINOIS POWER CO
CLINTON NPS
C M WALDEN
SUPVR SITE DOCUMENTS
PO BOX 678
CLINTON IL 61727

062525007036 1 99999
ILLINOIS POWER CO
GEORGE WULLER
SUPERVISOR OF LICENSING
500 SOUTH 27TH STREET
DECATUR IL 62525

0INDIA038061 1 99999
INDIA DEPT OF ATOMIC ENERGY
TAKAPUR ATOMIC POWER PROJECT
K NANJUNDESWARAN
DEPUTY CHIEF SUPERINTENDENT
THANA DISTRICT
MAHARASHTRA 401504 INDIA

010004005699 1 99999
INDIANA & MICHIGAN POWER CO
JOHN DOLAN
VICE PRESIDENT
BOWLING GREEN STATION
PO BOX 18
NEW YORK NY 10004

046206012128 1 99999
INDIANA BOARD OF HEALTH
RALPH C PICKARD
ASST COMMISSIONER-ENVIR HEALTH
1330 WEST MICHIGAN STREET
INDIANAPOLIS IN 46206

047401000516 1 99999
INDIANA SASSAFRAS AUDUBON SOC
DAVID G FREY
MRS
2625 S SMITH RD
BLOOMINGTON IN 47401

020877064650 1 99999
INFO & BUSINESS SYSTEMS INC
O R SURGEN
PRES
9168 GAITHER RD BOX 635
GAITHERSBURG MD 20877

066110064696 1 99999
INLAND VITAL RECORDS CENTER
S SCHULTZ
MANAGER
6500 INLAND DRIVE
KANSAS CITY KS 66110

010020067165 1 99999
INSIDE NRC
DON MARTIN
1221 AVE OF THE AMERICAS
NEW YORK NY 10020

1035 OUTER PARK DR
SPRINGFIELD IL 62704

061727064597 1 99999
ILLINOIS POWER CO
D S FONES
ADMINISTRATIVE SUPERVISOR
R R 3 BOX 228
CLINTON IL 61727

062525007034 1 99999
ILLINOIS POWER CO
L J KOLM
VICE PRESIDENT
500 SOUTH 27TH STREET
DECATUR IL 62525

062525004701 1 99999
ILLINOIS POWER CO
NUCLEAR STATION ENGR DEPT
G E WULLER
SUPERVISOR-LICENSING
500 SOUTH 27TH STREET
DECATUR IL 62525

060648053030 1 99999
IMPERIAL CLEVITE INC
FLUID COMPONENTS DIV
M J HERONICH
QA MANAGER
6300 WEST HOWARD STREET
CHICAGO IL 60648

010511005687 1 99999
INDIAN POINT 3 NUC POWER PLANT
JOHN C BRONS
RESIDENT MANAGER
PO BOX 215
BUCHANAN NY 10511

049106004699 1 99999
INDIANA & MICHIGAN POWER CO
DONALD C COOK NUCLEAR PLANT
W G SMITH
PLANT MANAGER
PO BOX 458
BRIDGMAN MI 49106

046204064700 1 99999
INDIANA PUBLIC SERVICE COM
ROBERT GLAZIER
CHIEF ENGINEER
901 STATE OFFICE BLDG
INDIANAPOLIS IN 46204

008650064452 1 99999
INDUSTRIAL ENGINEERING WORKS
H K HERRITT
QA/CONTROL MGR
PO BOX 8008
TRENTON NJ 08650

092805064702 1 99999
INFOETICS CORP
STEVE GILHEANY
SYSTEMS ENGINEER
1341 S CLAUDINA STREET
F193
ANAHEIM CA 92805

008060965236 1 99999
INNOVATION TECHNOLOGY INC
IRWIN SPANDAU
PO BOX 77
MOUNT HOLLY NJ 08060

020045037906 1 99999
INSIDE NRC
MARGARET RYAN
WASHINGTON EDITOR
433 NATIONAL PRESS BLDG
WASHINGTON DC 20045

<p> ASSISTANT DEPT. ASST PROF 05-400 SWIEK N EAR WARSAM PCLAND 092056040034 1 99999 INTL CONSULTANTS JAY S IYER 1620 WAGON WHEEL DRIVE OCEANSIDE CA 92056 </p>	<p> FACILITY MANAGER FACILITY MANAGER PO BOX 218 PLEASANTON CA 94566 002114063070 1 99999 INTL ENERGY ENGINEERING INC RICHARD E GREEN 77 N WASHINGTON STREET BOSTON MA 02114 </p>
<p> 050319081502 1 99999 IOWA COMMERCE COMMISSION THOMAS HOUVENAGLE LUCAS STATE OFFICE BLDG DES MOINES IA 50319 </p>	<p> 050319055550 1 99999 IOWA COMMERCE COMMISSION ANDREW VARLEY CHAIRMAN STATE CAPITOL DES MOINES IA 50319 </p>
<p> 052406009660 1 99999 IOWA ELECTRIC LIGHT & POWER CO ENGINEERING DUANE ARNOLD ASST VICE PRESIDENT PO BOX 351 CEDAR RAPIDS IA 52406 </p>	<p> 052406005645 1 99999 IOWA ELECTRIC LIGHT & POWER CO D L MINECK PO BOX 351 CEDAR RAPIDS IA 52406 </p>
<p> 052801005845 1 99999 IOWA ILLINOIS GAS & ELEC CO D W STICHNOTH PRESIDENT 206 EAST SECOND AVENUE DAVENPORT IA 52801 </p>	<p> 050319005647 1 99999 IOWA OFFICE FOR PLNG & PROG 523 EAST 12TH STREET DES MOINES IA 50319 </p>
<p> 044708000122 1 99999 INWIN STEEL FABRICATORS MCALLEY MFG DIV C A DEAY QUALITY ASSURANCE MGR 1545 WHIPPLE AVE SW CANTON OH 44700 </p>	<p> 060603005419 1 99999 ISHAM LINCOLN & BEALE COUNSELLORS AT LAW ONE FIRST NATIONAL PLAZA 42ND FLOR CHICAGO IL 60603 </p>
<p> 060603006204 1 99999 ISHAM LINCOLN & BEALE ALAN S FARNELL ONE FIRST NATIONAL PLAZA 42ND FL CHICAGO IL 60603 </p>	<p> 060603006559 1 99999 ISHAM LINCOLN & BEALE ROBERT G FITZGIBBONS 3 FIRST NATIONAL PLAZA SUITE 5200 CHICAGO IL 60603 </p>
<p> 020036005179 1 99999 ISHAM LINCOLN & BEALE JOSEPH GALLG ESQ 1120 CONNECTICUT AVE ROOM 325 WASHINGTON DC 20036 </p>	<p> 060606007082 1 99999 ISHAM LINCOLN & BEALE M I MILLER 1 FIRST NATIONAL PLAZA SUITE 4200 CHICAGO IL 60606 </p>
<p> 060602081590 1 99999 ISHAM LINCOLN & BEALE MICHAEL MILLER 3 FIRST NATIONAL PLAZA 51ST FLOOR CHICAGO IL 60602 </p>	<p> 060670001394 1 99999 ISHAM LINCOLN & BEALE PAUL M MURPHY ESQUIRE ONE FIRST NATIONAL PLAZA 42ND FLOOR CHICAGO IL 60670 </p>
<p> 060603005730 1 99999 ISHAM LINCOLN & BEALE PHILLIP P STEPTOE ONE FIRST NATIONAL PLAZA SUITE 4200 CHICAGO IL 60603 </p>	<p> 060603006202 1 99999 ISHAM LINCOLN & BEALE RONALD G ZANARIN ONE FIRST NATIONAL PLAZA 42ND FL CHICAGO IL 60603 </p>
<p> 0JAPAN053044 1 99999 ISHIKAWAJIMA HARIWA HEAVY IND NUCLEAR POWER DIVISION K TOMITA 1 SHIN-NAKAHARA-CHO NO 235 ISOGO KU YOKOHAMA JAPAN </p>	<p> 0ISRAE057568 1 99999 ISRAEL ATOMIC ENERGY COM LICENSING DIVISION DAN LITAI ADMINISTRATOR PO BOX 7061 TEL AVIV 61070 ISRAEL </p>
<p> 091201055299 1 99999 ITT GENERAL CONTROLS SID LEHMAN COORD & Q C ENG 801 ALLEN AVENUE GLENDALE CA 91201 </p>	<p> 002901038043 1 99999 ITT GRINNELL CORP EDWARD BEFFA 260 WEST EXCHANGE STREET PROVIDENCE RI 02901 </p>

JANAL
FIA KREUZINER
GA MANAGER
640 LINCOLN STREET
WORCHESTER MA 01605

JANAL
FIA KREUZINER
GA MANAGER
640 LINCOLN STREET
WORCHESTER MA 01605

077373067263 1 99999
JANAL MFG CO
RALPH WEIGHTMAN
24131 HARDY RD
SPRING TX 77373

037919064537 1 99999
JBF ASSOCIATES INC
MYRON CASADA
1630 DOWNTOWN WEST BLVD
KNOXVILLE TN 37919

008731006394 1 99999
JERSEY CENTRAL PWR & LIGHT CO
OYSTER CREEK NUC GENERAT STA
LICENSING SUPERVISOR
PO BOX 388
FORKED RIVER NJ 08731

008731006493 1 99999
JERSEY CENTRAL PWR & LIGHT CO
OYSTER CREEK NUCLEAR STATION
J T CARROLL JR
DIRECTOR OYSTER CREEK OPS
PO BOX 388
FORKED RIVER NJ 08731

008731001562 1 99999
JERSEY CENTRAL PWR & LIGHT CO
OYSTER CREEK NUC GENERATING ST
P B FIEDLER
VICE PRESIDENT-GENERATION
PO BOX 388
FORKED RIVER NJ 08731

008731005324 1 99999
JERSEY CENTRAL PWR & LIGHT CO
OYSTER CREEK NUC PWR STATION
M LAGGART
PLANT SUPERINTENDENT
PO BOX 388
FORKED RIVER NJ 08731

010005026889 1 99999
JOHNSON & HIGGINS
NUCLEAR ADVISORY GROUP
T COMISKEY
95 WALL STREET
NEW YORK NY 10005

070139038381 1 99999
JOHNSON & HIGGINS
NUCLEAR ADVISORY GROUP
THEODORE RUDDOCK
ONE SHELL SQUARE 5TH FLOOR
NEW ORLEANS LA 70139

053201066231 1 99999
JOHNSON CONTROLS INC
FRANK RECK
507 EAST MICHIGAN ST
MILWAUKEE WI 53201

091740053052 1 99999
JOHNSTON PUMP CO
1775 EAST ALLEN AVENUE
GLENDDORA CA 91740

044115066699 1 99999
JONES DAY REAVIS & POGUE
ROBERT BROWN
1700 UNION COMMERCE BLDG
CLEVELAND OH 44115

094623001049 1 99999
KAISER ENGINEERS POWER CORP
LICENSING QUALITY ASSURANCE
CHARLES D COFFER
MANAGER
PO BOX 23210
OAKLAND CA 94623

020036032157 1 99999
KANSAS ELECTRIC POWER CO INC
RUMIHRO OTA
MANAGER
1100 17TH ST N W
SUITE 606
WASHINGTON DC 20036

067201005474 1 99999
KANSAS FOR SENSIBLE ENERGY
PO BOX 3192
MICHITA KS 67201

064141080935 1 99999
KANSAS CITY POWER & LIGHT CO
D T MCPHEE
VICE PRESIDENT
PO BOX 679
KANSAS CITY MO 64141

064141001348 1 99999
KANSAS CITY POWER & LIGHT CO
DONALD T MCPHEE
VICE PRESIDENT - PRODUCTION
1330 BALTIMORE AVENUE
KANSAS CITY MO 64141

066620012140 1 99999
KANSAS DEPT OF HEALTH & ENVIRM
BUREAU OF RADIATION CONTROL
GERALD W ALLEN
DIRECTOR
FORBES FIELD BLDG 321
TOPEKA KS 66620

066604006507 1 99999
KANSAS ELEC POWER COOP INC
JOE MULHOLLAND
MANAGER-POWER SUPPLY & ENGRG
PO BOX 4877 - GAGE CTR STATION
TOPEKA KS 66604

067201001353 1 99999
KANSAS GAS & ELEC CO
LEGAL
RALPH FOSTER
ESQUIRE
PO BOX 208
MICHITA KS 67201

067201005268 1 99999
KANSAS GAS & ELEC CO
GLENN L KOESTER
VICE PRESIDENT-NUCLEAR
PO BOX 208
MICHITA KS 67201

067201001554 1 99999
KANSAS GAS & ELEC CO
NUCLEAR
GLENN L KOESTER
201 NORTH MARKET STREET

066612005471 1 99999
KANSAS STATE CORP COMMISSION
MICHAEL C KEENER
WOLF CREEK PROJECT DIRECTOR
STATE OFFICE BLDG

RENAULT COUNTY COURTHOUSE
RENAUNEE WI 54216

020036007062 1 99999
KIRKPATRICK LOCKHART ET AL
HERBERT M BROWN
ESQ
1900 M ST NW
8TH FLOOR
WASHINGTON DC 20036

020036007064 1 99999
KIRKPATRICK LOCKHART ET AL
KARLA J LETSCHE
ESQ
1900 M ST NW
WASHINGTON DC 20036

020006067283 1 99999
KMC INC
JOAN BREADY
1747 PENNSYLVANIA AVE NW
WASHINGTON DC 20006

017108005438 1 99999
KNUPP & ANDREWS
ROBERT L KNUPP
ASSISTANT SOLICITOR
407 N FRONT STREET
PO BOX P
HARRISBURG PA 17108

015222057893 1 99999
L K COMSTOCK & CO INC
TECHNICAL SERVICES
JAMES W DELL
MANAGER
920 FORT DUQUESNE BLVD
PITTSBURGH PA 15222

053209053059 1 99999
LAKESIDE BRIDGE & STEEL CO
WILLIAM E JUNAS
DIRECTOR-QA
5300 NORTH 33RD STREET
MILWAUKEE WI 53209

049423081887 1 99999
LAWRENCE ENGINEERING ASSOC INC
675 E 16TH ST SUITE 20
HOLLAND MI 49423

063114006112 1 99999
LEAGUE OF WOMEN VOTERS
MISSOURI CHAPTER
LENORE LOEB
2138 WOODSON ROAD
ST LOUIS MO 63114

063114006113 1 99999
LEAGUE OF WOMEN VOTERS
MISSOURI CHAPTER
BARBARA SHULL
2138 WOODSON ROAD
ST LOUIS MO 63114

020036006179 1 99999
LEBOEUF LAMB LEIBY & MACRAE
ROBERT S FARON
1333 NEW HAMPSHIRE AVE NW
SUITE 1100
WASHINGTON DC 20036

020036006120 1 99999
LEBOEUF LAMB LEIBY & MACRAE
MARILYN A SHAW
1333 NEW HAMPSHIRE AVE NW
SUITE 1100
WASHINGTON DC 20036

3730 PENNSYLVANIA STREET
PHILADELPHIA PA 19104

020036007063 1 99999
KIRKPATRICK LOCKHART ET AL
LAWRENCE C LANPTIER
ESQ
1900 M ST NW
WASHINGTON DC 20036

0MGERMOS3057 1 99999
KLOCKNER-MERK AG
GEURGS-MARTENMERKE
W AUSTEL
QA MANAGER
PO BOX 27 80
D 4500 OSNABRUCK WGERMANY

012301007985 1 99999
KNOLLS ATOMIC POWER LAB
LIBRARY
LIBRARIAN
PO BOX 1072
SCHENECTADY NY 12301

010023024756 1 99999
KCHANOFF ENERGY ASSOCIATES
CHARLES KCHANOFF
333 WEST END AVE
14TH FLOOR
NEW YORK NY 10023

060604001451 1 99999
LAKE MICHIGAN FEDERATION
RICHARD L ROBBINS
ESQUIRE
53 WEST JACKSON BOULEVARD
CHICAGO IL 60604

092020053060 1 99999
LANCC INDUSTRIES INC
1596 NORTH JOHNSON STREET
EL CAJON CA 92020

094550079656 1 99999
LAWRENCE LIVERMORE LABORATORY
ENGINEERING MECHANICS SECTION
CAROL A MEIER
PO BOX 808 L-46
LIVERMORE CA 94550

063130006111 1 99999
LEAGUE OF WOMEN VOTERS
UNIVERSITY CITY CHAPTER
MARJORIE REILLY
ENERGY CHAIRMAN
7065 PERSHING AVE
UNIVERSITY CITY MO 63130

020036079364 1 99999
LEBOEUF LAMB LEIBY & MACRAE
LIBRARY
IRENE C CARSTENS
1333 NEW HAMPSHIRE AVE NW
SUITE 1100
WASHINGTON DC 20036

020036006564 1 99999
LEBOEUF LAMB LEIBY & MACRAE
CARL D HOBELMAN
1333 NEW HAMPSHIRE AVE NW
SUITE 1100
WASHINGTON DC 20036

020036006185 1 99999
LEBOEUF LAMB LEIBY & MACRAE
LEONARD M TROSTEN
1333 NEW HAMPSHIRE AVE NW
SUITE 1100
WASHINGTON DC 20036

EDWARD W USANN ESQUIRE ONE IBM PLAZA SUITE 4600 CHICAGO IL 60611	035611005861 1 LIMESTONE COUNTY COM CHARLES R CHRISTOPHER CHAIRMAN PO BOX 188 ATHENS AL 35611	024502064449 1 LIMITORQUE CORP WM J MILUSZUSKY WC MANAGER 5114 WOODALL RD LYNCHBURG VA 24502	020854066587 1 LNR ASSOCIATES 8605 GRIMSBY COURT POTOMAC MD 20854	011501081574 1 LONG ISLAND LIGHTING CO JEFFREY L FUTTER GENERAL ATTORNEY 250 OLD COUNTRY RD MINEOLA NY 11501	011792064623 1 LONG ISLAND LIGHTING CO J L MATSON RECORDS MANAGER PO BOX 604 WADING RIVER NY 11792	011801006066 1 LONG ISLAND LIGHTING CO BRIAN MCCAFFREY 175 E OLD COUNTRY RD HICKSVILLE NY 11801	011801004965 3 LONG ISLAND LIGHTING CO MILLARD S POLLOCK 175 EAST OLD COUNTRY RD HICKSVILLE NY 11801	011801081574 1 LONG ISLAND LIGHTING CO EDWARD M BARRETT GENERAL COUNSEL 250 OLD COUNTRY RD MINEOLA NY 11901	011801081573 1 LONG ISLAND LIGHTING CO T F GERECKE MANAGER-QA DEPT 175 E OLD COUNTRY RD HICKSVILLE NY 11801	011501081130 1 LONG ISLAND LIGHTING CO BRIAN MCCAFFREY 250 OLD COUNTRY RD MINEOLA NY 11901	011801001560 1 LONG ISLAND LIGHTING CO M S POLLOCK VICE PRESIDENT - NUCLEAR 175 EAST OLD COUNTRY ROAD HICKSVILLE NY 11801	011792003146 1 LONG ISLAND LIGHTING CO J RIVELLO PO BOX 628 WADING RIVER NY 11792	070808001396 1 LOUISIANA ATTORNEY GENERAL LANDS & NATURAL RES WILLI M J GUSTE ATTN: J DAVID MCNEILL III 7434 PERKINS ROAD BATON ROUGE LA 70808	070112001397 1 LOUISIANA DEPT OF JUSTICE RICHARD M TROY ASSISTANT ATTORNEY GENERAL 234 LOYOLA AVENUE NEW ORLEANS LA 70112	070808007078 1 LOUISIANA CONSUMERS LEAGUE DGRIS FALKENHEIMER 935 NORTH 6TH ST BATON ROUGE LA 70802	070804002453 1 LOUISIANA DEPT OF NATURAL RES OFC OF ENVIRON AFFAIRS B J PORTER ASST SECRETARY PO BOX 44066 BATON ROUGE LA 70804	070898021458 1 LOUISIANA DEPT OF NATURAL RES NUCLEAR ENERGY DIVISION WILLIAM H SPELL BATON ROUGE LA 70802	070174005949 1 LOUISIANA POWER & LIGHT CO NUCLEAR BATON ROUGE LA 70802	714107006463 1 LIMERICK ECOLOGY ACTION JUDITH A DORSEY 1315 WALNUT STREET SUITE 1632 PHILADELPHIA PA 19107	024506038042 1 LIMITORQUE CORP F K DENHAM VICE PRESIDENT 5114 WOODALL RD PO BOX 11318 LYNCHBURG VA 24506	006108052979 1 LITTON INDUSTRIAL PRODUCTS INC CONTROMATICS DIV NEAL PANCIERA QUALITY ASSURANCE MANAGER 222 ROBERTS ST EAST HARTFORD CT 06108
--	--	---	--	---	---	---	--	--	--	--	--	---	--	--	--	---	---	---	---	---	--

1025 CONNECTICUT AVENUE
WASHINGTON DC 20036

020036001632 1 99999
LUMENSTEIN NEWMAN REIS ET AL
KATHLEEN M SHEA
1025 CONNECTICUT AVENUE NW
WASHINGTON DC 20036

090723053090 1 99999
M M KELLOGG CO
PULLMAN POWER PRODUCTS
14507 S PARAMOUNT BLVD
PARAMOUNT CA 90723

004330007130 1 99999
MAINE ATTORNEY GENERALS OFC
PHILIP AHRENS
ASST ATTORNEY GENERAL
STATE HOUSE STATION 6
AUGUSTA ME 04330

004330005939 1 99999
MAINE EXECUTIVE DEPARTMENT
STATE PLANNING OFFICER
189 STATE STREET
AUGUSTA ME 04330

001701005940 1 99999
MAINE YANKEE ATOMIC POWER CO
ROBERT H GROCE
SENIOR ENGINEER-LICENSING
1671 WORCESTER RD
FRAMINGHAM MA 01701

004336006575 1 99999
MAINE YANKEE ATOMIC POWER CO
E W THURLOW
PRESIDENT
EDISON DRIVE
AUGUSTA ME 04336

092025064747 1 99999
MANAGEMENT ANALYSIS CO
J L NICKLE
CONSULTING ASSOCIATE
810 LUNA VISTA DRIVE
ESCONDIDO CA 92025

JWGERM053063 1 99999
MANNESMANN ANLAGENBAU AG
RQ
F BRUEHL
DIRECTOR
PO BOX 300307
4000 DUESSELDORF FRG WGERMANY

090362053730 1 99999
MARVIN ENGINEERING CO LTD
G FRIEDMAN
EXECUTIVE VICE PRESIDENT
251 WEST BEACH AVENUE
INGLEWOOD CA 90302

021201080909 1 99999
MARYLAND DEPT HLTH & MNTL HYG
ENVIRONMENTAL PROGRAMS
WILLIAM M EICHBAUM
ASST SECRETARY
201 W PRESTON ST
BALTIMORE MD 21201

021401005773 1 99999
MARYLAND DEPT OF NAT RESOURCES
THOMAS A DEMING
ASSISTANT ATTORNEY GENERAL
ANNAPOLIS MD 21401

1025 CONNECTICUT AVE NW
SUITE 1214
WASHINGTON DC 20036

045214053062 1 99999
LUNKENHEIMER CO
PO BOX 14360
CINCINNATI OH 45214

016145053732 1 99999
MAGNETICS
INDUSTRIAL CONTROL DIV
L C MCCLELLAND
CONTROL BOARD MGR
PO BOX 457
SANDY LAKE PA 16145

004333036589 1 99999
MAINE DEPT OF HUMAN SERVICES
DIV OF HEALTH ENGINEERING
D C MOXIE
DIRECTOR
STATE HOUSE STATION 11
AUGUSTA ME 04333

004336006478 1 99999
MAINE YANKEE ATOMIC POWER CO
NUCLEAR ENGINEERING & LICENS
JOHN H GANNITY
SENIOR DIRECTOR
83 EDISON DRIVE
AUGUSTA ME 04336

004336008719 1 99999
MAINE YANKEE ATOMIC POWER CO
JOHN B RANDAZZA
VICE PRESIDENT
83 EDISON DRIVE
AUGUSTA ME 04336

004578006479 1 99999
MAINE YANKEE ATOMIC POWER CO
E C WOOD
PLANT MANAGER
PO BOX 3270
WISCASSETT ME 04578

010471079405 1 99999
MANHATTAN COLLEGE
MECHANICAL ENGINEERING DEPT
RONALD KANE
REACTOR ADMINISTRATOR
MANHATTAN COLLEGE PARKWAY
BRUNX NY 10471

007005053731 1 99999
MAROTTA SCIENTIFIC CONTROL INC
DONALD L DENISE
QA MANAGER
BOUNTON AVENUE
BOUNTON NJ 07005

021201009739 2 99999
MARYLAND DEPT HLTH & MNTL HYG
DIVISION OF RADIATION CONTRNL
ROBERT E CURCORAN
CHIEF
201 W PRESTON STREET
BALTIMORE MD 21201

021204005879 1 99999
MARYLAND DEPT OF NAT RESOURCES
ENERGY & COASTAL ZONE ADMINIST
ADMINISTRATOR-PWR PLNT SITING
TAMES STATE OFFICE BLDG
ANNAPOLIS MD 21204

021401021687 1 99999
MARYLAND DEPT OF NAT RESOURCES
MICHAEL J SCIBINICO
ASST ATTORNEY GENERAL
TAMES ST OFF BLDG C-4
ANNAPOLIS MD 21201

DIRECTOR OF REACTOR LABORATORY
138 ALBANY STREET
CAMBRIDGE MA 02139

002108006069 1 99999
MASSACHUSETTS OFC ENERGY RES
PATRICK J KENNY
73 TREMONT STREET
BOSTON MA 02108

002108006070 1 99999
MASSACHUSETTS PUB PROTECT BUR
ENVIRON PROTECTION DIVISION
STEPHEN M LEONARD
ONE ASHBURTON PLACE
19TH FLOOR
BOSTON MA 02108

002108006067 1 99999
MASSACHUSETTS PUB PROTECT BUR
OFC LE ATINY GENERAL
JO ANN SHOTMELL
ONE ASHBURTON PLACE
19TH FLOOR
BOSTON MA 02108

002101066215 1 99999
MATERIAL HANDLING EQUIPMENT
STEVEN PARKHURST
PO BOX 118
BOSTON MA 02101

090807055298 1 99999
MCC PACIFIC VALVES INC
3201 WALNUT AVENUE
LONG BEACH CA 90807

002062053064 1 99999
MCGRAW EDISON CO
MASONIAN DIVISION
63 NAHATAN STREET
NORWOOD MA 02062

091311055297 1 99999
METAL BELLOWS CORP
DIV METAL BELLOWS-SHARON MA
UDON WILLIAMS
MARKETING MGR
20960 KNAPP ST
CHATSWORTH CA 91311

068106007026 1 99999
METRO AREA PLANNING AGENCY
DAGNIA PRIEDITIS
7000 W CENTER RD 200
OMAHA NE 68106

017057006413 1 99999
METROPOLITAN EDISON CO
SITE OPERATIONS TMI-2
L KING
ACTING MANAGER
PO BOX 480
MIDDLETOWN PA 17057

095125006063 1 99999
MHB TECHNICAL ASSOC
1723 HAMILTON AVENUE
SUITE K
SAN JOSE CA 95125

095125006540 1 99999
MHB TECHNICAL ASSOC
DALE BRIDENBAUGH
1723 HAMILTON AVE
SUITE K
SAN JOSE CA 95125

ENVIRON PROJ DIV
JUANN SHOTMELL
1 ASHBURTON PL
RM 1902
BOSTON MA 02108

002108006068 1 99999
MASSACHUSETTS OFC ENERGY RES
EDWARD L SELGRADE
73 TREMONT STREET
BOSTON MA 02108

002108006071 1 99999
MASSACHUSETTS PUB PROTECT BUR
UTILITIES DIVISION
MICHAEL B MEYER
ONE ASHBURTON PLACE
19TH FLOOR
BOSTON MA 02108

001761006072 1 99999
MASSACHUSETTS WILDLIFE FEDERAT
LESTER B SMITH
DIRECTOR OF CONSERVATION
PO BOX 343
NATICK MA 01761

029210081602 1 99999
MATSCO
DAVID A HARLEY
REGIONAL MANAGER
111 EXECUTIVE CENTER DR
SUITE 201
COLUMBIA SC 29210

060077082253 1 99999
MCC POWERS
5440 W FARGO AVE
SKOKIE IL 60077

060007053065 1 99999
MEA INC
T W LASIEWICZ
PRESIDENT
2600 AMERICAN LANE
ELK GROVE VILLAGE IL 60007

077036081118 1 99999
METIER MANAGEMENT SYSTEMS INC
JEFF GRAHAM
5884 POINT WEST DRIVE
BOX 770020
HOUSTON TX 77036

017057005442 1 99999
METROPOLITAN EDISON CO
TMI-2
J J BARTON
ACTING DIRECTOR OF TMI-2
PO BOX 480
MIDDLETOWN PA 17057

017057005440 1 99999
METROPOLITAN EDISON CO
TMI-2
J E LARSON
SUPERVISOR-UNIT 2 LICENSING
PO BOX 480
MIDDLETOWN PA 17057

095125031693 1 99999
MHB TECHNICAL ASSOC
TECHNICAL CONSULTANTS
1723 HAMILTON AVE
SUITE K
SAN JOSE CA 95125

095125005998 1 99999
MHB TECHNICAL ASSOC
RICHARD B HUBBARD
1725 HAMILTON AVE
SUITE K
SAN JOSE CA 95125