XEROX® VERSALINK® PRINTERS AND MULTIFUNCTION PRINTERS

The fast, friendly and well-connected workplace assistant.



B610/B615





Xerox[®] VersaLink[®] B610 Printer and Xerox[®] VersaLink[®] B615 Multifunction Printer

The fast, full-featured and office-friendly VersaLink® B610/B615 is anything but your basic black and white device. In fact, VersaLink® sets a new standard for what you can expect in work group productivity from Xerox. Home or away, this highly configurable, cloud-connected workplace assistant delivers completely new capabilities that go far beyond the competition — at a competitive price.

EASY, SMART AND SECURE.

Right out of the box, you'll count on your VersaLink® B610 or B615 to make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go — hassle free.

Superior reliability comes from a new hardware design with fewer moving parts, strengthened paper-path components, and a more advanced Hi-Q LED print head.

VersaLink® devices are loaded with features designed to reduce inefficiency. Device management and user training can be done anywhere with the time-saving Remote Control Panel.

The most security-minded businesses and governments choose Xerox. We offer a comprehensive approach to print security that includes a powerful mix of built-in features and services that mitigate risk through a vigourous focus to prevent unauthorised access, detect suspect or malicious behaviour, and protect data and documents

CUSTOMISABLE, APP-BASED FUNCTIONALITY.

The customisable, capacitive 7-inch colour touchscreen (5-inch on the B610), lets you breeze your way through tasks and functons with mobile-like ease.

Xerox® ConnectKey® Apps, accessed via the extensive Xerox App Gallery, provide expanded functionality — like the optional cloud connectors, which provide secure access to various cloud repositories for easy file printing.

Users on the go get more done in less time with native @printbyXerox support. They simply submit their print job from any email-enabled device. Once at work, they securely log in to @printbyXerox on the VersaLink® device to

retreive their job. And with Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure access to task-specific presets, individualised favourite contacts, and commonly used apps on a personalised home screen.

THE XEROX® EASY ASSIST APP.

This app simplifies installation, monitoring and management of your printer or MFP right from your mobile phone. It provides easy access to self-support services and real-time monitoring of printer performance.

And, Xerox® Smart Start Software takes the guess work out of setup by automating the installation of the latest software for your printer or MFP on your computer – all without IT support – allowing you to be up and running quickly.

CLOUD AND MOBILE CONNECTIVITY.

The VersaLink® B610 Printer and VersaLink® B615 Multifunction Printer gives you the freedom to work where and how you want – with access to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

VersaLink® devices deliver for today's mobile workers with Apple® AirPrint®, Xerox® Print Services plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/Mobile.

ENVIRONMENTAL STEWARDSHIP.

VersaLink® devices meet or exceed the requirements of the world's most widely recognised certifications for product

environmental performance, including EPEAT®, which verifies manufacturer claims regarding design, production, energy use and recycling. (See the complete list of EPEAT-verified VersaLink® products.) For more information about our environmental, health, safety and sustainability efforts, visit www.xerox.com.

XEROX[®] CONNECTKEY[®] TECHNOLOGY.

Intuitive User Experience

A familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customisation.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Comprehensive security that includes a powerful mix of built-in features and services to prevent unauthorised access, detect suspect or malicious behaviour, and protect data and documents.

Enables Next Generation Services

Easy integration of Xerox® Intelligent Workplace Services. Enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with real-world apps from the Xerox App Gallery, or talk with one of our partners to designand develop a solution specific to your business needs.

Find out more about how you'll work smarter at www.ConnectKey.com.

To learn more about VersaLink® device features, go to www.xerox.com/VersalinkEG





Print.



Xerox® VersaLink® B615 Multifunction Printer

Print. Copy. Scan. Fax. Email.





- 1 500-sheet output tray on VersaLink® B610 and 400-sheet output tray on VersaLink® B615, both with full tray sensors.
- 2 Card Reader Bay for internal Card Reader/RFID Kit (on B610 an external Card Reader/RFID Kit is required when the Finisher or Mailbox options are added).
- **3 A front-side USB port**¹ allows users to quickly print from or scan to² any standard USB memory device.
- **4 150-sheet Bypass Tray** handles media sizes from 76 x 127 mm to 216 x 356 mm.

- **5 Tray 1** handles up to 550 sheets with custom sizes of 76 x 127 mm to 216 x 356 mm.
- 6 The 100-sheet Single-pass Duplex Automatic Document Feeder (DADF)² scans two-sided originals for copy, scan and fax jobs.
- **7 The optional stand** (includes Caster Base) provides storage for toner cartridges and other supplies.
- **8 The High Capacity Feeder** (includes Caster Base) adds up to 2,000 sheets with standard sizes of A4.
- 9 Add up to 4 additional 550-sheet paper trays that handle sizes from 76 x 127 mm to 216 x 356 mm (maximum of 2 additional trays with optional cabinet, maximum of 1 additional tray with High Capacity Feeder).
- **10 The optional finisher** collates and staples sets of up to 50 sheets and includes a 500-sheet output tray.
- **11 The optional mailbox** includes 4 bins and each tray can handle up to 100 sheets.
- ¹ USB ports can be disabled. ² VersaLink® B615 only.

INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet the industry's most advanced colour touchscreen interface. Whether 7-inch (B615) or 5-inch (B610), it's a user experience that sets a higher standard for customisation, personalisation and versatility.

By presenting a familiar "mobile" experience – with support for gestural input and task-focused apps that share a common look and feel – fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and centre. Don't like where a function or app is located? Customise the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® B610 Printer and VersaLink® B615 Multifunction Printer get more work done, faster.



Xerox® VersaLink® B610/B615

ConnectKey® Technology

The VersaLink® B610 Printer and B615 Multifunction Printer are built on Xerox® ConnectKey® Technology. For more information, visit www.ConnectKey.com.

| DEVICE SPECIFICATIONS | VersaLink® B610 Printer DN | VersaLink® B615 Multifunction Printer X, XL |
|-------------------------------|---|--|
| Speed ¹ | Up to 65 ppm letter/Up to 63 ppm A4 | |
| Duty Cycle ² | 300,000 pages/month | |
| Processor/Memory/ | 1.05 GHz ARM Dual Core/2 GB/Optional 320 GB HDD | 1.05 GHz ARM Dual Core/2 GB/320 GB HDD |
| Hard Disk Drive Connectivity | Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair | |
| Controller Features | Unified Address Book (B615), Configuration Cloning, Scan Preview (B615), Xerox Extensible Interface Platform®, Xerox App Gallery App, Xerox® Standard Accounting Tool, Online Support (accessed from the user interface and print driver) | |
| Paper Handling | Actor Standard recogniting 1991, Online Support (accessed from the asc | Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; |
| Paper Input Standard | | Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm |
| | Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm | |
| Optional | Up to 4 Additional Tray : Up to 550 sheets each; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm | |
| | High Capacity Feeder: Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4 | |
| Paper Output Standard | 500 sheets | 400 sheets without finishing options; 500 sheets with finishing options |
| Optional | Finisher: 500-sheet tray, 50-sheet stapling Mailbox: Four 100-sheet bins | |
| Automatic Two-sided Output | Standard | |
| Copy and Print Resolution | Print: Up to 1200 x 1200 dpi | Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi |
| First-page-out Time | Print: As fast as 3.7 seconds | Print: As fast as 3.7 seconds; Copy: As fast as 5.3 seconds from the Plate |
| Page Description Languages | PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™ | |
| INTUITIVE USER EXP | ERIENCE | |
| Customise and Personalise | Walkup customisation, Personalise Home Screen by User, Multiple Home Screens with Simple ID, Customise by Site, Function or Workflow with Xerox App Gallery | |
| Print Drivers | Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver® | |
| Embedded Web Server | PC or mobile – Status Information, Responsive Design, Settings, Device N | Management, Cloning |
| Preview | N/A | Preview of Scan/Fax with Zoom, Rotate, Add Page |
| Remote Console | Remote Control Panel | |
| Print Features | Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode | |
| Scan | N/A | Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/ SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/ TIFF/Password Protected PDF, Secure Scanning via SFTP |
| Fax ³ | N/A | Fax Features: Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email, Server Fax) |
| MOBILE AND CLOUD F | READY | |
| Mobile Printing | Apple® AirPrint®4, Mopria® Certified, Mopria® Print Service Plug-in for Android™, Xerox® @printbyXerox App, Xerox® Print Services plug-in for Android™ | |
| Mobility Options | Xerox® Mobile Print and Mobile Print Cloud, Connect via NFC/Wi-Fi Direct Printing, Xerox® Mobile Link App (B615). Visit www.xerox.com/OfficeMobileApps for available apps | |
| Cloud Connectors ³ | Print from/Scan to Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform and more | |
| BENCHMARK SECURIT | Y | |
| Network Security | IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS 1.3, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity Services Engine (ISE) integration | |
| Device Access | Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader, Trusted Platform Module (TPM) | |
| Data Protection | Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408), Encrypted Apps with Embedded Certificate Support | |
| Document Security | Secure Print, Secure Fax (B615), Secure Email (B615), Password Protected PDF (B615) | |
| ENABLES NEXT GENER | RATION SERVICES | |
| Print Management | Xerox® Standard Accounting; Optional : Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at xerox.com/PrintManagement | |
| Managing Print | Xerox® Device Manager, Xerox® Support Assistanct App, Auto Meter Read, Managed Print Services tools, Configuration Cloning | |
| Sustainability | Cisco EnergyWise®, Earth Smart Printing, EPEAT-verified, Print User ID on margins | |
| GATEWAY TO NEW PO | SSIBILITIES | |
| Cloud Services | Xerox® Easy Translator (B615), many additional services available | |
| Xerox App Gallery | Many apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of Xerox® Apps available for adding functions | |
| 1D 1 1 1 1 1 1 | | |

Declared print speed in accordance with ISO/IEC 24734. Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; Requires analog phone line; Visit www.apple.com for AirPrint Certification list. Optional download from Xerox App Gallery to the Printer—www.xerox.com/XeroxAppGallery.

Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications.

Supplies

Standard Capacity Toner Cartridge:
Black: 10,300 pages⁶ 106R03941
High Capacity Toner Cartridge:
Black: 25,900 pages⁶ 106R03943
Extra High Capacity Toner Cartridge:
Black: 46,700 pages⁶ 106R03945
Drum Cartridge: 60,000 pages⁷ 101R00582

Options

097S04949 550-sheet Feeder 2,000-sheet High Capacity Feeder (includes Stand/Caster Base) 097504948 Cabinet (includes stabilizers) 097S04994 Caster Base 097S04954 Finisher (500 sheets, 50-sheet stapler) 097S04952 4-Bin Mailbox (100 sheets per bin) 097504953 Wireless Network Adapter (Wi-Fi Kit) 497K16750 497K18360 Productivity Kit with 320 GB HDD

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersalinkB610Specs or www.xerox.com/VersalinkB615Specs. For more information, visit us at www.xerox.com/office.



⁶ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

⁷ Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF.