HP Color LaserJet Managed MFP E57540 series



Help conserve energy and boost productivity with MFP that delivers multi-level device security.

Ideal for enterprises and medium businesses that need a secure, highly productive, energy-efficient color MFP.



HP Color LaserJet Managed MFP



HP Color LaserJet Managed Flow MFP E57540c

High-speed performance meets energy efficiency

- Print the first page from sleep mode as fast as 9.1 seconds²
- Speed through jobs. Print two sides almost as quickly as one—up to 40 ipm9—and scan both sides of the page at once.
- This MFP uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.³
- Choose a maximum capacity of up to 2300 sheets.⁹ Print up to 59 pages per minute on A5.⁹

Unparalleled fleet security and management

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.¹⁰
- Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption.
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.¹²

More. Pages, Performance, and Protection.

- Make an impression with leading color quality from HP. Get unparalleled printing for your office needs.
- Get more pages with each Original HP Toner cartridge with JetIntelligence and high-yield cartridges.
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled toner cartridges. Replace them with cartridges featuring auto seal removal.

Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network.
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.⁶
- Easily print from a variety of smartphones and tablets—generally no setup or apps required.⁷
- Easily access, print, and share resources with Ethernet and optional wireless networking.⁴

Product walkaround



HP Color LaserJet Managed Flow MFP E57540dn

Series at a glance



Model (product number)	MFP E57540dn (3GY25A)	Flow MFP E57540c (3GY26A)
Functions	Print, copy, scan, optional fax³	Print, copy, scan, optional fax ³
Control panel	8.0-inch (20.3 cm) color touchscreen	8.0-inch (20.3 cm) color touchscreen
Print speeds (black and color) ⁴	Up to 40 pages per minute (ppm)	Up to 40 ppm
100-sheet ADF with single-pass, two-sided scanning	✓	✓
100-sheet multipurpose tray 1, 550-sheet tray 2	✓	✓
Optional 550-sheet paper tray (add up to three)	✓	✓
Optional printer cabinet	✓	✓
Input capacity (standard/maximum input ⁵)	Up to 650/2,300 sheets	Up to 650/2,300 sheets
Recommended Monthly Print Volume ⁶	Up to 2,000 to 15,000 pages	Up to 2,000 to 15,000 pages
Convenience stapler	Not available	✓
HIP, ¹ easy-access USB, ² encrypted HDD	✓	✓
Scan to Microsoft® SharePoint®7	Not available	✓
Advanced workflow features ⁸	Not available	✓
Managed Cartridge ⁹ yields	~16,000 pages (black), ~12,500 pages (color) ¹⁰	~16,000 pages (black), ~12,500 pages (color) ¹⁰
Optional wireless direct printing ¹¹ / NFC touch-to-print ¹²	✓	✓

HP Services

Downtime can have serious consequences. so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime. predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with **Network Configuration Service**

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices













Top Features

This efficient MFP is designed to conserve energy without sacrificing productivity—so users can speed through tasks and move business forward. It also uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.

Trust your MFP is secure from power-up to power-down. Get strong protection for devices, data, and documents with embedded and optional security features while centrally managing your entire fleet.10

Bring out the best in your MFP. Print more high-quality pages than ever before, using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

Enable secure wireless printing in the office—with or without network access—and keep users connected with Ethernet and optional wireless networking. Print with just a touch from mobile devices.6

Product

3GY25A HP Color LaserJet Managed MFP E57540dn **3GY26A** HP Color LaserJet Managed Flow MFP E57540c

Accessories

B5I 34A HP Color LaserJet 550-sheet Media Tray **B5L51A** HP Color LaserJet Printer Cabinet HP Internal USB Ports **B5I 28A**

HP 1GB DDR3 x32 144-Pin 800MHz SODIMM E5K48A F5S62A HP Trusted Platform Module Accessory

B5L31A HP Foreign Interface Harness

B5L53A HP LaserJet MFP Analog Fax Accessory 600 (only on M577dnm and E57540 series)

HP Jetdirect 2900nw Print Server J8031A J8030A HP Jetdirect 3000w NFC/Wireless Accessory

Orderable supplies

B5L35A HP LaserJet 110v Fuser Kit B5L36A HP Laser let 220v Fuser Kit

HP Color LaserJet Toner Collection Unit B5L37A HP 200 ADF Roller Replacement Kit B5L52A

HP Staple Cartridge Pack (only on M577cm and E57540cm) 07432A

W9060MC HP W9060MC Black Managed LaserJet Toner Cartridge (~16,000 pages) W9061MC HP W9061MC Cyan Managed LaserJet Toner Cartridge (~12,500 pages) **W9062MC** HP W9062MC Yellow Managed LaserJet Toner Cartridge(~12,500 pages) **W9063MC** HP W9063MC Magenta Managed LaserJet Toner Cartridge (~12,500 pages)

HP Care Packs

U8TW4E HP 3 yr Next Business Day w/Defective Media Retention Service for Color LaserJet M577 E57540 Managed U8TW5E HP 4 yr Next Business Day w/Defective Media Retention Service for Color LaserJet M577 E57540 Managed **U8TW6E** HP 5 yr Next Business Day w/Defective Media Retention Service for Color LaserJet M577 E57540 Managed U8TW7E HP 3 year Parts Exchange Service for Color LaserJet M577 E57540 Managed (Managed Component Only)

U8TW8E HP 4 year Parts Exchange Service for Color LaserJet M577 E57540 Managed (Managed Component Only) U8TW9E HP 5 year Parts Exchange Service for Color LaserJet M577 E57540 Managed (Managed Component Only) **USTXOPE** HP 1 year Post Warranty NBD w/Defective Media Retention Svc for Color LaserJet M577 E57540 Managed U8TX1PE HP 2 year Post Warranty NBD w/Defective Media Retention Svc for Color LaserJet M577 E57540 Managed

U8TX2PE HP 1 yr Post Wnty Parts Exchange SVC for Color LaserJet M577 E57540 Managed

(Managed Component Only)

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd HP Imaging and Printing Security Center: hp.com/go/ipsc

HP Color LaserJet Managed MFP E57540 series

Model	HP Color LaserJet Managed MFP E57540dn	HP Color LaserJet Managed Flow MFP E57540c	
roduct number	3GY25A Print, copy, scan	3GY26A	
unctions rint	тип, сору, эсеп		
uplex print options	Automatic (standard)		
rint speed ¹¹	Black (A4, normal): Up to 38 ppm; Black (letter, normal): Up to 40 ppm; Black (A5, landscape): Up	Black (A4, normal): Up to 38 ppm; Black (letter, normal): Up to 40 ppm; Black (A5, landscape): U	
· · · · · · · · · · · · · · · · · · ·	to 59 ppm; Black (A5, portrait): Up to 6 ppm; Black (A4, duplex): Up to 38 ipm; Black (letter, duplex): Up to 40 ipm Color (A4, normal): Up to 38 ppm; Color (Draft, A4): Up to 40 ppm; Color (A4, Duplex): Up to 38 ipm;	to 59 ppm; Black (A5, portrait): Up to 6 ppm; Black (A4, duplex): Up to 38 ipm; Black (letter, duplex): Up to 40 ipm Color (A4, normal): Up to 38 ppm; Color (Draft, A4): Up to 40 ppm; Color (A4, Duplex): Up to 38 ipm	
irst page out ²²	Color (letter, Duplex): Up to 40 ipm Black (A4, ready): As fast as 5.6 sec; Black (A4, sleep): As fast as 8.6 sec	Color (letter, Duplex): Up to 40 ipm	
	Color (A4, ready): As fast as 6.9 sec; Color (A4, sleep): As fast as 8.8 sec		
rint technology	Laser		
rint resolution	Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi HP ImageREt 3600. Pantone Calibrated		
rint resolution technology rint cartridges number	4 (1 each black, cyan, magenta, yellow)		
tandard print languages	THE PCLE CHEP CLES CHEP CONSTRUCTED AND ADDRESS OF THE PCLES CHEP CLESS OF THE PCLES CHEP CONSTRUCTED AND ADDRESS OF THE PCLES CHEP CHEP CHEP CHEP CHEP CHEP CHEP CHEP		
rinter management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy	ky Agent; Printer Administrator Resource Kit for HP Universal Print Driver	
can			
can technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)	Name 1 As the office of the control	
can speed ²³	Normal, A4: Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color)	Normal, A4: Up to 45 ppm/64 ipm (b&w), up to 45 ppm/58 ipm (color)	
can resolution	Enhanced: Up to 600 dpi; Hardware: Up to 600 x 600 dpi		
can size	Flatbed: 216 x 356 mm; ADF scan size: 216 x 356 mm Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (0XP) applications		
can input modes can file format	PDF. JPEG. TIFF. MTIFF. XPS. PDF/A	PER EXTENSIONLY PLATION (OVE) applications	
ру	1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1		
opy smart software features	Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-	sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build	
ppy speed ²¹	Black (A4, normal): Up to 38 cpm; Black (letter, normal): Up to 40 cpm; Color (A4, normal): Up to 38	B cpm; Color (letter, normal): Up to 40 cpm; Black Duplex (A4): Up to 38 cpm; Black (letter, duplex	
	Up to 40 cpm; Color (A4, Duplex): Up to 38 cpm; Color (letter, duplex): Up to 40 cpm	Black (AA), As fort as F 7 and Calay (AA), As fort as O 2 and Black (AA alone), As fort as 10 2 and	
rst copy out	Black (A4): As fast as 5.6 sec; Color (A4): As fast as 9.1 sec; Black (A4, sleep): As fast as 10.0 sec; Black (letter): As fast as 5.4 sec; Black (letter, sleep): As fast as 9.4 sec	Black (A4): As fast as 5.7 sec; Color (A4): As fast as 9.2 sec; Black (A4, sleep): As fast as 10.3 sec; Black (letter): As fast as 5.5 sec; Black (letter, sleep): As fast as 9.7 sec	
opy resolution	Color (text and graphics): Up to 600 x 600 dpi (flatbed); Up to 300 x 600 dpi (ADF)		
ax. number of copies	Up to 9999 copies		
ppier resize	25 to 400%		
opier settings	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness Copy; Book Copy; A-to-B Copy (different media sizes)	s); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage;	
ax	Lopy; Book Lopy; A-to-B Lopy (aitherent media sizes)		
onnectivity			
andard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX ne	twork; Hardware Integration Pocket	
obile printing capability ¹⁴	HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0		
ireless capability	Optional, enabled with purchase of hardware accessory.		
etwork Capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)		
emory ⁸	Standard: 1.25 GB (printer), 500 MB (scanner); Maximum: 2.0 GB (printer), 500 MB (scanner)		
rocessor speed	800 MHz		
uty cycle (monthly) ⁹	Up to 120,000 pages; Recommended monthly page volume ¹⁰ : 2000 to 15,000		
aper handling	Land to the second of the seco		
iput	100-sheet multipurpose tray, 550-sheet input tray 2; 550-sheet media input tray 3, 550-sheet media i 250-sheet output bin	nput tray 4, 550-sheet media input tray 5 250-sheet output bin, convenience stapler	
utput ledia type	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, ex		
ieula type	prepunched, colored, rough, opaque film, user-defined	trainedly grossy, carditorit, card grossyy, color trainparency, abets, rettermeda, envelope, preprinced,	
ledia weight	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper)	er), 105 to 220 g/m 2 (glossy paper); Optional Trays 3+: 60 to 220 g/m 2 (plain paper), 105 to 220 g/m 2	
ladia sinaa sustam	(glossy paper) Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to	216 × 356 mm	
ledia sizes custom	482 x 504 x 583 mm	2 2 10 X 330 111111	
imensions (W x D x H) ²	38.1 kg	38.6 kg	
/eight ²	Printer; Four preinstalled HP LaserJet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner		
/hat's in the box 1	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country a		
arranty features	and support options in your region.	and tocal legal requirements, do to http://www.np.com/support to team about ne award willining servic	
ystems			
ompatible operating systems ¹³	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT or Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows X S 32-bit editions (XP Home, XP Pro, etc.)		
linimum system requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com		
	Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more in		
ecurity management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: iPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPA3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs		
onts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emul 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP Las		
ontrol panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Extended Keyboard	
isplay	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illun		
ower	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier); Power consumption ⁴ : 592 watts (Printing), 47.3 watts (Ready), 3.48 watts (Sleep), 0.08 watts (Auto-Off/Manual On), 0.49 watts (Auto-Off/Auto-On/Wake on LAN); Typical electricic consumption (TEC) number: 1.58 kMh/Week (Energy Star), 1.51 kMh/Week (Blue Angel)		
oftware included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Onlin user manuals		
coustics	Acoustic power emissions 16: 6.5 B(A) (printing at 38 ppm); Acoustic power emissions (ready): 4.7 B(A); Acoustic pressure emissions bystander (active, printing): 51 dB(A) (printing at 38 ppm); Acoustic pressure emissions bystander (ready): 32 dB(A)		
nvironmental ranges	Operating temperature range: 15 to 30° C; Recommended operating temperature: 17 to 25° C; Non-operating humidity range: 10 to 90% RH; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH		
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN 60950-1:2006 +A1:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2007/IEC 60825-1:2007 (Class 1 Laser Product); EN 62479: 2010/IEC 62479: 2010; Low Voltage Directive 2006/95/EC with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.		
	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery: IP Config: IPv4 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/N3, HTTP/HTTPs, Telnet, TFTP Config, IPv7 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/N3, HTTP/HTTPs, Telnet, TFTP Config, IPv7 (BootP, DHCP), Management, Firewall, ACL, 802.Tx		

Footnotes

- More pages versus predecessor cartridges claim based on page-yield comparison of HP 507A High Yield Original Laser Jet Toner Cartridges with HP 508X High Yield Original Laser Jet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies
- ² Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see http://www.hp.com/go/Ljclaims
- ³ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/qo/Liclaims
- 4 Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.
- 5 Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see http://www.hp.com/go/businessmobileprinting
- ⁶ Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC) enabled printing. For more information, see http://www.hp.com/go/businessmobileprinting
- Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting
- 8 Purchase of optional paper travs required to reach maximum input capacity.
- ⁹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity
- 11 Some solutions require download or additional purchase. Learn more at http://www.hp.com/go/printingsolutions
- 12 Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin 13 HP 508X High Yield Original LaserJet Toner Cartridges not included; please purchase separately.
- 14 An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

Technical specifications disclaimers

- Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors.
- ² Without Tray 1 or Legal extension extended
- 3 With printer cartridges
- Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- ⁵ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh)
- ⁶ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutSupportlies
- ⁷ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit http://www.hp.com/go/SureSupply
- Max memory is with 1 GB DIMM installed. The maximum the Firmware can use is 2 GB so 250 MB is unused in this configuration.
- ⁹ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 10 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

 11 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software
- application, driver, and document complexity.
- ² HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.
- 13 Not all "Compatible Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software.
- 14 Not all "Compatible Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operation Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software.
- ¹⁵ Original HP LaserJet "A" and "X" toner cartridges are also compatible with this product.

Walkaround footnotes

- 1 Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
- ² An administrator must enable the easy-access USB port before use.
 ³ Fax capabilities are optional for both models with purchase of the HP LaserJet MFP Analog Fax Accessory.
- 4 ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see hp.com/go/printerclaims. 5 Purchase of optional paper trays required to reach maximum input capacity.
- ⁶ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com The pull-out keyboard, HP EveryPage, embedded OCR, and automatic page orientation, auto-crop, and auto-tone are only available on the Flow MFP E57540c model.

- HP put-out Regoladin, HP EveryPage, embedded Ock, and autoritatic page orientation, auto-crop, and auto-tone are only available on the Ptox MFP E37540c model.


 HP Managed Cartridges are not included in printer purchase; purchase separately. Learn more at hp.com/go/learnaboutsupplies.

 To Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors.

 Wireless direct printing is optional on the HP Color LaserJet Managed MFP E57540 series. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting.

 12 Touch-to-print capability is optional on the HP Color LaserJet Managed MFP E57540 series. Requires purchase of optional HP Jetdirect 3 000w NFC/Wireless Direct Accessory. Mobile device must support Near Field
- Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting

To learn more, visit hp.com



ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

