



## TVS-1282-i5-16G-450W (Legacy)

CPU	Intel® Core™ i5-6500 3.2 GHz 4-core processor
CPU Architecture	64-bit x86
Graphic Processors	Intel® HD Graphics 630
Floating Point Unit	Yes
Encryption Engine	Yes (AES-NI)
Hardware-accelerated Transcoding	Yes
System Memory	16 GB UDIMM DDR4 (2 x 8GB)
Maximum Memory	64 GB (4 x 16GB)
Memory Slot	4 x DDR4 UDIMM
Flash Memory	512MB (DOM for dual OS)
Drive Bay	8 x 3.5-inch + 4 x 2.5-inch SATA 6Gb/s, 3Gb/s
Drive Compatibility	<ul> <li>3.5-inch bays:</li> <li>3.5-inch SATA hard disk drives</li> <li>2.5-inch SATA hard disk drives</li> <li>2.5-inch SATA solid state drives</li> </ul>
	2.5-inch bays: 2.5-inch SATA solid state drives
Hot-swappable	Yes
M.2 Slot	2 x M.2 2242/2260/2280/22110 SATA 6Gb/s slots
	The M.2 SSD is not included as standard. M.2 SSD operations can easily generate excessive heat. It is recommended to install a heatsink (from <u>QNAP</u> or a third-party provider) on the M.2 SSD.
SSD Cache Acceleration Support	SSD slot 1, 2, 3, 4
GPU pass-through	Yes

Gigabit Ethernet Port (RJ45)	4 For a list of compatible network adapters, please visit the <u>Compatibility List</u> . For instructions on how to install network adapters, please refer to Chapter 6 of the <u>QNAP NAS Hardware Manual</u> .
Wake on LAN (WOL)	Yes
Jumbo Frame	Yes
PCIe Slot	3 Slot 1: PCIe Gen 3 x8 Slot 2: PCIe Gen 3 x4 Slot 3: PCIe Gen 3 x4
USB 3.2 Gen 1 port	5
HDMI™ Output	3
Audio Input	2 x 6.3mm dynamic microphone input jacks
Audio Output	2 x built-in speaker, 1 x 3.5mm line out jack (for amplifier or headphone amplifier)
	Only one of the above audio output ports can work at a time. If a speaker is connected, the sound will output through the speaker.
Form Factor	Tower
LED Indicators	System status, 2.5" SSD, M.2 SSD, 3.5" HDD
Buttons	Power, Reset, USB Auto Copy
Dimensions (HxWxD)	9.24 × 14.56 × 12.59 inch
Dimensions (HxWxD) Weight (Net)	9.24 × 14.56 × 12.59 inch 25 lbs
Weight (Net)	25 lbs
Weight (Net) Weight (Gross)	25 lbs 30.09 lbs
Weight (Net) Weight (Gross) Operating Temperature	25 lbs 30.09 lbs 0 - 40 °C (32°F - 104°F)
Weight (Net) Weight (Gross) Operating Temperature Storage Temperature	25 lbs 30.09 lbs 0 - 40 °C (32°F - 104°F) -20 - 70°C (-4°F - 158°F)
Weight (Net)Weight (Gross)Operating TemperatureStorage TemperatureRelative Humidity	25 lbs 30.09 lbs 0 - 40 °C (32°F - 104°F) -20 - 70°C (-4°F - 158°F) 5-95% RH non-condensing, wet bulb: 27°C (80.6°F)
Weight (Net)Weight (Gross)Operating TemperatureStorage TemperatureRelative HumidityPower Supply UnitPower Consumption: HDD	25 lbs 30.09 lbs 0 - 40 °C (32°F - 104°F) -20 - 70°C (-4°F - 158°F) 5-95% RH non-condensing, wet bulb: 27°C (80.6°F) Input: 100-240V~, 8-4A, 60-50Hz; Output: 450W
Weight (Net)Weight (Gross)Operating TemperatureStorage TemperatureRelative HumidityPower Supply UnitPower Consumption: HDDD Sleep ModePower Consumption:	25 lbs 30.09 lbs 0 - 40 °C (32°F - 104°F) -20 - 70°C (-4°F - 158°F) 5-95% RH non-condensing, wet bulb: 27°C (80.6°F) Input: 100-240V~, 8-4A, 60-50Hz; Output: 450W 36.02 W
Weight (Net)Weight (Gross)Operating TemperatureStorage TemperatureRelative HumidityPower Supply UnitPower Consumption: HDDD Sleep ModePower Consumption:	25 lbs 30.09 lbs 0 - 40 °C (32°F - 104°F) -20 - 70°C (-4°F - 158°F) 5-95% RH non-condensing, wet bulb: 27°C (80.6°F) Input: 100-240V~, 8-4A, 60-50Hz; Output: 450W 36.02 W 66.36 W
Weight (Net)Weight (Gross)Operating TemperatureStorage TemperatureRelative HumidityPower Supply UnitPower Consumption: HDDD Sleep ModePower Consumption:Sleep Mode, TypicalFan	25 lbs 30.09 lbs 0 - 40 °C (32°F - 104°F) -20 - 70°C (-4°F - 158°F) 5-95% RH non-condensing, wet bulb: 27°C (80.6°F) Input: 100-240V~, 8-4A, 60-50Hz; Output: 450W 36.02 W 66.36 W System fan: 3 x 80mm CPU fan: 1 x 90mm
Weight (Net)Weight (Gross)Operating TemperatureStorage TemperatureRelative HumidityPower Supply UnitPower Consumption: HDDD Sleep ModePower Consumption: Goperating Mode, TypicalFanSystem Warning	25 lbs 30.09 lbs 0 - 40 °C (32°F - 104°F) -20 - 70°C (-4°F - 158°F) 5-95% RH non-condensing, wet bulb: 27°C (80.6°F) Input: 100-240V~, 8-4A, 60-50Hz; Output: 450W 36.02 W 66.36 W 66.36 W System fan: 3 x 80mm CPU fan: 1 x 90mm

Note: Use only QNAP memory modules to maintain system performance and stability. For NAS devices with more than one memory slot, use QNAP modules with identical specifications and refer to the hardware user manual to install compatible QNAP memory modules.

Warning: Using unsupported modules may degrade performance, cause errors, or prevent the operating system from starting. QNAP reserves the right to replace partial parts or accessories if the original is no longer available from its manufacturer/supplier. Any replacement would be fully tested and verified to meet strict compatibility and stability guidelines and will deliver identical performance to the original.

The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

Product images are for illustrative purposes only and may differ from the actual product. Due to differences in monitors, colors of products may also appear different to those shown on the site.

Designs and specifications are subject to change without notice.