

HP Line-up Map Managed Printers (LaserJet and PageWide)

January 2019 Edition



Single Function A4 Printers (Mono)



Technical specifications

	HP LaserJet Managed E50045dw Printer	HP LaserJet Managed E60055dn Printer	HP LaserJet Managed E60065 Printer series	HP LaserJet Managed E60075 Printer series
Product description	HP Managed printers are optimised for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing costs.	This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security. ³	This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security. ³	This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security. ³
Print				
Number of users	5-15 users	10-30 users	10-30 users	10-30 users
Functions	Print only	Print only	Print only	Print only
Speed (A4/Letter) ¹	Black: Up to 45 ppm. A4 and letter	Black: Up to 52 ppm/55 ppm	Black: Up to 61 ppm/65 ppm	Black: Up to 71 ppm/75 ppm
First page out from ready (A4) ²	Black: As fast as 6.0 seconds	Black: As fast as 5.4 seconds	Black: As fast as 5.4 seconds	Black: As fast as 5.4 seconds
Resolution technologies	300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200	HP FastRes 1200, 1200 x 1200 dpi	HP FastRes 1200, 1200 x 1200 dpi	HP FastRes 1200, 1200 x 1200 dpi
Monthly duty cycle (Max)	Up to 150,000 pages	Up to 375,000 pages	Up to 420,000 pages	Up to 450,000 pages
Recommended monthly print volume (RMPV)	2,000 to 15,000 pages	5,000 to 30,000 pages	5,000 to 40,000 pages	5,000 to 50,000 pages
Duplex (two-sided printing)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)
Printer language	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7)	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint
Input capacity (Std)	100-sheet multipurpose tray 1, 550-sheet input tray 2, automatic duplex printing; Optional: up to three 550-sheet paper feeders	100-sheet multipurpose feeder, 550-sheet paper feeder; Optional: 1x550-sheet paper feeder, 1x550 paper feeder and stand with cabinet, 3x550-sheet paper feeder and stand, high-capacity paper feeder and stand with 1x550-sheet feeder and 1x2,000-sheet feeder	All models: 100-sheet multipurpose feeder, 550-sheet paper feeder; E60065x: Plus 550-sheet accessory feeder; Optional: 1x550-sheet paper feeder, 1x550-sheet paper feeder and stand with cabinet, 3x550-sheet paper feeder and stand, high-capacity paper feeder and stand with 1x550-sheet feeder and 1x2,000-sheet feeder	All models: 100-sheet multipurpose feeder, 550-sheet paper feeder; E60075x: Plus 550-sheet accessory feeder; Optional: 1x550-sheet paper feeder, 1x550-sheet paper feeder and stand with cabinet, 3x550-sheet paper feeder and stand, high-capacity paper feeder and stand with 1x550-sheet feeder and 1x2,000-sheet feeder
Output capacity (Std)	250-sheet output bin	500-sheet output bin; Optional 800-sheet 5-bin stapler/stacker	500-sheet output bin; Optional 800-sheet 5-bin stapler/stacker	500-sheet output bin; Optional 800-sheet 5-bin stapler/stacker
Connectivity				
Interfaces	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10Base-T/100Base-TX network, Gigabit Ethernet 1000Base-T network	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket	Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; Gigabit Ethernet 10/100/1000T network
Operating systems	Microsoft® Windows®/Macintosh®/UNIX®/Linux®	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux
General features				
Memory (Std/Max)	512 MB/1.5 GB	512 MB/1.5 GB when 1 GB Accessory DIMM is installed	512 MB/1.5 GB when 1 GB Accessory DIMM is installed	512 MB/1.5 GB when 1 GB Accessory DIMM is installed
Processor speed	1.2 GHz	1.2 GHz	1.2 GHz	1.2 GHz
What's in the box	Printer; Introductory HP Black LaserJet Toner Cartridge (~6,000 pages); CDs containing software and electronic documentation; Warranty Guides; HGS; Erratas	Printer; HP Black Original LaserJet Toner Cartridge (~11,000 pages); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord	All models: Printer; HP Black Original LaserJet Toner Cartridge (~11,000 pages); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord	All models: Printer; HP Black Original LaserJet Toner Cartridge (~11,000 pages); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord
Dimensions (w x d x h)	418 x 376 x 326 mm	431 x 466 x 380 mm	E60065dn: 431 x 466 x 380 mm; E60065x: 431 x 466 x 505 mm	E60075dn: 431 x 466 x 380 mm; E60075x: 431 x 466 x 505 mm
Weight	11.8 kg	21.6 kg	E60065dn: 21.6 kg; E60065x: 26.3 kg	E60075dn: 21.6 kg; E60075x: 26.3 kg
Media size	Tray 1: A4, A5, A6, B5, 16K, 10 x 15 cm, postcards (JIS single and double), envelopes (DL, C5, C6, B5); Tray 2: A4, A5, B5, 16K, double postcard; Optional Trays 3+: A4, B5, 16K, double postcard; Automatic duplexer: A4	Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), postcard (JIS single and double); Tray 2: A4, A5, A5-R, B5 (JIS), 16K	All models: Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), postcard (JIS single and double); Tray 2: A4, A5, A5-R, B5 (JIS), 16K; E60065x: Plus Tray 3: A4, A5, A5-R, B5 (JIS), 16K	All models: Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), postcard (JIS single and double); Tray 2: A4, A5, A5-R, B5 (JIS), 16K; E60075x: Plus Tray 3: A4, A5, A5-R, B5 (JIS), 16K
Media weight	Tray 1: 60 to 200 g/m ² ; Tray 2+: 60 to 120 g/m ²	Tray 1: 60 to 199 g/m ² ; Tray 2: 60 to 120 g/m ²	All models: Tray 1: 60 to 199 g/m ² ; Tray 2: 60 to 120 g/m ² ; E60065x: Plus Tray 3: 60 to 120 g/m ²	All models: Tray 1: 60 to 199 g/m ² ; Tray 2: 60 to 120 g/m ² ; E60075x: Plus Tray 3: 60 to 120 g/m ²
Control panel	10.9 cm touchscreen with colour graphics	6.86 cm QVGA LCD (colour graphics) rotating (adjustable angle) display with 24-key pad	E60065dn: 6.86 cm QVGA LCD (colour graphics) rotating (adjustable angle) display with 24-key pad; E60065x: 10.9 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; Home button	E60075dn: 6.86 cm QVGA LCD (colour graphics) rotating (adjustable angle) display with 24-key pad; E60075x: 10.9 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; Home button
Printer models	HP LaserJet Managed E50045dw (3GN19A)	HP LaserJet Managed E60055dn (MOP33A)	HP LaserJet Managed E60065dn (MOP35A) HP LaserJet Managed E60065x (MOP36A)	HP LaserJet Managed E60075dn (MOP39A) HP LaserJet Managed E60075x (MOP40A)
Replacement print cartridges and long-life consumables	W9017MC (Black) - 22,500 pages	W9004MC (Black) - 50,000 pages LOH25A (220V Maintenance Kit) - 150,000 pages	W9004MC (Black) - 50,000 pages LOH25A (220V Maintenance Kit) - 150,000 pages	W9004MC (Black) - 50,000 pages LOH25A (220V Maintenance Kit) - 150,000 pages

HP Line-up Map Managed Printers (LaserJet and PageWide)

January 2019 Edition



Single Function A4 Printers (Colour)

Single Function A3 Printers (Colour)



Technical specifications

	HP Color LaserJet Managed E55040dw Printer	HP Color LaserJet Managed E65050dn Printer	HP Color LaserJet Managed E65060dn Printer	HP PageWide Managed P55250dw Printer	HP PageWide Managed P75250dn Printer	HP PageWide Managed E75160dn Printer
Product description	HP Managed printers are optimised for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing costs.	HP Managed printers are optimised for managed environments. Offering increased monthly page volumes and fewer interventions, this product can help reduce printing costs.	HP Managed printers are optimised for managed environments. Offering increased monthly page volumes and fewer interventions, this product can help reduce printing costs.	HP Managed printers are optimised for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing costs.	Business moves fast, and slowing down means falling behind. It's why HP built the next generation of HP PageWide—to power productivity with an efficient design that delivers low-cost colour, maximum uptime, and the industry's strongest security. ³	Modern business demand forward-thinking technology—it's why HP engineered the next generation of HP PageWide to deliver a competitive edge from every angle: breakthrough low colour cost, maximum uptime, and the industry's strongest security. ³
Print						
Number of users	5-15 users	10-30 users	10-30 users	5-15 users	5-15 users	5-15 users
Functions	Print only	Print only	Print only	Print only	Print only	Print only
Speed (A4/Letter) ^{1,4}	Black: Up to 40 ppm, A4 and letter Colour: Up to 40 ppm, A4 and letter	Black: Up to 47 ppm/50 ppm Colour: Up to 47 ppm/50 ppm	Black: Up to 56 ppm/60 ppm Colour: Up to 56 ppm/60 ppm	Black: Up to 75 ppm/75 ppm, General Office mode Colour: Up to 75 ppm/75 ppm, General Office mode	Black: Up to 70 ppm/70 ppm, General Office mode Colour: Up to 80 ppm/80 ppm, General Office mode	Black: Up to 80 ppm/80 ppm, General Office mode Colour: Up to 80 ppm/80 ppm, General Office mode
First page out from ready (A4) ²	Black: As fast as 6.0 seconds Colour: As fast as 7.0 seconds	Black: As fast as 6.5 seconds Colour: As fast as 6.5 seconds	Black: As fast as 5.8 seconds Colour: As fast as 5.8 seconds	Black: As fast as 6.0 seconds Colour: As fast as 6.5 seconds	Black: As fast as 7.6 seconds Colour: As fast as 7.6 seconds	Black: As fast as 6.4 seconds Colour: As fast as 6.6 seconds
Resolution technologies	HP ImageREt 3600, PANTONE [®] -calibrated	HP ImageREt 3600; 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); PANTONE-calibrated	HP ImageREt 3600; 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); PANTONE-calibrated	HP PageWide Technology with pigmented inks	HP PageWide Technology with pigmented inks	HP PageWide Technology with pigmented inks
Monthly duty cycle (Max)	Up to 120,000 pages	Up to 150,000 pages	Up to 180,000 pages	Up to 80,000 pages	Up to 200,000 pages	Up to 250,000 pages
Recommended monthly print volume (RMPV)	2,000 to 15,000 pages	3,000 to 24,000 pages	4,000 to 30,000 pages	1,000 to 7,500 pages	2,500 to 40,000 pages	2,500 to 50,000 pages
Duplex (two-sided printing)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)
Printer language	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint	HP PCLXL (PCL 6), HP PCL 5, native PDF, HP postscript level 3 emulation	HP PCLXL (PCL 6), HP PCL 5, native PDF, HP postscript level 3 emulation, PCL, JPEG, PCLM	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF 1.7
Input capacity (Std)	100-sheet multipurpose tray, 550-sheet input tray 2; Optional: 550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5	100-sheet multipurpose tray, 550-sheet paper tray 2; Optional: 1x550-sheet paper feeder, 1x550-sheet paper feeder with stand and cabinet, 3x550-sheet paper feeder with stand, 1x550/2,000-sheet HCl feeder and stand	100-sheet multipurpose tray, 550-sheet paper tray 2; Optional: 1x550-sheet paper feeder, 1x550-sheet paper feeder with stand and cabinet, 3x550-sheet paper feeder with stand, 1x550/2,000-sheet HCl feeder and stand	500-sheet input tray, 50-sheet multipurpose tray; Optional: 500-sheet tray, 2x500-sheet paper tray and stand	550-sheet input tray, 100-sheet multipurpose tray; Optional: 550-sheet tray, 550-sheet tray and stand, 3x550-sheet tray and stand, 4,000-sheet HCl paper tray and stand	550-sheet input tray, 100-sheet multipurpose tray; Optional: 550-sheet tray, 550-sheet tray and stand, 3x550-sheet tray and stand, 4,000-sheet HCl paper tray and stand
Output capacity (Std)	250-sheet output bin	500-sheet output bin	500-sheet output bin	300-sheet face-down output bin	500-sheet output bin	500-sheet output bin
Connectivity						
Interfaces	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100/1000Base-TX network	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket	Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; Ethernet 10/100Base-TX network; 802.11b/g/n Station; 802.11b/g Access Point	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket
Operating systems	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux
General features						
Memory (Std/Max)	1 GB/2 GB	1 GB/2 GB	1 GB/2 GB	512 MB	1536 MB/2560 MB	1536 MB/2560 MB
Processor speed	1.2 GHz	1.2 GHz	1.2 GHz	1.2 GHz	1.2 GHz	1.2 GHz
What's in the box	Printer; 4 preinstalled HP LaserJet toner cartridges (~6,000 pages black and ~5,000 pages colour); Toner collection unit; In-box documentation; Software CD; Power cord; 100-sheet multipurpose tray 1; 550-sheet input tray 2	Printer; HP Black Original LaserJet Toner Cartridge (~12,500 pages), HP Cyan, Magenta, and Yellow Original LaserJet Toner Cartridges (~10,500 pages each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord	Printer; HP Black Original LaserJet Toner Cartridge (~12,500 pages), HP Cyan, Magenta, and Yellow Original LaserJet Toner Cartridges (~10,500 pages each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord	Printer; HP Setup cartridges; Power cord; Installation Guide; CD-ROMs (for software, Windows and Mac printer drivers, and User's Guide)	Printer; HP Setup Ink Cartridges (yield after setup ~16,000 pages for colour and ~20,000 pages for black); Installation Guide; Support flyer; documentation on CD-ROM; Power cord	Printer; HP Setup ink cartridges (yield after setup ~8,000 pages for CMY and ~10,000 pages for black); Installation Guide; Support flyer; documentation on CD-ROM; Power cord
Dimensions (w x d x h)	458 x 479 x 427 mm	510 x 458 x 482 mm	510 x 458 x 510 mm	530 x 407 x 419.5 mm	604 x 595 x 462 mm	813 x 591 x 458 mm
Weight	27.5 kg	31.2 kg	31.3 kg	16.80 kg	50.7 kg	45.6 kg
Media size	Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm	Tray 1: A4, A5, A6, RA4, B5, B6, 16K, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16K, Dpostcard; Optional 550-sheet trays 3, 4, 5: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16K, Dpostcard; Optional 2,000-sheet high-capacity input feeder: A4	Tray 1: A4, A5, A6, RA4, B5, B6, 16K, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16K, Dpostcard; Optional 550-sheet trays 3, 4, 5: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16K, Dpostcard; Optional 2,000-sheet high-capacity input feeder: A4	Tray 1: Oficio, A4, A5, A6, B5 (JIS), B6 (JIS), 16K, 10 x 15 cm, envelopes (B5, C5, C6, DL); Tray 2: A4, A5, B5 (JIS), 16K, envelopes (DL, B5, C5); Tray 3: A4, A5, B5 (JIS), 16K	Tray 1: A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm), envelopes (B5, C5, C6); Custom: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2 and optional 550-sheet trays: A3, A4, A4-R, A5, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), oficio (216 x 340 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm); Custom: 210.1 x 148.1 to 297.2 x 431.8 mm; Duplex: 10 x 15 cm, RA3, A3, A4, 8K (260 x 368 mm), 8K (270 x 390 mm), 8K (273 x 394 mm), B4, SRA4, RA4, 16K (184 x 260 mm), 16K (195 x 270 mm), 16K (197 x 273 mm), A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6, Postcard (JIS), DPostcard (JIS), oficio (216 x 340 mm); Optional HCl trays: A4	Tray 1: A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm), envelopes (B5, C5, C6); Custom: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2 and optional 550-sheet trays: A3, A4, A4-R, A5, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), oficio (216 x 340 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm); Custom: 210.1 x 148.1 to 297.2 x 431.8 mm; Duplex: 10 x 15 cm, RA3, A3, A4, 8K (260 x 368 mm), 8K (270 x 390 mm), 8K (273 x 394 mm), B4, SRA4, RA4, 16K (184 x 260 mm), 16K (195 x 270 mm), 16K (197 x 273 mm), A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6, Postcard (JIS), DPostcard (JIS), oficio (216 x 340 mm); Optional HCl trays: A4
Media weight	Tray 1: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Tray 2: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Optional Trays 3+: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper)	Tray 1: 60 to 220 g/m ² (plain), 120 to 220 g/m ² (glossy); Tray 2 and automatic two-sided printing unit: 60 to 163 g/m ² (plain), 120 to 220 g/m ² (glossy); Optional Trays 3, 4, 5 550-sheet feeders: 60 to 163 g/m ² (plain), 120 to 220 g/m ² (glossy); Optional 2,000-sheet high capacity input feeder: 60 to 163 g/m ² (plain)	Tray 1: 60 to 220 g/m ² (plain), 120 to 220 g/m ² (glossy); Tray 2 and automatic two-sided printing unit: 60 to 163 g/m ² (plain), 120 to 220 g/m ² (glossy); Optional Trays 3, 4, 5 1x550-sheet feeders: 60 to 163 g/m ² (plain), 120 to 220 g/m ² (glossy); Optional 2,000-sheet high capacity input feeder: 60 to 163 g/m ² (plain)	Tray 1: 60 to 120 g/m ² (plain), 125 to 300 g/m ² (photo), 75 to 90 g/m ² (envelope), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); Tray 2: 60 to 120 g/m ² (plain), 125 to 250 g/m ² (photo), 75 to 90 g/m ² (envelope), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); Tray 3, 4: 60 to 120 g/m ² (plain), 125 to 250 g/m ² (photo), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); Recommended: 60 to 120 g/m ² (plain), 125 to 300 g/m ² (photo), 75 to 90 g/m ² (envelope), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card)	Trays 1: 60 to 220 g/m ² , 300 g/m ² (photo paper only); Tray 2, optional trays 3-5, HCl trays: 60 to 220 g/m ²	Trays 1: 60 to 220 g/m ² , 300 g/m ² (photo paper only); Tray 2, optional trays 3-5, HCl trays: 60 to 220 g/m ²
Control panel	10.9 cm touchscreen with colour graphics	6.8 cm QVGA LCD (colour graphics) rotating (adjustable angle) display with 24-key pad	10.9 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; Home button	10.9 cm Colour Graphic Display, IR touchscreen	10.9 cm pivoting colour touchscreen	10.9 cm pivoting colour touchscreen
Printer models	HP Color LaserJet Managed E55040dw (3GX98A)	HP Color LaserJet Managed E65050dn (L3U55A)	HP Color LaserJet Managed E65060dn (L3U56A)	HP PageWide Managed P55250dw (U6U55A)	HP PageWide Managed Color P75250dn (Y3249A)	HP PageWide Managed Color E75160dn (J7Z06A)
Replacement print cartridges and long-life consumables	W9060MC (Black) - 16,000 pages W9061MC (Cyan) - 12,500 pages W9062MC (Yellow) - 12,500 pages W9063MC (Magenta) - 12,500 pages B5L36A (220V Fuser Kit) - 150,000 pages B5L37A (Toner Collection Unit) - 54,000 pages	W9030MC (Black) - 32,000 pages W9031MC (Cyan) - 28,000 pages W9032MC (Yellow) - 28,000 pages W9033MC (Magenta) - 28,000 pages P1B92A (220V Fuser Kit) - 150,000 pages P1B93A (Image Transfer Belt Kit) - 150,000 pages P1B94A (Toner Collection Unit) - 100,000 pages	W9030MC (Black) - 32,000 pages W9031MC (Cyan) - 28,000 pages W9032MC (Yellow) - 28,000 pages W9033MC (Magenta) - 28,000 pages P1B92A (220V Fuser Kit) - 150,000 pages P1B93A (Image Transfer Belt Kit) - 150,000 pages P1B94A (Toner Collection Unit) - 100,000 pages	L0R95AE (Black) - 3,500 pages F6T77AE (Cyan) - 3,000 pages F6T78AE (Magenta) - 3,000 pages F6T79AE (Yellow) - 3,000 pages L0S07AE (Black) - 10,000 pages F6T81AE (Cyan) - 7,000 pages F6T82AE (Magenta) - 7,000 pages F6T83AE (Yellow) - 7,000 pages L0S20YC (Black) - 21,000 pages L0S29YC (Cyan) - 16,000 pages L0S30YC (Magenta) - 16,000 pages L0S31YC (Yellow) - 16,000 pages WSU23A (ADF Maintenance Kit) - 75,000 pages BSL09A (Ink Collection Unit) - 115,000 pages	M0K29XC (Black) - 22,000 pages M0K06XC (Cyan) - 16,000 pages M0K24XC (Yellow) - 16,000 pages M0K10XC (Magenta) - 16,000 pages W1B43A (Printhead Wiper Kit) - 150,000 pages W1B44A (Service Fluid Container) - 150,000 pages W1B45A (Roller Kit) - 150,000 pages	M0K29XC (Black) - 22,000 pages M0K06XC (Cyan) - 16,000 pages M0K24XC (Yellow) - 16,000 pages M0K10XC (Magenta) - 16,000 pages W1B43A (Printhead Wiper Kit) - 150,000 pages W1B44A (Service Fluid Container) - 150,000 pages W1B45A (Roller Kit) - 150,000 pages

HP Line-up Map Managed Printers (LaserJet and PageWide)

January 2019 Edition



Multifunction A4 Printers (Mono)



Technical specifications

	HP LaserJet Managed MFP E52545 series	HP LaserJet Managed MFP E62555dn	HP LaserJet Managed MFP E62565 series
Product description	HP Managed MFPs are optimised for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs.	This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security. ³	This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security. ³
Print			
Number of users	5-15 users	10-30 users	10-30 users
Functions	Print, scan, copy; Optional: fax	Print, scan, copy	Print, scan, copy
Speed (A4/letter) ¹	Black: Up to 45 ppm, A4 and letter	Black: Up to 52 ppm/55 ppm	Black: Up to 61 ppm/65 ppm
First page out from ready (A4) ²	Black: As fast as 5.7 seconds	Black: As fast as 5.4 seconds	Black: As fast as 5.4 seconds
Resolution technologies	300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200	HP FastRes 1200; 1200 x 1200 dpi	HP FastRes 1200; 1200 x 1200 dpi
Monthly duty cycle (Max)	Up to 150,000 pages	Up to 450,000 pages	Up to 450,000 pages
Recommended monthly print volume (RMPV)	4,000 to 15,000 pages	5,000 to 40,000 pages	5,000 to 40,000 pages
Duplex (two-sided printing)	Automatic (standard)	Automatic (standard)	Automatic (standard)
Printer language	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7)	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint
Input capacity (Std)	1x550-sheet input tray; 1x100-sheet multipurpose tray; Optional: 550-sheet tray (add up to three trays)	100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder; Optional: 1x550-sheet paper feeder, 1x550-sheet feeder with stand and cabinet, 2,000-sheet feeder high capacity input with 1x550-sheet paper feeder and stand, 3x550-sheet feeder and stand, envelope feeder	100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder; Optional: 1x550-sheet paper feeder, 1x550-sheet feeder with stand and cabinet, 2,000-sheet feeder high capacity input with 1x550-sheet paper feeder and stand, 3x550-sheet feeder and stand, optional envelope feeder
Output capacity (Std)	250-sheet output bin	500-sheet output feeder, two-sided printing	All models: 500-sheet output feeder; E62565hs: Plus 500-sheet output stapler/stacker; E62565z: Plus 3-bin stapler/stacker with job offset
Copy			
Resolution	Up to 600 x 600 dpi (flatbed), 600 x 450 dpi (ADF)	Up to 600 x 600 dpi (flatbed); Up to 600 x 450 dpi (ADF)	Up to 600 x 600 dpi (flatbed); Up to 600 x 450 dpi (ADF)
Speed (A4/Letter)	Black: Up to 43 cpm/45 cpm	Black: Up to 52 cpm/55 cpm	Black: Up to 61 cpm/65 cpm
First copy out	Black: As fast as 6.3 seconds	Black: As fast as 5.4 seconds	Black: As fast as 5.4 seconds
Reduce/enlarge	25 to 400%	25 to 400%	25 to 400%
Maximum copies	Up to 9,999	Up to 9,999	Up to 9,999
Scan			
Type (Flatbed/ADF)	Flatbed, ADF (two-sided, single-pass)	Flatbed, ADF	Flatbed, ADF
Resolution	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
Glass size	356 x 216 mm	220 x 365 mm	220 x 365 mm
ADF capacity	100 sheets	150 sheets	150 sheets
Fax			
Speed	33.6 kbps	Not applicable	Not applicable
Memory	Up to 500 pages	Not applicable	Not applicable
Fax settings	Send via PC	Not applicable	Not applicable
Connectivity			
Interfaces	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network	Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket	Hi-Speed Device USB 2.0 Host; 2 Host USB (1 walk-up and 1 external accessible); Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket
Operating systems	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Linux
General features			
Memory (Std/Max)	1.25 GB/2 GB	1.5 GB/2 GB	1.5 GB/2 GB
Processor speed	1.2 GHz	1.2 GHz	1.2 GHz
What's in the box	Printer; HP 87A Black Original LaserJet Toner (~9,000 pages); CDs containing software and electronic documentation; User Guide; Support flyers; Warranty cards; Required Erratas	Printer; HP Black Original LaserJet Toner Cartridge (~11,000 pages); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord	Printer; HP Black Original LaserJet Toner Cartridge (~11,000 pages); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord
Dimensions (w x d x h)	482 x 496 x 497 mm	512 x 558 x 640 mm	E62565hs: 856 x 760 x 1025 mm; E62565h: 700 x 639 x 785 mm; E62565z: 33.7 x 29.9 x 40.4 in
Weight	E52545dn: 21.9 kg; E52545c: 22.1 kg	33.2 kg	39.8 kg
Media size	Tray 1: A4, A5, A6, B5, 16K, 10 x 15 cm, post cards (JIS single and double), envelopes (DL, C5, C6, B5); Tray 2: A4, A5, B5, 16K, double postcard; Optional trays 3+: A4, B5, 16K, double postcard; Automatic duplexer: A4	Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (JIS single and double); Tray 2: A4, A5, A5-R, B5 (JIS), 16K	Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (JIS single and double); Tray 2: A4, A5, A5-R, B5 (JIS), 16K
Media weight	Tray 1: 60 to 200 g/m ² ; Tray 2+: 60 to 120 g/m ²	Tray 1: 60 to 200 g/m ² ; Tray 2: 60 to 120 g/m ²	Tray 1: 60 to 200 g/m ² ; Tray 2: 60 to 120 g/m ²
Control panel	All models: 20.3 cm colour LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); E52545c: Plus pull-out keyboard	20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); E62565h/z: Plus pull-out keyboard
Printer models	HP LaserJet Managed MFP E52545dn (3GY19A) HP LaserJet Managed Flow MFP E52545c (3GY20A)	HP LaserJet Managed MFP E62555dn (J8J66A)	HP LaserJet Managed MFP E62565hs (J8J73A) HP LaserJet Managed Flow MFP E62565h (J8J74A) HP LaserJet Managed Flow MFP E62565z (J8J79A)
Replacement print cartridges	W9017MC (Black) - 22,500 pages WSU23A (ADF Maintenance Kit) - 75,000 pages	W9004MC (Black) - 50,000 pages J8J88A (220V Maintenance Kit) - 225,000 pages J8J95A (ADF Maintenance Kit) - 150,000 pages	W9004MC (Black) - 50,000 pages J8J88A (220V Maintenance Kit) - 225,000 pages J8J95A (ADF Maintenance Kit) - 150,000 pages

HP Line-up Map Managed Printers (LaserJet and PageWide)

January 2019 Edition



Multifunction A3 Printers (Mono)



Technical specifications

	HP LaserJet Managed MFP E72525 series	HP LaserJet Managed MFP E72530 series	HP LaserJet Managed MFP E72535 series	HP LaserJet Managed MFP M725 series	HP LaserJet Managed MFP E82540 series	HP LaserJet Managed MFP E82550 series	HP LaserJet Managed MFP E82560 series	HP LaserJet Managed flow MFP M830z	
Product description	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security. ¹	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security. ¹	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security. ¹	HP Managed MFPs are optimised for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs.	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security. ¹	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security. ¹	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security. ¹	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security. ¹	HP Managed MFPs are optimised for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs.
Print									
Number of users	5-15 users	5-15 users	5-15 users	5-15 users	10-30 users	10-30 users	10-30 users	5-15 users	
Functions	Print, scan, copy; Optional: fax and wireless	Print, scan, copy; Optional: fax and wireless	Print, scan, copy; Optional: fax and wireless	Print, scan, copy, fax (optional for M725zm)	Print, scan, copy; Optional: fax and wireless	Print, scan, copy; Optional: fax and wireless	Print, scan, copy; Optional: fax and wireless	Print, scan, copy, fax	
Speed (A3/A4) ¹	Black: Up to 12 ppm/25 ppm	Black: Up to 15 ppm/30 ppm	Black: Up to 17 ppm/35 ppm	Black: Up to 20 ppm/41 ppm	Black: Up to 25 ppm/50 ppm	Black: Up to 25 ppm/50 ppm	Black: Up to 30 ppm/60 ppm	Black: Up to 26 ppm/56 ppm	
First page out from ready (A4) ²	Black: As fast as 8.9 seconds	Black: As fast as 7.9 seconds	Black: As fast as 7.5 seconds	Black: As fast as 10 seconds	Black: As fast as 7.4 seconds	Black: As fast as 6.8 seconds	Black: As fast as 6.3 seconds	Black: As fast as 9.5 seconds	
Resolution technologies	Laser technologies	Laser technologies	Laser technologies	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology, 600 dpi, 300 dpi	Laser technologies	Laser technologies	Laser technologies	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology, 600 x 600 dpi, 300 x 300 dpi	
Monthly duty cycle (Max)	Up to 300,000 pages	Up to 300,000 pages	Up to 300,000 pages	Up to 375,000 pages	Up to 300,000 pages	Up to 300,000 pages	Up to 300,000 pages	Up to 450,000 pages	
Recommended monthly print volume (RMPV)	Up to 50,000 pages	Up to 50,000 pages	Up to 50,000 pages	Up to 40,000 pages	Up to 100,000 pages	Up to 100,000 pages	Up to 100,000 pages	Up to 100,000 pages	
Duplex (two-sided printing)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)	
Printer language	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF (v 1.7), AirPrint compatible	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF (v 1.7), AirPrint compatible	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF (v 1.7), AirPrint compatible	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF 1.4	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF (v 1.7), AirPrint compatible	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF (v 1.7), AirPrint compatible	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF (v 1.7), AirPrint compatible	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, native PDF printing (v 1.4)	
Input capacity (Std)	100-sheet multipurpose tray, two 520-sheet input trays; Optional: 2x520-sheet input tray, 2,000-sheet HCl tray	100-sheet multipurpose tray, two 520-sheet input trays; Optional: 2x520-sheet input tray, 2,000-sheet HCl tray	100-sheet multipurpose tray, two 520-sheet input trays; Optional: 2x520-sheet input tray, 2,000-sheet HCl tray	All models: 100-sheet multipurpose tray, two 250-sheet input trays; M725zm: Plus three 500-sheet feeders and stand; Optional: 500-sheet input tray, 1x500-sheet paper feeder with cabinet and stand, 3x500-sheet paper feeder with stand, 3,500-sheet high capacity input tray with stand	100-sheet multipurpose tray, two 520-sheet input trays; Optional: 2x520-sheet input tray, 2,000-sheet HCl tray, 3,000-sheet HCl side input tray	100-sheet multipurpose tray, two 520-sheet input trays; Optional: 2x520-sheet input tray, 2,000-sheet HCl tray, 3,000-sheet HCl side input tray	100-sheet multipurpose tray, two 520-sheet input trays; Optional: 2x520-sheet input tray, 2,000-sheet HCl tray, 3,000-sheet HCl side input tray	Two 500-sheet input trays, 100-sheet multipurpose tray, 3,500-sheet high-capacity input tray	
Output capacity (Std)	500-sheet face-down output bin	500-sheet face-down output bin	500-sheet face-down output bin	250-sheet output bin; M725zm: Plus 500-sheet output bin	500-sheet face-down output bin	500-sheet face-down output bin	500-sheet face-down output bin	Up to 3,000 sheets (with optional stapler/stacker, stapler/stacker with hole punch, or stapler/stacker with booklet maker)	
Copy									
Resolution	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 1200 x 1200 dpi reduced speed	Up to 1200 x 1200 dpi reduced speed	Up to 1200 x 1200 dpi reduced speed	Up to 600 x 600 dpi	
Speed (A4/Letter)	Black: Up to 25 cpm/25 cpm	Black: Up to 30 cpm/30 cpm	Black: Up to 35 cpm/35 cpm	Black: Up to 41 cpm/40 cpm	Black: Up to 40 cpm/40 cpm	Black: Up to 50 cpm/50 cpm	Black: Up to 60 cpm/60 cpm	Black: Up to 56 cpm/55 cpm	
First copy out	Black: As fast as 7.9 seconds	Black: As fast as 7.2 seconds	Black: As fast as 6.8 seconds	Black: As fast as 10 seconds	Black: As fast as 6.7 seconds	Black: As fast as 6.4 seconds	Black: As fast as 5.9 seconds	Black: As fast as 9.5 seconds	
Reduce/enlarge	25 to 400%	25 to 400%	25 to 400%	25 to 400%	25 to 400%	25 to 400%	25 to 400%	25 to 400%	
Maximum copies	Up to 9,999	Up to 9,999	Up to 9,999	Up to 9,999	Up to 9,999	Up to 9,999	Up to 9,999	Up to 999	
Scan									
Type (Flatbed/ADF)	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	
Resolution	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 300 x 600 dpi (ADF); Up to 600 x 600 dpi (flatbed)	
Glass size	297 x 432 mm	297 x 432 mm	297 x 432 mm	297 x 420 mm	297 x 432 mm	297 x 432 mm	297 x 432 mm	297 x 432 mm	
ADF capacity	E72525dn: 100 sheets; E72525z: 250 sheets	E72530dn: 100 sheets; E72530z: 250 sheets	E72535dn: 100 sheets; E72535z: 250 sheets	100 sheets	250 sheets	250 sheets	250 sheets	200 sheets	
Fax									
Speed	33.6 kbps	33.6 kbps	33.6 kbps	Not applicable	33.6 kbps	33.6 kbps	33.6 kbps	33.6 kbps	
Memory	Up to 500 pages	Up to 500 pages	Up to 500 pages	Not applicable	Up to 500 pages	Up to 500 pages	Up to 500 pages	Up to 500 pages	
Fax settings	Send via PC	Send via PC	Send via PC	Not applicable	Send via PC	Send via PC	Send via PC	Send via PC	
Connectivity									
Interfaces	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Foreign Interface; Hardware Integration Pocket; 2 Internal USB Host	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Foreign Interface; Hardware Integration Pocket; 2 Internal USB Host
Operating systems	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/UNIX/Linux	
General features									
Memory (Std/Max)	E72525dn: 6 GB; E72525z: 7 GB	E72530dn: 6 GB; E72530z: 7 GB	E72535dn: 6 GB; E72535z: 7 GB	1 GB/1.5 GB	7 GB	7 GB	7 GB	1.5 GB	
Processor speed	1.2 GHz	1.2 GHz	1.2 GHz	800 MHz	1.2 GHz	1.2 GHz	1.2 GHz	800 MHz	
What's in the box	All models: Printer; TCU; Drums; Assy-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)	All models: Printer; TCU; Drums; Assy-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)	All models: Printer; TCU; Drums; Assy-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)	All models: Printer; HP Black LaserJet Toner Cartridge (~10,000 pages); Hardware Installation Guide; Support flyer; Warranty card; Printer documentation and software on CD-ROM; Power cord; M725zm: Plus telecom cable	All models: Printer; TCU; Drums; Assy-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)	All models: Printer; TCU; Drums; Assy-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)	All models: Printer; TCU; Drums; Assy-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)	All models: Printer; TCU; Drums; Assy-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)	Printer; HP Black LaserJet Toner Cartridge (~40,000 pages); Keyboard overlay; Printer documentation and software on CD-ROM; Getting Started Guide, Support flyer, Warranty card; Power cord; Fax cable; two 500-sheet trays; HP LaserJet 3,500-sheet high capacity input tray; Built-in fax; Choice of output paper handling device (printer recommended to be ordered with one of four paper output accessories)
Dimensions (w x d x h)	E72525dn: 570 x 735 x 827 mm; E72525z: 585 x 775.9 x 877.5 mm	E72530dn: 566 x 724.3 x 829 mm; E72530z: 585 x 775.9 x 877.5 mm	E72535dn: 566 x 724.3 x 829 mm; E72535z: 585 x 775.9 x 877.5 mm	M725dnm: 614 x 649 x 609 mm; M725zm: 745 x 681 x 1192 mm	585 x 771.1 x 932.2 mm	585 x 771.1 x 932.2 mm	585 x 771.1 x 932.2 mm	1650 x 715 x 1100 mm	
Weight	68.13 kg	68.13 kg	68.13 kg	M725dnm: 54.11 kg; M725zm: 92.35 kg	95.6 kg	95.6 kg	95.6 kg	204 kg (with stapler hole punch), 223 kg (with booklet maker)	
Media size	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Office, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Office, 16K; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Office, 8K, 16K	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Office, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Office, 16K; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Office, 8K, 16K	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Office, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Office, 16K; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Office, 8K, 16K	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Office, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Office, 16K; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Office, 8K, 16K	A3, A4, A5, B4 (JIS), B5 (JIS)	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Office, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, ASR, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Office, 8K, 16K, envelope (B5, C5, C6, DL); Tray 3: A3, A4, A4R, A5, ASR, A6, RA3, RA4, B4 (JIS), B5 (JIS), Office, 8K, 16K	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Office, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, ASR, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Office, 8K, 16K, envelope (B5, C5, C6, DL); Tray 3: A3, A4, A4R, A5, ASR, A6, RA3, RA4, B4 (JIS), B5 (JIS), Office, 8K, 16K	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Office, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, ASR, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Office, 8K, 16K, envelope (B5, C5, C6, DL); Tray 3: A3, A4, A4R, A5, ASR, A6, RA3, RA4, B4 (JIS), B5 (JIS), Office, 8K, 16K	Tray 1: A3, A4, A5, RA3, B4, B5, 8K, 16K, postcards (JIS double), envelopes (DL, C5, B5); Tray 2, 3: A3, A4, A5, B4, B5; High-capacity input tray: A4
Media weight	Tray 1: 60 to 175 g/m ² ; Tray 2, 3: 60 to 220 g/m ²	Tray 1: 60 to 175 g/m ² ; Tray 2, 3: 60 to 220 g/m ²	Tray 1: 60 to 175 g/m ² ; Tray 2, 3: 60 to 220 g/m ²	All models: Tray 1: 60 to 199 g/m ² ; Trays 2, 3: 60 to 120 g/m ² ; M725zm: Plus Trays 4, 5, 6: 60 to 120 g/m ²	Tray 1, 2, 3: 60 to 300 g/m ²	Tray 1, 2, 3: 60 to 300 g/m ²	Tray 1, 2, 3: 60 to 300 g/m ²	Tray 1: 60 to 220 g/m ² ; Tray 2/3: 60 to 199 g/m ² ; High-capacity input tray: 60 to 199 g/m ²	
Control panel	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E72525z: Plus pull-out keyboard	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E72530z: Plus pull-out keyboard	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E72535z: Plus pull-out keyboard	All models: 20.3 cm colour LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy-access USB; Hardware Integration Pocket	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E82540z: Plus pull-out keyboard	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E82550z: Plus pull-out keyboard	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E82560z: Plus pull-out keyboard	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E82560z: Plus pull-out keyboard	20.3 cm colour LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy-access USB; Hardware Integration Pocket
Printer models	HP LaserJet Managed MFP E72525dn (Direct: Z8206A; Indirect: X3A67A/X3A60A) HP LaserJet Managed Flow MFP E72525z (Direct: Z8207A; Indirect: X3A70A/X3A59A)	HP LaserJet Managed MFP E72530dn (Direct: Z8208A; Indirect: X3A67A/X3A63A) HP LaserJet Managed Flow MFP E72530z (Direct: Z8209A; Indirect: X3A70A/X3A62A)	HP LaserJet Managed MFP E72535dn (Direct: Z8210A; Indirect: X3A67A/X3A66A) HP LaserJet Managed Flow MFP E72535z (Direct: Z8211A; Indirect: X3A70A/X3A65A)	HP LaserJet Managed MFP M725dnm (L3U63A) HP LaserJet Managed MFP M725zm (L3U64A)	HP LaserJet Managed MFP E82540dn (Direct: Z8218A; Indirect: X3A79A/X3A69A) HP LaserJet Managed Flow MFP E82540z (Direct: Z8219A; Indirect: X3A82A/X3A68A)	HP LaserJet Managed MFP E82550dn (Direct: Z8220A; Indirect: X3A79A/X3A72A) HP LaserJet Managed Flow MFP E82550z (Direct: Z8221A; Indirect: X3A82A/X3A71A)	HP LaserJet Managed MFP E82560dn (Direct: Z8222A; Indirect: X3A79A/X3A75A) HP LaserJet Managed Flow MFP E82560z (Direct: Z8223A; Indirect: X3A82A/X3A74A)	HP LaserJet Managed flow MFP M830zm (L3U65A)	
Replacement print cartridges and long-life consumables	W9005MC (Black) - 48,000 pages W9006MC (Black Imaging Drum) - 200,000 pages W9007MC (Toner Collection Unit) - 100,000 pages Z9M07A (220V Fuser Assembly) - 320,000 pages	W9005MC (Black) - 48,000 pages W9006MC (Black Imaging Drum) - 200,000 pages W9007MC (Toner Collection Unit) - 100,000 pages Z9M07A (220V Fuser Assembly) - 320,000 pages	W9005MC (Black) - 48,000 pages W9006MC (Black Imaging Drum) - 200,000 pages W9007MC (Toner Collection Unit) - 100,000 pages Z9M07A (220V Fuser Assembly) - 320,000 pages	CF214XC (Black) - 25,000 pages CF254A (220V Maintenance Kit) - 200,000 pages L2718A (ADF Maintenance Kit) - 900,000 pages	W9014MC (Black) - 69,000 pages W9015MC (Black Imaging Drum) - 396,000 pages W9016MC (Toner Collection Unit) - 300,000 pages Z7Y76A (220V Fuser Assembly) - 360,000 pages	W9014MC (Black) - 69,000 pages W9015MC (Black Imaging Drum) - 396,000 pages W9016MC (Toner Collection Unit) - 300,000 pages Z7Y76A (220V Fuser Assembly) - 360,000 pages	W9014MC (Black) - 69,000 pages W9015MC (Black Imaging Drum) - 396,000 pages W9016MC (Toner Collection Unit) - 300,000 pages Z7Y76A (220V Fuser Assembly) - 360,000 pages	W9014MC (Black) - 69,000 pages W9015MC (Black Imaging Drum) - 396,000 pages W9016MC (Toner Collection Unit) - 300,000 pages Z7Y76A (220V Fuser Assembly) - 360,000 pages	CF325XC (Black) - 42,600 pages C2H57A (220V Maintenance Kit) - 200,000 pages C1P70A (ADF Maintenance Kit) - 100,000 pages

HP Line-up Map Managed Printers (LaserJet and PageWide)

January 2019 Edition



Multifunction A3 Printers (Colour)



Technical specifications

	HP PageWide Managed Color MFP P77440dn	HP PageWide Managed Color MFP P77940 series	HP PageWide Managed Color MFP P77950 series	HP PageWide Managed Color MFP P77960 series
Product description	Business moves fast, and slowing down means falling behind. It's why HP built the next generation of HP PageWide—to power productivity with an efficient design that delivers low-cost colour, maximum uptime, and the industry's strongest security. ³	Business moves fast, and slowing down means falling behind. It's why HP built the next generation of HP PageWide—to power productivity with an efficient design that delivers low-cost colour, maximum uptime, and the industry's strongest security. ³	Business moves fast, and slowing down means falling behind. It's why HP built the next generation of HP PageWide—to power productivity with an efficient design that delivers low-cost colour, maximum uptime, and the industry's strongest security. ³	Business moves fast, and slowing down means falling behind. It's why HP built the next generation of HP PageWide—to power productivity with an efficient design that delivers low-cost colour, maximum uptime, and the industry's strongest security. ³
Print				
Number of users	5-15 users	5-15 users	5-15 users	5-15 users
Functions	Print, scan, copy; Optional: fax	Print, scan, copy; Optional: fax	Print, scan, copy; Optional: fax	Print, scan, copy; Optional: fax
Speed (Letter/A4) ⁴	Black: Up to 60 ppm/60 ppm, General Office mode Colour: Up to 60 ppm/60 ppm, General Office mode	Black: Up to 60 ppm/60 ppm, General Office mode Colour: Up to 60 ppm/60 ppm, General Office mode	Black: Up to 70 ppm/70 ppm, General Office mode Colour: Up to 70 ppm/70 ppm, General Office mode	Black: Up to 80 ppm/80 ppm, General Office mode Colour: Up to 80 ppm/80 ppm, General Office mode
First page out from ready (Letter) ²	Black: As fast as 8 seconds Colour: As fast as 8.3 seconds	Black: As fast as 8 seconds Colour: As fast as 8.3 seconds	Black: As fast as 7.7 seconds Colour: As fast as 8 seconds	Black: As fast as 6.7 seconds Colour: As fast as 6.9 seconds
Resolution technologies	HP PageWide Technology with pigmented inks	HP PageWide Technology with pigmented inks	HP PageWide Technology with pigmented inks	HP PageWide Technology with pigmented inks
Monthly duty cycle (Max)	Up to 150,000 pages	Up to 150,000 pages	Up to 200,000 pages	Up to 250,000 pages
Recommended monthly print volume (RMPV)	2,500 to 30,000 pages	2,500 to 30,000 pages	2,500 to 40,000 pages	2,500 to 50,000 pages
Duplex (two-sided printing)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)
Printer language	HP PCLXL (PCL 6), HP PCL 5, native PDF, HP postscript level 3 emulation, PJI, JPEG, PCLM	HP PCLXL (PCL 6), HP PCL 5, native PDF, HP postscript level 3 emulation, PJI, JPEG, PCLM	HP PCLXL (PCL6), PCL5, native PDF, HP postscript level 3 emulation, PJI, JPEG, PCLM	HP PCLXL (PCL6), PCL5, native PDF, HP postscript level 3 emulation, PJI, JPEG, PCLM
Input capacity (Std)	100-sheet multipurpose tray 1, 550-sheet trays 2 and 3 (tandem); Optional: 550-sheet tray, 550-sheet tray and stand, 3x550-sheet tray and stand, 4,000-sheet HCl paper tray and stand	100-sheet multipurpose tray, 550-sheet input tray; Optional: 550-sheet tray, 550-sheet tray and stand, 3x550-sheet tray and stand, 4,000-sheet HCl paper feeder and stand	100-sheet multipurpose tray, 550-sheet input tray; Optional: 550-sheet tray, 550-sheet tray and stand, 3x550-sheet tray and stand, 4,000-sheet HCl paper feeder and stand	100-sheet multipurpose tray, 550-sheet input tray; Optional: 550-sheet tray, 550-sheet tray and stand, 3x550-sheet tray and stand, 4,000-sheet HCl paper feeder and stand
Output capacity (Std)	500-sheet output bin	P77940dn/dns: 500-sheet output bin; P77940dns: Plus 350-sheet inner finisher with stapler ⁵	All models: 500-sheet output bin; P77950dns: Plus 350-sheet inner finisher with stapler ⁵	All models: 500-sheet output bin; P77960dns: Plus 350-sheet inner finisher with stapler ⁵
Copy				
Resolution	Up to 600 dpi	Up to 600 dpi	Up to 600 dpi	Up to 600 dpi
Speed (Letter/A4)	Black: Up to 60 cpm/60 cpm; Colour: Up to 60 cpm/60 cpm	Black: Up to 60 cpm/60 cpm; Colour: Up to 60 cpm/60 cpm	Black: Up to 50 cpm/50 cpm; Colour: Up to 50 cpm/50 cpm	Black: Up to 40 cpm/40 cpm; Colour: Up to 60 cpm/60 cpm
First copy out	Black: As fast as 9 seconds; Colour: As fast as 10.8 seconds	Black: As fast as 9 seconds; Colour: As fast as 10.8 seconds	Black: As fast as 8.9 seconds; Colour: As fast as 9.5 seconds	Black: As fast as 7.3 seconds; Colour: As fast as 9.3 seconds
Reduce/enlarge	25 to 400%	25 to 400%	25 to 400%	25 to 400%
Maximum copies	Up to 999 copies	Up to 999 copies	Up to 999 copies	Up to 999 copies
Scan				
Type (Flatbed/ADF)	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF
Resolution	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 300 x 300 dpi	Up to 300 x 300 dpi
Glass size	297 x 432 mm	297 x 432 mm	297 x 432 mm	297 x 432 mm
ADF capacity	100 sheets	100 sheets	100 sheets	100 sheets
Fax				
Speed	3 seconds per page	3 seconds per page	3 seconds per page	3 seconds per page
Memory	Up to 500 pages (black and white)	Up to 500 pages (black and white)	Up to 500 pages (black and white)	Up to 500 pages (black and white)
Fax settings	Send via PC	Send via PC	Send via PC	Send via PC
Connectivity				
Interfaces	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host (1 easy-access and 1 external accessible); Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host (1 easy-access and 1 external accessible); Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host (1 easy-access and 1 external accessible); Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host (1 easy-access and 1 external accessible); Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket
Operating systems	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux
General features				
Memory (Std/Max)	3584 MB	3584 MB	3584 MB	3584 MB
Processor speed	1.2 GHz	1.2 GHz	1.2 GHz	1.2 GHz
What's in the box	Printer; HP Setup Ink Cartridges; Installation Guide; Support flyer; documentation on CD-ROM; Power cord	Printer; HP Setup Ink Cartridges; Installation Guide; Support flyer; documentation on CD-ROM; Power cord	Printer; HP Setup Ink Cartridges; Installation Guide; Support flyer; documentation on CD-ROM; Power cord	Printer; HP Setup Ink Cartridges; Installation Guide; Support flyer; documentation on CD-ROM; Power cord
Dimensions (w x d x h)	604 x 604 x 664 mm	P77940dn: 604 x 652 x 664 mm; P77940dns: 604 x 652 x 772 mm	P77950dn: 604 x 652 x 664 mm; P77950dns: 604 x 652 x 772 mm	P77960dn: 604 x 652 x 664 mm; P77960dns: 604 x 652 x 772 mm
Weight	E52545dn: 21.9 kg; E52545c: 22.1 kg	P77940dn: 66.63 kg; P77940dns: 82.32 kg	P77950dn: 66.6 kg; P77950dns: 82.5 kg	P77960dn: 66.6 kg; P77960dns: 82.5 kg
Media size	Tray 1: A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm), envelopes (B5, C5, C6); Custom: 99.1 x 127 to 304.8 x 457.2 mm; Tandem trays 2 and 3: A4, A4-R, A5, B5; Custom: 148 x 210 to 216 x 297 mm; Optional HCl: A4; Duplex: A3, A4, A5, B5; ADF: A3, ledger, B4 (JIS), A4, B5 (JIS), A4, B6 (JIS), A6	Tray 1: A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm), envelopes (B5, C5, C6); Custom: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2 and tandem trays: A3, A4, A4-R, A5, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm); Custom: 210.1 x 148.1 to 297.2 x 431.8 mm; Optional HCl: A4; Duplex: A3, A4, A5, B5; ADF: A3, ledger, B4 (JIS), A4, B5 (JIS), A4, B6 (JIS), A6	Tray 1: A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm), envelopes (B5, C5, C6); Custom: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2 and optional 550-sheet trays: A3, A4, A4-R, A5, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm); Custom: 210.1 x 148.1 to 297.2 x 431.8 mm; Optional HCl: A4; Duplex: A3, A4, A5, B5; ADF: A3, ledger, B4 (JIS), A4, B5 (JIS), A4, B6 (JIS), A6	Tray 1: A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm), envelopes (B5, C5, C6); Custom: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2 and optional 550-sheet trays: A3, A4, A4-R, A5, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm); Custom: 210.1 x 148.1 to 297.2 x 431.8 mm; Optional HCl: A4; Duplex: A3, A4, A5, B5; ADF: A3, ledger, B4 (JIS), A4, B5 (JIS), A5, B6 (JIS), A6
Media weight	Tray 1: 60 to 220 g/m ² , 300 g/m ² (photo paper only); Tandem trays 2 and 3, optional trays, optional HCl: 60 to 220 g/m ² ; ADF: 60 to 120 g/m ² , plain paper; 125 to 300 g/m ² , photo; 75 to 90 g/m ² , envelope; 120 to 180 g/m ² , brochure; 163 g/m ² , card	Tray 1: 60 to 220 g/m ² , 300 g/m ² (photo paper only); Tray 2, tandem trays, optional trays 3-5, optional HCl: 60 to 220 g/m ² ; ADF: 60 to 120 g/m ² , plain paper; 125 to 300 g/m ² , photo; 75 to 90 g/m ² , envelope; 120 to 180 g/m ² , brochure; 163 g/m ² , card	Tray 1: 60 to 220 g/m ² , 300 g/m ² (photo paper only); Tray 2, optional 550-sheet trays, optional HCl: 60 to 220 g/m ² ; ADF: 45 to 199 g/m ²	Tray 1: 60 to 220 g/m ² , 300 g/m ² (photo paper only); Tray 2, optional 550-sheet trays, optional HCl: 60 to 220 g/m ² ; ADF: 45 to 199 g/m ²
Control panel	10.9 cm colour touchscreen control panel	20.3 cm pivoting colour touchscreen	20.3 cm pivoting colour touchscreen	20.3 cm pivoting colour touchscreen
Printer models	HP PageWide Managed Color MFP P77440dn (Y3Z60A)	HP PageWide Managed Color MFP P77940dn (Y3Z61A) HP PageWide Managed Color MFP P77940dns (Y3Z64A)	HP PageWide Managed Color MFP P77950dn (Y3Z62A) HP PageWide Managed Color MFP P77950dns (Y3Z66A)	HP PageWide Managed Color MFP P77960dn (Y3Z63A) HP PageWide Managed Color MFP P77960dns (Y3Z68A)
Replacement print cartridges	X4D19AC (Black) - 20,000 pages X4D10AC (Cyan) - 16,000 pages X4D16AC (Yellow) - 16,000 pages X4D13AC (Magenta) - 16,000 pages W1B44A (Service Fluid Container) - 150,000 pages W1B43A (Printhead Wiper Kit) - 150,000 pages W1B45A (PageWide Roller Kit) - 150,000 pages	X4D19AC (Black) - 20,000 pages X4D10AC (Cyan) - 16,000 pages X4D16AC (Yellow) - 16,000 pages X4D13AC (Magenta) - 16,000 pages W1B44A (Service Fluid Container) - 150,000 pages W1B43A (Printhead Wiper Kit) - 150,000 pages W1B45A (PageWide Roller Kit) - 150,000 pages	M0K29XC (Black) - 22,000 pages M0K06XC (Cyan) - 16,000 pages M0K24XC (Yellow) - 16,000 pages M0K10XC (Magenta) - 16,000 pages W1B43A (Printhead Wiper Kit) - 150,000 pages W1B44A (Service Fluid Container) - 150,000 pages W1B45A (Roller Kit) - 150,000 pages	M0K29XC (Black) - 22,000 pages M0K06XC (Cyan) - 16,000 pages M0K24XC (Yellow) - 16,000 pages M0K10XC (Magenta) - 16,000 pages W1B43A (Printhead Wiper Kit) - 150,000 pages W1B44A (Service Fluid Container) - 150,000 pages W1B45A (Roller Kit) - 150,000 pages

HP Line-up Map Managed Printers (LaserJet and PageWide)

January 2019 Edition



Multifunction A3 Printers (Colour)



Technical specifications

	HP PageWide Managed Color MFP E77650 series	HP PageWide Managed Color MFP E77660 series	HP Color LaserJet Managed MFP E77822 series	HP Color LaserJet Managed MFP E77825 series	HP Color LaserJet Managed MFP E77830 series
Product description	Modern business demand forward-thinking technology—it's why HP engineered the next generation of HP PageWide to deliver a competitive edge from every angle: breakthrough low colour cost, maximum uptime, and the industry's strongest security. ³	Modern business demand forward-thinking technology—it's why HP engineered the next generation of HP PageWide to deliver a competitive edge from every angle: breakthrough low colour cost, maximum uptime, and the industry's strongest security. ³	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium colour value, maximum uptime, and the strongest security. ³	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium colour value, maximum uptime, and the strongest security. ³	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium colour value, maximum uptime, and the strongest security. ³
Print					
Number of users	5-15 users	5-15 users	5-15 users	5-15 users	5-15 users
Functions	Print, scan, copy; Optional: fax	Print, scan, copy; Optional: fax	Print, scan, copy; Optional: fax and wireless	Print, scan, copy; Optional: fax and wireless	Print, scan, copy; Optional: fax and wireless
Speed (A4/letter) ^{1,4}	Black: Up to 70 ppm/70 ppm, General Office mode Colour: Up to 70 ppm/70 ppm, General Office mode	Black: Up to 80 ppm/80 ppm, General Office mode Colour: Up to 80 ppm/80 ppm, General Office mode	Black: Up to 11 ppm/22 ppm Colour: Up to 11 ppm/22 ppm	Black: Up to 12 ppm/25 ppm Colour: Up to 12 ppm/25 ppm	Black: Up to 15 ppm/30 ppm Colour: Up to 15 ppm/30 ppm
First page out from ready (A4) ²	Black: As fast as 7.1 seconds Colour: As fast as 7.1 seconds	Black: As fast as 7.1 seconds Colour: As fast as 7.1 seconds	Black: As fast as 10.0 seconds Colour: As fast as 12.3 seconds	Black: As fast as 9.7 seconds Colour: As fast as 11.7 seconds	Black: As fast as 9.6 seconds Colour: As fast as 11.4 seconds
Resolution technologies	HP PageWide Technology with pigmented inks	HP PageWide Technology with pigmented inks	Laser technologies	Laser technologies	Laser technologies
Monthly duty cycle (Max)	Up to 200,000 pages	Up to 250,000 pages	Up to 300,000 pages	Up to 300,000 pages	Up to 300,000 pages
Recommended monthly print volume (RMPV)	2,500 to 40,000 pages	2,500 to 50,000 pages	Up to 50,000 pages	Up to 50,000 pages	Up to 50,000 pages
Duplex (two-sided printing)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)
Printer language	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF 1.7	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF 1.7	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF (v 1.7), AirPrint compatible	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF (v 1.7), AirPrint compatible	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF (v 1.7), AirPrint compatible
Input capacity (Std)	100-sheet multipurpose tray, 550-sheet input tray; Optional: 550-sheet tray, 550-sheet tray and stand, 3x550-sheet tray and stand, 4,000-sheet HCl paper feeder and stand	All models except E77660zts: 100-sheet multipurpose tray, 550-sheet input tray; Flow E77660zts: 100-sheet multipurpose tray, 550-sheet trays 2 and 3 (tandem); Optional: 550-sheet tray, 550-sheet tray and stand, 3x550-sheet tray and stand, 4,000-sheet HCl paper feeder and stand; Required for Flow E77660z+ only: one tray/stand accessory (550-sheet tray and stand, or 3x550-sheet tray and stand, or 4,000-sheet HCl paper feeder and stand)	100-sheet multipurpose tray, two 520-sheet input trays; Optional: 2x520-sheet input tray, 2,000-sheet HCl tray	100-sheet multipurpose tray, two 520-sheet input trays; Optional: 2x520-sheet input tray, 2,000-sheet HCl tray	100-sheet multipurpose tray, two 520-sheet input trays; Optional: 2x520-sheet input tray, 2,000-sheet HCl tray
Output capacity (Std)	E77650dn, Flow E77650z: 500-sheet output bin; E77650dns, Flow E77650zts: Plus 350-sheet inner finisher with stapler ⁵	E77660dn, Flow E77660z: 500-sheet output bin; E77660dns, Flow E77660zts/zts: Plus 350-sheet inner finisher with stapler ⁵ ; Required for Flow E77660z+: 3,250-sheet external finisher with stapler ⁵	500-sheet face-down output bin	500-sheet face-down output bin	500-sheet face-down output bin
Copy					
Resolution	Up to 600 dpi	Up to 600 dpi	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi
Speed (A4/Letter)	Black: Up to 50 cpm/50 cpm; Colour: Up to 50 cpm/50 cpm	Black: Up to 60 cpm/60 cpm; Colour: Up to 60 cpm/60 cpm	Black: Up to 22 cpm/22 cpm; Colour: Up to 22 cpm/22 cpm	Black: Up to 25 cpm/25 cpm; Colour: Up to 25 cpm/25 cpm	Black: Up to 30 cpm/30 cpm; Colour: Up to 30 cpm/30 cpm
First copy out	Black: As fast as 9 seconds Colour: As fast as 9 seconds	Black: As fast as 9 seconds Colour: As fast as 9 seconds	Black: As fast as 9.2 seconds Colour: As fast as 9.8 seconds	Black: As fast as 8.5 seconds Colour: As fast as 9.1 seconds	Black: As fast as 7.9 seconds Colour: As fast as 8.6 seconds
Reduce/enlarge	25 to 400%	25 to 400%	25 to 400%	25 to 400%	25 to 400%
Maximum copies	Up to 999	Up to 999	Up to 999	Up to 999	Up to 999
Scan					
Type (Flatbed/ADF)	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF
Resolution	Up to 600 dpi	Up to 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
Glass size	297 x 432 mm	297 x 432 mm	297 x 432 mm	297 x 432 mm	297 x 432 mm
ADF capacity	200 sheets	200 sheets	E77822dn: 100 sheets; E77822z: 250 sheets	E77825dn: 100 sheets; E77825z: 250 sheets	E77830dn: 100 sheets; E77830z: 250 sheets
Fax					
Speed	3 seconds per page	3 seconds per page	33.6 kbps	33.6 kbps	33.6 kbps
Memory	Up to 500 pages	Up to 500 pages	Up to 500 pages	Up to 500 pages	Up to 500 pages
Fax settings	Send via PC	Send via PC	Send via PC	Send via PC	Send via PC
Connectivity					
Interfaces	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host (1 easy-access and 1 external accessible); Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port
Operating systems	Microsoft Windows/Macintosh/Unix/Linux	Microsoft Windows/Macintosh/Unix/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Linux
General features					
Memory (Std/Max)	E77650dn/dns: 3584 MB; Flow E77650z/zts: 5632 MB	E77660dn/dns: 3584 MB; Flow E77660z/zts/zts+: 5632 MB	E77822dn: 6 GB; E77822z: 7 GB	E77825dn: 6 GB; E77825z: 7 GB	E77830dn: 6 GB; E77830z: 7 GB
Processor speed	1.2 GHz	1.2 GHz	1.2 GHz	1.2 GHz	1.2 GHz
What's in the box	Printer; HP setup ink cartridges (yield after setup ~8,000 pages for CMY and ~10,000 pages for black); Installation Guide, Support flyer; documentation on CD-ROM; Power cord	Printer; HP setup ink cartridges (yield after setup ~8,000 pages for CMY and ~10,000 pages for black); Installation Guide, Support flyer; documentation on CD-ROM; Power cord	All models: Printer; TCU; Drums; Ass'y-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)	All models: Printer; TCU; Drums; Ass'y-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)	All models: Printer; TCU; Drums; Ass'y-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)
Dimensions (w x d x h)	E77650dn/Flow E77650z: 813 x 616 x 680 mm; E77650dns/Flow E77650zts: 813 x 616 x 791 mm	E77660dn/Flow E77660z: 813 x 616 x 680 mm; E77660dns/Flow E77660zts/Flow E77660zts: 813 x 616 x 791 mm; Flow E77660z+: 1245 x 693 x 1222 mm	E77822dn: 566 x 724.3 x 879 mm; E77822z: 585 x 775.9 x 927.5 mm	E77825dn: 566 x 724.3 x 879 mm; E77825z: 585 x 775.9 x 927.5 mm	E77830dn: 566 x 724.3 x 879 mm; E77830z: 585 x 775.9 x 927.5 mm
Weight	E77650dn/Flow E77650z: 69 kg; E77650dns/Flow E77650zts: 82 kg	E77660dn/Flow E77660z: 69 kg; E77660dns/Flow E77660zts/Flow E77660zts: 82 kg; Flow E77660z+: 170.69 kg	89.55 kg	89.55 kg	89.55 kg
Media size	Tray 1: A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm), envelopes (B5, C5, C6); Custom: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2 and optional 550-sheet trays: A3, A4, A4-R, A5, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), oficio (216 x 340 mm); Custom: 210.1 x 148.1 to 297.2 x 431.8 mm; Optional HCl: A4, A4-R, A5, A5-R, RA3, RA4, SRA4, B4, B5 (JIS), B6 (JIS), 10 x 15 cm, 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), Postcard (JIS), DPostcard (JIS), oficio (216 x 340 mm); ADF: A3, B4 (JIS), A4, B5 (JIS), A5, B6 (JIS), A6	Tray 1: A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm), envelopes (B5, C5, C6); Custom: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2 and optional 550-sheet trays: A3, A4, A4-R, A5, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), oficio (216 x 340 mm); Custom: 210.1 x 148.1 to 297.2 x 431.8 mm; Optional HCl: A4, A4-R, A5, A5-R, RA3, RA4, SRA4, B4, B5 (JIS), B6 (JIS), 10 x 15 cm, 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), Postcard (JIS), DPostcard (JIS), oficio (216 x 340 mm); ADF: A3, B4 (JIS), A4, B5 (JIS), A5, B6 (JIS), A6	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Oficio, 16K; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16K	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Oficio, 16K; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16K	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Oficio, 16K; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16K
Media weight	Tray 1: 60 to 220 g/m ² , 300 g/m ² (photo paper only); Tray 2, optional 550-sheet trays, optional HCl: 60 to 220 g/m ² ; ADF: 45 to 199 g/m ²	Tray 1: 60 to 220 g/m ² , 300 g/m ² (photo paper only); Tray 2, optional 550-sheet trays, optional HCl: 60 to 220 g/m ² ; ADF: 45 to 199 g/m ²	Tray 1: 60 to 175 g/m ² ; Tray 2, 3: 60 to 220 g/m ²	Tray 1: 60 to 175 g/m ² ; Tray 2, 3: 60 to 220 g/m ²	Tray 1: 60 to 175 g/m ² ; Tray 2, 3: 60 to 220 g/m ²
Control panel	All models: 20.3 cm pivoting colour touchscreen; Flow MFP E77650z/zts: Plus pull-out keyboard	All models: 20.3 cm pivoting colour touchscreen; Flow MFP E77660z/zts/zts+: Plus pull-out keyboard	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E77822z: Plus pull-out keyboard	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E77825z: Plus pull-out keyboard	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E77830z: Plus pull-out keyboard
Printer models	HP PageWide Managed MFP E77650dn (Direct: J7213A; Indirect: 2CF56A/2GP04A) HP PageWide Managed MFP E77650dns (Direct: Z5G79A; Indirect: 2CF57A/2GP07A) HP PageWide Managed Flow MFP E77650z (Direct: J7208A; Indirect: 2CF58A/2GP10A) HP PageWide Managed Flow MFP E77650zts (Direct: J7214A; Indirect: 2CF59A/2GH13A)	HP PageWide Managed MFP E77660dn (Direct: Z5G77A; Indirect: 2CF56A/2GP05A) HP PageWide Managed MFP E77660dns (Direct: 2LF96A; Indirect: 2CF57A/2GP08A) HP PageWide Managed Flow MFP E77660z (Direct: J7203A; Indirect: 2CF58A/2GP08A) HP PageWide Managed Flow MFP E77660zts (Direct: J7207A; Indirect: 2CF59A/2GP14A) HP PageWide Managed Flow MFP E77660zts (Direct: J7205A; Indirect: N/A) HP PageWide Managed Flow MFP E77660z+ (Direct: Z5G78A; Indirect: 2CF60A/2GP17A)	HP Color LaserJet Managed MFP E77822dn (Direct: Z8200A; Indirect: X3A61A/X3A78A) HP Color LaserJet Managed Flow MFP E77822z (Direct: Z8201A; Indirect: X3A64A/X3A77A)	HP Color LaserJet Managed MFP E77825dn (Direct: Z8202A; Indirect: X3A61A/X3A81A) HP Color LaserJet Managed Flow MFP E77825z (Direct: Z8203A; Indirect: X3A64A/X3A80A)	HP Color LaserJet Managed MFP E77830dn (Direct: Z8204A; Indirect: X3A61A/X3A84A) HP Color LaserJet Managed Flow MFP E77830z (Direct: Z8205A; Indirect: X3A64A/X3A83A)
Replacement print cartridges and long-life consumables	M0K28XC (Black) - 22,000 pages M0K05XC (Cyan) - 16,000 pages M0K09XC (Yellow) - 16,000 pages M0K24XC (Magenta) - 16,000 pages W1B43A (Printhead Wiper Kit) - 150,000 pages W1B44A (Service Fluid Container) - 150,000 pages W1B45A (Roller Kit) - 150,000 pages	M0K28XC (Black) - 22,000 pages M0K05XC (Cyan) - 16,000 pages M0K09XC (Yellow) - 16,000 pages M0K24XC (Magenta) - 16,000 pages W1B43A (Printhead Wiper Kit) - 150,000 pages W1B44A (Service Fluid Container) - 150,000 pages W1B45A (Roller Kit) - 150,000 pages	W9040MC (Black) - 34,000 pages W9041MC (Cyan) - 32,000 pages W9042MC (Yellow) - 32,000 pages W9043MC (Magenta) - 32,000 pages Z9M03A (Z20V Fuser Assembly) - 250,000 pages W9048MC (Toner Collection Unit) - 33,700 pages W9044MC (CMY Imaging Drum) - 135,000 pages	W9040MC (Black) - 34,000 pages W9041MC (Cyan) - 32,000 pages W9042MC (Yellow) - 32,000 pages W9043MC (Magenta) - 32,000 pages Z9M03A (Z20V Fuser Assembly) - 250,000 pages W9048MC (Toner Collection Unit) - 33,700 pages W9044MC (CMY Imaging Drum) - 135,000 pages	W9040MC (Black) - 34,000 pages W9041MC (Cyan) - 32,000 pages W9042MC (Yellow) - 32,000 pages W9043MC (Magenta) - 32,000 pages Z9M03A (Z20V Fuser Assembly) - 250,000 pages W9048MC (Toner Collection Unit) - 33,700 pages W9044MC (CMY Imaging Drum) - 135,000 pages

HP Line-up Map Managed Printers (LaserJet and PageWide)

January 2019 Edition



Multifunction A3 Printers (Colour)



Technical specifications

	HP Color LaserJet Managed MFP E87640 series	HP Color LaserJet Managed MFP E87650 series	HP Color LaserJet Managed MFP E87660 series	HP Color LaserJet Managed MFP M775 series	HP Color LaserJet Managed flow MFP M880 series
Product description	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium colour value, maximum uptime, and the strongest security. ³	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium colour value, maximum uptime, and the strongest security. ³	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium colour value, maximum uptime, and the strongest security. ³	HP Managed MFPs are optimised for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs.	HP Managed MFPs are optimised for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs.
Print					
Number of users	10-30 users	10-30 users	10-30 users	15 to 25 users	Over 25 users
Functions	Print, scan, copy; Optional: fax and wireless	Print, scan, copy; Optional: fax and wireless	Print, scan, copy; Optional: fax and wireless	Print, scan, copy, fax, digital send, easy-access USB	Print, scan, copy, fax
Speed (A3/A4) ¹	Black: Up to 20 ppm/40 ppm Colour: Up to 20 ppm/40 ppm	Black: Up to 25 ppm/50 ppm Colour: Up to 25 ppm/50 ppm	Black: Up to 30 ppm/60 ppm Colour: Up to 30 ppm/60 ppm	Black: Up to 15 ppm/30 ppm Colour: Up to 15 ppm/30 ppm	Black: Up to 22 ppm/46 ppm Colour: Up to 22 ppm/46 ppm
First page out from ready (A4) ²	Black: As fast as 8.1 seconds Colour: As fast as 9.2 seconds	Black: As fast as 7.2 seconds Colour: As fast as 8.3 seconds	Black: As fast as 6.9 seconds Colour: As fast as 8.0 seconds	Black: As fast as 10.5 seconds Colour: As fast as 10.5 seconds	Black: As fast as 11.0 seconds Colour: As fast as 11.0 seconds
Resolution technologies	Laser technologies	Laser technologies	Laser technologies	HP ImageREt 3600, PANTONE-calibrated	HP ImageREt 4800; HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); PANTONE-calibrated
Monthly duty cycle (Max)	Up to 300,000 pages	Up to 300,000 pages	Up to 300,000 pages	Up to 180,000 pages	Up to 300,000 pages
Recommended monthly print volume (RMPV)	Up to 50,000 pages	Up to 50,000 pages	Up to 50,000 pages	2,500 to 30,000 pages	5,000 to 50,000 pages
Duplex (two-sided printing)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)
Printer language	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF (v 1.7), AirPrint compatible	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF (v 1.7), AirPrint compatible	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF (v 1.7), AirPrint compatible	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.4), Apple AirPrint	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PDF
Input capacity (Std)	100-sheet multipurpose tray, two 520-sheet input trays; Optional: 2x520-sheet input tray, 2,000-sheet HCI tray, 3,000-sheet HCI side input tray	100-sheet multipurpose tray, two 520-sheet input trays; Optional: 2x520-sheet input tray, 2,000-sheet HCI tray, 3,000-sheet HCI side input tray	100-sheet multipurpose tray, two 520-sheet input trays; Optional: 2x520-sheet input tray, 2,000-sheet HCI tray, 3,000-sheet HCI side input tray	All models: 100-sheet multipurpose tray, 250-sheet tray 2, 100-sheet automatic document feeder (ADF), M775fm: Plus 500-sheet tray 3, 500-sheet tray 4 with cabinet; M775zm: Plus 3x500-sheet tray with cabinet for tray 3, 4, and 5	All models: 100-sheet multipurpose tray, M880zm: Plus 4x500-sheet input tray; M880zm+: 500-sheet input tray, 1,500-sheet input tray, 2,000-sheet input tray
Output capacity (Std)	500-sheet face-down output bin	500-sheet face-down output bin	500-sheet face-down output bin	250-sheet output tray	500-sheet face-down bin
Copy					
Resolution	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
Speed (A4/Letter)	Black: Up to 40 cpm/40 cpm; Colour: Up to 40 cpm/40 cpm	Black: Up to 50 cpm/50 cpm; Colour: Up to 50 cpm/50 cpm	Black: Up to 60 cpm/60 cpm; Colour: Up to 60 cpm/60 cpm	Black: Up to 30 cpm/30 cpm; Colour: Up to 30 cpm/30 cpm	Black: Up to 46 cpm/45 cpm; Colour: Up to 46 cpm/45 cpm
First copy out	Black: As fast as 6.3 seconds; Colour: As fast as 7.4 seconds	Black: As fast as 5.9 seconds; Colour: As fast as 6.8 seconds	Black: As fast as 5.2 seconds; Colour: As fast as 6.2 seconds	Black: As fast as 11 seconds; Colour: As fast as 11 seconds	Black: As fast as 12.0 seconds; Colour: As fast as 12.0 seconds
Reduce/enlarge	25 to 400%	25 to 400%	25 to 400%	25 to 400%	25 to 400%
Maximum copies	Up to 9,999	Up to 9,999	Up to 9,999	Up to 9,999	Up to 9,999
Scan					
Type (Flatbed/ADF)	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF
Resolution	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
Glass size	105 x 148 mm	105 x 148 mm	105 x 148 mm	297 x 420 mm	297 x 432 mm
ADF capacity	250 sheets	250 sheets	250 sheets	100 sheets	200 sheets
Fax					
Speed	33.6 kbps	33.6 kbps	33.6 kbps	33.6 kbps	33.6 kbps
Memory	Up to 500 pages	Up to 500 pages	Up to 500 pages	Not available	Incoming fax can be stored to disk
Fax settings	Send via PC	Send via PC	Send via PC	Send via PC	Send via PC
Connectivity					
Interfaces	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket; Fax modem port	Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Foreign Interface; Hardware Integration Pocket; 2 Internal USB 2.0 Host; Fax port	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Foreign Interface; Hardware Integration Pocket; 2 Internal USB Host; Fax
Operating systems	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Unix/Linux	Microsoft Windows/Macintosh/Unix/Linux
General features					
Memory (Std/Max)	7 GB	7 GB	7 GB	1536 MB	2.5 GB
Processor speed	1.2 GHz	1.2 GHz	1.2 GHz	800 MHz	800 MHz
What's in the box	All models: Printer; TCU; Drums; Assy-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)	All models: Printer; TCU; Drums; Assy-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)	All models: Printer; TCU; Drums; Assy-Colour WG Nameplate and Label; Power cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER)	All models: Printer; HP Black LaserJet Toner Cartridge (~13,500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16,000 pages each); Installation Guide, Warranty cards; CD containing drivers and electronic documentation; Power cord, Telecom cord, USB cable; M775fm: Plus 250-sheet tray, 1x500-sheet tray, 1x500-sheet tray with cabinet, built-in fax; M775zm: 250-sheet tray, 3x500-sheet tray with cabinet, 500-sheet inline stapler/stacker, built-in fax	All models: Printer; Black, Cyan, Magenta, and Yellow HP Color LaserJet Drums; HP Black LaserJet Toner Cartridge (~29,500 pages), HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~32,000 pages); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); 100-sheet multipurpose tray 1; 500-sheet input tray 2; Automatic duplexer (built-in); Encrypted hard drive; 3x500-sheet paper input; Fax; Fax cable
Dimensions (w x d x h)	E87640dn: 585 x 771.1 x 932.2 mm; E87640z: 585 x 785 x 932.2 mm	E87650dn: 585 x 771.1 x 932.2 mm; E87650z: 585 x 785 x 932.2 mm	E87660dn: 585 x 771.1 x 932.2 mm; E87660z: 585 x 785 x 932.2 mm	M775fm: 745 x 668 x 1143 mm; M775zm: 745 x 668 x 1198 mm	704 x 635 x 1199 mm
Weight	113.1 kg	113.1 kg	113.1 kg	M775fm: 96.8 kg; M775zm: 107.7 kg	M880zm: 150.6 kg; M880zm+: 152.9 kg
Media size	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Oficio, 16K; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16K	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Oficio, 16K; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16K	Tray 1: A3, A4, A4R, A5, A5R, A6, SRA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Oficio, 16K; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16K	Tray 1: A3, A4, A4R, A5, A6, RA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16K, Postcard, Dpostcard (JIS), envelope (B5, C5, C6, DL); Tray 2, 3, 4: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), 8K, 16K, Dpostcard (JIS); M775zm: Plus Tray 5: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), 8K, 16K, Dpostcard (JIS)	All models: Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10 x 15 cm, 8K, 16K, Dpostcard (JIS), Dpostcard (JIS), envelopes (B5, C5, C6, DL); Tray 2, 3, 4: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), 8K, 16K, Dpostcard (JIS); M775zm: Plus Tray 5: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), 8K, 16K, Dpostcard (JIS)
Media weight	Tray 1, 2, 3: 60 to 300 g/m ²	Tray 1, 2, 3: 60 to 300 g/m ²	Tray 1, 2, 3: 60 to 300 g/m ²	All models: Tray 1: 60 to 220 g/m ² (plain), 105 to 220 g/m ² (glossy), 163 to 220 g/m ² (cardstock, card glossy); Tray 2: 60 to 130 g/m ² (plain), 105 to 200 g/m ² (glossy), 176 to 220 g/m ² (card glossy); Trays 3, 4: 60 to 175 g/m ² (plain), 105 to 220 g/m ² (glossy); M775zm: Plus Tray 5: 60 to 175 g/m ² (plain), 105 to 220 g/m ² (glossy)	Tray 1, 2: 60 to 220 g/m ² ; Tray 3, 4: 60 to 120 g/m ²
Control panel	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E87640z: Plus pull-out keyboard	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E87650z: Plus pull-out keyboard	All models: 20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E87660z: Plus pull-out keyboard	20.3 cm touchscreen control panel with colour graphic display, rotating (adjustable angle) display; job control buttons; LED Home button; Hardware Integration Pocket; Easy-access USB	20.3 cm colour LCD with capacitive touchscreen; rotating (adjustable angle) display; illuminated capacitive Home button (for quick return to the Home menu); Easy-access USB; Hardware Integration Pocket
Printer models	HP Color LaserJet Managed MFP E87640dn (Direct: Z8212A; Indirect: X3A73A/X3A87A) HP Color LaserJet Managed Flow MFP E87640z (Direct: Z8213A; Indirect: X3A76A/X3A86A)	HP Color LaserJet Managed MFP E87650dn (Direct: Z8214A; Indirect: X3A73A/X3A90A) HP Color LaserJet Managed Flow MFP E87650z (Direct: Z8215A; Indirect: X3A76A/X3A89A)	HP Color LaserJet Managed MFP E87660dn (Direct: Z8216A; Indirect: X3A73A/X3A93A) HP Color LaserJet Managed Flow MFP E87660z (Direct: Z8217A; Indirect: X3A76A/X3A92A)	HP Color LaserJet Managed MFP M775fm (L3U49A) HP Color LaserJet Managed MFP M775zm (L3U50A)	HP Color LaserJet Managed flow MFP M880zm (L3U51A) HP Color LaserJet Managed flow MFP M880zm+ (L3U52A)
Replacement print cartridges and long-life consumables	W9050MC (Black) - 54,500 pages W9051MC (Cyan) - 52,000 pages W9052MC (Yellow) - 52,000 pages W9053MC (Magenta) - 52,000 pages W9054MC (Black Imaging Drum) - 160,000 pages W9055MC (CMY Imaging Drum) - 145,000 pages W9058MC (Toner Collection Unit) - 71,000 pages Z7Y76A (220V Fuser Assembly) - 360,000 pages	W9050MC (Black) - 54,500 pages W9051MC (Cyan) - 52,000 pages W9052MC (Yellow) - 52,000 pages W9053MC (Magenta) - 52,000 pages W9054MC (Black Imaging Drum) - 160,000 pages W9055MC (CMY Imaging Drum) - 145,000 pages W9058MC (Toner Collection Unit) - 71,000 pages Z7Y76A (220V Fuser Assembly) - 360,000 pages	W9050MC (Black) - 54,500 pages W9051MC (Cyan) - 52,000 pages W9052MC (Yellow) - 52,000 pages W9053MC (Magenta) - 52,000 pages W9054MC (Black Imaging Drum) - 160,000 pages W9055MC (CMY Imaging Drum) - 145,000 pages W9058MC (Toner Collection Unit) - 71,000 pages Z7Y76A (220V Fuser Assembly) - 360,000 pages	CE340AC (Black) - 14,800 pages CE341AC (Cyan) - 20,200 pages CE342AC (Yellow) - 20,200 pages CE343AC (Magenta) - 20,200 pages CE515A (220V Fuser Kit) - 150,000 pages CE516A (Image Transfer Kit) - 150,000 pages CE980A (Toner Collection Unit) - 100,000 pages L2718A (ADF Maintenance Kit) - 150,000 pages	CF300AC (Black) - 35,000 pages CF301AC (Cyan) - 38,500 pages CF302AC (Yellow) - 38,500 pages CF303AC (Magenta) - 38,500 pages CF358A (Black Drum) - 35,000 pages CF359A (Cyan Drum) - 35,000 pages CF364A (Yellow Drum) - 35,000 pages CF365A (Magenta Drum) - 35,000 pages C1N58A (220V Fuser Kit) - 100,000 pages C1P70A (ADF Maintenance Kit) - 100,000 pages D7H14A (Image Transfer Kit) - 150,000 pages

HP Line-up Map Managed Printers (LaserJet and PageWide)

January 2019 Edition



Multifunction A4 Printers (Colour)



Technical specifications

Product description	HP Color LaserJet Managed MFP E57540 series	HP PageWide Managed P57750dw MFP	HP PageWide Managed Color MFP E58650 series	HP Color LaserJet Managed MFP E67550dh	HP Color LaserJet Managed Flow MFP E67560z	HP Color LaserJet Managed M680 MFP series	
Print							
Number of users	5-15 users	5-15 users	5-15 users	10-30 users	10-30 users	10-30 users	
Functions	Print, scan, copy; Optional: fax	Print, scan, copy, fax	Print, scan, copy, fax (E58650z only)	Print, scan, copy	Print, scan, copy	Print, scan, copy, fax (M680zm only)	
Speed (A4/Letter) ^{1,4}	Black: Up to 40 ppm, A4 and letter Colour: Up to 40 ppm, A4 and letter	Black: Up to 75 ppm/75 ppm, General Office mode Colour: Up to 75 ppm/75 ppm, General Office mode	Black: Up to 75 ppm/75 ppm, General Office mode Colour: Up to 75 ppm/75 ppm, General Office mode	Black: Up to 47 ppm/50 ppm Colour: Up to 47 ppm/50 ppm	Black: Up to 56 ppm/60 ppm Colour: Up to 56 ppm/60 ppm	Black: Up to 42 ppm/45 ppm Colour: Up to 42 ppm/45 ppm	
First page out from ready (A4) ²	Black: As fast as 5.6 seconds Colour: As fast as 6.9 seconds	Black: As fast as 6 seconds Colour: As fast as 6.5 seconds	Black: As fast as 7.1 seconds Colour: As fast as 7.3 seconds	Black: As fast as 6.5 seconds Colour: As fast as 6.5 seconds	Black: As fast as 5.8 seconds Colour: As fast as 5.8 seconds	Black: As fast as 10.5 seconds Colour: As fast as 10.5 seconds	
Resolution technologies	HP ImageRet 3600, PANTONE-calibrated	HP PageWide Technology with pigmented inks	HP PageWide Technology	HP ImageRet 3600, 600 x 600 dpi, HP ProRes 1200 (1200 x 1200 dpi), PANTONE-calibrated	HP ImageRet 3600, 600 x 600 dpi, HP ProRes 1200 (1200 x 1200 dpi), PANTONE-calibrated	HP ImageRet 4800, 600 x 600 dpi, HP ProRes 1200 (1200 x 1200 dpi), PANTONE-calibrated	
Monthly duty cycle (Max)	Up to 120,000 pages	Up to 80,000 pages	Up to 120,000 pages	Up to 150,000 pages	Up to 180,000 pages	Up to 120,000 pages	
Recommended monthly print volume (RMPV)	2,000 to 15,000 pages	1,000 to 6,000 pages	2,000 to 7,500 pages	3,000 to 24,000 pages	4,000 to 30,000 pages	Up to 30,000 pages	
Duplex (two-sided printing)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)	
Printer language	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, native PDF printing (v 1.7)	HP PCLXL (PCL6), PCL5, native PDF, HP postscript level 3 emulation	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, native PDF printing (v 1.7)	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, PDF and AirPrint (URF and PDF)	
Input capacity (Std)	100-sheet multipurpose tray, 550-sheet input tray 2; Optional: 550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5	500-sheet input tray, 50-sheet multipurpose tray; Optional: 500-sheet tray, 2x500-sheet paper tray and stand	500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Optional: 500-sheet tray 3, integrated cart/stand with 500-sheet trays 3, 4, and 5	100-sheet multipurpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Optional: 1x550-sheet paper feeder, 1x550 paper feeder and stand with cabinet, 3x550-sheet paper feeder and stand, high-capacity paper feeder and stand with 1x550-sheet feeder and 1x2,000-sheet feeder	100-sheet multipurpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Optional: 1x550-sheet paper feeder, 1x550 paper feeder and stand with cabinet, 3x550-sheet paper feeder and stand, high-capacity paper feeder and stand with 1x550 sheet feeder and 1x2,000-sheet feeder	All models: 100-sheet multipurpose tray, 500-sheet input tray 2, 100-sheet automatic document feeder; M680zm: Plus 2x500 sheet and 1,500-sheet paper feeders with stand; M680dm, Optional: 500-sheet tray 3 with storage cabinet, 2x500 sheet and 1,500-sheet paper feeders with stand	
Output capacity (Std)	All models: 250-sheet output bin; E57540c: Plus convenience stapler	300-sheet face-down output bin	300-sheet face-down output bin	500-sheet output tray, two-sided printing	500-sheet output tray, 500-sheet output stapler/stacker, two-sided printing	500-sheet output tray; M680zm: Plus 900-sheet 3-bin stapling mailbox	
Copy							
Resolution	Up to 600 x 600 dpi (flatbed), 600 x 450 dpi (ADF)	Up to 600 dpi	Up to 600 x 600 dpi (flatbed), 600 x 450 dpi (ADF)	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi (Flatbed), 300 x 600 dpi (ADF)	
Speed (A4/Letter)	Black: Up to 38 cpm/40 cpm; Colour: Up to 38 cpm/40 cpm	Black: Up to 75 cpm/75 cpm; Colour: Up to 75 cpm/75 cpm	Black: Up to 75 cpm/75 cpm; Colour: Up to 75 cpm/75 cpm	Black: Up to 47 cpm/50 cpm; Colour: Up to 47 cpm/50 cpm	Black: Up to 56 cpm/60 cpm; Colour: Up to 56 cpm/60 cpm	Black: Up to 42 cpm/45 cpm; Colour: Up to 42 cpm/45 cpm	
First copy out	Black: As fast as 5.6 seconds; Colour: As fast as 9.1 seconds	Not available	Black: As fast as 7.1 seconds; Colour: As fast as 7.3 seconds	Black: As fast as 6.7 seconds; Colour: As fast as 7.2 seconds	Black: As fast as 6.0 seconds; Colour: As fast as 6.5 seconds	Black: As fast as 10.5 seconds; Colour: As fast as 10.5 seconds	
Reduce/enlarge	25 to 400%	25 to 400%	25 to 400%	25 to 400%	25 to 400%	25 to 400%	
Maximum copies	Up to 9,999	Up to 99	Up to 9,999	Up to 9,999	Up to 9,999	Up to 9,999	
Scan							
Type (Flatbed/ADF)	Flatbed, ADF (two-sided, single-pass)	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	
Resolution	Up to 600 x 600 dpi	Up to 1200 x 1200 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 dpi	
Glass size	216 x 356 mm	216 x 356 mm	216 x 356 mm	220 x 365 mm	220 x 365 mm	216 x 356 mm	
ADF capacity	100 sheets	50 sheets	100 sheets	150 sheets	150 sheets	100 sheets	
Fax							
Speed	E57540c: 33.6 kbps	33.6 kbps	E58650z: 33.6 kbps	Not applicable	Not applicable	M680zm: 33.6 kbps	
Memory	Not applicable	Up to 100 pages (black and white); Up to 8 pages (colour)	Not applicable	Not applicable	Not applicable	Not applicable	
Fax settings	E57540c: Send via PC	Send via PC	E58650z: Send via PC	Not applicable	Not applicable	M680zm: Send via PC	
Connectivity							
Interfaces	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket	2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Ethernet 10/100Base-TX network; 2 RJ-11 modem port/phone line; 802.11b/g/n station; 802.11b/g Access Point	All models: 2 Hi-Speed USB 2.0 Host; Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000Base-T network; Hardware Integration Pocket; E58650z: Plus fax modem port	Hi-Speed USB 2.0 Device; 2 Host USB (1 walk-up and 1 external accessible); Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket	Hi-Speed USB 2.0 Device; 2 Host USB (1 walk-up and 1 external accessible); Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket	Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket	
Operating systems	Microsoft Windows/Macintosh/Unix/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/Linux	
General features							
Memory (Std/Max)	1.25 GB/2.0 GB	768 MB	2048 MB/2816 MB	1.5 GB/2.5 GB	1.5 GB/3 GB	2 GB DDR2	
Processor speed	1.2 GHz	1.2 GHz	1.2 GHz	1.2 GHz	1.2 GHz	800 MHz	
What's in the box	Printer; 4 preinstalled HP LaserJet toner cartridges (Black: ~6,000 pages, Colour: ~5,000 pages); Toner collection unit; In-box documentation; Software CD; Power cord	Printer; Setup cartridges; Power cord; Installation Guide; CD-ROMs (for software, Windows and Mac printer drivers, and User Guide)	All models: Printer; HP Setup Ink Cartridges (yield after setup ~6,000 pages CMYK); Installation Guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord	Printer; HP Black Original LaserJet Toner Cartridge (~12,500 pages), HP Cyan, Magenta, and Yellow Original LaserJet Toner Cartridges (~10,500 pages each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord	Printer; HP Black Original LaserJet Toner Cartridge (~12,500 pages), HP Cyan, Magenta, and Yellow Original LaserJet Toner Cartridges (~10,500 pages each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord	Printer; HP Black Original LaserJet Toner Cartridge (~11,500 pages), HP Cyan, Magenta, and Yellow Original LaserJet Toner Cartridges (~16,500 pages each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord; Encrypted hard drive	
Dimensions (w x d x h)	482 x 504 x 583 mm	530 x 407 x 467 mm	530 x 564 x 529 mm	510 x 555 x 658 mm	510 x 555 x 820 mm	M680dnm: 840 x 632 x 585 mm; M680zm: 1020 x 681 x 1180 mm	
Weight	E57540dn: 38.1 kg; E57540c: 38.6 kg	22.15 kg	32.3 kg	108 kg	52 kg	M680dnm: 56.5 kg; M680zm: 87.0 kg	
Media size	Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5, IS0, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm	Tray 1: Oficio, A4, A5, A6, B5 (JIS), B6 (JIS), 16K, 10 x 15 cm, envelopes (B5, C5, C6, DL); Tray 2: A4, A5, B5 (JIS), 16K, envelopes (DL, B5, C5); Tray 3: A4, A5, B5 (JIS), 16K	Tray 1: Oficio, A4, A5, A6, B5 (JIS), B6 (JIS), 16K, 10 x 15 cm, envelopes (B5, C5, C6, DL); Tray 2: A4, A5, B5 (JIS), 16K, envelopes (DL, B5, C5); Optional Tray 3: A4, A5, B5 (JIS), 16K; Optional Tray 4: A4, A5, B5 (JIS), 16K; Optional Tray 5: A4, A5, B5 (JIS), 16K	Tray 1: A4, A5, A6, RA4, B5, B6, 16K, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16K, Dpostcard; Optional 550-sheet Trays 3+: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16K, Dpostcard; Optional 2,000-sheet HCl Tray 4: A4	Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16K, Dpostcard; Optional 550-sheet Trays 3, 4, 5: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16K, Dpostcard; Optional 2,000-sheet HCl Tray 4: A4	Tray 1: A4, A5, A6, B5 (JIS), B6 (JIS), 16K, postcard, D postcard, envelopes (C5, B5, C6, DL, ISO); Custom: 76 x 127 to 216 x 356 mm; Trays 2, 3, and 4: A4, A5, B5 (JIS), 16K; Custom: 148 x 210 to 216 x 356 mm; Tray 5: A4, A5, B5 (JIS), 16K	
Media weight	Tray 1: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Tray 2: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Optional Trays 3+: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper)	Tray 1: 60 to 120 g/m ² (plain paper), 125 to 300 g/m ² (photo), 75 to 90 g/m ² (envelope), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); Tray 2: 60 to 120 g/m ² (plain paper), 125 to 250 g/m ² (photo), 75 to 90 g/m ² (envelope), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); Trays 3, 4, and 5: 60 to 120 g/m ² (plain paper), 125 to 250 g/m ² (photo), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card)	Tray 1: 60 to 120 g/m ² (plain paper), 125 to 300 g/m ² (photo), 75 to 90 g/m ² (envelope), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); Tray 2: 60 to 120 g/m ² (plain paper), 125 to 250 g/m ² (photo), 75 to 90 g/m ² (envelope), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); Trays 3, 4, and 5: 60 to 120 g/m ² (plain paper), 125 to 250 g/m ² (photo), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card)	Tray 1: 60 to 220 g/m ² (plain), 120 to 220 g/m ² (glossy); Tray 2: 60 to 163 g/m ² (plain), 120 to 220 g/m ² (glossy)	Tray 1: 60 to 220 g/m ² (plain), 120 to 220 g/m ² (glossy); Tray 2: 60 to 163 g/m ² (plain), 120 to 220 g/m ² (glossy)	Tray 1: 60 to 220 g/m ² (bond); Trays 2, 3, and 4: 60 to 120 g/m ² (bond), 105 to 220 g/m ² (glossy paper)	
Control panel	All models: 20.3 cm colour touchscreen; adjustable angle display with gesturing; illuminated Home button (for quick return to the Home menu); E57540c: Plus pull-out keyboard	10.9 cm Colour Graphic Display, IR touchscreen	20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; E58650z: Plus pull-out keyboard	20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	20.3 cm Colour Graphics Display with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); pull-out keyboard	20.3 cm colour SVGA touchscreen display with gesture support; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); M680zm: Plus pull-out keyboard	
Printer models	HP Color LaserJet Managed MFP E57540dn (3GY25A) HP Color LaserJet Managed Flow MFP E57540c (3GY26A)	HP PageWide Managed P57750dw MFP (J9V82A)	HP PageWide Managed Color MFP E58650dn (L3U42A) HP PageWide Managed Color Flow MFP E58650z (L3U43A)	HP Color LaserJet Managed MFP E67550dh (L3U66A)	HP Color LaserJet Managed Flow MFP E67560z (L3U70A)	HP Color LaserJet Managed MFP M680dnm (L3U47A) HP Color LaserJet Managed Flow MFP M680zm (L3U48A)	
Replacement print cartridges	W9060MC (Black) - 16,000 pages W9061MC (Cyan) - 12,500 pages W9062MC (Yellow) - 12,500 pages W9063MC (Magenta) - 12,500 pages B5L36A (220V Fuser Kit) - 150,000 pages W5U23A (ADF Maintenance Kit) - 75,000 pages	L0520YC (Black) - 21,000 pages L0529YC (Cyan) - 16,000 pages L0530YC (Magenta) - 16,000 pages L0531YC (Yellow) - 16,000 pages	L0R20YC (Black) - 21,000 pages L0R17YC (Cyan) - 16,000 pages L0R19YC (Yellow) - 16,000 pages L0R18YC (Magenta) - 16,000 pages B5L09A (Ink Collection Unit) - 115,000 pages W5U23A (ADF Maintenance Kit) - 75,000 pages	W9030MC (Black) - 32,200 pages W9031MC (Cyan) - 28,000 pages W9032MC (Yellow) - 28,000 pages W9033MC (Magenta) - 28,000 pages P1B92A (220V Fuser Kit) - 150,000 pages J8J95A (ADF Maintenance Kit) - 150,000 pages	W9030MC (Black) - 32,200 pages W9031MC (Cyan) - 28,000 pages W9032MC (Yellow) - 28,000 pages W9033MC (Magenta) - 28,000 pages P1B92A (220V Fuser Kit) - 150,000 pages J8J95A (ADF Maintenance Kit) - 150,000 pages	W9030MC (Black) - 32,200 pages W9031MC (Cyan) - 28,000 pages W9032MC (Yellow) - 28,000 pages W9033MC (Magenta) - 28,000 pages P1B92A (220V Fuser Kit) - 150,000 pages J8J95A (ADF Maintenance Kit) - 150,000 pages	CF320A/X (Black) - 11,500/21,000 pages CF321A (Cyan) - 16,500 pages CF322A (Yellow) - 16,500 pages CF323A (Magenta) - 16,500 pages CE247A (220V Fuser Kit) - 150,000 pages L2718A (ADF Maintenance Kit) - 100,000 pages

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ² Measured using ISO/IEC 17629. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the input voltage, system configuration, software application, driver, and document complexity. ³ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims. ⁴ Measured using ISO/IEC 24734 in non-default general office print mode. Default professional print mode speed, measured using ISO/IEC 24734, is 20 ppm less than general office print mode. ⁵ The 350-sheet inner finisher is available on the HP PageWide Managed Color MFP P77940dns, P77950dns, P77960dns, MFP E77650z, Flow MFP E77660z, Flow E77660z/zts models only. Those models have a maximum output capacity of 850 sheets. The 3,250-sheet external finisher is a required accessory for the Flow MFP E77660z+ model. This model has a maximum output capacity of 3,250 sheets. Models without the inner or external finisher have a maximum output capacity of 500 sheets.

© Copyright 2017-2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Apple and AirPrint are trademarks of Apple Inc. Microsoft and Windows are U.S. registered trademarks of the Microsoft group of companies. PANTONE is the property of Pantone, Inc. UNIX is a registered trademark of The Open Group. Linux is a U.S. registered trademark of Linus Torvalds.