# **SmartMount**<sup>®</sup>Universal Flat TECHNICAL DATA SHEET - Wall Mount for 42" to 71" Flat Panel Screens

MODELS: SF670, SF670-S, SF670P, SF670P-S




The sturdy SF670 wall plate holds screens weighing up to 250 lb while featuring junction box access ports and horizontal screen adjustment up to 8" for ideal screen positioning. Its easy-glide brackets enable quick screen-to-mount attachment with a simple hook-on design. Delivering an ultra-slim profile, this mount is the essential element for low-profile installations of extra-large screens.

#### Features:

- Fits screens with mounting hole patterns up to 35.75" W and 19.8" H
- Ultra-slim design holds screen only 1.73" from the wall for a clean application
- Easy-glide bracket design ensures screen is securely attached to wall plate
- Horizontal screen adjustment up to 8"
- Mounts to wood studs, concrete, cinder block or metal studs (metal stud accessory required)
- Includes Peerless' Sorted-For-You<sup>™</sup> fastener pack with all necessary mounting and screen attachment hardware

#### **Accessories:**

- Metal Stud Fastener Kit (ACC415 & ACC215)
- Video Conferencing Shelf (ACC309)
- Accessory Shelves (DS600)
- Middle Rail Accessory (ACC670F)



#### **Dimensions:**

#### Weight:

10.7 lb (4.9 kg)

### **Shipping weight:**

13.1 lb (5.9 kg)

#### **Maximum Load Capacity:**

250 lb (113.4 kg)

#### **Shipping Carton dimensions:**


**L=** 46.75 in (1187 mm)


**W**= 8.63 in (219 mm)

**H=** 3.88 in (99 mm)

MODELS: SF670, SF670-S, SF670P, SF670P-S

ALL DIMENSION = INCH (MM)






**FRONT VIEW** 

**SIDE VIEW** 


# **TECHNICAL DATA SHEET**

MODELS: SF670, SF670-S, SF670P, SF670P-S

ALL DIMENSION = INCH (MM)



# **WALL PLATE DETAIL**



ADAPTER BRACKET DETAIL