TECHNICAL DATA SHEET - SmartMount® Universal Flat Wall Mount for 61" to 102" Flat **Panel Screens**

MODELS: SF680, SF680P, SF680-S, SF680P-S




The sturdy SF680 wall plate holds screens weighing up to 350 lb while featuring junction box access ports and horizontal screen adjustment up to 8" for ideal screen positioning. Its easy-glide brackets enable quick screen-to-mount attachment with its simple hook-on design. Delivering an ultra-slim profile, this mount is the ultimate in low-profile solutions for 61" to 102" flat panel screens.

Features:

- Fits screens with mounting hole patterns up to 43.75" W x 29.31" H
- Ultra-slim design holds screen only 1.83" from the wall for a clean application
- Easy-glide bracket design ensures screen is securely attached to wall plate
- Horizontal screen adjustment up to 8"
- Mounts to wood studs, concrete, cinder block or metal studs (metal stud accessory required)
- Includes Peerless' Sorted-For-You[™] fastener pack with all necessary mounting and screen attachment hardware

Accessories:

- Metal Stud Fastener Kit (ACC415 & ACC215)
- Video Conferencing Shelf (ACC309)
- Accessory Shelves (DS600)
- Middle Rail Accessory (ACC680F)



Weight:

14.3 lb (6.5 kg)

Shipping weight:

16.5 lb (7.5 kg)

Maximum Load Capacity:

350 lb (158.8 kg)

Shipping Carton dimensions:

L= 46.75 in (1187 mm)

W= 8.63 in (219 mm)

H= 3.88 in (99 mm)


ARCHITECTS SPECIFICATIONS

MODELS: SF680, SF680-S, SF680P, SF680P-S

ALL DIMENSION = INCH (MM)



TOP VIEW




FRONT VIEW

SIDE VIEW


TECHNICAL DATA SHEET

MODELS: SF680, SF680-S, SF680P, SF680P-S

ALL DIMENSION = INCH (MM)



WALL PLATE DETAIL



WALL PLATE DETAIL