



### F1-56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA1325**
- See Bulletin 013



### F1-80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6222**
- See Bulletin 062

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1-56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1325</b>					
AA131132S9	F56U0BN	135°F	57°C	Brass	C\$ 39.26
AA132132S9	F56U0CN	135°F	57°C	Chrome	C\$ 47.87
AA138732S9	F56U0WN	135°F	57°C	White	C\$ 55.34
AA151132S9	F56U1BN	155°F	68°C	Brass	C\$ 39.26
AA152132S9	F56U1CN	155°F	68°C	Chrome	C\$ 47.87
AA158732S9	F56U1WN	155°F	68°C	Poly White	C\$ 55.34
AA171132S9	F56U5BN	175°F	79°C	Brass	C\$ 39.26
AA172132S9	F56U5CN	175°F	79°C	Chrome	C\$ 47.87
AA178732S9	F56U5WN	175°F	79°C	White	C\$ 55.34
AA201132S9	F56U2BN	200°F	93°C	Brass	C\$ 39.26
AA202132S9	F56U2CN	200°F	93°C	Chrome	C\$ 47.87
AA208732S9	F56U2WN	200°F	93°C	Poly White	C\$ 55.34
AA281132S9	F56U3BN	286°F	141°C	Brass	C\$ 39.26
AA282132S9	F56U3CN	286°F	141°C	Chrome	C\$ 47.87
AA288732S9	F56U3WN	286°F	141°C	Poly White	C\$ 55.34
AA361132S9	F56U6BN	360°F	182°C	Brass	C\$ 44.16
AA362132S9	F56U6CN	360°F	182°C	Chrome	C\$ 52.55
AA368732S9	F56U6WN	360°F	182°C	White	C\$ 60.16
<b>MODEL F1-80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6222</b>					
A1131134S8	FU0LBN	135°F	57°C	Brass	C\$ 48.30
A1132134S8	FU0LCN	135°F	57°C	Chrome	C\$ 59.99
A1138734S8	FU0LWN	135°F	57°C	Poly White	C\$ 69.73
A1151134S8	FU1LBN	155°F	68°C	Brass	C\$ 48.30
A1152134S8	FU1LCN	155°F	68°C	Chrome	C\$ 59.99
A1158734S8	FU1LWN	155°F	68°C	Poly White	C\$ 69.73
A1171134S8	FU5LBN	175°F	79°C	Brass	C\$ 48.30
A1172134S8	FU5LCN	175°F	79°C	Chrome	C\$ 59.99
A1178734S8	FU5LWN	175°F	79°C	Poly White	C\$ 69.73
A1201134S8	FU2LBN	200°F	93°C	Brass	C\$ 48.30
A1202134S8	FU2LCN	200°F	93°C	Chrome	C\$ 59.99
A1208734S8	FU2LWN	200°F	93°C	Poly White	C\$ 69.73
A1281134S8	FU3LBN	286°F	141°C	Brass	C\$ 48.30
A1282134S8	FU3LCN	286°F	141°C	Chrome	C\$ 59.99
A1288734S8	FU3LWN	286°F	141°C	Poly White	C\$ 69.73
A1361134S8	FU6LBN	360°F	182°C	Brass	C\$ 48.30
A1362134S8	FU6LCN	360°F	182°C	Chrome	C\$ 59.99
A1368734S8	FU6LWN	360°F	182°C	White	C\$ 69.73

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      C\$ 159.13



### F1 28 UPRIGHT

- K-Factor = 2.8 (40)
- **SIN RA1321**
- See Bulletin 013



### F1 42 UPRIGHT

- K-Factor = 4.2 (60)
- **SIN RA1323**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F128 UPRIGHT K 2.8 (40) THREADS 1/2" (15MM) RA1321</b>					
AA151124S9	F28U1BN	155°F	68°C	Brass	C\$ 57.79
AA152124R9	F28U1C	155°F	68°C	Chrome	C\$ 68.05
AA158724R9	F28U1W	155°F	68°C	Poly White	C\$ 73.13
AA171124R9	F28U5B	175°F	79°C	Brass	C\$ 57.79
AA172124R9	F28U5C	175°F	79°C	Chrome	C\$ 68.05
AA178724R9	F28U5W	175°F	79°C	Poly White	C\$ 73.13
AA201124R9	F28U2B	200°F	93°C	Brass	C\$ 57.79
AA202124R9	F28U2C	200°F	93°C	Chrome	C\$ 68.05
AA208724R9	F28U2W	200°F	93°C	White	C\$ 73.13
AA281124R9	F28U3B	286°F	141°C	Brass	C\$ 57.79
AA282124R9	F28U3C	286°F	141°C	Chrome	C\$ 68.05
AA288724R9	F28U3W	286°F	141°C	Poly White	C\$ 73.13
<b>MODEL F142 UPRIGHT K4.2 (60) THREADS 1/2" (15MM) RA1323</b>					
AA131128R9	F42U0B	135°F	57°C	Brass	C\$ 57.79
AA132128R9	F42U0C	135°F	57°C	Chrome	C\$ 68.05
AA138728R9	F42U0W	135°F	57°C	White	C\$ 73.13
AA151128R9	F42U1B	155°F	68°C	Brass	C\$ 57.79
AA152128R9	F42U1C	155°F	68°C	Chrome	C\$ 68.05
AA158728R9	F42U1W	155°F	68°C	Poly White	C\$ 73.13
AA171128R9	F42U5B	175°F	79°C	Brass	C\$ 57.79
AA172128R9	F42U5C	175°F	79°C	Chrome	C\$ 68.05
AA178728R9	F42U5W	175°F	79°C	White	C\$ 73.13
AA201128R9	F42U2B	200°F	93°C	Brass	C\$ 57.79
AA202128R9	F42U2C	200°F	93°C	Chrome	C\$ 68.05
AA208728R9	F42U2W	200°F	93°C	White	C\$ 73.13
AA288728R9		286°F	141°C	White	C\$ Call
AA282128R9	F42U3C	286°F	141°C	Chrome	C\$ 68.05
AA288728R9	F42U3W	286°F	141°C	White	C\$ 73.13
AA362128R9	F42U6C	360°F	182°C	Chrome	C\$ 72.74
AA368728R9	F42U6W	360°F	182°C	White	C\$ 78.32

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      C\$ 159.13



### F1-56SS PENDENT

- K-Factor = 5.6 (80)
- **SIN RA6414**
- See Bulletin 064
- Stainless Steel



### F1-80SS UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6424**
- See Bulletin 064
- Stainless Steel

### F1-56SS PENDENT

- K-Factor = 5.6 (80)
- **SIN RA6412**
- See Bulletin 064
- Stainless Steel

### F1-80SS UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6422**
- See Bulletin 064
- Stainless Steel

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156-SS PENDENT K5.6 (80) THREADS 1/2" (15MM) RA6414</b>					
A213103299	F56P0SS	135°F	57°C	Stainless Steel	C\$ 842.38
A215103299	F56P1SS	155°F	68°C	Stainless Steel	C\$ 842.38
A217103299	F56P5SS	175°F	79°C	Stainless Steel	C\$ 842.38
A220103299	F56P2SS	200°F	93°C	Stainless Steel	C\$ 842.38
A228103299	F56P3SS	286°F	141°C	Stainless Steel	C\$ 842.38
A236103299	F56P6SS	360°F	182°C	Stainless Steel	C\$ 842.38
A250103299	F56P7SS	500°F	260°C	Stainless Steel	C\$ 842.38
<b>MODEL F180-SS PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6412</b>					
A213103498	FP0LSS	135°F	57°C	Stainless Steel	C\$ 889.15
A215103498	FP1LSS	155°F	68°C	Stainless Steel	C\$ 889.15
A217103498	FP5LSS	175°F	79°C	Stainless Steel	C\$ 889.15
A220103498	FP2LSS	200°F	93°C	Stainless Steel	C\$ 889.15
A228103498	FP3LSS	286°F	141°C	Stainless Steel	C\$ 889.15
A236103498	FP6LSS	360°F	182°C	Stainless Steel	C\$ 889.15
<b>MODEL F156-SS UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA6424</b>					
AA131032R9	F56U0SS	135°F	57°C	Stainless Steel	C\$ 842.38
AA151032R9	F56U1SS	155°F	68°C	Stainless Steel	C\$ 842.38
AA171032R9	F56U5SS	175°F	79°C	Stainless Steel	C\$ 842.38
AA201032R9	F56U2SS	200°F	93°C	Stainless Steel	C\$ 842.38
AA281032R9	F56U3SS	286°F	141°C	Stainless Steel	C\$ 842.38
AA361032R9	F56U6SS	360°F	182°C	Stainless Steel	C\$ 842.38
AA501032R9	F56U7SS	500°F	260°C	Stainless Steel	C\$ 842.38
<b>MODEL F180-SS UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6422</b>					
A113103498	FU0LSS	135°F	57°C	Stainless Steel	C\$ 889.15
A115103498	FU1LSS	155°F	68°C	Stainless Steel	C\$ 889.15
A117103498	FU5LSS	175°F	79°C	Stainless Steel	C\$ 889.15
A120103498	FU2LSS	200°F	93°C	Stainless Steel	C\$ 889.15
A128103498	FU3LSS	286°F	141°C	Stainless Steel	C\$ 889.15
A136103498	FU6LSS	360°F	182°C	Stainless Steel	C\$ 889.15
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800610010	GF1SS	1/2" (15mm)		Stainless Steel	C\$ 94.47
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	C\$ 94.47
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801411000	FPSS	1/2" (15mm)		Stainless Steel	C\$ 141.70
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	C\$ 141.70
<b>MODEL B ONE PIECE ESCUTCHEONS</b>					
6800121002	BSS	1/2" (15mm)		Stainless Steel	C\$ 56.70
6800091002	BLSS	3/4" (20mm)		Stainless Steel	C\$ 56.70

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 481.13



### F156-300 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA2525**
- See Bulletin 025
- 300 PSI



### F1 LO-300 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN R5522**
- See Bulletin 155
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA2525 300PSI</b>					
AF131132R9	F56U0B3	135°F	57°C	Brass	C\$ 43.08
AF132132R9	F56U0C3	135°F	57°C	Chrome	C\$ 52.18
AF138732R9	F56U0W3	135°F	57°C	White	C\$ 59.45
AF151132S9	F56U1B3N	155°F	68°C	Brass	C\$ 43.08
AF152132R9	F56U1C3	155°F	68°C	Chrome	C\$ 52.18
AF158732R9	F56U1W3	155°F	68°C	Poly White	C\$ 59.99
AF171132R9	F56U5B3	175°F	79°C	Brass	C\$ 43.08
AF172132R9	F56U5C3	175°F	79°C	Chrome	C\$ 52.18
AF178732R9	F56U5W3	175°F	79°C	Poly White	C\$ 59.99
AF201132R9	F56U2B3	200°F	93°C	Brass	C\$ 43.08
AF202132R9	F56U2C3	200°F	93°C	Chrome	C\$ 52.18
AF208732R9	F56U2W3	200°F	93°C	Poly White	C\$ 59.99
AF281132R9	F56U3B3	286°F	141°C	Brass	C\$ 43.08
AF282132R9	F56U3C3	286°F	141°C	Chrome	C\$ 52.18
AF288732R9	F56U3W3	286°F	141°C	Poly White	C\$ 59.99
<b>MODEL F1 LO UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R5522 300PSI</b>					
AF13113498	FU0LB3	135°F	57°C	Brass	C\$ 52.53
AF13213498	FU0LC3	135°F	57°C	Chrome	C\$ 64.69
AF13873498	FU0LW3	135°F	57°C	White	C\$ 72.86
AF15113498	FU1LB3	155°F	68°C	Brass	C\$ 52.53
AF15213498	FU1LC3	155°F	68°C	Chrome	C\$ 64.69
AF15873498	FU1LW3	155°F	68°C	Poly White	C\$ 74.90
AF17113498	FU5LB3	175°F	79°C	Brass	C\$ 52.53
AF17213498	FU5LC3	175°F	79°C	Chrome	C\$ 64.69
AF17873498	FU5LW3	175°F	79°C	White	C\$ 72.86
AF20113498	FU2LB3	200°F	93°C	Brass	C\$ 52.53
AF20213498	FU2LC3	200°F	93°C	Chrome	C\$ 64.69
AF20873498	FU2LW3	200°F	93°C	Poly White	C\$ 74.90
AF28113498	FU3LB3	286°F	141°C	Brass	C\$ 52.53
AF28213498	FU3LC3	286°F	141°C	Chrome	C\$ 64.69
AF28873498	FU3LW3	286°F	141°C	White	C\$ 72.86
AF36113498	FU6LB3	360°F	182°C	Brass	C\$ 58.94
AF36213498	FU6LC3	360°F	182°C	Chrome	C\$ 70.03
AF36873498	FU6LW3	360°F	182°C	White	C\$ 78.17

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      C\$ 159.13



### F156

- K-Factor = 5.6 (80)
- **SIN RA1314**
- See Bulletin 013



### F180

- K-Factor = 8.0 (115)
- **SIN RA6212**
- See Bulletin 062

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1314</b>					
A2131132S9	F56P0BN	135°F	57°C	Brass	C\$ 39.26
A2132132S9	F56P0CN	135°F	57°C	Chrome	C\$ 46.48
A213873299	F56P0W	135°F	57°C	White	C\$ 55.34
A2151132S9	F56P1BN	155°F	68°C	Brass	C\$ 39.26
A2152132S9	F56P1CN	155°F	68°C	Chrome	C\$ 46.48
A2158732S9	F56P1WN	155°F	68°C	Poly White	C\$ 55.34
A2171132S9	F56P5BN	175°F	79°C	Brass	C\$ 39.26
A2172132S9	F56P5CN	175°F	79°C	Chrome	C\$ 46.48
A217873299	F56P5W	175°F	79°C	Poly White	C\$ 55.34
A2201132S9	F56P2BN	200°F	93°C	Brass	C\$ 39.26
A2202132S9	F56P2CN	200°F	93°C	Chrome	C\$ 46.48
A2208732S9	F56P2WN	200°F	93°C	Poly White	C\$ 55.34
A2281132S9	F56P3BN	286°F	141°C	Brass	C\$ 39.26
A2282132S9	F56P3CN	286°F	141°C	Chrome	C\$ 46.48
A2288732S9	F56P3WN	286°F	141°C	Poly White	C\$ 55.34
A2361132S9	F56P6BN	360°F	182°C	Brass	C\$ 44.16
A2362132S9	F56P6CN	360°F	182°C	Chrome	C\$ 51.09
A2368732S9	F56P6WN	360°F	182°C	Poly White	C\$ 60.16
<b>MODEL F1 80 PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6212</b>					
A2131134S8	FP0LBN	135°F	57°C	Brass	C\$ 49.73
A2132134S8	FP0LCN	135°F	57°C	Chrome	C\$ 59.99
A2138734S8	FP0LWN	135°F	57°C	White	C\$ 69.73
A2151134S8	FP1LBN	155°F	68°C	Brass	C\$ 49.73
A2152134S8	FP1LCN	155°F	68°C	Chrome	C\$ 59.99
A2158734S8	FP1LWN	155°F	68°C	White	C\$ 69.73
A2171134S8	FP5LBN	175°F	79°C	Brass	C\$ 49.73
A2172134S8	FP5LCN	175°F	79°C	Chrome	C\$ 59.99
A2178734S8	FP5LWN	175°F	79°C	White	C\$ 69.73
A2201134S8	FP2LBN	200°F	93°C	Brass	C\$ 49.73
A2202134S8	FP2LCN	200°F	93°C	Chrome	C\$ 59.99
A2208734S8	FP2LWN	200°F	93°C	Poly White	C\$ 69.73
A2281134S8	FP3LBN	286°F	141°C	Brass	C\$ 49.73
A2282134S8	FP3LCN	286°F	141°C	Chrome	C\$ 59.99
A2288734S8	FP3LWN	286°F	141°C	White	C\$ 69.73
A2361134S8	FP6LBN	360°F	182°C	Brass	C\$ 49.73
A2362134S8	FP6LCN	360°F	182°C	Chrome	C\$ 59.99
A2368734S8	FP6LWN	360°F	182°C	White	C\$ 69.73

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      C\$ 159.13




### F1 28 PENDENT

- K-Factor = 2.8 (40)
- **SIN RA1311**
- See Bulletin 013



### F1 42 PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1313**
- See Bulletin 013



Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F128 PENDENT K 2.8 (40) THREADS 1/2" (15MM) RA1311</b>					
AB151124R9	F28P1B	155°F	68°C	Brass	C\$ 57.79
AB152124R9	F28P1C	155°F	68°C	Chrome	C\$ 68.05
AB158724R9	F28P1W	155°F	68°C	Poly White	C\$ 73.13
AB172124R9	F28P5C	175°F	79°C	Chrome	C\$ 68.05
AB178724R9	F28P5W	175°F	79°C	White	C\$ 73.13
AB201124R9	F28P2B	200°F	93°C	Brass	C\$ 57.79
AB202124R9	F28P2C	200°F	93°C	Chrome	C\$ 68.05
AB208724R9	F28P2W	200°F	93°C	White	C\$ 73.13
AB281124R9	F28P3B	286°F	141°C	Brass	C\$ 57.79
AB282124R9	F28P3C	286°F	141°C	Chrome	C\$ 68.05
AB288724R9	F28P3W	286°F	141°C	White	C\$ 73.13
<b>MODEL F142 PENDENT K4.2 (60) THREADS 1/2" (15MM) RA1313</b>					
AB131128R9	F42P0B	135°F	57°C	Brass	C\$ 57.79
AB132128R9	F42P0C	135°F	57°C	Chrome	C\$ 68.05
AB138728R9	F42P0W	135°F	57°C	White	C\$ 73.13
AB151128R9	F42P1B	155°F	68°C	Brass	C\$ 57.79
AB152128R9	F42P1C	155°F	68°C	Chrome	C\$ 68.05
AB171128R9	F42P5BN	175°F	79°C	Brass	C\$ 57.79
AB172128R9	F42P5CN	175°F	79°C	Chrome	C\$ 68.05
AB178728R9		175°F	79°C	White	C\$ 73.13
AB201128R9	F42P2B	200°F	93°C	Brass	C\$ 57.79
AB202128R9	F42P2C	200°F	93°C	Chrome	C\$ 68.05
AB208728R9	F42P2W	200°F	93°C	Poly White	C\$ 73.13
AB361128R9	F42P6B	360°F	182°C	Brass	C\$ 62.43
AB362128R9	F42P6C	360°F	182°C	Chrome	C\$ 72.74
AB368728R9	F42P6W	360°F	182°C	White	C\$ 78.32
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 29.73
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 16.04
6800840000	GF2W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 30.94
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 30.94
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 481.13



### F156-300

- K-Factor = 5.6 (80)
- **SIN RA2514**
- See Bulletin 025
- **300 PSI**



### F1-300

- K-Factor = 8.0 (115)
- **SIN R5512**
- See Bulletin 155
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2514 300 PSI</b>					
AG131132R9	F56P0B3	135°F	57°C	Brass	C\$ 43.08
AG132132R9	F56P0C3	135°F	57°C	Chrome	C\$ 50.65
AG138732R9	F56P0W3	135°F	57°C	White	C\$ 58.30
AG151132R9	F56P1B3	155°F	68°C	Brass	C\$ 43.08
AG152132R9	F56P1C3	155°F	68°C	Chrome	C\$ 50.65
AG158732R9	F56P1W3	155°F	68°C	Poly White	C\$ 58.30
AG171132R9	F56P5B3	175°F	79°C	Brass	C\$ 43.08
AG172132R9	F56P5C3	175°F	79°C	Chrome	C\$ 50.65
AG178732R9	F56P5W3	175°F	79°C	Poly White	C\$ 58.18
AG201132R9	F56P2B3	200°F	93°C	Brass	C\$ 43.08
AG202132R9	F56P2C3	200°F	93°C	Chrome	C\$ 50.65
AG208732R9	F56P2W3	200°F	93°C	Poly White	C\$ 58.30
AG281132R9	F56P3B3	286°F	141°C	Brass	C\$ 43.08
AG282132R9	F56P3C3	286°F	141°C	Chrome	C\$ 50.65
AG288732R9	F56P3W3	286°F	141°C	Poly White	C\$ 58.30
AG361132R9	F56P6B3	360°F	182°C	Brass	C\$ 48.30
AG362132R9	F56P6C3	360°F	182°C	Chrome	C\$ 55.30
AG368732R9	F56P6W3	360°F	182°C	White	C\$ 62.99
<b>MODEL F1 PENDENT K8.0 (115) THREADS 3/4" (20MM) R5512 300 PSI</b>					
AG13113498	FP0LB3	135°F	57°C	Brass	C\$ 54.14
AG13213498	FP0LC3	135°F	57°C	Chrome	C\$ 64.69
AG13873498	FP0LW3	135°F	57°C	White	C\$ 72.86
AG15113498	FP1LB3	155°F	68°C	Brass	C\$ 54.14
AG15213498	FP1LC3	155°F	68°C	Chrome	C\$ 64.69
AG15873498	FP1LW3	155°F	68°C	White	C\$ 74.90
AG17113498	FP5LB3	175°F	79°C	Brass	C\$ 54.14
AG17213498	FP5LC3	175°F	79°C	Chrome	C\$ 64.69
AG17873498	FP5LW3	175°F	79°C	White	C\$ 72.86
AG20113498	FP2LB3	200°F	93°C	Brass	C\$ 54.14
AG20213498	FP2LC3	200°F	93°C	Chrome	C\$ 64.69
AG20873498	FP2LW3	200°F	93°C	Poly White	C\$ 74.90
AG28113498	FP3LB3	286°F	141°C	Brass	C\$ 54.14
AG28213498	FP3LC3	286°F	141°C	Chrome	C\$ 64.69
AG28873498	FP3LW3	286°F	141°C	White	C\$ 74.90
AG36113498	FP6LB3	360°F	182°C	Brass	C\$ 58.94
AG36213498	FP6LC3	360°F	182°C	Chrome	C\$ 70.03
AG36873498	FP6LW3	360°F	182°C	White	C\$ 78.17

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      C\$ 159.13



### F1 56

- K-Factor = 5.6 (80)
- **SIN RA1375**
- See Bulletin 013



### F1 LO

- K-Factor = 8.0 (115)
- **SIN R1772**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 CONVENTIONAL K 5.6 (80) THREADS 1/2" (15MM) RA1375</b>					
AC131132R9	F56C0B	135°F	57°C	Brass	C\$ 39.26
AC132132R9	F56C0C	135°F	57°C	Chrome	C\$ 46.48
AC138732R9	F56C0W	135°F	57°C	Poly White	C\$ 55.34
AC151132R9	F56C1B	155°F	68°C	Brass	C\$ 39.26
AC152132R9	F56C1C	155°F	68°C	Chrome	C\$ 46.48
AC158732R9	F56C1W	155°F	68°C	White	C\$ 55.34
AC171132R9	F56C5B	175°F	79°C	Brass	C\$ 39.26
AC172132R9	F56C5C	175°F	79°C	Chrome	C\$ 46.48
AC178732R9	F56C5W	175°F	79°C	Poly White	C\$ 55.34
AC201132R9	F56C2B	200°F	93°C	Brass	C\$ 39.26
AC202132R9	F56C2C	200°F	93°C	Chrome	C\$ 46.48
AC208732R9	F56C2W	200°F	93°C	Poly White	C\$ 55.34
AC281132R9	F56C3B	286°F	141°C	Brass	C\$ 39.26
AC282132R9	F56C3C	286°F	141°C	Chrome	C\$ 46.48
AC288732R9	F56C3W	286°F	141°C	Poly White	C\$ 55.34
AC361132R9	F56C6B	360°F	182°C	Brass	C\$ 39.26
AC362132R9	F56C6C	360°F	182°C	Chrome	C\$ 46.48
AC368732R9	F56C6W	360°F	182°C	Poly White	C\$ 55.34
<b>MODEL F1 LO CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) R1772</b>					
A313113498	FC0LB	135°F	57°C	Brass	C\$ 49.73
A313213498	FC0LC	135°F	57°C	Chrome	C\$ 59.99
A313873498	FC0LW	135°F	57°C	White	C\$ 69.73
A315113498	FC1LB	155°F	68°C	Brass	C\$ 49.73
A315213498	FC1LC	155°F	68°C	Chrome	C\$ 59.99
A315873498	FC1LW	155°F	68°C	White	C\$ 69.73
A317113498	FC5LB	175°F	79°C	Brass	C\$ 49.73
A317213498	FC5LC	175°F	79°C	Chrome	C\$ 59.99
A320113498	FC2LB	200°F	93°C	Brass	C\$ 49.73
A320213498	FC2LC	200°F	93°C	Chrome	C\$ 59.99
A320873498	FC2LW	200°F	93°C	White	C\$ 69.73
A328113498	FC3LB	286°F	141°C	Brass	C\$ 49.73
A328213498	FC3LC	286°F	141°C	Chrome	C\$ 59.99
A328873498	FC3LW	286°F	141°C	White	C\$ 69.73

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      C\$ 159.13





## F1 56 HSW

- K-Factor = 5.6 (80)
- **SIN RA1335**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1335</b>					
AD131132S9	F56H0BS	135°F	57°C	Brass	C\$ 61.05
AD132132R9	F56H0C	135°F	57°C	Chrome	C\$ 69.93
AD138732R9	F56H0W	135°F	57°C	Poly White	C\$ 75.08
AD151132S9	F56H1BN	155°F	68°C	Brass	C\$ 61.05
AD152132S9	F56H1CN	155°F	68°C	Chrome	C\$ 69.93
AD158732S9	F56H1WN	155°F	68°C	Poly White	C\$ 75.08
AD171132S9	F56H5BN	175°F	79°C	Brass	C\$ 61.05
AD172132S9	F56H5CN	175°F	79°C	Chrome	C\$ 69.93
AD178732S9	F56H5WN	175°F	79°C	Poly White	C\$ 75.08
AD201132S9	F56H2BN	200°F	93°C	Brass	C\$ 61.05
AD202132S9	F56H2CN	200°F	93°C	Chrome	C\$ 69.93
AD208732S9	F56H2WN	200°F	93°C	Poly White	C\$ 75.08
AD281132S9	F56H3BN	286°F	141°C	Brass	C\$ 61.05
AD282132S9	F56H3CN	286°F	141°C	Chrome	C\$ 69.93
AD288732S9	F56H3WN	286°F	141°C	Poly White	C\$ 75.08
AD361132S9	F56H6BN	360°F	182°C	Brass	C\$ 61.05
AD362132S9	F56H6CN	360°F	182°C	Chrome	C\$ 69.93
AD368732S9	F56H6WN	360°F	182°C	Poly White	C\$ 75.08
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 481.13



### F1 56

- K-Factor = 5.6 (80)
- **SIN RA1385**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 VERTICAL K5.6 (80) THREADS 1/2" (15MM) RA1385</b>					
AE131132R9	F56V0B	135°F	57°C	Brass	C\$ 61.05
AE132132R9	F56V0C	135°F	57°C	Chrome	C\$ 69.93
AE138732R9	F56V0W	135°F	57°C	White	C\$ 76.45
AE151132R9	F56V1B	155°F	68°C	Brass	C\$ 61.05
AE152132R9	F56V1C	155°F	68°C	Chrome	C\$ 69.93
AE158732R9	F56V1W	155°F	68°C	Poly White	C\$ 76.45
AE171132R9	F56V5B	175°F	79°C	Brass	C\$ 61.05
AE172132R9	F56V5C	175°F	79°C	Chrome	C\$ 69.93
AE178732R9	F56V5W	175°F	79°C	Poly White	C\$ 76.45
AE201132R9	F56V2B	200°F	93°C	Brass	C\$ 61.05
AE202132R9	F56V2C	200°F	93°C	Chrome	C\$ 69.93
AE208732R9	F56V2W	200°F	93°C	Poly White	C\$ 76.45
AE281132R9	F56V3B	286°F	141°C	Brass	C\$ 61.05
AE282132R9	F56V3C	286°F	141°C	Chrome	C\$ 69.93
AE288732R9	F56V3W	286°F	141°C	Poly White	C\$ 76.45
AE361132R9	F56V6B	360°F	182°C	Brass	C\$ 61.09
AE362132R9	F56V6C	360°F	182°C	Chrome	C\$ 69.93
AE368732R9	F56V6W	360°F	182°C	White	C\$ 76.45

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 159.13
------------	-----	-----------------------------------	------------



## G UPRIGHT

- K5.6 = SIN R1025
- K7.96 = SIN R1026 (17/32"x1/2")
- K8.2 = SIN R1027
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1025</b>					
5113113299	GU0B	135°F	57°C	Brass	C\$ 56.18
5113213299	GU0C	135°F	57°C	Chrome	C\$ 66.83
5113873299	GU0W	135°F	57°C	White	C\$ 74.82
5116113299	GU1B	165°F	74°C	Brass	C\$ 56.18
5116213299	GU1C	165°F	74°C	Chrome	C\$ 66.83
5116873299	GU1W	165°F	74°C	Poly White	C\$ 74.82
5121113299	GU2B	212°F	100°C	Brass	C\$ 56.18
5121213299	GU2C	212°F	100°C	Chrome	C\$ 66.83
5121873299	GU2W	212°F	100°C	White	C\$ 74.82
5128113299	GU3B	286°F	141°C	Brass	C\$ 56.18
5128213299	GU3C	286°F	141°C	Chrome	C\$ 66.83
5128873299	GU3W	286°F	141°C	White	C\$ 74.82
<b>MODEL G UPRIGHT K8.2 (115) THREADS 3/4" (20MM) R1027</b>					
5113113498	GU0LB	135°F	57°C	Brass	C\$ 67.40
5113213498	GU0LC	135°F	57°C	Chrome	C\$ 80.97
5116113498	GU1LB	165°F	74°C	Brass	C\$ 67.40
5116213498	GU1LC	165°F	74°C	Chrome	C\$ 80.97
5121113498	GU2LB	212°F	100°C	Brass	C\$ 67.40
5121213498	GU2LC	212°F	100°C	Chrome	C\$ 80.97
5128113498	GU3LB	286°F	141°C	Brass	C\$ 67.40
5128213498	GU3LC	286°F	141°C	Chrome	C\$ 80.97
<b>MODEL G UPRIGHT K8.0 (115) THREADS 1/2" (15MM) R1026</b>					
5113113499	GU0LHB	135°F	57°C	Brass	C\$ 86.56
5113213499	GU0LHC	135°F	57°C	Chrome	C\$ 99.12
5116113499	GU1LHB	165°F	74°C	Brass	C\$ 86.56
5116213499	GU1LHC	165°F	74°C	Chrome	C\$ 99.12
5121113499	GU2LHB	212°F	100°C	Brass	C\$ 86.56
5121213499	GU2LHC	212°F	100°C	Chrome	C\$ 99.12
5128113499	GU3LHB	286°F	141°C	Brass	C\$ 86.56
5128213499	GU3LHC	286°F	141°C	Chrome	C\$ 99.12
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 159.13



## G UPRIGHT

- K2.82 = SIN R1021
- K4.24 = SIN R1023
- K4.10 = SIN R1024
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G UPRIGHT K2.8 (40) THREADS 1/2" (15MM) R1021</b>					
5113112499	GU03B	135°F	57°C	Brass	C\$ 78.32
5113212499	GU03C	135°F	57°C	Chrome	C\$ 90.90
5116112499	GU13B	165°F	74°C	Brass	C\$ 78.32
5116212499	GU13C	165°F	74°C	Chrome	C\$ 90.90
5121112499	GU23B	212°F	100°C	Brass	C\$ 78.32
5121212499	GU23C	212°F	100°C	Chrome	C\$ 90.90
5128112499	GU33B	286°F	141°C	Brass	C\$ 78.32
5128212499	GU33C	286°F	141°C	Chrome	C\$ 90.90
<b>MODEL G UPRIGHT K4.2 (60) THREADS 1/2" (15MM) R1023</b>					
5113112899	GU07B	135°F	57°C	Brass	C\$ 78.32
5113212899	GU07C	135°F	57°C	Chrome	C\$ 90.90
5116112899	GU17B	165°F	74°C	Brass	C\$ 78.32
5116212899	GU17C	165°F	74°C	Chrome	C\$ 90.90
5121112899	GU27B	212°F	100°C	Brass	C\$ 78.32
5128112899	GU37B	286°F	141°C	Brass	C\$ 78.32
5128212899	GU37C	286°F	141°C	Chrome	C\$ 90.90

6880050100    WW2    WRENCH,W2(PENDENT,UPRIGHT,HSW)    C\$ 159.13



## G PENDENT

- K5.6 = SIN R1015
- K8.2 = SIN R1017
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015</b>					
5213113299	GP0B	135°F	57°C	Brass	C\$ 56.18
5213213299	GP0C	135°F	57°C	Chrome	C\$ 65.09
5213873299	GP0W	135°F	57°C	White	C\$ 74.82
5216113299	GP1B	165°F	74°C	Brass	C\$ 56.18
5216213299	GP1C	165°F	74°C	Chrome	C\$ 65.09
5216873299	GP1W	165°F	74°C	Poly White	C\$ 74.82
5221113299	GP2B	212°F	100°C	Brass	C\$ 56.18
5221213299	GP2C	212°F	100°C	Chrome	C\$ 65.09
5221873299	GP2W	212°F	100°C	White	C\$ 74.82
5228113299	GP3B	286°F	141°C	Brass	C\$ 56.18
5228213299	GP3C	286°F	141°C	Chrome	C\$ 65.09
5228873299	GP3W	286°F	141°C	White	C\$ 74.82
<b>MODEL G PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017</b>					
5213113498	GP0LB	135°F	57°C	Brass	C\$ 69.23
5213213498	GP0LC	135°F	57°C	Chrome	C\$ 80.97
5216113498	GP1LB	165°F	74°C	Brass	C\$ 69.23
5216213498	GP1LC	165°F	74°C	Chrome	C\$ 80.97
5221113498	GP2LB	212°F	100°C	Brass	C\$ 69.23
5221213498	GP2LC	212°F	100°C	Chrome	C\$ 80.97
5228113498	GP3LB	286°F	141°C	Brass	C\$ 69.23
5228213498	GP3LC	286°F	141°C	Chrome	C\$ 80.97
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
6801030000	GF1LB	3/4" (20mm)		Brass	C\$ 29.73
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 16.04
6801040000	GF1LW	3/4" (20mm)		White	C\$ 16.04
6800930000	GF1MB	10mm		Brass	C\$ 29.70
6800900000	GF1MC	10mm		Chrome	C\$ 15.82
6800940003	GF1MW	10mm		Poly White	C\$ 15.82

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 159.13
6880100000	WRC	For Recessed Use RC1 Wrench	C\$ 481.13



## G PENDENT

- K7.96 = SIN R1016
- K2.82 = SIN R1011
- K4.24 = SIN R1013
- K4.10 = SIN R1014
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G PENDENT K2.8 (40) THREADS 1/2" (15MM) R1011</b>					
5213112499	GP03B	135°F	57°C	Brass	C\$ 78.32
5213212499	GP03C	135°F	57°C	Chrome	C\$ 90.90
5216112499	GP13B	165°F	74°C	Brass	C\$ 78.32
5216212499	GP13C	165°F	74°C	Chrome	C\$ 90.90
5221112499	GP23B	212°F	100°C	Brass	C\$ 78.32
5221212499	GP23C	212°F	100°C	Chrome	C\$ 90.90
5228112499	GP33B	286°F	141°C	Brass	C\$ 78.32
5228212499	GP33C	286°F	141°C	Chrome	C\$ 90.90
<b>MODEL G PENDENT K4.2 (60) THREADS 1/2" (15MM) R1013</b>					
5213112899	GP07B	135°F	57°C	Brass	C\$ 78.32
5213212899	GP07C	135°F	57°C	Chrome	C\$ 90.90
5216112899	GP17B	165°F	74°C	Brass	C\$ 78.32
5216212899	GP17C	165°F	74°C	Chrome	C\$ 90.90
5221112899	GP27B	212°F	100°C	Brass	C\$ 78.32
5221212899	GP27C	212°F	100°C	Chrome	C\$ 90.90
5228112899	GP37B	286°F	141°C	Brass	C\$ 78.32
5228212899	GP37C	286°F	141°C	Chrome	C\$ 90.90

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		C\$ 159.13
6880100000	WRC	For Recessed, Use Model RC1 Wrench		C\$ 481.13



- G**
- K4.10 = SIN R1074
  - K5.62 = SIN R1075
  - K8.2 = SIN R1077
  - See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G CONVENTIONAL K4.2 (60) THREADS 1/2" (15MM) R1074</b>					
5313113299	GC0B	135°F	57°C	Brass	C\$ 52.77
5313213299	GC0C	135°F	57°C	Chrome	C\$ 62.75
5313873299	GC0W	135°F	57°C	White	C\$ 70.91
5316113299	GC1B	165°F	74°C	Brass	C\$ 52.77
5316213299	GC1C	165°F	74°C	Chrome	C\$ 62.75
5316873299	GC1W	165°F	74°C	White	C\$ 70.91
5321113299	GC2B	212°F	100°C	Brass	C\$ 52.77
5321213299	GC2C	212°F	100°C	Chrome	C\$ 62.75
5321873299	GC2W	212°F	100°C	White	C\$ 70.91
5328113299	GC3B	286°F	141°C	Brass	C\$ 52.77
5328213299	GC3C	286°F	141°C	Chrome	C\$ 62.75
5328873299	GC3W	286°F	141°C	White	C\$ 70.91
<b>MODEL G CONVENTIONAL K5.6 (80) THREADS 3/4" (20MM) R1075</b>					
5313113495	GC0LB	135°F	57°C	Brass	C\$ 66.79
5313213495	GC0LC	135°F	57°C	Chrome	C\$ 81.73
5316113495	GC1LB	165°F	74°C	Brass	C\$ 66.79
5316213495	GC1LC	165°F	74°C	Chrome	C\$ 81.73
5328213498	GC3LC	286°F	141°C	Chrome	C\$ 81.73
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 159.13



### G VSW

- K-Factor = 5.6 (80)
- **SIN R1285**
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G VERTICAL K5.6 (80) THREADS 1/2" (15MM) R1285</b>					
5413113292	GV0B	135°F	57°C	Brass	C\$ 82.88
5413213292	GV0C	135°F	57°C	Chrome	C\$ 93.75
5416113292	GV1B	165°F	74°C	Brass	C\$ 82.88
5416213292	GV1C	165°F	74°C	Chrome	C\$ 93.75
5421113292	GV2B	212°F	100°C	Brass	C\$ 82.88
5421213292	GV2C	212°F	100°C	Chrome	C\$ 93.75
5428113292	GV3B	286°F	141°C	Brass	C\$ 82.88
5428213292	GV3C	286°F	141°C	Chrome	C\$ 93.75

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      C\$ 159.13






## G HSW

- K5.6 = SIN R1235
- K8.0 w 3/4"NPT = SIN R1237
- K8.0 w 1/2"NPT = SIN R1236
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R1235</b>					
5413113299	GH0B	135°F	57°C	Brass	C\$ 79.52
5413213299	GH0C	135°F	57°C	Chrome	C\$ 89.93
5416113299	GH1B	165°F	74°C	Brass	C\$ 79.52
5416213299	GH1C	165°F	74°C	Chrome	C\$ 89.93
5421113299	GH2B	212°F	100°C	Brass	C\$ 79.52
5421213299	GH2C	212°F	100°C	Chrome	C\$ 89.93
5428113299	GH3B	286°F	141°C	Brass	C\$ 79.52
5428213299	GH3C	286°F	141°C	Chrome	C\$ 89.93
<b>MODEL G HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) R1237</b>					
5413113498	GH0LB	135°F	57°C	Brass	C\$ 91.43
5413213498	GH0LC	135°F	57°C	Chrome	C\$ 101.17
5416113498	GH1LB	165°F	74°C	Brass	C\$ 91.43
5416213498	GH1LC	165°F	74°C	Chrome	C\$ 101.17
5421113498	GH2LB	212°F	100°C	Brass	C\$ 91.43
5421213498	GH2LC	212°F	100°C	Chrome	C\$ 101.17
5428113498	GH3LB	286°F	141°C	Brass	C\$ 91.43
5428213498	GH3LC	286°F	141°C	Chrome	C\$ 101.17
<b>MODEL G HORIZONTAL K8.0 (115) THREADS 1/2" (15MM) 1236</b>					
5413113499	GH0LHB	135°F	57°C	Brass	C\$ 109.22
5413213499	GH0LHC	135°F	57°C	Chrome	C\$ 118.87
5416113499	GH1LHB	165°F	74°C	Brass	C\$ 109.22
5416213499	GH1LHC	165°F	74°C	Chrome	C\$ 118.87
5421113499	GH2LHB	212°F	100°C	Brass	C\$ 109.22
5421213499	GH2LHC	212°F	100°C	Chrome	C\$ 118.87
5428113499	GH3LHB	286°F	141°C	Brass	C\$ 109.22
5428213499	GH3LHC	286°F	141°C	Chrome	C\$ 118.87
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
6801030000	GF1LB	3/4" (20mm)		Brass	C\$ 29.73
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 16.04
6801040000	GF1LW	3/4" (20mm)		White	C\$ 16.04
6800930000	GF1MB	10mm		Brass	C\$ 29.70
6800900000	GF1MC	10mm		Chrome	C\$ 15.82
6800940003	GF1MW	10mm		Poly White	C\$ 15.82

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 481.13



## G HSW

- K2.8 = SIN R1231
- K4.2 = SIN R1233
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G HORIZONTAL K2.8 (40) THREADS 1/2" (15MM) R1231</b>					
5413112499	GH03B	135°F	57°C	Brass	C\$ 101.17
5413212499	GH03C	135°F	57°C	Chrome	C\$ 110.39
5416112499	GH13B	165°F	74°C	Brass	C\$ 101.17
5416212499	GH13C	165°F	74°C	Chrome	C\$ 110.39
5421112499	GH23B	212°F	100°C	Brass	C\$ 101.17
5421212499	GH23C	212°F	100°C	Chrome	C\$ 110.39
5428112499	GH33B	286°F	141°C	Brass	C\$ 101.17
5428212499	GH33C	286°F	141°C	Chrome	C\$ 110.39
<b>MODEL G HORIZONTAL K4.2 (60) THREADS 1/2" (15MM) R1233</b>					
5413112899	GH07B	135°F	57°C	Brass	C\$ 101.17
5413212899	GH07C	135°F	57°C	Chrome	C\$ 110.39
5416112899	GH17B	165°F	74°C	Brass	C\$ 101.17
5416212899	GH17C	165°F	74°C	Chrome	C\$ 110.39
5421112899	GH27B	212°F	100°C	Brass	C\$ 101.17
5421212899	GH27C	212°F	100°C	Chrome	C\$ 110.39
5428112899	GH37B	286°F	141°C	Brass	C\$ 101.17
5428212899	GH37C	286°F	141°C	Chrome	C\$ 110.39
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
6801030000	GF1LB	3/4" (20mm)		Brass	C\$ 29.73
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 16.04
6801040000	GF1LW	3/4" (20mm)		White	C\$ 16.04
6800930000	GF1MB	10mm		Brass	C\$ 29.70
6800900000	GF1MC	10mm		Chrome	C\$ 15.82
6800940003	GF1MW	10mm		Poly White	C\$ 15.82
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 481.13



### G RECESSED

#### Non-Adjustable -


- K2.8 = SIN R1011
- K4.2 = SIN R1013
- K5.6 = SIN R1015
- K8.0 = SIN R1016
- See Bulletin 111

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G RECESSED K5.6 (80) THREADS 1/2" (15MM) R1015</b>					
5513343270	GR0B	135°F	57°C	W/O	C\$ 84.16
5513323270	GR0C	135°F	57°C	W/O	C\$ 76.36
5513463270	GR0W	135°F	57°C	Poly White	C\$ 84.16
5516343270	GR1B	165°F	74°C	Brass	C\$ 84.16
5516323270	GR1C	165°F	74°C	Chrome	C\$ 76.36
5516463270	GR1W	165°F	74°C	Poly White	C\$ 84.16
5521343270	GR2B	212°F	100°C	W/O	C\$ 84.16
5521323270	GR2C	212°F	100°C	Chrome	C\$ 76.36
5521463270	GR2W	212°F	100°C	W/O	C\$ 84.16
<b>MODEL G RECESSED K8.0 (115) THREADS 1/2" (15MM) R1016</b>					
5513343470	GR0LHB	135°F	57°C	W/O	C\$ 102.23
5513323470	GR0LHC	135°F	57°C	W/O	C\$ 99.38
5516343470	GR1LHB	165°F	74°C	Brass	C\$ 102.23
5516323470	GR1LHC	165°F	74°C	Chrome	C\$ 99.38
5521343470	GR2LHB	212°F	100°C	W/O	C\$ 102.23
5521323470	GR2LHC	212°F	100°C	Chrome	C\$ 99.38
<b>MODEL G RECESSED K2.8 (40) THREADS 1/2" (15MM) R1011</b>					
5513342470	GR03B	135°F	57°C	W/O	C\$ 114.57
5513322470	GR03C	135°F	57°C	W/O	C\$ 108.71
5516342470	GR13B	165°F	74°C	Brass	C\$ 114.57
5516322470	GR13C	165°F	74°C	Chrome	C\$ 108.71
5521342470	GR23B	212°F	100°C	W/O	C\$ 114.57
5521322470	GR23C	212°F	100°C	Chrome	C\$ 108.71
<b>MODEL G RECESSED ESCUTCHEONS</b>					
6801361101	GRB	Threaded		Brass	C\$ 46.65
6801362101	GRC	Threaded		Chrome	C\$ 24.40
6801367201	GRW	Threaded		White	C\$ 24.40
6801369001	GRSP	Threaded		Specialty	C\$ 59.99

6880100000      WRC      Requires Model RC1 Sprinkler Wrench      C\$ 481.13

#### Notes:

Sprinklers and Escutcheons sold and packaged separately



**G (CONT.)**

- K4.2 = SIN R1013
- K5.6 1" M AND 1" F SIN R1118
- See Bulletin 111

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G RECESSED K4.2 (40) THREADS 1/2" (15MM) R1013</b>					
5513342870	GR07B	135°F	57°C	W/O	C\$ 114.57
5513322870	GR07C	135°F	57°C	W/O	C\$ 108.71
5516342870	GR17B	165°F	74°C	Brass	C\$ 114.57
5516322870	GR17C	165°F	74°C	Chrome	C\$ 108.71
5521342870	GR27B	212°F	100°C	W/O	C\$ 114.57
5521322870	GR27C	212°F	100°C	Chrome	C\$ 108.71
<b>MODEL G RECESSED ESCUTCHEONS</b>					
6801361101	GRB	Threaded		Brass	C\$ 46.65
6801362101	GRC	Threaded		Chrome	C\$ 24.40
6801367201	GRW	Threaded		White	C\$ 24.40
6801369001	GRSP	Threaded		Specialty	C\$ 59.99

6880100000      WRC      For Recessed Use Model RC1 Wrench      C\$ 481.13

**Notes:**

Sprinklers and Escutcheons sold and packaged separately



### G4 CONCEALED

- K2.8 = SIN R2111
- K4.2 = SIN R2113
- K5.6 = SIN R2115
- See Bulletin 121

Sprinkler	Coverplate
135°F/57°C	135°F/57°C
165°F/74°C	165°F/74°C
212°F/100°C	165°F/74°C

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G4 CONCEALED K5.6 (80) THREADS 1/2" (15MM) R2115</b>				
5713173299	G40	135°F 57°C	W/O	C\$ 83.12
5716173299	G41	165°F 74°C	W/O	C\$ 80.65
5721173299	G42	212°F 100°C	W/O	C\$ 83.12
<b>MODEL G4 CONCEALED K2.8 (40) THREADS 1/2" (15MM) R2111</b>				
5713172499	G403	135°F 57°C	W/O	C\$ 87.87
5716172499	G413	165°F 74°C	W/O	C\$ 87.87
5721172499	G423	212°F 100°C	W/O	C\$ 87.87
<b>MODEL G4 CONCEALED K4.2 (60) THREADS 1/2" (15MM) R2113</b>				
5713172899	G407	135°F 57°C	W/O	C\$ 87.87
5716172899	G417	165°F 74°C	W/O	C\$ 87.87
5721172899	G427	212°F 100°C	W/O	C\$ 87.87
<b>MODEL G5 COVER PLATES</b>				
6887271321	CG50C	135°F 57°C	Chrome	C\$ 61.71
6887271372	CG50W	135°F 57°C	White	C\$ 56.25
6887271390	CG50SP	135°F 57°C	Specialty	C\$ 76.70
6887271374	CG50OW	135°F 57°C	Off-White	C\$ 76.51
6887271316	CG50FB	135°F 57°C	Black Painted	C\$ 76.60
6887271305	CG50BB	135°F 57°C	Bright Brass	C\$ 93.60
6887271323	CG50CD	135°F 57°C	Satin Chrome	C\$ 93.60
6887271310	CG50SS	135°F 57°C	Stainless Steel	C\$ 93.60
6887271311	CG50B	135°F 57°C	Finished Bronze	C\$ 77.32
6887271319	CG50EW	135°F 57°C	Euro White	C\$ 56.25
6887271621	CG51C	165°F 74°C	Chrome	C\$ 61.71
6887271672	CG51W	165°F 74°C	White	C\$ 56.25
6887271690	CG51SP	165°F 74°C	Specialty	C\$ 76.70
6887271674	CG51OW	165°F 74°C	Off-White	C\$ 76.51
6887271690	CG51SP	165°F 74°C	Specialty	C\$ 76.70
6887271616	CG51FB	165°F 74°C	Black Painted	C\$ 76.60
6887271605	CG51BB	165°F 74°C	Bright Brass	C\$ 93.60
6887271623	CG51CD	165°F 74°C	Satin Chrome	C\$ 93.60
6887271610	CG51SS	165°F 74°C	Stainless Steel	C\$ 93.60
6887271619	CG51EW	165°F 74°C	Euro White	C\$ 56.25

6880170000      WG4      Requires Model G4 Sprinkler Wrench      C\$ 479.26

**Notes:**

Sprinklers and coverplates sold and packaged separately



**G4 -11CONCEALED**

- K11.2 = SIN R101
- See Bulletin 086

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G4 -11 CONCEALED K11.2 (160) THREADS 3/4" R101</b>					
1716173698		165°F	74°C	W/O	C\$ 176.62
1721173698		212°F	100°C	W/O	C\$ 176.62
<b>MODEL G5 SR GASKET COVER PLATES</b>					
6887031372	CG4S0W	135°F	57°C	White	C\$ 143.86
6887031672	CG4S1W	165°F	74°C	White	C\$ 143.86
<b>MODEL G5 QR GASKET COVER PLATES</b>					
6887201372	CG5S0W	135°F	57°C	White	C\$ 143.86
6887201672	CG5S1W	165°F	74°C	White	C\$ 143.86
<b>MODEL G5 COVER PLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	C\$ 61.71
6887271372	CG50W	135°F	57°C	White	C\$ 56.25
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 76.70
6887271374	CG50OW	135°F	57°C	Off-White	C\$ 76.51
6887271316	CG50FB	135°F	57°C	Black Painted	C\$ 76.60
6887271305	CG50BB	135°F	57°C	Bright Brass	C\$ 93.60
6887271323	CG50CD	135°F	57°C	Satin Chrome	C\$ 93.60
6887271310	CG50SS	135°F	57°C	Stainless Steel	C\$ 93.60
6887271311	CG50B	135°F	57°C	Finished Bronze	C\$ 77.32
6887271319	CG50EW	135°F	57°C	Euro White	C\$ 56.25
6887271621	CG51C	165°F	74°C	Chrome	C\$ 61.71
6887271672	CG51W	165°F	74°C	White	C\$ 56.25
6887271690	CG51SP	165°F	74°C	Specialty	C\$ 76.70
6887271674	CG51OW	165°F	74°C	Off-White	C\$ 76.51
6887271690	CG51SP	165°F	74°C	Specialty	C\$ 76.70
6887271616	CG51FB	165°F	74°C	Black Painted	C\$ 76.60
6887271605	CG51BB	165°F	74°C	Bright Brass	C\$ 93.60
6887271623	CG51CD	165°F	74°C	Satin Chrome	C\$ 93.60
6887271610	CG51SS	165°F	74°C	Stainless Steel	C\$ 93.60
6887271619	CG51EW	165°F	74°C	Euro White	C\$ 56.25
6880170000	WG4	Requires Model G4 Sprinkler Wrench			C\$ 479.26

**Notes:**  
 Sprinklers and coverplates sold and packaged separately



**G4-300  
 CONCEALED**

- K-Factor = 5.6 (80)
- **SIN R6115**
- See Bulletin 161

Sprinkler	Coverplate
135°F/57°C	135°F/57°C
165°F/74°C	165°F/74°C
212°F/100°C	165°F/74°C

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G4 - 300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) R6115</b>				
57A1173299	G40300	135°F 57°C	W/O	C\$ 86.12
57A2173299	G41300	165°F 74°C	W/O	C\$ 86.12
57A6173299	G42300	212°F 100°C	W/O	C\$ 86.12
<b>MODEL G5 COVER PLATES</b>				
6887271321	CG50C	135°F 57°C	Chrome	C\$ 61.71
6887271372	CG50W	135°F 57°C	White	C\$ 56.25
6887271311	CG50B	135°F 57°C	Finished Bronze	C\$ 77.32
6887271374	CG50OW	135°F 57°C	Off-White	C\$ 76.51
6887271390	CG50SP	135°F 57°C	Specialty	C\$ 76.70
6887271316	CG50FB	135°F 57°C	Black Painted	C\$ 76.60
6887271305	CG50BB	135°F 57°C	Bright Brass	C\$ 93.60
6887271323	CG50CD	135°F 57°C	Satin Chrome	C\$ 93.60
6887271310	CG50SS	135°F 57°C	Stainless Steel	C\$ 93.60
6887271319	CG50EW	135°F 57°C	Euro White	C\$ 56.25
6887271621	CG51C	165°F 74°C	Chrome	C\$ 61.71
6887271672	CG51W	165°F 74°C	White	C\$ 56.25
6887271611	CG51B	165°F 74°C	Finished Bronze	C\$ 77.32
6887271674	CG51OW	165°F 74°C	Off-White	C\$ 76.51
6887271690	CG51SP	165°F 74°C	Specialty	C\$ 76.70
6887271616	CG51FB	165°F 74°C	Black Painted	C\$ 76.60
6887271605	CG51BB	165°F 74°C	Bright Brass	C\$ 93.60
6887271623	CG51CD	165°F 74°C	Satin Chrome	C\$ 93.60
6887271610	CG51SS	165°F 74°C	Stainless Steel	C\$ 93.60
6887271619	CG51EW	165°F 74°C	Euro White	C\$ 56.25

6880170000      WG4      Requires Model G4 Sprinkler Wrench      C\$ 479.26

**Notes:**

Sprinklers and coverplates sold and packaged separately



## G5-80F

- K-Factor = 8.0(115)
- **SIN RA3417**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G5-80F CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3417</b>					
1916173497	G5801BFM	165°F	74°C	W/O	C\$114.29
1921173497	G5802BFM	212°F	100°C	W/O	C\$114.29
<b>MODEL G5-80F CONCEALED K8.0 (115) THREADS BSPT 3/4" (20MM) RA3417</b>					
1916173494	G5801MFM	165°F	74°C	W/O	C\$114.29
1921173494	G5802MFM	212°F	100°C	W/O	C\$114.29
<b>MODEL G5 COVERPLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	C\$ 61.71
6887271372	CG50W	135°F	57°C	White	C\$ 56.25
6887271311	CG50B	135°F	57°C	Finished Bronze	C\$ 77.32
6887271374	CG50OW	135°F	57°C	Off-White	C\$ 76.51
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 76.70
6887271316	CG50FB	135°F	57°C	Black Painted	C\$ 76.60
6887271305	CG50BB	135°F	57°C	Bright Brass	C\$ 93.60
6887271323	CG50CD	135°F	57°C	Satin Chrome	C\$ 93.60
6887271310	CG50SS	135°F	57°C	Stainless Steel	C\$ 93.60
6887271319	CG50EW	135°F	57°C	Euro White	C\$ 56.25
6887271621	CG51C	165°F	74°C	Chrome	C\$ 61.71
6887271672	CG51W	165°F	74°C	White	C\$ 56.25
6887271611	CG51B	165°F	74°C	Finished Bronze	C\$ 77.32
6887271674	CG51OW	165°F	74°C	Off-White	C\$ 76.51
6887271690	CG51SP	165°F	74°C	Specialty	C\$ 76.70
6887271616	CG51FB	165°F	74°C	Black Painted	C\$ 76.60
6887271605	CG51BB	165°F	74°C	Bright Brass	C\$ 93.60
6887271610	CG51SS	165°F	74°C	Stainless Steel	C\$ 93.60
6887271623	CG51CD	165°F	74°C	Satin Chrome	C\$ 93.60
6887271619	CG51EW	165°F	74°C	Euro White	C\$ 56.25

6880170020	WFC	WRENCH,FC,CONCEALED	C\$483.70
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	C\$483.70

### Notes:

Factory Mutual does not recognize or approve fully concealed as Quick Response. sprinklers





### G5-80 SR "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

### G5-80F "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3417**
- See Bulletin 034

### G5-56 SR "Sealing" Concealed

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

### G5-42 SR "Sealing" Concealed

- K-Factor = 4.2 (60)
- **SIN RA3413**
- See Bulletin 034

### G5-28 SR "Sealing" Concealed

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G5-80 SR SEALING CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412</b>				
1916173498	G5801B	165°F 74°C	W/O	C\$ 108.34
1921173498	G5802B	212°F 100°C	W/O	C\$ 108.34
<b>MODEL G5-80F SEALING CONCEALED K8.0 (115) 3/4" (20MM) RA3417</b>				
1916173497	G5801BFM	165°F 74°C	W/O	C\$ 114.29
1921173497	G5802BFM	212°F 100°C	W/O	C\$ 114.29
<b>MODEL G5-80F SEALING CONCEALED K8.0 (115) BSPT 3/4" (20MM) RA3417</b>				
1916173494	G5801MFM	165°F 74°C	W/O	C\$ 114.29
1921173494	G5802MFM	212°F 100°C	W/O	C\$ 114.29
<b>MODEL G5-56 SR SEALING CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415</b>				
1916173299	G51B	165°F 74°C	W/O	C\$ 87.36
1921173299	G52B	212°F 100°C	W/O	C\$ 87.36
<b>MODEL G5-42 SR SEALING CONCEALED K4.2 (60) THREADS 1/2" RA3413</b>				
1916172899	G5421B	165°F 74°C	W/O	C\$ 108.34
1921172899	G5422B	212°F 100°C	W/O	C\$ 108.34
<b>MODEL G5-28 SR SEALING CONCEALED K2.8 (40) THREADS 1/2" (15MM) RA3411</b>				
1916172499	G5281B	165°F 74°C	W/O	C\$ 108.34
1921172499	G5282B	212°F 100°C	W/O	C\$ 108.34
<b>MODEL G5 SEALING CONCEALED COVER PLATES</b>				
6887031372	CG4S0W	135°F 57°C	White	C\$ 143.86
6887031672	CG4S1W	165°F 74°C	White	C\$ 143.86
6887031310	CG4S0SS	135°F 57°C	Stainless Steel	C\$ 149.77
6887031610	CG4S1SS	165°F 74°C	Stainless Steel	C\$ 149.77

6880170020	WFC	Requires Model FC Wrench	C\$ 483.70
------------	-----	--------------------------	------------

**Notes:**

Sprinklers and coverplates sold and packaged separately



**G5-56 300 SR  
 "Sealing"  
 Concealed**

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G5-56 300 SR SEALING CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014</b>					
2016173299	G51B3	165°F	74°C	W/O	C\$ 92.32
<b>MODEL G5 SEALING CONCEALED COVER PLATE</b>					
6887031372	CG4S0W	135°F	57°C	White	C\$ 143.86
6887031672	CG4S1W	165°F	74°C	White	C\$ 143.86
6887031310	CG4S0SS	135°F	57°C	Stainless Steel	C\$ 149.77
6887031610	CG4S1SS	165°F	74°C	Stainless Steel	C\$ 149.77
6880170020	WFC	Requires Model FC Wrench			C\$ 483.70

**Notes:**  
 Sprinklers and coverplates sold and packaged separately