

[Get a Quote](#)

Overview

HPE 713985-B21 is a HPE 16GB (1x16GB) Dual Rank x4 PC3L-12800R (DDR3-1600) Registered CAS-11 Low Voltage Memory Kit for Gen8 V2 CPU. Get higher performance, more reliability, and greater efficiency with genuine, HPE server memory, built to work with HPE ProLiant servers and capable of enhanced support through the HPE Active Health System.

Quick Spec

Table 1 shows the RAM of 713985-B21.

Type	DRAM
Technology	DDR3L SDRAM
Data Integrity Check	ECC
Form Factor	DIMM 240-pin
Storage Capacity	16 GB
Upgrade Type	System specific
Supply Voltage	1.35 V
Memory Speed	1600 MHz
Memory Specification Compliance	PC3L-12800
CAS Latency	CL11
Registered or Buffered	Registered
RAM Features	Dual rank, Low Voltage
Chips Organization	X4
Supported Server	HP ProLiant Gen8 server family

Get more information

Do you have any question about the HPE 713985-B21 Memory?

Contact us now via [Live Chat](#) or sales@router-switch.com.

Specification

713985-B21 Specification	
Header	
Compatibility	PC
Manufacturer	Hewlett-Packard
Packaged Quantity	1
Product Line	HPE

713985-B21 Specification

Brand	HPE
Miscellaneous	
OEM Manufacturer Equivalent Part Number	HP 713985-B21
Miscellaneous (CDW)	
Compatible With	HPE ProLiant BL460c Gen8, HPE ProLiant BL660c Gen8, HPE ProLiant DL360p Gen8, HPE ProLiant DL360p Gen8 Base, HPE ProLiant DL360p Gen8 CMS, HPE ProLiant DL360p Gen8 Entry, HPE ProLiant DL360p Gen8 High Performance, HPE ProLiant DL360p Gen8 Performance, HPE ProLiant DL360p Gen8 Special Server, HPE ProLiant DL380p Gen8, HPE ProLiant DL380p Gen8 Base, HPE ProLiant DL380p Gen8 Entry, HPE ProLiant DL380p Gen8 High Performance, HPE ProLiant DL380p Gen8 Performance, HPE ProLiant DL380p Gen8 Special, HPE ProLiant DL560 Gen8 Performance, HPE ProLiant ML350e Gen8 v2, HPE ProLiant ML350e Gen8 v2 Base, HPE ProLiant ML350p Gen8, HPE ProLiant ML350p Gen8 Base, HPE ProLiant ML350p Gen8 Entry, HPE ProLiant ML350p Gen8 Performance, HPE ProLiant ML350p Gen8 Special Server, HPE ProLiant SL230s Gen8 1U Left Half Width Tray, HPE ProLiant SL230s Gen8 1U Right Half Width Tray, HPE ProLiant SL230s Gen8 Base 1U Left Tray Server, HPE ProLiant SL230s Gen8 Base 1U Right Tray Server, HPE ProLiant SL250s Gen8 2U Left Half Width Tray, HPE ProLiant SL250s Gen8 2U PCIe Gen3 Left Tray, HPE ProLiant SL250s Gen8 2U PCIe Gen3 Right Tray, HPE ProLiant SL250s Gen8 2U Right Half Width Tray, HPE ProLiant SL250s Gen8 Base 2U Left Half Width Tray, HPE ProLiant SL250s Gen8 Base 2U Left Tray Server, HPE ProLiant SL250s Gen8 Base 2U Right Half Width Tray, HPE ProLiant SL250s Gen8 Base 2U Right Tray Server, HPE ProLiant SL250s Gen8 Left Tray, HPE ProLiant SL250s Gen8 Right Tray, HPE ProLiant SL270s Gen8 1U Left Half Width Tray, HPE ProLiant SL270s Gen8 1U Right Half Width Tray, HPE ProLiant SL270s Gen8 Base 4U Left Half Width Tray, HPE ProLiant SL270s Gen8 Base 4U Right Half Width Tray, HPE ProLiant SL270s Gen8 SE 4U Left Tray, HPE ProLiant SL270s Gen8 SE 4U Right Tray, HPE ProLiant SL4540 Gen8 Tray 1x Node Server, HPE ProLiant SL4540 Gen8 Tray 3x Node Server, HPE ProLiant WS460c Gen8
RAM	
Type	DRAM
Technology	DDR3L SDRAM
Data Integrity Check	ECC
Form Factor	DIMM 240-pin
Storage Capacity	16 GB
Upgrade Type	System specific
Supply Voltage	1.35 V
Memory Speed	1600 MHz
Memory Specification Compliance	PC3L-12800
CAS Latency	CL11
Registered or Buffered	Registered
RAM Features	Dual rank, Low Voltage
Chips Organization	X4
Slot Required	
Type	Memory
Form Factor	DIMM 240-pin

713985-B21 Specification

Total Qty	1
-----------	---

Want to Buy

[Order Now](#)[Get a Quote](#)

Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of [Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Hikvision](#), [Juniper](#), [Fortinet](#), etc.



200+

Countries we Sold



18,000+

Customers Trusted



\$20,000,000

Inventory Available



50%-98%

Off Global List Price



100%

Safe Online Shopping

Contact Us

- Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: sales@router-switch.com