

## Overview

---

LTO-5 SB3000c Tape Blade

## Specification

---

BS580B Specification	
Header	
Compatibility	PC
Manufacturer	Hewlett-Packard
Packaged Quantity	1
Product Line	HPE
Model	SB3000c Tape Blade
Brand	HPE
Interface Provided	
Qty	1
Interface (Storage)	Serial Attached SCSI 2
Storage Removable	
Type	LTO Ultrium
Native Capacity	1.5 TB
Compressed Capacity	3 TB
Media Included Qty	1
Recording Standard	Ultrium 4, Ultrium 5
Interface Type	Serial Attached SCSI 2
Buffer Size	256 MB
Average Seek Access Time	52 sec
Data Transfer Rate	140 MBps
Data Transfer Rate (Compressed)	280 MBps
Recording Standard (for SD)	LTO Ultrium 5
Data Transfer Rate (Compressed) (GBph)	1008
Data Transfer Rate (GBph)	504

BS580B Specification	
Supported Tape Cartridges (Read and Write)	Ultrium 4, Ultrium 5
Storage	
Type	Tape drive
Enclosure Type	Plug-in module
Key Features	Encryption
Miscellaneous	
Compliant Standards	BSMI, C-Tick, CAN/CSA C22.2 No. 60950, CB, cCSAus, EN 60950, FCC CFR47 Part 15, IEC 60950, NOM, RRL, TUV, VCCI
MTBF	250,000 hour(s)
Environmental Parameters	
Min Operating Temperature	50 °F
Max Operating Temperature	104 °F
Humidity Range Operating	20 - 80% (non-condensing)
Power Device	
Type	None
Dimensions & Weight	
Width	7.2 in
Depth	20.1 in
Height	2.2 in
Weight	11 lbs

## Want to Buy

[Order Now](#)
[Get a Quote](#)

## Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of [Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Hikvision](#), [Juniper](#), [Fortinet](#), etc.



200+

Countries we Sold



18,000+

Customers Trusted



\$20,000,000

Inventory Available



50%-98%

Off Global List Price



100%

Safe Online Shopping

## Contact Us

- Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: [sales@router-switch.com](mailto:sales@router-switch.com)