Get a Quote



Overview


Cisco 1900 Series IOS Software Technology Package License - L-SL-19-DATA-K9= Data E-Delivery PAK for Cisco 1921, Cisco 1941 routers.

Product Details

This license will be shipped via E-Delivery after payment.



Figure 1 shows the Cisco IOS Software packaging model for the Cisco 3900, 2900, and 1900 Series Integrated Services Routers.



¹IP SLA Responder is available with IP Base. Most other IP SLA Features are available in all the three higher package (Data, UC, Security) with these exceptions:

- 1. IP SLAs RTP Based VOIP Operation UC only
- 2. IP SLA VoIP Gatekeeper Delay Monitoring UC only
- 3. IP SLAs LSP Health Monitor DATA only

²Security license is also offered in NPE version that maps to the universal image with No Payload Encryption.

Cisco ISRs deliver innovative technologies running on the industry-leading Cisco IOS Software.

Cisco ISR G2 routers ship with a universal Cisco IOS Software image that contains all the features available for use on the routers. A specific feature set is activated by using technology package licenses such as Security, Unified Communications, and Data.

Two types of universal images are supported on Cisco ISR G2 routers:

- Universal images with the universalk9 in the image name: This universal image offers all the Cisco IOS Software features, including strong payload cryptography features such as IP Security VPN (IPsec VPN), Secure Sockets Layer VPN (SSL VPN), and Secure Unified Communications.
- Universal images with the universalk9_npe in the image name: The strong control of encryption capabilities by Cisco Software Activation helps meet U.S. export control requirements for cryptography. However, some countries have import requirements that require that the platform does not support any strong payload cryptography. To satisfy the import requirements of those countries, Cisco allows you to order the router with an "npe" universal image that does not support any strong payload encryption. The npe image does support security features such as zone-based firewall and intrusion prevention through the SECNPE-K9 license.

Note:

For a given type and version of universal Cisco IOS Software image, both the Cisco 3945 and 3925 share the same Cisco IOS Software image; the Cisco 3945 and 3925 share another Cisco IOS Software image. Similarly, the Cisco 1921 and 1941 and Cisco 1941 Wireless routers share the same universal Cisco IOS Software image. Within the Cisco 2900 Series product family, the Cisco 2901, 2911, and 2921 share the universal Cisco IOS Software images for a given type and version. The Cisco 2951 has its own unique Cisco IOS Software image different from the rest of the Cisco 2900 Series images. Table 18 lists part numbers for universal Cisco IOS Software images for the Cisco 3900, 2900, and 1900 Series ISRs.

For this, L-SL-19-DATA-K9= can be used in both of Cisco 1921 and 1941 routers.

Compare to Similar Items

Table 1 shows the comparison.

Model	SL-19-DATA-K9=	L-SL-19-DATA-K9=
Supported Products	Cisco 1921 and 1941 routers	Cisco 1921 and 1941 routers
Function	Data	Data
Shipping	Shipped by traditional delivery	E-delivery

Get more information

Do you have any question about the L-SL-19-DATA-K9=?

Contact us now via Live Chat or sales@router-switch.com.

Specification

L-SL-19-DATA-K9= Specification General		
Product Type	License	
Media	ESD	
	Licensing	
License Type	1 router	
	System Requirements	
Min RAM Size	512 MB	
Min Flash Memory Size	256 MB	
Compatibility Information		
Designed For	Cisco 1941, 1941 Mobile Wireless, 1941 Security, 1941 Security Bundle, 1941 SRE Bundle	

Want to Buy

Order Now

Get a Quote

Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of Cisco, Huawei, HPE, Dell, Hikvision, Juniper, Fortinet, etc.











Contact Us

• Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166

• Fax: +852-3050-1066 (Hong Kong) • Email: sales@router-switch.com