

LEVEL BOOK

400

F.B. 296

296

H. S. CROCKER COMPANY

DRAWING MATERIALS AND
SURVEYING INSTRUMENTS

296

SAN FRANCISCO

TABLES FOR EXCAVATIONS AND EMBANKMENTS

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING

Roadway 18 Feet Wide. Side Slopes 1 to 1.
For Single Track Excavation.

"Copyright, 1895, by Kueffel & Esser Co."

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	0
1	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	1
2	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	2
3	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	3
4	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	4
5	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	5
6	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	6
7	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	7
8	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	8
9	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	9
10	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	10
11	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	11
12	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	12
13	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	13
14	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	14
15	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	15
16	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	16
17	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	17
18	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	18
19	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	19
20	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	20
21	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	21
22	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	22
23	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	23
24	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	24
25	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	25
26	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	26
27	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	27
28	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	28
29	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	29
30	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	30
31	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	31
32	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	32
33	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	33
34	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	34
35	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	35
36	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.

21.25
16.75
9.00
16.75
21.25
85.00

*Return to City Engineers Office
City Hall, San Diego, Cal.*

MICROFILMED
1964

Cross Section of W₂ of 15th St Port

"E" 90° F
 2 } 2000
 6 } 2000
 0.2 } 2000

PO-

3.21 61.85 58.64

T.P. 0.89 49.89 12.85 49.00

T.P. 6.75 44.77 11.87 38.02

50 line "E" St

W. 2.7 42.10 42.1

Cl. 2.3 42.50 42.5

1/4 2.6 42.20 42.2

Chr. 7.0 37.80 37.8

25' 50" E

Chr. 8.0 36.80 36.8

1/4 6.8 38.00 38.0

6' E Cl. 5.4 39.40 39.4

Cl. 5.6 39.20 39.2

W. 5.4 39.40 39.4

50' 50" E

W. 5.6 39.20 39.2

Cl. 5.6 39.20 39.2

1/4 5.9 38.90 38.9

Chr. 8.2 36.60 36.6

POSTED

1

377. N. 2. Hyd. S. W. C. 15' 20" D.

75' 50" E

Chr. 7.8 37.00 37.0

1/4 5.3 39.50 39.5

Cl. 4.8 40.00 40.0

W. 4.4 40.4 40.4

100' 50" E

W. 4.3 40.5

Cl. 4.5 40.3

1/4 5.0 39.8

Chr. 7.7 37.1

175' 50" E

Chr. 7.1 37.7

1/4 6.6 39.2

Cl. 5.0 39.8

W. 4.7 40.1

4477

240' S. "E" N.L. Alley

W	5.2	39.6
Cl	5.4	39.4
L4	5.9	38.9
ctr	7.1	37.7

160' S. "E" S.L. Alley

ctr	6.3	38.5
L4	5.7	39.1
Cl	5.3	39.5
W.	4.7	40.1

175' S. "E"

W	4.5	40.3
Cl	5.0	39.8
L4	5.3	39.5
ctr.	6.1	38.7
S E ctr.	9.6	35.2

200' S. "E"

ctr	10.3	34.5
3'E L4	5.0	39.8
L4	4.4	40.4
Cl	3.6	41.2
W.	3.6	41.2

POSTED

225' S. "E"

W	2.0	42.8
Cl	2.5	42.3
2'E L4	2.8	42.0
L4	8.8	36.0
5'E L4	10.1	34.7
ctr	10.4	34.4

250' S. "E"

ctr	10.7	34.1
L4	10.6	34.2
7'E L4	8.4	34.4
Cl	1.8	41.2
W	1.1	43.0
		43.7

4477

TESTED

275.50 "E"

W.	1.1	43.7
Cl.	1.5	40.3
7' E.C.	{ 3.0 10.7	41.8 34.1
1/4	10.8	34.0
6' E 4	{ 11.5 13.8	33.3 31.0
CH.	12.7	32.1

300.50 "E" - N.L. "F"

CH.	12.5	32.3
1/4	13.7	31.1
9' E.C.	{ 13.0 3.4	31.8 41.4
Cl.	1.7	40.1
W.	1.3	43.5

7/8/07 sections Fern St.
 Hatah from South Park to Juniper
 Williams
 B.M. 5.71 231.12 226.01

N. line South Park

W	4.9	226.7
	4.7	226.4
	4.7	226.4
	4.5	226.6
	4.8	226.3
	5.0	226.1
E	4.8	226.3
	5.0 N.	
E	2.9	228.2
	3.0	228.1
	2.4	228.7
	2.3	228.8
	1.9	229.2
	1.7	229.4
W	1.6	229.5

POSTED

Spk. NW Cor Control near 30th & Amherst

T.P.	12.51	241.75	1.88	229.24
	100	N.		
W		8.2		233.6
		8.2		233.6
		8.8		233.0
		8.9		232.9
		9.9		231.9
		10.9		230.9
E		11.3		230.5
	121	S. Date		
E		10.3		231.5
		9.9		231.9
		8.7		233.1
		7.4		234.4
		7.0		234.8
		6.3		235.5
W		5.8		236.0

S Ch. Date

W	4.7	237.1
	5.6	236.2
	6.2	235.6
	6.7	235.1
	7.6	234.2
	8.8	233.0
F	9.6	232.2

S 1/4 Date

E	8.7	233.1
	7.5	234.3
	6.6	235.2
	5.9	235.9
	5.4	236.4
	4.3	237.5
W	3.7	238.1

5

On Date

W	2.4	239.4
	3.1	238.7
	4.0	237.8
	4.7	237.1
	5.6	236.2
	6.6	235.2
E	8.2	233.6

N 1/4 Date

E	7.6	234.2
	6.0	235.8
	4.7	237.1
	3.9	237.9
	3.2	238.6
	2.0	239.8
W	1.4	240.4

241.75

N of Date

W	0.5	241.3
	1.3	240.5
	2.6	239.2
	3.2	238.6
	4.3	237.5
	5.3	236.5
E	6.9	234.9
NL Date.		
E	6.3	235.5
	4.7	237.1
	3.0	238.5
	2.7	239.1
	1.6	240.2
	0.5	241.0
W	+0.4	242.2 242.2

T.P. 10.95 252.65 0.05 241.70

252.65

50' N of Date.

W	8.6	244.1
	9.3	243.4
	11.1	241.6
	11.9	240.8
	12.9	239.8
	14.3	238.4
E	15.3	237.4
100' N of Date		
E	13.7	239.0
	13.0	239.7
	11.4	241.0
	10.3	242.4
	9.2	243.5
	7.4	245.0
W	7.0	245.7

POSTED

150' N of Date.

W	5.3	247.4
	6.1	246.6
	7.6	245.1
	8.3	244.4
	9.7	243.0
	11.5	241.2
E	11.7	241.0

200' N of Date.

E	8.7	244.0
	8.2	244.6
	6.5	246.2
	6.3	246.4
	5.4	247.3
	3.9	248.8
W	3.2	249.5

252.65

250' N of Date

W	1.2	251.5
	2.2	250.5
	3.8	248.9
	4.7	248.0
	5.4	247.0
	6.7	246.0
E	7.8	244.9

300' N of Date = SL 15177 -

E	10.6	242.1
	8.5	244.2
	6.6	246.1
	5.7	247.0
	4.5	248.2
	2.9	249.8
W	1.1	251.6

252.65

5 Ch. E1111-

W	1.8	250.9
	3.0	249.7
	4.9	247.8
	6.5	246.2
	7.8	244.9
	10.0	242.7
E	11.6	241.1
5 1/4 E1111-		
E	13.7	239.0
	10.6	242.1
	9.0	243.7
	7.3	245.4
	5.5	247.2
	4.3	248.4
WV	2.0	250.7

252.65

8

Cr. E1111-

W	2.0	250.7
	3.4	249.3
	6.0	246.7
	7.4	245.3
	9.0	243.7
	11.6	241.1
E	14.9	237.8
15	13.8	228.9
28	28.0	224.7
N 1/4 E1111-		
20'E	25.0	227.7
10'E	25.0	227.7
E	15.7	237.0
S	12.1	240.6
1/2	9.2	243.5
cr.	7.3	245.4

POSTED

1/2		6.1	246.6
cb.		3.5	249.2
W		2.1	250.6
	N. Ch. Elm.		
W		2.3	250.4
cb.		3.8	248.9
1/4		6.2	246.5
c		8.1	244.6
1/2		9.8	242.9
cb.		12.4	250.3
E		15.4	237.3
10'		24.5	228.2
20' East side ravine		24.5	228.2
	N. Ch. Elm.		
14' East side Ravine		24.0	228.7
E		17.1	235.6
		12.2	240.5

252.65

		9.6	243.1
		8.2	244.5
		6.1	246.6
		3.5	249.2
W		1.8	250.9
	35' N of Elm		
W		2.1	250.6
cb.		3.9	248.8
1/2		5.9	246.8
c		8.7	244.0
1/4		10.1	242.6
cb.		11.7	241.0
E		13.9	238.8
7'	Bottom of steep ravine	17.6	235.1
	50' N of Elm		
E	Bottom of ravine	17.4	235.3
cb.		11.6	241.1

	9.5	243.2
	8.4	244.3
	5.5	247.2
	3.6	249.1
W	2.0	250.7
	75' N of Elm -	
W	1.4	257.3
	3.4	249.3
	4.9	247.8
	8.0	244.7
	8.9	243.8
cb.	12.6	240.1
+5'	12.5	239.9
East	11.0	241.7
10'	8.0	244.7

	252.65	
	100' N of Elm -	
E	8.0	244.7
cb.	10.0	242.7
+5'	11.0	241.7
	9.7	243.0
	7.0	245.7
	4.3	248.4
	2.1	250.6
W	0.5	252.2
T.P.	974 261.71	068 251.97
	150' N of Elm	
W	9.6	252.1
	11.3	250.4
	11.8	249.9
	13.9	247.8
	12.3	249.4
	12.0	249.7
E	11.9	249.8

26171
200' N of Elm

E	9.0	252.7
	9.4	252.3
	9.6	252.1
	9.7	252.0
	9.7	252.0
	8.7	253.0
W	6.8	254.9
	250' N of Elm	
W	4.2	257.5
	5.7	256.0
	6.1	255.6
	6.6	255.1
	7.3	254.4
	7.2	254.5
E	6.7	255.0

26171
300' N of Elm = SL Fir

E	4.4	257.3
	4.6	257.1
	4.3	257.4
	4.6	257.1
	3.6	258.1
	3.2	258.5
W	2.1	259.6
	500' Fir	
W	1.4	260.3
	2.6	259.1
	3.1	258.6
	3.0	258.7
	3.5	258.2
	3.7	258.0
E	3.5	258.2

S 1/4 FIT

E	2,5	259.2
	2,9	258.8
	3,0	258.7
	2,7	259.0
	2,8	258.9
	2,1	259.6
W	1,3	260.4

Cr FIT

W	1,2	260.5
	1,8	259.9
	2,3	259.4
	2,1	259.6
	2,4	259.4
	2,9	258.8
E	2,9	258.8

261.71
N 1/4 FIT

E	2,1	259.6
	2,2	259.5
	1,8	259.9
	1,5	260.2
	1,7	260.0
	1,1	260.6
W	0,5	261.2

Neb. FIT

W	40.3	262.0
	0.2	261.5
	0.9	260.8
	1.1	260.6
	1.1	260.6
	1.7	260.0
	1.6	260.1

TR

1239

272.68

~~273.68~~

1.42

260.29

~~261.29~~

272.68
27368

N of Fir.

E	12.1	260.6
	12.1	260.6
	12.0	260.7
	11.6	261.1
	11.4	261.3
	10.7	262.0
W	10.1	262.6

50 N of Fir.

W	8.0	264.7
	7.8	263.9
	9.7	263.0
	9.7	263.0
	10.1	262.6
	10.4	262.3
E	10.4	262.3

272.68
27368

100 N of Fir

E	8.8	263.9
	8.9	263.8
	8.6	264.1
	8.2	264.5
	8.2	264.5
	7.3	265.4
W	6.6	266.1

150 N of Fir

W	5.0	267.7
	5.6	267.1
	6.5	266.2
	6.3	266.4
	6.8	265.9
	7.3	265.4
	7.2	265.5

200' N of Fir

E	5.8	266.9
	5.7	267.0
	5.2	267.5
	5.0	267.7
	5.0	267.7
	4.0	268.7
VY	3.4	269.3

250' N of Fir

W	2.6	270.1
	3.1	269.6
	4.0	268.7
	4.0	268.7
	3.8	268.9
	3.9	268.8
E	3.8	268.9

Grape is 75'

272.68

~~270.68~~

14

300' N of Fir = S. L. Grape

E	3.3	269.4
	3.0	269.7
	2.8	269.9
	2.8	269.9
	2.8	269.9
	2.5	270.2
W	2.1	270.6

271.07
5.26 278.07 0.87 271.81
5. Cb. Grape. ~~272.81~~ BM SW Fern and Grape.

W	5.7	271.4
	6.9	270.2
	7.0	270.1
	6.9	270.2
	6.7	270.4
	7.5	269.6
E	7.9	269.2

E	5 1/4 Grape		
E		7.3	269.2
		7.2	269.9
		7.0	270.1
		6.8	270.3
		6.6	270.5
		6.8	270.3
W		6.2	270.9

Cr. Grape

W		5.8	271.3
		6.3	270.8
		6.4	270.7
		6.6	270.5
		6.7	270.4
		7.0	270.1
E		7.1	270.0

277.07
275.07

15

N 1/4 Grape

E		6.8	270.3
		6.4	270.7
		6.2	270.9
		6.3	270.8
		6.1	271.0
		6.0	271.1
W		6.8	271.3

N ch. Grape.

W		5.7	271.4
		6.6	270.5
		5.7	271.4
		5.8	271.8
		6.0	271.1
		6.2	270.9
E		6.7	270.4

277.07

~~278.07~~

N. Grape

E		6.3	270.8
	POSTED	5.8	271.3
		5.3	271.8
		5.3	271.8
		5.5	271.6
		5.4	271.7
W		5.6	271.5

rem

8.60

280.41

278.81

East Line Ferris (Despard)

N.		6.4	274.0
		6.0	274.5
		6.5	273.9
		6.6	273.7
		6.2	274.2
		6.7	273.7
S		7.2	273.7

7/1/07

Hatch

Donnan

Williams

280.41

16

North Line Grape

E		6.4	274.0
		5.7	274.7
		5.4	275.0
		5.3	275.1
		5.2	275.2
		4.6	275.8
W		4.4	276.0

50 N of Grape

W		3.9	276.5
		4.3	276.1
		4.8	275.6
		4.8	275.6
		5.1	275.3
		5.7	274.7
E		6.0	274.7

100' N of Grape.

E	5.2	2752
	5.1	2753
	5.0	2754
	4.7	2757
	4.6	2758
	4.1	2763
W	3.9	2770

150' N of Grape

W	2.9	2775
	3.7	2767
	4.4	2760
	4.6	2758
	5.2	2752
	5.2	2752
E	5.7	2747

280.41

17

200' N of Grape.

E	5.7	2747
	5.8	2746
	5.5	2749
	4.8	2756
	4.6	2758
	3.6	2768
W	3.1	2773

250' N of Grape

TP	6.10	28203	448	276.93
W	4.4			277.6
	5.6			276.4
	6.5			275.5
	6.9			275.1
	7.4			274.6
	7.7			274.3
E	7.8			274.2

200' N of Grape = Sh Hawthorn

E	7.7	2743
	7.7	2743
	7.9	2741
	7.2	2748
	7.1	2749
	6.0	2760
W	5.1	2769

N of Hawthorn -

W	4.9	2771
	5.5	2765
	6.3	2757
	6.3	2757
	6.8	2752
	6.8	2752
E	6.8	2752

252.03

18

50' N of Hawthorn

E	6.3	2757
	6.0	2760
	5.6	2764
	6.6	2764
	5.7	2763
	5.2	2768
W	4.5	2775

100' N of Hawthorn

W	3.7	2783
	4.1	2779
	4.7	2773
	4.7	2773
	4.8	2772
	5.1	2769
E	5.7	2763

28203

150' N of Hawthorn

E	4.4	279.6
	4.3	279.7
	4.3	279.7
	3.9	278.1
	3.8	278.2
	2.9	279.2
W	2.6	279.4

200' N of Hawthorn

W	1.0	281.0
	1.6	280.4
	2.1	279.9
	2.3	279.7
	2.6	279.4
	2.7	279.3
E	3.2	278.8

28203

20

250' N of Hawthorn

E	2.6	279.4	
	1.8	280.2	
	1.3	280.7	
	1.2	280.8	
	0.9	281.1	
	0.3	281.7	
W	10.4	283.4	282.4

T.P. 6.77 287.92 0.85 284.15

300' N of Hawthorn = SL IVY

W	4.5	283.4
	5.5	282.4
	6.3	281.6
	6.7	281.2
	6.5	281.4
	7.5	280.4
E	7.4	280.5

	287.92	
	5 Ch. Fry.	
E	7.5	2804
	7.3	2806
	6.9	2810
	6.5	2814
	6.2	2817
	5.9	2825
W	4.5	2834
	3 1/4 Fry.	
W	4.6	2833
	5.5	2824
	6.1	2818
	6.4	2815
	6.9	2810
	7.2	2807
E	7.6	2803

	287.92	21
	Cr Fry.	
E	7.3	2806
	6.8	2811
	6.2	2817
	6.1	2818
	5.7	2822
	4.9	2830
W	4.4	2835
	N 1/4 Fry.	
W	3.8	2841
	4.3	2836
	5.5	2824
	5.9	2820
	5.9	2820
	6.6	2813
E	7.1	2808

N of Ivy

E	6.8	281.1
	6.4	281.5
	5.9	282.5
	5.7	282.2
	5.3	282.6
	4.8	283.1
W	4.1	283.8

N of Ivy

W	3.8	284.1
	4.4	283.5
	5.1	282.8
	5.3	282.6
	5.3	282.6
	6.0	281.9
E	6.7	281.2

50' N of Ivy

E	6.1	281.8
V	5.5	282.4
V	5.1	282.8
S	5.1	282.8
V	4.5	283.1
	4.1	283.8
W	3.5	284.4

100' N of Ivy

W	3.0	284.9
	3.5	284.4
	3.9	284.0
	4.7	283.2
	5.0	282.9
	5.7	282.2
E	6.2	281.7

150' N of Ivy:

E	6.1	281.8
	6.0	281.9
	4.9	283.0
	5.2	282.7
	4.5	283.4
	3.9	284.0
W	3.1	284.8

200' N of Ivy:

W	3.1	284.8
	4.2	283.7
	5.0	282.9
	5.2	282.7
	5.2	282.7
	6.3	281.6
E	6.1	281.8

287.92
288.92

250' N of Ivy:

E	5.0	282.9
	5.2	282.7
	5.7	282.8
	4.9	283.0
	4.5	283.4
	4.0	283.9
W	3.3	284.6

300' N of Ivy = Sl Juniper

W	3.1	285.52	284.8
	3.5		284.4
	3.9		284.0
	4.2		283.7
	4.5		283.4
	4.6		283.3
E	4.6	284.32	283.3

T.D. 8.22 292.46 3.68 285.24
 289.91
 290.91
 2.55

SE 30' of Juniper

7/11 sections State St
 7/11 ~~Williams~~ Ivy to Juniper

BM 3E7 TR Ivy - Columbia 65.08

BM 5.19 80.16 2.29 74.97

HL Ivy-

W 4.5 7570
 cb 3.6 7660
 1/2 2.9 7730
 e 2.1 7810
 1/4 1.2 7900
 cb 0.6 7960
 E 0.1 8010

POSTED

25' N

E 0.3 7990
 cb 0.8 7940
 1/2 1.6 7860
 e 2.4 7780
 1/4 3.1 7710
 cb 3.8 7640
 W 4.5 7570

80.16
 50' N

W 5.1 7510
 cb 4.6 7560
 1/2 3.6 7660
 e 2.8 7740
 1/4 1.9 7830
 cb 1.6 7860
 E 1.1 7910

75' N

E 2.5 7770
 cb 2.2 7800
 1/4 2.9 7730
 e 4.2 7600
 1/4 4.1 7610
 cb 5.5 7470
 W 5.5 7470

8016

100' N

W	6.4	73.80
cb	6.6	73.60
1/4	7.5	73.70
c	7.3	73.90
1/4	5.7	74.50
d	5.8	74.40
E	6.2	74.00

120' N

E	7.1	73.10
cb	8.1	72.10
1/2	8.2	72.00
c	9.0	71.20
1/4	9.6	70.60
cb	9.7	70.50
W	8.9	71.30

25

80.16

150' N

20	12.3	67.90
W	11.3	68.90
cb	11.0	69.20
1/4	10.6	69.6
c	10.1	70.1
1/4	9.3	70.9
cb	8.9	71.3
E	7.9	72.3

175' N

E	5.4	74.8
cb	7.7	72.5
1/4	9.9	70.3
c	10.8	69.4
1/4	12.1	68.1
cb	12.4	67.8
W	12.6	67.6
20	13.6	66.6

8016

	200' N		
20		14.2	66.00
W		13.6	66.6
cb		13.3	66.9
1/4		12.3	67.9
c		9.1	71.1
1/2		9.0	71.2
cb		6.1	74.1
E		3.8	76.4

225' N

E		1.9	78.3
cb		3.7	76.5
1/2		6.2	74.0
c		6.7	73.5
1/4		9.4	70.8
cb		13.5	66.7
W		15.2	65.0
20		15.1	65.1

8016

	250' N		
20		17.4	62.8
W		13.7	66.5
cb		10.8	69.4
1/4		7.1	73.1
c		5.2	75.0
1/2		4.3	75.9
d		2.8	77.4
E		1.6	78.6

POSTED

275' N

E		1.0	79.2
cb		2.0	78.2
1/2		3.8	76.4
c		3.9	76.3
1/4		5.4	74.8
cb		8.0	72.2
W		9.7	70.5
20		14.9	65.3

500' N of Ivy = SL Juniper BM

VY	7.7	72.5
+ 8	7.5	72.7
sb.	5.7	74.5
1/4	4.7	75.5
c	3.9	76.3
1/4	4.2	76.0
sb	2.9	77.3
E	1.0	79.2

Xsection of Nutmeg 5th to Park
 7/1/07 { Hatch
 Danner
 Williams

27

SW 7th TR 5th Nutmeg

6.61 269.69 263.08

E L 5th

S	5.6	264.1 POS
sb.	5.8	263.9
1/4	5.3	264.4
c	5.1	264.6
1/4	4.9	264.8
sb	4.4	265.3
N	4.0	265.7
50' E		
N	4.0	265.7
sb	5.0	264.7
1/4	4.8	264.9
c	5.0	264.7
1/4	5.5	264.2
sb	5.9	263.8
S	5.9	263.8

269.69

100' E of 5th

S	5.9	263.8
+12	5.6	264.1
cb.	6.2	263.5
1/4	5.3	264.4
or	5.1	264.6
1/4	6.0	264.7
11	6.3	264.4
cb.	4.7	265.0
N	4.6	265.1

136' E of 5th


N	5.0	264.7
+3	5.7	264.0
cb.	6.2	263.5
1/4	5.7	264.0
c	5.9	263.8
1/4	6.2	263.5
cb.	6.1	263.6
5	6.6	263.1

269.69

156' E of 5th Park line

S	9.7	260.0
cb.	9.6	260.1
1/4	9.9	259.8
or	9.4	260.3
1/4	9.2	260.5
+11	9.3	260.4
cb.	8.7	261.0
N	8.5	261.2

POSTED

6th St8th StLevels on Centre Line 7th from
Sewer on Univ. Ave to Penn-

29

	6 th - Univ -	POSTED	
B.M.	4.56	288.10	283.54
W.M.H.		16.75	271.35
E.M.H.		15.50	272.60
Centre of Tracks.		4.2	283.9
gutter		5.3	282.8
0+00 S. Univ -		4.8	283.3
+50		5.7	282.3
T.P.	2.23	285.16	5.37
1		3.2	282.0
+50		3.6	281.6
2		3.8	281.4
+50		4.7	280.5
3		5.5	279.7
+50		6.7	278.5
4		7.5	277.7
+44 N. Robinson		8.6	276.6
N gutter "		9.2	276.0

128

285.16

Cr Robinson		9.0	276.2	
0 = 52	"	9.4	275.8	
+20		7.5	277.7	
+30		7.4	277.8	
T.P.	533	28239	8.10	277.06
+50		9.1	273.3	
+65		11.8	270.6	
1		6.7	275.1	
+35		9.8	272.6	
+50		9.3	273.1	
+70		7.2	275.2	
+85		8.4	274.0	
2		8.3	274.1	
+50		7.6	274.8	
+75		8.9	274.0	
3		6.8	275.6	
+50		5.7	276.7	

282.39

30

+		6.3	277.1	
+50		5.6	276.8	
5		5.6	276.8	
+50		5.8	276.6	
6 = NL	PHIT-	4.9	277.5	
cr	"	4.2	278.2	
SL	"	4.7	277.7	
T.P.	1129	289.29	4.59	277.50
Check	Bm(6" - Bm -	196	287.33	277.84

8/31 Habel Levels and E. rail of E. track
 Dorman on 5th St from
 07 Williams Palm - University

07m Quince	538	283.44		279.06	
150' Sof Quince			5.73	277.51	
100			5.72	277.72	
50			5.40	278.04	
		POSTED			
SL Quince			5.17	278.27	
cr			5.10	278.34	
NL			5.08	278.36	
50			4.94	278.50	
100			4.82	278.62	
150			4.66	278.78	
200			4.52	278.90	
250			4.33	279.11	
300 = SL Redwood			4.22	279.22	279.5
cr			4.09	279.35	
NL			4.05	279.39	
07m	548	284.50	4.42	279.02	
50			4.98	279.52	

	284.50		
100		4.82	279.68
150		4.75	279.75
200		4.50	280.00
250		4.38	280.12
300 = 5th Spruce		4.23	280.27
cr		4.21	280.29
NL		4.18	280.32
Bm	4.84 284.97	4.37	280.13
50		4.45	280.52
100		4.27	280.70
150		4.02	280.95
200		3.78	281.19
250		3.55	281.42
300 = 5th Thru		3.31	281.66
cr		3.10	281.87
NL		2.81	282.16
Bm	5.85 287.85	2.97	282.0

		287.85			
30			5.23	282.62	
100			4.73	283.12	
150			4.19	283.66	
200			3.59	284.26	
250			3.02	284.83	
300 = SF UPGS -			2.45	285.40	
Cr "			2.39	285.46	
NL "			2.43	285.42	
Bm	356	288.49	2.92	284.93	284.92
30			3.38	285.11	
100			3.68	284.81	
167.5 BL Walnut.			4.08	284.41	
Cr "			4.33	284.16	
NL "			4.69	283.80	
Bm			1.99	285.50	286.48
30			5.02	283.47	
100			5.31	283.18	

POSTED

57849

34

150			5.69	282.80	
171	= SF	Try Jane	5.84	282.65	
	Cr	" "	6.05	282.44	
	W	" "	6.20	282.29	
FR	283	285.11	6.21	282.28	
25			3.03	282.08	
75			3.38	281.73	
125			3.77	281.34	
175			4.17	280.94	
225			4.53	280.58	
275			4.88	280.23	
325			5.25	279.86	
379	SL	Brown	5.58	279.53	
	Cr	"	5.61	279.50	
	W	"	5.62	279.49	279.50
Bm.	578	285.17*	5.69	279.42	279.39*
50			5.64	279.53	279.71

28577

100		5.46	279.71	279.92	
150		5.27	279.90	280.13	
200		5.06	280.11	281.34	
250		4.80	280.37	280.55	
275	St Anderson	4.68	280.49		
300	Cr	4.55	280.62	280.75	
325	NL	4.46	280.71		
350		4.39	280.78	280.95	
400		4.10	281.03	281.17	
450		3.90	281.27	281.38	
500		3.63	281.54	281.58	
530		3.41	281.76	281.79	
600	- Sl Penn.	3.07	282.10	282.0	
	Cr "	2.90	282.27		
	NL "	2.70	282.47	282.50	
Bzn	6.90	289.32	275	282.42	282.44
50		6.50	282.82	282.89	

		289.82		
100			6.11	283.21 283.28
150			5.67	283.65 283.67
200			5.31	284.01 284.05
250			4.95	284.37 284.44
275	= St Evans.		4.72	284.60 <u>284.65</u>
300	Cr "		4.52	284.80 284.87
325	NL "		4.32	285.00 <u>285.10</u>
350			4.12	285.20 285.31
400			3.74	285.58 285.75
450			3.32	286.00 286.19
500			2.86	286.46 286.43
550			2.40	286.92 287.07
600	= St Robinson		1.87	287.45 <u>287.50</u>
	EV "		1.60	287.72
	NL "		1.38	287.94 288.0
T.P.	5.35	293.30	1.97	287.95
137M			5.33	287.91 287.95

29330

50	5.09	288.21	288.24
100	4.92	288.38	288.48
150	4.63	288.67	288.72
200	4.43	288.87	288.96
250	4.27	289.03	289.20
300	4.01	289.29	289.44
350	3.80	289.50	289.68
400	3.55	289.75	289.93
416 SL Univ -	3.50	289.80	290 -

37

500' west

Soline	287.98	4.7	283.3
		4.9	283.1
		5.4	282.6
c		5.4	282.6
		5.7	282.3
		6.0	282.0
n line		6.2	281.8

475' W

n line		6.2	281.8
		5.9	282.1
		5.5	282.5
c		5.2	282.8
		4.9	283.1
		4.7	283.3
Soline		4.4	283.6

450' W

Soline	287.98	4.4	283.6
		4.6	283.4
		5.0	283.0
c		5.5	282.5
		5.7	282.3
		5.3	282.7
n line		5.9	282.1

425' W

POSTED

n line		6.2	281.8
		5.9	282.1
		5.7	282.3
c		5.4	282.6
		4.8	283.2
		5.0	283.0
Soline		4.7	283.3

400' W

So line	287.98	4.5	283.5
		4.9	283.1
		5.3	282.7
c		5.3	282.7
		5.2	282.8
		5.7	282.3
n line		5.9	282.1

375' W

n line		5.9	282.1
		5.7	282.3
		5.3	282.7
c		5.2	282.8
		5.2	282.8
		4.8	283.2
So line		4.4	283.6

350' W

So line	287.98	3.8	284.2
		4.4	283.6
		4.4	283.6
c		4.7	283.3
		4.8	283.2
		5.3	282.7
n line		5.4	282.6

325' W

n line		4.7	283.3
		3.9	284.1
		4.0	284.0
c		3.6	284.4
		3.9	284.1
		3.3	284.7
So line		3.3	284.7

37

	300' W		
Sol line	287.98	2.8	285.2
		2.9	285.1
		3.0	285.0
c		3.4	284.6
		3.5	284.5
		4.0	284.0
n line		4.3	283.7
	275' W		
n line		5.5	282.5
		4.5	283.5
		3.6	284.4
c		3.3	284.7
		3.1	284.9
		2.9	285.1
Sol line		3-1	284.9

287.98

265' W

41

Sol line	287.98	7.1	280.9
		7.2	280.8
		7.0	281.0
c		4.8	283.2
		5.4	282.6
		6.0	282.0
n line		8.2	279.8
J.P.	1.75	^{H.F.} 277.03	12.70 275.28
			250' W
n line		2.7	274.3
		1.3	275.7
		0.8	276.2
c		0.7	276.3
		2.1	274.9
		3.3	273.7
Sol line		3.6	273.4

277.03

225' W

Soline

277.03 13.0 264.0

12.3 264.7

13.4 263.6

c

13.5 263.5

13.2 263.8

14.5 262.5

nline

14.5 262.5

200' W

H.I.

T.P.

1.26

258.73

11.10 254.47

nline

4.3 251.4

4.8 250.9

4.1 251.6

c

3.7 252.0

3.9 251.8

3.7 252.0

Soline

3.7 252.0

255.73

188' W

42

Soline

8.2 247.5

7.8 247.9

7.0 248.7

c

6.7 249.0

7.6 248.1

10.3 245.4

nline

11.1 244.6

175' W

nline

17.9 237.8

15.0 240.7

13.5 242.2

c

10.9 244.8

7.8 247.9

5.2 250.5

2.8 252.9

Soline

H.I.

T.P.

1.26

265.37

12.22

264.31

265.57

150' W

N line

18.9 246.7

17.0 248.6

17.0 248.6

C

14.6 251.0

9.8 255.8

6.7 258.9

So line

3.5 262.1

125' W

H.E.

N line

277.03

18.5 258.5

17.3 259.7

18.2 258.8

C

18.9 258.1

13.7 263.3

8.9 268.1

S line

3.7 273.3

J.P.

12.0 264.31

277.03

100' W

So line

295.80

14.7 281.1

277.03

2.3 274.7

7.0 270.0

C

8.8 268.2

6.4 270.6

5.2 271.8

N line

6.9 270.1

J.P.

11.3

H.E.

295.80

3.5 284.45

75' W

So line

9.7 286.1

13.6 282.2

15.9 279.9

C

16.1 279.7

14.5 281.3

13.0 282.8

N line

17.1 278.7

43

295.80

30' W

N line 11.5 284.3

10.2 285.6

10.1 285.7

C 8.8 287.0

9.0 286.8

8.8 287.0

S line 8.1 287.7

25' W

S line 7.9 287.9

8.2 287.6

8.3 287.5

C 8.4 287.4

8.9 286.9

9.3 286.5

N line 9.6 286.2

295.80

Sect. on A.B.

44

N line 8.6 287.2

8.2 287.6

8.1 287.7

C 8.0 287.8

7.4 288.4

6.8 289.0

S line 6.7 289.1

West line terminat.

S line 6.7 289.1

6.6 289.2

6.8 289.0

C 7.5 288.3

7.2 288.6

7.1 288.7

N line 7.0 288.8

295.80

W. 1/4

N line

6.8 289.0

6.9 288.9

6.8 289.0

C

7.2 288.6

7.0 288.2

6.8 289.0

S line

6.5 289.3

W 1/4

S line

6.4 289.4

6.5 289.3

6.9 288.9

C

6.6 289.2

6.2 289.6

6.3 289.5

N line

6.0 289.8

295.80

Center

45

N line

5.6 290.2

5.6 290.2

5.6 290.2

C

6.0 289.8

5.6 290.2

5.1 290.7

S line

6.5 289.3

E 1/4

S line

6.2 289.6

5.2 290.6

5.4 290.4

C

6.2 289.6

6.0 289.8

6.1 289.7

N line

6.4 289.4

295.80

E. cl

N. line

5.8 290.0

6.2 289.6

5.1 290.7

c

5.1 290.7

5.1 290.7

4.8 291.0

Sol. line

6.0 289.8

East line Vermont

Sol. line

5.3 290.5

3.7 292.1

4.7 291.1

c

5.1 290.7

5.0 290.8

4.2 291.6

N. line

5.5 290.3

295.80

Section C 10

46

N. line

5.5 290.3

4.0 291.8

4.5 291.3

c

4.6 291.2

3.5 292.3

4.0 291.8

Sol. line

5.0 290.8

25' East C 10

Sol. line

4.5 291.3

4.6 291.2

4.2 291.6

c

4.6 291.2

4.6 291.2

4.4 291.4

N. line

4.2 291.6

295.80

60' E

N line	4.3	291.5
	4.3	291.5
	4.3	291.5
e	4.1	291.7
	3.9	291.9
	4.2	291.6
Sol line	3.9	291.9

75' E

Sol line	2.8	293.0
	3.4	292.4
	3.7	292.1
e	3.9	291.9
	4.0	291.8
	4.0	291.8
N line	3.8	292.8

298.80

100' E

47

N line	3.8	292.0
	3.8	292.0
	3.3	292.5
e	3.2	292.6
	2.8	293.0
	2.9	292.9
Sol line	2.7	293.1

125' E

Sol line	2.8	293.0
	2.7	293.1
	2.8	293.0
e	3.1	292.7
	2.7	293.1
	2.8	293.0
N line	2.8	293.0

295.80

150' E

n line	2.4	293.4
	2.7	293.1
	2.5	293.3
c	2.4	293.4
	2.2	293.6
	1.9	293.9
Sol line	1.8	294.0
	1.4	294.4
	1.5	294.3
	1.6	294.2
c	2.2	293.6
	1.6	294.2
	2.4	293.4
n line	2.2	293.6

175' E

295.80

200' E

48

n line	2.2	293.6
	2.5	293.3
	1.8	294.0
c	1.6	294.2
	1.2	294.6
	1.0	294.8
Sol line	1.1	294.7
	4.2	291.6
	4.0	291.8
	5.3	290.5
c	5.6	290.2
	2.7	293.1
	4.1	291.7
n line	3.2	292.6

222' E

295.80

225' E

n line	6.3	289.5
	6.8	289.0
	5.8	290.0

c	7.3	288.5
---	-----	-------

	6.9	288.9
--	-----	-------

	6.2	289.6
--	-----	-------

Soline	5.7	290.1
--------	-----	-------

J.P.	0.15	H.I. 283.62	12.33	283.47
------	------	-------------	-------	--------

Soline	250' E	
--------	--------	--

Soline	3.4	280.2
--------	-----	-------

	4.2	279.4
--	-----	-------

	5.2	278.4
--	-----	-------

c	6.0	277.6
---	-----	-------

	5.9	277.7
--	-----	-------

	6.9	276.7
--	-----	-------

n line	5.5	278.1
--------	-----	-------

J.P.	0.67	H.I. 272.24	12.05	271.57
------	------	-------------	-------	--------

572.24

275' E

Soline	0.5	271.7
--------	-----	-------

	3.2	269.0
--	-----	-------

	4.2	268.0
--	-----	-------

c	4.9	267.3
---	-----	-------

	4.9	267.3
--	-----	-------

	4.0	268.2
--	-----	-------

n line	4.4	267.8
--------	-----	-------

295' E

n line	13.7	258.5
--------	------	-------

	12.8	259.4
--	------	-------

	10.9	261.3
--	------	-------

c	10.1	262.1
---	------	-------

	8.6	263.6
--	-----	-------

	8.0	264.2
--	-----	-------

Soline	7.6	264.6
--------	-----	-------

491

272.24

300' E

Spline

6.4 265.8

5.7 266.5

5.5 266.7

C

6.2 266.0

8.1 264.1

8.8 263.4

Nline

10.1 262.1

283.62

325' E

Nline

13.8 269.8

11.7 271.9

9.1 274.5

C

6.3 277.3

6.7 276.9

6.1 277.5

Spline

6.7 276.9

350' E

50

Spline

^{H.I.}
299.16 14.4 284.8

18.3 285.9

Nline

13.2 286.0

C

18.7 285.5

15.4 283.8

283.62 14 282.2

Nline

2.9 280.7

J.P.

^{H.I.}
6.09 299.16 2.73 293.07

375' E

Nline

8.2 291.0

8.1 291.1

8.1 291.1

C

6.7 292.5

7.0 292.2

6.8 292.4

Spline

6.9 292.3

299.16

400' E

Solus	5.0	294.2
	5.1	294.1
	5.5	293.7
C	5.1	294.1
	5.8	299.4
	5.8	293.4
Nline	5.5	293.7
425' E		
Nline	3.6	295.6
	4.0	295.2
	4.3	294.9
C	3.5	295.7
	4.3	294.9
	3.8	295.4
Solus	3.8	295.4

299.16

450' E

51

Solus	2.9	296.3
	2.9	296.3
	3.2	296.0
C	2.3	296.9
	3.0	296.0
	3.3	295.9
Nline	2.9	296.3
475' E		
Nline	2.1	297.1
	2.5	296.7
	2.5	296.7
C	1.7	297.5
	2.8	296.4
	2.2	297.0
Solus	2.1	297.1

299.16
500' E

Solus	1.7	297.5
	1.7	297.5
	2.0	297.2
c	1.2	298.0
	2.1	297.1
	1.7	297.5
n line	1.4	297.8
	525' E	
n line	0.8	298.4
	1.1	298.1
	1.3	297.9
c	0.7	298.5
	1.3	297.9
	1.4	297.8
Solus	1.5	297.7

299.16
500' E

Solus	1.1	298.1
	1.1	298.1
	1.3	297.9
c	0.1	299.1
	1.1	298.1
	0.7	298.5
n line	0.8	298.4
	(580' E) Sect on E.F.	
n line	0.6	298.6
	0.5	298.7
	0.5	298.7
c	0.0	299.2
	0.4	298.8
	0.5	298.7
Solus	0.6	298.6

299.16
 West line Richmond

Soline		0.4	298.8
		0.4	298.8
		0.9	298.3
c		0.0	299.2
		0.6	298.6
	POSTED	0.5	298.7
nline		0.6	298.6
J.P.	2.76	H.I. 301.29	0.63 298.53
		w.cb.	
n. line		2.9	298.4
		2.8	298.5
		2.6	298.7
c		2.6	298.7
		2.3	299.0
		2.9	298.4
Soline		2.5	298.8

301.29
 W 1/4

Soline		3.0	298.3
		2.7	298.6
		2.8	298.5
c		2.8	298.5
		2.7	298.6
		2.9	298.4
nline		3.1	298.2
	Center		
nline		3.0	298.3
		3.0	298.3
		2.8	298.5
c		2.7	298.6
		2.9	298.4
		3.1	298.2
Soline		2.6	298.7

E 1/4

Solins

3.1 298.2

3.3 298.0

3.7 297.6

4.1 297.2

3.1 298.2

3.3 298.0

3.2 298.1

1/4 + 9'
c

N line

3.4 297.9

E CB

N line

3.7 297.6

3.5 297.8

3.3 298.0

5.5 295.8

4.8 296.5

4.2 297.1

1/4 + 8'
c

cb + 4'
+ 9'
Solins

4.2 297.1

4.1 297.2

2.3 299.0

2.3 299.0

54

W line = N line on account of angle

N line Richmond

E line

2.9 298.4

cb + 6'

4.0 297.3

6.0 295.3

5.5 295.8

c

5.6 295.7

1/4 + 7'

6.2 295.1

3.5 297.8

3.6 297.7

W line

3.8 297.5

25' N

W line

4.4 296.9

cb + 5'

4.5 296.8

4.7 296.6

7.4 293.9

c

6.9 294.4

1/4 + 5'

7.1 294.2

7.3 294.0

4.7 296.6

E line

3.4 297.9

50' 71

Elms

4.0 297.3

4.6 296.7

8.9 292.4

c

8.2 293.1

8.5 292.8

4.7 296.6

White

4.8 296.5

60' 71 (Solino Pascoe)

White

6.3 295.0

5.5 295.8

9.4 291.9

c

8.8 292.5

9.4 291.9

5.2 296.1

Elms

4.3 297.0

So. cl

Elms

5.5 295.8

6.8 294.5

7.3 294.0

10.2 291.1

cb + b'

c

9.8 291.5

10.2 291.1

7.9 293.4

7.9 293.4

1/4 + 8'

White

8.9 292.4

So. W

White

14.0 287.3

12.2 289.1

11.0 290.3

c

10.9 290.4

11.6 289.7

9.4 291.9

9.0 292.3

1/4 + 7'

Elms

7.9 293.4

30

301.29

Center

E line		10.9	290.4
		12.0	289.3
		12.0	289.3
c		11.9	289.4
		12.4	288.9
	H.I. 290.80	7.6	283.2
W line		9.4	281.4
	N ¹ / ₄		
W line		11.1	279.7
		14.7	276.1
	H.I. 301.29	13.3	288.0
c		12.7	288.6
		12	
		12.9	288.4
1/4 + 8'		15.7	285.6
		15.7	285.6
E line		14.0	287.3
J.B.	2.57 H.I. 290.80	13.06	288.23

290.80

71.06

56.

E line		6.8	284.0
		8.7	282.1
		2.9	287.9
c		2.9	287.9
		3.8	287.0
		13.2	277.6
W line		19.8	271.0
	North line Pascoe		
W line		14.9	276.9
		11.0	279.8
		4.1	286.7
c		3.3	287.5
c + 10'		3.6	287.2
		6.6	284.2
		13.1	277.7
E line		13.9	276.9

(13.3 m Pascoe)

175' N. Richmond

elms 13.9 276.9

11.5 279.3

3.1 287.7

c 2.7 288.1

3.1 287.7

1/4 + 7' 2.4 288.4

5.0 285.8

white 7.6 283.2

184' N

white 1.7 289.1

2.1 288.7

2.9 287.9

c 2.4 288.4

B + 10' 2.6 288.2

3.8 287.0

7.5 283.3

elms 10.0 280.8

290.80

200' N

57

elms 3.4 287.4

2.8 288.0

1.1 289.7

c 1.2 289.6

1.4 289.4

0.7 290.1

1.0 289.8

white

T.P. 11.75 ^{HI} 30233 0.22 290.58

225' N

white

white 10.7 291.6

10.3 292.0

10.7 291.6

10.6 291.7

11.0 291.3

9.8 292.5

9.7 292.6

elms

X

26

250' M

eline	7.9	294.4
	8.0	294.3
	9.2	293.1
c	8.5	293.8
	9.1	292.2
	8.6	293.7
white	8.6	293.7

275' M

white	6.8	295.5
	6.8	295.5
	7.3	295.0
c	6.9	295.4
	6.9	295.4
	6.2	296.1
eline	6.1	296.2

58

300' M

eline	4.3	298.0
	4.7	297.6
	5.6	296.7
c	5.3	297.0
	5.9	296.4
	5.4	296.9
white	5.3	297.0

325' M

white	4.2	298.1
	3.9	298.4
	4.5	297.8
c	3.7	298.6
	3.9	298.4
	3.4	298.9
eline	3.4	298.9

350' N

E line

2.4 299.8

2.6 299.7

3.3 299.0

e

2.8 299.5

3.3 299.0

2.9 299.4

W line

2.7 299.6

359' N

W line

2.2 300.1

2.1 300.2

2.8 299.5

e

2.2 300.1

1.9 299.4

2.3 300.0

E line

2.3 300.0

So. line

Lincoln

E line

1.7 300.6

1.6 300.7

2.0 300.3

e

1.8 300.5

2.4 299.9

2.1 300.2

W line

2.2 300.1

10/7/07 ^{Hotel} ~~William~~ ~~Williams~~ ~~5th St. to Park~~ ~~Quinn St~~

OBM SW Head 683 28439
5th - Quinn 2780.6

Eh. 5th

N	4.5	279.9
cb	4.8	279.6
1/4	5.1	279.3
cr	5.1	279.3
1/4	5.1	279.3
cb	5.2	279.2
S	5.1	279.3
S	4.7	279.7
cb	5.0	279.4
1/4	5.3	279.1
cr	5.0	279.4
1/4	4.9	279.5
cb	5.0	279.4
N	4.7	279.7

POSTED

50' E.

60

POSTED

100' E

N	4.5	279.9
cb	4.8	279.6
1/4	4.8	279.6
cr	4.8	279.6
1/4	5.1	279.3
cb	4.9	279.5
S	4.5	279.9
S	4.9	279.5
cb	4.9	279.5
1/4	5.2	279.2
cr	4.9	279.5
1/4	4.6	279.8
cb	4.9	279.5
N	4.1	280.3

150' E

= Park line

N	3.7	280.7
sh	4.1	280.3
1/4	4.7	279.7
cr	4.9	280.0
1/4	3.0	279.4
cb	4.8	279.6
S	4.6	279.8

POSTED

1/22/08 *Winkle* levels on sewer C-st
Donnan B.M. 49.265 S.E. Cor No. 2 Hyd
Shaw " " 49.888 N.E. Cor " " "

49.26
 2.48
 51.74
 8.74 T.P.
 43.00
 2.50 B.S.
 45.50 H.I.
 8.95
 36.55
 45.50
 6.98 T.P.
 38.52 S.M.
 1.90 B.S.
 40.42 H.I.
 8.20
 32.22
 40.42 H.I.
 9.97 T.P.
 30.45
 3.15 B.S.
 33.60 H.I.
 6.23
 27.37
 33.60 H.I.
 9.29
 24.31
 33.60 H.I.
 9.51 T.P.
 24.09
 2.56
 26.65 H.I.
 6.08
 20.57
 26.65 H.I.
 17.60
 14.05
 26.65 H.I.
 8.14 T.P.
 18.51
 1.26
 19.77 H.I.
 10.36
 9.41

POSTED

Elevation sewer State St C = 20.57
 25.9' N of S curb line C St
 25' W of E " " State

Elevation sewer 3rd C = 36.55
 24' N of S curb line C street
 25.7' W " E " " 3rd "

Elevation sewer 2nd C = 32.22
 24.6' N of S curb line C street
 26.1' W " E " " 2nd "

Elevation sewer 1st C = 28.87
 24.7' N of S curb line C St
 26.1' W " E " " 1st "

Elevation sewer Front C = 27.37
 26.8' N of S curb line C St
 26.3' W " E " " Front St

Elevation sewer Union C = 24.31
 26.8' N of S curb line C St
 17.3' W " E " " Union

10.09
 5.15
 15.24
 11.67
 4.17

38.52
 0.55
 39.07
 9.10
 29.97
 30.51

30.52
 11.75
 28.77

82

19.77 H.I.
 9.68
 10.09 B.M.
 2.60 B.S.
 12.69 H.I.
 10.58
 2.11

Elevation sewer State St C = 20.57
 25.9' N of S curb line C St
 25' W of E " " State

12.69
 9.67
 3.02 B.M.


Elevation sewer Columbia C = 14.05
 12.9' N of S curb line C St
 25.4' W " E " " Columbia

POSTED

Elevation sewer India C = 9.41
 19' N of S curb line C St
 25.5' W of E " " India St

47' N of S curb line C St
 Elevation sewer Arctic C = 4.17
 crown foot to s.w. cor Guy Post
 Ref points, top Hyd S.E. cor C & Arctic

14.4' N of S curb line C St
 Elevation sewer Calif Ave = 2.11
 telephone pole 3 tracks



Elevation sewer Atlantic C
 not measured

Levels on Sewers at 16th & E
 3/2/08 Stottch Bates

4900
 2000
 500
 32000

Section	Fern. St	Date to Grape.	63
SL Grape	60.0		
NL Ft	57.6		
SL Ft	56.8		
NL Elm	53.9		
SL "	53.0		
B.M.	90.5	235.09	226.01
		N. South Park	
W		8.6	226.5
b		8.6	226.5
1/2		8.6	226.5
c		8.7	226.4
1/2		9.0	226.1
b		8.9	226.2
E		8.7	226.4
		50' N.	
E		7.1	228.0
b		6.8	228.3
1/2		6.5	228.6
c		6.2	228.9
1/2		6.4	228.7
b		5.8	229.3

Spk Canal
 Fern

Potted

Planted

23509

W		56	229.5
	100' N.		
W		1.5	233.6
cb		2.0	233.1
1/2		2.7	232.4
c		3.0	232.1
1/2		3.7	231.4
cb		4.5	230.6
E		4.7	230.4

121' N. = 5L Date

E		3.4	231.7
cb		3.1	232.0
1/2		2.4	232.7
c		1.2	233.9
1/2		0.7	234.4
cb		0.4	234.7
W		0.1	235.0

1003 24505

0.97 235.02

24505

S' Ch. Date

W		9.0	236.1
cb		9.6	236.5
1/2		10.1	235.0
c		10.4	234.7
1/2		11.0	234.1
cb		12.4	232.7
E		13.0	232.1

3/4 Date

E		12.2	232.9
cb		11.2	233.9
1/2		10.4	234.7
c		9.4	235.7
1/2		9.1	236.0
cb		8.6	236.5
W		7.4	237.7

24505

Cr Date

W	6.2	238.9
cb	7.4	237.7
1/2	7.9	237.2
c	8.6	238.5
1/2	9.5	235.6
cb	10.4	234.7
E	11.5	233.6

N/2 Date

E	10.9	234.2
cb	9.8	234.3
1/2	8.5	236.6
c	7.4	237.7
1/2	7.0	238.1
cb	6.4	238.7
W	5.2	239.9

P

24505

Ncb Date

W	4.5	240.6
cb	5.8	239.3
1/2	6.3	238.8
c	6.6	238.5
1/2	8.3	236.8
cb	9.0	236.1
E	10.3	234.8

N1 Date

E	9.6	235.5
cb	8.6	236.6
1/2	7.6	237.5
c	6.2	238.9
1/2	5.9	239.2
cb	5.3	239.8
W	3.7	241.4

P

25

24505

50' Hof Date

W	1,7	243.4
cb	3,5	241.6
1/2	4,2	240.9
c	4,3	240.8
1/2	5,8	239.3
cb	6,9	238.2
E	7,8	237.3

100' N

E	6,1	239.0
cb	5,5	239.6
1/2	4,1	241.0
c	3,1	242.0
1/2	2,4	242.7
cb	1,5	243.6
W	1,0	245.3

TP 7.25 25212 018 249.87

25212

150' N

W	5,2	246.9
cb	6,8	245.3
1/2	7,6	244.5
c	8,0	244.1
1/2	9,4	242.7
cb	11,1	241.0
E	11,2	240.9

200' N

E	8,2	243.9
cb	7,7	244.4
1/2	6,8	245.3
c	5,8	246.3
1/2	5,6	246.5
cb	4,8	247.3
W	3,5	248.6

25212

350' N.

W	1.1	251.0
cb	2.8	249.3
1/2	4.0	248.1
c	4.6	247.5
1/4	5.3	246.8
cb	6.1	246.0
E	7.2	244.9
12'E.	300' N = 31. Elm.	
E.	12.7	239.4
cb	9.8	242.3
1/4	7.4	244.4
o	5.7	246.4
1/4	4.8	247.3
cb	4.9	247.4
W	3.1	249.0
	1.7	250.4

P

25212

5 cb. Elm

W	2.0	250.1
cb	3.6	248.5
1/2	4.6	247.6
c	4.8	247.3
1/2	5.3	246.8
cb	6.0	246.1
E	7.6	244.6
12	11.2	240.9
12	14.6	237.5
	3 1/2 Elm	
8'E	16.2	236.9
E	13.0	239.1
cb	9.2	242.9
1/4	5.0	247.1
c	5.1	247.0
1/2	5.2	246.9
cb	3.8	248.3
W	2.3	249.8

67

25212

Or Elm

w	23	249.8
cb	4.6	247.5
1/4	5.3	246.8
o	6.6	246.5
1/4	5.0	246.7
cb	9.8	242.3
E	14.1	238.0
+8'	18.0	234.1

N 1/4 Elm

3'E	18.5	233.6
E	14.7	237.4
cb	10.0	241.7
1/4	6.0	246.1
c	5.8	246.3
1/4	5.7	246.4
cb	4.9	247.2
w	2.0	249.5

P

25212

Ncb Elm

w	23	249.8
cb	4.8	247.3
1/4	5.7	246.4
c	6.0	246.1
1/4	6.5	245.6
cb	10.8	241.3
3 w of EL	14.8	237.3
E	17.5	234.6

N1 Elm

1'E	10.5	231.6
E	16.5	235.6
cb	11.7	240.4
1/4	6.6	245.5
c	6.0	246.1
1/4	6.7	246.4
cb	4.8	247.3
w	2.0	250.1

25212

25' N of EL 107

w	2.2	249.9
cb	4.9	247.2
1/4	5.3	246.8
c	6.0	246.1
1/4	6.5	245.6
cb	11.3	240.8
E	14.1	238.0
10'	20.0	232.1
50' N		
8'E	12.0	240.1
E	16.4	235.7
4' W of EL	14.0	238.1
cb	11.2	240.9
1/4	6.2	245.9
c	5.9	246.2
1/4	5.6	246.5
cb	4.5	247.6
m	1.8	250.3

2 Hatch
27 March
88 Degree

252.12

T.P.	475	255.63	17.4	250.88
75' N				
w			5.0	250.6
cb			7.8	247.8
1/4			7.8	247.8
4' W of EL			10.1	245.5
EL			9.9	245.7
1/4			10.0	245.6
1/4			11.0	244.6
cb			15.1	240.8
5' W of EL			15.6	240.0
E			13.5	242.1
110			10.9	244.7
100' N				
15'E of EL			9.5	246.1
E			10.7	244.9
cb			12.8	242.8

25563

1/4	13.1	242.5
c	9.7	245.9
+4	9.8	245.8
1/4	7.1	248.5
cb.	7.3	248.3
w	4.7	250.9

125' N.

w	4.4	251.9
cb.	6.7	248.9
1/4	7.4	248.2
c	9.1	246.5
1/4	6.9	248.7
cb.	5.4	250.2
E	8.1	247.5

130' N.

E	5.9	249.8
cb	5.1	

25563

70

1/4	5.1	250.5
c	7.3	248.3
1/4	6.0	249.6
cb	6.0	249.6
w	3.6	252.0

175' N.

w	2.8	252.8
cb	5.1	250.3
1/4	4.9	250.7
c	5.1	250.5
1/4	4.2	251.4
cb	3.9	251.7
E	4.0	251.6

200' N.

E	2.9	252.7
cb	3.4	252.7
1/4	3.5	252.1

23863

c		3.6	252.0
1/2		3.4	252.2
3/4		3.5	252.1
W		1.0	254.6
T.T.	845	263.38	0.70
	250' N.		
W		3.9	257.5
3/4		7.7	255.7
1/2		7.9	255.5
c		8.4	255.0
1/2		9.1	254.3
3/4		9.0	254.4
E		8.4	255.0
	300' N = 5/4 Fir		
E		6.0	257.4
3/4		6.1	257.3
1/2		5.7	257.7

263.38

71

c		6.0	257.4
1/2		5.3	258.1
3/4		5.0	258.4
W		4.2	259.2
	5/4 Fir		
W		3.2	260.2
3/4		4.0	259.4
1/2		4.9	258.5
c		4.7	258.7
1/2		5.0	258.4
3/4		5.4	258.0
E		6.1	258.3
	5/4 Fir		
E		4.5	258.9
3/4		4.7	258.7
1/2		4.5	258.9
c		4.5	258.9

26338

1/4	4.5	258.9
cb	3.9	259.5
W	3.0	260.4

Cr. Fir

W	2.9	260.5
cb	3.6	259.8
1/4	3.9	259.5
c	3.8	259.6
1/4	4.0	259.9
cb	4.3	259.1
E	4.6	258.8

N 1/4 Fir

E	3.7	259.7
cb	3.8	259.6
1/4	3.2	260.2
c	3.3	260.1
1/4	3.3	260.1

26338

72

cb	2.7	260.7
W	2.2	261.2

Ncb Fir

W	1.9	262.0
cb	2.1	261.3
1/4	2.6	260.8
c	2.8	260.6
1/4	2.9	260.5
cb	3.3	260.1
E	3.3	260.1

Nc Fir

E	2.8	260.6
cb	3.0	260.4
1/4	2.7	260.7
c	1.8	261.6
1/4	2.1	261.3
cb	1.6	261.8
W	0.9	262.5

26338

T.P. 866 271.84 020 263.18

50' N

W	7.3	264.5
cb	8.1	263.7
1/4	8.8	263.0
C	8.8	263.0
1/4	9.2	262.6
cb	9.5	262.3
E	9.6	262.2

100' N

E	8.0	263.8
cb	8.1	263.7
1/4	7.8	264.0
C	7.5	264.3
1/4	7.9	264.4
cb	6.6	265.2
W	5.8	266.0

27184

150' N

W	4.1	267.7
cb	5.0	266.8
1/4	5.8	266.0
a	5.5	266.3
1/4	6.3	265.5
cb	6.5	268.3
E	6.3	265.5

200' N

E	4.9	266.9
cb	4.9	266.9
1/4	4.9	267.4
C	4.9	267.4
1/4	4.1	267.7
cb	3.4	268.4
W	2.6	269.2

271.84

250 N.

w	1.8	270.0
cb	2.9	269.4
1/2	3.2	268.6
c	3.4	268.4
1/4	3.1	268.7
cb	3.1	268.7
E	3.1	268.7

500 N = St. Grape.

E	2.4	269.4
cb	2.2	269.6
1/2	2.0	269.8
c	2.0	269.8
1/4	2.1	269.7
cb	1.7	270.1
w	0.98	270.8

Sub.

285 17
Mth 811

277.06


1185 + 12.05
364 47

1549 1675

277 El
Mth Anders
28017 Cr " EL 5th

8
5

3.1



78
188

6.0
3

2.1

7.80 60
389 446

3.91 1.3

78
4.5


3.3

NW 2-32 277.3
 5-0 277.6
 N 100 277.9
 116.45
 53.5
 62.95

196
 250.76
 252.72
 77.6
 512
 472
 452
 3956.41
 6400
 10356.41

$\frac{X}{90} =$
 3^d W 287.6
 Washington N E X 587.5

3^d S 292.0
 S W 392.0



966
 1.27
 1932
 482
 112856
 182
 277477
 281
 288686
 27
 20766
 4880
 22
 20
 20
 636
 318
 28277
 5728
 584.32
 966
 8028

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.
 FOR SINGLE TRACK EMBANKMENT.
 ROADWAY 14 FEET WIDE. SIDE SLOPES 1 1/2 TO 1.

	.1	.2	.3	.4	.5	.6	.7	.8	.9		
0	7.0	7.2	7.3	7.5	7.6	7.8	7.9	8.1	8.2	8.4	0
1	8.5	8.7	8.8	9.0	9.1	9.3	9.4	9.6	9.7	9.9	1
2	10.0	10.2	10.3	10.5	10.6	10.8	10.9	11.1	11.2	11.4	2
3	11.5	11.7	11.8	12.0	12.1	12.3	12.4	12.6	12.7	12.9	3
4	13.0	13.2	13.3	13.5	13.6	13.8	13.9	14.1	14.2	14.4	4
5	14.5	14.7	14.8	15.0	15.1	15.3	15.4	15.6	15.7	15.9	5
6	16.0	16.2	16.3	16.5	16.6	16.8	16.9	17.1	17.2	17.4	6
7	17.5	17.7	17.8	18.0	18.1	18.3	18.4	18.6	18.7	18.9	7
8	19.0	19.2	19.3	19.5	19.6	19.8	19.9	20.1	20.2	20.4	8
9	20.5	20.7	20.8	21.0	21.1	21.3	21.4	21.6	21.7	21.9	9
10	22.0	22.2	22.3	22.5	22.6	22.8	22.9	23.1	23.2	23.4	10
11	23.5	23.7	23.8	24.0	24.1	24.3	24.4	24.6	24.7	24.9	11
12	25.0	25.2	25.3	25.5	25.6	25.8	25.9	26.1	26.2	26.4	12
13	26.5	26.7	26.8	27.0	27.1	27.3	27.4	27.6	27.7	27.9	13
14	28.0	28.2	28.3	28.5	28.6	28.8	28.9	29.1	29.2	29.4	14
15	29.5	29.7	29.8	30.0	30.1	30.3	30.4	30.6	30.7	30.9	15
16	31.0	31.2	31.3	31.5	31.6	31.8	31.9	32.1	32.2	32.4	16
17	32.5	32.7	32.8	33.0	33.1	33.3	33.4	33.6	33.7	33.9	17
18	34.0	34.2	34.3	34.5	34.6	34.8	34.9	35.1	35.2	35.4	18
19	35.5	35.7	35.8	36.0	36.1	36.3	36.4	36.6	36.7	36.9	19
20	37.0	37.2	37.3	37.5	37.6	37.8	37.9	38.1	38.2	38.4	20
21	38.5	38.7	38.8	39.0	39.1	39.3	39.4	39.6	39.7	39.9	21
22	40.0	40.2	40.3	40.5	40.6	40.8	40.9	41.1	41.2	41.4	22
23	41.5	41.7	41.8	42.0	42.1	42.3	42.4	42.6	42.7	42.9	23
24	43.0	43.2	43.3	43.5	43.6	43.8	43.9	44.1	44.2	44.4	24
25	44.5	44.7	44.8	45.0	45.1	45.3	45.4	45.6	45.7	45.9	25
26	46.0	46.2	46.3	46.5	46.6	46.8	46.9	47.1	47.2	47.4	26
27	47.5	47.7	47.8	48.0	48.1	48.3	48.4	48.6	48.7	48.9	27
28	49.0	49.2	49.3	49.5	49.6	49.8	49.9	50.1	50.2	50.4	28
29	50.5	50.7	50.8	51.0	51.1	51.3	51.4	51.6	51.7	51.9	29
30	52.0	52.2	52.3	52.5	52.6	52.8	52.9	53.1	53.2	53.4	30
31	53.5	53.7	53.8	54.0	54.1	54.3	54.4	54.6	54.7	54.9	31
32	55.0	55.2	55.3	55.5	55.6	55.8	55.9	56.1	56.2	56.4	32
33	56.5	56.7	56.8	57.0	57.1	57.3	57.4	57.6	57.7	57.9	33
34	58.0	58.2	58.3	58.5	58.6	58.8	58.9	59.1	59.2	59.4	34
35	59.5	59.7	59.8	60.0	60.1	60.3	60.4	60.6	60.7	60.9	35
36	61.0	61.2	61.3	61.5	61.6	61.8	61.9	62.1	62.2	62.4	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.