
FENCING PRODUCTS



**SCS KNOWS
FENCING.**

(800) 843-7893 | info@scsfence.com



Security Contractor Services has the West Coast covered when it comes to fencing supplies. SCS is the leading independent wholesale supplier of fencing products. We recognize what it takes to meet the needs of fence contractors, architects, engineers and other industry professionals. SCS provides a complete line of the highest quality products, expert design and manufacturing capabilities, the fastest response time and a reputation for exceptional service and reliability. Our branches are staffed with highly trained professionals that can resolve practically any specification concern.

TABLE OF CONTENTS

Product Offerings	3	Accessories	85
Chain Link Recommendations	5	Tools	89
Chain Link Fabric	8	Gate Fittings	91
Chain Link Fabric Vinyl	19	Custom Chain Link Gates	109
Warranty Information	38	Ornamental Iron Posts	110
ViewGuard	39	Ornamental Iron Panels	111
Domestic Pipe	45	Ornamental Iron Gates	113
Import Pipe	59	Ornamental Iron Fittings	116
Fittings	67	Service Areas	130
Fitt Rite Fittings	81		

Slatted Chain Link

Extremely Durable Privacy Fencing

We manufacture the best quality slatted fencing in the market today under the brands Viewguard® and ViewguardPlus®.

Our comprehensive manufacturing process makes ViewGuard ideal for Commercial, Industrial or Residential applications.

Each slat is woven vertically into the chain link fencing and secured with a stainless steel staple to ensure stability and strength.


Viewguard®

semi-private colored slats

Viewguard Plus®

fined colored slats achieve greater privacy

- › Attractive & Cost Effective Alternative to Wood Slats
- › Custom Colored Slats Available
- › Chemical & Petroleum Product Resistant
- › Easy Maintenance
- › Galvanized _ a minimum of 1.2 oz. of zinc per square foot offers superior protection against corrosion and rusting
- › High Density Polyethylene Slats
- › PVC Coated Bonded Wire to Match Slats Available
- › Variety of Stock Colors
- › Weather & Salt Resistant




Wood (Seattle)

Western Red Cedar

- › Boards 1x4 • 1x6
- › Rails & Split Rail Fencing

Pressure Treated Products

- › Post & Support Rails 2x4 • 4x4 • 4x6 • 6x6 • 8x8
- › Please call for other sizes



Hardware

- › Boards 1x4 | 1x6
- › A wide variety in galvanized or black is available for residential and commercial applications.

Chain Link

Versatile – Durable – Affordable

We lead in manufacturing the finest quality chain link available. New colors and improved quality have dramatically improved the appearance of chain link fences in recent years.

- › Colored Posts – match color coated wire to blend with landscaping or add contrasting beauty.
- › Full range of mesh sizes – several with different selvage combinations
- › Galvanized – a minimum of 1.2 oz. of zinc per square foot offers superior protection against corrosion and rusting.
- › Long Lasting
- › PVC Coated Bonded Wire Available – now match with colored posts!

Fittings

- › Barb Bases & Barb Wire Arms – 45°, V & Vertical Brace & 2 Way Brace Bands – regular & heavy
- › Clamps – panel, line rail & brace/end tail
- › Corner Arms – 45° & V
- › Gate Fitting & Dome Caps – regular and heavy
- › Drive in Plugs for Pipe & Tubing
- › Eye Tops – standard & residential
- › Hinges – residential & commercial
- › Rail Ends & Rail Ends 2 Hole
- › Sleeves – outside type, steel galvanized
- › Tension Bands & Bars
- › Threaded Truss Rods – 3/8" diameter with nut
- › Truss Tighteners - industrial



Color Systems

Black, Brown and Green

- › Polyester powder coated over galvanized tubing & pipe.
- › Polyester powder coated over galvanized fittings.
- › Polyolefin elastomer- heavy mill.
- › Vinyl coated chain link fabric to match.

Mini Mesh

Heightened security with smaller mesh

Available in various mesh sizes to meet specifications on bridges, prisons, or heavy security government or private sector projects.

Standard Ornamental Iron

STANDARD DIMENSIONS

Panels:

Typical Heights for **Lifeguard, Steelguard & Allguard**:

3', 4', 5', 6', 7', 8', 10'

Typical Length: 94" & 120"

Typical Height for **Topguard**: 7', 8', 9', 10'


SWING GATES:

Framework gauge and cross sections as necessitated for size, but not less than that of panels. Pickets match panels. Trussing and heavier posts may be needed. Hardware as required. (Same on Steelguard and Topguard)

SLIDE GATES:

The following specifications are for Commercial and Industrial Applications.

- 2" x 2" 11 gauge steel tubing top rail and vertical.
- Bottom Rail 2" x 4" gauge steel tubing with wheel housing.
- Ground track of angle iron (sized per requirements) with 3/8" rebar hooks welded at 18" O.C.
- Upper guide roller assemblies with 2" diameter hard rubber rollers.
- Wheels are 6" diameter V-Groove type.




STEELGUARD 2 RAIL



LIFEGUARD 2 RAIL




TOPGUARD 2 RAIL



ALLGUARD 2 RAIL

- › Highest quality steel tube
- › Industrial, commercial & residential uses
- › Meticulously welded construction
- › Powder coated polyester — color durable & environmentally friendly
- › 2 rail & 2 rail biasable
- › Pre-galvanized steel tube construction.
- › Brown, white & green — available by special order
- › Panels completely assembled
- › Finials & scrolls — many styles & combinations
- › Fittings — post caps, hinges, latches & more
- › Gates — fully constructed swing & slide gates
- › Hardware — complete line of weld-on or bolt-on
- › Posts— 2" square, 2 1/2 square, 4" square. Please inquire about additional sizes.



Custom Ornamental Iron

Precision & Quality

- › Craftsmen assist in designing to your preference gates & panels — created to your exact specification
- › Meticulously welded By Capitol Steel Product
- › Variety of styles & finishes with multiple colors

Ornamental Iron Gates


Call your local distribution center for a quote

- › Residential & industrial single & double swing
- › Industrial slide
- › Cantilever
- › Custom — gate, swing gate & driveway
- › Constructed using Fitt-Rite Hardware



RESIDENTIAL	
FABRIC	
Type	Galvanized Before Weaving
Gauge	9, 11, 11.5, 12.5
Mesh	1-1/4", 2", 2-1/4", 2-3/8"
Heights	3', 42", 4', 5', 6'
Selvage	Knuckle-Knuckle (KK) for 5' and under. Knuckle-Knuckle (KK) or Barb-Knuckle (BK) for 6' and over.
TOP RAIL	
3' to 5' High	1-3/8" O.D. 17 Gauge
	1-3/8" O.D. 16 Gauge
6' High	1-3/8" O.D. 17 Gauge
	1-5/8" O.D. 16 Gauge
LINE POSTS	
3' to 5' High	1-5/8" O.D. 16 Gauge
6' High	1-7/8" O.D. 16 Gauge
TERMINAL POSTS	
3' to 5' High	1-7/8" O.D. 16 Gauge
	2-3/8" O.D. 16 Gauge
6' High	2-3/8" O.D. 16 Gauge
GATES	
Fabric	Same Gauge and Mesh as Chain-Link Selected
Frame	Same as Top Rail Selected
FITTINGS	
Tension and Brace Bands	Hot-Dip Galvanized Pressed Steel
Cap, Eye Tops, Rail Ends	Die Cast Aluminum or Pressed Steel
Tie Wires	Aluminum or Galvanized Steel
SLATS - PRIVACY	
Material Composition	Polyethylene Thermoplastic
Colors	Green, Black, Brown, Gray, Redwood, Blue, Desert Sand


COMMERCIAL	
FABRIC	
Type	Galvanized Before Weaving
Specification	ASTM A 392 Class 1 or 2
Gauge	6, 9, 11
Mesh	3/8", 1/2", 5/8", 1", 1-1/4", 1-1/2", 1-3/4", 2"
Heights	3', 42", 4', 5', 6', 7', 8', 9', 10', 12'
Selvage	Knuckle-Knuckle (KK) for 5' and under. Knuckle-Knuckle (KK) or Barb-Knuckle (BK) for 6' and over.
TOP RAIL	
3' to 5' High	1-5/8" O.D.
	1-5/8" O.D. Full Weight Pipe
6' to 12' High	1-5/8" O.D.
	1-5/8" O.D. Full Weight Pipe
LINE POSTS	
3' to 5' High	1-7/8" O.D.
	1-7/8" O.D. Full Weight Pipe
	2-3/8" O.D.
	2-3/8" O.D.
	2-3/8" O.D. Full Weight Pipe
6' to 12' High	2-3/8" O.D.
	2-3/8" O.D.
	2-3/8" O.D. Full Weight Pipe
TERMINAL POSTS	
3' to 12' High	2-3/8" O.D.
	2-3/8" O.D.
	2-3/8" O.D. Full Weight Pipe
	4" O.D.
	4" O.D.
	4" O.D. Full Weight Pipe
For Heavy Gates	6-5/8" O.D. Full Weight Pipe
	8-5/8" O.D. Full Weight Pipe
GATES	
Fabric	Same Gauge and Mesh as Chain-Link Selected
Frame	Same as Top Rail Selected
FITTINGS	
Tension and Brace Bands	Hot-Dip Galvanized Pressed Steel
Cap, Eye Tops, Rail Ends	Malleable, Cast Iron Steel and Pressed Steel
Tie Wires	Aluminum or Galvanized Steel
SLATS - PRIVACY	
Material Composition	Polyethylene Thermoplastic
Colors	Green, Black, Brown, Gray, Redwood, Blue, Desert Sand



Galvanized Chain Link Fence Systems


Chain link fence has been a fencing standard for almost 100 years. SCS offers galvanized before weave (GBW), chain line fabric. A versatile solution that provides years of maintenance-free service.

Wire Gauges Available



Mesh Sizes Available

Industrial and Institutional mesh sizes and larger gauge diameters, from 1-1/2" to 2". The smallest mesh sizes, from 3/8" to 1-1/4", are High Security/Mini-Mesh.



Selvage Options

Selvage describes how the ends of the chain link wires are finished for the top and bottom of the fabric. Knuckle, the folding over of the ends and Twist, the twisting together of the wires to form pointed prongs.

Twist Twist (TT)



Knuckle Knuckle (KK)



Knuckle Twist(KT)




Color Chain Link Fence Systems

Manufacturing the finest quality coated fence products, SCS COLOR SYSTEMS blend with landscaping or add contrasting beauty. Coated fabric and framework offer superior protections against corrosion and rusting with lasting color.

SCS COLOR SYSTEMS are designed for the residential backyard or the industrial specification projects. We provide a complete color coated line of the highest quality products, expert design and manufacturing capability from our environmentally friendly manufacturing plants.

- › DURABLE UV & weather resistant, corrosion protected, high impact resistant
- › MAINTENANCE FREE Won't chip, peel or fade, never needs painting
- › SPECIFICATIONS Meets ASTM, AASHTO & Federal Specifications
- › WARRANTY 20 year limited Warranty




We can meet your “tall orders”

Up to
25'
in height.

The expert Security Contractor Services team specializes in designing and weaving chain link fabric in most popular diamonds and heights.

We manufacture galvanized and vinyl-coated color fabric in standard and mini-mesh sizes right here on the West Coast. SCS can now weave chain link fabric up to 25' in height. We are one of only two manufacturers on the West Coast able to produce fabric of this size.

- › Easier and faster to install — Labor savings — “Single roll pass”
- › Improved appearance — No hog ringed overlay for heights over 14'
- › Architects are calling for a cleaner “look” — Our new height capability will enhance the finished product’s appearance.



CHAIN LINK-FABRIC



2 3/8" - 1 1.5 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating. 50' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	056133	4.85	KK, KB, BB
42"	056134	5.66	KK, KB, BB
4'	056124	6.47	KK, KB, BB
5'	056125	8.08	KK, KB, BB
6'	056126	9.70	KK, KB, BB
7'	056127	11.32	KK, KB, BB
8'	056128	12.93	KK, KB, BB
10'	056129	16.17	KK, KB, BB
12'	056130	19.4	KK, KB, BB

2 1/4" - 1 1.5 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating. 50' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	056142	5.09	KK, KB, BB
42"	056143	5.94	KK, KB, BB
4'	056144	6.79	KK, KB, BB
5'	056145	8.49	KK, KB, BB
6'	056146	10.18	KK, KB, BB
7'	056147	11.88	KK, KB, BB
8'	056148	13.58	KK, KB, BB
10'	056149	16.97	KK, KB, BB
12'	056152	20.37	KK, KB, BB

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK – Knuckle-Knuckle

SPECIAL NOTE:

- KB OR BB Selvage is not recommended on residential applications of 5' or less.
- Please specify selvage when ordering.

CHAIN LINK-FABRIC



2" - 1 1 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating. 50' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	054202	1.45	KK, KB, BB
42"	054203	1.69	KK, KB, BB
4'	054204	1.93	KK, KB, BB
5'	054205	2.41	KK, KB, BB
6'	054186	2.89	KK, KB, BB
7'	054207	3.37	KK, KB, BB
8'	054208	3.86	KK, KB, BB
10'	054210	4.82	KK, KB, BB
12'	054212	5.79	KK, KB, BB

2" - 9 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating. 50' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	055202	2.18	KK, KB, BB
42"	055203	2.55	KK, KB, BB
4'	055204	2.91	KK, KB, BB
5'	055205	3.64	KK, KB, BB
6'	055206	4.37	KK, KB, BB
7'	055207	5.10	KK, KB, BB
8'	055208	5.82	KK, KB, BB
10'	055210	7.28	KK, KB, BB
12'	055212	8.74	KK, KB, BB

CHAIN LINK-FABRIC



1 3/4" - 1 1 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating. 50' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	054162	1.75	KK, KB, BB
42"	054163	2.04	KK, KB, BB
4'	054164	2.34	KK, KB, BB
5'	054165	2.87	KK, KB, BB
6'	054166	3.44	KK, KB, BB
7'	054167	4.02	KK, KB, BB
8'	054168	4.59	KK, KB, BB
10'	054170	5.74	KK, KB, BB
12'	054172	6.89	KK, KB, BB

1 3/4" - 9 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating. 50' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	055162	2.45	KK, KB, BB
42"	055163	2.85	KK, KB, BB
4'	055164	3.26	KK, KB, BB
5'	055165	4.07	KK, KB, BB
6'	055165	4.89	KK, KB, BB
7'	055167	5.71	KK, KB, BB
8'	055168	6.52	KK, KB, BB
10'	055170	8.15	KK, KB, BB
12'	055172	9.78	KK, KB, BB

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK– Knuckle-Knuckle

SPECIAL NOTE:

KB OR BB Selvage is not recommended on residential applications of 5' or less.

CHAIN LINK-FABRIC



1 1/2" - 11 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating. 50' Rolls.

DESCRIPTION	PART NO.	WEIGHT/FT	SELVAGE
3'	054152	1.92	KK, KB, BB
42"	054153	2.24	KK, KB, BB
4'	054154	2.56	KK, KB, BB
5'	054155	3.20	KK, KB, BB
6'	054156	3.84	KK, KB, BB
7'	054157	4.48	KK, KB, BB
8'	054158	5.12	KK, KB, BB
10'	054160	6.4	KK, KB, BB
12'	054162	7.68	KK, KB, BB

1 1/2" - 9 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating. 50' Rolls.

DESCRIPTION	PART NO.	WEIGHT/FT	SELVAGE
3'	055121	3.60	KK, KB, BB
42"	055123	4.20	KK, KB, BB
4'	055124	4.80	KK, KB, BB
5'	055125	6.00	KK, KB, BB
6'	055126	7.20	KK, KB, BB
7'	055127	8.40	KK, KB, BB
8'	055128	9.60	KK, KB, BB
10'	055130	12.00	KK, KB, BB
12'	055132	14.40	KK, KB, BB

CHAIN LINK-FABRIC



1 1/4"-11 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL114110212__	1.51	KK, KB, BB
3	CL114110312__	2.27	KK, KB, BB
4	CL114110412__	2.65	KK, KB, BB
5	CL114110512__	3.02	KK, KB, BB
6	CL114110612__	3.78	KK, KB, BB
7	CL114110712__	4.54	KK, KB, BB
8	CL114110812__	5.29	KK, KB, BB
9	CL114110912__	6.80	KK, KB, BB
10	CL114111012__	7.56	KK, KB, BB
12	CL114111212__	9.07	KK, KB, BB

1 1/4"-9 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL114090212__	2.64	KK, KB, BB
3	CL114090312__	3.96	KK, KB, BB
4	CL114090412__	5.28	KK, KB, BB
5	CL114090512__	6.60	KK, KB, BB
6	CL114090612__	7.92	KK, KB, BB
7	CL114090712__	9.24	KK, KB, BB
8	CL114090812__	10.56	KK, KB, BB
9	CL114090912__	11.88	KK, KB, BB
10	CL114091012__	13.2	KK, KB, BB
12	CL114091212__	15.84	KK, KB, BB

CHAIN LINK-FABRIC



3/4"-1 1 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL034110212__	2.52	KK
3	CL034110312__	3.78	KK
4	CL034110412__	5.04	KK
5	CL034110512__	6.30	KK
6	CL034110612__	7.56	KK
7	CL034110712__	8.82	KK
8	CL034110812__	10.08	KK
9	CL034110912__	11.34	KK
10	CL034111012__	12.60	KK
12	CL034111212__	15.12	KK

3/4"-9 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL034090212__	3.66	KK
3	CL034090312__	5.49	KK
4	CL034090412__	7.32	KK
5	CL034090512__	9.15	KK
6	CL034090612__	10.98	KK
7	CL034090712__	12.81	KK
8	CL034090812__	14.64	KK
9	CL034090912__	16.47	KK
10	CL034091012__	18.30	KK
12	CL034091212__	21.96	KK

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK– Knuckle-Knuckle

SPECIAL NOTE:

KB OR BB Selvage is not recommended on residential applications of 5' or less.

CHAIN LINK-FABRIC



**5/8"-1 1 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating, 25' Rolls.**

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL058110212__	3.00	KK
3	CL058110312__	4.51	KK
4	CL058110412__	6.01	KK
5	CL058110512__	7.52	KK
6	CL058110612__	9.02	KK
7	CL058110712__	10.52	KK
8	CL058110812__	12.02	KK
9	CL058110912__	13.55	KK
10	CL058111012__	15.06	KK
12	CL058111212__	18.04	KK

**5/8"-9 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating, 25' Rolls.**

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL058090212__	4.38	KK
3	CL058090312__	6.57	KK
4	CL058090412__	8.76	KK
5	CL058090512__	10.95	KK
6	CL058090612__	13.14	KK
7	CL058090712__	15.33	KK
8	CL058090812__	17.52	KK
9	CL058090912__	19.71	KK
10	CL058091012__	21.9	KK
12	CL058091212__	26.28	KK

**1/2"-1 1 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating, 25' Rolls.**

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL012110212__	3.80	KK
3	CL012110312__	6.30	KK
4	CL012110412__	8.40	KK
5	CL012110512__	10.50	KK
6	CL012110612__	12.60	KK
7	CL012110712__	14.70	KK
8	CL012110812__	16.80	KK
9	CL012110912__	18.90	KK
10	CL012111012__	21.00	KK
12	CL012111212__	25.20	KK

CHAIN LINK-FABRIC



1/2"-9 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL012090212__	5.50	KK
3	CL012090312__	8.25	KK
4	CL012090412__	11.00	KK
5	CL012090512__	13.75	KK
6	CL012090612__	16.50	KK
7	CL012090712__	19.25	KK
8	CL012090812__	22.0	KK
9	CL012090912__	24.75	KK
10	CL012091012__	27.5	KK
12	CL012091212__	33.0	KK

3/8"-11 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL038110212__	4.90	KK
3	CL038110312__	8.20	KK
4	CL038110412__	10.93	KK
5	CL038110512__	13.66	KK
6	CL038110612__	16.39	KK
7	CL038110712__	19.13	KK
8	CL038110812__	21.86	KK
9	CL038110912__	22.05	KK
10	CL038111012__	27.32	KK
12	CL038111212__	32.79	KK

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK– Knuckle-Knuckle

SPECIAL NOTE:

KB OR BB Selvage is not recommended on residential applications of 5' or less.

CHAIN LINK-FABRIC



3/8"-9 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL038090212__	7.22	KK
3	CL038090312__	10.83	KK
4	CL038090412__	14.44	KK
5	CL038090512__	18.05	KK
6	CL038090612__	21.66	KK
7	CL038090712__	25.27	KK
8	CL038090812__	28.88	KK
9	CL038090912__	32.49	KK
10	CL038091012__	36.10	KK
12	CL038091212__	43.32	KK

1 1/4"-9 Gauge Chain Link Galvanized
2.0 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL114090220__	2.77	KK, KB, BB
3	CL114090320__	4.16	KK, KB, BB
4	CL114090420__	5.55	KK, KB, BB
5	CL114090520__	6.94	KK, KB, BB
6	CL114090620__	8.33	KK, KB, BB
7	CL114090720__	9.72	KK, KB, BB
8	CL114090820__	11.11	KK, KB, BB
9	CL114090920__	12.50	KK, KB, BB
10	CL114091020__	13.89	KK, KB, BB
12	CL114091220__	16.66	KK, KB, BB

1"-9 Gauge Chain Link Galvanized
2.0 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL1000900220__	3.38	KK, KB, BB
3	CL1000900320__	5.07	KK, KB, BB
4	CL1000900420__	6.76	KK, KB, BB
5	CL1000900520__	8.45	KK, KB, BB
6	CL1000900620__	10.14	KK, KB, BB
7	CL1000900720__	11.83	KK, KB, BB
8	CL1000900820__	13.52	KK, KB, BB
9	CL1000900920__	15.21	KK, KB, BB
10	CL1000901020__	16.91	KK, KB, BB
12	CL1000901220__	20.29	KK, KB, BB

CHAIN LINK-FABRIC



3/4"-9 Gauge Chain Link Galvanized
2.0 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL0340900220__	3.90	KK
3	CL0340900320__	5.85	KK
4	CL0340900420__	7.80	KK
5	CL0340900520__	9.75	KK
6	CL0340900620__	11.70	KK
7	CL0340900720__	13.65	KK
8	CL0340900820__	15.60	KK
9	CL0340900920__	17.55	KK
10	CL0340901020__	19.50	KK
12	CL0340901220__	23.40	KK

1/2"-9 Gauge Chain Link Galvanized
2.0 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL0120900220__	6.74	KK
3	CL0120900320__	10.11	KK
4	CL0120900420__	13.48	KK
5	CL0120900520__	16.85	KK
6	CL0120900620__	20.22	KK
7	CL0120900720__	23.59	KK
8	CL0120900820__	26.96	KK
9	CL0120900920__	30.33	KK
10	CL0120901020__	33.7	KK
12	CL0120901220__	40.44	KK

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK– Knuckle-Knuckle

SPECIAL NOTE:

KB OR BB Selvage is not recommended on residential applications of 5' or less.

CHAIN LINK-FABRIC



3/8"-9 Gauge Chain Link Galvanized
2.0 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL0380900220__	8.76	KK
3	CL0380900320__	13.14	KK
4	CL0380900420__	17.52	KK
5	CL0380900520__	21.91	KK
6	CL0380900620__	26.29	KK
7	CL0380900720__	30.67	KK
8	CL0380900820__	35.05	KK
9	CL0380900920__	39.43	KK
10	CL0380901020__	43.82	KK
12	CL0380901220__	52.58	KK

5/8"-6 Gauge Chain Link Galvanized
1.2 oz./ft. Zinc coating, 25' Rolls.

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
2	CL0580600212__	8.76	KK
3	CL0580600312__	13.14	KK
4	CL0580600412__	17.52	KK
5	CL0580600512__	21.91	KK
6	CL0580600612__	26.29	KK
7	CL0580600712__	30.67	KK
8	CL0580600812__	35.05	KK
9	CL0580600912__	39.43	KK
10	CL0580601012__	43.82	KK
12	CL0580601212__	52.58	KK

Extruded Wire

Class I extruded polymer vinyl coating refers to the coating that is simply pulled over the wire. The coating is thicker than extruded bonded and fuse bonded and the price is the lowest among the three coatings. It is widely used in residential areas.

Extruded Bonded Wire

Class 2a extruded and adhered polymer vinyl coating is thinner than Class I. The extruded wire is bonded to the wire by means of intense glue, resulting in less of a chance of the vinyl coating peeling from the core wire. It is generally used in commercial applications.


Fuse Bonded Wire

Class 2b fused and adhered polyolefin coating is the thinnest coating yet the best performance in resisting cracking, peeling and tearing. However, the price is the highest. It is mainly used by engineers, federal projects and architects.



Mesh Sizes Available

Industrial and Institutional mesh sizes and larger gauge diameters, from 1-1/2" to 2". The smallest mesh sizes, from 3/8" to 1-1/4", are High Security/Mini-Mesh.

Extruded/Extruded Bonded Finish Gauges



Fuse Bonded Finish Gauges



High Security/Mini Mesh Sizes

Brand/Process	Wire ASTM	Galv Coating	Core Gauge	Finish Gauge	Type	ASTM	
Extruded	A 641	0.3	9	6	Class 1	F668	Good
	Non - ASTM	0.15	11	8	Class 1	N/A	
	Non - ASTM	0.15	13	9	Class 1	N/A	
Extruded Bonded	A 641	0.3	9	6	Class 2a	F668	Better
	A 641	0.3	11	8	Class 2a	F668	
	A 641	0.3	12	9	Class 2a	F668	
Fuse Bonded	A 641	0.4	6	5	Class 2b	F668	Best
	A 641	0.3	7	6	Class 2b	F668	
	A 641	0.3	9	8	Class 2b	F668	
	A 641	0.3	10	9	Class 2b	F668	
	A 641	0.3	11	10	Class 2b	F668	

CHAIN LINK FABRIC - VINYL



2" - 1 1 Gauge Core / 8 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB20008003__ __	1.10	KK, KB, BB
42"	EB20008042__ __	1.93	KK, KB, BB
4'	EB20008004__ __	2.20	KK, KB, BB
5'	EB20008005__ __	2.76	KK, KB, BB
6'	EB20008006__ __	3.31	KK, KB, BB
7'	EB20008007__ __	3.86	KK, KB, BB
8'	EB20008008__ __	4.42	KK, KB, BB
10'	EB20008010__ __	5.52	KK, KB, BB

1 3/4" - 1 1 Gauge Core / 8 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB13408003__ __	1.27	KK, KB, BB
42"	EB13408042__ __	2.22	KK, KB, BB
4'	EB13408004__ __	2.54	KK, KB, BB
5'	EB13408005__ __	3.18	KK, KB, BB
6'	EB13408006__ __	3.816	KK, KB, BB
7'	EB13408007__ __	4.452	KK, KB, BB
8'	EB13408008__ __	5.08	KK, KB, BB
10'	EB13408010__ __	6.36	KK, KB, BB

1 1/2" - 1 1 Gauge Core / 8 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB11208003__ __	1.63	KK, KB, BB
42"	EB11208042__ __	2.85	KK, KB, BB
4'	EB11208004__ __	3.26	KK, KB, BB
5'	EB11208005__ __	4.08	KK, KB, BB
6'	EB11208006__ __	4.89	KK, KB, BB
7'	EB11208007__ __	5.71	KK, KB, BB
8'	EB11208008__ __	6.52	KK, KB, BB
10'	EB11208010__ __	8.16	KK, KB, BB

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK – Knuckle-Knuckle

SPECIAL NOTE: Add the following letters to the part number for desired color:

BL- Black **BR**- Brown **GR**- Green

CHAIN LINK FABRIC - VINYL



1 1/4" - 1 1 Gauge Core / 8 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB11408003__ __	1.93	KK, KB, BB
42"	EB11408042__ __	3.39	KK, KB, BB
4'	EB11408004__ __	3.87	KK, KB, BB
5'	EB11408005__ __	4.84	KK, KB, BB
6'	EB11408006__ __	5.80	KK, KB, BB
7'	EB11408007__ __	6.77	KK, KB, BB
8'	EB11408008__ __	7.74	KK, KB, BB
10'	EB11408010__ __	9.68	KK, KB, BB

1" - 1 1 Gauge Core / 8 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB10008003__ __	2.38	KK, KB, BB
42"	EB10008042__ __	4.16	KK, KB, BB
4'	EB10008004__ __	4.76	KK, KB, BB
5'	EB10008005__ __	5.95	KK, KB, BB
6'	EB10008006__ __	7.14	KK, KB, BB
7'	EB10008007__ __	8.33	KK, KB, BB
8'	EB10008008__ __	9.52	KK, KB, BB
10'	EB10008010__ __	11.9	KK, KB, BB

3/4" - 1 1 Gauge Core / 8 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB03408003__ __	3.50	KK
42"	EB03408042__ __	6.13	KK
4'	EB03408004__ __	7.00	KK
5'	EB03408005__ __	8.75	KK
6'	EB03408006__ __	10.50	KK
7'	EB03408007__ __	12.25	KK
8'	EB03408008__ __	14.00	KK
10'	EB03408010__ __	17.50	KK

CHAIN LINK FABRIC - VINYL



5/8" - 1 1 Gauge Core / 8 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB05808003__ __	4.00	KK
42"	EB05808042__ __	7.00	KK
4'	EB05808004__ __	8.00	KK
5'	EB05808005__ __	10.00	KK
6'	EB05808006__ __	12.00	KK
7'	EB05808007__ __	14.00	KK
8'	EB05808008__ __	16.00	KK
10'	EB05808010__ __	20.00	KK

1/2" - 1 1 Gauge Core / 8 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB01208003__ __	4.84	KK
42"	EB01208042__ __	8.47	KK
4'	EB01208004__ __	9.68	KK
5'	EB01208005__ __	12.10	KK
6'	EB01208006__ __	14.52	KK
7'	EB01208007__ __	16.94	KK
8'	EB01208008__ __	19.36	KK
10'	EB01208010__ __	24.20	KK

3/8" - 1 1 Gauge Core / 8 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB03808003__ __	5.20	KK
42"	EB03808042__ __	9.10	KK
4'	EB03808004__ __	10.40	KK
5'	EB03808005__ __	13.00	KK
6'	EB03808006__ __	15.60	KK
7'	EB03808007__ __	18.20	KK
8'	EB03808008__ __	20.80	KK
10'	EB03808010__ __	26.00	KK

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK – Knuckle-Knuckle

SPECIAL NOTE: Add the following letters to the part number for desired color:

BL- Black **BR**- Brown **GR**- Green

CHAIN LINK FABRIC - VINYL



2" - 12 Gauge Core / 9 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB20009003__ __	1.34	KK, KB, BB
42"	EB20009042__ __	1.56	KK, KB, BB
4'	EB20009004__ __	1.78	KK, KB, BB
5'	EB20009005__ __	2.22	KK, KB, BB
6'	EB20009006__ __	2.67	KK, KB, BB
7'	EB20009007__ __	3.12	KK, KB, BB
8'	EB20009008__ __	3.56	KK, KB, BB
10'	EB20009010__ __	4.45	KK, KB, BB

1 3/4" - 12 Gauge Core / 9 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB13409003__ __	1.77	KK, KB, BB
42"	EB13409042__ __	2.07	KK, KB, BB
4'	EB13409004__ __	2.36	KK, KB, BB
5'	EB13409005__ __	2.95	KK, KB, BB
6'	EB13409006__ __	3.54	KK, KB, BB
7'	EB13409007__ __	4.13	KK, KB, BB
8'	EB13409008__ __	4.72	KK, KB, BB
10'	EB13409010__ __	5.90	KK, KB, BB

1 1/2" - 12 Gauge Core / 9 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB11209003__ __	2.13	KK, KB, BB
42"	EB11209042__ __	2.49	KK, KB, BB
4'	EB11209004__ __	2.84	KK, KB, BB
5'	EB11209005__ __	3.55	KK, KB, BB
6'	EB11209006__ __	4.26	KK, KB, BB
7'	EB11209007__ __	4.97	KK, KB, BB
8'	EB11209008__ __	5.68	KK, KB, BB
10'	EB11209010__ __	7.10	KK, KB, BB

CHAIN LINK FABRIC - VINYL



1 1/4" - 12 Gauge Core / 9 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB11409003__ __	2.63	KK, KB, BB
42"	EB11409042__ __	3.06	KK, KB, BB
4'	EB11409004__ __	3.50	KK, KB, BB
5'	EB11409005__ __	4.37	KK, KB, BB
6'	EB11409006__ __	5.25	KK, KB, BB
7'	EB11409007__ __	6.13	KK, KB, BB
8'	EB11409008__ __	7.00	KK, KB, BB
10'	EB11409010__ __	8.75	KK, KB, BB

1" - 12 Gauge Core / 9 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB10009003__ __	3.06	KK, KB, BB
42"	EB10009042__ __	3.57	KK, KB, BB
4'	EB10009004__ __	4.08	KK, KB, BB
5'	EB10009005__ __	5.10	KK, KB, BB
6'	EB10009006__ __	6.12	KK, KB, BB
7'	EB10009007__ __	7.14	KK, KB, BB
8'	EB10009008__ __	8.16	KK, KB, BB
10'	EB10009010__ __	10.20	KK, KB, BB

3/4" - 12 Gauge Core / 9 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB03409003__ __	4.74	KK
42"	EB03409042__ __	5.33	KK
4'	EB03409004__ __	6.32	KK
5'	EB03409005__ __	7.91	KK
6'	EB03409006__ __	9.48	KK
7'	EB03409007__ __	11.06	KK
8'	EB03409008__ __	12.64	KK
10'	EB03409010__ __	15.81	KK

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK – Knuckle-Knuckle

SPECIAL NOTE: Add the following letters to the part number for desired color:

BL- Black **BR**- Brown **GR**- Green

CHAIN LINK FABRIC - VINYL



5/8" - 12 Gauge Core / 9 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB05809003__ __	5.28	KK
42"	EB05809042__ __	6.16	KK
4'	EB05809004__ __	7.04	KK
5'	EB05809005__ __	8.80	KK
6'	EB05809006__ __	10.56	KK
7'	EB05809007__ __	12.32	KK
8'	EB05809008__ __	14.08	KK
10'	EB05809010__ __	17.61	KK

1/2" - 12 Gauge Core / 9 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB01209003__ __	5.78	KK
42"	EB01209042__ __	6.74	KK
4'	EB01209004__ __	7.71	KK
5'	EB01209005__ __	9.64	KK
6'	EB01209006__ __	11.56	KK
7'	EB01209007__ __	13.49	KK
8'	EB01209008__ __	15.42	KK
10'	EB01209010__ __	19.28	KK

3/8" - 12 Gauge Core / 9 Gauge Finish Extruded Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EB03809003__ __	7.35	KK
42"	EB03809042__ __	8.57	KK
4'	EB03809004__ __	9.80	KK
5'	EB03809005__ __	12.25	KK
6'	EB03809006__ __	14.70	KK
7'	EB03809007__ __	17.15	KK
8'	EB03809008__ __	19.60	KK
10'	EB03809010__ __	24.50	KK

CHAIN LINK FABRIC - VINYL



2" - 1 1 Gauge Core / 8 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN20008003__	1.10	KK, KB, BB
42"	EN20008042__	1.93	KK, KB, BB
4'	EN20008004__	2.20	KK, KB, BB
5'	EN20008005__	2.76	KK, KB, BB
6'	EN20008006__	3.31	KK, KB, BB
7'	EN20008007__	3.86	KK, KB, BB
8'	EN20008008__	4.42	KK, KB, BB
10'	EN20008010__	5.52	KK, KB, BB

1 3/4" - 1 1 Gauge Core / 8 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN13408003__	1.27	KK, KB, BB
42"	EN13408042__	2.22	KK, KB, BB
4'	EN13408004__	2.54	KK, KB, BB
5'	EN13408005__	3.18	KK, KB, BB
6'	EN13408006__	3.816	KK, KB, BB
7'	EN13408007__	4.452	KK, KB, BB
8'	EN13408008__	5.08	KK, KB, BB
10'	EN13408010__	6.36	KK, KB, BB

1 1/2" - 1 1 Gauge Core / 8 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN11208003__	1.63	KK, KB, BB
42"	EN11208042__	2.85	KK, KB, BB
4'	EN11208004__	3.26	KK, KB, BB
5'	EN11208005__	4.08	KK, KB, BB
6'	EN11208006__	4.89	KK, KB, BB
7'	EN11208007__	5.71	KK, KB, BB
8'	EN11208008__	6.52	KK, KB, BB
10'	EN11208010__	8.16	KK, KB, BB

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK – Knuckle-Knuckle

SPECIAL NOTE: Add the following letters to the part number for desired color:

BL- Black **BR**- Brown **GR**- Green

CHAIN LINK FABRIC - VINYL



1 1/4" - 1 1 Gauge Core / 8 Gauge Flinsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN11408003__ __	1.93	KK, KB, BB
42"	EN11408042__ __	3.39	KK, KB, BB
4'	EN11408004__ __	3.87	KK, KB, BB
5'	EN11408005__ __	4.84	KK, KB, BB
6'	EN11408006__ __	5.80	KK, KB, BB
7'	EN11408007__ __	6.77	KK, KB, BB
8'	EN11408008__ __	7.74	KK, KB, BB
10'	EN11408010__ __	9.68	KK, KB, BB

1" - 1 1 Gauge Core / 8 Gauge Flinsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN10008003__ __	2.38	KK, KB, BB
42"	EN10008042__ __	4.16	KK, KB, BB
4'	EN10008004__ __	4.76	KK, KB, BB
5'	EN10008005__ __	5.95	KK, KB, BB
6'	EN10008006__ __	7.14	KK, KB, BB
7'	EN10008007__ __	8.33	KK, KB, BB
8'	EN10008008__ __	9.52	KK, KB, BB
10'	EN10008010__ __	11.9	KK, KB, BB

3/4" - 1 1 Gauge Core / 8 Gauge Flinsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN03408003__ __	3.50	KK
42"	EN03408042__ __	6.13	KK
4'	EN03408004__ __	7.00	KK
5'	EN03408005__ __	8.75	KK
6'	EN03408006__ __	10.50	KK
7'	EN03408007__ __	12.25	KK
8'	EN03408008__ __	14.00	KK
10'	EN03408010__ __	17.50	KK

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK– Knuckle-Knuckle

SPECIAL NOTE: Add the following letters to the part number for desired color:

BL- Black **BR**- Brown **GR**- Green

CHAIN LINK FABRIC - VINYL



5/8" - 1 1 Gauge Core / 8 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN05808003__ __	4.00	KK
42"	EN05808042__ __	7.00	KK
4'	EN05808004__ __	8.00	KK
5'	EN05808005__ __	10.00	KK
6'	EN05808006__ __	12.00	KK
7'	EN05808007__ __	14.00	KK
8'	EN05808008__ __	16.00	KK
10'	EN05808010__ __	20.00	KK

1/2" - 1 1 Gauge Core / 8 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN01208003__ __	4.84	KK
42"	EN01208042__ __	8.47	KK
4'	EN01208004__ __	9.68	KK
5'	EN01208005__ __	12.10	KK
6'	EN01208006__ __	14.52	KK
7'	EN01208007__ __	16.94	KK
8'	EN01208008__ __	19.36	KK
10'	EN01208010__ __	24.20	KK

3/8" - 1 1 Gauge Core / 8 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN03808003__ __	5.20	KK
42"	EN03808042__ __	9.10	KK
4'	EN03808004__ __	10.40	KK
5'	EN03808005__ __	13.00	KK
6'	EN03808006__ __	15.60	KK
7'	EN03808007__ __	18.20	KK
8'	EN03808008__ __	20.80	KK
10'	EN03808010__ __	26.00	KK

CHAIN LINK FABRIC - VINYL



2" - 12 Gauge Core / 9 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN20009003__ __	1.34	KK, KB, BB
42"	EN20009042__ __	1.56	KK, KB, BB
4'	EN20009004__ __	1.78	KK, KB, BB
5'	EN20009005__ __	2.22	KK, KB, BB
6'	EN20009006__ __	2.67	KK, KB, BB
7'	EN20009007__ __	3.12	KK, KB, BB
8'	EN20009008__ __	3.56	KK, KB, BB
10'	EN20009010__ __	4.45	KK, KB, BB

1 3/4" - 12 Gauge Core / 9 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN13409003__ __	1.77	KK, KB, BB
42"	EN13409042__ __	2.07	KK, KB, BB
4'	EN13409004__ __	2.36	KK, KB, BB
5'	EN13409005__ __	2.95	KK, KB, BB
6'	EN13409006__ __	3.54	KK, KB, BB
7'	EN13409007__ __	4.13	KK, KB, BB
8'	EN13409008__ __	4.72	KK, KB, BB
10'	EN13409010__ __	5.90	KK, KB, BB

1 1/2" - 12 Gauge Core / 9 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN11209003__ __	2.13	KK, KB, BB
42"	EN11209042__ __	2.49	KK, KB, BB
4'	EN11209004__ __	2.84	KK, KB, BB
5'	EN11209005__ __	3.55	KK, KB, BB
6'	EN11209006__ __	4.26	KK, KB, BB
7'	EN11209007__ __	4.97	KK, KB, BB
8'	EN11209008__ __	5.68	KK, KB, BB
10'	EN11209010__ __	7.10	KK, KB, BB

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK – Knuckle-Knuckle

SPECIAL NOTE: Add the following letters to the part number for desired color:

BL- Black **BR**- Brown **GR**- Green

CHAIN LINK FABRIC - VINYL



1 1/4" - 12 Gauge Core / 9 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN11409003__ __	2.63	KK, KB, BB
42"	EN11409042__ __	3.06	KK, KB, BB
4'	EN11409004__ __	3.50	KK, KB, BB
5'	EN11409005__ __	4.37	KK, KB, BB
6'	EN11409006__ __	5.25	KK, KB, BB
7'	EN11409007__ __	6.13	KK, KB, BB
8'	EN11409008__ __	7.00	KK, KB, BB
10'	EN11409010__ __	8.75	KK, KB, BB

1" - 12 Gauge Core / 9 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN10009003__ __	3.06	KK, KB, BB
42"	EN10009042__ __	3.57	KK, KB, BB
4'	EN10009004__ __	4.08	KK, KB, BB
5'	EN10009005__ __	5.10	KK, KB, BB
6'	EN10009006__ __	6.12	KK, KB, BB
7'	EN10009007__ __	7.14	KK, KB, BB
8'	EN10009008__ __	8.16	KK, KB, BB
10'	EN10009010__ __	10.20	KK, KB, BB

3/4" - 12 Gauge Core / 9 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN03409003__ __	4.74	KK
42"	EN03409042__ __	5.33	KK
4'	EN03409004__ __	6.32	KK
5'	EN03409005__ __	7.91	KK
6'	EN03409006__ __	9.48	KK
7'	EN03409007__ __	11.06	KK
8'	EN03409008__ __	12.64	KK
10'	EN03409010__ __	15.81	KK

CHAIN LINK FABRIC - VINYL



5/8" - 12 Gauge Core / 9 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN05809003__ __	5.28	KK
42"	EN05809042__ __	6.16	KK
4'	EN05809004__ __	7.04	KK
5'	EN05809005__ __	8.80	KK
6'	EN05809006__ __	10.56	KK
7'	EN05809007__ __	12.32	KK
8'	EN05809008__ __	14.08	KK
10'	EN05809010__ __	17.61	KK

1/2" - 12 Gauge Core / 9 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN01209003__ __	5.78	KK
42"	EN01209042__ __	6.74	KK
4'	EN01209004__ __	7.71	KK
5'	EN01209005__ __	9.64	KK
6'	EN01209006__ __	11.56	KK
7'	EN01209007__ __	13.49	KK
8'	EN01209008__ __	15.42	KK
10'	EN01209010__ __	19.28	KK

3/8" - 12 Gauge Core / 9 Gauge Flnsh Extruded Non-Glue/50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	EN03809003__ __	7.35	KK
42"	EN03809042__ __	8.57	KK
4'	EN03809004__ __	9.80	KK
5'	EN03809005__ __	12.25	KK
6'	EN03809006__ __	14.70	KK
7'	EN03809007__ __	17.15	KK
8'	EN03809008__ __	19.60	KK
10'	EN03809010__ __	24.50	KK

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK– Knuckle-Knuckle

SPECIAL NOTE: Add the following letters to the part number for desired color:

BL- Black **BR**- Brown **GR**- Green

CHAIN LINK FABRIC - VINYL



2" - 9 Gauge Core / 8 Gauge Finish Fuse Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB20008003__ __	2.33	KK, KB, BB
42"	FB20008042__ __	2.71	KK, KB, BB
4'	FB20008004__ __	3.10	KK, KB, BB
5'	FB20008005__ __	3.87	KK, KB, BB
6'	FB20008006__ __	4.65	KK, KB, BB
7'	FB20008007__ __	5.42	KK, KB, BB
8'	FB20008008__ __	6.20	KK, KB, BB
10'	FB20008010__ __	7.75	KK, KB, BB

1 3/4" - 9 Gauge Core / 8 Gauge Finish Fuse Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB13408003__ __	2.76	KK, KB, BB
42"	FB13408042__ __	3.22	KK, KB, BB
4'	FB13408004__ __	3.68	KK, KB, BB
5'	FB13408005__ __	4.60	KK, KB, BB
6'	FB13408006__ __	5.52	KK, KB, BB
7'	FB13408007__ __	6.44	KK, KB, BB
8'	FB13408008__ __	7.36	KK, KB, BB
10'	FB13408010__ __	9.20	KK, KB, BB

1 1/2" - 9 Gauge Core / 8 Gauge Finish Fuse Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB11208003__ __	3.36	KK, KB, BB
42"	FB11208042__ __	3.92	KK, KB, BB
4'	FB11208004__ __	4.48	KK, KB, BB
5'	FB11208005__ __	5.60	KK, KB, BB
6'	FB11208006__ __	6.72	KK, KB, BB
7'	FB11208007__ __	7.84	KK, KB, BB
8'	FB11208008__ __	8.96	KK, KB, BB
10'	FB11208010__ __	11.20	KK, KB, BB

CHAIN LINK FABRIC - VINYL



1 1/4" - 9 Gauge Core / 8 Gauge Finish Fuse Bonded / 25' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB11408003__ __	4.20	KK, KB, BB
42"	FB11408042__ __	4.90	KK, KB, BB
4'	FB11408004__ __	5.60	KK, KB, BB
5'	FB11408005__ __	7.00	KK, KB, BB
6'	FB11408006__ __	8.40	KK, KB, BB
7'	FB11408007__ __	9.80	KK, KB, BB
8'	FB11408008__ __	11.20	KK, KB, BB
10'	FB11408010__ __	14.00	KK, KB, BB

1" - 9 Gauge Core / 8 Gauge Finish Fuse Bonded / 25' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB10008003__ __	5.04	KK, KB, BB
42"	FB10008042__ __	5.88	KK, KB, BB
4'	FB10008004__ __	6.72	KK, KB, BB
5'	FB10008005__ __	8.40	KK, KB, BB
6'	FB10008006__ __	10.08	KK, KB, BB
7'	FB10008007__ __	11.76	KK, KB, BB
8'	FB10008008__ __	13.44	KK, KB, BB
10'	FB10008010__ __	16.80	KK, KB, BB

3/4" - 9 Gauge Core / 8 Gauge Finish Fuse Bonded / 25' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB03408003__ __	7.47	KK
42"	FB03408042__ __	8.71	KK
4'	FB03408004__ __	9.96	KK
5'	FB03408005__ __	12.45	KK
6'	FB03408006__ __	14.94	KK
7'	FB03408007__ __	17.43	KK
8'	FB03408008__ __	19.92	KK
10'	FB03408010__ __	24.90	KK

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK – Knuckle-Knuckle

SPECIAL NOTE: Add the following letters to the part number for desired color:

BL- Black **BR**- Brown **GR**- Green

CHAIN LINK FABRIC - VINYL



5/8" - 9 Gauge Core / 8 Gauge Finish Fuse Bonded / 25' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB05808003__ __	9.00	KK
42"	FB05808042__ __	10.50	KK
4'	FB05808004__ __	12.00	KK
5'	FB05808005__ __	15.00	KK
6'	FB05808006__ __	18.00	KK
7'	FB05808007__ __	21.00	KK
8'	FB05808008__ __	24.00	KK
10'	FB05808010__ __	30.00	KK

1/2" - 9 Gauge Core / 8 Gauge Finish Fuse Bonded / 25' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB01208003__ __	11.76	KK
42"	FB01208042__ __	13.72	KK
4'	FB01208004__ __	15.68	KK
5'	FB01208005__ __	19.60	KK
6'	FB01208006__ __	23.52	KK
7'	FB01208007__ __	27.44	KK
8'	FB01208008__ __	31.36	KK
10'	FB01208010__ __	39.20	KK

3/8" - 9 Gauge Core / 8 Gauge Finish Fuse Bonded / 25' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB03808003__ __	14.46	KK
42"	FB03808042__ __	16.87	KK
4'	FB03808004__ __	19.28	KK
5'	FB03808005__ __	24.10	KK
6'	FB03808006__ __	28.92	KK
7'	FB03808007__ __	33.74	KK
8'	FB03808008__ __	38.56	KK
10'	FB03808010__ __	48.20	KK

CHAIN LINK FABRIC - VINYL



2" - 11 Gauge Core / 10 Gauge Finish Fuse Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB20010003__ __	1.54	KK, KB, BB
42"	FB20010042__ __	1.79	KK, KB, BB
4'	FB20010004__ __	2.05	KK, KB, BB
5'	FB20010005__ __	2.56	KK, KB, BB
6'	FB20010006__ __	3.07	KK, KB, BB
7'	FB20010007__ __	3.59	KK, KB, BB
8'	FB20010008__ __	4.10	KK, KB, BB
10'	FB20010010__ __	5.13	KK, KB, BB

1 3/4" - 11 Gauge Core / 10 Gauge Finish Fuse Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB13410003__ __	1.76	KK, KB, BB
42"	FB13410042__ __	2.06	KK, KB, BB
4'	FB13410004__ __	2.35	KK, KB, BB
5'	FB13410005__ __	2.94	KK, KB, BB
6'	FB13410006__ __	3.52	KK, KB, BB
7'	FB13410007__ __	4.12	KK, KB, BB
8'	FB13410008__ __	4.70	KK, KB, BB
10'	FB13410010__ __	5.88	KK, KB, BB

1 1/2" - 11 Gauge Core / 10 Gauge Finish Fuse Bonded / 50' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB11210003__ __	2.13	KK, KB, BB
42"	FB11210042__ __	2.48	KK, KB, BB
4'	FB11210004__ __	2.84	KK, KB, BB
5'	FB11210005__ __	3.55	KK, KB, BB
6'	FB11210006__ __	4.26	KK, KB, BB
7'	FB11210007__ __	4.97	KK, KB, BB
8'	FB11210008__ __	5.68	KK, KB, BB
10'	FB11210010__ __	7.10	KK, KB, BB

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK – Knuckle-Knuckle

SPECIAL NOTE: Add the following letters to the part number for desired color:

BL- Black **BR**- Brown **GR**- Green

CHAIN LINK FABRIC - VINYL



1 1/4" - 11 Gauge Core / 10 Gauge Finish Fuse Bonded / 25' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB11410003__ __	2.37	KK, KB, BB
42"	FB11410042__ __	2.76	KK, KB, BB
4'	FB11410004__ __	3.16	KK, KB, BB
5'	FB11410005__ __	3.95	KK, KB, BB
6'	FB11410006__ __	4.74	KK, KB, BB
7'	FB11410007__ __	5.53	KK, KB, BB
8'	FB11410008__ __	6.32	KK, KB, BB
10'	FB11410010__ __	7.90	KK, KB, BB

1" - 11 Gauge Core / 10 Gauge Finish Fuse Bonded / 25' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB10010003__ __	3.45	KK, KB, BB
42"	FB10010042__ __	4.03	KK, KB, BB
4'	FB10010004__ __	4.60	KK, KB, BB
5'	FB10010005__ __	5.75	KK, KB, BB
6'	FB10010006__ __	6.90	KK, KB, BB
7'	FB10010007__ __	8.05	KK, KB, BB
8'	FB10010008__ __	9.20	KK, KB, BB
10'	FB10010010__ __	11.5	KK, KB, BB

3/4" - 11 Gauge Core / 10 Gauge Finish Fuse Bonded / 25' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB03410003__ __	4.14	KK
42"	FB03410042__ __	4.83	KK
4'	FB03410004__ __	5.52	KK
5'	FB03410005__ __	6.90	KK
6'	FB03410006__ __	8.28	KK
7'	FB03410007__ __	9.66	KK
8'	FB03410008__ __	11.04	KK
10'	FB03410010__ __	13.80	KK

CHAIN LINK FABRIC - VINYL



5/8" - 11 Gauge Core / 10 Gauge Finish Fuse Bonded / 25' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB05810003__ __	4.98	KK
42"	FB05810042__ __	5.81	KK
4'	FB05810004__ __	6.64	KK
5'	FB05810005__ __	8.30	KK
6'	FB05810006__ __	9.96	KK
7'	FB05810007__ __	11.62	KK
8'	FB05810008__ __	13.28	KK
10'	FB05810010__ __	16.60	KK

1/2" - 11 Gauge Core / 10 Gauge Finish Fuse Bonded / 25' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB01210003__ __	6.90	KK
42"	FB01210042__ __	8.05	KK
4'	FB01210004__ __	9.20	KK
5'	FB01210005__ __	11.50	KK
6'	FB01210006__ __	13.80	KK
7'	FB01210007__ __	16.10	KK
8'	FB01210008__ __	18.40	KK
10'	FB01210010__ __	23.00	KK

3/8" - 11 Gauge Core / 10 Gauge Finish Fuse Bonded / 25' Rolls

DESCRIPTION	PART NO.	WEIGHT EA.	SELVAGE
3'	FB03810003__ __	8.70	KK
42"	FB03810042__ __	10.15	KK
4'	FB03810004__ __	11.60	KK
5'	FB03810005__ __	14.50	KK
6'	FB03810006__ __	17.40	KK
7'	FB03810007__ __	20.30	KK
8'	FB03810008__ __	23.20	KK
10'	FB03810010__ __	29.00	KK

KB – Knuckle-Barb, also known as KT - Knuckle-Twist

BB – Barb-Barb, also known as TT - Twist-Twist

KK – Knuckle-Knuckle

SPECIAL NOTE: Add the following letters to the part number for desired color:

BL- Black **BR**- Brown **GR**- Green



SCS Color Fence System 20 Year Limited Warranty

Warranty Coverage Includes:

Security Contractor Services, Inc. (SCS) warrants to the ORIGINAL PURCHASER and not to any other purchaser, and not to any subsequent owner that is SCS COLOR FENCE SYSTEM is free from defects in material and workmanship for a period of TWENTY (20) YEARS from date of purchase. This warranty applies to fence materials that have been manufactured and/or supplied by SCS to the ORIGINAL PURCHASER.

SCS is providing this warranty in lieu of all other warranties, expressed or implied, including but not limited to, the implied warranties of merchantability and fitness for a particular purpose and no SCS agent or employee is authorized to make any modification, extension or addition to this warranty.

Warranty Does Not Cover:

This warranty only applies to defects resulting from normal use and not from changes caused by installation, alteration, accident, abuse, fire, flood or acts of God. Use in harsh industrial, coastal or marine environments is not warranted.

General Conditions and Exclusions:

Under this warranty SCS's obligation is limited to the replacement of defective material only. Reimbursement for the cost of removal and/or installation, delivery charges, sales tax or any other charges is not included, nor is SCS required to provide such services.

SCS is not responsible for injury, property damage or other indirect, special or consequential damages arising directly out of use of this material, notwithstanding the fact that said injury or damage arose directly or indirectly from an actual defect in material and/or workmanship.

Some states do not allow limitations on how long an implied warranty lasts. Nor do they allow an exclusion or limitation of incidental or consequential damages, to the limitations and exclusions noted here may not apply to your purchase.

Warranty Registration:

Warranty coverage is not conditional upon the return of the warranty registration form, provided the original customer can furnish proof that the SCS COLOR FENCE SYSTEM was supplied by SCS and meets the warranty requirements. A properly completed warranty registration form and certification of your dealer returned to SCS within 30 days of purchase is the best proof of coverage under this limited warranty.



VIEWGUARD & VIEWGUARD *plus*

ViewGuard® and ViewGuard Plus® are nationally recognized as the premier privacy fencing products on the market today. An attractive, cost effective and extremely durable alternative to wood-slatted fencing, ViewGuard® products are perfect for a wide variety of fencing needs. The High Density Polyethylene slats come in a wide range of colors. The colors shown in the brochure are stocked by Security Contractor Services, however, many more colors are available. Contact SCS for a full line of colors.

All ViewGuard® and ViewGuard Plus® slatted fences include:

- › **Comprehensive Manufacturing Process**
Each 2-3/8" slat is inserted vertical and individually secured to the wire with a stainless steel staple. This process ensure the stability and integrity of each individual component. ViewGuard® is also available using PVC coated Bonded (fusion adhered) wire to match the plastic slats.
- › **Durable Quality Material**
Our standard ViewGuard® and ViewGuard Plus® with galvanized wire is woven using 9 ga. weaving wire (.148" diam.) with an average of 1.2 oz. Zinc coating per square foot. The diamond size needed to accommodate the 2-3/8" slats is 3-1/2" x 5-1/2".


- › **Weather Resistant**
Made from a high density polyethylene blend, our UV stabilized wide slats (2-3/8") are resistant to chemical, salt and petroleum products.
 - › **Multiple Uses**
With the privacy that ViewGuard® and ViewGuard Plus® have to offer, in addition to its durability, it is a natural application for commercial, industrial and residential environments.
 - › **Easy Maintenance**
Because of the ViewGuard® and ViewGuard Plus® high density polyethylene finish, its natural, clean look can always be restored by rain or one quick rinse with a garden hose.
 - › **Made to Order**
8 ga. Vinyl Coated Fused Bonded Wire is available in Black, Green, Brown, Beige and White.
- You can order any of our eight standard colors (featured below) or design your own color scheme by using an infinite number of combinations with our various colors.




VIEWGUARD

VIEWGUARD^{plus}


Isometric View




Section View




Galvanized Wire



Isometric View




Section View



Galvanized Wire



Meets ASTM,
AASHTO &
Federal
Specifications



Bonded Wire



Bonded Wire

VIEWGUARD	
CHAIN-LINK FABRIC	
Type	Galvanized Before Weaving
Gauge	9
Mesh	1-1/4", 2", 2-1/4", 2-3/8"
Heights	3'-12'
Selvage	Barb-Knuckle (BK)
Colors	

**Viewguard 9 ga. Galvanized 1.2 oz.
Wire with 2 3/8" wide PDS Slats. 25' Rolls**
Call a SCS representative for additional colors and availability.

HEIGHT/COLOR	PART NO.	WEIGHT/FT
4' Green	050084	3.50 lbs.
5' Green	050085	4.38 lbs.
6' Green	050086	5.25 lbs.
7' Green	050087	6.13 lbs.
8' Green	050088	7.00 lbs.
10' Green	050090	8.75 lbs.
12' Green	050092	10.50 lbs.

6' Black	050156	5.25 lbs.
7' Black	050157	6.13 lbs.
8' Black	050158	7.00 lbs.
10' Black	050160	8.75 lbs.
12' Black	050161	10.50 lbs.


6' Blue	050196	5.25 lbs.
7' Blue	050197	6.13 lbs.
8' Blue	050198	7.00 lbs.

4' Grey	050254	3.50 lbs.
5' Grey	050255	4.38 lbs.
6' Grey	050256	5.25 lbs.
7' Grey	050257	6.13 lbs.
8' Grey	050258	7.00 lbs.
10' Grey	050260	8.75 lbs.
12' Grey	050262	10.50 lbs.

4' Brown	050294	3.50 lbs.
5' Brown	050295	4.38 lbs.
6' Brown	050296	5.25 lbs.
7' Brown	050297	6.13 lbs.
8' Brown	050298	7.00 lbs.
10' Brown	050300	8.75 lbs.
12' Brown	050302	10.50 lbs.

4' Red	050314	3.50 lbs.
5' Red	050315	4.38 lbs.
6' Red	050316	5.25 lbs.
7' Red	050317	6.13 lbs.
8' Red	050318	7.00 lbs.
10' Red	050320	8.75 lbs.
12' Red	050322	10.50 lbs.

ALL OF THE ABOVE ALSO AVAILABLE WITH 8 GA. VINYL COATED WIRE






Viewguard 9 ga. Galvanized 1.2 oz.
Wire with 2 3/8" wide PDS Slats 25' Rolls
Call a SCS representative for additional colors and availability.

HEIGHT/COLOR	PART NO.	WEIGHT/FT
4' Beige	050324	3.50 lbs.
5' Beige	050325	4.38 lbs.
6' Beige	050326	5.25 lbs.
7' Beige	050327	6.13 lbs.
8' Beige	050328	7.00 lbs.
10' Beige	050330	8.75 lbs.
12' Beige	050332	10.50 lbs.

6' White	050416	5.25 lbs.
7' White	050417	6.13 lbs.
8' White	050418	7.00 lbs.
10' White	050420	8.75 lbs.
12' White	050422	10.50 lbs.

ALL OF THE ABOVE ALSO AVAILABLE WITH 8GA VINYL COATED WIRE





Viewguardplus 9 ga. Galvanized 1.2 oz. Wire with 23/8" wide PDS Slats 25' Rolls

HEIGHT/COLOR	PART NO.	WEIGHT/FT
4' Green	49004	3.50 lbs.
5' Green	49005	4.38 lbs.
6' Green	49006	5.25 lbs.
7' Green	49007	6.13 lbs.
8' Green	49008	7.00 lbs.
6' Black	49166	5.25 lbs.
7' Black	49167	6.13 lbs.
8' Black	49168	7.00 lbs.

6' Blue	49146	5.25 lbs.
7' Blue	49147	6.13 lbs.
8' Blue	49148	7.00 lbs.

4' Grey	49124	3.50 lbs.
5' Grey	49125	4.38 lbs.
6' Grey	49126	5.25 lbs.
7' Grey	49127	6.13 lbs.
8' Grey	49128	7.00 lbs.

4' Brown	49024	3.50 lbs.
5' Brown	49025	4.38 lbs.
6' Brown	49026	5.25 lbs.
7' Brown	49027	6.13 lbs.
8' Brown	49028	7.00 lbs.

4' Red	49044	3.50 lbs.
5' Red	49045	4.38 lbs.
6' Red	49046	5.25 lbs.
7' Red	49047	6.13 lbs.
8' Red	49048	7.00 lbs.

ALL OF THE ABOVE AVAILABLE IN VINYL COATED WIRE

Viewguardplus 9 ga. Galvanized 1.2 oz Wire with 23/8" wide PDS Slats 25' Rolls

HEIGHT/COLOR	PART NO.	WEIGHT/FT
4' Beige	049064	3.50 lbs.
5' Beige	049065	4.38 lbs.
6' Beige	049066	5.25 lbs.
7' Beige	049067	6.13 lbs.
8' Beige	049068	7.00 lbs.
6' White	049096	5.25 lbs.
7' White	049097	6.13 lbs.
8' White	049098	7.00 lbs.

ALL OF THE ABOVE AVAILABLE WITH 8GA VINYL COATED WIRE



COMPARING THE SYSTEMS...



SYSTEM DESIGN OPTIONS	GALVANIZED	VIEWGUARD	PERMACOAT
Colors	N/A	8 options	3 options
Heights	3' - 12'	3' - 12'	3' - 12'
Mesh	10 Choices	9 Choices	9 Choices
DURABILITY			
Corrosion Resistant	Good	Better	Best
Fade Resistant	N/A	Better	Best
Peel Resistant	N/A	Better	Best
Weather Resistant	Good	Better	Best
Abrasion Resistant	Good	Better	Best
Chemical Resistant	Good	Better	Best
Low Temperature Resistant	Good	Better	Best
COATINGS			
Coating Material	Galvanized Zinc	Polyester	Heavy Mil
Coating Process	Galvanized Before	9 Stage In-Line Process	11 Stage In-Line Coating Process
WARRANTY			
	12 Years	12 Years	15 Years



Different manufacturing process:

- › Hot-Dip
- › Pre-Galv
- › Polyester (color)
- › Heavy Mil (color)

Hot Dip

Hot -Dip pipe is formed before being galvanized and coated with chromate inside and out for protection against corrosion and white rust.

Meets or exceeds ASTM F1083 and ASTM F1043.

Pre-Galv

Pre-Galvanized pipe is made from hot-dip galvanized flat roll that is then formed and welded. It is treated with Conversion Coating inhibiting white rust and with a clear exterior seal coating.

Pre-Galv meets or exceeds ASTM F1043 – 6 Standard Specification for Strength.

Pre-Galv also meets or exceeds ASTM F1043 – 10 Type B, 0.9oz Zinc Coating.

Polyester (Color)

Polyester is corrosion-resistant and UV-resistant. It is corrosion-resistant and UV-resistant.

Polyester meets or exceeds ASTM F 668 and ASTM F 1043 3-5 Mils.

Heavy Mil (Color)

Heavy Mil is coated in Poly Vinyl Chloride powder and has an 8-stage pre-treatment and coating process. It is corrosion-resistant and UV-resistant.

Heavy Mil pipe meets or exceeds ASTM F 668 and ASTM F 1043 Type A 12-15 Mils.

Heavy Mil Schedule 40 and Heavy Mil Flo Coat and Pre-Galv are both USA Certified.

Residential Framework

Top Rail: 1-3/8" or 1-5/8"

Line Post: 1-5/8" or 1-7/8"

Term Post: 1-7/8" or 2-3/8"

Gate Post: 1-7/8" or 3-3/8"

Commercial Framework

Top Rail: 1-3/8" or 1-5/8"

Line Post: 1-7/8" or 2-3/8"

Term Post: 2-3/8" or 2-7/8"

Gate Post: 2-3/8" or 2-7/8"

RESIDENTIAL			
	O.D.	WALL THICKNESS	GAUGE
16 Gauge		0.065	16

COMMERCIAL			
	O.D.	WALL THICKNESS	GAUGE
CR20	1-3/8"	0.080	14
	1-5/8"	0.085	14
	1-7/8"	0.090	13
	2-3/8"	0.095	13
	2-7/8"	0.110	12

INDUSTRIAL			
	O.D.	WALL THICKNESS	GAUGE
CR40	1-5/8"	0.111	12
	1-7/8"	0.120	11
	2-3/8"	0.130	10
	2-7/8"	0.160	9
	4"	0.160	8
Import & Domestic Full Weight - Sch. 40 1.8 oz	1-5/8"	0.140	9-1/2
	1-7/8"	0.145	9
	2-3/8"	0.154	8
	2-7/8"	0.203	6
	4"	0.226	5
	6-5/8"	0.280	1
Import & Domestic Full Weight - Sch. 40 2.0 oz	1-5/8"	0.140	9-1/2
	1-7/8"	0.145	9
	2-3/8"	0.154	8
	2-7/8"	0.203	6
	4"	0.226	5

NOTE: The diameters listed on this page for top rail and posts are meant to be suggestions for framework sizing.

Industrial Framework

Top Rail: 1-5/8"

Line Post: 1-7/8", 2-3/8", 2-7/8", 4"

Term Post: 2-3/8", 2-7/8", 4"

Gate Post: 2-3/8", 2-7/8", 4", 6-5/8", 8-5/8"

DOMESTIC PIPE



Tubing 16 Gauge / Nominal Wall thickness .065

DESCRIPTION	PART NO.	WEIGHT/FT	QTY/LIFT
1 3/8" x 21'	330221	0.918	91
1 3/8" x 24'	330224	0.918	91
1 3/8" x 21' Swedge End	330321	0.918	91

1 5/8" x 7'	330407	1.17	61
1 5/8" x 8'	330408	1.17	61
1 5/8" x 18'	330423	1.17	61
1 5/8" x 21'	330421	1.17	61
1 5/8" x 24'	330421	1.17	61
1 5/8" x 21' Swedge End	330521	1.17	61

1 7/8" x 6'	331503	1.35	61
1 7/8" x 7'	331505	1.35	61
1 7/8" x 8'	331507	1.35	61
1 7/8" x 18'	331518	1.35	61
1 7/8" x 21'	331521	1.35	61
1 7/8" x 24'	331524	1.35	61

2 3/8" x 6'	331603	1.70	37
2 3/8" x 7'	331605	1.70	37
2 3/8" x 8'	331607	1.70	37
2 3/8" x 9'	331608	1.70	37
2 3/8" x 10' 6"	331610	1.70	37
2 3/8" x 18'	331618	1.70	37
2 3/8" x 21'	331621	1.70	37
2 3/8" x 24'	331624	1.70	37



DOMESTIC PIPE



Domestic CR20

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
1 3/8" X 21'	880029	.080	1.06	61
1 3/8" X 24'	880030	.080	1.06	61

1 5/8" x 6'	880036	.085	1.46	61
1 5/8" x 7'	880037	.085	1.46	61
1 5/8" x 8'	880041	.085	1.46	61
1 5/8" x 9'	880039	.085	1.46	61
1 5/8" x 10'	880040	.085	1.46	61
1 5/8" x 10' 6"	880042	.085	1.46	61
1 5/8" x 21' Swedge End	880043	.085	1.46	61
1 5/8" x 21'	880044	.085	1.46	61
1 5/8" x 24'	880045	.085	1.46	61

1 7/8" x 6'	880055	.090	1.75	61
1 7/8" x 7'	880057	.090	1.75	61
1 7/8" x 8'	880056	.090	1.75	61
1 7/8" x 9'	880058	.090	1.75	61
1 7/8" x 10'	880060	.090	1.75	61
1 7/8" x 11'	880061	.090	1.75	61
1 7/8" x 12'	880065	.090	1.75	61
1 7/8" x 18'	880062	.090	1.75	61
1 7/8" x 21'	880063	.090	1.75	61
1 7/8" x 24'	880064	.090	1.75	61



Domestic CR20

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
2 3/8" x 6'	880070	.095	2.29	37
2 3/8" x 7'	880071	.095	2.29	37
2 3/8" x 8'	880076	.095	2.29	37
2 3/8" x 9'	880078	.095	2.29	37
2 3/8" x 10'	880075	.095	2.29	37
2 3/8" x 18'	880086	.095	2.29	37
2 3/8" x 21'	880087	.095	2.29	37
2 3/8" x 24'	880088	.095	2.29	37

2 7/8" x 6'	880092	.110	3.25	19
2 7/8" x 7'	880093	.110	3.25	19
2 7/8" x 8'	880096	.110	3.25	19
2 7/8" x 9'	880101	.110	3.25	19
2 7/8" x 10'	880098	.110	3.25	19
2 7/8" x 11'	880099	.110	3.25	19
2 7/8" x 12'	880100	.110	3.25	19
2 7/8" x 21'	880091	.110	3.25	19
2 7/8" x 24'	880094	.110	3.25	19

DOMESTIC PIPE



Domestic CR40 / Meets ASTM F1043 Group IC

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
1 3/8" x 21'	880140	.104	1.34	91
1 3/8" x 24'	880138	.104	1.34	91

1 5/8" x 5'	880135	.111	1.83	61
1 5/8" x 6'	880136	.111	1.83	61
1 5/8" x 7'	880137	.111	1.83	61
1 5/8" x 8'	880141	.111	1.83	61
1 5/8" x 9'	880129	.111	1.83	61
1 5/8" x 10'	880130	.111	1.83	61
1 5/8" x 10' 6"	880131	.111	1.83	61
1 5/8" x 12'	880132	.111	1.83	61
1 5/8" x 18'	880133	.111	1.83	61
1 5/8" x 21'	880142	.111	1.83	61
1 5/8" x 24'	880143	.111	1.83	61

1 7/8" x 5'	880275	.120	2.28	61
1 7/8" x 6'	880144	.120	2.28	61
1 7/8" x 7'	880277	.120	2.28	61
1 7/8" x 8'	880150	.120	2.28	61
1 7/8" x 9'	880147	.120	2.28	61
1 7/8" x 10'	880280	.120	2.28	61
1 7/8" x 10' 6"	880281	.120	2.28	61
1 7/8" x 12'	880282	.120	2.28	61
1 7/8" x 18'	880148	.120	2.28	61
1 7/8" x 21'	880151	.120	2.28	61
1 7/8" x 24'	880154	.120	2.28	61

DOMESTIC PIPE



Domestic CR40 / Meets ASTM F1043 Group IC

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
2 3/8" x 5'	880152	.130	3.12	37
2 3/8" x 6'	880165	.130	3.12	37
2 3/8" x 7'	880169	.130	3.12	37
2 3/8" x 8'	880156	.130	3.12	37
2 3/8" x 9'	880157	.130	3.12	37
2 3/8" x 10'	880283	.130	3.12	37
2 3/8" x 10' 6"	880159	.130	3.12	37
2 3/8" x 12'	880163	.130	3.12	37
2 3/8" x 18'	880158	.130	3.12	37
2 3/8" x 21'	880161	.130	3.12	37
2 3/8" x 24'	880164	.130	3.12	37

2 7/8" x 5'	880285	.160	4.64	19
2 7/8" x 6'	880172	.160	4.64	19
2 7/8" x 7'	880286	.160	4.64	19
2 7/8" x 8'	880180	.160	4.64	19
2 7/8" x 9'	880174	.160	4.64	19
2 7/8" x 10'	880171	.160	4.64	19
2 7/8" x 10' 6"	880185	.160	4.64	19
2 7/8" x 12'	880175	.160	4.64	19
2 7/8" x 18'	880178	.160	4.64	19
2 7/8" x 21'	880181	.160	4.64	19
2 7/8" x 24'	880184	.160	4.64	19

3 1/2" x 9'	880189	.160	5.71	19
3 1/2" x 10' 6"	880192	.160	5.71	19
3 1/2" x 12'	880195	.160	5.71	19
3 1/2" x 18'	880190	.160	5.71	19
3 1/2" x 21'	880191	.160	5.71	19
3 1/2" x 24'	880194	.160	5.71	19

DOMESTIC PIPE



Domestic CR40 / Meets ASTM F1043 Group IC

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
4" x 5'	880225	.160	6.56	19
4" x 6'	880226	.160	6.56	19
4" x 7'	880227	.160	6.56	19
4" x 8'	880228	.160	6.56	19
4" x 9'	880214	.160	6.56	19
4" x 10'	880215	.160	6.56	19
4" x 12'	880212	.160	6.56	19
4" x 18'	080218	.160	6.56	19
4" x 21'	080221	.160	6.56	19
4" x 24'	080224	.160	6.56	19

DOMESTIC PIPE



Domestic Full Weight (Schedule 40) / 1.8 oz - Meets ASTM F1043 Group A F1083

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
1 3/8" x 21'	035321	.133	1.68	60
1 3/8" x 24'	035324	.133	1.68	60

1 5/8" x 5'	035505	.140	2.27	42
1 5/8" x 6'	035506	.140	2.27	42
1 5/8" x 7'	035507	.140	2.27	42
1 5/8" x 8'	035508	.140	2.27	42
1 5/8" x 9'	035509	.140	2.27	42
1 5/8" x 10'	035510	.140	2.27	42
1 5/8" x 18'	035518	.140	2.27	42
1 5/8" x 21'	035591	.140	2.27	42
1 5/8" x 24'	035594	.140	2.27	42

1 7/8" x 5'	035805	.145	2.72	36
1 7/8" x 6'	035806	.145	2.72	36
1 7/8" x 7'	035807	.145	2.72	36
1 7/8" x 8'	035808	.145	2.72	36
1 7/8" x 9'	035809	.145	2.72	36

1 7/8" x 18'	035818	.145	2.72	36
1 7/8" x 21'	035821	.145	2.72	36
1 7/8" x 24'	035824	.145	2.72	36

2 3/8" x 5'	035105	.154	3.65	26
2 3/8" x 6'	035106	.154	3.65	26
2 3/8" x 7'	035104	.154	3.65	26
2 3/8" x 8'	035107	.154	3.65	26
2 3/8" x 8' 6"	035108	.154	3.65	26
2 3/8" x 9'	035109	.154	3.65	26
2 3/8" x 10'	035110	.154	3.65	26
2 3/8" x 10' 6"	035115	.154	3.65	26
3 3/8" x 11"	035111	.154	3.65	26
2 3/8" x 18'	035118	.154	3.65	26
2 3/8" x 21'	035121	.154	3.65	26
2 3/8" x 24'	035124	.154	3.65	26

DOMESTIC PIPE



Domestic Full Weight (Schedule 40) / 1.8 oz - Meets ASTM F1043 Group A F1083

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
2 7/8" x 5'	035305	.203	5.79	18
2 7/8" x 6'	035306	.203	5.79	18
2 7/8" x 7'	035307	.203	5.79	18
2 7/8" x 8'	035308	.203	5.79	18
2 7/8" x 8' 6"	035309	.203	5.79	18
2 7/8" x 9'	035369	.203	5.79	18
2 7/8" x 10'	035310	.203	5.79	18
2 7/8" x 10' 6'	035313	.203	5.79	18
2 7/8" x 11'	035311	.203	5.79	18
2 7/8" x 12'	035312	.203	5.79	18
2 7/8" x 18'	034738	.203	5.79	18
2 7/8" x 21'	034731	.203	5.79	18
2 7/8" x 24'	034734	.203	5.79	18

3 1/2" x 5'	035405	.216	7.57	14
3 1/2" x 6'	035406	.216	7.57	14
3 1/2" x 7'	035407	.216	7.57	14
3 1/2" x 8'	035408	.216	7.57	14
3 1/2" x 8' 6"	035411	.216	7.57	14
3 1/2" x 9'	035409	.216	7.57	14
3 1/2" x 10'	035410	.216	7.57	14
3 1/2" x 10' 6"	0354205	.216	7.57	14
3 1/2" x 18'	035418	.216	7.57	14
3 1/2" x 21'	035421	.216	7.57	14
3 1/2" x 24'	035424	.216	7.57	14

4" x 5'	035455	.226	9.11	12
4" x 6'	035456	.226	9.11	12
4" x 7'	035475	.226	9.11	12
4" x 8'	035458	.226	9.11	12
4" x 9'	035459	.226	9.11	12
4" x 10'	035460	.226	9.11	12
4" x 11'	035461	.226	9.11	12
4" x 12'	035462	.226	9.11	12
4" x 18'	034742	.226	9.11	12
4" x 21'	034741	.226	9.11	12
4" x 24'	034744	.226	9.11	12

DOMESTIC PIPE



Domestic Full Weight (Schedule 40) / 1.8 oz - Meets ASTM F1043 Group A F1083

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
4 1/2" x 5'	035495	.237	10.79	10
4 1/2" x 6'	035496	.237	10.79	10
4 1/2" x 7'	035497	.237	10.79	10
4 1/2" x 8'	035498	.237	10.79	10
4 1/2" x 9'	035479	.237	10.79	10
4 1/2" x 10'	035480	.237	10.79	10
4 1/2" x 11'	035499	.237	10.79	10
4 1/2" x 12'	035482	.237	10.79	10
4 1/2" x 18'	035478	.237	10.79	10
4 1/2" x 21'	035481	.237	10.79	10
4 1/2" x 24'	035484	.237	10.79	10

5 1/2" x 5'	035483	0.258	14.62	8
5 1/2" x 6'	035486	0.258	14.62	8
5 1/2" x 7'	035487	0.258	14.62	8
5 1/2" x 8'	035508	0.258	14.62	8
5 1/2" x 9'	035509	0.258	14.62	8
5 1/2" x 10'	035490	0.258	14.62	8
5 1/2" x 10' 6"	035492	0.258	14.62	8
5 1/2" x 11'	035493	0.258	14.62	8
5 1/2" x 12'	035512	0.258	14.62	8
5 1/2" x 18'	035488	0.258	14.62	8
5 1/2" x 21'	035491	0.258	14.62	8
5 1/2" x 24'	035494	0.258	14.62	8

DOMESTIC PIPE



Domestic Full Weight (Schedule 40) / 1.8 oz - Meets ASTM F1043 Group A F1083

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
6 5/8" x 5'	035515	.280	18.97	7
6 5/8" x 6'	035516	.280	18.97	7
6 5/8" x 7'	035517	.280	18.97	7
6 5/8" x 8'	035518	.280	18.97	7
6 5/8" x 9'	035519	.280	18.97	7
6 5/8" x 10'	035520	.280	18.97	7
6 5/8" x 10' 6"	035523	.280	18.97	7
6 5/8" x 11'	035521	.280	18.97	7
6 5/8" x 12'	035522	.280	18.97	7
6 5/8" x 18'	035568	.280	18.97	7
6 5/8" x 21'	035571	.280	18.97	7
6 5/8" x 24'	035574	.280	18.97	7

8 5/8" x 5'	035605	.322	28.55	3
8 5/8" x 6'	035606	.322	28.55	3
8 5/8" x 7'	035607	.322	28.55	3
8 5/8" x 8'	035608	.322	28.55	3
8 5/8" x 9'	035609	.322	28.55	3
8 5/8" x 10'	035610	.322	28.55	3
8 5/8" x 10' 6"	035619	.322	28.55	3
8 5/8" x 11'	035611	.322	28.55	3
8 5/8" x 12'	035612	.322	28.55	3
8 5/8" x 18'	035618	.322	28.55	3
8 5/8" x 21'	035621	.322	28.55	3
8 5/8" x 24'	035624	.322	28.55	3

DOMESTIC PIPE



Domestic 16GA / Nominal Wall thickness .065

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
1 5/8 BLK POLY USA 065 SE X 21	079032	.065	1.11	61
1 5/8 BLK POLY USA 065 X 21'	079031	.065	1.11	61
1 5/8 BLK POLY USA 065 X 24'	079034	.065	1.11	61

1 7/8 BLK POLY USA 065 X 6'	079036	.065	1.27	61
1 7/8 BLK POLY USA 065 X 7'	079037	.065	1.27	61
1 7/8 BLK POLY USA 065 X 8'	079038	.065	1.27	61
1 7/8 BLK POLY USA 065 X 21'	079041	.065	1.27	61
1 7/8 BLK POLY USA 065 X 24'	079044	.065	1.27	61

2 3/8 BLK POLY USA 065 X 6'	079046	.065	1.60	61
2 3/8 BLK POLY USA 065 X 7'	079047	.065	1.60	61
2 3/8 BLK POLY USA 065 X 8'	079048	.065	1.60	61
2 3/8 BLK POLY USA 065 X 9'	079049	.065	1.60	61
2 3/8 BLK POLY USA 065 X 10' 6	079050	.065	1.60	61
2 3/8 BLK POLY USA 065 X 18'	079058	.065	1.60	61
2 3/8 BLK POLY USA 065 X 21'	079061	.065	1.60	61
2 3/8 BLK POLY USA 065 X 24'	079064	.065	1.60	61

DOMESTIC PIPE



Domestic Color CR20

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
1 5/8 BLK POLY USA CR20 SE X21	079082	.085	1.43	61
1 5/8 BLK POLY USA CR20 X 21'	079081	.085	1.43	61
1 5/8 BLK POLY USA CR20 X 24'	079084	.085	1.43	61

1 7/8 BLK POLY USA CR20 X 8'	079088	.090	1.74	61
1 7/8 BLK POLY USA CR20 X 9'	079089	.090	1.74	61
1 7/8 BLK POLY USA CR20 X 18'	079098	.090	1.74	61
1 7/8 BLK POLY USA CR20 X 21'	079101	.090	1.74	61
1 7/8 BLK POLY USA CR20 X 24'	079104	.090	1.74	61

2 3/8 BLK POLY USA CR20 X 7'	079107	.095	2.31	37
2 3/8 BLK POLY USA CR20 X 8'	079108	.095	2.31	37
2 3/8 BLK POLY USA CR20 X 9'	079109	.095	2.31	37
2 3/8 BLK POLY USA CR20 X 13'	079113	.095	2.31	37
2 3/8 BLK POLY USA CR20 X 18'	079118	.095	2.31	37
2 3/8 BLK POLY USA CR20 X 21'	079121	.095	2.31	37
2 3/8 BLK POLY USA CR20 X 24'	079124	.095	2.31	37

2 7/8 BLK POLY USA CR20 X 8'	079148	.110	3.25	19
2 7/8 BLK POLY USA CR20 X 9'	079149	.110	3.25	19
2 7/8 BLK POLY USA CR20 X 13'	079133	.110	3.25	19
2 7/8 BLK POLY USA CR20 X 18'	079138	.110	3.25	19
2 7/8 BLK POLY USA CR20 X 21'	079141	.110	3.25	19
2 7/8 BLK POLY USA CR20 X 24'	079144	.110	3.25	19

DOMESTIC PIPE



Domestic Color CR40

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
1 5/8 BLK POLY USA CR40 X 21'	079221	.111	1.84	61
1 5/8 BLK POLY USA CR40 X 24'	079224	.111	1.84	61

1 7/8 BLK POLY USA CR40 X 7'	079236	.120	2.28	61
1 7/8 BLK POLY USA CR40 X 8'	079237	.120	2.28	61
1 7/8 BLK POLY USA CR40 X 8' 8	079246	.120	2.28	61
1 7/8 BLK POLY USA CR40 X 9'	079239	.120	2.28	61
1 7/8 BLK POLY USA CR40 X 18'	079238	.120	2.28	61
1 7/8 BLK POLY USA CR40 X 21'	079231	.120	2.28	61
1 7/8 BLK POLY USA CR40 X 24'	079234	.120	2.28	61

2 3/8 BLK POLY USA CR40 X 8'	079257	.130	3.12	37
2 3/8 BLK POLY USA CR40 X 8'8"	079256	.130	3.12	37
2 3/8 BLK POLY USA CR40 X 9'	079259	.130	3.12	37
2 3/8 BLK POLY USA CR40 X 10'	079290	.130	3.12	37
2 3/8 BLK POL USA CR40 X 10'6"	079260	.130	3.12	37
2 3/8 BLK POLY USA CR40 X 11'	079291	.130	3.12	37
2 3/8 BLK POLY USA CR40 X 12'	079292	.130	3.12	37
2 3/8 BLK POLY USA CR40 X 13'	079293	.130	3.12	37
2 3/8 BLK POLY USA CR40 X 18'	079258	.130	3.12	37
2 3/8 BLK POLY USA CR40 X 21'	079251	.130	3.12	37
2 3/8 BLK POLY USA CR40 X 24'	079254	.130	3.12	37

2 7/8 BLK POLY USA CR40 X 9'	079269	.160	4.64	19
2 7/8 BLK POLY USA CR40 X 10'	079270	.160	4.64	19
2 7/8 BLK POLY USA CR40 X 11'	079271	.160	4.64	19
2 7/8 BLK POLY USA CR40 X 18'	079268	.160	4.64	19
2 7/8 BLK POLY USA CR40 X 21'	079261	.160	4.64	19
2 7/8 BLK POLY USA CR40 X 24'	079264	.160	4.64	19

4 BLK POLY USA CR40 X 18'	079288	.160	6.56	19
4 BLK POLY USA CR40 X 21'	079281	.160	6.56	19



Schedule 40 Import Pipe Meets A53A/F1083

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
2 3/8" x 5'	034105	.154	3.65	26
2 3/8" x 6'	034106	.154	3.65	26
2 3/8" x 7'	034104	.154	3.65	26
2 3/8" x 8'	034107	.154	3.65	26
2 3/8" x 8' 6"	034108	.154	3.65	26
2 3/8" x 9'	034109	.154	3.65	26
2 3/8" x 10'	034110	.154	3.65	26
2 3/8" x 10' 6"	034115	.154	3.65	26
3 3/8" x 11"	034111	.154	3.65	26
2 3/8" x 18'	034118	.154	3.65	26
2 3/8" x 21'	034121	.154	3.65	26
2 3/8" x 24'	034124	.154	3.65	26

2 7/8" x 5'	034305	.203	5.79	18
2 7/8" x 6'	034306	.203	5.79	18
2 7/8" x 7'	034307	.203	5.79	18
2 7/8" x 8'	034308	.203	5.79	18
2 7/8" x 8' 6"	034309	.203	5.79	18
2 7/8" x 9'	034369	.203	5.79	18
2 7/8" x 10'	034310	.203	5.79	18
2 7/8" x 10' 6"	034313	.203	5.79	18
2 7/8" x 11'	034311	.203	5.79	18
2 7/8" x 12'	034312	.203	5.79	18
2 7/8" x 18'	034348	.203	5.79	18
2 7/8" x 21'	034351	.203	5.79	18
2 7/8" x 24'	034354	.203	5.79	18

Schedule 40 Import Pipe Meets A53A/F1083

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
3 1/2" x 10' 6"	034420	.216	7.57	14
3 1/2" x 18'	034418	.216	7.57	14
3 1/2" x 21'	034421	.216	7.57	14
3 1/2" x 24'	034424	.216	7.57	14
4" x 9'	034459	.226	9.11	12
4" x 10'	034460	.226	9.11	12
4" x 11'	034461	.226	9.11	12
4" x 12'	034462	.226	9.11	12
4" x 18'	034472	.226	9.11	12
4" x 21'	034473	.226	9.11	12
4" x 24'	034474	.226	9.11	12
4 1/2" x 18'	034478	.237	10.79	10
4 1/2" x 21'	034481	.237	10.79	10
4 1/2" x 24'	034484	.237	10.79	10
5 1/2" x 21'	034491	0.258	14.62	8
5 1/2" x 24'	034494	0.258	14.62	8
6 5/8" x 24'	034574	.280	18.97	7
8 5/8" x 21'	034621	.322	28.55	3
8 5/8" x 24'	034624	.322	28.55	3

IMPORT PIPE



Structural Import Pipe (Schedule 20)

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
1 3/8" x 21'	031781	.104	1.35	91
1 3/8" x 24'	031784	.104	1.35	91

1 5/8" x 6'	013906	.104	1.73	61
1 5/8" x 7'	031907	.104	1.73	61
1 5/8" x 8'	031908	.104	1.73	61
1 5/8" x 9'	031909	.104	1.73	61
1 5/8" x 10'	031910	.104	1.73	61
1 5/8" x 21'	031981	.104	1.73	61
1 5/8" x 24'	031984	.104	1.73	61

1 7/8" x 6'	032156	.116	2.19	61
1 7/8" x 7'	032159	.116	2.19	61
1 7/8" x 8'	032157	.116	2.19	61
1 7/8" x 9'	032158	.116	2.19	61
1 7/8" x 10'	032160	.116	2.19	61
1 7/8" x 18'	032178	.116	2.19	61
1 7/8" x 21'	032181	.116	2.19	61
1 7/8" x 24'	032184	.116	2.19	61

2 3/8" x 5'	032355	.116	2.76	37
2 3/8" x 6'	032354	.116	2.76	37
2 3/8" x 7'	032356	.116	2.76	37
2 3/8" x 8'	032357	.116	2.76	37
2 3/8" x 9'	032358	.116	2.76	37
2 3/8" x 10'	032360	.116	2.76	37
2 3/8" x 11'	032361	.116	2.76	37
2 3/8" x 12'	032362	.116	2.76	37
2 3/8" x 18'	032578	.116	2.76	37
2 3/8" x 21'	032381	.116	2.76	37
2 3/8" x 24'	032384	.116	2.76	37

2 7/8" x 5'	032515	.128	3.90	19
2 7/8" x 6'	032516	.128	3.90	19
2 7/8" x 7'	032517	.128	3.90	19
2 7/8" x 8'	032518	.128	3.90	19
2 7/8" x 9'	032519	.128	3.90	19
2 7/8" x 10'	032520	.128	3.90	19
2 7/8" x 11'	032521	.128	3.90	19
2 7/8" x 12'	032522	.128	3.90	19
2 7/8" x 18'	032578	.128	3.90	19
2 7/8" x 21'	032581	.128	3.90	19
2 7/8" x 24'	032584	.128	3.90	19



Schedule 40 Import Pipe Meets A53A/F1083

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
1 3/8" x 21'	033321	.133	1.68	60
1 3/8" x 24'	033324	.133	1.68	60

1 5/8" x 5'	033505	.140	2.27	42
1 5/8" x 6'	033506	.140	2.27	42
1 5/8" x 7'	033507	.140	2.27	42
1 5/8" x 8'	033508	.140	2.27	42
1 5/8" x 9'	033509	.140	2.27	42
1 5/8" x 10'	033510	.140	2.27	42
1 5/8" x 18'	033518	.140	2.27	42
1 5/8" x 21'	033591	.140	2.27	42
1 5/8" x 24'	033594	.140	2.27	42

1 7/8" x 5'	033805	.145	2.72	36
1 7/8" x 6'	033806	.145	2.72	36
1 7/8" x 7'	033807	.145	2.72	36
1 7/8" x 8'	033808	.145	2.72	36
1 7/8" x 9'	033809	.145	2.72	36
1 7/8" x 18'	033818	.145	2.72	36
1 7/8" x 21'	033821	.145	2.72	36
1 7/8" x 24'	033824	.145	2.72	36



Import 16GA / Nominal Wall thickness .065

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
1 3/8 BLK POLY 065 SE X 21'	064022	.065	0.87	61
1 3/8 BLK POLY 065 X 21'	064021	.065	0.87	61
1 3/8 BLK POLY 065 X 24'	064024	.065	0.87	61

1 5/8 BLK POLY 065 SE X 21'	064032	.065	1.11	61
1 5/8 BLK POLY 065 X 21'	064031	.065	1.11	61
1 5/8 BLK POLY 065 X 24'	064034	.065	1.11	61

1 7/8 BLK POLY 065 X 6'	064036	.065	1.27	37
1 7/8 BLK POLY 065 X 7'	064037	.065	1.27	37
1 7/8 BLK POLY 065 X 8'	064038	.065	1.27	37
1 7/8 BLK POLY 065 X 9'	064039	.065	1.27	37
1 7/8 BLK POLY 065 X 21'	064041	.065	1.27	37
1 7/8 BLK POLY 065 X 24'	064044	.065	1.27	37

2 3/8 BLK POLY 065 X 6'	064046	.065	1.6	37
2 3/8 BLK POLY 065 X 7'	064047	.065	1.6	37
2 3/8 BLK POLY 065 X 8'	064048	.065	1.6	37
2 3/8 BLK POLY 065 X 9'	064049	.065	1.6	37
2 3/8 BLK POLY 065 X 10'6"	064050	.065	1.6	37
2 3/8 BLK POLY 065 X 18'	064058	.065	1.6	37
2 3/8 BLK POLY 065 X 21'	064061	.065	1.6	37
2 3/8 BLK POLY 065 X 24'	064064	.065	1.6	37

Import CR20

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
1 3/8 BLK POLY CR20 X 21'	064071	.080	1.06	61
1 3/8 BLK POLY CR20 X 24'	064074	.080	1.06	61

1 5/8 BLK POLY CR20 SE X 21'	064082	.085	1.43	61
1 5/8 BLK POLY CR20 SE X 24'	064083	.085	1.43	61
1 5/8 BLK POLY CR20 X 21'	064081	.085	1.43	61
1 5/8 BLK POLY CR20 X 24'	064084	.085	1.43	61

1 7/8 BLK POLY CR20 X 6'	064086	.090	1.74	61
1 7/8 BLK POLY CR20 X 8'	064088	.090	1.74	61
1 7/8 BLK POLY CR20 X 9'	064089	.090	1.74	61
1 7/8 BLK POLY CR20 X 18'	064098	.090	1.74	61
1 7/8 BLK POLY CR20 X 21'	064101	.090	1.74	61
1 7/8 BLK POLY CR20 X 24'	064104	.090	1.74	61

2 3/8 BLK POLY CR20 X 6'	064106	.095	2.31	37
2 3/8 BLK POLY CR20 X 8'	064108	.095	2.31	37
2 3/8 BLK POLY CR20 X 9'	064109	.095	2.31	37
2 3/8 BLK POLY CR20 X 18'	064118	.095	2.31	37
2 3/8 BLK POLY CR20 X 21'	064121	.095	2.31	37
2 3/8 BLK POLY CR20 X 24'	064124	.095	2.31	37

2 7/8 BLK POLY CR20 X 8'	064128	.110	3.25	19
2 7/8 BLK POLY CR20 X 9'	064129	.110	3.25	19
2 7/8 BLK POLY CR20 X 10'	064132	.110	3.25	19
2 7/8 BLK POLY CR20 X 10'6"	064130	.110	3.25	19
2 7/8 BLK POLY CR20 X 18'	064138	.110	3.25	19
2 7/8 BLK POLY CR20 X 21'	064141	.110	3.25	19
2 7/8 BLK POLY CR20 X 24'	064144	.110	3.25	19

Import CR40

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
1 5/8 BLK POLY CR40 X 21'	064151	.111	1.84	61
1 5/8 BLK POLY CR40 X 24'	064154	.111	1.84	61

1 7/8 BLK POLY CR40 X 6'	064156	.120	2.28	61
1 7/8 BLK POLY CR40 X 8'	064158	.120	2.28	61
1 7/8 BLK POLY CR40 X 9'	064159	.120	2.28	61
1 7/8 BLK POLY CR40 X 21'	064161	.120	2.28	61
1 7/8 BLK POLY CR40 X 24'	064162	.120	2.28	61





Import CR40

DESCRIPTION	PART NO.	NOM WALL THICKNESS	WEIGHT/FT	QTY/LIFT
2 3/8 BLK POLY CR40 X 6'	064166	.130	3.12	37
2 3/8 BLK POLY CR40 X 8'	064168	.130	3.12	37
2 3/8 BLK POLY CR40 X 9	064169	.130	3.12	37
2 3/8 BLK POLY CR40 10.5	064170	.130	3.12	37
2 3/8 BLK POLY CR40 X 11'	064172	.130	3.12	37
2 3/8 BLK POLY CR40 12'	064175	.130	3.12	37
2 3/8 BLK POLY CR40 13'	064173	.130	3.12	37
2 3/8 BLK POLY CR40 X 21'	064171	.130	3.12	37
2 3/8 BLK POLY CR40 X 24'	064174	.130	3.12	37

2 7/8 BLK POLY CR40 X 6	064176	.160	4.64	19
2 7/8 BLK POLY CR40 X 9	064179	.160	4.64	19
2 7/8 BLK POLY CR40 X 10	064180	.160	4.64	19
2 7/8 BLK POLY CR40 X 11	064181	.160	4.64	19
2 7/8 BLK POLY CR40 X 12	064182	.160	4.64	19
2 7/8 BLK POLY CR40 X 13	064183	.160	4.64	19
2 7/8 BLK POLY CR40 X 21'	064191	.160	4.64	19
2 7/8 BLK POLY CR40 X 24'	064194	.160	4.64	19

FITTINGS



Regular Tension Bands 12 Ga x 3/4"		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8"	010101	250	0.12
1 5/8"	010102	250	0.14
1 7/8"	010103	250	0.15
2 3/8"	010104	250	0.18
2 7/8"	010105	100	0.2
3 1/2"	010107	100	0.26
4"	010108	100	0.3
4 1/2"	010109	100	0.32

Use 5/16" x 1 1/4" Carriage Bolt



Heavy Tension Bands 11 Ga x 1"		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8"	010201	125	0.26
1 5/8"	010202	125	0.3
1 7/8"	010203	125	0.33
2 3/8"	010204	100	0.39
2 7/8"	010205	100	0.45
3 1/2"	010207	50	0.52
4"	010208	50	0.59
4 1/2"	010209	50	0.66
6 5/8"	010210	50	0.85
8 5/8"	010211	50	1.08



Regular Brace Bands 12 Ga x 3/4"		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8"	010301	250	0.13
1 5/8"	010302	250	0.15
1 7/8"	010303	250	0.18
2 3/8"	010304	250	0.21
2 7/8"	010305	100	0.24
3 1/2"	010307	100	0.3
4"	010308	100	0.34
4 1/2"	010309	100	0.38

Use 5/16" x 1 1/4" Carriage Bolt



Heavy Brace Bands 11 Ga x 1"			
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8"	010401	125	0.2
1 5/8"	010402	125	0.25
1 7/8"	010403	125	0.28
2 3/8"	010404	100	0.34
2 7/8"	010405	100	0.39
3 1/2"	010407	50	0.45
4"	010408	50	0.5
4 1/2"	010409	50	0.57
6 5/8"	010410	50	0.8
8 5/8"	010411	50	1.02



Regular 2-Way Brace Bands 12 Ga x 3/4"		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 7/8" 2-way	010311	100	0.21
2 3/8" 2-way	010314	100	0.25
2 7/8" 2-way	010317	100	0.29
Use 5/16" x 1 1/4" Carriage Bolt			



Heavy 2-Way Brace Bands 11 Ga x 1"		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 7/8"	010325	100 Sets	0.32
2 3/8"	010326	100 Sets	0.38
2 7/8"	010327	100 Sets	0.39



Dome Caps		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8"	011601	250	0.12
1 5/8"	011602	250	0.16
1 7/8"	011603	200	0.27
2 3/8"	011604	125	0.34
2 7/8"	011605	100	0.53
3 1/2"	011607	25	0.67
4"	011608	25	1.63



Dome Caps - Heavy		Malleable	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
4 1/2"	11809	25	2.56
6 5/8"	11810	6	6.6
8 5/8"	11811	6	10.4



Eye-Tops: Standard		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" x 1 5/8"	012252	100	0.51
1 7/8" x 1 5/8"	012253	100	0.53
2 3/8" x 1 5/8"	012254	50	0.64
2 7/8" x 1 5/8"	012255	50	1.02
3 1/2" x 1 5/8"	012256	25	1.32
4" x 1 5/8"	012258	25	1.56



Eye-Tops: Residential		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" x 1 3/8"	012250	100	0.2
1 7/8" x 1 3/8"	012251	100	0.23
1 7/8" x 1 5/8"	012260	100	0.25



Rail-Ends		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8"	012505	100	0.33
1 5/8"	012506	100	0.39
1 7/8"	012508	100	0.51
2 3/8"	012510	100	0.60



Rail-Ends 2-Hole		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8"	012507	100	0.48
1 7/8"	012509	100	0.51



Sleeves		Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8" x 6"	012601	100	0.39
1 5/8" x 6"	012602	50	0.53
1 7/8" x 6"	012604	50	0.80



Panel Clamps		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
NOTE: Without bolts. Approximately 3/8" spacing between frames.			
1 3/8" x 1 3/8"	015516	100 Sets	0.67
Use 3/8" x 2 1/4" Carriage Bolt			
1 5/8" x 1 5/8"	015517	100 Sets	0.8
Use 3/8" x 2 1/2" Carriage Bolt			
1 7/8" x 1 7/8"	015518	100 Sets	0.84



Line Rail Clamps		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 7/8" x 1 5/8"	015535	50	0.73
2 3/8" x 1 5/8"	015536	50	0.8
2 7/8" x 1 5/8"	015538	50	1.00



Brace or End Rail Clamps		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" x 1 5/8"	015503	100	0.5
1 7/8" x 1 5/8"	015504	100	0.54
2 3/8" x 1 5/8"	015505	50	0.65
Use 5/16" x 2 1/4" Carriage Bolt			
2 7/8" x 1 5/8"	015508	50	0.76
Use 5/16" x 2 1/2" Carriage Bolt			



Barb Wire Arms 45°		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" x 1 5/8"	013107	25	2.00
1 7/8" x 1 5/8"	013108	25	2.25
2 3/8" x 1 5/8"	013109	25	2.50
2 7/8" x 1 5/8"	013112	25	2.75



Barb Wire V-Arms		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 7/8" x 1 5/8"	013121	15	2.75
2 3/8" x 1 5/8"	013122	15	3.00



Barb Wire Arms Vertical		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 7/8" x 1 5/8"	012892	25	1.5
2 3/8" x 1 5/8"	012893	25	1.6



Corner Arms 45°		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
2 3/8"	013380	5	3.20
2 7/8"	013381	5	3.50



Corner Arms 45°		Malleable Iron - Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
2 3/8"	013301	5	3.48
2 7/8"	013302	5	4.46
4"	013310	5	5.40



Corner V-Arms		6-Strand - Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
2 3/8"	013390	5	4.93
2 7/8"	013391	5	6.63



Corner V-Arms		Malleable - Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
2 3/8"	013304	5	6.00
2 7/8"	013305	5	6.30
4"	013311	5	10.60



Extension Arm Only		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
With S Slot	013103	50	0.89
S Slot Notched for V-Arm	013104	50	0.75
Extra Lon	013105	50	1.65



Barb Bases		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" x 1 5/8"	012881	50	0.71
1 7/8" x 1 5/8"	012882	50	0.74
2 3/8" x 1 5/8"	012883	50	0.87
2 7/8" x 1 5/8"	012884	25	1.26



Truss Tighteners		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
Industrial	018101	100	0.45



Threaded Truss Rods 3/8" diameter with nut		Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
10' 6"	017901	25	3.95
12'	017903	25	4.51



Tension Bars 3/16" x 5/8"		Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
34"	013601	25	1.13
40"	013602	25	1.33
46"	013603	25	1.53
58"	013604	25	1.92
70"	013605	25	2.32



Tension Bars 3/16" x 3/4"		Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
46"	013703	25	1.86
58"	013704	25	2.31
70"	013705	25	2.79
82"	013706	25	3.27
94"	013707	25	3.74
118"	013709	25	4.70



Tension Bars 1/4" x 3/4"		Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
70"	013747	25	3.72
82"	013749	25	4.36
94"	013751	25	5.00
118"	013755	25	6.27
142"	013759	25	7.55



Tension Bars 3/16" x 3/8"		For 1" Fabric	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
34"	013592	25	0.68
40"	013593	25	0.8
46"	013594	25	0.92
58"	013595	25	1.16
70"	013596	25	1.40
82"	013597	25	1.64
94"	013598	25	1.88
118"	013599	25	2.36
142"	013600	25	2.84

Drive In Plugs For Tubing		Aluminum	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8"	011210	200	0.08
1 5/8"	011211	200	0.10
1 7/8"	011212	200	0.13



Drive-In Plugs for Pipe		Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8"	011213	200	0.08
1 5/8"	011214	200	0.10
1 7/8"	011215	200	0.13



Heavy Duty Bearing Hinge

- › Sealed Bearing
- › Maintenance-Free
- › Zinc Plated
- › Lifetime Warranty



Heavy Duty Bearing Hinge

PART #	DESCRIPTION	WEIGHT
HBR 300	3" HD Bearing Hinge	10
HBR 300A	3" HD Bearing Hinge Adjustable	10
HBR 400	4" HD Bearing Hinge	13
HBR 400A	4" HD Bearing Hinge Adjustable	13

Maxim King Hinge (USA Made)

- › 5/8" Diameter Pin
- › Sealed Bearings
- › Maintenance-Free
- › Zinc Plated
- › Lifetime Warranty




Maxim King Hinge

PART #	DESCRIPTION	WEIGHT
MKH 100	Max King Hinge	7.28
MKH 100A	Max King Hinge R/P Adjustable	7.28
MKH 100RP	Max King Hinge R/P Non-Adjustable	7.28

Heavy Duty Fork Latch

- › Easy Installation
- › Pad Lockable
- › Zinc Plated
- › Black Powder Coat Finish
- › Includes 7/16" Bolts
- › 2 1/2" Clearance
- › Lifetime Warranty



Heavy Duty Fork Latch		
PART #	DESCRIPTION	LATCH POST
HDF 125	1 1/2" SQ	2 1/2" SQ
HDF 130	1 1/2" SQ	3" SQ
HDF 140	1 1/2" SQ	4" SQ
HDF 325	2" SQ	2 1/2" SQ
HDF 330	2" SQ	3" SQ
HDF 340	2" SQ	4" SQ

Heavy Duty Post And Frame Hinge w/Bolts

- › Easy Installation
- › Black Powder Coat Finish
- › Includes 7/16" Bolts
- › 2 1/2" Clearance When Used Together
- › Maintenance-Free
- › Zinc Plated
- › Lifetime Warranty



Heavy Duty Post And Frame Hinge w/Bolts	
PART #	DESCRIPTION
PFHH 1300	1 1/2" Frame Clamp & 3" Post Clamp
PFHH 1400	1 1/2" Frame Clamp & 4" Post Clamp
PFHH 2300	2" Frame Clamp & 3" Post Clamp
PFHH 2400	2" Frame Clamp & 4" Post Clamp

Heavy Duty V-Groove Wheel

- › Maintenance-Free Sealed Bearings
- › Chrome Finish
- › 5/8" Axle Size
- › 1,500 lbs Rated
- › Axle Bolt Included
- › Lifetime Warranty



Heavy Duty V-Groove Wheel

PART #	DESCRIPTION
018470	6" X 2"

Heavy Duty V-Groove Wheel Box

- › Zinc Plated



Heavy Duty V-Groove Wheel Box

PART #	DESCRIPTION
SWB600	Heavy Duty Wheel Box

Flattened Expanded Metal

- › 16 Gauge
- › 48" Wide 96" Tall
- › Zinc Plated
- › Lifetime Warranty




Flattened Expanded Metal

PART #	DESCRIPTION
085857Z	Expanded Metal

Swing Gate Kick Plates

- › 12 Gauge
- › Galvanized-G90
- › Lifetime Warranty
- › Meets ADA Requirements



Swing Gate Kick Plates	
PART #	DESCRIPTION
086019	10" X 48"
086022	12" X 48"

Reach Guard


- › 16 Gauge
- › Galvanized-G90
- › 36" Tall & 18" Wide
- › Lifetime Warranty



Reach Guard	
PART #	DESCRIPTION
086105	16 GA 690 Reach Guard

U-Channel

- › 18 Gauge
- › Galvanized-G90
- › Provides a clean safe edge for expanded metal applicaitons



U-Channel	
PART #	DESCRIPTION
086098	1/8" X 1" X 10'

Coil Spring Tension Wire

Note: Sold only in full coils. Weight is approximate.

DESCRIPTION	PART NO.	PER LB.	COIL WT.
7ga. - 0.3 oz.	023542	11.97 ft.	100
7ga. - 0.8 oz.	023541	11.97 ft.	100
7ga. - 1.2 oz.	023540	11.97 ft.	100

Also available in Vinyl Coated Colors



Barbed Wire

Two strands 12 1/2 ga. 14 ga Barbs. Sold only in full reels.
1320' = 80 Rods. Domestic Available.

Commercial Quality,
Zinc Coated Steel

DESCRIPTION	PART NO.	PER COIL	COIL WT.
4 pt. import	013501	1320'	82

Also available in Vinyl Coated Colors




Razor Ribbon Wire

NOTE: Sold only in 50' coils. 50' based on installation at 18" on center spacing. Bulk packaging – 5 coils per box.

Stainless Steel Barbed Taps with
.096" Galv. Core Wire, .60 oz/ft.
Zinc Coating

DESCRIPTION	PART NO.	PER COIL	COIL WT.
18" Sin le Coil	013507	50'	12



Ultra Barrier
Weight is approximate.

DESCRIPTION	PART NO.	WEIGHT EA.	SIZE
Galvanized Strip	013513	0.20	4'
NOTE: Sold only in 200' boxes.			



Hog Rings
Weight is approximate.

DESCRIPTION	PART NO.	QTY./LB.	CASE WT.
9 ga. Steel	023602	224	25
11 ga. Steel	023600	264	25
NOTE: Sold by the pound.			



Aluminum Ties

DESCRIPTION	PART NO.	PER CASE	CASE WT.
6 1/2" x 9 ga.	023552	3700	47
8 1/4" x 9 ga.	023553	3100	48
10 1/2" x 9 ga.	023558	3000	54
14" x 9 ga.	023559	2800	53
NOTE: Sold only in full bags of 100 pieces.			



Galvanized Steel Ties

DESCRIPTION	PART NO.	PER BAG	WT./BAG
7 1/2" x 9 ga.	023583	100	4
8 1/2" x 9 ga.	023584	100	5
10 1/2" x 9 ga.	023585	100	6
6 1/2" x 11 ga.	023572	100	2
7 1/2" x 11 ga.	023573	100	2
8 1/2" x 11 ga.	023574	100	2
10 1/2" x 11 ga.	023575	100	3.3

NOTE: Sold only in full bags of 100 pieces. Also available in Vinly Coated Colors.



Dyna Bolts Galvanized

DESCRIPTION	PART NO.	PER BOX	WEIGHT EA.
5/8" x 3"	010966	25	0.68
1/2" x 2 1/4"	010909	50	0.36
1/2" x 2 3/4"	010911	50	0.40



Carriage Bolts		Steel - Galvanized	
DESCRIPTION	PART NO.	PER CASE	WEIGHT EA.
5/16" x 1 1/4"	010701	2000	0.05
5/16" x 1 1/2"	010702	1000	0.058
5/16" x 1 3/4"	010714	1000	0.058
5/16" x 2"	010715	1000	0.06
5/16" x 2 1/4"	010716	1000	0.06
5/16" x 2 1/2"	010718	1000	0.07
3/8" x 1 1/4"	010703	1000	0.07
3/8" x 1 1/2"	010704	1000	80
3/8" x 2"	010706	1000	0.096
3/8" x 2 1/4"	010707	1000	0.1
3/8" x 2 1/2"	010708	1000	0.12
3/8" x 3"	010710	1000	140
3/8" x 3 1/2"	010712	1000	0.15



Quikrete	
DESCRIPTION	PART NO.
Premix 60# sack	098945



Fence Pliers

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
10" Round or Square Nose	070506	1	1.6



Hog Ring Pliers

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
Large Size, Spring Action	070004	10	0.75



Klein Havens Wire Grip

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
2500# Load	070022	1	1



Diggers (Wood Handle)

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
Se mour w/4' Handle	070648	1	9
Se mour w/6' Handle	070650	1	9
4' Handle	070662	1	2
6' Handle	070664	1	2



Pul-Jak	Iron with Alloy Steel Rod		
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1000 lbs. Capacity	070031	1	8
1000 lbs. Capacity (Domestic)	0700310	1	8



Gate Frame Hinges Regular		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8" x 5/8"	014104	100	0.31
1 5/8" x 5/8"	014105	100	0.6
1 7/8" x 5/8"	014106	100	0.66



Post Hinges Regular		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8" x 5/8"	014302	50	0.71
1 5/8" x 5/8"	014304	50	0.76
1 7/8" x 5/8"	014306	50	0.82
2 3/8" x 5/8"	014308	50	0.9
2 7/8" x 5/8"	014310	50	1.17



Hanger Bolt Hinges With 2 Nuts		Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
5/8" x 4 1/2"	013903	250	0.64
5/8" x 6"	013904	200	0.74
5/8" x 10"	013905	125	1.07
5/8" x 12"	013906	125	1.25



GATE FITTINGS



Lag Screw Hinges		Steel - Galvanized	
DESCRIPTION	PART NO.	PER DRUM	WEIGHT EA.
5/8" x 4 1/2"	013802	300	0.52
5/8" x 6"	013803	200	0.78



180° Industrial Hinges		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
2 3/8" x 15/8" or 17/8"	015601	10	3.00
2 7/8" x 15/8" or 17/8"	015603	10	3.20
3 1/2" x 15/8" or 17/8"	015604	10	4.00
4 x 15/8" or 17/8"	015605	10	4.20
4 1/2" x 15/8" or 17/8"	015606	10	4.50
6 5/8" x 15/8" or 17/8"	015607	4	9.00



Flat Back Hinges		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
5/8" Pin	014360	100	0.45



GATE FITTINGS



Bulldog Industrial Hinge		Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
2 3/8" x 1 5/8"	015649	10	3.00
2 3/8" x 1 7/8"	015650	10	3.00
2 7/8" x 1 5/8"	015651	10	3.10
2 7/8" x 1 7/8"	015652	10	3.10
3 1/2" x 1 5/8"	015653	10	3.10
3 1/2" x 1 7/8"	015654	10	3.10
4" x 1 5/8"	015655	10	3.25
4" x 1 7/8"	015656	10	3.25
4 1/2" x 1 5/8"	015657	10	3.30
4 1/2" x 1 7/8"	015658	10	3.30
6 5/8" x 1 5/8"	015659	4	3.50
6 5/8" x 1 7/8"	015660	4	3.50




Universal Bulldog Hinge		Pressed Steel	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
2 3/8" x 1 5/8" or 1 7/8"	015670	10	3.00
2 7/8" x 1 5/8" or 1 7/8"	015671	10	3.10
3 1/2" x 1 5/8" or 1 7/8"	015673	10	3.10
4" x 1 5/8" or 1 7/8"	015674	10	3.25
4 1/2" x 1 5/8" or 1 7/8"	015675	10	3.30
6 5/8" x 1 5/8" or 1 7/8"	015676	4	3.50

Universal Industrial Malleable Hinge			
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
6 5/8" x 1 5/8" or 1 7/8"	015711	4	11.21
8 5/8" x 1 5/8" or 1 7/8"	015712	4	11.21



Industrial Malleable Box Hinge

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
2 3/8" x 1 5/8"	015701	10	3.96
2 3/8" x 1 7/8"	015702	10	3.96
2 7/8" x 1 5/8"	015703	10	4.51
2 7/8" x 1 7/8"	015704	10	4.51
4" x 1 5/8"	015705	10	4.73
4" x 1 7/8"	015706	10	4.73
6 5/8" x 1 5/8"	015707	4	11.22
6 5/8" x 1 7/8"	015708	4	11.22
8 5/8" x 1 5/8"	015709	4	14.83
8 5/8" x 1 7/8"	015710	4	14.83



Bottom Hinge Ball

Cast Iron

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8"	015850	10	2.0
1 7/8"	015851	10	2.25



Gate Closers

Spring Type and Die-cast Aluminum

NOTE: Bolts included. Requires 2" spacing between Gate Post and Gate Frame.
Use with Post and Frame Hinges (sold separately).

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 7/8" x 1 3/8"	017403	12	1.0
2 3/8" x 1 3/8"	017404	12	1.1



GATE FITTINGS



Gate Hinge Closers NOTE: Bolts included. Requires 2" spacing between Gate Post and Gate Frame.		Pressed Steel Gravity Type Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 7/8" x 1 3/8"	017501	10	3.30
2 3/8" x 1 3/8"	017502	10	3.50
2 7/8" x 1 3/8"	017503	10	3.50
2 3/8" x 1 5/8"	017504	10	3.60
2 7/8" x 1 5/8"	017505	10	3.80



Fork Latch Assembly NOTE: This item assembled, bolts included.		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8" x 1 3/8"	016703	25	0.68
1 3/8" x 1 7/8"	016704	25	0.82
1 3/8" x 2 3/8"	016705	25	0.88



Fork Latch Assembly Heavy Duty NOTE: This item assembled, bolts included.		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8" x 1 7/8"	016752	25	.90
1 3/8" x 2 3/8"	016753	25	1.02
1 3/8" x 2 7/8"	016754	25	1.08
1 5/8" x 1 7/8"	016756	25	1.01
1 5/8" x 2 3/8"	016757	25	1.00
1 5/8" x 2 7/8"	016758	25	1.08
1 5/8" x 4"	016759	25	1.20



GATE FITTINGS



Fork Latch Assembly NOTE: This item assembled, bolts included.		Malleable Iron Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8" x 1 7/8"	016601	25	1.40
1 3/8" x 2 3/8"	016602	25	1.45
1 3/8" x 2 7/8"	016603	25	1.55
1 5/8" x 1 7/8"	016604	25	1.50
1 5/8" x 2 3/8"	016605	25	1.55
1 5/8" x 2 7/8"	016606	25	1.61
1 5/8" X 4"	016607	25	2.08
1 7/8" x 2 7/8"	016608	25	1.80
1 7/8" x 4"	016609	25	2.40
1 7/8" x 2 3/8"	016613	25	1.74



Flat-Back Fork Latch Assembly NOTE: This item assembled, bolt included, without mounting fasteners.		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8" Fork	016710	25	0.56



Flat-Back Butterfly Latch		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8"	017310	25	0.88




GATE FITTINGS



Butterfly Latches NOTE: This item assembled, bolts included.		Pressed Steel Ear	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8" x 1 7/8"	017303	25	.89
1 3/8" x 2 3/8"	017304	25	.90
1 5/8" x 1 7/8"	017306	25	1.00
1 5/8" x 2 3/8"	017307	25	1.10



Rolo Latches For Rolling Gate		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" Frame w/o Bands	017340	10	2.35
1 7/8" Frame w/o Bands	017350	10	2.55



E-Z Latch Residential Drop Rod		Galvanized Aluminum Fork	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8" x 36" Assembly	016901	10	2.17
1 3/8" x 42" Assembly	016902	10	2.31
Guide Only	016903	20	0.35

Assembly includes: 1 Rod w/Fork, 2 Guides, w/Bolts



GATE FITTINGS



Residential Cane-Type Latch		Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1/2" x 36" Assembly	016905	25	2.88
1/2" x 44" Assembly	016906	25	3.29
1 Assembly includes: 1 Rod w/Fork 2 Guides w/Bolts			



Industrial Latch Assembly		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" Guide Only	017211	25	0.96
1 7/8" Guide Only	017212	25	0.99
1 5/8" Fork Only	017213	75	1.54
1 7/8" Fork Only	017214	75	1.54
NOTE: Optional with 4 Guides and 2 Forks at extra cost.			



Lock N' Latch Heavy Duty For Rolling Gates		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
Offset	017371	10	1.5
Latches to 1 5/8" or 1 7/8" O.D. Frame - For Single Rollin Gate			
Standard	017372	10	1.5
Latches to 1 5/8" or 1 7/8" O.D. Frame - For Single or Double Rollin Gate			



GATE FITTINGS



Kennel Latch		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
13/8"	016550	50	1.00



Kennel Hinge		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
13/8"	014451	100	0.75



Kennel Clamps		Pressed Steel Galvanized	
NOTE: Without bolts. Approximately 1 1/8" spacing between frames.			
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8" x 1 3/8"	015511	100	0.59
1 5/8" x 1 5/8"	015512	50	0.71
Use 5/16" x 1 1/4" Carriage Bolt			



Gate Clips		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
13/8"	015201	250	0.13
1 5/8"	015202	250	0.16



Fence Loc Latch

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
FL 100 IND. DBL. DR	016761	16	3.85
FL 300 RES. DBL. DR	016762	16	1.90



Gate Scrolls Three-Piece Pressed Steel

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
18"	014501	10	1.12
24"	014502	10	1.44
36"	014503	10	1.68
48"	014505	10	1.92




Gate Keeper Duckbill NOTE: Bolts included.

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" Malleable	015901	20	2.22



Band Type Line Track Bracket

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8"	018538		1.20



Safe-T Line Track Brackets Heavy Duty NOTE: Use with 1 5/8" O.D. Pipe Track. Bolts included.

Pressed Steel Galvanized

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
For 1 5/8" or 1 7/8" Post	018561	20	2.55
For 2 5/8" or 2 7/8" Post	018562	20	2.65
For 4" Post	018563	20	3.36



Flat-Back Line Track Bracket For Flat Surface/Block Walls NOTE: Use with 1 5/8" O.D. Pipe Track.

Pressed Steel Galvanized

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
Flat Back	018534	20	1.93



GATE FITTINGS



Safe-T Rear Wheel for Pipe Track NOTE: Use with 1 5/8" O.D. Pipe Track. Bolts included, with Grease Fitting.		Heavy Duty Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
5" Wheel	018421	10	3.35
5" Wheel w/Bracket & Bracket Assembly	018422	4	4.50
*Universal Holding Bracket Assembly for 1 5/8" or 1 7/8" Frame			



Safe-T Rear Wheel for Pipe Track NOTE: Use with 1 5/8" O.D. Pipe Track. Bolts included, with Grease Fitting.		Heavy Duty Malleable Iron Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
5" Wheel	018441	10	5.75
5" Wheel w/Bracket & Bracket Assembly	018442	4	7.40




Industrial Bracket for Rear Wheel			
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" or 1 7/8"	018412	25	1.40



Brackets for Rear Wheel		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8" Gate Frame	018409	25	0.66
1 5/8"	018410	25	0.71
Gate Frame 1	018411	25	0.83
7/8" Gate Frame			



Cantilever Roller Assembly		Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
4" x 2 3/8"	018384	4	24



Rubber-Tired Wheels Only Steel Hub with 5/8" Bearing			
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
6" Wheel (Hard)	017602	6	2.17
8" Wheel (Hard)	017604	6	3.5
6" Aluminum	017605	10	2.0
8" Aluminum	017606	10	3.75



GATE FITTINGS



Single-Wheel Carrier Weld-on Type, 5/8" Axle NOTE: Bolts included.		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" Frame, 6" Wheel	018201	4	5.80
1 5/8" Frame, 8" Wheel	018202	4	7.21
1 7/8" Frame, 6" Wheel	018203	4	6.00
1 7/8" Frame 8" Wheel	018204	4	7.20



Swivel Wheels for Swing Gate For Pipe. NOTE: Bolts included.		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
Fits 1 3/8" Frame	018361	4	4.62
Fits 1 5/8" Frame	018362	4	4.70
Fits 1 7/8" Frame	018363	4	4.80



Swivel Wheels for Swing Gate For Wood. NOTE: Without mounting fasteners.		Pessed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
Flat-back	018364	4	5.0



GATE FITTINGS



Residential Double-Wheel Carrier Clamp-on Type, 5/8" Axle, 7" Wheel Base. NOTE: Bolts included.		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" or 1 7/8" Frame/6" Wheel	018331	4	6.25
1 5/8" or 1 7/8" Frame/8" Wheel	018332	4	9.25



Industrial Double-Wheel Carrier NOTE: Bolts included.		Pressed Steel Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" or 1 7/8" Frame, 6" Steel-Hub Wheel	018301	4	8.50
1 5/8" or 1 7/8" Frame, 8" Steel-Hub Wheel	018302	4	12.38



SJS Carrier Only		Galvanized	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
Carrier	018351	4	17.00



V-Groove Wheel-Malleable

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
4" Wheel w/ 5/8" axel	018373	6	3.25
6" Wheel w/ 5/8" axel	018372	6	7



Single V-Groove Wheel Assembly

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8" Frame, 6" Wheel	018271	4	9
1 7/8" Frame, 6" Wheel	018272	4	9.12



Gate Center Stop

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
Malleable	015911	4	



GATE FITTINGS



Gate Ell NOTE: Without screws.		Die-cast Aluminum	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8"	015101	100	0.36



Gate Ells - Industrial		Pressed Steel	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 5/8"	014901	20	2.50
1 7/8"	014902	20	2.50



GATE FITTINGS



Gate Ells - Residential		Pressed Steel	
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
1 3/8"	014904	50	0.65



Gate Rods			
DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.
3'	015301	25	0.78
4'	015303	25	1.04
5'	015304	25	1.3
6'	015305	25	1.56



CUSTOM CHAIN LINK GATES



Call Branch for Quote

Residential Single Swing Gates

Residential Double Swing Gates

Residential Double Swing Gates

Industrial Single Swing Gates

Industrial Double Swing Gates

Industrial Slide Gate

Cantilever Gates

ORNAMENTAL IRON POSTS



Posts Powder Coated Black. WALL THICKNESS - 14 GA.		Die-cast Aluminum
SIZE	PART NO.	WEIGHT EA.
1 1/2" x 6"	086590	9.48
1 1/2" x 7"	086591	11.06
2" x 6"	086594	10.10
2" x 7"	086592	11.76
2" x 8"	086593	13.44
2 1/2" x 8"	086595	30.00
4" x 8"	086597	50.00




Gate Sides 1" sq. 16 ga.		Powder Coated Black
SIZE	PART NO.	WEIGHT EA.
4'	086400	3.16
5'	086404	3.95
6'	0846408	4.74



ORNAMENTAL IRON PANELS



Lifeguard 2 Rail Biasable Rail - 1" sq. 16 Ga. Pickets - 5/8" sq. 18 Ga. *STOCK ITEMS ARE AVAILABLE IN 4" CLEARANCE ONLY		Finish - Powder Coated Color - Black
SIZE	PART NO.	WEIGHT EA.
3' x 8'	LRK328B	31
4' x 8'	LRK428B	38
5' x 8'	LRK528B	45
6' x 8'	LRK628B	52
3' x 10'	LRK320B	33
5' x 10'	LRK520B	63
6' x 10'	LRK620B	73




Lifeguard 2 Rail Rail - sq. 16 Ga. Pickets - 5/8" sq. 18 Ga. *STOCK ITEMS ARE AVAILABLE IN 4" CLEARANCE ONLY		Finish - Powder Coated Color - Black
SIZE	PART NO.	WEIGHT EA.
3' x 10'	LRK320	33
3' x 8'	LRK328	31
4' x 8'	LRK3828	35
4' x 8'	LRK428	38
5' x 8'	LRK528	45
6' x 8'	LRK628	52
4' x 10'	LRK420	53
5' x 10'	LRK520	63
6' x 10'	LRK620	73




ORNAMENTAL IRON PANELS




Allguard 2 Rail Rail - 1" sq. 16 Ga. Pickets - 5/8" sq. 18 Ga. *STOCK ITEMS ARE AVAILABLE IN 2" CLEARANCE ONLY		Finish - Powder Coated Color - Black
SIZE	PART NO.	WEIGHT EA.
5' x 8'	ARK528	50
6' x 8'	ARK628	58



Steelguard 2 Rail Rail - 1" sq. 16 Ga. Pickets - 5/8" sq. 18 Ga. *STOCK ITEMS ARE AVAILABLE IN 2" CLEARANCE ONLY		Finish - Powder Coated Color - Black
SIZE	PART NO.	WEIGHT EA.
4' x 8'	SRK428	44
5' x 8'	SRK528	50
6' x 8'	SRK628	58
5' x 10'	SRK520	63
6' x 10'	SRK620	73



Steelguard 2 Rail Biasable Rail- 1" sq. 16 Ga. Pickets - 5/8" sq. 18 Ga. *STOCK ITEMS ARE AVAILABLE IN 2" CLEARANCE ONLY		Finish - Powder Coated Color - Black
SIZE	PART NO.	WEIGHT EA.
5' x 8'	SRK528B	50
6' x 8'	SRK628B	58



ORNAMENTAL IRON GATES



Heavy Steelguard 2 Rail Rail - 1 1/2" sq. 14 Ga. Pickets - 3/4" sq. 16 Ga. *STOCK ITEMS ARE AVAILABLE IN 2" CLEARANCE ONLY		Finish - Powder Coated Color - Black
SIZE	PART NO.	WEIGHT EA.
6' x 8'	SCK628	89



ORNAMENTAL IRON GATES




Lifeguard Gate
 Rail - 1" sq. 16 Ga.
 Pickets - 5/8" sq. 18 Ga.
 *STOCK ITEMS ARE AVAILABLE IN 4" CLEARANCE ONLY

SIZE	PART NO.	WEIGHT EA.
4' x 3'	082900	26
4' X 4'	082915	32
5' x 3'	082930	31
5' X 4'	082945	37
6' x 3'	082960	36
6' X 4'	082975	44



Steelguard Gate
 Rail - 1" sq. 16 Ga.
 Pickets - 5/8" sq. 18 Ga.
 *STOCK ITEMS ARE AVAILABLE IN 2" CLEARANCE ONLY

SIZE	PART NO.	WEIGHT EA.
6' x 3'	082990	38
6' x 4'	082995	44
5' x 3'	082980	27
5' X 4'	082985	33



ORNAMENTAL IRON GATES



Lifeguard Gate
 Rail - 1" sq. 16 Ga.
 Pickets - 5/8" sq. 18 Ga.
 *STOCK ITEMS ARE AVAILABLE IN 4" CLEARANCE ONLY

SIZE	PART NO.	WEIGHT EA.
4' x 3'	082900	26
4' X 4'	082915	32
5' x 3'	082930	31
5' X 4'	082945	37
6' x 3'	082960	36
6' X 4'	082975	44






Call Sacramento Branch for Cost and more Information

Custom

Custom - Driveway

Custom - Swing



ORNAMENTAL IRON FITTINGS



Post Caps - Blk Poly		Pressed Steel
SIZE	PART NO.	WEIGHT EA.
1 1/2" Sq.	084278	0.06
2" Sq.	084280	0.08
2 1/2" Sq.	084282	0.12
3" Sq.	084284	0.23
4" Sq.	084286	0.37



Post Caps- Raw		Pressed Steel
SIZE	PART NO.	WEIGHT EA.
1" Sq.	084300	0.02
1 1/2" Sq.	084302	0.06
2" Sq.	084304	0.08
2 1/2" Sq.	084306	0.12
3" Sq.	084308	0.224
4" Sq.	084210	0.37



ORNAMENTAL IRON FITTINGS



Plugs		Plastic Insert
SIZE	PART NO.	WEIGHT EA.
1/2"	084325	0.08
5/8"	084327	0.10
3/4"	084329	0.12
1"	084331	0.25
1 1/4"	084333	0.35
1 1/2"	084335	0.45
2"	084337	0.65



Post Caps- Raw		Pressed Steel
SIZE	PART NO.	WEIGHT EA.
1"	084316	0.67
1 1/2"	084317	1.05
2"	084318	1.58
2 1/2"	084319	2.63
3"	084320	3.25
4"	084321	4.32



Panel Connector - Regular

* ALL STOCK HARDWARE AVAILABLE IN THE BLACK POLY COATING ONLY

SIZE	PART NO.	WEIGHT EA.
1" Sq. - 16 Ga.	084420	0.21
1 1/2" Sq. - 16 Ga.	084422	0.24
1"1/2" Sq. - 14 Ga.	084423	0.28



Panel Connector - Biasable

SIZE	PART NO.	WEIGHT EA.
1" Sq. - 16 Ga.	084421	0.21



Flanges - Regular

SIZE	PART NO.	WEIGHT EA.
4" x 4" x 1/8"	084400	1.00



Flanges - Decorative
SIZE OF DECO FLANGE REPRESENTS CENTER HOLE SIZE NOT OVERALL PLATE SIZE

SIZE	PART NO.	WEIGHT EA.
1 1/2" sq.	084410	0.65
2" sq.	084411	0.95




Hinges - Post

SIZE	PART NO.	WEIGHT EA.
1" x 5/8"	084000	0.79
1 1/2" x 5/8"	084002	0.92
2" x 5/8"	084004	1.10
2 1/2" x 5/8"	084006	1.45



Hinges - Frame

SIZE	PART NO.	WEIGHT EA.
1" x 5/8"	084008	0.58
1 1/2" x 5/8"	084010	0.70
2" x 5/8"	084012	1.06



One-Way Gravity Hinge

SIZE	PART NO.	WEIGHT EA.
1" x 1"	084026	1.42
1 1/2" x 1"	084028	1.53
2" x 1"	084030	1.91
2 1/2" x 1"	084032	2.08
1 1/2" x 1 1/2"	084034	1.96
2" x 1 1/2"	084036	2.02
2 1/2" x 1 1/2"	084038	2.20
2" x 2"	084040	2.39
2 1/2" x 2"	084042	2.56



Two-Way Self Closing Gravity Hinge

SIZE	PART NO.	WEIGHT EA.
1" x 1"	084050	1.45
1 1/2" x 1"	084052	1.65
2" x 1"	084054	1.72
2 1/2" x 1"	084056	1.85
1 1/2" x 1 1/2"	084058	1.76
2" x 1 1/2"	084060	1.87
2 1/2" x 1 1/2"	084062	1.92
2" x 2"	084064	2.02
2 1/2" x 2"	084066	2.06



180 Degree Hinge/Clamp On Style

SIZE	PART NO.	WEIGHT EA.
1" x 1"	084070	1.46
1 1/2" x 1"	084072	1.58
2" x 1"	084074	1.94
2 1/2" x 1"	084076	2.12
1 1/2" x 1 1/2"	084078	1.69
2" x 1 1/2"	084080	2.10
2 1/2" x 1 1/2"	084082	2.15
2" x 2"	084084	2.43
2 1/2" x 2"	084086	2.60



FlatWall Hinge

SIZE	PART NO.	WEIGHT EA.
5/8"	014360	0.85



Heavy Butt Hinge Pair

SIZE	PART NO.	WEIGHT EA.
3" x 3"	084100	1.00
4" x 4"	084106	1.25



Gate Hinges/Bearing Type

SIZE	PART NO.	WEIGHT EA.
1 1/2" Sq. (pair)	084124	8.00
7" Barrel (pair)	084125	3.15
3" H.D. Roller (pair)	084129	3.75



Clamp On Striker Latch Kit

SIZE	PART NO.	WEIGHT EA.
1" x 1"	084150	0.82
1 1/2" x 1"	084152	0.88
2" x 1"	084154	1.06
2 1/2" x 1"	084156	1.14
1 1/2" x 1 1/2"	084158	1.12
2" x 1 1/2"	084160	1.24
2 1/2" x 1 1/2"	084162	1.28



Flatback Butterfly Latch Galvanized Only

SIZE	PART NO.	WEIGHT EA.
1" or 1 1/2"	017310	0.88



Butterfly Latch/Clamp On

SIZE	PART NO.	WEIGHT EA.
1 1/2" x 1" or 1 1/2"	084176	1.00
2" x 1 1/2"	084180	1.25
2 1/2" x 1 1/2"	084182	1.35

Drop Rod & Assembly Double Drive Clamp-on

SIZE	PART NO.	WEIGHT EA.
1"	084200	6.12
1 1/2"	084202	6.20
2"	084204	6.42



Roller Assembly for Slide Gates/Type 1 1 For Steel Guard, Top Guard & All Guard Styles

SIZE	PART NO.	WEIGHT EA.
6"	084226	2.50
12"	084227	8.90



Roll Gate Latch Commercial/Industrial Grade WELD ON APPLICATION ONLY

SIZE	PART NO.	WEIGHT EA.
Universal	084210	3.18



Clamp On Cane Bolt

SIZE	PART NO.	WEIGHT EA.
1"	084190	3.46
1 1/2"	084192	3.66



Self-Closing Gate Spring

SIZE	PART NO.	WEIGHT EA.
12"	084130	2.0



Mounting Tab 3/8" Bolt Hole WELD ON APPLICATION

SIZE	PART NO.	WEIGHT EA.
1" x 1 3/4" x 3/16"	084415	3.5





Iron Finials

SIZE	PART NO.	WEIGHT EA.
5/8" - #15	084370	0.36
3/4" - #15	084372	0.39
5/8" - #17	084350	0.50
3/4" - #17	084352	0.52
5/8" - #17B	084360	0.244
3/4" - #17B	084362	0.28
5/8" - #27	084380	0.50
3/4" - #27	084382	0.65

#51 Knuckles

SIZE	PART NO.	WEIGHT EA.
5/8"	084388	0.488
3/4"	084389	0.688



Decorative Scrolls ALL MATERIAL 1/2" x 3/16"

SIZE	PART NO.	WEIGHT EA.
4" x 12" Fiesta	084450	0.55
5" x 16" Napoleon	084452	0.59
2 1/2" x 9 1/2" C-Scroll	084454	1.79



ORNAMENTAL IRON FITTINGS



Full Circle Ring EMPIRE HOOP - 3/16" THICK

SIZE	PART NO.	WEIGHT EA.
5/8" Picket	084480	0.363
3/4" Picket	084482	0.443

Empire Hoops 3/16 Thick

SIZE	PART NO.	WEIGHT EA.
5/8" Picket	084475	0.140
3/4" Picket	084477	0.170

Hook Box 1 1/2" hole

SIZE	PART NO.	WEIGHT EA.
7"H x 13/4"W x 13/4"D	084244	3.50

Clamp-On Track Bracket

SIZE	PART NO.	WEIGHT EA.
1 1/2"	084500	0.500
2"	084502	0.745

Clamp-On Bracket for Rear Wheel

SIZE	PART NO.	WEIGHT EA.
1 1/2"	084504	1.147
2"	084506	1.470

Wheel Box & Wheel Bracket

SIZE	PART NO.	WEIGHT EA.
Universal Bracket	084215	2.00
6" Box	084218	4.00

V-Track 1 1/2" x 3/16" x 20" LENGTHS ONLY

SIZE	PART NO.	WEIGHT EA.
W/J-Bolts (raw)	085890	41.00
W/Tabs (raw)	085895	41.00

ORNAMENTAL IRON FITTINGS



Single Box
 Large Hole - 2 1/8" Dia. Throw Hole - 1" Dia.
 Standard Depth - 1 1/2" Dia.
 Trim Line - 1 1/8" Depth

SIZE	PART NO.	WEIGHT EA.
3 1/2"H x 4 1/2"W	084240	0.894



Single Box W/2 3/4" Back Set Large Hole - 2 1/8" Dia.
 Throw Hole - 1" Dia.
 Standard Depth - 1 1/2" Dia.
 Trim Line - 1 1/8" Depth

SIZE	PART NO.	WEIGHT EA.
3 1/2"H x 4 1/2"W	084238	1.25




Double Box
 Large Hole - 2 1/8" Dia. Standard Depth - 1 1/2" Dia Trim Line - 1 1/8" Depth Throw Hole - 1" Dia.

SIZE	PART NO.	WEIGHT EA.
6 3/4"H x 4 1/2"W	084242	1.876



Roller Assembly for Slide Gates/Type I For Lifeguard Style

SIZE	PART NO.	WEIGHT EA.
6"	084225	5.60



SERVICE AREAS

SCS is proud to serve the Western United States including California, Arizona, Washington, Oregon, Idaho, Nevada, Alaska and Hawaii. Learn more about our service areas and location specific product availability.

**LARGE ENOUGH
TO SERVE, SMALL
ENOUGH TO CARE**



Bonney Lake

22203 100th ST E
Bonney Lake, WA 98391

P (503) 255-9950
F (206) 764-7146

04sales@scsfence.com

Portland

12520 N.E. Whitaker Way
Portland, OR 97220

P (503) 255-9950
F (503) 254-2895

03sales@scsfence.com

Sacramento

5311 Jackson Street North
Highlands, CA 95660

P (916) 338-4800
F (916) 338-5926

02sales@scsfence.com

San Jose

170 North 28th Street
San Jose, CA 95116

P (916) 338-4800
F (916) 338-5926

01sales@scsfence.com

Bakersfield

1900 Norris Road
Bakersfield, CA 93308

P (661) 243-3488
F (661) 282-1006

05sales@scsfence.com

(800) 843-7893