HP Z6 G4 Workstation



No matter what the future holds, you'll have all the performance you need. Ideal for VFX and rendering, this workhorse offers a wide range of processing power and the flexibility to upgrade components over time.



HP recommends Windows 10 Pro.

Designed to grow with you

• Invest only in the technology you need today, and easily upgrade in the future. Scale up with a broad range of configurations from single or dual processors to multiple graphics cards.

Relentless power

Take on demanding workloads with high-powered processors, professional graphics and 384 GB
of memory. Experience seamless performance during graphics-intensive work, such as visual
effects and design visualization.

HP's most secure workstations

• Advanced security features come standard on every Z6. Rest assured your device, identity and data are safe with security software like HP Client Security Suite² and HP Sure Start, the industry's first self-healing BIOS with intrusion detection.

Featuring

- Support your unique user needs with a choice of Windows 10 Pro or Linux® operating systems.
- Achieve the performance you need with the ability to support two next generation Intel® Xeon® processors for up to 48 total processor cores in one system.
- Get serious about graphics and reach peak productivity with access to a breadth of NVIDIA® and AMD professional graphics from entry to ultra 3D.
- Install the fastest professional grade storage hardware around, unlocking performance for storage-bound applications without sacrificing standard PCIe slots.
- The Z6 workstation's sleek, iconic design doesn't compromise on quiet, reliable performance.
- HP SureStart automatically detects intrusions in real-time, notifies you, and restores the BIOS you use, so you can breathe easier.
- Create two network connections without the added cost of a PCIe NIC with dual embedded 1GbE LAN ports which come standard.
- The optional dual front I/O USB 3.1 G2 Type C[™] module lets you transfer data to devices using modern connection technology at higher data rates.
- The optional dual 10 GbE module allows you to share big data files with 10x the bandwidth of standard office networking and with Thunderbolt™ 3 technology for fast data transfers.
- Optional self-encryption drives thwart outside access so your valuable IP won't fall into the wrong hands.

HP Z6 G4 Workstation Specifications Table







Operating System

Windows 10 Pro for Workstations 64 - HP recommends Windows 10 Pro 1,21,22 HP Installer Kit for Linux® Red Hat® Enterprise Linux® HP Linux® Installer Kit includes drivers for 64-bit versions of Red Hat® Enterprise Linux® 7.4, SUSE Linux® Enterprise Desktop 12 and Ubuntu 16.04 Red Hat® Enterprise Linux® (1-year paper license only) is available as a second operating system

Processor Family

Energy Efficiency Compliance

Processors^{2,3}

Intel® Xeon® Bronze 3104 (1.7 GHz, 8.25 MB cache, 6 cores); Intel® Xeon® Bronze 3106 (1.7 GHz, 11 MB cache, 8 cores); Intel® Xeon® Bronze 3204 (1.9 GHz base frequency, 8.25 MB cache, 6 cores); Intel® Xeon® Gold 4110 (2.1 GHz base frequency, up to 3.0 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Gold 5115 (2.4 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Gold 5115 (2.4 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Gold 5115 (2.4 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Gold 5115 (2.4 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Gold 5115 (2.4 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Gold 5115 (2.4 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Gold 5115 (2.4 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Gold 5115 (2.4 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Gold 5115 (2.4 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Gold 5115 (2.4 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Gold 5115 (2.4 GHz base frequency, up to 3.2 GHz base frequency, up to 3 Turbo Boost Technology, 13.75 MB cache, 10 cores); Intel® Xeon® Gold 5118 (2.3 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 12 cores); Intel® Xeon® Gold 5118 (2.3 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 12 cores); Intel® Xeon® Gold 5118 (2.3 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 10 cores); Intel® Xeon® Gold 5118 (2.3 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 10 cores); Intel® Xeon® Gold 5118 (2.3 GHz base frequency, up to 3.2 GHz base frequency). 5120 (2.2 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 19.25 MB cache, 14 cores); Intel® Xeon® Gold 5122 (3.6 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 4 cores); Intel® Xeon® Gold 5215 (2.5 GHz base frequency, up to 3.4 GHz with Intel® Turbo Boost Technology, 13.75 MB cache, 10 cores); Intel® Xeon® Gold 5218 (2.3 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 22 MB cache, 16 cores); Intel® Xeon® Gold 5220 (2.2 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 5222 (3.8 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 4 cores); Intel® Xeon® Gold 6128 (3.4 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 19.25 MB cache, 6 cores); Intel® Xeon® Gold 6130 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 22 MB cache, 16 cores); Intel® Xeon® Gold 6132 (2.6 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 19.25 MB cache, 14 cores); Intel® Xeon® Gold 6134 (3.2 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 8 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); Intel® Xeon® Gold 613 Gold 6138 C.O. GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 27.5 MB cache, 20 cores); Intel® Xeon® Gold 6140 (2.3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6142 (2.6 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 22 MB cache, 16 cores); Intel® Xeon® Gold 6144 (3.5 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 22 MB cache, 16 cores); Intel® Xeon® Gold 6144 (3.5 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 22 MB cache, 16 cores); Intel® Xeon® Gold 6144 (3.5 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 22 MB cache, 16 cores); Intel® Xeon® Gold 6144 (3.5 GHz base frequency); Intel® Xeon® Gold 6142 (3.6 GHz base frequency); GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 8 cores); intel® Xeon® Gold 6146 (3.2 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores); intel® Xeon® Gold 6148 (2.4 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 27.5 MB cache, 20 cores); intel® Xeon® Gold 6152 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 30.25 MB cache, 22 cores); Intel® Xeon® Gold 6154 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6230 (2.1 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 27.5 MB cache, 20 cores); Intel® Xeon® Gold 6240 (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6240Y (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6240Y (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6240Y (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6240Y (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6240Y (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6240Y (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6240Y (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6240Y (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6240Y (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6240Y (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Gold 6240Y (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores (2.6 GHz base frequency, up to 3.9 GHz base frequency, up to 3.9 GHz base frequency, up to 3.9 GHz base frequency, up to 3.0 GHz ba cores); Intel® Xeon® Gold 6242 (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 22 MB cache, 16 cores); Intel® Xeon® Gold 6244 (3.6 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 8 cores); Intel® Xeon® Gold 6248 (2.5 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 27.5 MB cache, 20 cores); Intel® Xeon® Gold 6252 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 35.75 MB cache, 24 cores); Intel® Xeon® Gold 6254 (3.1 GHz base frequency, up to 4.0 GHz with Intel® Xeon® Gold 6254 (3.1 GHz base frequency). Turbo Boost Technology, 24.75 MB cache, 18 cores); Intel® Xeon® Platinum 8160 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 33 MB cache, 24 cores); Intel® Xeon® Platinum 8160 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 33 MB cache, 24 cores); Intel® Xeon® Platinum 8160 (2.1 GHz base frequency); Intel® Xeon® Platinum 8160 (2.1 GHz base freque Platinum 8180 (2.5 GHz base frequency, up to 3.8 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 38 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 38 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 38 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 38 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 38 cores); Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.8 GHz with Intel® Platinum 8260 (2.4 GHz base frequency, up to 3.8 GHz with Intel® Platinum 82 Turbo Boost Technology, 35.75 MB cache, 24 cores); Intel® Xeon® Platinum 8280 (2.7 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Latinum 8280 (2.7 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Latinum 8280 (2.7 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Latinum 8280 (2.7 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Latinum 8280 (2.7 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Latinum 8280 (2.7 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Latinum 8280 (2.7 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Latinum 8280 (2.7 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores); Intel® Xeon® Latinum 8280 (2.7 GHz base frequency); Intel® Xeon® Latinum 8280 (2.7 GHz base fr Silver 4108 (1.8 GHz base frequency, up to 3 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Silver 4112 (2.6 GHz base frequency, up to 3 GHz with Intel® Turbo Boost Technology, 8.25 MB cache, 4 cores); Intel® Xeon® Silver 4114 (2.2 GHz base frequency, up to 3 GHz with Intel® Turbo Boost Technology, 13.75 MB cache, 10 cores); Intel® Xeon® Silver 4116 (2.1 GHz base frequency, up to 3 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 12 cores); Intel® Xeon® Silver 4208 (2.1 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Silver 4210 (2.2 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 13.75 MB cache, 10 cores); Intel® Xeon® Silver 4214 (2.2 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 12 cores); Intel® Xeon® Silver 4214Y (2.2 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 12 cores); cores); Intel® Xeon® Silver 4215 (2.5 GHz base frequency, up to 3.5 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores); Intel® Xeon® Silver 4216 (2.1 GHz base frequency, up to 3.2 GHz

	with Intel® Turbo Boost Technology, 22 MB cache, 16 cores)
Chipset	Intel® C622
Maximum Memory	384 GB DDR4-2666 ECC RAM; 768 GB DDR4-2933 ECC RAM ²⁰ Transfer rates up to 2933 MT/s.
Memory Slots	12 DIMM
Drive Controllers	Integrated SATA 6.0 Gb/s; Factory integrated RAID available for SATA/SAS drives (RAID 0, 0 Data, 1, 5, and 10)
Internal Storage	up to 300 GB SAS (15000 rpm) ⁴ ; 500 GB up to 2 TB SATA (7200 rpm) ⁴ up to 500 GB SATA SED (7200 rpm) ⁴ ; 1 TB up to 6 TB 7200 rpm SATA Enterprise ⁴ 256 GB up to 2 TB SATA SSD ⁴ ; 256 GB up to 512 GB SATA SED Opal 2 SSD ⁴ ; 240 GB up to 480 GB SATA Enterprise SSD ⁴ 256 GB up to 1 TB HP Z Turbo Drive PCIe® NVMe™ SSD ⁴ ; 256 GB up to 1 TB HP Z Turbo Drive PCIe® NVMe™ SSD M.2 ⁴ 256 GB up to 512 GB HP Z Turbo Drive PCIe® NVMe™ SED SSD M.2 ⁴ ; 256 GB up to 8 TB HP Z Turbo Drive PCIe® SSD ⁴ 256 GB up to 4 TB HP Z Turbo Drive Dual Pro PCIe® SSD; 280 GB up to 480 GB Intel® Optane™ SSD 905P
Optical Storage	HP Slim DVD-ROM; HP Slim Blu-ray Writer; HP Slim DVD-Writer ^{5,6}
Additional Storage	HP SD 4 Media Card Reader (optional)
Available Graphics	Entry 3D: NVIDIA® Quadro® P400 (2 GB GDDR5 dedicated); NVIDIA® Quadro® P600 (2 GB GDDR5 dedicated); AMD FirePro™ W2100 Graphics (2 GB DDR3 dedicated) Mid-range 3D: NVIDIA® Quadro® P1000 (4 GB GDDR5 dedicated); NVIDIA® Quadro® P2000 (5 GB GDDR5 dedicated); AMD Radeon™ Pro WX 3100 Graphics (4 GB GDDR5 dedicated); AMD Radeon™ Pro WX 4100 Graphics (4 GB GDDR5 dedicated); AMD Radeon™ Pro WX 4100 Graphics (4 GB GDDR5 dedicated) 17 High-end 3D: AMD Radeon™ Pro WX 7100 Graphics (8 GB GDDR5 dedicated); NVIDIA® Quadro® P4000 (8 GB GDDR5 dedicated); NVIDIA® Quadro® P5000 (16 GB GDDR5X dedicated); NVIDIA® Quadro® P6000 (24 GB GDDR5X dedicated)
Audio	Realtek HD ALC221
Communications	LAN: Integrated Intel® 1219-LM PCIe® GbE; Integrated Intel® X722 PCIe® GbE; Intel® GbE; Intel® GbE; Intel® GbE; Intel® S50-T2 dual-port GbE NIC; Intel® 1350-T4 dual-port GbE NIC; Intel® 1210-T1 PCIe® GbE; Intel® X550-T2 dual-port GbE NIC; Intel® X710-DA2 dual-port GbE NIC; Intel® Dual Band Wireless-AC 8265 802.11a/b/g/n/ac (2x2) Wi-Fi® and Bluetooth® 4.2 Combo, non-vPro™ 9
Expansion Slots	3 PCIe x4; 1 PCIe x8; 2 PCIe x16; 2 M.2 PCIe x4 Slot 1: CPU with open-ended connector. Slots 3 and 6: PCH with open-ended connector. Slot 4: CPU with open-ended connector (slot converts to x4 electrical when SSD is installed in 2nd M.2 slot). M.2 Slots 1 and 2: CPU up to 80 mm storage devices.
Ports and Connectors	Front: 1 headset connector; 4 USB 3.1 (1 charging) Rear: 6 USB 3.1 Gen 1; 2 RJ-45 (1 GbE); 1 audio-in; 1 audio-out; 1 PS/2 mouse port; 1 PS/2 keyboard port; 1 serial Premium front includes: 1 headset, 2 USB 3.1 Gen 1 (1 charging), 2 USB 3.1 Gen 2 Type-C™.
Drive Bays(Internal)	Two 2.5" or 3.5"
Drive Bays (External)	Two 5.25°, ¹⁶
Input Device	HP Wireless Business Slim Keyboard and Mouse Combo; HP USB Business Slim Keyboard; USB Premium wired keyboard; USB Smart Card (CCID) keyboard ¹⁰ ; 3Dconnexion CADMouse; HP USB Optical Mouse; HP PS/2 Mouse; HP USB Hardened Mouse ¹⁰
Software	HP Remote Graphics Software (RGS); HP Performance Advisor
Security	HP Sure Start Gen3; Secure authentication; Kensington lock slot; Full volume encryption; HP Keyed Cable Lock Kit; TPM 2.0 certified; HP Secure Erase 14,15,18
Power	1000 W internal power supply, up to 90% efficiency, active PFC; 700 W internal power supply, up to 90% efficiency, active PFC
Dimensions	16.9 x 46.5 x 44.5 cm
Weight	Starting at 13.1 kg
Environmental Certification	Low halogen ¹²
Compatible Displays	All HP Z Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays.

ENERGY STAR® certified and EPEAT® Gold registered configurations available 11

HP Z6 G4 Workstation

Recommended Accessories and Services

HP 10GBASE-T Dual NIC Module Z6/8 G4

Get affordable, full line-rate performance with CAT 6a cabling or better at distances up to 100 meters, support for business and virtualization features, and keep one more PCle slot available for other use with the HP 10GBASE-T Dual NIC Module Z6/8 G4.

Product number: 1QL49AA

HP Z Premium Front I/O 2xUSB-A 2xUSB-C

Use the HP Z Premium Front I/O 2xUSB-A 2xUSB-C to quickly and easily upgrade your HP Z4, Z6 or Z8 G4 Workstation standard front I/O ports from 4x USB 3.1 Gen 1 Type A ports to 2x higher-bandwidth USB 3.1 Gen 2 Type-C $^{\text{TM}}$ ports for modern peripheral compatibility and 2x USB 3.1 Gen 1 Type A ports.

Product number: 1XM32AA

HP Z Turbo Drv Quad Pro 2x1TB PCIe SSD

Power through your largest data challenges and get amazing performance with the HP Z Turbo Drive Quad Pro, which integrates up to four super-fast HP Z Turbo Drive G2 modules¹ into one PCIe x16 card.

Product number: T9H99AA

HP 5-year Next Business Day Onsite Workstation Only Hardware Support



Receive 5 years of next business day onsite repair from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. For more information on Care Pack services, please visit www.hp.com/go/cpc.

Product number: U7944E

Messaging Footnotes

- 1 Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See
- ² HP Client Security Suite features vary by platform.
- 3 Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering is not a measurement of higher performance.
- 4 Sold separately or as an optional feature.
- ⁵ HP Z Premium Front I/O 2xUSB-A 2xUSB-C is sold separately or as an optional feature.
- ⁶ HP dual-port 10GBase-T NIC is sold separately or as an optional feature.
- Available in the first half of 2019.

Screen image courtesy of Chris McLennan

Screen image courtesy of Renault Sport Racing

Technical Specifications Footnotes

- 1 Not all features are available in all editions or versions of Windows. Systems may require ungraded and/or separately purchased hardware, drivers, software or BIOS undate to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com
- 2 Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- s Some vPro functionality of this technology, such as Intel® Active management technology and Intel Virtualization technology, requires additional 3rd party software in order to run. Availability of future "virtual appliances" applications for Intel vPro technology is dependent on 3rd party software providers. Microsoft Windows required.
- For hard drives and solid state drives, 1 GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB of system disk is reserved for system recovery software.
- 5 Duplication of copyrighted material is strictly prohibited. Actual speeds may vary. Double Layer media compatibility will widely vary with some home DVD players and DVD-ROM drives. Note that DVD-RAM cannot read or write to 2.6GB Single Sided/5.2 Double Sided-Version 1.0 Media. No support for DVD RAM.
- 6 With Blu-Ray, certain disc, digital connection, compatibility and/or performance issues may arise, and do not constitute defects in the product. Flawless playback on all systems is not guaranteed. In order for some Blu-ray titles to play, they may require a DVI or HDMI digital connection and your display may require HDCP support. HD-DVD movies cannot be played on this Desktop PC.
- ⁷ HP VR Ready Configurations available.
- For systems installed with Microsoft Windows 7 (Ultimate, Enterprise or Professional), the maximum accessible system memory is 192 GB. For systems installed with Microsoft Windows 8.x (Enterprise or Pro), the maximum accessible system memory is 512 GB.
- 9 Wireless access point and Internet access required. Availability of publis wireless access points limited. The specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ac WLAN devices.
- 10 Optional or add-on feature.
- 11 EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. Search keyword generator on HP's 3rd party option store for solar generator accessories at http://www.hp.com/go/options www.hp.com/go/options
- 12 External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.
- 13 HP Remote Graphics Software requires a Windows, Linux®, or Mac®OS X 10.10 and newer operating system and network access.
- 14 HP Sure Start Gen3 is available on HP EliteBook, HP ZBook, and HP Z Workstation products equipped with Intel® 7th generation processors.
- 15 HP Secure Erase: For the methods outlined in the National Institute of Standards and Technology Special Publication 800-88. Supported on Elite platforms with BIOS version F.03 or higher.
- ¹⁶ Each bay is configurable to 2.5" or 3.5".
- ¹⁷ The AMD Radeon™ Pro WX 4100 Graphics is available only as an aftermarket option.
- ¹⁸ HP Keyed Cable Lock Kit is available only as an aftermarket option.
- ¹⁹ HP dual-port 10GBase-T NIC is sold separately or as an optional feature.
- ²⁰ Available in the first half of 2019.
- 21 Windows 10 Pro is preinstalled. Windows 7 media is only available upon request from HP Customer Support. You may only use one version of the Windows software at a time. Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of your data.
- 22 NOTE: In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel and AMD 7th generation and forward processors or provide any

Windows 8 or Windows 7 drivers on http://www.support.hp.com.

Sign up for updates

hp.com/go/getupdated

Copyright © 2019 HP Development Company, L.P. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel. Xeon and Intel vPro are trademarks of Intel Corporation or isubsidiaries in the U.S. and/or other countries. Bluetooth is a trademark of its proprietor and used by HP Inc. under license. USB Type-CIM and USB-CIM are trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. DisplayPortIM and the DisplayPortTM logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. NVIDIA. The NVIDIA logo and Quadro are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. All other trademarks are the property of their respective owners