

Benelli®

simply perfect

SUPER BLACK EAGLE 3 BE.S.T.

BE.S.T.
BENELLI SURFACE TREATMENT

ETHOS BE.S.T.

BE.S.T.
BENELLI SURFACE TREATMENT

10 YEAR WARRANTY

Benelli's unmatched 10-year warranty. A 10-Year Warranty, which leads the industry, guarantees that if anything should go wrong, under normal use, your firearm will be serviced by skilled gunsmiths at our national firearm service center. While your Benelli is under warranty, we will assume the cost of parts, labor and shipping required to get your firearm back to you and working perfectly.

  @BenelliCanada
www.BenelliCanada.ca

BE.S.T. BENELLI SURFACE TREATMENT

Harsh environments wreak havoc on gun metal. Benelli spent more than a decade developing BE.S.T. (Benelli Surface Treatment), a proprietary coating that protects steel with a tough, impenetrable armor that stops rust and corrosion. Applied using nanotechnology and diamond-like carbon particles, BE.S.T. outperforms every other available coating and surface treatment in the firearms market today. Parts treated with BE.S.T. have been tested by immersing them in saltwater for months with no signs of rust or corrosion.

Benelli BE.S.T. surface treatment is simply the most effective rust and corrosion firearm protection available. Benelli is so confident in the BE.S.T. performance that treated parts are backed with a 25-year warranty against rust and corrosion. Available in 2020 on select SBE 3 and ETHOS models. See pages 4 and 5 for additional details.


In addition to Benelli's industry-leading 10 year warranty, BE.S.T.-treated barrels and parts carry a warranty against rust and corrosion for 25 years from the date of purchase.



An environmentally friendly, high-vacuum, radio-frequency plasma nanotechnology is used to bond the diamond-like carbon particles to the desired metal components.



A competitor's barrel showing the damage from 48 hours of saltwater exposure.



A Benelli BE.S.T.-treated barrel with no sign of rust or corrosion after 3 months of saltwater exposure.

BE.S.T.



SBE3

SUPER BLACK EAGLE 3 BE.S.T. – 12-GA, 3 1/2"
ITEM # 12102 Black synthetic

BE.S.T. Treated Choke
(Extended only)



ETHOS

ETHOS BE.S.T. – 12-GA, 3"
ITEM # 12112 Black synthetic

The development of BE.S.T. technology


BE.S.T (Benelli Surface Treatment) is a new proprietary finishing technology developed by engineers and scientists at Benelli's manufacturing headquarters in Urbino, Italy. It is a hybrid Physical Vapor Deposition (PVD) and Plasma Enhanced Chemical Vapor Deposition (PECVD) technology that applies a protective coating to parts.

This coating provides corrosion and abrasion resistance that is superior to any other firearm finish on the market. PVD and PECVD processes utilize electricity, radio frequencies, and plasma in a high-vacuum environment to deposit a solid coating that precisely and uniformly covers the treated parts. Diamond-like carbon particles are applied using nanotechnology, resulting in an exceptionally hard surface that is difficult to scratch, and won't ever rust or corrode.

The graphitic components of the coating layer also greatly

reduce the amount of oil and maintenance required. While these technologies have been used in many industries for some time, applying them to a shotgun barrels had never been practical until Benelli's breakthrough. Typical deposition processes operate at high temperatures. Treating a shotgun barrel in such an environment would ruin the ballistic properties of the barrel and weaken the strength of the barrel extension. Benelli's engineers created a process that completes the process at low temperature, maintaining the perfect ballistics of our Crio-treated barrels and the heat-treated strength of the barrel extension.

Benelli developed this chemical makeup and made modifications to machinery to apply the new BE.S.T. coating at low temperatures in order to make it usable on shotguns. As an added bonus, Benelli's new process produces no emissions or waste, poses no health or safety risks to operators, and is environmentally friendly.



SUPER BLACK EAGLE 3 — BE.S.T.				
ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
SUPER BLACK EAGLE 3 BE.S.T. 12-GAUGE 2 3/4", 3" AND 3 1/2" †				
12102	28"	Black synthetic	49.6"	7.0 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 3+1 Crio® Flush Chokes: C,IM,F Crio® Extended Chokes: IC,M Type of Sights: Red-bar front sight Length of Pull: 14 3/8" Drop at Heel: 2 1/8" Drop at Comb: 1 1/8" Minimum recommended load: 3-dram, 1 1/8-oz. loads (12-ga.) †Receiver drilled and tapped for 93A Weaver base.

ETHOS — BE.S.T.				
ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
ETHOS BE.S.T. – 12-GAUGE 2 3/4" AND 3"				
11212	28"	Black synthetic	49.5"	6.7 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 (2+1 28-Ga.) Crio® Chokes: C,IC,M,IM,F Type of Sights: Interchangeable fiber-optic front sight with red, green and yellow inserts Length of Pull: 14 3/8" Drop at Heel: 2 1/8" Drop at Comb: 1 1/8" Minimum recommended load: 7/8-oz. loads, 3/4-oz. 28-ga. *28-ga. does not have interchangeable sights.

828 U

A shotgun built on imagination, not on past inspiration.



The first O/U inspired by innovation that breaks the traditional mold.



Steel locking system

Benelli's patented steel locking system eliminates wear and tear on the receiver and hinge that cause traditional O/U's to fail. By incorporating this locking system into an aluminum receiver, we created a stronger, safer, lighter O/U that's perfectly balanced and weighs less than 6.5 pounds.



Opening lever

The 828U strikers reset when the top lever is unlocked, instead of when the barrels open as in traditional O/U's. This creates a smoother, more consistent opening action. Left-hand models are now available, which include a left-handed opening lever.

Steel locking plate

The heart of Benelli's Steel Locking System is a solid steel breech block that locks directly to the rear of the barrel, containing all pressure from the shotshell inside and preventing its transfer to the receiver and hinge pins.



Impulse activated ejectors

The ejector system in the 828U is all contained on the barrel. Pressure activates the ejector when the shell is fired. This innovative design eliminates need for linkages between the trigger group and the forend, resulting in a stronger, more streamlined ejector system.

Adjustable drop and cast

Benelli has created the first O/U that allows for a custom fit stock. With five drop and four cast shims, the 828U can be adjusted to one of 40 possible stock positions. The adjustable stock allows shooters to find natural alignment with the barrel and target, which results in superior accuracy.



Removable trigger group

The compact and removable trigger group makes for easier cleaning and eliminates complicated linkage between the forearm and trigger mechanism, significantly increasing reliability.

Progressive Comfort

Progressive Comfort and the 828U

The Progressive Comfort System is housed within the 828U walnut stock. The progressive nature of the system allows for consistently smooth levels of recoil absorption with light or heavy loads.

Stage 1 of recoil

When a light load is fired, the first set of buffers (shown in yellow) engage and compress to absorb recoil energy.



Stage 2 of recoil

When firing more powerful shells (heavy field loads), the second set of buffers (shown in orange) engage after the first set have compressed to absorb more recoil.




Stage 3 of recoil

The third and most rigid set of buffers (shown in red) come into play when a magnum load is fired, providing a final cushion for the heaviest shotshell loads.



828U

Integrated System of Design,
Comfort and Technology.



828U – 12-GA, 3"
ITEM # 10704 AA-Grade satin walnut



828U – 12-GA, 3"
ITEM # 10702 AA-Grade satin walnut

A shotgun that feels and shoots like a Benelli from the moment you pick it up to the moment you break it open.

When innovation and inspiration collided the 828U was born—the first O/U worthy of the Benelli badge. With the strength of steel and the weight of aluminum, the 12-gauge 828U has redefined the category.

The 828U features a patented steel locking system and plate, which eliminates the transference of stress-causing shot pressure to the receiver and hinge pins. The compact, easily removable trigger group increases safety and reliability. A redesigned opening lever provides a smoother, more consistent opening action. From butt to barrel, there is nothing about the 828U that hasn't been rethought and improved.



828U SPORT

A New Leader in Performance and Innovation



828U SPORT – 12-GA, 3"
ITEM # 10730 Matte blued steel with AA-Grade satin walnut

Progressive Balancing

A balanced shotgun is essential for consistent performance. Our engineers created an innovative adjustable balance system using small weights in the buttstock. Add or remove them to move the gun's center of balance fore or aft.



STANDARD FEATURES

CHOKE TUBES: C, IC, M, IM, F Crio® choke tubes and wrench.
FINISH: AA-Grade satin walnut.
RECEIVER: Matte Blued steel with "SPORT" engraved.
SHIM KIT: 40 points of fine adjustment of drop and cast for custom fit.
HARD CASE: Custom fitted hard case to protect in transport.
ADJUSTABLE TRIGGER POSITION


OPTIONAL FEATURES

CHOKE TUBES: Extended chrome Crio® choke tubes C, IC, M, IM, F.



828U				
ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
828U 12-GAUGE 2 3/4" AND 3" – ANODIZED RECEIVER				
10702	28"	AA-Grade satin walnut	45.25"	6.6 lbs.
828U 20-GAUGE 2 3/4" AND 3" – ENGRAVED NICKEL-PLATED RECEIVER				
10741	28"	AA-Grade satin walnut	45.25"	6.0 lbs.
828U 12-GAUGE 2 3/4" AND 3" – ENGRAVED NICKEL-PLATED RECEIVER				
10704	28"	AA-Grade satin walnut	45.25"	6.6 lbs.
828U 12-GAUGE 2 3/4" AND 3" – ENGRAVED NICKEL-PLATED RECEIVER LEFT HAND				
10708	28"	AA-Grade satin walnut	45.25"	6.6 lbs.

COMMON SPECIFICATIONS: **Crio® Chokes:** C, IC, M, IM, F **Type of Sights:** Fiber-optic front sight with red insert **Length of Pull:** 14 3/4" **Drop at heel:** 2 3/4" **Drop at Comb:** 1 1/2"



The 828U Sport's trigger can be moved forward or backward so your finger sits exactly where you want. Customize it to your finger length.



A patented steel locking system delivers consistently reliable lock-ups while eliminating wear and tear on the receiver hinges - a vulnerability in shotguns costing far more.



Each 828U Sport comes with five extended nickel/colored chokes, drop and cast shims for a custom fit, balance weights, a manual, a trigger tool, a choke wrench and oil.

Benelli delivers innovative performance advantages in its new 828U Sport. A patented steel locking system reduces wear on the receiver and hinge, a point where lesser break-action guns fail. Integrated adjustment capability helps you tailor the balance point for optimal performance. Tune the trigger position to your finger length. A sight channel in the wide rib over anti-glare barrels aids fast target alignment with the white bead sight. Cryogenic barrel and choke treatment results in consistent patterns and more pellets on target. These enhancements and more make the 828U Sport a standout among sporting over/under shotguns.

828U SPORT

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
12-GAUGE 2 3/4" AND 3"				
10730	30"	AA-Grade satin walnut	47.25"	8.05 lbs.
10731	32"	AA-Grade satin walnut	49.25"	8.15 lbs.

COMMON SPECIFICATIONS: **Crio® Chokes:** C, IC, M, IM, F **Type of Sights:** White Bead Front Sight **Length of Pull:** 14 3/4" **Drop at heel:** 2 3/4" **Drop at Comb:** 1 3/4" **Automatic Ejectors**

ETHOS

The Perfect Balance of Art and Technology




ETHOS – 12-GA, 3"
ITEM # 10462 AA-Grade satin walnut



ETHOS – 12-GA, 3"
ITEM # 10452 AA-Grade satin walnut

A beveled loading port, redesigned carrier and a new two part carrier latch makes loading the magazine effortless.



The updated Inertia Driven system improves the cycling speed, reliability and the ability to cycle the lightest loads.




ETHOS

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
12-GAUGE 2 3/4" AND 3" – ANODIZED RECEIVER				
10452	28"	AA-Grade satin walnut	49.5"	6.5 lbs.
12-GAUGE 2 3/4" AND 3" – ENGRAVED NICKEL-PLATED RECEIVER				
10462	28"	AA-Grade satin walnut	49.5"	6.5 lbs.
20-GAUGE 2 3/4" AND 3" – ENGRAVED NICKEL-PLATED RECEIVER				
10472	28"	AA-Grade satin walnut	49.5"	5.7 lbs.
28-GAUGE 2 3/4" AND 3" – ENGRAVED NICKEL-PLATED RECEIVER				
10480	26"	AA-Grade satin walnut	47"	5.3 lbs.

COMMON SPECIFICATIONS: **Magazine Capacity:** 4+1 (2+1 28-Ga.) **Crio® Chokes:** C, IC, M, IM, F **Type of Sights:** Interchangeable fiber-optic front sight with red, green and yellow inserts and metal bead mid-sight **Length of Pull:** 14 3/8" **Drop at heel:** 2 1/4" **Drop at Comb:** 1 1/2" Minimum recommended load: 3/4 oz loads, 3/4 oz 28-Ga. *28-Ga. does not have interchangeable sights.

28-GAUGE MAGNUM LOAD ENERGY COMPARISON



28-GAUGE, 3-INCH MAGNUM LOAD

This cartridge gives you the same velocity as a standard 2 3/4" 28-Ga. load but with 1/4 oz. more shot. Which translates into a 25% increase in knockdown power and 20% more pellets on target at 35 yards giving you that extra edge for late season birds. With the Progressive Comfort system of the Ethos soaking up any additional recoil you get all the ballistic advantage of a 20-Ga. in an easier handling 28-Ga. package.

STANDARD FEATURES

CHOKE TUBES: C, IC, M, IM, F Crio® choke tubes and wrench.
FINISH: AA-Grade satin walnut.
RECEIVER: Engraved nickel-plated, or anodized (12-Ga. only).
SHIM KIT: For adjustment of drop and cast.
HARD CASE: Custom fitted hard case to protect in transport.

OPTIONAL FEATURES

CHOKE TUBES: Extended chrome Crio® choke tubes C, IC, M, IM, F.



ETHOS receivers come in either black or nickel-plated engraved. Benelli's dynamic new design includes a patented easy loading system that features a new two-part carrier latch, beveled loading port and redesigned carrier that ensures shells will glide into the magazine faster and easier. A new larger bolt release, easy access cartridge drop lever and larger trigger guard promotes quick handling even wearing gloves.

ETHOS Sport

A Clay-Busting Machine in an Elegant Package



ETHOS – 12-GA, 3"
ITEM # 10495 AA-Grade satin walnut

Benelli is a company of avid shotgunners who never stop thinking about new and innovative ways to make our product even better. The sporting version of the ETHOS perfectly embodies this "ethos." Using the popular field model as a basis, we have raised the wide sporting rib and outfitted the barrel with porting to make that second shot quicker on target.

ETHOS SPORT

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
12-GAUGE 2 3/4" AND 3" – ENGRAVED NICKEL-PLATED RECEIVER				
10490	28"	AA-Grade satin walnut	49.5"	6.5 lbs.
10495	30"	AA-Grade satin walnut	51.5"	6.7 lbs.
20-GAUGE 2 3/4" AND 3" – ENGRAVED NICKEL-PLATED RECEIVER				
10455	28"	AA-Grade satin walnut	49.5"	5.7 lbs.
28-GAUGE 2 3/4" AND 3" – ENGRAVED NICKEL-PLATED RECEIVER				
10485	28"	AA-Grade satin walnut	49"	5.4 lbs.

COMMON SPECIFICATIONS: **Magazine Capacity:** 4+1 (2+1 28-Ga.) **Extended Crio® Chokes:** C, IC, M, IM, F **Type of Sights:** Interchangeable fiber-optic front sight with red, green and yellow inserts and metal bead mid-sight **Length of Pull:** 14 3/8" **Drop at heel:** 2 1/4" **Drop at Comb:** 1 1/2" Minimum recommended load: 3/4 oz loads, 3/4 oz 28-Ga. *28-Ga. does not have interchangeable sights.

STANDARD FEATURES

EXTENDED CHOKE TUBES: C, IC, M, IM, F Crio® choke tubes and wrench.
FINISH: AA-Grade satin walnut.
RECEIVER: Engraved nickel-plated, or anodized (12-Ga. only).
SHIM KIT: For adjustment of drop and cast.
HARD CASE: Custom fitted hard case to protect in transport.

OPTIONAL FEATURES

CHOKE TUBES: Flush chrome Crio® choke tubes C, IC, M, IM, F.



The rib of the ETHOS Sport has some substantial differences from its field counterpart. It is not only wider and higher, but it also features a smooth-textured central "sight channel" that will guide the eye naturally to the target.



Extended choke tubes optimize patterns and are quickly changed in the heat of competition—while porting minimizes barrel jump and the high-visibility sight make it easier to keep your eyes focused on the target.

Super Vinci

The Evolution of the Revolution.



REALTREE MAX-5
SUPER VINCI – 12-GA, 3½"
 ITEM #10553 Realtree® Max-5™

The Super Vinci, chambered for 3½-in. shells, incorporates an over-sized trigger guard, enlarged safety and sculpted forend for easy use with gloves on. With **Practical Speed Performance (PSP)** there is no faster shooting shotgun in the world.

The Super Vinci's magazine tube makes it easy to load 3½-inch magnum shells quickly and easily through a sculpted magazine loading port. Merely depress the carrier and slide the shells into the magazine through the oversized recess.



The ComforTech® Plus system's ergonomically designed butt pads absorb recoil and are available in right- or left-hand versions. Three optional thicknesses adjust the length of pull to 13⅞", 14⅞" (standard), 14¾". (LH available only in 14¾")




SUPER VINCI – 12-GA, 3½"
 ITEM #10552 Black Synthetic

The Super Vinci comes standard with a lightweight, ventilated step-rib and a red-bar front sight.



The Super Vinci magazine cap turns clockwise to lock the Trigger Group/Forearm module to the barrel. To remove the Trigger Group/Forearm from the barrel, press the button on the underside of the forearm and turn the magazine cap counter-clockwise. An integral front sling attachment is molded directly into the magazine cap.



GORE OPTIFADE™
SUPER VINCI – 12-GA, 3½"
 ITEM #10556 GORE™ OPTIFADE™ Marsh

The Super Vinci's In-Line Inertia Driven® action's bolt and rotating bolt head operates simply and efficiently on a single axis. This innovative design reduces movement during recoil, resulting in less muzzle climb for quicker follow-up shots.



STANDARD FEATURES

- CHOKE TUBES:** C, IC, M, IM, F Crio® chokes and wrench.
- FINISHES:** Realtree® Max-5™ Black Synthetic
- BARRELS:** Crio® treated barrel.
- RECOIL PADS:** ComforTech® Plus recoil and comb pads.
- SHIM KIT:** For adjustment of drop and cast.
- DRILLED & TAPPED**

OPTIONAL FEATURES

- CHOKE TUBES:** Extended chokes for pass shooting (IM), shooting waterfowl over decoys (IC), and for turkey hunting (XF) (12-gauge only). Extended Crio® chokes C, IC, M, IM, F.
- RECOIL PADS:** Three options to customize length of pull to 13⅞", 14⅞" or 14¾".
- RAISED COMB PADS:** Two options to customize sight plane for different shooting scenarios from field to target shooting to scoped hunting.



SUPER VINCI

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
SUPER VINCI 12-GAUGE 2¾", 3" AND 3½"				
10552	28"	Black Synthetic	50.5"	7 lbs.
10553	28"	Realtree® Max-5™	50.5"	7 lbs.
10559	28"	Mossy Oak Shadow Grass Blade	50.5"	7 lbs.
10556	28"	Optifade™ Marsh	50.5"	7 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 3+1 Crio® Chokes: C, IC, M, IM, F Type of Sights: Red bar front sight and metal mid-sight Length of Pull: 14⅞" Drop at heel: 2" Drop at Comb: 1⅜" Minimum recommended load: 3-dram, 1⅛ oz loads (12-ga.). Receiver drilled and tapped for scope mounting.

BARREL/RECEIVER MODULE



QUADRAFIT™ BUTTSTOCK MODULE

TRIGGER GROUP/FOREARM MODULE

Modular design makes the Super Vinci the easiest shotgun in the world to assemble and disassemble. The Super Vinci consists of three modules – the Barrel/Receiver Module, the Trigger Group/Forearm Module and the Quadrafit Buttstock Module.

The Super Vinci and Vinci models share the same self-contained magazine tube assembly, which can be easily replaced with higher-capacity magazines with the push of a button.



The Super Vinci handles everything from 3½-inch magnum shells to 3- and 2¾-inch loads with equal reliability.





SUPER BLACK EAGLE 3

DOMINATE THE SKIES

Built upon the iconic Super Black Eagle platform, every refinement and modification gives serious hunters the exceptional speed, enhanced comfort and failsafe reliability to persevere in the kind of water, weather and grit that destroys lesser shotguns.

The constant pursuit of perfection. It's forever been the focus of Benelli design engineers and the Super Black Eagle 3 is the latest evidence of our storied, 50-year obsession. Built upon the iconic Super Black Eagle platform, every refinement and modification gives serious hunters the exceptional speed, enhanced comfort and failsafe reliability to persevere in the kind of water, weather and grit that destroys lesser shotguns.

1

UP TO 48% LESS RECOIL

Patented Comfort Tech 3 system lessens felt recoil, increasing accuracy on follow-up shots.

Comfort Tech³

2

PATENTED COMBTECH PAD

Reduces shock and vibration to the cheek and face.



3

A MORE PERSONALIZED FIT AND FEEL

Customizable length of pull with interchangeable butt pads.

4

EASY ADJUSTMENTS TO STOCK ANGLE

Shims adjust to multiple cast and drop positions for a customized fit.



5

EASIER ACCESS TO SAFETY, TRIGGER AND BOLT RELEASE LEVER

Ergonomically designed grip and enlarged components make for easier operation.

6

CONVENIENT OPTICS MOUNTING

7

EASY LOADING SYSTEM QUICKLY FUNNELS SHELLS

Fumble-free loading at critical moments, without jamming or catching your thumb.

8

ENLARGED BOLT HANDLE AND RELEASE LEVER

Now easier to use, even when wearing gloves.

9

100% RELIABLE BOLT SEATING

New Easy-Locking Bolt System guarantees the bolt locks into battery no matter how lightly it's brought forward.

10

NEW ERGONOMICALLY-DESIGNED FOREARM

Noticeably slimmer and designed for excellent grip and balance.



11

EFFORTLESS MAG-CAP REMOVAL

New 3-sided cap is designed to give you a solid grip for quick and easy assembly, even when wearing gloves.

12

13.2% MORE PELLETS ON TARGET

Our cryogenically treated barrels and choke tubes provide denser patterning.



13

EXCEPTIONAL TARGET ACQUISITION

Light-gathering, fiber-optic red bar front sight.


14

CHOKE VERSATILITY

Comes with 2 extended Crio choke tubes and 3 flush-mount Crio chokes to handle any shooting situation.



SUPER BLACK EAGLE III - 12-GA, 3 1/2" ITEM # 10301 Realtree® Max-5™



FLINCHING MEANS FAILURE

If your subconscious is preparing for a sharp recoil to the face, your shot is already compromised.

SIGNIFICANTLY LESS FELT RECOIL

Patented Combtech technology softens recoil to the cheek and face. Less recoil means you can concentrate on your target and forget about anticipated impact.

Super Black Eagle III

Dominate the Sky.



SUPER BLACK EAGLE III – 12-GA, 3½" ITEM # 10316 Black Synthetic



The special synthetic gel comb insert not only cushions the shooter's cheek during recoil, it also has a slippery surface that allows the cheek to slide along the surface for added comfort. Available in 3 sizes, for ComforTech® stocks only.



The Benelli engineers have thought of everything. There's even a gel recoil pad on the SBE III specifically designed to fit the left shoulder.

Gel Recoil Pad
ComforTech™, Left-hand
ITEM #81047 L.O.P. 13⅞"
ITEM #83120 L.O.P. 14⅜"
ITEM #83121 L.O.P. 14⅜"



Benelli includes a set of shims to make customizing the gun's drop and cast quick and simple.
ITEM #60850



Benelli fulfills the needs of southpaws with the production of a selection of semi-autos created especially for left-handed shooters. Benelli's flagship semi-auto, Super Black Eagle II in left-hand is specifically designed with a ComforTech™ stock and a left-hand contoured gel recoil pad.



SUPER BLACK EAGLE III – 12-GA, 3½"
ITEM # 10301 Realtree® Max-5™



SUPER BLACK EAGLE III – 12-GA, 3½"
ITEM # 10351 Mossy Oak Bottomland



SUPER BLACK EAGLE III – 12-GA, 3½"
ITEM # 10361 Gore Optifade Timber



SUPER BLACK EAGLE III – 12-GA, 3½"
ITEM # 10385 Gore Optifade Marsh



SUPER BLACK EAGLE III – 12-GA, 3½"
ITEM # 11230 Gore Optifade Timber/Cerakote



SUPER BLACK EAGLE III – 12-GA, 3½"
ITEM # 10380 Satin Walnut

SUPER BLACK EAGLE III – LEFT-HAND MODELS

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
SUPER BLACK EAGLE III 12-GAUGE 2¾", 3" AND 3½"				
10371	28"	Black synthetic	49.6"	7.0 lbs
10375	28"	Realtree® Max-5™	49.6"	7.0 lbs

COMMON SPECIFICATIONS: Magazine Capacity: 3+1 Extended Crio® Chokes: IC, M, Type of Sights: Red-bar front sight Length of Pull: 14⅞" Drop at heel: 2⅞" Drop at Comb: 1⅞" Minimum recommended load: 3-dram, 1⅞ oz loads (12-ga.).



SUPER BLACK EAGLE III— LEFT-HAND MODEL – 12-GA, 3½"
ITEM # 10371 Black Synthetic



SUPER BLACK EAGLE III— LEFT-HAND MODEL – 12-GA, 3½"
ITEM # 10375 Realtree® Max-5™



"I used my first Benelli when I started outfitting in 1994. After a quarter century of full time waterfowl outfitting, I've handled my fair share of shotguns. Benelli Super Black Eagle is the only shot gun I'll hand to a client at my lodge. I know they'll fire every time they're pointed at a bird under any and all conditions."

Claudio Ongaro is an accomplished outfitter, outdoorsman and writer. He has been an outfitter since 1994 and is considered by many in the industry as an authority on hunting waterfowl, he never rests on his laurels and continually comes up with better techniques by which to hunt them. In 2011 Cabela's selected Claudio as their second ever Canadian Pro Staff and just this year, Claudio was named a Cabela's Ambassador, a designation only a very select group of outdoorsmen have accomplished. Another of Claudio's accolades was being awarded the prestigious WISE Industry Conservation Award; this award is given to an outstanding ambassador in the outfitting industry who demonstrates passion and commitment to wildlife and the cause of conservation. His most recent project is hosting Claudio Ongaro's Hired to Hunt, which airs on Wild TV. It features some of the best waterfowl hunting in North America. Claudio and his dedicated guides take viewers on an adventure each and every episode in an effort to entertain, inform and educate. His enthusiasm and passion for the outdoor lifestyle shines through in his seminars, personal appearances and all that he does.



Benelli

HIRED TO HUNT

SUPER BLACK EAGLE III

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
SUPER BLACK EAGLE III 12-GAUGE 2¾", 3" AND 3½" †				
10321	26"	Black Synthetic	47.75"	6.9 lbs.
10316	28"	Black Synthetic	49.6"	7.0 lbs.
10307	26"	Realtree® Max-5™	47.75"	6.9 lbs.
10301	28"	Realtree® Max-5™	49.6"	7.0 lbs.
10350	26"	Mossy Oak® Bottomlands™	47.75"	6.9 lbs.
10351	28"	Mossy Oak® Bottomlands™	49.6"	7.0 lbs.
10302	28"	Mossy Oak® Shadow Grass Blades™	49.6"	7.0 lbs.
10385	28"	Gore™ Optifade™ Marsh	49.6"	7.0 lbs.
10360	26"	Gore™ Optifade™ Timber	47.75"	6.9 lbs.
10361	28"	Gore™ Optifade™ Timber	49.6"	7.0 lbs.
11230	28"	Gore™ Optifade™ Timber / Cerakote	49.6"	7.0 lbs.
10380	28"	Satin Walnut	49.6"	7.0 lbs.
SUPER BLACK EAGLE III RIFLED SLUG † 2¾" AND 3"				
10379	24"	Black Synthetic	45.75"	7.1 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 3+1 Extended Crio® Chokes: C, IC, M, IM, F (except for rifled slug - rifled bore) Type of Sights: Red-bar front sight (except for rifled slug - adj. rifle) Length of Pull: 14⅞" Drop at heel: 2⅞" Drop at Comb: 1⅞" Minimum recommended load: 3-dram, 1⅞ oz loads (12-ga.). † Walnut stocks are Non-ComforTech™ † Receiver drilled and tapped for 93A Weaver base.

STANDARD FEATURES

EXTENDED CHOKE TUBES: IC, M, Crio® chokes and wrench.
FINISHES: Realtree® Max-5™, Mossy Oak® Bottomland™, Gore™ Optifade™ Timber, Gore™ Optifade™ Marsh, Satin Walnut, or Black Synthetic.
BARRELS: Crio® treated barrel.
RECOIL PADS: ComforTech® recoil pad and Comb-Tech pads.
SHIM KIT: For adjustment of drop and cast.
HARD CASE:

OPTIONAL FEATURES

CHOKE TUBES: Extended Crio® chokes C, IM, F and XF for turkey.
COMFORTECH 3 RECOIL PADS: Three options to customize length of pull to 13⅞", 14⅜" or 14¾"
COMB-TECH® RAISED COMB PADS: Two options to customize sight plane for different shooting scenarios.



M2 Field

Workhorse Rugged with Thoroughbred Speed.



M2 FIELD – 12-GA, 3" ITEM # 11101 Realtree® Max-5™



Light, nimble, and ruggedly built, the Benelli M2 Field is the workhorse of the Benelli semi-auto line. Designed around the ultra-reliable Inertia Driven® system, the M2 will digest anything from 2¾" target loads to the heaviest 3" Magnums.

M2 FIELD® – 12-GA, 3" ITEM # 11006 Black Synthetic



M2 FIELD — RIFLED SLUG – 12-GA, 3" ITEM # 11061 Black Synthetic



M2 FIELD LEFT HAND – 20-GA, 3" ITEM # 11195 Black synthetic



M2 FIELD 12-GAUGE

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
M2 FIELD 12-GAUGE 2¾" AND 3"				
11006	28"	Black Synthetic	49.5"	7.2 lbs.
11016	26"	Black Synthetic	47.5"	7.1 lbs.
11026	21"	Black Synthetic	42.5"	6.9 lbs.
11021	24"	Black Synthetic	45.5"	7.0 lbs.
11107	26"	Realtree® Max-5™	47.5"	7.1 lbs.
11101	28"	Realtree® Max-5™	49.5"	7.2 lbs.
11231	26"	Optifade Timber/Tungsten Cerakote	47.5"	7.1 lbs.
11068	26"	Mossy Oak Shadow Grass Blades	47.5"	7.1 lbs.
11069	28"	Mossy Oak Shadow Grass Blades	49.5"	7.2 lbs.
M2 FIELD LEFT HAND 12-GAUGE 2¾" AND 3"				
11071	28"	Black Synthetic	49.5"	7.2 lbs.
11121	28"	Realtree® Max-5™	49.5"	7.2 lbs.
M2 FIELD RIFLED SLUG† 12-GAUGE 2¾" AND 3"				
11061	24"	Black Synthetic	45.5"	7.6 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 3+1 Crio® Chokes: C, IC, M, IM, F (except for rifled slug - rifled bore) Type of Sights: Red-bar front sight (except for rifled slug - Adj. Rifle) Length of Pull: 14¾" Drop at heel: 2½" Drop at Comb: 1½" Minimum recommended load: 3-dram, 1½ oz loads (12-ga.). †Receiver drilled and tapped for 93A Weaver base.

STANDARD FEATURES

- CHOKE TUBES:** Crio® C, IC, M, IM, F chokes and wrench.
- FINISHES:** Realtree® Max-5™ or Black Synthetic.
- GEL PADS:** ComforTech® gel recoil and comb pads (ComforTech® models only).
- SHIM KIT:** For adjustment of drop and cast.
- HARD CASE:** Custom fitted hard case to protect in transport.

OPTIONAL FEATURES

- CHOKE TUBES:** Extended chokes for pass shooting (IM), shooting waterfowl over decoys (IC), and for turkey hunting (XF) (12-gauge only). Extended Crio® chokes C, IC, M, IM, F.
- GEL RECOIL PADS:** Three options to customize length of pull to 13⅞", 14¾" or 14¾".
- RAISED COMB PADS:** Three options to customize sight plane for different shooting scenarios from target shooting to scoped hunting.



Optional Long Pad
14¾" L.O.P.
ITEM # 81037

Optional Short Pad
13⅞" L.O.P.
ITEM # 81046

Medium Pad
14⅜" L.O.P.
ITEM # 81038

The M2 rifled slug-barrel version, features an adjustable rear sight and ramped front sight. The M2 also features a ComforTech® stock and gel comb inserts and recoil pads to help cushion recoil and eliminate friction.

The corrosion-resistant recoil tube and stainless steel spring can be accessed easily by removing the quick-detachable recoil pad.

M2 Field 20-Gauge Models



M2 FIELD – 20-GA, 3" ITEM # 11098 Realtree® MAX5™

M2 FIELD – 20-GA, 3" ITEM # 11232 Optifade Timber / Tungsten Cerakote



GripTight® is a synthetic, high-tech over-coating bonded to the stock and fore-end that's weather-resistant and provides a sure grip, wet or dry.

Extra-high Comb
ITEM # 81045

Raised Comb
ITEM # 81044

Standard Comb
ITEM # 61102



M2 FIELD 20-GAUGE

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
M2 FIELD 20-GAUGE 2¾" AND 3"				
11095	26"	Black Synthetic	47.3"	5.8 lbs.
11098	26"	Realtree® Max-5™	47.3"	5.8 lbs.
11099	28"	Realtree® Max-5™	49.3"	5.9 lbs.
11232	26"	Optifade Timber/Tungsten Cerakote	47.5"	5.8 lbs.
11076	26"	Mossy Oak Shadow Grass Blades	47.5"	5.8 lbs.
11077	28"	Mossy Oak Shadow Grass Blades	49.3"	5.9 lbs.

M2 FIELD LEFT HAND 20-GAUGE 2¾" AND 3"

11195	26"	Black Synthetic	47.3"	5.8 lbs.
-------	-----	-----------------	-------	----------

M2 FIELD RIFLED SLUG† 20-GAUGE 2¾" AND 3"

11093	24"	Black Synthetic	45.3"	6.5 lbs.
-------	-----	-----------------	-------	----------

COMMON SPECIFICATIONS: Magazine Capacity: 3+1 Crio® Chokes: C, IC, M, IM, F (except for rifled slug - rifled bore) Type of Sights: Red-bar front sight (except for rifled slug - Adj. Rifle) Length of Pull: 14¾" Drop at heel: 2½" Drop at Comb: 1½" Minimum recommended load: 2½-dram, ⅓ oz loads (20-ga.). †Receiver drilled and tapped for 93A Weaver base.

M2 SP - Speed Performance

Ideal Companion for Competitions



M2 FIELD — RIFLED SLUG – 12-GA, 3" ITEM # A0555000 Black Synthetic



STANDARD FEATURES

- CHOKE TUBES:** Crio® IC, M, F chokes and wrench.
- FINISHES:** Black Synthetic and Red
- GEL PADS:** ComforTech® gel recoil and comb pads (ComforTech® models only).
- SHIM KIT:** For adjustment of drop and cast.
- HARD CASE:** Custom fitted hard case to protect in transport.

OPTIONAL FEATURES

- CHOKE TUBES:** Extended chokes
- GEL RECOIL PADS:** Three options to customize length of pull.
- RAISED COMB PADS:** Two options to customize sight plane.

M2 SPEED PERFORMANCE 12-GAUGE

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
M2 SP 12-GAUGE 2¾" AND 3"				
A0555000	26"	Black Synthetic/Red	25.6"	7.2 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 3+2 Crio® Chokes: IC, M, F Type of Sights: 5cm Red-bar front sight.

SuperNova Rock-Solid Pump-Action.



SUPERNOVA – 12-GA, 3½"
ITEM # 20115 Realtree® Max-5™

Benelli's SuperNova embodies a modular design with a light-weight steel skeletal framework over-molded with a high-tech polymer, making the SuperNova super-light, super-strong and impervious to all weather conditions.

ComforTech

SUPERNOVA – 12-GA, 3½" ITEM # 20100 Black Synthetic



SUPERNOVA – 12-GA, 3½" ITEM # 20101 TrueTimber® DRT™



The SuperNova's styled trigger guard, allows for 30% more finger room for a gloved hand. In addition, a larger safety button provides easy acquisition and quick, positive function.

MODULAR STOCK SYSTEM

The SuperNova is available with a choice of two modular buttstocks and can be quickly reconfigured with a 13 mm socket wrench. Both stocks are made of tough synthetic material with textured matte finish to offer years of reliable service.

SUPERNOVA

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
SUPERNOVA 12-GAUGE 2¾", 3" AND 3½"				
20100	28"	Black Synthetic	49.5"	8.0 lbs.
20115	28"	Realtree® Max-5™	49.5"	8.0 lbs.
20101	28"	TrueTimber® DRT™	49.5"	8.0 lbs.
SUPERNOVA RIFLED SLUG 2¾" AND 3" †				
20143	24"	Black Synthetic	45.5"	8 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Chokes: IC,M,F Type of Sights: Red-bar front sight Length of Pull: 14¾" Drop at heel: 2¼" Drop at Comb: 1¾" † Receiver drilled and tapped for scope mounting.

STANDARD FEATURES

CHOKE TUBES: IC, M, F choke tubes and wrench.
FINISHES: Realtree® APG™, Realtree® Max-5™, Black Synthetic.
SHIM KIT: For adjustment of drop and cast.

OPTIONAL FEATURES

CHOKE TUBES: Extended chokes for pass shooting (M), shooting waterfowl over decoys (IC) and for turkey hunting (XF) (12-gauge only).
GEL RECOIL PADS: Three options to customize length-of-pull to 13¾", 14¾" and 14¾".
RAISED COMB PADS: Three options to customize comb height.

Nova Pump Innovative & Original.



NOVA PUMP – 12-GA, 3½" ITEM # 20000 Black Synthetic

NOVA PUMP – 12-GA, 3½" ITEM # 20071 Realtree® Max-5™

NOVA PUMP – 12-GA, 3½" ITEM # 20001 TrueTimber® DRT™

NOVA PUMP

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
NOVA PUMP 12-GAUGE 2¾", 3" AND 3½"				
20000	28"	Black Synthetic	49.5"	8.0 lbs.
20003	26"	Black Synthetic	47.5"	7.9 lbs.
20006	24"	Black Synthetic	45.5"	7.8 lbs.
20071	28"	Realtree® Max-5™	49.5"	8.0 lbs.
20076	26"	Realtree® Max-5™	47.5"	7.9 lbs.
20001	28"	TrueTimber® DRT™	49.5"	8.0 lbs.
20002	26"	TrueTimber® DRT™	47.5"	7.9 lbs.
20073	28"	Mossy Oak Shadow Grass Blades	49.5"	8.0 lbs.
NOVA PUMP 20-GAUGE 2¾" AND 3"				
20030	26"	Black Synthetic	47.5"	6.6 lbs.
NOVA PUMP COMPACT 20-GAUGE 2¾" AND 3"				
20036	24"	Black Synthetic	44.2"	6.4 lbs.
WEAVER BASE				
48443		Weaver Base - 1 Piece - Nova	423M	

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Chokes: IC,M,F Type of Sights: Red-bar front sight Length of Pull: 14¾" Drop at heel: 2¼" Drop at Comb: 1¾"

STANDARD FEATURES


CHOKE TUBES: IC, M, F choke tubes and wrench.
FINISHES: TrueTimber® DRT™, Mossy Oaks® Bottomland™, Realtree® Max-5™, Black Synthetic.

OPTIONAL FEATURES

CHOKE TUBES: Extended chokes for pass shooting (IM), shooting waterfowl over decoys (IC) and for turkey hunting (XF) (12-gauge only).



The button on the underside of the fore-end activates a shell stop allowing a chambered shell to be removed without releasing rounds from the magazine.



Ergonomically-designed grooves on the Nova pistol grip provide a positive gripping surface and a distinctive look for Benelli's original pump gun.

BENELLI VCI GUNSOC
ITEM # 90500C



BENELLI MAX-5 HAT
ITEM # 0855-003



Montefeltro Silver

Distinctive Style & Grand Performance



MONTEFELTRO SILVER – 12-GA, 3"
ITEM # 10850 AA-Grade satin walnut



MONTEFELTRO SILVER – 20-GA, 3"
ITEM # 10855 AA-Grade satin walnut

Discerning shooters will instantly notice the distinctive features of the Montefeltro Silver edition: the satin sheen of a stock cut from highly-figured, select AA-Grade walnut and the one-piece, engraved, nickel-plated alloy receiver. The Silver's light weight, slim forend and low-profile vent-rib promote quick target acquisition and make it a standout performer among the world's semiautomatic shotguns.

The engraving on the Montefeltro Silver's distinctive nickel-plated alloy receiver features a pair of gold flushing quail on the right side and a gold pointing setter on the left.



STANDARD FEATURES

CHOKE TUBES: C, IC, M, IM, F Crio® choke tubes and wrench.
FINISH: AA-Grade satin walnut.
SIDE PLATE: Acid-etched, gold-filled game scenes with rich patina.
SHIM KIT: For adjustment of drop and cast.
HARD CASE: Custom-fitted hard case to protect in transport.

OPTIONAL FEATURES

CHOKE TUBES: Extended Crio® choke tubes C, IC, M, IM, F, Pass & Decoy.

MONTEFELTRO SILVER

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
MONTEFELTRO SILVER 12-GAUGE 2¾" AND 3"				
10850	28"	AA-Grade Satin walnut	49.5"	7.1 lbs.
MONTEFELTRO SILVER 20-GAUGE 2¾" AND 3"				
10855	26"	AA-Grade Satin walnut	47.5"	5.6 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Crio® Chokes: C, IC, M, IM, F Type of Sights: Red-bar front sight Length of Pull: 14¾" Drop at Heel: 2¼" Drop at Comb: 1½" Minimum recommended load: 3-dram, 1½-oz. loads (12-ga.). 2½-dram, ½-oz. loads (20-ga.).

Montefeltro

Elegant Looks & Slim Fit



MONTEFELTRO – 20-GA, 3"
ITEM # 10865 Satin walnut

Benelli's Montefeltro features a slim, graceful forend combined with an anodized, light-weight receiver to keep the weight minimal and the swing quick.

STANDARD FEATURES

CHOKE TUBES: IC, M, F Crio® choke tubes and wrench. (Sporting model IC, M, F Extended Crio® choke tubes)
FINISH: Satin walnut.
RECOIL PAD: Ventilated recoil pad for recoil absorption (12-gauge only).

OPTIONAL FEATURES

CHOKE TUBES: Extended Crio® chokes for pass shooting(M), shooting waterfowl over decoys (IC) and for turkey (XF) (12-gauge only). Plus Extended Crio® chokes C, IC, M, IM, F.
SHIM KIT: For adjustment of drop and cast.

MONTEFELTRO

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
MONTEFELTRO 12-GAUGE 2¾" AND 3"				
10860	28"	Satin walnut	49.5"	7.1 lbs.
MONTEFELTRO 20-GAUGE 2¾" AND 3"				
10865	26"	Satin walnut	47.5"	5.6 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Crio® Chokes: IC, M, F Type of Sights: Red-bar front sight Length of Pull: 14¾" (compact 12½") Drop at Heel: 2¼" (compact 2½") Drop at Comb: 1½" Minimum recommended load: 3-dram, 1½-oz. loads (12-ga.). 2½-dram, ½-oz. loads (20-ga.).

Montefeltro Sporting



MONTEFELTRO SPORTING – 12-GA, 3"
ITEM # 10808 Satin walnut

STANDARD FEATURES

CHOKE TUBES: IC, M, F Extended Crio® choke tubes and wrench.
FINISH: Satin walnut.
RECOIL PAD: Ventilated recoil pad for recoil absorption.

OPTIONAL FEATURES

CHOKE TUBES: Extended Crio® chokes for pass shooting(M), shooting waterfowl over decoys (IC) and for turkey (XF). Plus Extended Crio® chokes C, IM.
SHIM KIT: For adjustment of drop and cast.

MONTEFELTRO SPORTING

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
MONTEFELTRO SPORTING 12-GAUGE 2¾" AND 3"				
10808	30"	Satin walnut	51.5"	7.2 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Extended Crio® Chokes: IC, M, F Type of Sights: Red-bar front sight and metal bead mid-barrel sight Length of Pull: 14¾" Drop at Heel: 2¼" Drop at Comb: 1½" Minimum recommended load: 3-dram, 1½-oz. loads (12-ga.).

Ultra Light

The Lightest 12, 20 and 28-Gauge Semiautomatic Ever Built—an Uplander's Dream



Benelli's Ultra Light series, in 12-gauge (6 lbs.), 20-gauge (5.2 lbs.) and 28-gauge (5.0 lbs.), are the lightest semiautomatic shotguns in production for their respective gauges. The Ultra Light features a featherweight alloy receiver, shortened magazine tube, and a super-strong, super-light, carbon-fiber rib.



The carbon-fiber rib is complemented by a matching carbon-fiber grip cap.

A lightweight raised target rib is made from the same super-light, super-strong carbon fiber used to make Formula 1 race cars.



ULTRALIGHT- 12-GA, 3"
ITEM # 10802 Satin walnut

STANDARD FEATURES

CHOKE TUBES: C, IC, M, M Crio® choke tubes and wrench.
FINISH: Satin walnut with WeatherCoat®
RECOIL PADS: Gel recoil pad for shock absorption.
SHIM KIT: For adjustment of drop and cast.
HARD CASE: Custom-fitted hard case to protect in transport.

ULTRA LIGHT

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT	MSRP
ULTRA LIGHT 12-GAUGE 2 3/4" AND 3"					
10802	26"	Satin walnut WeatherCoat™	47.5"	6.1 lbs.	\$1669
ULTRA LIGHT 20-GAUGE 2 3/4" AND 3"					
10803	24"	Satin walnut WeatherCoat™	45.6"	5.2 lbs.	\$1669

COMMON SPECIFICATIONS: Magazine Capacity: 2+1 Crio® Chokes: C, IC, M Type of Sights: Red-bar front sight Length of Pull: 14 3/8" Drop at Heel: 2 1/4" Drop at Comb: 1 1/2" Minimum recommended load: 3-dram, 1 1/8-oz. loads (12-ga.). 2 1/8-dram, 7/8-oz. loads (20-ga.). 2-dram, 3/4-oz. loads (28-ga.)

SuperSport

Ultimate Clays Race Gun.



The SuperSport's ComforTech® recoil-dampening system combined with a ported barrel makes this semi-auto shotgun faster than other comparable shotguns.

STANDARD FEATURES

CHOKE TUBES: C, IC, M, IM, F Extended Crio® (Chrome) choke and wrench.
FINISHES: Carbon Fiber.
BARRELS: Crio® treated ported barrel.
GEL PADS: ComforTech® gel recoil and comb pads.
SHIM KIT: For adjustment of drop and cast.

OPTIONAL FEATURES

CHOKE TUBES: Extended Crio® chokes for pass shooting (M), shooting waterfowl over decoys (IC), and for turkey hunting (XF) (12-gauge only).
GEL RECOIL PADS: Three options to customize length-of-pull to 13 7/8", 14 3/8" or 14 3/4".
RAISED COMB PADS: Three options to customize sight plane for target shooting.

SUPERSPORT

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
SUPERSPORT 12-GAUGE 2 3/4" AND 3"				
10635	30"	Carbon Fiber finish	51.6"	7.3 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Extended Crio® Chokes (Chrome): C, IC, M, IM, F Type of Sights: Red-bar front sight and metal bead mid-sight Length of Pull: 14 3/8" Drop at heel: 2" Drop at Comb: 1 3/8" Minimum recommended load: 3-dram, 1 1/8 oz loads (12-ga.). 2 1/8-dram, 7/8 oz loads (20-ga.).

KITE AIR



KITE AIR PISTOL

ITEM NUMBER	BARREL LENGTH	STOCK	MAGAZINE CAPACITY	OVERALL LENGTH	AVERAGE WEIGHT
CAL 4.5					
A0165301		Cal 4.5 - Nickel			
A0168501		Youth - cal 4.5 Nickel			

COMMON SPECIFICATIONS: Type of Sights: Receiver is drilled and tapped for scope mount. Picatinny rail included. Open sights available for purchase. Length of Pull: 14" Drop at heel: 1 1/4" Drop at Comb: 1 1/4" Comb: Raised comb included. ◊ With GripTight® coating

Benelli Kite pistol adopts important technical and technological solutions: Ammunition introduction supplied by an interchangeable magazine positions beneath the barrel; anatomic grip available in three different versions for right and left-handed users; a cocking system that guarantees stable, precise shooting; and the new-design black sight allowing for adjustment in breadth, rise and drift, without the use of special tools.

MP90S



This speciality version of the Benelli MP 90 S World Cup hand gun Standard as an anatomic grip that can be customised and a bolt that can be removed without tools. The distance between the barrel axis and the forearm reaction line is extremely small, giving perfect alignment between gun and target and limited uplift on firing.

WORLD CUP PISTOL

ITEM NUMBER	BARREL LENGTH	STOCK	MAGAZINE CAPACITY	OVERALL LENGTH	AVERAGE WEIGHT
110 MM					
A0369300		Mp90s world cup pistol 22lr 6rd mag 110mm			
A0369500		Mp90s world cup pistol 32 s&w 5rd 110mm			

COMMON SPECIFICATIONS: Type of Sights: Receiver is drilled and tapped for scope mount. Picatinny rail included. Open sights available for purchase. Length of Pull: 14" Drop at heel: 1 3/4" Drop at Comb: 1 1/4" Comb: Raised comb included. ◊ With GripTight® coating

Defense Guns - Semi-Auto

Reliability When It Counts.



argo M4, COLLAPSIBLE STOCK - 12-GA, 3"
ITEM # 11707 Black Synthetic, Ghost-ring sight



M4, PISTOL GRIP STOCK - 12-GA, 3"
ITEM # 11794 Titanium Cerakote, Ghost-ring sight



A Picatinny rail on the M4 allows the mounting of scopes, red dot sights or night vision optics.

Benelli's M4 Tactical is a unique Auto Regulating Gas Operated (A.R.G.O) semi-auto shotgun, upon which the U.S. Marine Corps depend. The M4 Tactical comes standard with a Picatinny rail and pistol-grip stock. Other features include a fully-adjustable ghost-ring aperture rear sight and windage-adjustable front sight. New for 2015 the M4 is available with a serious, weather-beating Al Dark Earth Cerakote finish.



INERTIA DRIVEN SYSTEM M2 TACTICAL, PISTOL GRIP - 12-GA, 3"
ITEM # 11052 Black Synthetic, Ghost-ring sight



INERTIA DRIVEN SYSTEM M2 TACTICAL, COMFORTECH® - 12-GA, 3"
ITEM # 11029 Black Synthetic, Ghost-ring sight

M2 TACTICAL

ITEM NUMBER	BARREL LENGTH	STOCK (BLACK SYNTH.)	TYPE OF SIGHTS	OVERALL LENGTH	AVERAGE WEIGHT
M2 TACTICAL† 12-GAUGE 2¾" AND 3"					
11052†	18.5"	Pistol Grip	Ghost-ring	39.75"	6.7 lbs.
11029†	18.5"	ComforTech®	Ghost-ring	39.75"	6.7 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 5+1 Chokes: M Length of Pull: 14¾" Drop at heel: 2" Drop at Comb: 1¾" Minimum recommended load: 3-dram, 1½ oz loads. †Receiver drilled and tapped for 93A Weaver base.

M2/M4 STANDARD FEATURES

CHOKE TUBES: M
FINISHES: Black Synthetic. Federal Standard Field Drab Cerakote (M4).
SIGHTS: M2 Tactical in ghost-ring and open rifle. M3 Convertible & M4 in ghost-ring only.
DRILLED & TAPPED: Standard on M2 Ghost-ring and all M4.

M4 TACTICAL

ITEM NUMBER	BARREL LENGTH	STOCK	FINISH	OVERALL LENGTH	AVERAGE WEIGHT
M4 TACTICAL† 12-GAUGE 2¾" AND 3"					
11707	18.5"	Collapsible Stock	Black Synthetic	40"	7.8 lbs.
11794	18.5"	Pistol Grip	Titanium Cerakote	40"	7.8 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 5+1 Chokes: M Type of Sights: Ghost-ring Length of Pull: 14¾" Drop at heel: 2¼" Drop at Comb: 1½" †Receiver drilled and tapped for scope mount. Synthetic stock. Picatinny rail is included.

M4 OPTIONAL FEATURES

Three options to customize length-of-pull. M2 ComforTech® Tactical models only.
GEL RECOIL PADS: Three options to customize length-of-pull (ComforTech® only).
TRITIUM INSERTS: Three-dot tritium inserts available for ghost-ring sights.
BARRELS: A variety of field and slug barrels available (M2).

Defense Guns - Pump-Action

Rock Solid Repeaters.



NOVA PUMP TACTICAL - 12-GA, 3½"
ITEM # 20051 Black Synthetic, Ghost-ring sight



SUPERNOVA TACTICAL, COMFORTECH™ - 12-GA, 3½"
ITEM # 20155 Black Synthetic, Ghost-ring sight



SUPERNOVA TACTICAL, PISTOL GRIP - 12-GA, 3½"
ITEM # 20160 Black Synthetic, Ghost-ring sight



SUPERNOVA TACTICAL, COLLAPSIBLE STOCK - 12-GA, 3½"
ITEM # A0389400 Black Synthetic, Ghost-ring sight

NOVA TACTICAL

ITEM NUMBER	BARREL LENGTH	STOCK	TYPE OF SIGHTS	OVERALL LENGTH	AVERAGE WEIGHT
NOVA PUMP TACTICAL 12-GAUGE 2¾", 3" AND 3½"					
20051	18.5"	Black Synthetic	Ghost-ring	39.75"	7.2 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Chokes: Fixed Cyl. Length of Pull: 14¾" Drop at heel: 2¼" Drop at Comb: 1½" †Receiver drilled and tapped for scope mount. ‡Matte nickel plated barrel, magazine tube and cap, trigger group and all other inner metal parts.

SUPERNOVA TACTICAL

ITEM NUMBER	BARREL LENGTH	STOCK (SYNTHETIC)	TYPE OF SIGHTS	OVERALL LENGTH	AVERAGE WEIGHT
SUPERNOVA TACTICAL† 12-GAUGE 2¾", 3" AND 3½"					
20155	18"	ComforTech®	Ghost-ring	40"	7.6 lbs.
20160	18"	Pistol Grip	Ghost-ring	40"	7.6 lbs.
A0389400	14"	Collapsible Stock	Ghost-ring	36"	lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Chokes: Fixed Cyl. Length of Pull: 14¾" Drop at heel: 2¼" Drop at Comb: 1½" †Receiver drilled and tapped for scope base.

SUPERNOVA TACTICAL STANDARD FEATURES

CHOKE TUBES: Fixed Cylinder.
FINISHES: All models available in Black Synthetic.
SHIM KIT: For adjustment of drop and cast (avail. for SuperNova ComforTech® model only).
SIGHTS: Ghost-ring or open rifle.
OPTIONAL FEATURES
GEL RECOIL PADS: Three options to customize length-of-pull (ComforTech® only).
BARRELS: Variety of field barrels.
TRITIUM INSERTS: Three-dot tritium inserts available for ghost-ring sights.

LUPO Bolt-Action Rifle

Benelli's innovative bolt-action rifle

Introducing the Benelli Lupo

The Lupo is Benelli's first bolt-action rifle. Sub-MOA accuracy, advanced ergonomics, and shooting comfort have been carefully engineered into this chassis-style hunting rifle that allows for exclusive fit and customization out of the box. Lupo is Italian for wolf and the Benelli Lupo is destined to dominate the land the way Benelli's Super Black Eagle dominates the skies.

The Lupo is packed with innovative features—including 7 exclusive Benelli patents—that add up to hunting rifle that provides a customized fit, handles beautifully and proudly carries a 3-shot sub-MOA guarantee.



LUPO BOLT-ACTION RIFLE, PROGRESSIVE COMFORT® - .30-06 SPRINGFIELD
ITEM # 11900 Black synthetic. Steiner Optic not included.

LUPO



LUPO BOLT-ACTION RIFLE, PROGRESSIVE COMFORT® - .30-06 SPRINGFIELD
ITEM # 11900 Black synthetic.

LUPO BOLT-ACTION RIFLE

ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
LUPO BOLT-ACTION RIFLE .30-06 SPRINGFIELD				
11900	22"	Black Synthetic, blued	44.625"	7.0 lbs.
LUPO BOLT-ACTION RIFLE .300 WINCHESTER MAG				
11901	24"	Black Synthetic, blued	46.625"	7.1 lbs.
LUPO BOLT-ACTION RIFLE .270 WINCHESTER				
11902	22"	Black Synthetic, blued	44.625"	7.0 lbs.

COMMON SPECIFICATIONS: **Capacity:** 4+1 **Twist:** .30-06 and .300 Win. Mag. 1:11, RH (.270 Win. 1:10, RH) **Crio BBL:** Free-floating, Threaded **Length of Pull:** Adjustable, 13.8" - 14.75" (14.2" - 15.2" with optional large Progressive Comfort pad). SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

OPTIONAL FEATURES

PROGRESSIVE COMFORT - LARGE PAD: Allows length-of-pull to be adjusted from 14.2" to 15.2".

COMBTECH RAISED AND EXTRA-HIGH CHEEK PAD: Adjust cheek weld height for custom fit.

- **Accuracy:** The Lupo features a precision Crio-treated free-floating barrel attached to a hardened steel barrel extension bedded to a steel block in the alloy receiver. The result is precision sub-MOA accuracy...shot-after-shot.

- **Advanced Ergonomics and Adjustability:** The shape of the Benelli Lupo has been optimized for control. The chassis-style configuration of a separate stock, receiver and forend allow the shooter to customize the Lupo to one of 36 drop and cast stock positions with the included shims. Further fit adjustments can be made by using the included LOP spacers. Optional fit choices include two raised cheek pad styles and one optional length butt pad.

- **Comfort:** The Benelli Lupo tames recoil with a patented built-in Progressive Comfort system and a Combtech cheek pad. The trigger is crisp and with an adjustable trigger pull weight. Finger reach to the trigger is also adjustable with included spacers which can be placed between the receiver and the stock. The double-stack box magazine is incredibly easy to load in or out of the gun. The ambidextrous top safety is easy to access. Airtouch Grip surfaces allow for a safe and firm hold on the rifle.

LUPO STANDARD FEATURES

SCULPTED BOLT: 3 LARGE SIZED LOCKING LUGS, 60 DEGREE BOLT THROW.

FINISHES: Black synthetic stock, blued receiver and barrel.

FREE-FLOATING CRIO BARREL

ADJUSTABLE TRIGGER: 2.2 - 4.4 lbs.

THREADED CRIO BARREL: Accepts muzzle accessories, 5/8 x 24 threads.

COMBTECH CHEEK PAD: Mitigates felt facial recoil.

PROGRESSIVE COMFORT: Integrated recoil management.

STOCK SPACERS: Adjust length-of-pull from 13.8" - 14.75"

TRIGGER REACH SPACERS: Adjust trigger reach for custom fit.

DETACHABLE BOX-TYPE MAGAZINE

INTEGRATED SWIVEL MOUNTS

2-PIECE PICATINNY RAIL: Quick and easy optics mounting.




LUPO Bolt-Action Rifle

Benelli's innovative bolt-action rifle

LUPO

BENELLI BLACK/WHITE HAT

ITEM #0855-001



Progressive Comfort

The Lupo tames recoil with a patented Progressive Comfort system built into the stock. Modified from Benelli's proven Progressive Comfort system used on shotguns, the system is engineered with sets of interlocking fingers that flex, absorbing much of the recoil before it reaches the shoulder. Decreased recoil, less muzzle flip and less anticipated recoil by the shooter result in a greater ability to stay accurately on target.



Stock Spacers or Adjustable drop and cast

One of the truly unique features of the Lupo is the ability to adjust drop, cast and trigger reach with included shims. Shooters can achieve a customized fit out of the box without the need for expensive gunsmithing. Shims allow the stock to be set in one of 36 different positions, while the trigger reach spacers place the shooter's hand at an optimal distance from the trigger. Great fit equals better control... and increased accuracy.



Detachable box-type magazine

The detachable box magazine is a double-stack configuration with a partial divider that loads like a single stack. Cartridges can be easily loaded with the magazine removed, or smoothly top loaded with the magazine in place, holding 5 rounds without heavy spring pressure. The Lupo cutaway bolt works with the magazine, allowing the magazine to insert fully into the receiver without protruding from the bottom of the gun.



LUPO Barrel System

The Lupo was built for accuracy and the key is the Lupo barrel system. The barrel itself is free floating and Crio-treated, resulting in a smoother and more uniform steel surface. The barrel is attached to hardened steel barrel extension bedded to a steel block in the chassis-style alloy receiver. The result of this unique design is precise sub-MOA accuracy.



R1 Rifle

Take the Bite Out of Recoil



R1 RIFLE – .338 WIN MAG
ITEM # 11773 Black synthetic with GripTight®



Benelli's R1 rifle features simplicity, sturdiness, and ingenious design in a rifle built around the patented Auto Regulating Gas Operated (A.R.G.O.) system—the heart of the R1 rifle.



Benelli's R1 ComforTech® Rifle incorporates technology that significantly reduces recoil. In comparison tests one of the competitor's guns kicked twice as much as the R1 ComforTech®. Imagine a .300 Winchester Magnum that feels like you're shooting a light .270.

R1 STANDARD FEATURES

FINISHES: GripTight® over Black Synthetic, and AA-Grade satin walnut.
BARRELS: CRIO® treated barrels.
SHIM KIT: For adjustment of drop and cast.
DRILLED & TAPPED: All R1 receivers are drilled and tapped for mounting scopes.

R1 OPTIONAL FEATURES

RECOIL PADS: Three options to customize length-of-pull to 13¾", 14" or 14¾".
RAISED COMB PADS: Extra-high comb pads for scope (ComforTech® only).
SIGHTS: Open adjustable rear blade and front fiber optic. and Picatinny rail available as additional accessories.

R1 RIFLE					
ITEM NUMBER	BARREL LENGTH	STOCK	MAGAZINE CAPACITY	OVERALL LENGTH	AVERAGE WEIGHT
R1 RIFLE .30-06 SPRINGFIELD					
11770	22"	AA-Grade walnut	4+1	44"	7.2 lbs.
11771	22"	Black synthetic◊	4+1	44"	7.1 lbs.
R1 RIFLE .30-06 SPRINGFIELD CARBINE					
A0392000	20"	AA-Grade walnut	4+1	44"	7.0 lbs.
A0394100	20"	Black synthetic◊	4+1	44"	7.0 lbs.
R1 RIFLE .300 WIN MAG					
11731	24"	AA-Grade walnut	3+1	46"	7.3 lbs.
11772	24"	Black synthetic◊	3+1	46"	7.3 lbs.
R1 RIFLE .308 WIN					
11777	22"	AA-Grade walnut	4+1	44"	7.2 lbs.
11778	22"	Black synthetic◊	4+1	44"	7.1 lbs.
R1 RIFLE .300 WIN MAG CARBINE					
11730	24"	AA-Grade walnut	3+1	46"	7.3 lbs.
R1 RIFLE .338 WIN MAG					
11773	24"	Black synthetic◊	3+1	46"	7.3 lbs.
R1 RIFLE .300 WSM					
11751	24"	AA-Grade walnut	3+1	46"	7.3 lbs.

COMMON SPECIFICATIONS: **Type of Sights:** Receiver is drilled and tapped for scope mount. Open sights available for purchase. **Length of Pull:** 14" **Drop at heel:** 1¼" **Drop at Comb:** 1¼" **Comb:** Raised comb included. ◊ With GripTight® coating

ARGO-E Rifle

Sight to be seen



THE MOST RELIABLE: Only Argo E passed BNP's strict reliability test: 3000 rounds with different types of ammunition without jamming once – even under extreme conditions (from -40°C to + 50°C) including being dragged through sand (a test demanded by military standards). Argo E really is the most reliable rifle in the world.

THE SAFEST: Only Argo E passed the tough forced loading and drop tests demanded by NATO standards, confirming the absolute reliability of its locking system and guaranteeing hunters maximum safety under all circumstances. No other rifle on the market today can guarantee such a high level of safety.

THE MOST ACCURATE: Argo E maintains its unrivaled shooting accuracy even after thousands of rounds, thanks to the exclusive steel and cryogenic treatment of the barrel.



ARGO-E PRO RIFLE – .308 WIN
ITEM # A0447900 Grade-4 Oiled Wood



The new carbon fibre rib has been restyled and enriched with a notch housing a high luminosity optical fibre.



Benelli has renewed its ARGO E gas recovery system in its design, materials and action. A new piston guarantees jam-free functioning and new components made from special materials deliver the ultimate in corrosion resistance.

ARGO-E STANDARD FEATURES

FINISHES: GripTight® over Black Synthetic and Blaze Orange Camo, Grade 4 oiled wood
BARRELS: CRIO® treated barrels.
RECOIL PADS: Technogel - standard 25mm
SHIM KIT: For adjustment of drop and cast.
SIGHTS: Carbon fibre rib with fibre optic rear sight. Sling Swivels Kit.

ARGO-E OPTIONAL FEATURES

RECOIL PADS: Three options to customize length-of-pull to 13¾", 14" or 14¾" - with or without ComforTech®.
RAISED COMB PADS: Extra-high comb pads for scope (ComforTech® only).

ARGO-E RIFLE				
ITEM NUMBER	BARREL LENGTH	STOCK	MAGAZINE CAPACITY	CALIBER
ARGO -E				
A0394800	20"	Black Synthetic w/ ComforTech®	4+1 Removable	308 WIN
ARGO-E PRO				
A0447900	20"	Grade 4 Oiled Wood w/ Progressive Comfort®	4+1	308 WIN
A0447600	20"	Grade 4 Oiled Wood w/ Progressive Comfort®	4+1	30-06

COMMON SPECIFICATIONS: **Type of Sights:** Carbon Fibre Rib with fibre optic rear sight. **Length of Pull:** 14" **Drop at heel:** 1¼" **Drop at Comb:** 1¼" **Comb:** Raised comb included.



ARGO-E RIFLE – .308 WIN
ITEM # A0394800 Black synthetic with GripTight®

MR1 Rifle



Easily handled, 100% reliable, hard-wearing, durable, safe, versatile, easy to use and precision shooting: these were the objectives underpinning the MR1 design. The gas system, the safe hardwearing locking system, and the use of high quality materials were constructed in compliance with the strictest industrial parameters.

MR1 RIFLE					
ITEM NUMBER	BARREL LENGTH	STOCK	MAGAZINE CAPACITY	OVERALL LENGTH	AVERAGE WEIGHT
MR1 RIFLE .223 REM					
A0376900	20"	5Rd ghost,telesc.Stock			

COMMON SPECIFICATIONS: **Type of Sights:** Receiver is drilled and tapped for scope mount. Picatinny rail included. Open sights available for purchase. **Length of Pull:** 14" **Drop at heel:** 1 1/4" **Drop at Comb:** 1 1/4" **Comb:** Raised comb included. ◊ With GripTight® coating

ComforTech® Gel Recoil Pads

Easily change the pull length of your SBE II, M2, SuperNova, SuperSport and Cordoba. Insert an optional gel recoil pad to alter the L.O.P. between 13 3/8" to 14 1/8". All pads have excellent recoil reducing properties (specify right- or left-hand).



ComforTech® Gel Comb Inserts

The ComforTech® gel comb insert not only cushions the shooter's cheek during recoil, it also has a slippery surface that allows the cheek to slide along the surface for added comfort. Available in standard thickness, raised comb for target shooting or extra-high comb for scoped guns.



Nova Recoil Pads

Nova 20-Ga. Recoil Pad (shown)
13 3/4" L.O.P.

ITEM # 61000

Nova 20-Ga. Short Stock
12 1/2" L.O.P.

ITEM # 61001



R1 Recoil Pads (fits wood stock only)



Shim Kits

STOCK ADJUSTMENT KIT

12-GA. SBE II/M2/SuperSport/
Cordoba/Montefeltro/Legacy

ITEM # 60850



You can customize the models with the ComforTech® buttstock to your personal requirements using a shim kit that adjusts both drop and cast. Also fits newer Montefeltros and Legacys.

Chokes

STANDARD CHOKES 12-GAUGE FLUSH

Fits: SuperNova, Nova, M4

ITEM # 80056 **F**
ITEM # 80061 **IM**
ITEM # 80063 **M**
ITEM # 80058 **IC**
ITEM # 80065 **C**

CRIO® CHOKES 12-GAUGE FLUSH

Fits: SBE II, M2, Montefeltro, Legacy, Vinci, SuperSport,
Super Vinci, Ethos, 828U

ITEM # 83000 **F**
ITEM # 83001 **IM**
ITEM # F0107301 **M**
ITEM # 83003 **IC**
ITEM # 83004 **C**

STANDARD CHOKES 20-GAUGE FLUSH

Standard thread – Fits: Nova (not shown)

ITEM # 80050 **F**
ITEM # 80051 **IM**
ITEM # 80052 **M**
ITEM # 80062 **IC**
ITEM # 80053P **C**



Barrels

Add versatility to your Benelli shotgun with an extra barrel.

Compliment your smooth-bore gun with an extra slug barrel or have the opportunity to switch barrel lengths from 24" to 26" to 28", whichever fits your particular hunting needs. Extra barrels are available for all models. Rifled slug barrels are available for Super Black Eagle, Super Black Eagle II, M1 Field, M2 Field, SuperNova and Nova models only. (For SBE, SBEII, M1 and M2 models, slug barrels require a modified fore-end sold separately).

➤ Most barrels available in: Realtree® APG™, Advantage® Timber HD™, Realtree® Max-4™ and Matte black



Item #	Barrel	Description	Magazine Capacity
828U OVER/UNDER			12 AND 20 GAUGE - 2¾" and 3"
10702	28"	AA-Grade satin walnut, Blue, Progressive Comfort - 12 Gauge	
10704	28"	AA-Grade satin walnut, Nickel, Engraved, Progressive Comfort - 12 Gauge	
10741	28"	AA-Grade satin walnut, Nickel, Engraved, Progressive Comfort - 20 Gauge	
828U SPORT OVER/UNDER			12 GAUGE - 2¾" and 3"
10730	30"	AA-Grade satin walnut, Blue, Progressive Comfort - 12 Gauge	
10731	32"	AA-Grade satin walnut, Blue, Progressive Comfort - 12 Gauge	
ETHOS			12, 20 AND 28 GAUGE - 2¾" and 3"
10452	28"	AA-Grade satin walnut, Blue, Progressive Comfort - 12 Gauge	4+1
10462	28"	AA-Grade satin walnut, Nickel, Engraved, Progressive Comfort - 12 Gauge	4+1
10472	28"	AA-Grade satin walnut, Nickel, Engraved, Progressive Comfort - 20 Gauge	4+1
10480	26"	AA-Grade satin walnut, Nickel, Engraved, Progressive Comfort - 28 Gauge	4+1
12112	26"	BE.S.T - Black synthetic, ComforTech 3" - 28 Gauge	3+1
ETHOS SPORT			12, 20 AND 28 GAUGE - 2¾" and 3"
10495	30"	AA-Grade satin walnut, Nickel, Engraved, Progressive Comfort - 12 Gauge	4+1
10490	28"	AA-Grade satin walnut, Nickel, Engraved, Progressive Comfort - 12 Gauge	4+1
10455	28"	AA-Grade satin walnut, Nickel, Engraved, Progressive Comfort - 20 Gauge	4+1
10485	28"	AA-Grade satin walnut, Nickel, Engraved, Progressive Comfort - 28 Gauge	4+1
SUPER VINCI†			12 GAUGE - 2¾", 3" and 3½"
10552	28"	Black synthetic, ComforTech® Plus	3+1
10553	28"	Realtree® Max-5™, ComforTech® Plus	3+1
10556	28"	GORE™ OPTIFADE™ Marsh, ComforTech® Plus	3+1
10559	28"	Mossy Oak® Shadow Grass Blades™, ComforTech® Plus	3+1
SUPER BLACK EAGLE III†			12 GAUGE - 2¾", 3" and 3½"
10321	26"	Black synthetic, ComforTech 3"	3+1
10316	28"	Black synthetic, ComforTech 3"	3+1
10307	26"	Realtree® Max-5™, ComforTech 3"	3+1
10301	28"	Realtree® Max-5™, ComforTech 3"	3+1
10350	26"	Mossy Oak Bottomland, ComforTech 3"	3+1
10351	28"	Mossy Oak Bottomland, ComforTech 3"	3+1
10302	28"	Mossy Oak Shadow Grass Blades™, ComforTech 3"	3+1
10360	26"	GORE™ OPTIFADE™ Timber, ComforTech® 3	3+1
10361	28"	GORE™ OPTIFADE™ Timber, ComforTech® 3	3+1
11230	28"	GORE™ OPTIFADE™ Timber / Tungsten Cerakote, ComforTech 3"	3+1
10385	28"	GORE™ OPTIFADE™ Marsh, ComforTech® 3	3+1
10380	28"	Satin Walnut, Progressive Comfort®	3+1
12102	28"	BE.S.T - Black synthetic, ComforTech 3"	3+1
10379	24"	Rifle Slug - Black synthetic, ComforTech 3"	3+1
10371	28"	Left-hand - Black synthetic, ComforTech 3"	3+1
10375	28"	Left-hand - Realtree® Max-5™, ComforTech 3"	3+1
48339		Weaver Base MULTISLOT SBE 93AT	
M2 FIELD COMFORTECH®			12 AND 20 GAUGE - 2¾" and 3"
11026	21"	Black synthetic, ComforTech® - 12 Gauge	3+1
11095	26"	Black synthetic, ComforTech® - 20 Gauge	3+1
11016	26"	Black synthetic, ComforTech® - 12 Gauge	3+1
11006	28"	Black synthetic, ComforTech® - 12 Gauge	3+1
11098	26"	Realtree® Max-5™, ComforTech® - 20 Gauge	3+1
11107	26"	Realtree® Max-5™, ComforTech® - 12 Gauge	3+1
11099	28"	Realtree® Max-5™, ComforTech® - 20 Gauge	3+1
11101	28"	Realtree® Max-5™, ComforTech® - 12 Gauge	3+1
11068	26"	Mossy Oak Shadow Grass Blades™, ComforTech® - 12 Gauge	3+1
11069	28"	Mossy Oak Shadow Grass Blades™, ComforTech® - 12 Gauge	3+1
11076	26"	Mossy Oak Shadow Grass Blades™, ComforTech® - 20 Gauge	3+1
11077	28"	Mossy Oak Shadow Grass Blades™, ComforTech® - 20 Gauge	3+1

Item #	Barrel	Description	Magazine Capacity
M2 FIELD COMFORTECH® (CONTINUE)			12 AND 20 GAUGE - 2¾" and 3"
11232	28"	GORE™ OPTIFADE™ Timber / Tungsten Cerakote, ComforTech 3" - 20 Gauge	3+1
11231	26"	GORE™ OPTIFADE™ Timber / Tungsten Cerakote, ComforTech 3" - 12 Gauge *	3+1
M2 FIELD LEFT-HAND COMFORTECH®			12 AND 20 GAUGE - 2¾" and 3"
11071	28"	Black synthetic, ComforTech®, Left-hand - 12 Gauge	3+1
11121	28"	Realtree® Max-5™, ComforTech®, Left-hand - 12 Gauge	3+1
11195	26"	Black synthetic, ComforTech®, Left-hand - 20 Gauge	3+1
M2 FIELD RIFLED SLUG†			12 AND 20 GAUGE - 2¾" and 3"
11093	24"	Black synthetic, ComforTech®, Adj. Rifle Sight - 20 Gauge	3+1
M2 SPEED PERFORMANCE†			12 AND 20 GAUGE - 2¾" and 3"
A0555000	26"	Black synthetic, ComforTech®, Adj. Rifle Sight - 20 Gauge	3+1
M2 TACTICAL†			12 GAUGE - 2¾" and 3"
11052	18.5"	Black synthetic, Pistol grip, Ghost-ring sight	5+1
11029	18.5"	Black synthetic, ComforTech®, Ghost-ring sight	5+1
M4 TACTICAL (INCLUDES PICATINNY RAIL)†			12 GAUGE - 2¾" and 3"
11707	18.5"	Black synthetic, Pistol grip, Ghost-ring sight	5+1
SUPERSPORT			12 GAUGE - 2¾" and 3"
10635	30"	Carbon fiber finish, ComforTech®, Ported	4+1
ULTRA LIGHT			12 AND 20* GAUGE - 2¾" and 3"
10802	26"	Satin walnut/WeatherCoat™, 12 Gauge	2+1
10803	24"	Satin walnut/WeatherCoat™, 20 Gauge	2+1
MONTEFELTRO			12 AND 20 GAUGE - 2¾" and 3"
10860	28"	AA-Grade satin walnut, Nickel/blue - 12 Gauge	4+1
10865	26"	AA-Grade satin walnut, Nickel/blue - 20 Gauge	4+1
MONTEFELTRO SILVER			12 AND 20 GAUGE - 2¾" and 3"
10850	28"	AA-Grade satin walnut, Nickel/blue, Etched game scene - 12 Gauge	4+1
10855	26"	AA-Grade satin walnut, Nickel/blue, Etched game scene - 20 Gauge	4+1
MONTEFELTRO SPORTING			12 AND 20 GAUGE - 2¾" and 3"
10808	23"	AA-Grade satin walnut, Nickel/blue - 12 Gauge	4+1
SUPERNOVA COMFORTECH®			12 GAUGE - 2¾", 3" and 3½"
20100	28"	Black synthetic, ComforTech®	4+1
20115	28"	Realtree® Max-5™, ComforTech®	4+1
20101	28"	TrueTimber DRT™, ComforTech®	4+1
20143	24"	Rifled Slug - Black synthetic, SteadyGrip™	4+1
48443	24"	Weaver Base 1-PC Nova 423M	4+1
SUPERNOVA TACTICAL†			12 GAUGE - 2¾", 3" and 3½"
20155	18.5"	Black synthetic, ComforTech®, Ghost-ring sight	4+1
20160	18.5"	Black synthetic, Pistol grip, Ghost-ring sight	4+1
A0389400	14.0"	Black synthetic, Pistol grip, Ghost-ring sight	4+1
NOVA PUMP			12 AND 20 GAUGE - 2¾", 3" and 3½"
20030	26"	Black synthetic - 20 Gauge	4+1
20006	24"	Black synthetic - 12 Gauge	4+1
20003	26"	Black synthetic - 12 Gauge	4+1
20000	28"	Black synthetic - 12 Gauge	4+1
20076	26"	Realtree® Max-5™ - 12 Gauge	4+1
20071	28"	Realtree® Max-5™ - 12 Gauge	4+1
20073	28"	Mossy Oak® Shadow Grass Blades™ - 12 Gauge	4+1
20002	26"	TrueTimber® DRT™ - 12 Gauge	4+1
20001	28"	TrueTimber® DRT™ - 12 Gauge	4+1

Item #	Barrel Length	Description	Magazine Capacity
--------	---------------	-------------	-------------------

NOVA PUMP TACTICAL			12 GAUGE - 2¾", 3" and 3½"
20051	18.5"	— Black synthetic, Ghost-ring sight	4+1

NOVA COMPACT			20 GAUGE - 2¾" and 3"
20036	24"	— Black synthetic, Compact stock	4+1

LUPU BOLT-ACTION RIFLE			
11900	22"	Black synthetic, Progressive Comfort, .30-06 Sprfld.	5+1
11901	24"	Black synthetic, Progressive Comfort, .300 Win. Mag.	4+1
11902	24"	Black synthetic, Progressive Comfort, .270 Win.	5+1

MR1 RIFLE			
A0376900	20"	— .223 5rd, Tactical Stock, Ghost-ring sight	

R1 RIFLE			
11770	22"	— .30-06 AA-Grade satin walnut, (incl. base)	4+1
11731	24"	— .300 WM AA-Grade satin walnut, (incl. base)	4+1
11730	24"	— .30-60 Carbine 300 WM AA-Grade satin walnut, (incl. base)	4+1
A0392000	20"	— .30-60 AA-Grade satin walnut, (incl. base)	4+1
A0394100	20"	— .30-60 SPR ComforTech®, Black synthetic, GripTight®, (incl. base)	4+1
11751	24"	— .300 WSM ComforTech®, Black synthetic, GripTight®, (incl. base)	4+1
11771	22"	— .30-06 SPR ComforTech®, Black synthetic, GripTight®, (incl. base)	4+1
11772	24"	— .300 WM ComforTech®, Black synthetic, GripTight®, (incl. base)	3+1
11773	24"	— .338 WM ComforTech®, Black synthetic, GripTight®, (incl. base)	3+1

R1-E RIFLE			
11777	22"	— .308 WIN AA-Grade satin walnut,	3+1
11778	22"	— .308 WIN ComforTech®, Black synthetic	3+1

ARGO-E RIFLE			
A0394800	20"	— .308 WIN ComforTech®, Black synthetic	4+1

ARGO-E PRO RIFLE			
A0447900	20"	— .308 AA-Grade satin walnut,	4+1
A0447600	20"	— .30-06 AA-Grade satin walnut,	4+1

KITE AIR PISTOL			
A0165301	Cal 4.5	- Nickel	
A0168501	Youth Cal 4.5	- Nickel	

MP90S WORLD CUP PISTOL			
A0369300	.22LR	6rd mag 110mm	
A0369500	.32 S&W	5rd mag 110mm	

CHEEK PIECES			
80226	BENELLI GEL COMB - COMFORTECH - STANDARD		
81044	BENELLI GEL COMB - COMFORTECH - RAISED		
81045	BENELLI GEL COMB - COMFORTECH - EXTRA HIGH		
60349	BENELLI GEL COMB - ETHOS/828U - STANDARD		
60487	BENELLI GEL COMB - ETHOS/828U - RAISED		
G0512600	BENELLI GEL COMB - VINCI/SUPER VINCI - STANDARD		
60858	BENELLI GEL COMB - VINCI/SUPER VINCI - RAISED		
80259	BENELLI GEL COMB - SBE3 - STANDARD		
80260	BENELLI GEL COMB - SBE3 - RAISED		

Item #	Description	Gauge
--------	-------------	-------

RECOIL PAD AND SPACERS		
61587	828U/ETHOS/LUPO - Recoil Pad - LOP 14 3/8"	20/28 Ga.
61586	828U/ETHOS/LUPO - Recoil Pad - LOP 15"	20/28 GA.
80193	ETHOS - Recoil Pad - LOP to 15"	12 Ga.
60266	M2 COMPACT - Recoil Pad	
83141	ULTRALIGHT/SPORTII - Recoil Pad Gel	
60853	VINCI/SUPER VINCI - Recoil Pad - LOP to 13 7/8"	
60855	VINCI/SUPER VINCI - Recoil Pad - LOP to 14 3/4"	
60854	VINCI/SUPER VINCI - Recoil Pad - LOP to 14 3/8"	
80256	SBE3 - Recoil Pad - LOP to 13 7/8"	
80258	SBE3 - Recoil Pad - LOP to 14 3/4"	
80257	SBE3 - Recoil Pad - LOP to 14 3/8" - Standard on gun	
81026	SBEII/M2/SUPER NOVA - Recoil PAD - Wood Stock	
61000	NOVA - Recoil Pad - LOP to 13 3/4" (Fits 20-Gauge only)	20 Ga.
61001	NOVA - Short Stock Recoil Pad - LOP to 12 1/2" (Fits 20-Gauge only)	20 Ga.
81085P	R1 - Recoil Pad - 13 3/8"	
81090P	R1 - Recoil Pad - 14"	
81095	R1 - Recoil Pad - 14 3/8"	
83120	ComforTech® Gel Recoil Pad, Left-Hand - LOP to 14 3/8"	
83121	ComforTech® Gel Recoil Pad, Left-Hand - LOP to 14 3/4"	
81047	ComforTech® Gel Recoil Pad, Left-Hand - LOP to 13 7/8"	
81038	ComforTech® Gel Recoil Pad, Right-Hand - LOP to 14 3/8"	
81037	ComforTech® Gel Recoil Pad, Right-Hand - LOP to 14 3/4"	
81046	ComforTech® Gel Recoil Pad, Right-Hand - LOP to 13 7/8"	

R1/MR1 MAGAZINES		
81110	4 Rounds - R1	.30-06 Springfield
81120	3 Rounds - R1	.300 Win Mag
81125	4 Rounds - R1	.308 Win Mag
81121	3 Rounds - R1	.270 WSM & 300 WSM
81420	3 Rounds - R1	.308 Win Mag
81350	5 Rounds - MR1	.223

SIGHTS / BASES / RAILS / RIBS		
81130	R1 - Scope Base - Picatinny	
81131	R1 - Open Sight Set - Complete (Front and Rear)	
F0148101	MR1 - Front Picatinny Tri-Rail	
80264	SBE3 - Picatinny Rail Kit (1+2)	
61368	SUPER NOVA - Mount Screws (Required with 61193 x4)	
61193	SUPER NOVA - Picatinny Mount (no screws - see 61368)	
48443	NOVA/SUPER NOVA - Weaver Base 1-piece	
48339	SBEII/M2/M1/SUPER VINCI - Weaver Base Multislot	

BARRELS		
81126	20" — R1 Barrel and Bolt Assembly, Blue	.30-06
81127	22" — R1 Barrel and Bolt Assembly, Blue	.30-06
81128	20" — R1 Barrel and Bolt Assembly, Blue	.300 Win
81129	24" — R1 Barrel and Bolt Assembly, Blue	.300 Win
81134	24" — R1 Barrel and Bolt Assembly, Blue	.270 WSM
81149	22" — R1 Barrel and Bolt Assembly, Blue	.308 Win

CHOKE WRENCHES		
60596	Choke Wrench	12
60593	Choke Wrench	20

Item #	Description	Gauge
CHOKE TUBES STANDARD THREAD		
80050	Flush - Full	20-Ga.
80051	Flush - Improved Modified	20-Ga.
80052	Flush - Modified	20-Ga.
80053P	Flush - Cylinder	20-Ga.
80062	Flush - Improved Cylinder	20-Ga.
80056	Flush - Full	12-Ga.
80061	Flush - Improved Modified	12-Ga.
80063	Flush - Modified	12-Ga.
80065	Flush - Cylinder	12-Ga.
80058	Flush - Improved Cylinder	12-Ga.
CHOKE TUBES - CRIO®		
83000	Crio - Flush - Full	12-Ga.
83001	Crio - Flush - Improved Modified	12-Ga.
F0107301	Crio - Flush - Modified	12-Ga.
83003	Crio - Flush - Improved Cylinder	12-Ga.
83004	Crio - Flush - Cylinder	12-Ga.
83006	Crio - Extended - Full - SPORTII/S-SPT OLD MODEL	12-Ga.
83007	Crio - Extended - Improved Modified - SPORTII/S-SPT OLD MODEL	12-Ga.
F0103402	Crio - Extended - Modified - SPORTII/S-SPT OLD MODEL	12-Ga.
83009	Crio - Extended - Improved Cylinder - SPORTII/S-SPT OLD MODEL	12-Ga.
83010	Crio - Extended - Cylinder - SPORTII/S-SPT OLD MODEL	12-Ga.
83059	Crio - Extended - Black - Full	12-Ga.
83058	Crio - Extended - Black - Improved Modified	12-Ga.
83057	Crio - Extended - Black - Modified	12-Ga.
83056	Crio - Extended - Black - Improved Cylinder	12-Ga.
83055	Crio - Extended - Black - Cylinder	12-Ga.
83028	Crio - Extended - Nickel - Full	12-Ga.
83029	Crio - Extended - Nickel - Improved Modified	12-Ga.
83030	Crio - Extended - Nickel - Modified	12-Ga.
83031	Crio - Extended - Nickel - Improved Cylinder	12-Ga.
83032	Crio - Extended - Nickel - Cylinder	12-Ga.
83168	Crio - Extended - Nickel - Full	20-Ga.
83169	Crio - Extended - Nickel - Improved Modified	20-Ga.
83170	Crio - Extended - Nickel - Modified	20-Ga.
83171	Crio - Extended - Nickel - Improved Cylinder	20-Ga.
83172	Crio - Extended - Nickel - Cylinder	20-Ga.
F0131201	Crio - Flush - Full	20-Ga.
F0131301	Crio - Flush - Improved Modified	20-Ga.
83022C/F0131401	Crio - Flush - Modified	20-Ga.
F0131501	Crio - Flush - Improved Cylinder	20-Ga.
F0131601	Crio - Flush - Cylinder	20-Ga.
CHOKE TUBES - Benelli		
61332	Benelli Choke - Full	28-Ga.
F0263300	Benelli Choke - Improved Modified	28-Ga.
F0263400	Benelli Choke - Modified	28-Ga.
F0263500	Benelli Choke - Improved Cylinder	28-Ga.
F0263600	Benelli Choke - Cylinder	28-Ga.