

Add high-quality color to documents, using an affordable, wireless and Ethernet-connected HP LaserJet.⁵ The world's smallest color laser printer⁶ is also the planet's most energy efficient.⁷

Print Speed: Up to 17 ppm black and up to 4 ppm color

Print Resolution: Up to 600 x 600 dpi

Print Technology Resolution: HP ImageREt 2400

Standard Connectivity: 1 Hi-Speed USB 2.0, 1 built-in 10/100 Ethernet,

1 Wireless 802.11b/g/n

Standard Memory: 64 MB DRAM, 4 MB Flash

Duplex Print Options: Manual (driver support provided)





Connect wirelessly to affordable color⁵

- Print from anywhere in the office with wireless.⁵ Share printing resources using built-in Ethernet.
- Save money, save space—this wireless, low-priced HP LaserJet is the world's smallest color laser printer.⁶
- Print documents affordably. Get the same black cost per page as a black-and-white HP LaserJet printer.⁴
- Ensure bold text and smooth color with HP ImageREt 2400 and Original HP cartridges with ColorSphere toner.



- Install and start printing quickly and easily.
- Original HP cartridges are simple to install and easy to replace.
- Minimize maintenance with a printer designed for lasting performance.



- Design marketing materials and get ideas for your printed projects from HP Creative Studio for Business.
- Print on a wide range of media—from 3 x 5 to 8.5 x 14 inch.
- Achieve great results—pre-configured shortcuts optimize output quality based on the media selected.
- Easily adjust spot colors and apply them throughout a document with basic color-match settings.

Reduce your environmental impact

- Conserve energy with Instant-on Technology, and save even more with HP Auto-On/Auto-Off Technology.¹
- Conserve resources with the world's smallest color laser printer.
- Get free and easy recycling—cartridges returned through HP Planet Partners are recycled responsibly.²
- Print only the Web content you need, neatly and accurately, with HP Smart Web Printing.³

ecohighlights

HP LASERJET PRO CP1025NW COLOR PRINTER

- Save energy-HP Auto-On/Auto-Off Technology turns your printer on when you need it, off when you don't.
- Reduce energy use up to 50% with Instant-on Technology.²
- Convenient cartridge recycling in over 49 countries.³


ENERGY STAR® qualified product

¹HP Auto-On and Auto-Off capabilities subject to printer and settings. ²Energy savings based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method on HP LaserJet products with Instant-on Technology vs. top competitive models as of March 2009.

³Program availability varies. HP print cartridge return and recycling is currently available in more than 49 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit http://www.bp.com/recycle.

vww.hp.com/ecosolutions

Please recycle your computing hardware and printing supplies Find out how at our website.





consumption.















TECHNICAL SPECIFICAL	TIONS
PRINT TECHNOLOGY	4-pass color laser
PRINT SPEED ¹	Black (Normal, letter): Up to 17 ppm; Color (Normal, letter): Up to 4 ppm; First Page Out Color (Letter, ready) ² : As fast as 27.5 sec
PRINT RESOLUTION	Black (Best): Up to 600×600 dpi; Black (Normal): Up to 600×600 dpi; Color (Best): Up to 600×600 dpi
PRINT TECHNOLOGY RESOLUTION	HP ImageREt 2400
RECOMMENDED MONTHLY PAGE VOLUME	200 to 850 pages
MONTHLY DUTY CYCLE	Up to 15,000 pages
STANDARD PRINT LANGUAGES	Host-based
DUPLEX PRINT OPTIONS	Manual (driver support provided)
NUMBER OF PRINT CARTRIDGES	4 (1 each black, cyan, magenta, yellow), 1 imaging drum
SURESUPPLY SUPPORTED	Yes
PRINTER MANAGEMENT	Windows: HP Toolbox FX (default install), SNP Alerts (minimum install), HP Web Jetadmin (download); Mac: HP Utility
STANDARD CONNECTIVITY	1 Hi-Speed USB 2.0; 1 Fast Ethernet 10/100Base-TX; 1 Wireless 802.11b/g/n
WIRELESS CAPABILITY	Yes, built-in Wireless 802.11 b/g/n
NETWORK CAPABILITIES	Via built-in 10/100 Base-TX Ethernet networking or Wireless 802.11b/g/n
SUPPORTED NETWORK PROTOCOLS	Via built-in networking solution: TCP/IP, IPv4, IPv6, Print: TCP-IP port 9100 Mode, LPD (raw queue support only), Web Services Printing, Discovery: SLP, Bonjour, Web Services Discovery, IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), Management: SNMPv1, HTTP, 802.11: B,G,N, WPS, AdHoc, Infrastructure
CONTROL PANEL	2 buttons (Cancel, Select), 8 LEDs (Attention, Ready, Yellow cartridge status, Magenta cartridge status, Cyan cartridge status, Black cartridge status, Wireless)
TYPEFACES	None (Host-based)
MEDIA TYPE SUPPORTED	Paper (bond, brochure, color, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock
MEDIA SIZES SUPPORTED (IMPERIAL)	Letter, legal, executive, 4 x 6 in, 5 x 8 in, 8.5 x 13 in, envelopes (No. 10, Monarch), custom: 3 x 5 to 8.5 x 14 in
MEDIA SIZES CUSTOM (IMPERIAL)	3 x 5 to 8.5 x 14 in
MAXIMUM/STANDARAD MEMORY	64 MB DRAM, 4 MB Flash
PAPER HANDLING	150-sheet input tray, 50-sheet output bin; Input Handling: Up to 150 Sheets, Up to 50 transparencies, Up to 50 post-cards, Up to 10 Envelopes; Ouput Handling: Up to 50 Sheets, Up to 50 transparencies
PROCESSOR	Processor Type: Custom RISC processor; Processor Speed: 400 MHz
SOFTWARE INCLUDED	Windows: HP Installer/Uninstaller, HP Raster print driver, HP Toolbox, HP Help and Learn Center; Mac: HP Installer/Uninstaller, HP Raster print driver, HP Ink Widget, HP Utility
MINIMUM SYSTEM REQUIREMENTS	PC: Microsoff® Windows® 7, Windows Vista®: 1 GHz 32-bit(x86) or 64-bit(x64) processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 200 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port, Windows® XP (32-bit) Service Pack 2: Pentium 233 MHz processor, 512 KB RAM (32-bit) or 2 GB RAM (64-bit), 200 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Mac: Mac OS X v 10.5.8, v 10.6, PowerPC G4, G5, or Intel Core Processor, 256 MB RAM, 300 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port

Compatible operating Systems	Full software installs supported on: Microsoft® Windows® 7 32-bit and 64-bit, Windows® Vista 32-bit and 64-bit, Windows® XP 32-bit (SP2 or higher), Driver only installs supported on: Microsoft® Windows® Server 2003 32-bit (SP3 or higher), Windows® Server 2008 32-bit and 64-bit, Mac OS X v10.5.8, v10.6, Linpus Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package), SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer), HPUX 11 and Solaris 8/9by the automatic installer), HPUX 11 and Solaris 8/9
OPERATING ENVIRONMENT	Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 20 to 70% RH; Operating Temperature Range: 59 to 90.5° F (15 to 32.5° C); Recommended Operating Temperature Range: 68 to 81° F (20 to 27° C); Storage Temperature Range: -4 to 104° F (-20 to 40° C); Non-Operating Humidity: 10 to 95% RH
ACOUSTIC ³	Acoustic Power Emissions: 6.2 B(A); Acoustic Power Emissions (Ready): Inaudible; Acoustic Pressure Emissions Bystander (Active, Printing): 49 dB(A); Acoustic Pressure Emissions Bystander (Ready): Inaudible
POWER	Power Requirements: Input voltage 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz) Power Supply Type: Built-in power supply; Power Consumption ⁴ : 295 watts printing, 8 watts ready, 3.1 watts sleep, < 1 watt auto-off, 0.2 watts off; Typical Electricity Consumption (TEC) Number: 0.925 kWh/Week
PRODUCT DIMENSIONS	15.7 x 15.8 x 9.9 in (399.6 x 402.1 x 251.5 mm)
PRODUCT WEIGHT	26.7 lb (12.1 kg)
SECURITY MANAGEMENT	Password-protected network embedded Web server, SNMPv1 community password change, 802.11: WEP, WPA, WPA2
WHAT'S IN THE BOX	HP Color LaserJet Pro CP1025nw Printer; HP LaserJet Introductory Black, Cyan, Magenta, Yellow print cartridges (pre installed); Imaging drum; CDs containing software and electronic documentation; Documentation (Install Guide, Support flyer, Warranty guide); power cord; USB cable
HP CARE PACKS	HP 2-year Next Business Day Exchange w/Enhanced Phone Support IPG prtr-M SVC, UQ220E HP 3-year Next Business Day Exchange w/Enhanced Phone Support IPG prtr-M SVC, UQ221A HP 4-year Next Business Day Exchange w/Enhanced Phone Support IPG prtr-M SVC, UQ222A
REPLACEMENT CARTRIDGES	HP 126A Black LaserJet Print Cartridge (1200 pages), CE310A HP 126A Cyan LaserJet Print Cartridge (1000 pages), CE311A HP 126A Yellow LaserJet Print Cartridge (1000 pages), CE312A HP 126A Magenta LaserJet Print Cartridge (1000 pages), CE313A HP 126A LaserJet Imaging Drum, CE314A

FOR MORE INFORMATION VISIT OUR WEBSITE AT WWW..........

Internet, USB or Network port

LASERJET PRO CP1025NW COLOR PRINTER Product Number: CE914A

¹Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ²With instant-on fuser technology; Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³Configuration tested: base model, simplex printing, A4 paper at an average of 12 ppm. Values are subject to change. For current information see http://www.hp.com/support. ⁴Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.





Create your own professional-quality color documents on a compact, easy-to-use printer with versatile connectivity. Print through e-mail, using HP ePrint. Save on energy and print black documents affordably.6

Print Speed: Up to 12 ppm black and up to 8 ppm color

Print Resolution: Up to 600 x 600 dpi

Print Technology Resolution: HP ImageREt 3600

Standard Connectivity: 1 Hi-Speed USB 2.0, 1 built-in 10/100 Ethernet, 1 Wireless 802.11

b/q/n

Display: 1.85" LCD, 2-line, 16-character display Monthly Volume (Duty Cycle): Up to 30,000 pages Duplex Print Options: Manual (driver support provided)







Get professional color documents—wirelessly

- Print from anywhere in the office with wireless.⁵ Share printing resources using built-in Ethernet.
- Ensure bold text and smooth color with HP ImageREt 3600 and Original HP cartridges with ColorSphere toner.
- Get excellent print quality automatically on text, images and graphics with HP EasyColor.
- Print documents affordably. Get the same black cost per page as a black-and-white HP LaserJet printer.6

Set up quickly, and print from anywhere¹

- Stay productive on the go, using HP ePrint—if you can e-mail it from a mobile device, you can print it.1
- Install and start printing quickly and easily.
- Simplify supplies maintenance—order cartridges with HP SureSupply² and install them easily.
- · Easily operate and maintain the printer with the in-device help menu.

Create and print your own marketing materials

- · Estimate print costs with included software, and get project ideas, tools and templates from HP.
- Print on a wide range of paper sizes—from 3 x 5 to 8.5 x 14 inches.
- · Achieve great results—pre-configured shortcuts optimize output quality based on the media selected.
- · Easily adjust spot colors and apply them throughout a document with basic color-match settings.

Reduce your environmental impact

- Reduce energy use with Instant-on Technology.⁷
- Save space and resources with the compact size of this color laser printer.
- Get free and easy recycling—cartridges returned through HP Planet Partners are recycled responsibly³.
- · Print only the web content you need, neatly and accurately, with HP Smart Web Printing⁴.

ECOHIGHLIGHTS HP LaserJet Pro CP1525nw Color Printer

- Get up to 50% energy savings, using an HP LaserJet with HP Auto-Off Technology.
- Free, convenient recycling in 53 countries.2
- Prints great on recycled paper.

ENERGY STAR® qualified product

¹HP Auto-Off capabilities subject to printer and settings. Compares energy consumption of HP LaserJets with HP Auto-Off Technology to top competing models based on market share as of September 2010. Energy consumption based on HP internal testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or TEC value found at energystar.gov./eu-energystar.org using greatest TEC value reported. Actual power usage

²Compared with traditional fusing

Requires an internet connection to the printer. Feature works with any internet- and email-capable device. Print times may vary. For a list of supported documents and image types, see http://www.hp.com/go/eprintcenter.

Program features and availability may vary by country. For more information, visit http://www.hp.com/learn/suresupply. 3 Program availability varies. HP print cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or to request return envelopes and bulk collection boxes, visit http://www.hp.com/recycle. *To use this feature, you need Internet Explorer 6.0-8.0. *Wireless performance is dependent upon physical environment and distance from access point, and may be limited during active VPN connections. Compared with HP LaserJet Pro P1566/P1606dn printer (single function) and HP LaserJet Pro M1536dnf MFP. Assuming customer is printing at least 30% of total pages in color with content similar to the color ISO/IEC 19798 test suite (http://www.iso.org/itc1/sc28) and overall average job length of three pages. Yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors. ⁷Compared with traditional fusing.

















TECHNICAL SPECIFICATIONS PRINT TECHNOLOGY Laser

PRINT TECHNOLOGY	Laser
PRINT SPEED ¹	Black (Normal, letter): Up to 12 ppm; Color (Normal, letter): Up to 8 ppm; First Page Out Color (Letter, ready) ² : As fast as 32 sec
PRINT RESOLUTION	Black (Best): Up to 600×600 dpi; Black (Normal): Up to 600×600 dpi; Color (Best): Up to 600×600 dpi
PRINT TECHNOLOGY RESOLUTION	HP ImageREt 3600
STANDARD PRINT LANGUAGES	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation
NUMBER OF PRINT	4 (1 each black cvan magenta vellow)

NUMBER OF PRINT CARTRIDGES	4 (1 each black, cyan, magenta, yellow)
SURESUPPLY SUPPORTED	Yes
PRINTER MANAGEMENT	Windows: HP Toolbox FX (default install), SNP Alerts (minimum install), HP Web letadmin (download): Mac: HP Utility

	The Web Selddillin (download), Mac. The Onliny
	1 Hi-Speed USB 2.0, 1 built-in 10/100 Ethernet, 1 Wireless 802.11 b/g/n

WIRELESS CAPABILITY	Yes, built-in Wireless 802.11 b/g/n
NETWORK CAPABILITIES	Via built-in 10/100 Ethernet and Wireless 802.11 b/g/n
CONTROL PANEL	2-line, 16-character front panel display, 5 buttons (Cancel job, Left arrow, Right arrow, Select, Reverse), 3 LFD indicator lights (Attention, Ready

	Wireless), WPS button
FONTS AND TYPEFACES	84 scalable TrueType fonts (49 scalable TrueType and 35 postscript)
MEDIA TYPES SUPPORTED	Paper (bond, brochure, color, glossy, letterhead, photo, plain, preprinted,

MEDIA TTT ES SOTT GRIED	prepunched, recycled, rough), transparencies, labels, envelopes, cardstocl
DUTY CYCLE (MONTHLY, LETTER) ³	Up to 30,000 pages

	RECOMMENDED MONTHLY PAGE VOLUME ⁴	Up to 250 to 1,000 pages
	DISPLAY	1.85" LCD, 2-line, 16-character display
	MAXIMUM/STANDARAD MEMORY	384 MB/128 MB

PAPER HANDLING	150-sheet input tray, 1-sheet priority feed slot, 125-sheet output bin;
	Input Handling: Up to 150 Sheets, Up to 50 transparencies, Up to 50
	post-cards, Up to 10 Envelopes;
	Ouput Handling: Up to 50 Sheets. Up to 50 transparencies

	DUPLEX PRINT OPTIONS	Manual (driver support provided)
	PROCESSOR	Processor Type: ARM 1156 processor core; Processor Speed: 600 MHz
		Windows Full Software Solution, HP Universal Print Drivers, HP Basic Color Match, HP PrintView, HP Fco Solutions Print Console, Mac Software

	Solution, Linux Software Solution, Unix Print Driver
MINIMUM SYSTEM REQUIREMENTS	PC: Microsoft® Windows® 7, Windows Vista®: 1 GHz 32-bit(x86) or 64-bit(x64) processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 200 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port, Windows® XP (32-bit) Service Pack 2: Pentium 233 MHz processor, 512 KB RAM (32-bit) or 2 GB RAM (64-bit), 200 MB free hard disk space, CD/DVD COM or Internet, LISB or Network port.

CD/DVD-ROM or Internet, USB or Network port;

Mac: Mac OS X v 10.5.8, v 10.6; PowerPC G4, G5, or Intel Core
Processor; 256 MB RAM; 300 MB free hard disk space; CD/DVD-ROM or
Internet; USB or Network port

	1
COMPATIBLE OPERATING	Full software installs supported on: Microsoft® Windows®7 32
SYSTEMS	64-bit, Windows Vista® 32-bit and 64-bit, Windows® XP 32-
	(SP2 or higher) Driver only installs supported on Windows®

64-bit, Windows Vista® 32-bit and 64-bit, Windows® XP 32-bit (SP2 or higher), Driver only installs supported on: Windows® Server 2008 32-bit and 64-bit, Windows® Server 2003 32-bit (SP3 or higher), Mac OS X v 10.5.8, v 10.6, Linpus Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package), SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer), HPUX 11 and Solaris 8/9

OPERATING ENVIRONMENT	Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 20 to 70% RH; Operating Temperature Range: 15 to 32.5° C; Recommended Operating Temperature Range: 68 to 81° F (20 to 27° C); Storage Temperature Range: -4 to 104° F (-20 to 40° C); Non-Operating Humidity: 10 to 95% RH
ACOUSTIC ⁵	Acoustic Power Emissions: 6.1 B(A); Acoustic Power Emissions (Ready): Inaudible; Acoustic Pressure Emissions Bystander (Active, Printing): 48 dB(A); Acoustic Pressure Emissions Bystander (Ready): Inaudible
POWER	Power Requirements: Input voltage 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz) Power Supply Type: Built-in power supply Power Consumption ⁶ : 295 watts Active, 0.2 watts Off, 5.5 watts Sleep, 12.5 watts Standby Typical Electricity Consumption (TEC) Number: 1.208 kWh/Week
PRODUCT DIMENSIONS	15.7 x 17.8 x 10.0 in (399 x 453 x 254 mm)
PRODUCT WEIGHT	40.0 lb (18.2 kg)
SECURITY MANAGEMENT	Wireless: WEP (128bit), WPA/WPA2 - Personal (AES, TKIP), Password-protected network embedded Web server, Enable/disable network ports, SNMPv1 community password change
WHAT'S IN THE BOX	HP Color LaserJet Pro Printer; HP LaserJet Introductory Black, Cyan, Magenta, Yellow print cartridges (pre-installed); CDs containing software and electronic documentation; Documentation (Install Guide, Support flyer, Warranty guide)
ACCESSORIES	HP USB Cable (a-b) 2 meter, Q6264A HP 256 MB DDR2 144-pin SDRAM DIMM, CB423A
HP CARE PACKS	HP 2-year Next Business Day Exch w/Enhanced Phone Support IPG prtr-H SVC, UQ223A HP 3-year Next Business Day Exch w/Enhanced Phone Support IPG prtr-H SVC, UQ224A HP 4-year Next Business Day Exch w/Enhanced Phone Support IPG prtr-H SVC, UQ225A
REPLACEMENT CARTRIDGES	HP 128A Black LaserJet Print Cartridge (2000 pages), CE320A HP 128A Cyan LaserJet Print Cartridge (1300 pages), CE321A HP 128A Yellow LaserJet Print Cartridge (1300 pages), CE322A HP 128A Magenta LaserJet Print Cartridge, CE323A
WARRANTY	One-year, limited warranty, product exchange

LASERJET PRO CP1525NW COLOR PRINTER Product Number: CE875A

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. *Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP ClaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. *HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. *Configuration tested: base model, simplex printing, A4 paper at an average of 12 ppm. Values are subject to change. For current information see http://www.hp.com/support. *Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.



HP Color LaserJet CP2025 Printer series





Improve your business image and turn printed pages into customers with HP's best value color LaserJet printer designed for small businesses.

Enhances productivity

Enjoy color printing without sacrificing speed with the HP Color LaserJet CP2025 Printer series. Get your output and return to work quickly with fast black and color print speeds of up to 21 pages per minute (ppm) on letter-size paper. Start fast and finish sooner. Typical office print job Time To Completion can be nearly three times faster with Instant-on Technology. 1

Avoid interruptions and increase productivity with proactive printer management. HP ToolboxFX provides easy access to printer settings, status information, the user guide, and self-help and troubleshooting tips. Shop anytime with a desktop icon that links to HP SureSupply, where you'll see a list of cartridges that work with your printer.

Easily share the printer and efficiently utilize resources with built-in Ethernet/Fast Ethernet networking.

Easy to use and affordable

Print professional-quality brochures and more at your desk. With free HP marketing tools, you can easily create high-impact marketing materials on your own, without a design agency or copy shop.³ HP Print View allows you to see various print settings applied to your document before you print—saving money and preventing waste by eliminating unnecessary test drafts.

Now you can control your marketing materials and your budget. By taking care of the simpler projects and revisions right in your office, you'll save money so you can dedicate your marketing budget to more complex promotions.

Print-shop quality color

With HP ColorSphere toner, immediately see the difference in your documents with sharper text and graphics and vibrant, attention-grabbing color. Count on consistently outstanding color with the printer's HP ImageREt 3600 technology; it's the difference between color that looks good, and color that looks exceptional.

¹ Instant-on Technology uses cutting-edge fuser technology to produce the first page faster when a printer is coming out of low power mode so your print job is done sooner. An InfoTrends study shows the typical office print job is three to five pages long: www.infotrends.com/public/Content/Presentations/officeprinteruse.pdf. Time To Completion of a typical office print job tested on HP and select competing products. Actual results may vary.

² Program features and availability may vary by country. For more information, visit <u>www.hp.com/learn/suresupply</u>.

³ The HP Marketing Resources Software may be downloaded for free through the URL included with the printer's installation software. For more information, visit www.hp.com/go/ihm.

HP Color LaserJet CP2025 Printer series

TECH 2000, INC.

- 1 150-sheet output bin
- One-door access to the four individual easy-to-replace print cartridges
- 3 50-sheet multipurpose tray
- 4 Built-in automatic two-sided printing
- 5 250-sheet input tray
- 6 2-line, 16-character backlit display provides instant device and supplies information
- 7 Power button
- 8 Built-in Ethernet/Fast Ethernet networking
- 9 Hi-Speed USB 2.0 port
- 10 128 MB of printing memory (expandable to 384 MB) and a powerful 540 MHz processor
- 11 Side DIMM door for adding additional memory

HP Color LaserJet CP2025dn Printer shown. CP2025x model, with additional 250-sheet input tray 3, shown in "Series at a glance" table below.





Rear view

Series at a glance			
	CP2025n	CP2025dn	CP2025x
Part number	CB494A	CB495A	CB496A
50-sheet multipurpose tray 1 and 250-sheet input tray 2	√	√	√
250-sheet tray 3	Optional	Optional	√
Ethernet/Fast Ethernet networking	Built-in	Built-in	Built-in
Two-sided printing	Manual	Automatic	Automatic

Count on HP technology to help your printer and your business run smoothly.



Simple and intuitive operation

Get the results you want every time you print with the print driver's new, radically simple task-based interface. See optimized output quality for each of the many supported media types. With a single click, select from a collection of pre-configured Printing Shortcuts—including settings for general everyday printing, envelopes, cardstock, glossy paper, and

The printer is supported by the HP Universal Print Driver for Windows, the single driver that gives you instant access to HP printing devices, without downloading separate drivers.

Budget-friendly printing

Not only does this HP Color LaserJet printer have a great purchase price, but you can print black pages for the same cost as printing black pages on a black-and-white HP laser device. 4 And you can still print in color!

When you create your professional documents right in your office, you'll spend a fraction of what you would at a copy shop. Determine costs beforehand for better project planning and decision-making with the HP Print Cost Estimator.

Get the most out of your printer with HP accessories, supplies, and services.



Get added media flexibility and increase the total input capacity to 550 sheets with the 250-sheet input tray 3 (CB500A).6



Connect directly with the HP USB Hi-Speed printer cable (Q6264A).



HP's all-in-one print cartridges and ColorSphere toner are specifically designed with the printer to deliver consistent quality and reliable, trouble-free printing.



Choose from a selection of HP papers to create impressive, professional documents.

HP Imaging and Printing Services provide convenient and configurable solutions that help you get the most value out of your printing. Choose the level of support that best fits your business needs.

Replacement print cartridges with HP ColorSphe	ere toner ⁵
--	------------------------

HP Color LaserJet Black Print Cartridge	CC530A
HP Color LaserJet Cyan Print Cartridge	CC531A
HP Color LaserJet Yellow Print Cartridge	CC532A
HP Color LaserJet Magenta Print Cartridge	CC533A
Paper handling	

250-sheet input tray 36 CB500A

Memory/storage

64 MB DDR2 144-pin SDRAM DIMM CB421A 128 MB DDR2 144-pin SDRAM DIMM CB422A 256 MB DDR2 144-pin SDRAM DIMM CB423A

HP USB Hi-Speed printer cable Q6264A HP USB Network Print Adapter Q6275A

Service and support

UL385E HP 3-year Next Business Day Exchange Service HP 1-year Post-warranty Next Business Day Exchange Service UL391PE HC127PE HP 1-year Post-warranty Phone and Online Assistance Service H3110E HP Network Installation Personal LaserJet Service

Paper

www.hp.com/qo/paper 1-800-477-5010

Solutions

www.hp.com/go/gsc

⁴ Compared to HP LaserJet P2030 Printer series. Assuming customer is printing at least 30 percent of total pages in color with content similar to the color ISO/IEC 19798 test suite (www.iso.org/jtc1/sc28) and overall average job length of three pages. Yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors.

⁵ Replacement cartridges: average continuous composite cyan/yellow/magenta yield 2,800 standard pages and average continuous black cartridge yield 3,500 standard pages. Declared yield values for replacement cartridges in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit

www.hp.com/qo/learnaboutsupplies.

6 The 250-sheet input tray 3 is an optional accessory for the CP2025n and CP2025dn models only and is standard on the CP2025x model. No additional input trays can be added to the CP2025x model.



HP Color Laserlet CP2025 Printer series

Technical specifications	THE COLOR Ediserser Cr 2023H THINEH (CD474A) TH	Color Luserser Cr 2025ull Fi	rinier (CD473A)	HP Color LaserJet CP2025x Printer (CB496A
Print speed ⁷		Black-and-white and color: up to	21 ppm, letter	
Document delivery speed	First page out (letter): black-and-white: as fast as 17.2 seconds (Ready), as fast as 17.6 seconds (low power mode); color: as fast as 17.7 seconds (Ready),			
, ,	as fast as 18.2 seconds (low power mode)			
Print resolution		Up to 600 by 600 dpi; HP Ima	ageREt 3600	
Processor		540 MHz		
Memory	128 MB RAM standard,	, expandable to 384 MB RAM vi	ia one open 144-p	in DDR2 DIMM slot
Durability ratings		lly volume: 750 to 2,000 pages;		
Paper			· · · · ·	
Input	50-sheet multipurpose tray 1, 250-sheet t	tray 2, optional 250-sheet tray 3	3	50-sheet multipurpose tray 1, 250-sheet tray 2, 250 sheet tray 3
Output		150-sheet output bi	in	
Two-sided printing	Manual		Auton	natic
Sizes	Multipurpose tray 1: letter, legal, executive, 8.5 by	custom: 3 by 5 in to 8.5 b	oy 14 in	
	Input trays 2 and 3: letter, legal, executive, 8.5 by 1			narch); custom: 3.94 by 5.83 in to 8.5 by 14 in
No. 1		Automatic duplexer: letter, legal,		10 H 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Weights		glossy photo papers); Automatic	c duplexer: 16 to 4	3 lb
Types	Paper (bond, brochure, colored, glossy, letterhe	ead, photo, plain, preprinted, pre	epunched, recycled	d, rough), transparencies, labels, envelopes
Connectivity				
Interfaces		ed USB 2.0 port, built-in Ethernet		
Languages and fonts		PCL 5c, HP postscript level 3 em		
Client operating systems	Microsoft® Windows® 2000, Windows XP® Home, \ Center, Windows >	Windows XP Professional, Windo KP Professional x64; Mac OS X v		
Network operating systems	Windows 2000, Windows XP Home, Windows X Mac OS X v10.2.8, v10.3, v10.4, v10.5; Red Hat/SuSI		etWare 3.2 or high	
Network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Prir Bonjour, Web Services Discovery; IP Config: IPv4 (BootP,	nt: TCP-IP port 9100 Direct Mode	e, LPD (raw que sup	
Security	Password	l-protected network embedded w	eb server, color loc	ckout
Dimensions (w by d by h)	15.9 by 17.9 by 12.7 in	15.9 by 19.1 by 12.7		15.9 by 19.1 by 16.6 in
Weight (includes print cartridges)	50.0 lb	52.7 lb	7 111	61.3 lb
What's in the box	Printer, power cable, CD (includes User's Guide and prin yellow HP Color LaserJet print cartridges with ColorSphe	nter software), Getting Started G		introductory 1,200-page black, cyan, magenta, and
Also includes		Automatic two-sided pri	inting	Automatic two-sided printing, 250-sheet input tray
Warranty	One-year, return to aut	horized service center, limited w	arranty; telephone	and Web support
•			, ,	• •
Environmental ranges		Typical Electricity Consumption	n /TEC\・1 037 レ\ハ/	/h/Maak
Recommended temperature	59 to 80.6 degrees F	ENERGY STAR® qualified models		
Storage temperature	-4 to 104 degrees F	Certifications	s, see www.np.com	i/ go/ energysiar
Recommended relative humidity			O.1 (International)	EN 60950-1+A11 (EU), IEC 60825-1+A1+A2,
Storage relative humidity	10 to 95 percent (non-condensing)			EN 60825-1+A1+A2 (Class 1 Laser/LED Device)
Altitude	Up to 9,000 ft	GB4943-2		EIN 00023-1+A1+A2 (Class 1 tasel/ LLD Device)
Acoustics	op 10 7,000 II	CD4743-2	2001	
Sound power 12	Active (printing at 20 ppm): 6.6 B(A); Ready: 3.1 B(A)	EMC CISPR 22:	: 2005/EN 55022	2: 2006 Class B, EN 61000-3-2: 2000+A2, EN
Bystander sound pressure Power specifications	Active: 54 dB(A); Ready: inaudible	61000-3-3	3: 1995+A1, EN 5	55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 sue 4, (Canada), GB9254-1998
Required input voltage Power consumption 13	115 to 127 V (±10 percent), 60 Hz (±2 Hz), 12 A 220 to 240 V (±10 percent), 50 Hz (±2 Hz), 6 A Active: 445 watts; Ready: 18 watts; Sleep: 6.7 watts;	·	,	www.hp.com/learn/suresupply

Exact speed varies depending on system configuration, software application, driver, and document complexity.

¹³ Values subject to change. See www.hp.com/support for current information. Power numbers are the highest values measured using all standard voltages.









ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Linux is a U.S. registered trademark of Linus Torvalds. Microsoft, Windows, and Windows XP are registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States

© Copyright 2008-2009 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



⁸ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs.

10 Not all protocol and operating system configurations are supported. For more information, go to www.hp.com/support/net_printing.

10 Not all protocol and operating system configurations are supported. For more information, go to www.hp.com/support/net_printing.

¹¹ Introductory cartridges: Average continuous composite cyan/yellow/magenta cartridge yield 1,200 pages and average continuous black cartridge yield 1,200 pages. Replacement cartridges: Average continuous composite cyan/yellow/magenta cartridge yield 2,800 standard pages and average continuous black cartridge yield 3,500 standard pages. Declared yield values for replacement cartridges in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit www.hp.com/go/learnaboutsupplies.
¹² Configuration tested: base model, simplex printing, A4 paper at an average of 20 ppm. Values are subject to change. For current information see www.hp.com/go/learnaboutsupplies.



HP Color LaserJet CP3520 Printer series

CP3525n • CP3525dn • CP3525x \$649.99 \$849.99 \$1,299.99



Easily produce eye-catching black and color documents with this high-performing, reliable printer for general and specialty print projects.

Fast, excellent quality printing

You want high quality output, and you want it delivered fast. HP understands, which is why this printer produces both color and black-and-white pages at speeds up to 30 pages per minute (ppm).

Start fast and finish sooner. Instant-on Technology uses cutting-edge fuser technology that enables print jobs to begin quickly from low power mode. The Time To Completion (TTC) of a typical office print job can be nearly 3.5 times faster from low power mode on this device with Instant-on Technology than on devices without it.¹

Produce documents that make an impact. HP ImageREt 3600 and HP ColorSphere toner work together to create sharp images and crisp text for all of your business needs. Improved HP ColorSphere toner provides excellent edge acuity for detailed line work, spreadsheets, and architectural drawings.

Flexible high-performance features

This HP printer is designed to maximize your investment. With the HP Color LaserJet CP3520 Printer, you can get black prints for the same cost as on a black-and-white HP LaserJet²—providing general office effectiveness, while also allowing you to print in color! Choose an optional high-capacity print cartridge for even more value. With HP's Color Access Control technology, easily control who can print in color and how much.

Effortlessly share the printer with embedded gigabit networking. Enjoy enterprise-class security features such as IPSec and IPv6. With expandable memory, an open EIO slot, and optional third party solutions, you can expand printer capabilities as your business needs grow.

Impressive marketing materials

Produce professional, attention-grabbing marketing materials in your own office by combining HP ColorSphere toner with HP's full line of papers. Easily produce brochures, flyers, postcards and newsletters on up to 58 lb glossy media. Effectively communicate internally and generate sales for less time and money than the cost of outsourcing.

¹ An InfoTrends study shows the typical office print job is three to five pages long: www.infotrends.com/public/Content/Presentations/officeprinteruse.pdf. Time To Completion of a typical office print job tested on HP and select competing products. Actual results may vary.

² Compared to HP LaserJet P3005 Printer series, using HP Q7551X print cartridge. Yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed and other factors (including frequency of TCU replacement).

HP Color LaserJet CP3520 Printer series

TECH 2000, INC.

- 12

HP Color LaserJet CP3525x Printer shown

- 1 A powerful 515 MHz processor and 512 MB memory, upgradeable to 1 GB
- 2 EIO expansion slot for optional networking, storage, and connectivity options
- 3 One available internal Flash memory slot for font cards or third-party solutions
- 4 HP Jetdirect Gigabit Ethernet embedded print server
- 5 Hi-speed USB 2.0 port for easy direct connections
- 6 Security lock slot
- 7 250-sheet top output bin
- 8 Intuitive, four-line color display with a built-in help function
- 9 Access door to the four preinstalled print cartridges with ColorSphere toner and the toner collection unit
- 10 Built-in automatic two-sided printing
- 11 250-sheet input tray 2
- 12 500-sheet tray 3 for total input capacity of 850 sheets (supports up to 58 lb bond glossy media); HP postcard media insert tray (for use in tray 3) supports 4 by 6 inch media
- 13 Single-door paper path access
- 14 100-sheet multipurpose tray for specialty papers

Series at a alance





Front view

Series di di gidrice			
	CP3525n	CP3525dn	CP3525x
Part number	CC469A	CC470A	CC471A
100-sheet multipurpose tray, 250-sheet tray 2	√	√	√
500-sheet tray 3	Optional	Optional	√
HP postcard media insert tray (for use in tray 3)	Optional	Optional	√
Memory	256 MB	384 MB	512 MB
HP Jetdirect Gigabit Ethernet print server	Embedded	Embedded	Embedded
Two-sided printing	Manual	Automatic	Automatic
HP Marketing Starter Kit	√	√	\checkmark
Meets ENERGY STAR® guidelines	√	√	√



This printer is simple to use, install, and maintain.



Effortless operation

Easily navigate printer functions with the intuitive 4-line color display control panel. An accessible paper path door makes clearing jams quick and easy. Original HP print cartridges are preinstalled when your printer arrives so you can begin printing right out of the box (includes introductory print cartridges that yield approximately 3,000 pages color, 3,000 pages black).³ Replenishing supplies is simple with single-door access to all consumables.

HP's proven all-in-one cartridge design ensures easy, reliable operation. Intelligence in the print cartridge enables automatic print quality adjustments. It also alerts you when supplies are low and provides convenient options for online reordering through HP SureSupply.⁴

Enhance productivity with powerful management tools. HP Easy Printer Care helps you monitor and maintain 2 to 20 HP LaserJet and select inkjet printers. Reduce IT intervention with the fleet management capabilities of HP Web Jetadmin.

Get the most out of your printer with HP accessories, supplies, and services.

HP 500-sheet Paper Tray

Supports media including 58 lb bond coated glossy media.

CE522A

HP Postcard Media Insert Tray (for tray 3)

Print on 4 by 6 in postcard media (up to 58 lb bond glossy media) in large quantities.

HP high-performance secure EIO hard disk

Advanced security features protect sensitive information without impacting device performance.

10 - 10

J8019A

CC497A

HP Professional Presentation Book

Easy, elegant way to professionally bind presentations, proposals, and reports without any additional equipment.

Q6291*A*



HP Support Services

Minimize the cost of downtime

Because printer downtime can have serious business consequences, HP provides high-quality services that extend beyond the standard warranty and help you avoid unbudgeted repair costs.

Benefits include reduced printing and infrastructure costs, maximized uptime, expert technical phone support and delivery services, and predictable and consistent service delivery across multiple locations.

Choose:

- Installation Service with Network Configuration: expert assembly of HP accessories, hardware verification, network configuration, and basic administrator familiarization
- Same Day Onsite Service: technician arrives at your site within four hours
 after service call is received, if this time falls within the coverage window
- Next Day Onsite Service: technician-delivered onsite service the next business day after the service call

Any of the above options can be purchased as:

- HP Care Pack Services: easy-to-buy, easy-to-use support packages
- HP Contractual Services: a comprehensive portfolio for maintaining maximum IT availability

HP also offers Managed Print Services: a solution scalable from imaging and printing devices and toner cartridges, to installation, management, maintenance, and support.

For more information visit: www.hp.com/qo/printservices.

Replacement print cartridges with HP ColorSphere toner

HP Color LaserJet Black Print Cartridge (5,000-page yield) ³	CE250A
HP Color LaserJet Black Print Cartridge (10,500-page yield) ³	CE250X
HP Color LaserJet Cyan Print Cartridge (7,000-page yield) ³	CE251A
HP Color LaserJet Yellow Print Cartridge (7,000-page yield) ³	CE252A
HP Color LaserJet Magenta Print Cartridge (7,000-page yield) ³	CE253A
- ·	

Supplies

HP Color LaserJet Toner Collection Unit	CE254A
110 Volt Preventative Maintenance Kit	CE484A
220 Volt Preventative Maintenance Kit	CE506A

Paper handling

HP 500-sheet Paper Tray	CE522A
HP Postcard Media Insert Tray	CC497A

Memory/storage

HP High-performance EIO Hard Disk	J7989G
HP High-performance Secure EIO Hard Disk	J8019A
HP 128 MB, 200-pin DDR DIMM	CC409AX
HP 256 MB, 200-pin DDR DIMM	CC410AX
HP 512 MB, 200-pin DDR DIMM	CC411AX
HP 1 GB 200-pin DDR DIMM	CC412AX

Connectivity

HP Jetdirect 620n Fast Ethernet Print Server	J7934G
HP Jetdirect 630n IPv6 Gigabit Ethernet Print Server	J7997G
HP Jetdirect 635n IPv6/IPSec Internal Print Server	J7961G
HP Jetdirect 690n Wireless Print Server	J8007G
HP Jetdirect en3700 Fast Ethernet Print Server	J7942G
HP Jetdirect en 1700 IPv4/IPv6 Print Server	J7988G
HP Jetdirect ew2400 802.11g Wireless Print Server	J7951G
HP 1284B Parallel Card	J7972G

Services

3-year Next Business Day Hardware Support	UL367E
3-year 4-hour 9 by 5 Same Day Hardware Support	UL370E
3-year 4-hour 13 by 5 Same Day Hardware Support	UL371E
1-year Technical Phone Support Service	HC130PE
Onsite Installation and Network Configuration	H3110E

Pape

www.hp.com/go/paper 1-800-477-5010

Solutions

www.hp.com/go/gsc

³ Introductory cartridges: average continuous composite cyan/yellow/magenta cartridge yield 3,000 pages and average continuous black cartridge yield 3,000 pages. Replacement cartridges: average continuous composite cyan/yellow/magenta cartridge yield 7,000 standard pages, average continuous composite CE250A black cartridge yield 5,000 standard pages, and average continuous composite CE250X high-capacity black cartridge yield 10,500 standard pages. Declared yield values for replacement cartridges in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit www.hp.com/qo/learnaboustusplies.

printed and other factors. For more information, visit www.hp.com/go/learnaboutsupplies.

4 For more information, visit www.hp.com/learn/suresupply. Order consolidation available on printers with HP Easy Printer Care Software installed



HP Color LaserJet CP3520 Printer series

Technical specifications	HP Color LaserJet CP3525n Printer (CC46	9A) HP Color LaserJet C	P3525dn Printer (CC470A)	HP Color LaserJet CP3525x Printer (CC471A)
Print speed ⁵		Black-and-white and	d color: up to 30 ppm, letter	
Document delivery speed	First page out: as fast as 11 seconds from Ready mode; as fast as 16.5 seconds from Sleep (after 30 minute sleep); as fast as 17 seconds from Sleep (af			
nt. La	60 minute sleep); Time To Completion for a typical print job: 6 as fast as 23 seconds, letter			
Print resolution	HP ImageREt 3600 technology; 600 by 600 dpi and 1200 by 600 dpi for fine details and line art			
Processor	05(1)0(1)1111111111111111111111111111111	515 MHz		
Memory	256 MB (upgradeable to 1 GB)		ogradeable to 1 GB)	512 MB (upgradeable to 1 GB)
Durability ratings	Recommende	ed monthly volume:/ 1,500 to	o 5,000 pages; Duty cycle:8	up to 75,000 pages
Paper				
Input	100-sheet multipurpose tray 1, 2 optional HP postcard m	250-sheet tray 2, optional 5 redia insert tray (for use with		100-sheet multipurpose tray 1, 250-sheet tray 2, 500-sheet tray 3, HP postcard media insert tray (fo use with tray 3)
Output		250-sl	neet output bin	
Two-sided printing	Manual		Auto	omatic
Sizes	, , , ,	Tray 2: 5.8 by 8.3 in to in; letter, legal, executive, 8	Monarch) 8.5 by 11.7 in; letter, execut 8.5 by 13; HP postcard medic	insert tray must be installed for: 4 by 6 in
			nting unit: letter, legal, execut	
Weights	Multipurpo		o 58 lb bond; glossy paper:	
		Tray 2: 16 to 47 lb bond	l; glossy paper: 28 to 58 lb b	oond
	Tray	y 3: plain paper: 16 to 47 ll	b bond; glossy paper: 28 to 5	58 lb bond
		Automatic two-sided p	printing unit: 16 to 43 lb bond	d .
Types	Paper (plain, light, bond, recycled, mid-wei			, extra-heavy glossy, cardstock, card glossy) color
**				ugh, opaque film, user-defined
Connectivity	1 // /	, , , , , ,		3,11,,
Interfaces	Hi-Speed USB 2.0 port, one host USB 2.0-like	e part for third-party connect	tions one available FIO slot	HP Jetdirect Gigabit Ethernet embedded print server
Languages and fonts				
Client operating systems	HP PCL6, HP PCL5, HP postscript level 3 emulation, direct PDF printing v 1.4; 80 scalable TrueType PostScript typefaces Certified for Microsoft® Windows Vista® 32/64-bit, Windows® 2000, Windows XP® 32/64-bit, Windows Server 2003 32/64-bit, Windows Server			
Client operating systems	2008 32/64-bit; Mac OS X v10.3.9, v10.4, v10.5 or later; Red Hat Linux 7.x and later; SuSE Linux 8.x and later			
Network operating systems	Via HP Jetdirect print servers: Microsoft Windows 2000, Server 2003, XP, Vista, 2003 64-bit, XP 64-bit, Vista 64-bit (for Microsoft IPv6 compatible with Windows 2003, XP, and Vista); Novell 5.1 and later; Mac OS X v10.2.8, v10.3, v10.4, v10.5, and later; Red Hat Linux 7.x and later; SuSE Linux 8.x and later; HP-UX 10.20, 11.x, 11.i; Solaris 2.5 and later (SPARC systems only); IBM AIX 3.2.5 and later 1; MPE-iX; Citrix MetaFrame Server; Windows Terminal Services			
Network protocols	Via HP Jetdirect print servers: TCP/IP (IP Direct Mode; may require software from the NOS vendor or third-party vendor: LPD, FTP, IPP), IPX/SPX, DLC/LLC AppleTalk, Auto-IP, Apple Bonjour-compatible, NDS, Bindery, NCP, Telnet, SLP, IGMP, BOOTP/DHCP, WINS, SNMP v 1, 2c, 3, HTTP			
Security				/Firewall with Kerberos, Certificate, and PreShared
,				x (EAP-PEAP, EAP-TLS), WPA, WPA2 authentication,
	,		/64- and 128-bit) encryption	
Dimensions (w by d by h)	20.2 b	by 19.3 by 14.1 in	, , , , ,	20.2 by 19.3 by 20.5 in
Weight (includes print cartridge)	25.22	72.5 lb		89.3 lb
What's in the box	Printer, four preinstalled introductory ⁹ HP Color LaserJet print cartridges with HP ColorSphere toner that yield approximately 3,000 pages black and 3,000 pages color; toner collection unit, in-box documentation (Getting Started Guide), software drivers and documentation on CD-ROM, power cable, 100-sheet multipurpose tray, 250-sheet input tray, HP Jetdirect Gigabit Ethernet embedded print server, HP Marketing Starter Kit			
Also includes			atic two-sided printing	Built-in automatic two-sided printing, 500-sheet tray 3, HP postcard media insert tray (for use in tray 3)
Warranty	One-year, next-day, onsite limited	d warranty backed by HP C	ustomer Care, service and su	pport; one-year technical phone support
Environmental ranges		Power consumption	Active: 643 watts: Ready: 60) watts; Sleep 1: 35.1 watts; Sleep 2: 10 watts;
Recommended temperature	59 to 81 degrees F	i ower consumption	Off: 0.48 watts	, mails, sleep 1. 03.1 walls, sleep 2. 10 walls,
Storage temperature	32 to 95 degrees F	Typical Electricity Cons	umption (TEC): 4.212 kWh/We	ek
Recommended relative humidity	20 to 60 percent		models, see <u>www.hp.com/go/e</u>	
Storage relative humidity	10 to 90 percent	Certifications	noders, see <u>www.np.com/go/e</u>	niergysiai.
Acoustics	10 to 70 bercetti	Safety	IEC 60950-1 (International)	UL/cUL Listed (US/Canada); other safety approvals as
Sound power	Active: 6.9 B(A) Ready: 4.6 B(A)	Julely	required by individual countri	
Bystander sound pressure	Active: 54 dB(A) Ready: 4.0 B(A) Ready: 4.0 B(A)	EMC		: 2006 Class B, EN 61000-3-2: 2000+A2, EN 61000-3
Payer specifications	ready. 33 db(A)	LIVIC		000 A 1 A 2 ECC Tilla 47 CED Down 15 Class D (USA)

Exact speed varies depending on system configuration, software application, driver, and document complexity.

115 to 127 V (±10 percent), 60 Hz (±2 Hz), 12 A

220 to 240 V (± 10 percent), 50 Hz (± 2 Hz), 6 A

deployment of printers and MFPs.

Introductory cartridges: average continuous composite cyan/yellow/magenta cartridge yield 3,000 pages and average continuous black cartridge yield 3,000 pages. Replacement cartridges: average continuous composite cyan/yellow/magenta cartridge yield 7,000 standard pages, average continuous composite CE250A black cartridge yield 5,000 standard pages, and average continuous composite CE250X high-capacity black cartridge yield 10,500 standard pages, and average continuous composite CE250X high-capacity black cartridge yield 10,500 standard pages. Declared yield values for replacement cartridges in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit www.hp.com/go/learnaboutsupplies.





Power specifications

Required input voltage





ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Linux is a U.S. registered trademark of Linus Torvalds. Microsoft, Windows, and Windows XP are registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. PostScript is a trademark of Adobe Systems Incorporated.

© Copyright 2008 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



Works with HP SureSupply. To learn more, visit $\underline{\text{www.hp.com/learn/suresupply}}$

3: 1995+A1, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class B (USA),

ICES-003, Issue 4, (Canada); other EMC approvals as required by individual countries

⁶ An InfoTrends study shows the typical office print job is three to five pages long: www.infotrends.com/public/Content/Presentations/officeprinteruse.pdf. Time To Completion of a typical office print job tested on HP and select competing products. Actual results may vary.

⁷ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

⁷ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

8 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs.





HP COLOR LASERJET ENTERPRISE CP4020 PRINTER SERIES

CP4025n • CP4025dn \$999.99 \$1,299.99

This easy-to-use color laser printer offers powerful, professional-quality color and black-only printing—ideal for sharing with small to medium workgroups.

- Get a great value for the price—this printer is packed with performance features.
- Produce superb color quality and crisp text for your business documents and marketing materials.
- Meet the needs of your busy printing environment with built-in networking, generous on-board memory, and an intuitive control panel with auto-navigational help.



Performance at the right price

Improve workgroup efficiency with print speeds up to 35 pages per minute (ppm) letter and a first page out in as fast as 9.5 seconds. Instant-on Technology enables print jobs to begin quickly from low-power mode and provides up to 50 percent energy savings over competitive laser products.¹

Handle a steady stream of print jobs and still stay productive. With 512 MB of memory—expandable up to 1 GB (1024 MB)—this printer can store and process a large queue of documents.

Easily integrate best-in-class networking and robust security options into your printing set-up. Expand the number of IP addresses on your network with IPv6.

Brilliant color communications

Create stunning brochures, flyers, and presentations on your own and in no time with this top-of-the-line color laser printer. With HP ImageREt 3600 and up to 1200 x 1200 dpi, you'll get smooth color transitions, crisp text, and sharp images for all of your office documents and professional marketing materials. Use Original HP supplies designed for your printer for reliable, outstanding results.

Save IT time and make printing easy for every user with the improved HP Universal Print Driver with HP EasyColor. HP EasyColor improves the rendering of color images, so you can rely on consistent color print quality in every document.²

Manage your color printing costs using HP color access controls. Assign color access by user or by application, or turn off color capability completely.³

Easy and efficient operation

Produce documents efficiently with automatic two-sided printing⁴ and a paper capacity of 600 sheets— expandable to 1,100 sheets. A 4-line color display makes printer operation easy and straightforward. And with Original HP toner cartridges pre-installed, set-up is a snap.

Simplify printing for multiple users and print jobs with HP Advanced Auto Media Sensing, which automatically adjusts settings according to paper type.

With twenty-five years of continuous innovation and reliable, professional-quality printing, HP LaserJet remains the brand businesses count on.

Processor State Company of the control of the cont

¹ Energy savings based on HP testing using the ENERGY STAR program's Typical Energy Consumption (TEC) method on HP LaserJet products with Instant-on Technology vs. top competitive models as of March 2009.

² HP EasyColor is available on HP Universal Print Drivers—available for free download at <u>www.hp.com/go/upd</u>.


³ Color access control capabilities vary from device to device.


⁴ Automatic two-sided printing is available on the CP4025dn model only.

HP COLOR LASERJET ENTERPRISE CP4020 PRINTER SERIES

- Control panel with four-line color display
- 500-sheet output bin
- Front door allows convenient access to four, all-in-one HP print cartridges
- Built-in automatic two-sided printing (CP4025dn only)
- 5 500-sheet tray 2
- 100-sheet multipurpose tray 1 handles heavy custom media up to 58 lb bond
- Hi-Speed USB 2.0 port
- HP Jetdirect Gigabit Ethernet embedded print server
- 512 MB total memory and an 800 MHz processor quickly handle complex print jobs
- 10 One open EIO slot
- 11 Access port for optional Kensington-style lock

HP Color LaserJet Enterprise CP4025dn Printer shown





Right side view

Series at a glance





	CP4025n Printer	CP4025dn Printer
Part number	CC489A	CC490A
100-sheet multipurpose tray 1	√	√
500-sheet tray 2	√	√
500-sheet Paper Feeder and Cabinet	Optional	Optional
Postcard Media Insert Tray	Optional	Optional
Two-sided printing	Manual	Automatic
HP Jetdirect Gigabit Ethernet embedded print server	√	√
Memory	512 MB,	512 MB,
	expandable to 1 GB (1024 MB)	expandable to 1 GB (1024 MB)
ENERGY STAR qualified		√

TECH 2000, INC.

Simplify small workgroup printing and minimize your environmental impact

Easily navigate printer functions with the intuitive 4-line color display control panel. Replenishing supplies is simple and HP's proven all-in-one cartridge design ensures reliable operation. Intelligence in the cartridge enables automatic print quality adjustments. It also alerts you when supplies are low and provides convenient options for online ordering through HP SureSupply.5

Enhance productivity with HP Easy Printer Care, which helps you monitor and maintain 2 to 20 HP LaserJet and select Inkjet printers.

Reduce your paper and energy use by up to 50 percent with automatic two-sided printing⁶ and Instant-on Technology. 7 Use HP Web Jetadmin to set up default two-sided printing across your entire fleet, as well as energy-saving pre-set sleep and wake modes. With pre-installed toner cartridges, not only is printer set-up a snap, but there's less packaging waste with fewer boxes, wrappers, and manuals. And when it's time to replace supplies, get free and easy recycling—cartridges returned through HP Planet Partners are recycled responsibly.8

Get the most out of your printer with HP accessories, supplies, and services.

HP 500-sheet Paper Feeder and Cabinet

Spend less time loading paper with a total input capacity of up to 1,100 sheets. The 500-sheet feeder supports a range of paper types and sizes, and you can use the cabinet for convenient paper storage.



HP Postcard Media Insert Tray

Efficiently print stacks of postcards for office mailings or marketing campaigns with this printing accessory for 4 x 6 in cards.



CC497A

HP Color LaserJet Print Cartridges with HP ColorSphere Toner⁹

Supplies	
Magenta Print Cartridge (11,000 pages)	CE263A
Yellow Print Cartridge (11,000 pages)	CE262A
Cyan Print Cartridge (11,000 pages)	CE261A
Black Print Cartriage (8,500 pages)	CE26UA

S

CE265A
CE246A
CE247A
CE249A

Accessories

HP 500-sheet Paper Feeder and Cabinet	CC422A
HP Postcard Media Insert Tray	CC497A

Memory/storage

HP 256 MB DDR2 200-pin x32 DIMM	CE466A
HP 512 MB DDR2 200-pin x32 DIMM	CE467A
HP Secure High Performance EIO Hard Disk	J8019A

Connectivity

Connectivity	
HP Jetdirect 620n Fast Ethernet Print Server	J7934G
HP Jetdirect 635n IPv6/IPsec Print Server	J7961G
HP Jetdirect 690n IPv6/IPsec 802.11g Wireless Print Server	J8007G
HP Jetdirect ew2500 802.11b/g Wireless Print Server	J8021A
HP 1284B Parallel Card	J7972G

HP Care Pack Services	
HP 3-year Next Business Day Onsite Service	UG825E
HP Installation Services with Network Setu	H2872E
HP 3-year Same Day Onsite Service (9x5)	UG828E
HP 3-year Same Day Onsite Service (13x5)	UG829E
HP 4-year Next Business Day Onsite Service	UG826E
HP 5-year Next Business Day Onsite Service	LIG827F

Paper

www.hp.com/go/paper, 1-800-477-5010

Software

HP Web Jetadmin: www.hp.com/go/webjetadmin HP Easy Printer Care: www.hp.com/qo/easyprintercare

HP Universal Print Driver: www.hp.com/go/upd

HP Install Network Printer Wizard: www.hp.com/go/inpw_sw

Solutions

HP BarCodes and More USB Solution	HG281US
HP Scalable BarCode Set USB Solution	HG282UT
HP BarCode Printing USB Solution	HG271US
HP MICR USB Solution	HG283US

HP LaserJet Fonts and IPDS Emulation available at

www.hp.com/go/laserjetfonts

For more solutions information, please visit www.hp.com/go/gsc

HP Services

Because downtime can have serious business consequences, HP provides high-quality services that extend beyond the standard warranty and help you avoid unbudgeted repair costs. Benefits include reduced printing and infrastructure costs, maximized uptime, expert technical phone support, and predictable, consistent service delivery even across multiple locations.

Recommended services:

- Installation Service with Network Configuration: expert assembly of HP accessories, hardware verification, network configuration, and basic administrator familiarization
- Same Day Onsite Service: an HP technician or authorized service provider arrives at your site within four hours after the service call is received, if this time falls within the coverage window
- Next Day Onsite Service: a technician delivers onsite service the next business day after the service call is received

These services and additional coverage options can be purchased as:

- HP Care Pack Services: easy-to-buy, easy-to-use support packages
- HP Contractual Services: a comprehensive portfolio for maintaining maximum IT availability

HP also offers HP Managed Print Services: scalable assessment, procurement, implementation, management, maintenance, support, and workflow services.

For more information, visit www.hp.com/go/printservices.

⁵ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required.

Automatic two-sided printing is available on the CP4025dn model only.

Herender State of March 2009.

State of March 2009.

Herender State of March 2009.

Herender State of March 2009.

Herender State of March 2009.

⁸ Program availability varies. HP print cartridge return and recycling is currently available in more than 49 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit: www.hp.com/recycl

⁹ Average continuous composite cyan/yellow/magenta cartridge yield 11,000 standard pages and average continuous black cartridge yield 8,500 standard pages. Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For details see www.hp.com/go/learnaboutsupplies.
¹⁰ Toner Collection Unit capacity approximately 36,000 pages (individual experience may vary considerably based on images printed, media used, environmental conditions and other factors).

ECH 2000, INC.

HP COLOR LASERJET ENTERPRISE CP4020 PRINTER SERIES

Technical specifications	HP Color LaserJet Enterprise CP	4025n Printer <mark>(CC489A)</mark>	HP Color LaserJet Enterprise CP4025dn Printer (CC490A)	
Print speed (color and black-only) ¹¹		Up to 35 ppm (let	ter)	
First page out		As fast as 9.5 seconds from	Ready (letter)	
Print resolution	HP	ImageREt 3600 technology; 1200 x 1200		
Control panel		.03-in LCD, 64 x 160 pixels, 4-line, color control panel display; 7 front-panel buttons (Menu, Select, Stop, Back/Exit, Help, Up arrow, Down arroy		
		status lights (Attention, Data, Ready); enha		
Processor		800 MHz	<u> </u>	
Memory	512 MF	s, expandable to 1 GB (1024 MB) via one	available 200-pin-x32 SODIMM slot	
Durability ratings		monthly volume: 2,000 to 7,500 pages; ¹²		
Paper		, , , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , , ,	
Input	100-sheet multipurpose tray 50	O-sheet tray (optional HP 500-sheet Paper F	eeder and Cabinet, optional HP Postcard Media Insert Tray)	
Output	10001100111101111001110011110111	500-sheet output		
Two-sided printing	Manual (driver supp		Automatic	
Sizes			statement, executive, postcard, dpostcard, 3 x 5 in, 4 x 6 in;	
Sizes	Mullipurpose tray: 3 x 3 in to 6.3			
	500	envelopes (No. 9, No. 10, I		
	·	,	gal, 5 x 8 in, 8.5 x 13 in, statement, executive;	
	opt	ional HP Postcard Media Insert Tray must b		
		Automatic two-sided printing: lette		
Weights		Multipurpose tray: 16		
			32 lb plain paper; 28 to 58 lb glossy paper	
Types	Paper (plain, light, bond, recycled, mid-we	eight, heavy, mid-weight glossy, heavy glos:	sy, extra heavy, extra heavy glossy, cardstock, card glossy, preprinted	
	prepunched, col-	ored, rough), color transparency, labels, let	terhead, envelope, opaque film, user-defined	
Interfaces	Hi-Speed USB 2.0 port, RJ-45 port (10/100/1000 Base-TX), EIO slot			
Network capabilities	Via H	P Jetdirect 10/100/1000 Base-TX Ethernet	embedded print server (standard),	
•	IPse	ec (standard), SNMP3, 802.1x wireless (op	tional), TC/IP support (optional)	
Languages		PCL 6, HP PCL 5c, HP postscript level 3 emi		
Fonts		nternal TrueType fonts scalable in HP PCL ar	1 0	
Operating systems	Works with Windows® 7 Home Basic, Windows 7 Home Premium, Windows 7 Professional, Windows 7 Enterprise, Windows 7 Ultimate, Windows 7 x64			
operating systems				
	Windows Vista®, Windows Vista Premium, Windows XP® Professional, Windows XP Home, Windows Server 2003, Windows Server 2003 (32/64 bit), Windows Server 2008, Windows XP Professional x64 (IPv6 only supported on Windows 2003, Windows XP Professional, and Windows XP Home; IPsec			
			e), Novell NetWare 5.1 or higher, Mac OS X v 10.3 or higher, SAP,	
	,		P-UX 10.20, 11.x, 11.i, Solaris 2.5 or higher (SPARC) (SPARC-based	
			itrix XenApp Server 5.0, Windows 2003 and 2008 Terminal Services	
National control				
Network protocols	IPv4/IPv6: Apple Bonjour compatible (Mac OS 10.2.4 and higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print;			
	Secure-IPP, IPsec/Firewall; IPv6: DHC			
		Other: IPX/SPX, AppleTalk, NetWare N		
Security			h certificate authentication, Pre-Shared Key authentication, Kerberos	
	authentication; suppor		ition; access port for optional Kensington-style lock	
Dimensions (width x depth x height)		21.3 x 20.6 x 16.	5 in	
Weight (without print cartridge)		84.6 lb		
What's in the box			y; HP Jetdirect Gigabit Ethernet embedded print server;	
	HP LaserJet Black Print Cartridge (8	,500 pages ¹⁴); HP Color LaserJet Cyan, Ye	llow, and Magenta Print Cartridges with HP ColorSphere Toner	
	(11,000 pages ¹⁴); H	ardware and Software Installation Guide; (CD-ROM with software drivers and documentation	
Also includes			Automatic two-sided printing	
Warranty		One-year, next-day, onsit	e warranty	
Environmental ranges		Typical Electricity Consumption (TE	EC) 6.140 kWh/Week	
Recommended temperature	59 to 80.6° F	ENERGY STAR qualified models, s		
Storage temperature	32 to 95° F	Safety approvals and requirements	IEC 60950-1 (International); EN 60950-1+A11 (EU); IEC 60825-	
Recommended relative humidity	30 to 70%	, 11	1+A1+A2; NRTL Listed (US/Canada); GS License (Europe); EN 60825	
Storage relative humidity	10 to 90%		1+A1+A2 (Class 1 Laser/LED Device) GB4943-2001; Low Voltage	
Altitude	0 to 9842 ft		Directive 2006/95/EC with CE Marking (Europe); other safety	
Acoustics			approvals as required by individual countries	
Sound power emissions ¹⁵	Active: 6.8 B(A); Ready: 5.0 B(A)	Electromagnetic emission standard	CISPR 22: 2005/EN 55022: 2006 Class A, EN 61000-3-2: 2006, EI	
Saund processes (bustonder position)	Idla, 25 dD, Oparation, 54 dD	•	41000 2 2 1005 (A1 (A2 FN) 55024 1009 (A1 (A2 FCC TH- 47	

Sound power emissions¹⁵ Sound pressure (bystander position) Idle: 35 dB; Operating: 54 dB

Power specifications

Power supply required

Power consumption 16

Active: 740 watts; Standby: 72 watts; PowerSave: 19.0 watts; Off: 0.3 watts CISPR 22: 2005/EN 55022: 2006 Class A, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1+A2, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class A (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other

EMC approvals as required by individual countries

(±2 Hz); 220 to 240 VAC (±10%), 50/60 Hz (±2 Hz) Supports HP SureSupply. 17 For more information, visit www.hp.com/go/SureSupply.

11 Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Actual yields vary considerably based on images printed and other factors. For details see www.hp.com/go/learnaboutsupplies.

15 Declared per ISO 9296 and 7729; values are subject to change. Configuration tested: HP Color LaserJet CP4025dn, printing at 35 ppm on A4 paper.

16 Values subject to change. Power numbers are the highest values measured using all standard voltages.

Input voltage 110 to 127 VAC ($\pm 10\%$), 50/60 Hz

¹⁷ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required.









ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Linux is a U.S. registered trademark of Linus Torvalds. Windows and Windows XP are registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.

© Copyright 2009 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



¹² HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. The recommends and the number of printed pages per month be within the stated range for opinion device performance, based on racions including supplies replacement intervals and device the over an extended warranty period of the properties of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

¹⁴ Average continuous composite cyan/yellow/magenta cartridge yield 11,000 standard pages and average continuous black cartridge yield 8,500 standard pages. Declared yield value in accordance with ISO/IEC 19798.





HP COLOR LASERJET ENTERPRISE CP4520 PRINTER SERIES

CP4525n • CP4525dn • CP4525xh \$1,499.99 \$1,599.99 \$2,999.99

This network color laser printer is ideal for large workgroups that need to print high-impact color documents and protect their confidential print jobs.

- Experience powerful color printing with HP's high-performance leader. Fast print speeds, robust paper handling, and simplified controls keep your business productive.
- Produce superior documents with consistent color print quality and crisp detail every time you print.
- Protect your sensitive data with advanced on-board security and support for optional authentication solutions.



Top-of-the-line performance

Boost your printing productivity with high-performance speeds up to 42 pages per minute (ppm) letter—ideal for large workgroups. Get a first page out in as fast as 9.5 seconds. Instant-on Technology enables print jobs to begin quickly from low-power mode and provides up to 50 percent energy savings over competitive laser products.¹

Improve efficiency and simplify printing for multiple users and print jobs. HP Advanced Auto Media Sensing automatically adjusts settings according to paper type. An intuitive, 4-line color control panel with autonavigational help makes printer operation easy and straightforward.

With twenty-five years of continuous innovation and reliable, professional-quality printing, HP LaserJet remains the brand businesses count on.

Exceptional color output

Make a statement with high-impact color documents. With HP ImageREt 3600 and up to 1200×1200 dpi, you'll get superior results: smooth color transitions, crisp text, and sharp images for all of your office documents and professional marketing materials.

The improved HP Universal Print Driver with HP EasyColor simplifies color printing and improves the rendering of images for consistent print quality.²

Manage your color printing costs using HP color access controls.³ Assign color access by user, time of day, or application, or shut color capability down completely until it's needed for special projects. This ensures that the people who truly need to leverage the power of color—such as your marketing department—can, while others automatically default to black-and-white printing.

Advanced on-board security

Secure your business-critical data with the HP Secure Hard Disk,⁴ expand the number of IP addresses on your network with IPv6, and implement sophisticated network access control with 802.1x authentication and IPsec encryption. Keep sensitive material private when you retrieve stored confidential print jobs using the control panel.

Conveniently connect an optional security card reader or other authentication device with the Hi-Speed USB 2.0 port.



¹ Energy savings based on HP testing using the ENERGY STAR program's Typical Energy Consumption (TEC) method on HP LaserJet products with Instant-on Technology vs. top competitive models as of March 2009.

² HP EasyColor is available on HP Universal Print Drivers—available for free download at www.hp.com/go/upd.

³ Color access control capabilities vary from device to device


⁴ The HP Secure Hard Disk is standard on the CP4525xh model and optional for the CP4525n and CP4525dn models.

TECH 2000, INC.

HP COLOR LASERJET ENTERPRISE CP4520 PRINTER SERIES

- Control panel with four-line color display
- 2 500-sheet output bin
- 3 Front door allows convenient access to four, all-in-one HP print cartridges
- 4 Built-in automatic two-sided printing
- 5 Four 500-sheet input trays for a 2,100-sheet total input capacity
- 6 100-sheet multipurpose tray 1 handles heavy custom media up to 58 lb bond
- 7 Hi-Speed USB 2.0 port
- 8 HP Jetdirect Gigabit Ethernet embedded print server
- 9 HP Secure High Performance embedded hard disk
- 10 1 GB (1024 MB) total memory and an 800 MHz processor quickly handle complex print jobs
- 11 One open EIO slot
- 12 Access port for optional Kensington-style lock

HP Color LaserJet Enterprise CP4525xh Printer shown



Series at a glance







CP4525n Printer	CP4525dn Printer	CP4525xh Printer
CC493A	CC494A	CC495A
√	√	√
√	√	√
Optional	Optional	√
Optional	Optional	
Optional	Optional	Optional
Manual	Automatic	Automatic
√	√	√
512 MB, expandable to	512 MB, expandable to	1 GB (1024 MB)
1 GB (1024 MB)	1 GB (1024 MB)	
Optional	Optional	√
	√	√
	CC493A	CC493A CC494A √ √ √ √ Optional Optional Optional Optional Manual Automatic √ √ 512 MB, expandable to 1 GB (1024 MB) 1 GB (1024 MB)

CC422A

CC423A

J8019A

High-volume color for the enterprise

Not only does this printer offer ultra-fast print speeds and a design that is easy for multiple users to operate and maintain, your workgroup will gain efficiencies with a host of features designed specifically for high-volume enterprise

- Cost-effective office printing with the optional high-capacity black toner cartridge⁵ and HP color
- An optional HP 500-sheet Paper Feeder and Cabinet for an input capacity of up to 1,100 sheets and convenient paper storage, or an optional HP 3 x 500-sheet Paper Feeder for an input capacity of up to 2,100 sheets (standard on the CP4525xh model)
- Secure storage for sensitive materials with the HP Secure High Performance Hard Disk⁶
- An optional HP Postcard Media Insert Tray for efficiently printing stacks of postcards for office mailings or marketing campaigns
- Streamlined fleet management with HP Web Jetadmin: configure optimal settings across your entire printer fleet, access device information from anywhere on the network, receive instant e-mail notifications detailing device or supply issues, and fix problems before they impact users

Get the most out of your printer with HP accessories, supplies, and services.

HP 500-sheet Paper Feeder and Cabinet

Spend less time loading paper with a total input capacity of up to 1,100 sheets. The 500-sheet feeder supports a range of paper types and sizes, and you can use the cabinet for convenient paper storage.



HP 3 x 500-sheet Paper Feeder and Stand

Increase office productivity with a total input capacity of up to 2,100 sheets. With support for a range of paper types and sizes, you can use each tray for a different paper type to minimize interruptions.



CC423A

HP Services

Because downtime can have serious business consequences, HP provides high-quality services that extend beyond the standard warranty and help you avoid unbudgeted repair costs. Benefits include reduced printing and infrastructure costs, maximized uptime, expert technical phone support, and predictable, consistent service delivery even across multiple locations.

Recommended services:

- Installation Service with Network Configuration: expert assembly of HP accessories, hardware verification, network configuration, and basic administrator familiarization
- Same Day Onsite Service: an HP technician or authorized service provider arrives at your site within four hours after the service call is received, if this time falls within the coverage window
- Next Day Onsite Service: a technician delivers onsite service the next business day after the service call is received

These services and additional coverage options can be purchased as:

- HP Care Pack Services: easy-to-buy, easy-to-use support packages
- HP Contractual Services: a comprehensive portfolio for maintaining maximum IT availability

HP also offers HP Managed Print Services: scalable assessment, procurement, implementation, management, maintenance, support, and

For more information, visit www.hp.com/go/printservices.

HP Color LaserJet Print Cartridges with HP ColorSphere Toner

Black Print Cartridge (8,500 pages)	CE260A
Black Print Cartridge, high capacity (17,000 pages)	CE260X
Cyan Print Cartridge (11,000 pages)	CE261A
Yellow Print Cartridge (11,000 pages)	CE262A
Magenta Print Cartridge (11,000 pages)	CE263A

Supplies

Toner Collection Unit (36,000 pages) ⁸	CE265A
110 Volt Fuser Kit	CE246A
220 Volt Fuser Kit	CE247A
Transfer Kit	CE249A

HP 3 x 500-sheet Paper Feeder and Stand

HP Postcard Media Insert Tray	CC497A		
Memory/storage			
HP 256 MB DDR2 200-pin x32 DIMM	CE466A		
HP 512 MB DDR2 200-pin x32 DIMM	CE467A		

HP Secure High Performance EIO Hard Disk

ornio cirtiny			
HP Jetdirect 620n Fast Ethernet Print Server	J7934G		
HP Jetdirect 635n IPv6/IPsec Print Server	J7961G		
HP Jetdirect 690n IPv6/IPsec 802.11g Wireless Print Server	J8007G		
HP Jetdirect ew2500 802.11b/g Wireless Print Server	J8021A		
HP 1284B Parallel Card	J7972G		

HP Care Pack Services

ir care rack services			
HP 3-year Next Business Day Onsite Service	US186E		
HP Network Installation Service with Network Setup	H2872E		
HP 3-year Same Day Onsite Service (9x5)	UT443E		
HP 3-year Same Day Onsite Service (13x5)	UT442E		
HP 4-year Next Business Day Onsite Service	US188E		
HP 5-year Same Day Onsite Service	US189E		

Paper

www.hp.com/qo/paper, 1-800-477-5010

HP 500-sheet Paper Feeder and Cabinet

Software

HP Web Jetadmin: www.hp.com/go/webjetadmin HP Easy Printer Care: www.hp.com/qo/easyprintercare HP Universal Print Driver: www.hp.com/qo/upd HP Install Network Printer Wizard: www.hp.com/go/inpw_sw

Solutions

HP BarCodes and More USB Solution	HG281US
HP Scalable BarCode Set USB Solution	HG282UT
HP BarCode Printing USB Solution	HG271US
HP MICR USB Solution	HG283US

HP LaserJet Fonts and IPDS Emulation available at

www.hp.com/qo/laserjetfonts

For more solutions information, please visit www.hp.com/qo/qsc

⁶ The HP Secure Hard Disk is standard on the CP4525xh model and optional for the CP4525n and CP4525dn models.

⁸ Toner Collection Unit capacity approximately 36,000 pages (individual experience may vary considerably based on images printed, media used, environmental conditions and other factors).

TECH 2000, INC.

HP COLOR LASERJET ENTERPRISE CP4520 PRINTER SERIES

Technical specifications	HP Color LaserJet Enterprise CP4525n Printer (CC493A)	HP Color LaserJet Enterprise CP4525dn Printer (CC494A)	HP Color LaserJet Enterprise CP4525xh Printer (CC495A)
Print speed (color and black-only)9		Up to 42 ppm (letter)	
First page out		As fast as 9.5 seconds from Ready (letter)	
rint resolution	HP Image	REt 3600 technology; 1200 x 1200 dpi for fine details	and line art
Control panel		ntrol panel display; 7 front-panel buttons (Menu, Select,	
•		lights (Attention, Data, Ready); enhanced help with anim	
rocessor		800 MHz	3 1
Nemory	512 MB, expandable to 1 GB (1024 MB) v	via one available 200-pin-x32 SODIMM slot	1 GB (1024 MB)
lard disk		via EIO slot	HP Secure High Performance embedded hard disk
urability ratings		y volume: 2,500 to 10,000 pages; ¹⁰ Duty cycle: up to 1	
aper	Recommended months	y 10101116. 2,300 10 10,000 pages, Buly eyele. up 10 1	20,000 pages (iciici)
Input	100 shoot multinurnoo	se tray, 500-sheet tray	100-sheet multipurpose tray, 500-sheet tray,
прог		per Feeder and Cabinet or	3 x 500-sheet Paper Feeder and Stand
		d, optional HP Postcard Media Insert Tray)	(optional HP Postcard Media Insert Tray)
0.1.1	nr 3 x 500 sneet raper reeder and stand	7.	(optional Fir Postcara Media Insert Tray)
Output	14 14 15	500-sheet output bin	
Two-sided printing	Manual (driver support provided)	I .	omatic
Sizes	Multipurpose tray: 3 x 5 in to 8.5 x 14 i	n; letter, legal, 5 x 8 in, 8.5 x 13 in, statement, executiv	e, postcard, dpostcard, 3 x 5 in, 4 x 6 in;
		envelopes (No. 9, No. 10, Monarch 7¾)	
		3×8.27 in to 8.5×14 in; letter, legal, 5×8 in, 8.5×14	
	optional H	IP Postcard Media Insert Tray must be installed in Tray 2	for 4 x 6 in
		Automatic two-sided printing: letter, legal, executive	
Weights		Multipurpose tray: 16 to 58 lb	
	500-sheet input trays,	automatic two-sided printing: 16 to 32 lb plain paper; 2	8 to 58 lb glossy paper
Types	Paper (plain, light, bond, recycled, mid-weight, heavy, r	nid-weight glossy, heavy glossy, extra heavy, extra heav	y glossy, cardstock, card glossy, preprinted, prepunche
	colored, rough),	color transparency, labels, letterhead, envelope, opaque	e film, user-defined
nterfaces	Hi-Spe	eed USB 2.0 port, RJ-45 port (10/100/1000 Base-TX), I	EIO slot
Network capabilities	Via HP Jetdirect 10/100/1000 Base-TX Ethernet em	bedded print server (standard), IPsec (standard), SNMP3	3, 802.1x wireless (optional), TC/IP support (optional)
anguages	HP PCL 6,	HP PCL 5c, HP postscript level 3 emulation, direct PDF p	rinting v 1.4
onts		TrueType fonts scalable in HP PCL and HP postscript leve	
Operating systems	Vista®, Windows Vista Premium, Windows XP® Profess Windows XP Professional x64 (IPv6 only supported of Windows XP Professional, and Windows XP Home), N higher, SuSE Linux 8.x or higher, HP-UX 10.20, 11.x,	me Premium, Windows 7 Professional, Windows 7 Enterional, Windows XP Home, Windows Server 2003, Winow Windows 2003, Windows XP Professional, and Wincovell NetWare 5.1 or higher, Mac OS X v 10.3 or high 11.i, Solaris 2.5 or higher (SPARC) (SPARC-based syster 5.5, Citrix XenApp Server 5.0, Windows 2003 and 2008)	dows Server 2003 (32/64 bit), Windows Server 2008, lows XP Home; IPsec on IPv4 only on Windows 2003, er, SAP, Linux (see www.hplip.net), Red Hat Linux 7.x or ns only), AIX 3.2.5 or higher, MPE-IX, Citrix Presentation
Network protocols		.2.4 and higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, 1	
terwork protocols		, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/D	
		er: IPX/SPX, AppleTalk, NetWare NDS, Bindery, NDPS,	
ecurity		EAP-TLS); IPsec/Firewall with certificate authentication,	
ecurity		Jetadmin with IPsec configuration; access port for option	
s : /:ld d !:la			
imensions (width x depth x height)		6 x 16.5 in	26.1 x 25.7 x 38.0 in
Veight (without print cartridge)		6 lb	141.1 lb
Vhat's in the box	HP LaserJet Black Print Cartridge (8,500 pages 12); H	nultipurpose tray; 500-sheet input tray; HP Jetdirect Giga HP Color LaserJet Cyan, Yellow, and Magenta Print Cart ftware Installation Guide; CD-ROM with software drivers	ridges with HP ColorSphere Toner (11,000 pages ¹²);
Also includes		Automatic two-sided printing	Automatic two-sided printing, 3 x 500-sheet feeder wi stand, HP Secure High Performance embedded hard disk
		One-year, next-day, onsite warranty	-

59 to 80.6° F Recommended temperature 32 to 95° F Storage temperature 30 to 70% Recommended relative humidity Storage relative humidity 10 to 90% Altitude 0 to 9842 ft Acoustics

Sound power emissions¹³ Sound pressure (bystander position)

Power specifications

Power supply required

Input voltage 110 to 127 VAC (\pm 10%), 50/60 Hz (±2 Hz); 220 to 240 VAC (±10%), 50/60 Hz (±2 Hz)

Active: 6.9 B(A); Ready: 5.0 B(A)

Idle: 35 dB; Operating: 54 dB

Active: 740 watts; Standby: 72 watts; Power consumption¹⁴ PowerSave: 19.0 watts; Off: 0.3 watts

ENERGY STAR qualified models, see www.hp.com/go/energystar.

Safety approvals and requirements

IEC 60950-1 (International); EN 60950-1+A11 (EU); IEC 60825-1+A1+A2; NRTL Listed (US/Canada); GS License (Europe); EN 60825-1+A1+A2 (Class 1 Laser/LED Device) GB4943-2001; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety

approvals as required by individual countries

CISPR 22: 2005/EN 55022: 2006 Class A, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1+A2, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class A (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other

EMC approvals as required by individual countries

Supports HP SureSupply. 15 For more information, visit www.hp.com/go/SureSupply.

Electromagnetic emission standard









ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Linux is a U.S. registered trademark of Linus Torvalds. Windows and Windows XP are registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.

© Copyright 2009 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



⁹ Exact speed varies depending on the system configuration, software application, driver, and document complexity.

10 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period

HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
 Average continuous composite cyan/yellow/magenta cartridge yield 11,000 standard pages and average continuous black cartridge yield 8,500 standard pages. Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For details see www.hp.com/go/learmaboutsupplies.
 Declared por ISO 9296 and 7729; values are subject to change. Configuration tested: HP Color LaserJet CP4525dn, printing at 40 ppm on A4 paper.
 Values subject to change. Power numbers are the highest values measured using all standard voltages.
 HP SureSupply clerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required.



COLOR LASERJET PROFESSIONAL CP5225 PRINTER SERIES

CP5225n • CP5225dn \$1,499.99 \$1,699.99

Gain control of your printed documents and make an impact when communicating. One versatile printer covers all your printing needs from general office to oversize documents.

- Get affordable, brilliant A3 printing in your own office.
- Count on easy-to-use, easy-to-manage technology.
- Reduce your environmental impact with features that help you save energy and paper.





Affordable A3 printing

Now you can handle all your business printing and A3 output in your own office using a single printer. Print everyday business documents and marketing materials as well as wide-format projects at an affordable price—often less than printing at a copy shop.


Easily print on different types of paper—plain, premium, and glossy—with adjustable paper trays. The printer supports sizes from 3 by 5 in up to 12 by 18 in and weights up to 220 g/m2. The 100-sheet multipurpose tray and 250-sheet input tray offer flexibility. Add the optional 500-sheet tray for a maximum input capacity of up to 850 sheets.

Use the HP Print Cost Estimator—available in the included HP Print View Software—to compare the cost of printing internally versus at a copy shop.¹



High-quality output on a range of documents

HP Color LaserJets help you make an impact by putting your business in the best light. Confidently print spreadsheets, line drawings, marketing materials, client presentations, and more. Using in-line printer architecture, four colors are aligned and applied in a single pass for reliable, accurate print quality.



Enjoy superior print quality at speeds of up to 20 ppm and a black-and-white first page out in as fast as 14.5 seconds, letter (as fast as 16 seconds, A4). Instant-on Technology provides a warm-up time from low-power mode that's up to 50% faster compared to competitive models. In fact, your print job may be finished before many printers have started printing.²

Easy to use, share and maintain

The printer's control panel is intuitive and instructive. Networked models are easy to share, and it's a snap to replace and order supplies.

Access the technology, services, solutions, and support you need to manage and grow your business with HP Total Care.

ecohighlights

HP Color LaserJet Professional CP5225 Printer Series

ECO INFORMATION

- Save energy with HP Auto-Off Technology—intelligence that can turn your printer off when you don't need it³.
- Reduce paper use by up to 50% using automatic two-sided printing.
- Free, convenient cartridge recycling in over 47 countries.



ENERGY STAR® Qualified Product

www.hp.com/ecosolutions

Please recycle your computing hardware and printing supplies. HP asset management and recycling services make responsible disposal easy.



HP COLOR LASERJET PROFESSIONAL CP5225 PRINTER SERIES

- 1 250-sheet top output bin
- 2 One-door access to the easy-to-install print cartridges
- 3 250-sheet input tray 2 with close-assist
- 4 Intuitive control panel with twoline LCD display
- 5 100-sheet multipurpose tray with long paper extension handles a variety of special papers
- 6 Illuminated front-access On/Off switch
- 7 192 MB memory expandable to 448 MB, and a 540 MHz processor
- 8 Built-in Fast Ethernet 10/100 Base-T networking with IPv4/ IPv6 allows up to 15 users to easily share the printer
- 9 Hi-Speed USB 2.0 port for direct connection to printer
- 10 In-line (one-pass) print engine ensures reliable, accurate print quality
- 11 Built-in automatic two-sided printing



HP Color LaserJet Professional CP5225dn Printer shown





Series at a glance





	CP5225n Printer	CP5225dn Printer
Part number	CE711 A	CE712A
100-sheet multipurpose tray 1, 250-sheet tray 2	\checkmark	V
500-sheet tray 3	Optional	Optional
Networking	Built-in	Built-in
Two-sided printing	Manual	Automatic
Memory	192 MB (expandable up to 448 MB)	192 MB (expandable up to 448 MB)
ENERGY STAR qualified	$\sqrt{}$	√

Handle all your business printing and A3 output in your own office using a single printer.

Print everyday business documents and marketing materials as well as wide-format projects at an affordable price—often less than printing at a copy shop. Easily print on different types of paper—plain, premium, and glossy—with adjustable paper trays. The printer supports sizes from 76 x 127 mm to 320 x 457 mm and weights up to 220 g/m2. Use the HP Print Cost Estimator—available in the included HP Print View Software—to evaluate and compare the cost of printing internally versus at a copy shop.

Make a great impression with high-quality printed documents.

The HP Color LaserJet Professional CP5220 Printer series delivers business printing excellence to help you put your business in the best light. Count on consistently high-quality output from page to page and cartridge to cartridge on a range of documents, from everyday prints to specialty output.

Rely on a printer that's easy to use, share, and maintain.

The printer's control panel is intuitive and instructive. Networked models are easy to share, and it's a snap to replace and order supplies. Powerful management tools like HP Easy Printer Care Software, HP Universal Print Driver, and HP ToolboxFX help you make the most of your printer's features. Stay up and running with award-winning HP Total Care.

Reduce your environmental impact with features that save energy and paper.

Auto-Off, automatic two-sided printing (CP5225dn model only), and HP Smart Web Printing are just a few of the ways the HP Color LaserJet Professional CP5220 Printer series can help you reduce your environmental impact. Recycling your cartridges is hassle-free with HP Planet Partners.

Get the most out of your printer with HP accessories, supplies, and services.

500-sheet Paper Tray

Improve productivity by increasing total input capacity to up to 850 sheets. Print on a range of paper types in sizes from 5.8 by 8.3 in (148 by 210 mm) to 11.7 by 17 in (297 by 432 mm). Gain media flexibility while decreasing time spent loading paper.



CE860A

HP Services

Because downtime can have serious business consequences, HP provides high-quality services that extend beyond the standard warranty and help you avoid unbudgeted repair costs. Benefits include reduced printing and infrastructure costs, maximized uptime, expert technical phone support, and predictable, consistent service delivery—even across multiple locations.

Recommended services:

- Same Day Onsite Service: An HP technician or authorized service provider arrives at your site within four hours after the service call is received, if this time falls within the coverage window
- Next Day Onsite Service: Technician delivered onsite service the next business day after the service call is received

These services and additional coverage options can be purchased as:

- HP Care Pack Services: easy-to-buy, easy-to-use support packages
- HP Contractual Services: a comprehensive portfolio for maintaining maximum IT availability

For more information visit: www.hp.com/go/printservices.

Supplies⁶

HP Color LaserJet Black Print Cartridge (7,000 pages)	CE740A
HP Color LaserJet Cyan Print Cartridge (7,300 pages)	CE741A
HP Color LaserJet Yellow Print Cartridge (7,300 pages)	CE742A
HP Color LaserJet Magenta Print Cartridge (7,300 pages)	CE743A

Paper handling 500-sheet Pape

500-sheet Paper Tray	CE860A
----------------------	--------

wayay ha sam/ga/gss

www.hp.com/go/gsc

Connectivity

USB Cable (a-b) 2 meter	C6518A
HP Jetdirect ew2500 802.11 b/g Wireless Print Server	J8021A
(For more information, visit www.hp.com/go/jetdirect)	

HP Care Pack Services

•	care rack services	
	HP 3-year, Next Business Day Support	UT431E
	HP 4-year, Next Business Day Support	UT430E
	HP 5-year, Next Business Day Support	UQ502E
	HP 3-year, Next Business Day + Defective Media Retention Support	UQ496E
	HP 3-year, 4-hour, 9x5 Support	UQ501E
	HP 3-year, 4-hour, 13x5 Support	UQ497E
	HP 4-year, 4-hour, 9x5 Support	UQ500E
	HP 4-year, 4-hour, 13x5 Support	UQ495E
	HP 5-year, 4-hour, 9x5 Support	UQ499E
	HP 5-year, 4-hour, 13x5 Support	UQ494E
	HP 1-year Post-warranty, Next Business Day Support	UQ498PE
	HP 1-year Post-warranty, Next Business Day + Defective Media	UQ491PE
	Retention Support	
	HP 1-year Post-warranty, 4-hour, 9x5 Support	UQ493PE
	HP 1-year Post-warranty, 4-hour, 13x5 Support	UQ492PE
	HP 1-year Post-warranty Phone Assist Service	HC130PE
	HP Network Install Service	H2872E

H4515E

(For more HP Care Pack options, visit www.hp.com/services/printer)

HP Install Service

HP COLOR LASERJET PROFESSIONAL CP5225 PRINTER SERIES



Technical specifications	HP Color LaserJet Professional CP5225n Printer (CE711A)	HP Color LaserJet Professional CP5225dn Printer (CE712A)		
Print speed ⁷	Up to 20 ppm, letter/A4 and black-and-white/color			
First page out ⁷	Black and white: as fast as 14.5 seconds, letter (as fast as 16 seconds, A4); Color: as fast as 15.5 seconds, letter (as fast as 17 seconds, A4)			
Print resolution	HP ImageREt	3600; Up to 600 x 600 dpi		
Control panel	2-line, 16-character backlit display; 5 buttons (Cancel job, Le	ft arrow, Right arrow, Select, Back); 2 LED indicator lights (Attention, Ready)		
Processor		540 MHz		
Memory	192 MB, expandable to	448 MB via one open DDR2 DIMM slot		
Durability ratings		500 to 5,000 pages;8 Duty cycle: up to 75,000 pages9		
Paper	ilecommence memmy page relation 1,000 to 0,000 pagesy 561, eyelet op 10 70,000 pages			
Input	100-sheet multipurpose tray 1	250-sheet tray 2; optional 500-sheet tray 3		
Output	250-she	et face-down output bin		
Two-sided printing	Manual	Automatic		
Sizes	8.5 x 13 in; envelopes (DL, C5, B5, No. 10, Monarch); custom: 76 x 127 n postcard; letter, legal, executive, 11 x 17 in, 8.5 x 13 in; custom: 148 x 18: letter, legal, executive, 11 x 17 in, 8.5 x 13 in; custom: 148 x 210 mm (5.8	Is (JIS single and double); letter, legal, executive, 11×17 in, 12×18 in, 4×6 in, 5×8 in, 10×12 in 10×18 in, 10×18 in) to 10×18 in 10×18		
Weights		-sided printing unit, optional tray 3: up to 120 g/m² (up to 32 lb) plain papers, ² (up to 43 lb) coated papers		
Types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinte	d, prepunched, recycled, rough); cardstock; glossy film; transparencies; labels; envelopes		
Connectivity				
Interfaces	1 Hi-Speed USB 2.0, built-in	Fast Ethernet 10/100 Base-T network port		
Languages	HP PCL 6; HP PCL	oc; HP postscript level 3 emulation		
Fonts		alable TrueType fonts		
Client operating systems	Standard: Windows® 2000, Windows XP® Home, Windows XP Professional, Windows Server 2003, Windows Vista®, Windows XP Media Center, Windows XP Professional x64, Windows 7 (HP UPD only); Mac OS X v 10.3, Mac OS X v 10.4 or higher, Linux (see www.hplip.net); Optional: OS/2, UNIX, Linux			
Network operating systems	Windows 2000, Windows XP Home, Windows XP Professional, Windows Server 2003, Windows Vista, Windows XP Media Center, Windows XP Professional x64, Windows 7 (HP UPD only); Mac OS X v 10.3, Mac OS X v 10.4 or higher; Linux (see www.hplip.net)			
Network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; print: TCP-IP port 9100 [irect Mode, LPD (raw queue support only), Web Services Printing; discovery: SLP, Bonjour, 6 (Stateless Link-Local and via Router, Statefull via DHCPv6); management: SNMPv1, HTTP		
Security		nable/disable Network ports; SNMPv1 community password change		
Dimensions (w x d x h)	'	(13.3 in); With trays and covers extended: 862 x 1066 x 370 mm (34 x 42 x 14.6 in)		
Weight (with print cartridge)		0.9 kg (90.2 lb)		
What's in the box		ntation, preinstalled black (7,000 pages) and cyan, magenta, and yellow (7,300 pages) orSphere toner, 100-sheet multipurpose tray, 250-sheet input tray		
Also includes	Built-in Fast Ethernet 10/100 Base-T networking	Built-in Fast Ethernet 10/100 Base-T networking; built-in automatic two-sided printing		
Software included	Print driver (HP PCL 6); Toolbox FX configuration utility; SNP alerts; and installation software on CD-ROM (Latest printer driver information available at www.hp.com/support)			
Warranty	One-year, return to HP authorized service center warranty backe	by HP Customer Care, service and support; one-year technical phone support		
	· · · · · · · · · · · · · · · · · · ·			
nvironmental ranges	т	pical Electricity Consumption (TEC): 1.787 kWh/Week		
Temperature range		NERGY STAR® qualified models, see www.hp.com/go/energystar		
	Recommended: 15 to 27° C (59 to 80.6° F)	afety approvals IEC 60950-1 (International); EN 60950-1+A11 (EU); IEC a		
Humidity range	Storage: 0 to 35° C (32 to 95° F) Operating: 10 to 80% RH Recommended: 20 to 60% RH	quirements 60825-1+A1+A2; NRTL Listed (US/Canada); GS License (Europe); EN 60825-1+A1+A2 (Class 1 Laser/ LED Device) GB4943-2001; Low Voltage Directive		
Accustic manusus amissians 12	Non-operating: 10 to 90% RH	2006/95/EC with CE Marking (Europe);		

Acoustic power emissions¹² Printing: 6.3 B(A); Ready: 5.3 B(A) Acoustic pressure emissions Input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A Power supply required Active: 440 watts; Standby: 30 watts; PowerSave: 4.4 watts; Off: 0.5 watts

other safety approvals as required by individual countries

CISPR 22: 2005/EN 55022: 2006 Class B, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1+A2, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class A (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe),

other EMC approvals as required by individual countries

Works with HP SureSupply.¹⁴ To learn more, visit: www.hp.com/go/SureSupply

Exact speed varies depending on the system configuration, software application, driver, and document complexity. BHP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. Duty cycle is defined as the maximum number of pages per month of optimum device performance, based on factors including supplies replacement intervals and device lite over an extended warranty period. "Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs. "Input trays 2 and 3 support up to a maximum of 11.7 in width or 17 in height; 11.7 in x 17 in pager is not supported. "Average continuous composite cyan/yellow/magenta cartridge yield 7,300 standard pages and average continuous black cartridge yield 7,000 standard pages. Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit www.hp.com/go/learnaboutsupplies. "Configuration tested: base model, simplex printing, A4 paper at an average of 20 ppm. Values are subject to change. For current information. Power numbers are the highest values measured using all standard voltages." "HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit www.hp.com/go/SureSupply.

Electromagnetic

emission standard







© Copyright 2010, 2011 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Microsoft, Windows, and Windows XP are registered trademarks of Microsoft Corporation Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.





COLOR LASERJET ENTERPRISE CP5525 PRINTER SERIES

CP5525n • CP5525dn • CP5525xh \$2,499.99 \$2,699.99 \$4,399.99

Produce professional-quality color documents—from postcard to SRA3—with ease and efficiency. Easily add printing capabilities and extend the life of your printer with firmware upgrades, third-party solutions, networking options and expandable paper capacity—up to 2,350 sheets—with automatic media sensing. Limit IT calls and keep productivity a top priority with intuitive, easy-to-use management tools. Reduce overhead and environmental impact with energy- and material-saving features.





Enable color printing from postcards to posters

- Print on a wide variety of paper sizes—from 3 x 5-inch postcards to 12.6 x 17.72-inch SRA3 media
- Produce high-volume print jobs without frequent paper changes, with a paper capacity up to 2,350 sheets.6
- · Improve efficiency with a printer that automatically recognizes paper size and type for best printing results.
- · Increase efficiency and versatility with automatic two-sided printing.3



- Print documents rapidly—up to 30 ppm letter/A4.⁷
- Get a first page out in as fast as 10 seconds with Instant-on Technology.
- Get consistent print quality automatically on text, images and graphics with HP EasyColor and HP ImageREt.
- · Achieve sharp contrast and vivid color with the highgloss toner in Original HP LaserJet print cartridges.

Count on a printer that is easy to use and manage

- · Make printing as mobile as you are with the HP ePrint Enterprise solution.1
- Easily integrate enterprise-ready gigabit networking and robust security options into your printing fleet.
- Supervise printing fleets remotely using intuitive management tools. Control color printing usage and costs.
- Print quickly and easily with walk-up USB. Plus, keep data safe with HP High-Performance Secure Hard Disk.5

Minimize your environmental impact

- · Reduce packaging waste with pre-installed toner cartridges—no boxes, wrappers or manuals.
- Reduce environmental impact and use up to 50 percent less paper with two-sided printing.3
- Get free and easy recycling—cartridges returned through HP Planet Partners are recycled responsibly.²
- Reduce the environmental impact of excess shipping materials with HP ClearView packaging.4

ECOHIGHLIGHTS

HP Color Laserjet Enterprise CP5525 Printer Series

ECO INFORMATION

- Reduce energy use with Instant-on Technology.⁸
- Avoid reprints with the consistency of Original HP toners plus HP Professional Color Technologies
- Reduce paper use by up to 50% using automatic two-sided printing.
- Convenient cartridge recycling in 53 countries



ENERGY STAR® Qualified Product

www.hp.com/ecosolutions

Please recycle your computing hardware and printing supplies. HP asset management and recycling services make responsible disposal easy.






HP Color LaserJet Enterprise CP5525 Printer series

- 1 Intuitive control panel with4-line color display
- 2 300-sheet top output bin
- 3 One-door access to the easy-to-install print cartridges
- 4 100-sheet multipurpose tray recognizes paper sizes up to SRA3
- 5 250-sheet tray 2
- 6 500-sheet tray 3
- 7 Three 500-sheet input trays with print stand for 2,350-sheet total input capacity
- 8 USB 2.0 port for walk-up printing
- 9 Built-in automatic two-sided printing
- 10 Hi-Speed USB 2.0 port for direct connection to printer
- 11 HP Jetdirect 10/100/1000 Ethernet embedded print server
- 12 1 GB RAM and an 800 MHz processor
- 13 120 GB HP Encrypted High Performance Hard Disk
- 14 One open EIO slot

HP Color LaserJet Enterprise CP5525xh Printer shown



Series at a glance







	CP5525n Printer	CP5525dn Printer	CP5525xh Printer
Part number	CE707A	CE708A	CE709A
4-line color display	\checkmark	$\sqrt{}$	V
Walk-up USB port	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$
100-sheet multipurpose tray 1, 250 sheet tray 2, 500-sheet tray 3	√	√	√
Three 500-sheet trays with stand	Optional	Optional	V
HP Jetdirect 10/100/1000 Ethernet print server	√	V	V
Automatic two-sided printing	Not available	$\sqrt{}$	V
1 GB RAM	V	$\sqrt{}$	V
HP High Performance Storage	8 GB	8 GB	120 GB (encrypted)
ENERGY STAR® qualified	Not available	$\sqrt{}$	$\sqrt{}$

Seamlessly integrate this versatile printer into a fleet. Robust management tools ensure productivity, security and smooth, reliable performance. Take advantage of the flexibility to print from anywhere with HP ePrint.1

Print from anywhere, anytime directly to your HP printer, using a smartphone, notebook or other mobile device.1 Enable mobile printing on all your company's networked printers with the HP ePrint Enterprise solution.4

Expand your security options and easily integrate enterprise-ready gigabit networking into your printing fleet. Minimize security disruptions and send sensitive business data securely with features such as IPSec, SNMPv3 and HTTPS.

Use HP Web Jetadmin, the industry-leading fleet management tool, to install and manage networked printers. Manage color printing usage and costs with HP Color Access Controls. Use HP Universal Print Driver to give users instant access to many HP print devices.

Meet your environmental goals, while boosting your bottom line. HP technology helps you reduce your office's energy and paper usage. Plus, this printer is designed to use less space and create less packaging waste.

HP products are designed with the environment in mind, limiting the materials used in manufacturing and packaging. Pre-installed, all-in-one cartridges mean no boxes and wrappers. Plus, long-life consumables ensure fewer parts need replacing.

Conserve paper and cut waste—quickly and easily push automatic, two-sided printing to your entire fleet, using HP Web Jetadmin.3

Recycle your print cartridges—it's free and easy with HP Planet Partners. All Original HP print cartridges returned through Planet Partners are recycled to recover raw materials or energy. HP never refills, resells or sends print cartridges to landfills.²

Get the most out of your printer with HP accessories, supplies, and services.

500-sheet Paper Tray

Improve productivity by increasing total input capacity to up to 850 sheets. Print on a range of paper types in sizes from 5.8 by 8.3 in (148 by 210 mm) to 11.7 by 17 in (297 by 432 mm). Gain media flexibility while decreasing time spent loading paper.



CF860A

HP Services

Because downtime can have serious business consequences, HP provides high-quality services that extend beyond the standard warranty and help you avoid unbudgeted repair costs. Benefits include reduced printing and infrastructure costs, maximized uptime, expert technical phone support, and predictable, consistent service delivery even across multiple locations.

Recommended services:

- Same Day Onsite Service: An HP technician or authorized service provider arrives at your site within four hours after the service call is received, if this time falls within the coverage window
- Next Day Onsite Service: Technician delivered onsite service the next business day after the service call is received

These services and additional coverage options can be purchased as:

- HP Care Pack Services: easy-to-buy, easy-to-use support packages
- HP Contractual Services: a comprehensive portfolio for maintaining maximum IT availability

For more information visit: www.hp.com/go/printservices

Supplies

HP Color LaserJet Black Print Cartridge (~13,500 pages)	CE270A
HP Color LaserJet Cyan Print Cartridge (~15,000 pages)	CE271A
HP Color LaserJet Yellow Print Cartridge (~15,000 pages)	CE272A
HP Color LaserJet Magenta Print Cartridge (~15,000 pages)	CE273A
Paper handling	
500-sheet Paper Tray	CE860A

500-sneer raper rray	CEOOUA
Accessories	
HP Jetdirect 620n EIO Print Server	J7934G
HP Jetdirect 635n EIO Print Server	J7961 G
HP Jetdirect 690n EIO 802.11g Wireless Print Server	J8007G
HP ew2500 USB 802.11g Wireless Print Server	J8021 A
HP Secure EIO Hard Disk	J8019A
HP Color LaserJet 3x500-sheet Paper Feeder and Stand	CE725A
HP Color LaserJet 110V Fuser Kit	CE977A
HP Color LaserJet Transfer Kit	CE979A
HP Color LaserJet Toner Collection Unit	CE980A
(For more Solution, visit www.hp.com/go/gsc)	

1	P Care Pack Services	
	HP 3 year 4 hour 13x5 Color LaserJet CP5525 HW Support	UV276E
	HP 4 year 4 hour 13x5 Color LaserJet CP5525 HW Support	UV277E
	HP 5 year 4 hour 13x5 Color LaserJet CP5525 HW Support	UV278E
	HP 4 year NBD Color LaserJet CP5525 HW Support	UV280E
	HP 5 year NBD Color LaserJet CP5525 HW Support	UV279E
	HP 4 year 4 hour 9x5 Color LaserJet CP5525 HW Support	UV281E
	HP 5 year 4 hour 9x5 Color LaserJet CP5525 HW Support	UV282E
	HP 3 year NBD Call to Repair Color LaserJet CP5525 HW Support	UV283E
	HP 3 year NBD Defective Media Ret Color LaserJet CP5525 Support	UX963E
	HP 3 year NBD Color LaserJet CP5525 HW Support	UX964A/E
	HP 3 year 4 hour 9x5 Color LaserJet CP5525 HW Support	UX965E
	HP 4 year NBD Def Media Ret Color LaserJet CP5525 Support	UX899E
	HP 5 year NBD Def Media Ret Color LaserJet CP5525 Support	UX880E
	HP Install mid-high Color LaserJet Service	H4515E
	HP Network Install mid-high Color LaserJet Service	H2872E
	HP 1 year Post-Warranty NBD Color LaserJet CP5525 HW Support	UV269PA/PE
	HP 1 year Post-Warranty NBD Def Media Ret Color LaserJet CP5525 Support	UV270PE
	HP 2 year Post-Warranty NBD Color LaserJet CP5525 HW Support	UV268PE
	HP 1 year Post-Warranty 4 hour 9x5 Color LaserJet CP5525 HW Support	UV272PE
	HP 1 year Post-Warranty ph assist Color LaserJet 3-9xxx and Scanjet N9120/9000 Service	HC130PE
	HP 1 year Post-Warranty 4 hour 13x5 Color LaserJet CP5525 HW Support	UV271P
	(For more HP Care Pack options, visit www.hp.com/services/printer)	

¹Expected availability late 2010. Requires an Internet connection to the printer. Feature works with any Internet- and e-mail-capable device and may require a firmware upgrade. For details, www.hp.com/go/ePrintCenter ²Program availability varies. HP print cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or to request return envelopes and bulk collection boxes, visit: www.hp.com/recycle. ³Automatic two-sided printing is available on the dn and xh model only. ⁴HP ePrint Enterprise requires BlackBerry Enterprise Server deployment, Internet and e-mail-capable BlackBerry smartphone OS 4.5 with separately purchased wireless Internet service, HP ePrint app and HP ePrint Enterprise server. Solution works with PCL5/6, PCL3, PCL3GUI printers



HP COLOR LASERJET ENTERPRISE CP5525 PRINTER SERIES

Technical specifications	HP Color LaserJet Enterprise CP5525n Printer	HP Color LaserJet Enter	rprise CP5525dn	Printer	HP Color Lo	sserJet Enterprise CP5525xh Printer
Print speed ¹	Black (normal, A4): Up to 30 ppm; Color (normal, A4): Up to 30 ppm					
First page out ¹			As fast c	ıs 10 sec		
Print resolution	Bla	ck (best): Up to 600 x 600 dpi; B	Black (normal): Up	to 600 x 600 d	lpi; Color (best): Up to	600 x 600 dpi
Control panel		graphical and text, LCD control p status lights (Attention, Data, Rea				ack/Exit, Help, Up arrow, Down arrow); B port with cover
Processor		-	800	MHz		
Memory			Standard/Maxim	ım Memory: 1 G	BB	
Durability ratings		Recommended monthly page vo	olume ² : 2500 to 1	0,000 pages; D	uty cycle ³ : Up to 120,0	00 pages
Paper						
Input	100-sheet multipurpose tr 2, 500-sheet				50-sheet input tray 2, tic two-sided printing	100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input tray 3, 3 x 500-sheet input trays 4, 5, and 6, automatic two-sided printing
Output			300-sheet	output bin		1 3
Two-sided printing		Manual			A	Automatic
Sizes	Tray 1: 3 x 5 to 12.6 x 18.5 in	; tray 2, 3, optional tray 4, 5, 6: 11.7 x 17 in	5.8 x 8.3 to			
Weights	Tray 1: 60 to 220 g/m²; tray 2, 3, optional tray 4, 5, 6: 60 to 120 g/m² plain papers, up to 160 g/m² coated papers Tray 1: 60 to 220 g/m²; tray 2, 3, 4, 5, 6: 60 to 120 g/m² plain 160 g/m² coated papers					
Types	Paper (extra heavy, glossy, heavy, heavy glossy, high gloss images, intermediate, light, plain, recycle, tough), envelopes, labels, cardstock, transparencies				pes, labels, cardstock, transparencies	
Connectivity						
Interfaces	1 Hi-Speed USB 2.0; 1 Gigabit Ethernet 10/100/1000, IPv6, BiDi; 1 EIO					
Languages	HP PCL 6, H	P PCL 5c (HP PCL 5c driver availa	ble from the Web	only), HP postso	cript level 3 emulation, r	native PDF printing (v1.4)
Fonts and Typefaces	105 internal	TrueType fonts scalable in HP PCL,	92 internal scala	ble fonts in HP p	ostscript Level 3 emulat	ion (Euro symbol built-in).
Client operating systems	PC: Microsoft® Windows 7, 1	Windows Vista®, Windows® XP SF requirements, see http://www.mi	² 2 or higher, Win icrosoft.com syster	dows® Server 20 n requirements; :	003, Windows® Server 220 MB available hard	2008; OS Compatible hardware system disk space
Network operating systems	2008 R2 Edition, Windows® Se	Microsoft® Windows® 7 32-bit and 64-bit, Windows Vista® 32-bit and 64-bit, Windows® XP 32-bit or 64-bit (SP2 or higher), Windows® Server 2008 32-bit and 64-bit, 2008 R2 Edition, Windows® Server 2003 32-bit and 64-bit, Citrix and Windows® Terminal Services (see whitepapers at http://www.hp.com/go/upd, Documentati tab); Novell (see http://www.novell.com/iprint); Mac OS X v 10.4 or higher; Linux (see http://www.hplip.net); UNIX, SAP device types				tp://www.hp.com/go/upd, Documentation
Network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, iPrint					
Security	Management security: SNMPv3	, SSL/TLS, 802.1X authentication (Kerberos Authentication;				rtificate, Pre-Shared Key Authentication, and -in
Dimensions (w x d x h)	21.4 x 23 x	18 in (544 x 586 x 465 mm)			29.3 x 27 x 34.8	in (745 x 688 x 885 mm)
Weight (with print cartridge)	117.3 lb (\$	53.3 kg)		117.8 lb (53.5	kg)	184.8 lb (84 kg)
What's in the box	Printer; Print cartridges (1 each l	Printer; Print cartridges (1 each black, cyan, yellow, magenta); HP Color LaserJet 500-sheet Paper Tray 3; CDs containing device software and electronic User's Guide Documentation (including Getting Started Guides); power cord			levice software and electronic User's Guide;	
Also includes	Not Applicable	HP Colo	r LaserJet 3x500-	sheet Paper Feed	ler and Stand; 120 GB	secure hard disk drive
Software included	Print d	rivers and installation software on	CD: Windows pr	int driver (HP PC	L 6 discrete), SNP alert	s, Mac print driver
Warranty	One-year, next-day, on-site warranty					

Environmental ranges Temperature range

Acoustic power emissions⁴

Temperature range Operating: 15 to 27° C (59 to 81° F) Recommended: 17 to 25° C (63 to 77° F)

Storage: 0 to 35° C (32 to 95° F)
Operating: 10 to 70% RH

Humidity range Operating: 10 to 70% RH
Recommended: 30 to 70% RH
Non-operating: 10 to 90% RH

Non-operating: 10 to 90% RH Printing: 6.7 B(A); Ready: 3.7 B(A)

Acoustic pressure emissions 51 dB(A

Power supply required Input voltage 110 to 127 VAC (- 10/+ 6%),

50/60 Hz (+/- 2 Hz) **Power Supply Type**Buill-in power supply

Safety approvals requirements IEC 60950-1 (International); EN 60950-1+A11 (EU); IEC 60825-1+A1+A2; UL/cUL Listed (US/Canada); GS License (Europe); EN 60825-1+A1+A2 (Class 1 Laser/LED Device); Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by

individual countries

individual countries

Electromagnetic emission standard CISPR 22: 2005+A1/EN 55022: 2006 +A1 Class A, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1 +A2, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 1-Class A (USA), ICES-003, Issue 4, (Canada), GB 9254-2008, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual

countries

Works with HP SureSupply.5 To learn more, visit: www.hp.com/go/SureSupply

¹Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ²HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ³Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁴Declared per ISO 9296 and 7779; values are subject to change. Configuration tested: HP Color LaserJet CP5525xh, printing at 30 ppm on A4 pager. ⁵HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit https://www.hp.com/go/SureSupply.







© Copyright 2010-2011 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Microsoft, Windows, and Windows XP are registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.



HP Color LaserJet 5550 series printer

5550n • 5550dn • 5550dtn \$2,999.99 \$3,199.99 !!!





Experience brilliant print quality from a reliable and easy-to-use wide-format color laser printer—a new standard in the office.

Brilliant 11 by 17 printing

- Empower your business with up to 11 by 17 inch color laser printing. Dazzle your audience with stunning output from this feature-rich, value-packed printer.
- Create accurate color, precise drawings, and great images. Featuring HP ImageREt 3600, a suite of advanced printing technologies, the printer automatically provides professional, superior print quality. Plus, the uniform size and spherical shape of HP toner particles in HP Color LaserJet Smart print cartridges ensure a broad range of colors and precise placement for accurate color and excellent image reproduction.¹
- Expand the range of printing options in your office. Get the versatility you need with up to five media trays that offer an input capacity of up to 2,100-sheets and extensive media support, including a variety of sizes and weights from 16 to 53 lb (60 to 200 g/m²).
- Realize the advantages of color without risking the expense. HP color access controls help you protect your investment while reaping the benefits of color. Enable or disable color by individual users or groups, or disable color printing entirely.

Powerful performance

- Unleash a proven performer. With printing speeds up to 27 pages per minute (ppm), and a first-page-out speed of less than 16 seconds, you will never have to wait long for your documents.
- Redefine your printing experience. Expand your printing
 potential and print even complex documents with images
 in no time with a 533 MHz processor, 288 MB of printer
 memory, networking throughput speeds of up to 6 MB per
 second (via the optional HP Jetdirect 620n Fast Ethernet
 print server), and an optional hard disk with 22 MB per
 second throughput speed.
- Create a world of choices. Enjoy intelligent printing solutions such as blank page suppression and native PDF printing.

Unmatched print experience

- Step up to improved reliability and fewer paper jams.

 HP delivers dependable printing with a proven design and a robust monthly duty cycle of up to 120,000 sheets.
- Save time and effort with easy, front-door access.
 With one access point to supplies and only four, all-in-one print cartridges to order and replace, it couldn't be simpler to keep your printer up and running. HP Smart printing supplies work with your printer to provide automatic alerts when a cartridge is low or out, and with HP SureSupply, you can enjoy convenient online ordering.
- Boost productivity with the generous, four-line graphical display. The control panel lets you view supply levels at a glance and provides helpful animations that simplify interaction with the printer.
- Expect consistent print quality. The printer and supplies feature innovative HP Smart printing technology¹ that uses internal sensors to automatically optimize color density and calibration for high-quality results. Chemically-grown toner formulas and environmental sensors provide reliable performance throughout the life of the cartridge, while lowering overall printing costs.
- Simplify printer management. The HP Embedded Web Server and HP Web Jetadmin let you remotely manage your printer and make it easy to diagnose and stay on top of printer issues.

HP printing and imaging systems help you create powerful, professional communications easily. HP printers, supplies, accessories, and services are designed to work together and are invented to meet your business needs.

¹ Using genuine HP supplies ensure availability of all HP printing features.

HP Color LaserJet 5550 series printer

TECH 2000, INC.

HP Color LaserJet 5550dtn printer shown

- Control panel simultaneously displays up to four lines of text and animated graphics
- 2 Front door allows convenient access to four, all-in-one HP print cartridges
- 3 Automatic two-sided printing unit offers fast, efficient duplex printing
- 4 100-sheet multipurpose tray handles heavy custom media up to 53 lb bond (200 g/m²)
- 5 Adjustable 500-sheet input trays 2 and 3
- 6 HP high-performance EIO hard disk
- 7 HP Jetdirect 620n Fast Ethernet internal print server
- 8 288 MB total memory and a powerful 533 MHz processor perform complex tasks quickly



Series at a glance



HP Color LaserJet 5550n printer

- 100-sheet multipurpose tray
- 500-sheet input tray
- 160 MB of printer memory
- 533 MHz RISC processor
- Two open EIO slots
- HP Jetdirect 620n Fast Ethernet print server in one EIO slot



HP Color LaserJet 5550dn printer

HP Color LaserJet 5550n model plus:

Automatic two-sided printing



HP Color LaserJet 5550dtn printer

HP Color LaserJet 5550n model plus:

- Automatic two-sided printing
- 500-sheet input tray for 1,100-sheet capacity
- Additional 128 MB RAM for a total of 288 MB of printer memory
- Printer stand



Powerful, professional color laser printing for your business.

Fast, exceptional color output

With HP's in-line color printing, you can print professional color documents as quickly as black-only documents—up to 27 ppm. Experience dramatic improvements in print quality with HP's ImageREt 3600, an HP proprietary printing solution. Most high-resolution technologies cause degradation in printer performance due to increased data transmission, but HP's innovative technologies achieve equivalent or better print quality without such tradeoffs.

The following printing system technologies work together to automatically deliver the best possible output for all of your documents:

- The high resolution laser imaging system creates near-photographic quality images.
- The print mechanism's design results in excellent uniformity and color plane registration.
- HP's industry-leading image enhancements deliver excellent tones, sharpness, and clarity.
- Intelligent color controls produce color that is the same page after page—over printer life.
- Special printing modes provide excellent gloss matching, so that the shininess of the printed image matches the gloss of the media. The printer's image mode is optimized for image printing with HP Glossy Photo & Imaging Laser Paper.
- HP Smart printing supplies² include chemically grown toner for fine detail, bright saturated colors, and consistent color throughout the life of the cartridge.
- An environmental sensor enables the printer to tune toner particle charge, for uncompromised print quality in a variety of working environments.

Service and support from HP

 HP offers a variety of support options to assist you with setup and maintenance. Start with the standard one-year limited hardware warranty that includes phone support backed by award-winning HP Customer Care. To further ensure trouble-free operation and to maximize the capabilities of your printer, you can upgrade your service and support options to include network installation and extended printer maintenance.

Easy, flexible printing

Designed with medium to large office workgroups in mind, the printer is simple to install, use, and maintain.

- Gain quick access to the four easy-to-replace print cartridges through a single front door. The simple paper path design results in fewer and easier interactions with the printer.
- Minimize printer downtime when you use genuine HP Smart printing supplies² that enable status monitoring, proactive alert messages, supplies ordering, and convenient, simple installation.
- Get complete, timely information about the printer and print jobs. Designed for easy troubleshooting and configuration, the control panel displays up to four lines of text and animated graphics simultaneously.
- Access all printer information from the HP Toolbox software, including documentation, self-help and troubleshooting tips, printer status, and links to HP Instant Support and the HP Embedded Web Server, which lets you manage printing functions from your computer (for networked printers).
- Enjoy high-speed network printing with simple network installation, driver distribution, and remote management through HP Web Jetadmin.

HP color management tools

The HP color access control solution makes color printing and copying more affordable than ever by helping you control who uses color and when they use it:

- Assign color access to specific users or workgroups. Use
 either your printer's embedded Web server or HP Web
 Jetadmin's fleet configuration capability to designate who
 has access to color printing. That way, people who truly
 need color—such as your sales team and marketing
 department—can use it.
- Assign color access by application. Designate certain
 applications for printing color and others for printing blackand-white to ensure that users only print color on their most
 important print jobs and that other printouts—such as Web
 pages—are always black-and-white.
- Shut down color completely or temporarily disable color capability. Disable color printing on shared printers—locking out all individuals and workgroups—so you can save your color resources for special projects or seasonal needs. HP Web Jetadmin's Print Driver Pre-configuration Plug-in lets IT Administrators set users' print settings to control color printing by print queue.
- Track color use by job, by user, and by device. HP
 Web Jetadmin's Report Generation Plug-in generates
 real-time and periodic usage reports that make it easy
 to track color use by job, by user, and by device. Plus,
 it allows you to easily allocate costs to individual
 departments.³

² Using genuine HP supplies ensures availability of all HP printing features.

 $^{^{3}}$ 3 Billing solutions are an optional feature available at an additional cost through HP's solution partners.

HP Color Laserlet 5550 series printer

Technical specifications	HP Color LaserJet 5550n (Q3714A)	HP Color LaserJet 5550dn (Q3715A)	HP Color LaserJet 5550dtn (Q3716A)		
Print speed ³	Up to 27 ppm letter, full-color and black-only				
First page out		Less than 16 seconds			
Resolution		600 by 600 dpi with HP ImageREt 3600			
Processor		533 MHz RISC			
Memory, standard		d 32 MB of flash memory on board; in SDRAM DIMM slot	288 MB: 256 MB DDR SDRAM and 32 MB of flash memory on board; one available 200-pin SDRAM DIMM slot		
Memory, maximum		544 MB: 512 MB DDR SDAM and 32 MB of flash memory on board			
Flash memory		Two available flash memory card slots for fonts or 3 rd -party solutions ⁴			
EIO hard disk		Optional			
Duty cycle		Up to 120,000 pages per month			
Media					
Media handling	1 x 100-sheet multipurpo	se tray, 1 x 500-sheet tray	1 x 100-sheet multipurpose tray, 2 x 500-sheet tray		
Output capacity		250-sheet face-down output bin			
Duplex printing	Manual two-sided printing	Automatic two	o-sided printing		
Sizes	Multipurpose tray: 3 by 5 in (76 by 127 mm) to 12.0	5 by 18.5 in (306 by 470 mm); letter, legal, executive, 11 by 17, ledger,	Number 10 envelopes, Monarch envelopes, Statement		
	Automatic two-sided printing unit, trays 2, 3, 4, 5	: 5.8 by 8.3 in (148 by 210 mm) to 11.7 by 17 in (297 by 431.8 mm); le	etter, legal, executive, 11 by 17, ledger, executive		
Weights	Multipurpose tray: 16 to 53	lb (60 to 200 g/m²); Automatic two-sided printing unit and trays 2 and 3:	16 to 32 lb (60 to 120 g/m²)		
Types	Plain, light, intermediate, heavy, extra heavy, glossy, heavy glossy, high gloss images, tough, recycled, envelopes, transparencies, labels, cardstock				
Connectivity					
Interfaces	Bidirectional IE	EE-1284-C parallel port, USB 1.1 port, HP Jetdirect 620n Fast Ethernet inte	rnal print server		
Third-party interface		Jetlink port for 3 rd -party paper-handling devices⁴			
EIO slots available		Two			
Languages	HP PCL 6, HP PCL 5c (H	P PCL 5c driver available from the Web only), HP postscript 3 emulation, r	ative PDF printing (v1.3),		
	XHT	ML-Print for mobile phone and PDA printing via the optional HP bt1300 ad	apter		
Fonts	80 internal TrueType fonts scalable in HP PCL, 92 internal	scalable fonts in HP postscript 3 emulation (Euro symbol built-in); addition	al font solutions available via 3 rd -party flash memory cards ⁴		
Client operating systems		P, and Server 2003 (32 bit and 64 bit drivers), Certified for Windows Visto			
		Novell NetWare 5.1, 6, 6.5 (optional 4.2), OS/2 (print functionality only			
Network operating		t, Server 2003; Novell NetWare 5.x, 6.x (IPX only); Mac v10.2.8, v10.3,			
systems ⁵		.0; Solaris 2.6, 7, 8, (SPARC systems only); Citrix MetaFrame; Windows T			
Network protocols		ezvous compatible, DLC/LLC, Auto-IP, IP Direct Mode, NDS, Bindery, NCP,			
supported ⁵		may require software from the NOS vendor or third-party vendor: LPD, FTF			
Dimensions (d by w by h)		(577 by 704 by 640 mm)	24.8 by 28.25 by 32.8 in (630 by 718 by 833 mm)		
Weight		(51.8 kg)	246 lb (111 kg)		
What ships in the box	Printer; HP cyan, magenta, yellow, and black print cartridges;	Printer; HP cyan, magenta, yellow, and black print cartridges;	Printer; HP cyan, magenta, yellow, and black print cartridges;		
	software and User's Guide on CD; Getting Started Guide; Network	software and User's Guide on CD; Getting Started Guide; Network	software and User's Guide on CD; Getting Started Guide; Networ		
	Installation Guide; power cord; 100-sheet multipurpose tray;	Installation Guide; power cord; 100-sheet multipurpose tray; 500-	Installation Guide; power cord; 100-sheet multipurpose tray; two		
	500-sheet input tray; HP Jetdirect 620n Fast Ethernet internal	sheet input tray; HP Jetdirect 620n Fast Ethernet internal print server;	500-sheet input trays; HP Jetdirect 620n Fast Ethernet internal prir		
	print server	automatic two-sided printing unit	server; automatic two-sided printing unit; printer stand		

Environmental range	S
Temperature:	

Maximum operating: 59 to 81 degrees F (15 to 27 decrees C) Recommended operating: 63 to 77 degrees F (17 to 25 degrees C)

Maximum operating: 10 to 70 percent Recommended operating: 30 to 70 percent up to 10,000 ft (up to 3,100 m)

Power: 6.6 Bels printing A4 monochrome from standard tray at full engine speed, PowerSave and Standby: 4.9 B(A)

Pressure: Active: 49 dB(A), Standby: 33 d(B)A Input voltage: 110 to 127 V (-10/+6 percent), 50/60 Hz (±2 Hz) Power requirements

220 to 240 V (-10/+6 percent), 50/60 Hz (±2 Hz) Power consumption⁶ Printer: 5550n 5550dn 5550dtn

630 W 93 W 630 W 93 W Active: 614 W 93 W Standby: PowerSave: Off: 24 W 24 W 0.3 W 24 W 0.3 W 0.3 W

Typical Electricity Consumption (TEC): 7.567 kWh/Week, 8.222 kWh/Week (555hdn) EMC: CISPR 22:1997 / EN 55022:1998 Class B, EN 61000-3-2:2000, EN 61000-3-3:1995, EN 55024:1998, Power certifications

FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 4 / GB9254-1998, GB17625.1-2003, EMC Directive 89/336/EEC and the Low Voltage Directive 73/23/EEC, and carries the CE-Marking accordingly Argentina (TÜV S Mark-Rs.92/98/Ds.1009/98), Canada (cUL-CAN/CSA C22.2 No.60950-00), Mexico (NOM NYCE-NOM 019 SCFI), USA (UL-UL 60950; FDA-21 CFR Chapter 1 Subchapter J for lasers). Class 1 Laser/LED

One-year, next business day, on-site warranty Warranty







© Copyright 2004-2009 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Bluetooth is a trademark owned by its proprietor and used by Hewlett-Packard Company under license. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. Windows and Windows XP are U.S. registered trademarks of Microsoft Corporation. HP and the invent signature are trademarks of the the wheth Packard Company. Windows Vista is a trademark or registered trademark of Microsoft Corporation in the United States and/or other countries.

Printed in the U.S.

Ordering information

Product	Numbe
HP Color LaserJet 5550n printer	Q3714A
HP Color LaserJet 5550dn printer	Q3715A
HP Color LaserJet 5550dtn printer	Q3716A
Connectivity	
HP Jetdirect 630n IPv6 Gigabit Ethernet Print Server	J7997G
HP Jetdirect 635n IPv6/IPsec internal Print Server	J7961G
HP Jetdirect 620n Fast Ethernet Print Server	J7934G
Paper handling	
500-sheet input tray (trays 3,4, or 5)	C7130B
Printer stand	C9669B
HP Color LaserJet Smart printing supplies	00700
Black print cartridge (yield: approximately 13,000 pages ⁷)	C9730A
Cyan print cartridge (yield: approximately 12,000 pages ⁷)	C9731A
Yellow print cartridge (yield: approximately 12,000 pages ⁷)	C9732A
Magenta print cartridge (yield: approximately 12,000 pages ⁷)	C9/33A
Maintenance kits	C9734B
Image transfer kit Image fuser kit (110v)	Q3984A
Image fuser kit (210v)	Q3985A
Memory and storage	Q37037
HP high-performance EIO hard disk	J6073G
128 MB DDR SDRAM	Q7721A
256 MB DDR SDRAM	Q7722A
512 MB DDR SDRAM	Q7723A
Cables	
Macintosh printer cable, 2-meter	922158
Parallel cable, 3-meter IEEE 1284 (a to c)	C2946A
Parallel cable, 10-meter IEEE 1284 (a to c)	C2947A
HP service and support	
Installation network configured (1 unit) service	H2872E
3-year, next business day onsite hardware support	H5549E
3-year, 4-hour, 13 x 5 onsite response hardware support	H2691E
Media	
HP Glossy Photo & Imaging Laser Paper, letter	Q6545A
HP Glossy Photo & Imaging Laser Paper, tabloid	Q6546A
HP Matte Photo & Imaging Laser Paper, letter	Q6549A Q2413A
HP Cover Paper, letter	Q2415A
HP Soft Gloss Laser Paper, letter	Q2413A
HP Soft Gloss Laser Paper, tabloid	
For third-party solutions, go to: www.hp.com/go/gsc	



³ Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁴ For third-party solutions, go to: www.hp.com/go/gsc.

⁵ Not all protocol and operating system combinations are supported. For more information, go to: www.hp.com/support/net_print

^{*}Values current as of February 2, 2004. Power reported is the highest value measured for color and monochrome printing using all standard voltages. For current information, please see www.hp.com/support/li5550.

information, please see www.hp.com/su

Based on 5 percent average coverage.



HP Color LaserJet CP6015 Printer series

C6015dn • CP6015x • CP6015xh \$4,199.99 \$4,799.99 \$5,999.99



Experience maximum flexibility—use one printer for both high-volume office printing and brilliant marketing collateral on media up to 12 by 18 in.



Versatile performance

Large groups and power users can expect results—the HP Color LaserJet CP6015 Printer series is HP's highest performing and most versatile color laser printer. Get more done with fast print speeds for both black-and-white and color—up to 40 pages per minute (ppm), letter.

Whether you're printing general office documents, spreadsheets, sales and marketing pieces, posters, or architectural drawings, this printer meets your needs. Print documents from letter size all the way up to 12.6 by 36 inches, and weights from 16 to 58 lb. Complete jobs with less interruption with an input capacity of up to 2,100 sheets, and produce more in-house with options such as stapling, stacking, and booklet making.

Easy to install, use, and manage

Designed for easy installation, the printer ships with all supplies preinstalled. Individual, high-volume print cartridges help ensure a low intervention rate. Advanced Auto Navigation makes clearing jams effortless.

Easily share the printer across multiple users with embedded Gigabit networking, including IPv6 support and new security features. The HP Universal Print Driver provides familiar, consistent set up and printing across a network for HP printing devices.

Reduce IT intervention with the fleet management capabilities of HP Web Jetadmin—including new features such as color access control.

Intelligence in the print cartridge enables automatic print quality adjustments. It also alerts you when supplies are low and provides convenient options for online reordering through HP SureSupply.¹

Exceptional print quality

Count on HP for a trouble-free printing experience with consistent, reliable performance at fast speeds.

HP proprietary toner formulas are designed together with the printer to enable high-productivity printing.

Improved media sensing and HP ColorSphere toners deliver brilliant color, realistic photo quality, and exceptionally high gloss on a broad range of media for professional looking marketing documents. Auto neutral calibration ensures great results for demanding color applications.


Multiple imaging modes and Image REt 4800 smoothly render complex imagery without sacrificing speed. With up to 1200 by 600 dpi, get exceptional line detail for cartography or CAD applications.

¹ For more information, visit www.hp.com/learn/suresupply. Order consolidation available on printers with HP Easy Printer Care Software installed.

HP Color LaserJet CP6015 Printer series

- 1 Four-line control panel
- 2 500-sheet face-down output bin
- 3 Duplex switchback tray
- 4 Front-door access to the easy-to-install print cartridges
- 5 100-sheet multipurpose tray 1
- 6 Two-sided printing accessory offers fast, efficient duplex printing
- 7 500-sheet input tray 2
- 8 Three 500-sheet trays for a 2,100-sheet total input capacity
- 9 HP high performance embedded hard disk for job storage
- 10 A powerful 835 MHz processor and 512 MB memory
- 11 Access port for Kensington lock
- 12 Two EIO expansion slots for optional network cards, storage, or wireless networking
- 13 Hi-Speed USB 2.0 port
- 14 HP Jetdirect Gigabit Ethernet print server for easy network sharing







Series at a glance		-	
	CP6015dn	CP6015x	CP6015xh
Part number	Q3932A	Q3933A	Q3934A
Gigabit networking	√	√	V
Automatic two-sided printing	√	√	V
100-sheet multipurpose tray 1	√	√	√
500-sheet input tray 2	√	√	V
One 500-sheet tray, cabinet on wheels	Optional	√	Not available
Three 500-sheet trays on wheels	Optional	Not available	V
HP embedded hard disk	Optional	Optional	V
HP 3-bin stapler/stacker	Optional	Optional	Optional
HP booklet maker/finisher	Optional	Optional	Optional

CB384A

Do it all with HP's most powerful, productive, and versatile color laser printer.

Affordable in-house printing

High-quality color speaks louder than words—make a powerful impact with the HP Color LaserJet CP6015 Printer series. Count on consistent high-gloss finish for professional looking documents in both color and blackand-white. Create impressive sales and marketing brochures, print internal proofs or project schedules, or produce brilliant, wide-format architectural drawings and spreadsheets. Use the printer's banner printing capabilities for eye-catching promotional posters.

HP color access control makes it easy to assign color access to specific users and applications so you can control your color printing costs. That way, people who truly need color—such as your sales team and marketing department—can use it, and those users or applications which don't require color can be assigned to default black-and-white printing.



Get the most out of your printer with HP accessories, supplies, and services





providing one additional 500-sheet tray and a cabinet and enabling output device attachment. **CB474A**

The HP 500-sheet paper feeder and cabinet increases flexibility by

The HP 3 by 500-sheet paper feeder minimizes interventions by providing three additional 500-sheet trays and enabling output device attachment.



Q6998A

The HP 3-bin stapler/stacker with output accessory bridge offers additional output capacity or mailbox functionality and automatic stapling capability.



Q6999A

The HP booklet maker/finisher with output accessory bridge provides two 1,000-sheet stacker bins and a booklet bin with stapling, saddlestitching, and v-folding capabilities.

Printing and imaging services

Because printer downtime can have serious business consequences, HP provides high-quality services that extend beyond the product warranty. HP service professionals can help you reduce infrastructure costs, avoid unbudgeted repair costs, and fix problems quickly. With expert technical phone support and predictable, consistent service delivery across multiple locations, we'll help keep your business operations running smoothly. For more information visit: www.hp.com/qo/printservices.

Print cartridges with HP ColorSphere toner²

HP Color LaserJet Black Print Cartridge	CB380A
HP Color LaserJet Cyan Print Cartridge	CB381A
HP Color LaserJet Yellow Print Cartridge	CB382A
HP Color LaserJet Magenta Print Cartridge	CB383A
Supplies	

1-1-					
ΗP	Color	LaserJet	Black	Image	Dr
ΗP	Color	LaserJet	Cyan	Image	Dr

CB385A HP Color LaserJet Yellow Image Drum³ CB386A HP Color LaserJet Magenta Image Drum³ CB387A

Memory/storage

HP high-performance hard disk 17989G

Connectivity

HP Jetdirect ew2400 USB 802.11g Wireless Print Server	J7951G
HP Jetdirect 630n EIO Print Server	J7997G
HP Jetdirect 620n EIO Print Server	J7934G
HP Jetdirect 690n EIO 802.11g Wireless Print Server	J8007G

......

ervice and support	
Onsite Installation and Network Configuration	H2872E
3-year, Next Business Day Onsite Service	UJ177E
3-year, 4-hour, 13 by 5 Onsite Service	UJ181E
4-year, Next Business Day Onsite Service	UJ178E
5-year, Next Business Day Onsite Service	UI179E

www.hp.com/qo/paper

1-800-477-5010

Solutions

www.hp.com/qo/qsc

² Average continuous black cartridge yield 16,500 standard pages. Average continuous composite cyan/yellow/magenta cartridge yield 21,000 standard pages. Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. Please visit w

³ Declared yield 35,000 pages based on printing 2 page simplex jobs at 2,500 pages per day on letter / A4 size media, long-edge feed, with documents at 5% coverage. Actual yields vary considerably based on images printed and other factors such as low print volumes, low toner coverage, duplex printing, job complexity, and job length



HP Color Laserlet CP6015 Printer series

Technical specifications	HP Color LaserJet CP6015dn printer (Q3932A)	HP Color LaserJet CP6015x printer (Q3933A)	HP Color LaserJet CP6015xh printer (Q3934A)		
D:		11			
Print speed ⁴	Fr. 1	Up to 40 ppm, letter			
Document delivery speed	First page out: less than 11 seconds, black-and-white (less than 11.5 seconds, color)				
Print resolution	HP ImageRET 4800 fechr	HP ImageREt 4800 technology, 600 by 600 dpi and 1200 by 600 dpi for fine details and line art			
Processor	835 MHz				
Memory	512 MB				
Storage	Optional hard disk Embedded hard disk				
Durability ratings	Recommended monthly volume: 4,000 to 17,000 pages; ⁵ Duty cycle: 175,000 pages ⁶				
Paper	700 1 1 1 1 1 1 1 1 1	700 1	100 1		
Input	100-sheet multipurpose tray 1, 500-sheet tray 2	and 3	100-sheet multipurpose tray 1, 500-sheet trays 2, 3, 4, and 5		
Output	500-sheet top (face-down) bin; optional HP 3-bin stapler/stacker or HP booklet maker/finisher ⁷				
Two-sided printing	Automatic				
Sizes	Multipurpose tray 1: 4 by 5.5 in to 12.6 by 18 in, plus banner printing: 4 by 12.6 in to up to 36 in; letter, letter-R, legal, executive, 11 by 17, 12 by 18, 8k, 16k, envelopes (#9, #10, DL, C5, B5, C6, Monarch), post cards (U.S., double), index cards Input tray 2: 5.8 by 8.2 in to 11.7 by 17 in; letter, letter-R, legal, executive, 11 by 17, 8k, 16k Input trays 3, 4, and 5: 5.8 by 8.2 in to 12 by 18 in; letter, letter-R, legal, executive, 11 by 17, 12 by 18, 8k, 16k				
Weights	Multipurpose tray 1: 16 to 58 lb bond, banner media: 20 to 58 lb bond; Input trays 2, 3, 4, and 5: 16 to 58 lb bond				
Types	Paper (bond, recycled, glossy, mid-weight, heavy, heavy glossy, extra heavy glossy), transparencies, labels, envelopes, cardstock, tough paper, rough paper, banner, user-defined				
Connectivity		roogn paper, same, our domed			
Interfaces	Two host USB 2.0-like ports for third-party connections, Hi-Speed USB 2.0 device port, two EIO slots, HP Jetdirect Gigabit Ethernet Print Server, Jetlink				
Languages and fonts		HP PCL6, HP PCL5, HP postscript level 3 emulation; 93 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)			
Client operating systems	Microsoft® Windows Vista® 32/64 bit, 2000, XP®, Server 2003, Server 2008; Mac OS X v10.2.8, v10.3, v10.4 or later				
Network operating systems	Microsoft Windows® 2000, Server 2003, Server 2008, XP, Vista 32, 2003 64-bit, XP 64-bit, Vista 64-bit (for Microsoft IPv6 compatible with Windows 2003, XP, and Vista); Novell 5.1 and later; Mac OS X v10.2, v10.3, v10.4 and later; Red Hat Linux 7.x and later; SuSe Linux 8.x and later; HP-UX 10.20, 11.x, 11.i; Solaris 2.5 and later (SPARC systems only); IBM AIX 3.2.5 and later; MPE-iX; Citrix MetaFrame Server; Windows Terminal Services				
Network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 and later), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, Port 9100, LPD, IPP, Secure-IPP, WS Discovery, IPSec/firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, TFTP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: IPX/SPX, AppleTalk, NetWare NDS, Bindery, NDPS, iPrint				
Security	Management security: SNMPv3, SSL/TLS (HTTPS), 802.1x authentication (EAP-PEAP, EAP-TLS), IPSec/firewall with Kerberos, Certificate, and PreShared Key Authentication				
Dimensions (w by d by h)	27.7 by 25 by 22.8 in 27.7 by 25 by 38.3 in				
Weight (includes print cartridge)	190.1 lb	254.3 lb	263.6 lb		
What's in the box	Printer; preinstalled 16,500-page black and 21,000-page cyan, magenta, and yellow HP Color LaserJet print cartridges with HP ColorSphere toner ⁹ ; preinstalled 35,000-page black, cyan, yellow, and magenta image drums ¹⁰ ; lock adapter to be used with third-party locks like Kensington; in-box documentation: Getting Started Guide, software drivers, and documentation on CD-ROM; power cable; 100-sheet multipurpose tray; 500-sheet input tray				
Also includes	Built-in two-sided printing	Built-in two-sided printing, additional 500-sheet input tray and cabinet			
Warranty	One-year, next business day, on-site warr	ranty backed by HP Customer Care, service and supp	port; one-year technical phone support		

Environmental ranges 62.6 to 77 degrees F Recommended temperature 32 to 95 degrees F Storage temperature Recommended relative humidity 30 to 70 percent 5 to 95 percent Storage relative humidity Altitude Up to 8,000 ft Acoustics 11 Sound power: Printing: 6.9 B(A) Printing: 54 dB(A) Bystander sound pressure:

Ready: inaudible 100 to 127 V (\pm 10%), 50/60 Hz (\pm 2 Hz), 12 amps

Ready: inaudible

Power consumption¹³ Active: 1,195 watts (CP6015dn, CP6015x); 1,200 watts (CP6015xh)

Ready: 207.5 watts (CP6015dn); 208 watts (CP6015x); 211.4 watts (CP6015xh)

Sleep: 18.9 watts (CP6015dn, CP6015x); 19.4 watts (CP6015xh)

Off: 0.1 watts (all models)

ENERGY STAR® qualified models, see www.hp.com/go/energystar

Certifications

Safety IEC 60950-1:2001 / EN60950-1: + A11, IEC 60825-1:1993 +A1 +A2 / EN60825-1:1994 + A1 +A2 (Class 1 Laser/LED Product), GB4943-2001 **EMC** CISPR 22:2005/EN 55022: 2006 - Class B, EN 61000-3-2: 2000 +A2 EN 6100-3-3: 1995 + A1, EN 55024: 1998+A1 +A2, FCC Title 47 CFR Part 15

Class B/ICES-003, Issue 4, GB9254-1998, GB17625.1-2003

HP SureSupply enabled. To learn more, visit www.hp.com/learn/suresupply

¹¹ Declared per ISO 9296. Values subject to change. See www /go/cljcp6015_firm rare for current information. Configuration tested: base model, simplex printing with letter paper size. ¹³ Values subject to change. See <u>www.hp.co</u> port/clicp6015 for current information. Power numbers are the highest values measured using all standard voltages



Power specifications

Required input voltage







ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft, Windows, and Windows XP are registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. Linux is a U.S. registered trademark of Linus Torvalds. © Copyright 2008-2010 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



⁴ Exact speed varies depending on system configuration, software application, driver, and document complexity.

⁵ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. 6 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laserlet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs.

⁷ The optional HP 3-bin stapler/stacker and HP booklet maker/finisher may only be added to the CP6015dn model after you have added either the optional 500-sheet paper feeder or the optional 3 by 500-sheet paper feeder.

⁸ Requires software from the NOS vendor.

⁹ Average continuous black cartridge yield 16,500 standard pages. Average continuous composite cyan/yellow/magenta cartridge yield 21,000 standard pages. Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. Please visit wv ¹⁰ Image drum capacity approximately 35,000 pages (per drum).