

Modelo	ANSI lúmenes	Ratio de Proyección	Horas lamp. normal/eco	Tecnología	Peso	3D	WI-FI	HDMI	P.V.P Sin IVA
					Contraste	Keystone	LAN RJ-45	USB lectura	
MODELOS XGA (Resolución 1024x768)									
EB-X39 V11H855040	3500	1,48 - 1,77:1	6000/12000	3 LCD	2,7 15000:1	No V y H	Opcional 10/100 BaseT	1 Si	456 €
EB-970 V11H865040	4000	1,38 - 2,24:1	6000/12000	3 LCD	3 15000:1	No V y H	Opcional 10/100 BaseT	2 jpeg, bmp, gif y png	909 €
EB-2042 V11H874040	4400	1,38 - 2,24:1	5500/12000	3 LCD	3 15000:1	No V y H	Opcional 10/100 BaseT	2 jpeg, bmp, gif y png	661 €
EB-108 V11H860040	3700	1,48 - 1,77:1	6000/12000	3 LCD	2,8 15000:1	No V y H	Opcional 10/100 BaseT	2 jpeg, bmp, gif y png	850 €
EB-2065 V11H820040	5500	1,38 - 2,24:1	5000/10000	3 LCD	4,5 15000:1	No V y H	Si 10/100 BaseT	2 jpeg, bmp, gif y png	1.386 €

MODELOS LENTE CORTA E INTERACTIVOS

EB-530 V11H673040	3200 XGA	0,55:1	5000/10000	3 LCD	3,7 16000:1	No V y H	Opcional Si	1 jpeg, bmp, gif y png	1.223 €
EB-680 V11H746040	3500 XGA	0,32-0,43:1	5000/10000	3 LCD	5,7 14000:1	No V y H	Opcional 10/100 BaseT	3 jpeg, bmp, gif y png	1.793 €
EB-535W V11H671040	3400 WXGA	0,48 :1	5000/10000	3 LCD	3,7 16000:1	No V y H	Opcional Si	1 jpeg, bmp, gif y png	1.370 €
EB-536Wi V11H670040	3400 WXGA	0,48:1	5000/10000	3 LCD	3,9 16000:1	No V y H	Opcional Si	1 jpeg, bmp, gif y png	1.823 €
EB-685Wi V11H741040	3500 WXGA	0,28:1	5000/10000	3 LCD	5,9 14000:1	No V y H	Opcional 10/100 BaseT	3 jpeg, bmp, gif y png	2.563 €
EB-695Wi V11H740040	3500 WXGA	0,28:1	5000/10000	3 LCD	5,8 14000:1	No V y H	Opcional 10/100 BaseT	3 jpeg, bmp, gif y png	1.417 €
EB-680Wi V11H742040	3200 WXGA	0,28:1	5000/10000	3 LCD	5,5 14000:1	No V y H	Opcional 10/100 BaseT	3 jpeg, bmp, gif y png	1.477 €
EB-696Ui V11H728040	3800 FULL HD	0,27-0,37:1	5000/10000	3 LCD	8,3 16000:1	No V y H	Opcional 10/100 BaseT	3 jpeg, bmp, gif y png	3.624 €
EB-1480Fi V11H921540	5000 LASER FULL HD	0,27-0,37:1	20000	3 LCD	9,7 2500000:1	No V y H	Si, Miracast HD-BaseT	3 jpeg, bmp, gif y png	4.340 €
EB-1485Fi V11H919040	5000 LASER FULL HD	0,27-0,37:1	20000	3 LCD	9,7 2500000:1	No V y H	Si, Miracast HD-BaseT	3 jpeg, bmp, gif y png	4.881 €
PIZARRA	PIZARRA DE ACERO BLANCO ESPECIAL PROYECCIÓN CON LENTE CORTA, DE 2,014x1,285 m. personalizable con logo de la empresa								501 €

MODELOS LÁSER LENTE CORTA (Resolución 1900x1200)

EB-710Ui V11H877040	4000 FULL HD	0,27-0,37:1	17000/20000	3 LCD	11,2 2500000:1	No V y H	Opcional 10/100 BaseT	3 jpeg, bmp, gif y png	4.570 €
EB-1470Ui V11H876040	4000 FULL HD	0,27-0,37:1	20000	3 LCD	11,4 2500000:1	No V y H	Si, Miracast 10/100 BaseT	2 jpeg, bmp, gif y png	4.950 €

MODELOS WXGA (Resolución 1280x800)

EB-W42 V11H845040	3600	1,30 - 1,56:1	6000/10000	3 LCD	2,5 15000:1	No V y H	Si No	1 jpeg, bmp, gif y png	599 €
EB-980W V11H866040	3800	1,38 - 2,24:1	6000/12000	3 LCD	3,1 15000:1	No V y H	Opcional 10/100 BaseT	2 jpeg, bmp, gif y png	993 €
EB-1780W V11H795040	3000	1,04 - 1,26:1	4000/7000	3 LCD	1,8 10000:1	No V y H	Si No	1 jpeg, bmp, gif y png	953 €
EB-1781W V11H794040	3200	1,04 - 1,26:1	4000/7000	3 LCD	1,8 10000:1	No V y H	Si No	1 jpeg, bmp, gif y png	1.367 €
EB-2142W V11H875040	4200	1,38 - 2,24:1	6000/12000	3 LCD	3,1 15000:1	No V y H	Opcional 10/100 BaseT	2 jpeg, bmp, gif y png	1.173 €
EB-2155W V11H818040	5000	1,38 - 2,24:1	5000/10000	3 LCD	4,5 15000:1	No V y H	Si Si	2 jpeg, bmp, gif y png	1.631 €
EB-2165W V11H817040	5500	1,38 - 2,28:1	5000/10000	3 LCD	4,8 15000:1	No V y H	Si Si	2 jpeg, bmp, gif y png	2.377 €

MODELOS FULL HD (Resolución 1920x1080) Y WUXGA (Resolución 1920x1200)

EB-U42 V11H846040	3600	1,38 - 1,68:1	6000/10000	3 LCD	2,8 15000:1	No V y H	Si No	2 jpeg, bmp, gif y png	660 €
EB-990U V11H867040	3800	1,39 - 2,23:1	6000/12000	3 LCD	3,2 15000:1	No V y H	Opcional 10/100 BaseT	2 jpeg, bmp, gif y png	1.204 €
EB-1795F	3200	1,02 - 1,23:1	4000/7000	3 LCD	1,8	No	Si	1	1.690 €

V11H796040				10000:1	V y H	No	jpeg, bmp, gif y png		
EB-2247U	4200	1,39 - 2,23:1	6000/12000	3 LCD	3,2	No	Si	2	984 €
V11H881040				15000:1	V y H	10/100 BaseT	jpeg, bmp, gif y png		
EB-2250U	5000	1,38 - 2,28:1	5000/10000	3 LCD	4,9	No	Opcional	2	1.041 €
V11H871040				15000:1	V y H	10/100 BaseT	jpeg, bmp, gif y png		
EB-2255U	5000	1,38 - 2,28:1	5000/10000	3 LCD	4,9	No	Si	2	2.410 €
V11H815040				15000:1	V y H	10/100 BaseT	jpeg, bmp, gif y png		
EB-2265U	5500	1,38 - 2,28:1	5000/10000	3 LCD	4,9	No	Si	2	1.564 €
V11H814040				15000:1	V y H	10/100 y HD-BaseT	jpeg, bmp, gif y png		

MODELOS LÁSER

EB-L610U/615U	6000	1,35 - 2,20:1	20000/30000	3 LCD	8,5	No	Opcional	2	3.700 €
V11H901040/1140	WUXGA				2500000:1	V y H	HD-BaseT	Si	
EB-L1050U	5500	SINLENTE	20000/30000	3 LCD	23,7	Opcional	Opcional	1	4.229 €
V11H942940	WUXGA				2500000:1	V y H	HD-BaseT	No	
EB-L1070U/5U	7000	SINLENTE	20000/30000	3 LCD	23,6	Opcional	Opcional	1	5.800 €
V11H940940/840	WUXGA				2500000:1	V y H	HD-BaseT	No	
EB-L1490U/95U	9000	1,57 - 2,56:1	20000/30000	3 LCD	23,7	Opcional	Opcional	1	11.814 €
V11HA16040/140	WUXGA				2500000:1	V y H	HD-BaseT	No	
EB-L1500UH/5UH	12000	1,57 - 2,56:1	20000/30000	3 LCD	23,6	Opcional	Opcional	1	21.286 €
V11H910040/140	WUXGA				2500000:1	V y H	HD-BaseT	No	
EB-L1715S	15000	1,62 - 2,65:1	20000/30000	3 LCD	24,1	Opcional	Opcional	1	15.714 €
V11H890140	SXGA+				2500000:1	V y H	H-DBaseT	No	
EB-L1750/5U	15000	1,57 - 2,56:1	20000/30000	3 LCD	24,1	Opcional	Opcional	1	26.286 €
V11H892040/2140	WUXGA				2500000:1	V y H	HD-BaseT	No	
EB-L2500U	25000	Sin lente	20000/30000	3 LCD	66,6	No	No	1	70.000 €
V11H679840	WUXGA				2500000:1	V y H	HD-BaseT	No	

ACCESORIOS INSTALACIONES

V12H927040	CAJA DE CONEXIONES PARA PROYECTORES, ELPCB03	271 €
V12H467040	ALTAVOCES PARA CAJA DE CONEXIONES DE PROYECTORES, ELP-SP02	151 €
V12H547040	TRANSMISOR HD-BaseT PARA EB-G7xxx Y EB-L1xxx	601 €

MODULOS WIRELESS LAN

V12H731P01	MODULO WIRELESS LAN ELPAP10	133 €
------------	-----------------------------	-------

SOPORTES

V12H706040	SOPORTE DE PARED FRONTAL CORTA DISTANCIA PARA EB-530/535W/536WI	199 €
V12H996B59	SOPORTE STACKING PARA SERIE EB-L1xxx	2.843 €
V12H802010	SOPORTE DE TECHO PARA SERIE EB-Lxxx Y EB-G7xxx, ELPMB47	271 €
V12H803010	SOPORTE DE TECHO PARA SERIE EB-Lxxx Y EB-G7xxx, ELPMB48, CON AJUSTE DE ALTURA	350 €
V12H902040	SOPORTE DE PARED FRONTAL PARA EB-700U	246 €
V12H516040	SOPORTE PARA PROYECCIÓN EN MESA ELPMD29	174 €

LENTES OPCIONALES PARA LA SERIE EB-G7xxx, EB-L1100U, EB-L10xx, EB-L1300U Y EB-L1405U

IMPORTANTE: comprobar el ratio de la lente por posibles cambios por resolución y formato de proyección en:
<http://support.epson-europe.com/TDC/ThrowDistanceCalculatorES/>

	V12H004X01/Y01 ELPLX01/01W	V12H004U03 ELPLU03	V12H004U04 ELPLU04	V12H004W05 ELPLW05	V12H004W08 ELPLW08	V12H004M08 ELPLM08	V12H004M0F ELPLM15	V12H004M0A ELPLM10
P.V.P. Sin IVA	7.714 €	3.214 €	3.214 €	1.471 €	5.321 €	450 €	1.229 €	1.471 €

Zoom	No	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado
Foco	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado
Desplazamiento de lente (V/H)	±17%/±10%	±67%/±30%	±67%/±30%	±67%/±30%	±67%/±30%	±67%/±30%	±67%/±30%	±67%/±30%
RATIO DE PROYECCIÓN	0.35:1	0.65-0.78:1	0.87-1.05:1	1.04-1.46:1	1.18-1.66:1	1.44-2.32:1	2.15-3.49:1	3.32-5.06:1

	V12H004M0B ELPLM11	V12H004L08 ELPLL08
P.V.P. Sin IVA	1.471 €	2.357 €

Zoom	Motorizado	Motorizado
Foco	Motorizado	Motorizado
Desplazamiento de lente (V/H)	±67%/±30%	±67%/±30%
RATIO DE PROYECCIÓN	4.85-7.38:1	7.21-10.11:1

LENTES OPCIONALES PARA LA SERIE EB-L149x, EB-L15xx Y EB-L17xx

IMPORTANTE: comprobar el ratio de la lente por posibles cambios por resolución y formato de proyección en:
<http://support.epson-europe.com/TDC/ThrowDistanceCalculatorES/>

	V12H004X02/Y02 ELPLX02/02W	V12H004U03 ELPLU03	V12H004U04 ELPLU04	V12H004W05 ELPLW05	V12H004W06 ELPLW06	V12H004W08 ELPLW08	V12H004M0F ELPLM15	V12H004M0A ELPLM10
P.V.P. Sin IVA	11.143 €	3.214 €	3.214 €	1.471 €	2.357 €	5.321 €	1.229 €	1.471 €

Zoom	No	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado
-------------	----	------------	------------	------------	------------	------------	------------	------------

Foco	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado
Desplazamiento de lente (V/H)	±45%/±15%	±24%/±10%	±60%/±18%	±24%/±10%	±60%/±18%	±60%/±18%	±60%/±18%	±60%/±18%
RATIO DE PROYECCIÓN	0.35:1	0.48-0.57:1	0.64-0.78:1	0.76-1.07:1	1.19-1.62:1	0.86-1.21:1	1.57-2.56:1	2.43-3.71:1

V12H004M0B ELPLM11	V12H004L08 ELPLL08
-----------------------	-----------------------

P.V.P. Sin IVA	1.471 €	2.357 €
-----------------------	----------------	----------------

Zoom	Motorizado	Motorizado
Foco	Motorizado	Motorizado
Desplazamiento de lente (V/H)	±60%/±18%	±60%/±18%
RATIO DE PROYECCIÓN	3.54-5.41:1	5.28-7.72:1

LENTES OPCIONALES PARA EB-L20000U

IMPORTANTE: comprobar el ratio de la lente por posibles cambios por resolución y formato de proyección en:
<http://support.epson-europe.com/TDC/ThrowDistanceCalculatorES/>

V12H004X02/Y02 ELPLX02/02W	V12H004UA3 ELPLU03S	V12H004U04 ELPLU04	V12H004W08 ELPLW08	V12H004W06 ELPLW06	V12H004M0F ELPLM15	V12H004M0A ELPLM10	V12H004M0B ELPLM11
P.V.P. Sin IVA	11.143 €	3.427 €	3.214 €	5.321 €	2.357 €	1.229 €	1.471 €

Zoom	No	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado
Foco	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado
Desplazamiento de lente (V/H)	±45%/±15%	±24%/±10%	±60%/±18%	±60%/±18%	±60%/±18%	±60%/±18%	±60%/±18%	±60%/±18%
RATIO DE PROYECCIÓN	0.35:1	0.48-0.57:1	0.64-0.78:1	0.86-1.21:1	1.19-1.62:1	1.57-2.56:1	2.43-3.71:1	3.54-5.41:1

V12H004L08 ELPLL08

P.V.P. Sin IVA	2.357 €
-----------------------	----------------

Zoom	Motorizado
Foco	Motorizado
Desplazamiento de lente (V/H)	±60%/±18%
RATIO DE PROYECCIÓN	5.28-7.72:1

LENTES OPCIONALES PARA LA SERIE EB-L25000U

IMPORTANTE: comprobar el ratio de la lente por posibles cambios por resolución y formato de proyección en:
<http://support.epson-europe.com/TDC/ThrowDistanceCalculatorES/>

V12H004R05 ELPLR05	V12H004U05 ELPLU05	V12H004W07 ELPLW07	V12H004M0C ELPLM12	V12H004M0D ELPLM13	V12H004M0E ELPLM14	V12H004L09 ELPLL09	V12H004L0A ELPLL10
P.V.P. Sin IVA	10.143 €	10.143 €	6.714 €	4.929 €	4.929 €	4.929 €	6.143 €

Zoom	No	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado
Foco	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado	Motorizado
Desplazamiento de lente (V/H)	±15%/±5%	±55%/±25%	±65%/±30%	±65%/±30%	±65%/±30%	±65%/±30%	±55%/±25%	±55%/±25%
RATIO DE PROYECCIÓN	0.63:1	0.90-1.09:1	1.29-1.76:1	1.74-2.35:1	2.28-3.46:1	3.41-5.11:1	4.79-7.20:1	6.73-10.45:1

Nota: lo precios que aparecen en este catálogo corresponden a equipos con la garantía estandar del fabricante en cada caso, con servicio tecnico en laboratorio y sin sustitución de máquina

Modelo	ANSI lúmenes	Ratio de Proyección	Horas lamp. normal/eco	Tecnología	Peso Contraste	3D Keystone	WI-FI LAN RJ-45	HDMI USB lectura	P.V.P Sin IVA
--------	--------------	---------------------	------------------------	------------	----------------	-------------	-----------------	------------------	---------------

MODELOS SERIE STANDARD

XJ-V2	3000 XGA	1,54-1,71:1	20000	LASER/LED	3,9 20000:1	Ready V	No No	1 No	649 €
XJ-V10X	3300 XGA	1,66 - 2,42:1	20000	LASER/LED	20000:1	No V	No No	1 No	959 €
XJ-F21XN	3300 XGA	1,66 - 2,42:1	20000	LASER/LED	3,8 20000:1	No V	Opcional Si	2 No	1.149 €
XJ-V100W	3000 WXGA	1,32 - 1,93:1	20000	LASER/LED	20000:1	No V	No No	1 No	796 €
XJ-V110W	3500 WXGA	1,32 - 1,93:1	20000	LASER/LED	20000:1	No V	No No	1 No	927 €
XJ-F101W	3500 WXGA	1,32 - 1,93:1	20000	LASER/LED	3,8 20000:1	No V	No No	2 No	1.030 €
XJ-F211WN	3500 WXGA	1,32 - 1,93:1	20000	LASER/LED	3,8 20000:1	No V	Opcional Si	2 No	1.167 €
XJ-S400W	4000 WXGA	1,38 - 2,31:1	20000	LASER/LED	20000:1	No V y H	No No	2 No	1.736 €
XJ-S400WN	4000 WXGA	1,38 - 2,31:1	20000	LASER/LED	20000:1	No V y H	Opcional Si	2 No	1.979 €
XJ-S400U	4000 WUXGA	1,32 - 2,20:1	20000	LASER/LED	20000:1	No V y H	No No	2 No	2.164 €
XJ-S400UN	4000 WUXGA	1,32 - 2,20:1	20000	LASER/LED	20000:1	No V y H	Opcional Si	2 No	2.400 €

MODELOS SERIE SLIM

XJ-A142	2500 XGA	1,48 - 2,80:1	20000	LASER/LED	2,3 2000:1	Ready V	No No	1 No	1.084 €
XJ-A147	COMO EL XJ-A142, INCLUYENDO MODULO WI-FI.								1.210 €
XJ-A242	2500 WXGA	1,15 - 2,30:1	20000	LASER/LED	2,3 2000:1	Ready V	No No	1 No	1.226 €
XJ-A247	COMO EL XJ-A242, INCLUYENDO MODULO WI-FI.								1.336 €
XJ-A252	3000 WXGA	1,15 - 2,30:1	20000	LASER/LED	2,3 2000:1	Ready V	No No	1 No	1.250 €
XJ-A257	COMO EL XJ-A252, INCLUYENDO MODULO WI-FI.								1.427 €

MODELOS SERIE LENTE ULTRA CORTA

XJ-UT312WN	3100 WXGA	0,28:1	20000	LASER/LED	5,7 20000:1	No H y V	Si Si	1 Si	1.996 €
XJ-UT352W	3500 WXGA	0,28:1	20000	LASER/LED	5,7 20000:1	No H y V	Opcional No	2 No	2.137 €
XJ-UT352WN	3500 WXGA	0,28:1	20000	LASER/LED	5,7 20000:1	No H y V	Si Si	2 Si	2.263 €

MODELOS SERIE PROFESIONAL

XJ-L8300HN	5000 4K	1,38-2,02:1	20000	LASER	19,8 20000:1	No H y V	No HDBaseT	2 Si	8.050 €
------------	---------	-------------	-------	-------	-----------------	-------------	---------------	---------	---------

ACCESORIOS








YW-41	ADAPTADOR INALÁMBRICO CONEXIÓN USB								93 €
YM-81	SOPORTE DE PARED FRONTAL PARA LENTE CORTA								213 €

Nota: lo precios que aparecen es este catálogo corresponden a equipos con la garantía estandar del fabricante en cada caso, con servicio tecnico en laboratorio y sin sustitución de máquina





GAMA	RESOLUCION	MODELO		FICHA TECNICA	PART NUMBER	EAN CODE	CARACTERISTICAS	PVP SIN IVA
ST XGA 3000ANSI	XGA	MX808ST		http://benq.eu/product/projector/MX808ST/specifications	9H.JGP77.13E	4718755069215	DLP; XGA; Short-throw(81"@1m); Brightness: 3000 AL; 2.6kg; High contrast ratio 12,000:1; Noise level: 29db (Eco mode); 15,000 hrs lamp life (LampSave Mode); SmartEco; Computer in x 2; Monitor out; USB A x 1 (USB power 5V/1.5A); HDMI 1.4a; 3D via HDMI; Brilliant color, Optional interactive kit(PW02/PT12)	498,57 €
ST WXGA 3000ANSI	WXGA	MW809ST		http://www.benq.eu/product/projector/MW809ST/specifications	9H.JGN77.14E	4718755069208	DLP; WXGA; Short-throw(87"@0.91m); Brightness: 3000 AL; 2.8kg; High contrast ratio 12,000:1; Noise level: 29db (Eco mode); 15,000 hrs lamp life (LampSave Mode); SmartEco; 10W Speaker; Computer in x 2; Monitor out; USB A x 1 (USB power 5V/1.5A); Audio in x 2; Audio out; HDMI 1.4a; 3D via HDMI; Brilliant color, Optional interactive kit(PW02/PT12)	584,29 €
ST XGA 3300ANSI	XGA	MX825ST		http://www.benq.eu/product/projector/MX825ST/specifications	9H.JGF77.13E	4718755068911	DLP; XGA; Short-throw(81"@1m); Brightness: 3300 AL; 2.6kg; High contrast ratio 12,000:1; Networking control (LAN RJ45); Noise level: 29db (Eco mode); 15,000 hrs lamp life (LampSave Mode); SmartEco; 10W Speaker; Computer in x 2; Monitor out; USB A x 1 (USB power 5V/1.5A); Audio in x 2; Audio L/R in x 1; Audio out; HDMI x 2 (1 share with MHL); Composite x 1; S-Video x 1; 3D via HDMI; Brilliant color, Optional interactive kit(PW02/PT12)	541,43 €
ST WXGA 3400ANSI	WXGA	MW826ST		http://www.benq.eu/product/projector/MW826ST/specifications	9H.JGE77.13E	4718755068904	DLP; WXGA; Short-throw(87"@0.91m); Brightness: 3400 AL; 2.6kg; High contrast ratio 12,000:1; Networking control (LAN RJ45); Noise level: 29db (Eco mode); 15,000 hrs lamp life (LampSave Mode); SmartEco; 10W Speaker; Computer in x 2; Monitor out; USB A x 1 (USB power 5V/1.5A); Audio in x 2; Audio L/R in x 1; Audio out; HDMI x 2 (1 share with MHL); Composite x 1; S-Video x 1; 3D via HDMI; Brilliant color, Optional interactive kit(PW02/PT12)	627,14 €
UST XGA 3000ANSI	XGA	MX842UST		http://www.benq.eu/product/projector/mx842ust	9H.JCA77.13E	4718755053160	DLP; XGA; Ultra Short-throw(Mirror-type); Throw Ratio: 0.47; Brightness: 3000 AL; High contrast ratio 10000:1; HDMI 1.4a, Networking control (RJ45); Noise level: 30db(Eco mode); 7000 hrs lamp life (Smart Eco Mode);SmartEco; Computer in x 2; Monitor out; Audio out; 10W speaker x 2; 6.2 kg; Wall mount included	841,43 €
UST WXGA 3000ANSI	WXGA	MW843UST		http://www.benq.eu/product/projector/mw843ust	9H.JCC77.14E	4718755053177	DLP; WXGA; Ultra Short-throw(Mirror-type); Throw Ratio: 0.37; Brightness: 3000 AL; High contrast ratio 10000:1; HDMI 1.4a, Networking control (RJ45); Noise level: 30db(Eco mode); 7000 hrs lamp life (Smart Eco Mode);SmartEco; Computer in x 2; Monitor out; Audio out; 10W speaker x2; 6.2 kg; Wall mount included	898,57 €
UST WXGA 3500ANSI	WXGA	MW855UST+		http://www.benq.eu/product/projector/mw855ust	9H.JKS77.24E	4718755077456	DLP; WXGA; Ultra Short-throw(Mirror-type); Throw Ratio: 0.35; Brightness: 3500 AL; High contrast ratio 10000:1; Vertical lens shift; HDMI 2.0 x2 , Networking control (RJ45); Noise level: 29db(Eco mode); 12,000 hrs lamp life (LampSave Mode);SmartEco; Computer in x 1 ; Monitor out; Audio out; 10W speaker x2; USB power supply; 5 kg; Wall mount included, Optional interactive kit(PW30U & PT20); FW Upgrade via LAN; Network standby<2W	984,29 €
UST FULL HD 3500ANSI	FULL HD	MH856UST+		http://benq.eu/product/projector/mw853ust%2B/specifications	9H.JKT77.24E	4718755077463	DLP; 1080p; Ultra Short-throw(Mirror-type); Throw Ratio: 0.33; Brightness: 3500 AL; High contrast ratio 10000:1; HDMI 2.0 x2 , Networking control (RJ45); Noise level: 29db (Eco mode); 12,000 hrs lamp life (LampSave Mode); SmartEco; Computer in x 1 ; Monitor out; Audio out; 10W speaker x2; USB power supply; 5 kg; Wall mount included, Optional interactive kit (PW30U & PT20) ; FW Upgrade via LAN; Network standby<2W	1.255,71 €
UST XGA 3300ANSI	XGA	MX863UST		http://www.benq.eu/product/projector/mx863ust	9H.JGA77.15E	4718755068607	DLP; XGA; Ultra Short-throw(interior reflection); Throw Ratio: 0.3; Brightness: 3300 AL; High contrast ratio 10000:1; HDMI 1.4a x2(1 with MHL), Networking control (RJ45); Noise level: 29db(Eco mode); 6000 hrs lamp life (Smart Eco Mode); Computer in x 2; Monitor out; Audio out; 10W speaker x2; USB power supply; Wall mount included, FW upgrade by LAN, HDMI signal power on; Optonal interactive kit PW20U/PT12	1.092,86 €
UST WXGA 3300ANSI	WXGA	MW864UST		http://www.benq.eu/product/projector/mw864ust	9H.JGC77.15E	4718755068676	DLP; WXGA; Ultra Short-throw(interior reflection); Throw Ratio: 0.24; Brightness: 3300 AL; High contrast ratio 10000:1; HDMI 1.4a x2(1 with MHL), Networking control (RJ45); Noise level: 29db(Eco mode); 6000 hrs lamp life (Smart Eco Mode); Computer in x 2; Monitor out; Audio out; 10W speaker x2; USB power supply; Wall mount included, FW upgrade by LAN, HDMI signal power on; Optonal interactive kit PW20U/PT12	1.135,71 €
ST XGA 3600ANSI	XGA LASER	LX820ST		https://business-display.benq.com/en/findproduct/projector/interactive-classroom-projectors/lx820st.html	9H.JJ77.33E	4718755074844	DLP; XGA; Short-throw; Throw Ratio: 0.65; Brightness 3600AL; Super high contrast 100,000:1; Laser light source; 20,000 hrs life; Noise level: 29 dB (Eco mode); HDMI x 1; LAN control	1.427,14 €
ST LASER WXGA 3600ANSI	WXGA	LW820ST		https://business-display.benq.com/en/findproduct/projector/interactive-classroom-projectors/lw820st/spec.html	9H.JJK77.33E	4718755074851	DLP; WXGA; Short-throw; Throw Ratio: 0.52; Brightness 3600AL; Super high contrast 100,000:1; Laser light source; 20,000 hrs life; Noise level: 29 dB (Eco mode); HDMI x 1; LAN control	1.709,51 €
UST LASER WXGA 4000ANSI	WXGA	LW890UST		https://business-display.benq.com/en/findproduct/projector/interactive-classroom-projectors/lw890ust/spec.html	9H.JJC77.34E	4718755073212	DLP; WXGA; Ultra Short-throw; Throw Ratio: 0.24; Brightness 4000AL; Super high contrast 100,000:1; Laser light source; 20,000 hrs life; Noise level: 32 dB (Eco mode); HDMI x 2; LAN control	2.234,75 €
UST LASER FULL HD 4000ANSI	FULL HD	LH890UST		https://business-display.benq.com/en/findproduct/projector/interactive-classroom-projectors/lh890ust/spec.html	9H.JJD77.34E	4718755073267	DLP; 1080P; Ultra Short-throw; Throw Ratio: 0.23; Brightness 4000AL; Super high contrast 100,000:1; Laser light source; 20,000 hrs life; Noise level: 32 dB (Eco mode); HDMI x 2; LAN control	2.521,93 €

GAMA	RESOLUCION	FUENTE	MODELO	IMAGEN	FICHA TECNICA	PART NUMBER	EAN CODE	CARACTERISTICAS	PVP SIN IVA
OPTICA BIA	WUXGA	Lámpara de Mercurio	MU706		http://benq.eu/product/projector/mu706/specifications	9HJG377.13E	471875506795	DLP; WUXGA; Brightness: 4000 AL; High contrast ratio 12000:1; 1.3X zoom; Short throw (1.15 - 1.5); 3.3 kg; Noise 28db (eco); Speaker 2W x1; HDMI x2 (1 w/MHL); 3D via HDMI; auto vertical & H/V keystone; Corner fit; Hidden compartment for Qcact(Optional)	1.043,86 €
OPTICA BIA	XGA	Lámpara de Mercurio	SX751		http://benq.eu/product/projector/sx751/specifications	9HJGG77.24E	471875506903	DLP; XGA; Brightness 4300 AL; Contrast Ratio 13,000:1; 1.5X Optical Zoom; throw-ratio: 1.83 ~ 2.75; 2D Keystone (±30 degree); 3.3kg; Lamp life: 4500 hrs (SmartEco mode); Noise level 31db (eco mode); Networking control (RI45); Computer in x1; HDMI x2; MHL x1(share with HDMI); USB A (USB Power SV1.5A); DC 12V trigger (3.5mm Jack) x 1; 3D via HDMI; Audio in x 1; Audio out x 1; Audio I/R x 1; Microphone input x1; Monitor out; Corner fit; 10Wx1 speaker, SmartEco	831,55 €
OPTICA BIA	WXGA	Lámpara de Mercurio	SW752+		http://benq.eu/product/projector/sw752plus/specifications	9HJGH77.25E	4718755078224	DLP; WXGA; Brightness 5000 AL; Contrast Ratio 13,000:1; 1.5X Optical Zoom; throw-ratio: 1.46 ~ 2.2; 2D Keystone (±30 degree); 3.3kg; Lamp life: 4500 hrs (SmartEco mode); Noise level 31db (eco mode); Networking control (RI45); Computer in x1; HDMI x2; MHL x1(share with HDMI); USB A (USB Power SV1.5A); DC 12V trigger (3.5mm Jack) x 1; 3D via HDMI; Audio in x 1; Audio out x 1; Audio I/R x 1; Microphone input x1; Monitor out; Corner fit; 10Wx1 speaker, SmartEco	1.239,85 €
OPTICA BIA	FULL HD	Lámpara de Mercurio	SH753+		http://benq.eu/product/projector/sh753plus/specifications	9HJGG77.25E	4718755078217	DLP; 1080P; Brightness 5000 AL; Contrast Ratio 13,000:1; 1.5X Optical Zoom; throw-ratio: 1.39 ~ 2.09; 2D Keystone (±30 degree); 3.3kg; Lamp life: 4500 hrs (SmartEco mode); Noise level 31db (eco mode); Networking control (RI45); Computer in x1; HDMI x2; MHL x1(share with HDMI); USB A (USB Power SV1.5A); DC 12V trigger (3.5mm Jack) x 1; 3D via HDMI; Audio in x 1; Audio out x 1; Audio I/R x 1; Microphone input x1; Monitor out; Corner fit; 10Wx1 speaker, SmartEco	1.321,51 €
OPTICA BIA	WUXGA	Lámpara de Mercurio	SU754+		http://benq.eu/product/projector/su754plus/specifications	9HJGK77.25E	4718755078200	DLP; WUXGA; Brightness 5000 AL; Contrast Ratio 13,000:1; 1.5X Optical Zoom; throw-ratio: 1.39 ~ 2.09; 2D Keystone (±30 degree); 3.3kg; Lamp life: 4500 hrs (SmartEco mode); Noise level 31db (eco mode); Networking control (RI45); Computer in x1; HDMI x2; MHL x1(share with HDMI); USB A (USB Power SV1.5A); DC 12V trigger (3.5mm Jack) x 1; 3D via HDMI; Audio in x 1; Audio out x 1; Audio I/R x 1; Microphone input x1; Monitor out; Corner fit; 10Wx1 speaker, SmartEco	1.506,69 €
OPTICA BIA	WUXGA	Lámpara de Mercurio	SU765		https://business-display.benq.com/en/findproduct/projector/installation-projectors/su765.html	9HJKF77.24E	4718755076398	DLP; WUXGA; Brightness 5500 AL; Contrast Ratio 10,000:1; 1.5X Optical Zoom; throw-ratio: 1.39 ~ 2.09; 2D Keystone (±30 degree); 3.7kg; Lamp life: 6000 hrs (SmartEco mode); Noise level 36db (eco mode); Networking control (RI45); Computer in x1; HDMI x2 (HDCP2.2); USB A (USB Power SV1.5A); DC 12V trigger (3.5mm Jack) x 1; 3D via HDMI; Audio in x 1; Audio out x 1; Audio I/R x 1; Monitor out; Corner fit; 5Wx1 speaker, SmartEco	1.828,73 €
OPTICA BIA	FULL HD	Lámpara de Mercurio	MH760		http://benq.eu/product/projector/mh760/specifications	9HJH277.14E	4718755070259	DLP; 1080P; Brightness 5000 AL; Contrast Ratio 3000:1; Vertical lens shift; 4.9kg; Noise level 33db (eco mode); 1.3X zoom (1.15-1.5); Networking control (RI45); Computer in x1; HDMI 1.4a x2; MHL x1(share with HDMI); 3D via HDMI; Audio I/R; Microphone input x1; Monitor out; H/V keystone; Corner fit; 10Wx2 speaker, SmartEco	1.182,57 €
OPTICA BIA	XGA	Lámpara de Mercurio	SX920+		https://business-display.benq.com/en/findproduct/projector/installation-projectors/sx920plus/spec.html	9HJD77.16E	4718755075667	DLP; XGA; Brightness 5200 AL; Contrast Ratio 3000:1; Vertical lens shift; 4.9kg; Noise level 33db (eco mode); 1.6X zoom (1.41~2.25); Networking control (RI45); Computer in x1; HDMI 1.4a x2; MHL x1(share with HDMI); 3D via HDMI; Audio I/R; Microphone input x1; Monitor out; H/V keystone; Corner fit; 10Wx2 speaker, SmartEco	1.304,09 €
OPTICA BIA	WXGA	Lámpara de Mercurio	SW921+		https://business-display.benq.com/en/findproduct/projector/installation-projectors/sw921plus/spec.html	9HJD77.16E	4718755075674	DLP; WXGA; Brightness 5200 AL; Contrast Ratio 3000:1; Vertical lens shift; 4.9kg; Noise level 33db (eco mode); 1.6X zoom (1.15~1.8); Networking control (RI45); Computer in x1; HDMI 1.4a x2; MHL x1(share with HDMI); 3D via HDMI; Audio I/R; Microphone input x1; Monitor out; H/V keystone; Corner fit; 10Wx2 speaker, SmartEco	1.260,15 €
OPTICA BIA	WUXGA	Lámpara de Mercurio	SU922+		https://business-display.benq.com/en/findproduct/projector/installation-projectors/su922plus/spec.html	9HJDS77.16E	4718755075681	DLP; WUXGA; Brightness 5200 AL; Contrast Ratio 3000:1; Vertical lens shift; 4.9kg; Noise level 33db (eco mode); 1.6X zoom (1.07-1.71); Networking control (RI45); Computer in x1; HDMI 1.4a x2; MHL x1(share with HDMI); 3D via HDMI; Audio I/R; Microphone input x1; Monitor out; H/V keystone; Corner fit; 10Wx2 speaker, SmartEco	1.511,12 €
OPTICA BIA	WUXGA	Lámpara de Mercurio	SU931		http://www.benq.eu/product/projector/su931/specifications	9HJH77.15E	4718755060588	DLP; WUXGA; Brightness 6,000 AL; Contrast Ratio 3000:1; 6.7 kg; Vertical lens shift; Noise level 36db (eco mode); 1.6X zoom (1.07 ~ 1.71); Networking control (RI45); Computer in x1; HDMI 1.4a x2(1 w/MHL); 3D via HDMI; Audio I/R; Monitor out; Speakers 10W x 2; SRS	2.871,48 €
OPTICA BIA	WXGA	Lámpara Láser	LW720		https://business-display.benq.com/en/findproduct/projector/installation-projectors/lw720/spec.html	9HJG77.33E	471875504776	DLP; WXGA; Brightness 4000AL; High contrast 100,000:1; Laser light source; Throw ratio: 1.45 ~ 2.24; 20,000 hrs life; Noise level: 29 db (Eco mode); Vertical lens shift (V:±12.5%); HDMI x 2; LAN control; DC 12V Trigger; Hidden dongle compartment; IPSX DustGuard; Infographic Picture Mode; Easy Firmware Updater via LAN; Optimum Brightness by Constant Brightness and LumExpert	1.912,29 €
OPTICA BIA	FULL HD	Lámpara Láser	LH720		https://business-display.benq.com/en/findproduct/projector/installation-projectors/lh720/spec.html	9HJH77.33E	4718755047990	DLP; 1080p; Brightness 4000AL; High contrast 100,000:1; Laser light source; Throw ratio: 1.38 ~ 2.13; 20,000 hrs life; Noise level: 29 db (Eco mode); Vertical lens shift (V:±14%); HDMI x 2; LAN control; DC 12V Trigger; Hidden dongle compartment; IPSX DustGuard; Infographic Picture Mode; Easy Firmware Updater via LAN; Optimum Brightness by Constant Brightness and LumExpert	2.198,09 €
OPTICA BIA	FULL HD	Lámpara Láser	LH770		https://business-display.benq.com/en/findproduct/projector/installation-projectors/lh770/spec.html	9HJA77.44E	4718755074608	DLP; 1080p; Brightness 5000AL; Super high contrast 20,000:1; Laser light source; Throw ratio: 1.38 ~ 2.13; 20,000 hrs life; Noise level: 32 db (Eco mode); H/V lens shift (V: ±27.9%; H:±4.8%); HDMI x 2; LAN control; DC 12V Trigger; Hidden dongle compartment; Corner fit; 360 degree projection	2.367,49 €
OPTICA BIA	WUXGA	Lámpara Láser	LU950		https://business-display.benq.com/en/findproduct/projector/installation-projectors/lu950/spec.html	9HJ677.17E	4718755074325	DLP; WUXGA UHD; Brightness 5000AL; Super high contrast 100,000:1; Laser light source; 20,000 hrs life; Noise level: 35 db (Eco mode); H/V lens shift (V: ±60%; H:±23%); HDMI x 3; HD-baseT; LAN control; DC 12V Trigger; Wired remote	2.817,50 €
OPTICA BIA	WUXGA	Lámpara Láser	LU785		https://business-display.benq.com/en/findproduct/projector/installation-projectors/lu785.html	9HJ677.26E	471 8755 07813 2	DLP; WUXGA; Brightness 6000AL; High contrast 20,000:1; Laser light source; Throw ratio: 1.15 ~ 1.9; 20,000 hrs life; Noise level: 34 db (Eco mode); H/V lens shift (V: ±6%; H:±2.5%); HDMI x 2; LAN control; Corner fit; 360 degree projection	3.484,73 €
OPTICA BIA	WUXGA	Lámpara Láser	LU951		https://business-display.benq.com/en/findproduct/projector/installation-projectors/lu951/spec.html	9HJ677.18E	4718755076961	DLP; WUXGA UHD; Brightness 5200AL; Black chassis; Super high contrast 100,000:1; Laser light source; 20,000 hrs life; Noise level: 35 db (Eco mode); H/V lens shift (V: ±60%; H:±23%); HDMI x 3; HD-baseT; LAN control; DC 12V Trigger; Wired remote	2.818,54 €
OPTICA BIA	WUXGA	Lámpara Láser	LU951ST		https://business-display.benq.com/en/findproduct/projector/installation-projectors/lu951st/spec.html	9HJJ77.16E	4718755074523	DLP; WUXGA UHD; Brightness 5000AL; Super high contrast 100,000:1; Short-throw (0.81 ~ 0.88); Zoom ratio: 1.1X; Laser light source; 20,000 hrs life; Noise level: 35 db (Eco mode); H/V lens shift (V: ±60%; H:±23%); HDMI x 3; HD-baseT; LAN control; DC 12V Trigger; Wired remote	5.422,05 €
OPTICA BIA	4K	Lámpara Láser	LK952		https://business-display.benq.com/en/findproduct/projector/installation-projectors/lk952.html	9HJJ77.16E	4718755067471	DLP; 4K UHD UHD; Brightness 5000AL; Super high contrast 100,000:1; Laser light source; 20,000 hrs life; Noise level: 38 db (Eco mode); H/V lens shift (V: ±60%; H:±23%); HDMI x 3; HDMI-Out x 1; HD-baseT; LAN control; DC 12V Trigger; Wired remote	4.493,66 €
OPTICA BIA	4K	Lámpara Láser	LK953ST		https://business-display.benq.com/en/findproduct/projector/installation-projectors/lk953st.html	9HJJ77.16E	4718755075360	DLP; 4K UHD UHD; Brightness 5000AL; Super high contrast 100,000:1; Short-throw (0.81 ~ 0.88); Zoom ratio: 1.1X; Laser light source; 20,000 hrs life; Noise level: 38 db (Eco mode); H/V lens shift (V: ±60%; H:±23%); HDMI x 3; HDMI-Out x 1; HD-baseT; LAN control; DC 12V Trigger; Wired remote	6.009,70 €
OPTICA BIA	4K	Lámpara Láser	LK970		http://www.benq.eu/product/projector/lk970/specifications/	9HJH77.15E	4718755070396	DLP; 4K; Brightness 5000 AL; Laser light source; Contrast ratio: 100,000:1; H/V Lens shift; 20,000 hrs laser life (normal mode); HDBaseT; LAN control; DVI-D; HDMI; 5BNC; 2D keystone	7.054,39 €
OPTICA BIA	4K	Lámpara Láser	LK990		http://www.benq.eu/product/projector/lk990/specifications/	9HJK77.15E	4718755076268	DLP; 4K UHD; Brightness 6000AL; Super high contrast 100,000:1; Laser light source; 20,000 hrs life; Noise level: 34 db (Eco mode); H/V lens shift (V: ±60%; H:±25%); HDMI x 3 (HDMI 1.4); HDCP2.2; HDMI-out x 1; HD-baseT; LAN control; DC 12V Trigger; Wired remote; Audio-out	8.998,14 €

GAMA	RESOLUCION	FUENTE	MODELO	IMAGEN	FICHA TECNICA	PART NUMBER	EAN CODE	CARACTERISTICAS	PVP SIN IVA
OPTICA MANUAL	XGA	Lámpara de Mercurio	PX9210		http://benq.eu/product/projector/px9210/specifications	9HJDH77.26E	4718755057410	DLP; XGA; Brightness 6000 AL; 5 optional lenses(group2); 8.6kg; Contrast ratio: 4000:1; H/V Lens shift(manual); 2000 hrs lamp life (eco mode); Networking Control (RI45); DVI-D; HDMI; DisplayPort; Brilliant color; 360 degree projection	2.112,60 €
OPTICA MANUAL	XGA	Lámpara de Mercurio	PX9230		http://benq.eu/product/projector/px9230/specifications	9HJHC77.25E	4718755070907	DLP; XGA; Brightness 6000 AL; 5 optional lenses(group2); 8.6kg; Contrast ratio: 6000:1; H/V Lens shift(manual); 4000 hrs lamp life (eco mode); Networking Control (RI45); DVI-D; HDMI; DisplayPort; Brilliant color; 360 degree projection	2.333,10 €
OPTICA MANUAL	WUXGA	Lámpara de Mercurio	PU9220+		http://benq.eu/product/projector/pu9220plus/specifications	9HJD77.25E	4718755057410	DLP; WUXGA; Brightness 5000 AL; 5 optional lenses(group2); 8.6kg; Contrast ratio: 4000:1; H/V Lens shift(manual); 2000 hrs lamp life (eco mode); Networking Control (RI45); DVI-D; HDMI; DisplayPort; Brilliant color; 360 degree projection	3.043,03 €

OPTICA MANUAL	WUXGA	Lámpara Láser	LU9245		http://businessdisplay.benq.com/es/findeproduct/proyector/large-venue-projectors/lu9245.html	BHJK77.26E	471875507852	DLP; WUXGA; Brightness 6500 AL; Laser light source; 7 optional lenses, Contrast ratio: 100,000:1; H/V Lens shift; 20,000 hrs laser life (normal mode), HDBaseT; LAN control; DVI-D; HDMI; 5BNC; 360 degree projection; 2D keystone; 4K compatibility	7.196,71 €
OPTICA MANUAL	WUXGA	Lámpara Láser	LU9235		http://www.benq.eu/product/projector/lu9235/specifications/	BHJER77.26E	4718755061400	DLP; WUXGA; Brightness 6000 AL; Laser light source; 5 optional lenses, Contrast ratio: 100,000:1; H/V Lens shift; 20,000 hrs laser life (normal mode), HDBaseT; LAN control; DVI-D; HDMI; 5BNC; 360 degree projection; 2D keystone	7.196,71 €
GAMA	RESOLUCION	FUENTE	MODELO	IMAGEN	FICHA TECNICA	PART NUMBER	EAN CODE	CARACTERISTICAS	PVP SIN IVA
OPTICA MOTORIZADA	XGA	Lámpara de Mercurio	PX9510		http://benq.eu/product/projector/pjx9510/specifications	BHJDK77.26E	4718755057489	DLP; XGA; Brightness 6500 AL; 7 optional lenses, Dual Lamp; 16.5kg; Contrast ratio: 2800:1; H/V Lens shift; 3500 hrs lamp life (eco mode), Networking Control (RJ45); DVI-D; HDMI; HDBaseT; Brilliant color; 360 degree projection	3.733,11 €
OPTICA MOTORIZADA	WXGA	Lámpara de Mercurio	PW9520		http://benq.eu/product/projector/pw9520/specifications	BHJDF77.26E	4718755057250	DLP; WXGA; Brightness 6000 AL; 7 optional lenses, Dual Lamp; 16.5kg; Contrast ratio: 2800:1; H/V Lens shift; 3500 hrs lamp life (eco mode), Networking Control (RJ45); DVI-D; HDMI; HDBaseT; Brilliant color; 360 degree projection	3.733,11 €
OPTICA MOTORIZADA	WXGA	Lámpara de Mercurio	PW9620		http://benq.eu/product/projector/pw9620/specifications	BHJCB77.26E	4718755052972	DLP; WXGA; Brightness 6700 AL; 7 optional lenses, Dual Lamp; 21kg; Contrast ratio: 2800:1; H/V Lens shift; 2500 hrs lamp life (eco mode), Networking Control (RJ45); DVI-D; HDMI; HDBaseT; Brilliant color; 360 degree projection	4.895,45 €
OPTICA MOTORIZADA	WUXGA	Lámpara Láser	LU9715		http://www.benq.eu/product/projector/lu9715/specifications/	BHJEV77.26E	4718755061462	DLP; WUXGA; Brightness 8000 AL; Laser light source; 8 optional lenses, Contrast ratio: 100,000:1; H/V Lens shift; 20,000 hrs laser life (normal mode), HDBaseT; DVI-D; HDMI; 3G SDI; 5BNC; 360 degree projection; 2D keystone; Corner fit; Surface fit	12.151,54 €
OPTICA MOTORIZADA	WUXGA	Lámpara Láser	LU9915		http://www.benq.eu/product/projector/lu9915/specifications/	BHJMG77.26E	4718755072079	DLP; WUXGA; Brightness 10000 AL; Laser light source; 8 optional lenses, Contrast ratio: 100,000:1; H/V Lens shift; 20,000 hrs laser life (normal mode), HDBaseT; DVI-D; HDMI; 3G SDI; 5BNC; 360 degree projection; 2D keystone; Corner fit; Surface fit	14.513,21 €

Accesorios

MARCA	MODELO	IMAGEN	CARACTERISTICAS	PVP SIN IVA
AVER	PTC310H		Cámara PTZ 4H USB con realización automática	2.375,00 €
EIKON			Pantalla eléctrica 300x187	445,00 €
MONOLYTH	PCRACK618		Rack metálico 19" 18U de alturas con puerta de cristal	485,00 €
IMASOTO	OF20210412		Mesa tecnológica de puesto de docente con mecanismos	865,00 €
NETGEAR	G5116v2		Switch Ethernet gigabit 16 bocas	145,00 €
I-TEC	C31DUALDPOCKPD65W		Dockingstation con fuente de alimentación, puertos HDMI y USB cable de 1 metro	135,00 €

Nota: lo precios que aparecen es este catálogo corresponden a equipos con la garantía estandar del fabricante en cada caso, con servicio tecnico en laboratorio y sin sustitución de máquina