
Neon USB 3.0 - Yellow



INTRODUCTION

Integral Neon USB 3.0 Flash Drive combines a great-value price with a SuperSpeed data transfer rate, that is many times faster than an equivalent USB 2.0 drive.

FEATURES

- Latest USB 3.0 SuperSpeed specification transfer your digital content such as HD video, photos, games and large documents faster than ever before
- Fully compatible with USB 2.0 (USB 2.0 transfer speed)
- Up to 110MB/s* Read / 5MB/s* Write (8GB)
- Up to 110MB/s* Read / 10MB/s* Write (16GB)
- Up to 110MB/s* Read / 20MB/s* Write (32GB)
- Up to 110MB/s* Read / 20MB/s* Write (64GB)
- Up to 120MB/s* Read / 20MB/s* Write (128GB)

PRODUCT TYPE

USB Flash Drive

INTERFACE TYPE

SuperSpeed USB 3.0

INTERFACE CONNECTIVITY

1x SuperSpeed USB - 9 Pin USB Type A

COMPATIBILITY

Windows XP, Vista, 7, 8.1 and 10 Mac OS v10.0 or Later. Linux v2.4.0 and above.

ENVIRONMENTAL PARAMETERS

Min Operating Temperature 0°c Max Operating Temperature 70°c

COMPLIANT STANDARD

Plug and Play

	LENGTH	WIDTH	DEPTH	WEIGHT
PRODUCT	57mm	19mm	8mm	9g
PACKED	170mm	105mm	13mm	25g

CAPACITY	PART CODE	BARCODE (EAN)
8GB	INFD8GBNEONYL3.0	5055288427983
16GB	INFD16GBNEONYL3.0	5055288428003
32GB	INFD32GBNEONYL3.0	5055288428027
64GB	INFD64GBNEONYL3.0	5055288428041
128GB	INFD128GBNEONYL3.0	5055288432925


This device should not be used as your sole backup.

Product design and specification subject to change or modification without notice. E&OE. All trademarks acknowledged.

2 year warranty

^{*}Based on internal testing, performance may vary based on system configuration.

Neon USB 3.0 - Pink



INTRODUCTION

Integral Neon USB 3.0 Flash Drive combines a great-value price with a SuperSpeed data transfer rate, that is many times faster than an equivalent USB 2.0 drive.

FEATURES

- Latest USB 3.0 SuperSpeed specification transfer your digital content such as HD video, photos, games and large documents faster than ever before
- Fully compatible with USB 2.0 (USB 2.0 transfer speed)
- Up to 110MB/s* Read / 5MB/s* Write (8GB)
- Up to 110MB/s* Read / 10MB/s* Write (16GB)
- Up to 110MB/s* Read / 20MB/s* Write (32GB)
- Up to 110MB/s* Read / 20MB/s* Write (64GB)
- Up to 120MB/s* Read / 20MB/s* Write (128GB)

PRODUCT TYPE

USB Flash Drive

INTERFACE TYPE

SuperSpeed USB 3.0

INTERFACE CONNECTIVITY

1x SuperSpeed USB - 9 Pin USB Type A

COMPATIBILITY

Windows XP, Vista, 7, 8.1 and 10 Mac OS v10.0 or Later. Linux v2.4.0 and above.

ENVIRONMENTAL PARAMETERS

Min Operating Temperature 0°c Max Operating Temperature 70°c

COMPLIANT STANDARD

Plug and Play

	LENGTH	WIDTH	DEPTH	WEIGHT
PRODUCT	57mm	19mm	8mm	9g
PACKED	170mm	105mm	13mm	25g

CAPACITY	PART CODE	BARCODE (EAN)
8GB	INFD8GBNEONPK3.0	5055288427976
16GB	INFD16GBNEONPK3.0	5055288427990
32GB	INFD32GBNEONPK3.0	5055288428010
64GB	INFD64GBNEONPK3.0	5055288428034
128GB	INFD128GBNEONPK3.0	5055288432932


This device should not be used as your sole backup.

Product design and specification subject to change or modification without notice. E&OE. All trademarks acknowledged.

2 year warranty

^{*}Based on internal testing, performance may vary based on system configuration.

Neon USB 3.0 - Orange



INTRODUCTION

Integral Neon USB 3.0 Flash Drive combines a great-value price with a SuperSpeed data transfer rate, that is many times faster than an equivalent USB 2.0 drive.

FEATURES

- Latest USB 3.0 SuperSpeed specification transfer your digital content such as HD video, photos, games and large documents faster than ever before
- Fully compatible with USB 2.0 (USB 2.0 transfer speed)
- Up to 110MB/s* Read / 5MB/s* Write (8GB)
- Up to 110MB/s* Read / 10MB/s* Write (16GB)
- Up to 110MB/s* Read / 20MB/s* Write (32GB)
- Up to 110MB/s* Read / 20MB/s* Write (64GB)
- Up to 120MB/s* Read / 20MB/s* Write (128GB)

PRODUCT TYPE

USB Flash Drive

INTERFACE TYPE

SuperSpeed USB 3.0

INTERFACE CONNECTIVITY

1x SuperSpeed USB - 9 Pin USB Type A

COMPATIBILITY

Windows XP, Vista, 7, 8.1 and 10 Mac OS v10.0 or Later. Linux v2.4.0 and above.

ENVIRONMENTAL PARAMETERS

Min Operating Temperature 0°c Max Operating Temperature 70°c

COMPLIANT STANDARD

Plug and Play

	LENGTH	WIDTH	DEPTH	WEIGHT
PRODUCT	57mm	19mm	8mm	9g
PACKED	170mm	105mm	13mm	25g

CAPACITY	PART CODE	BARCODE (EAN)
8GB	INFD8GBNEONOR3.0	5055288418813
16GB	INFD16GBNEONOR3.0	5055288418837
32GB	INFD32GBNEONOR3.0	5055288418851
64GB	INFD64GBNEONOR3.0	5055288418899
128GB	INFD128GBNEONOR3.0	5055288432956


This device should not be used as your sole backup.

Product design and specification subject to change or modification without notice. E&OE. All trademarks acknowledged.

2 year warranty

^{*}Based on internal testing, performance may vary based on system configuration.

Neon USB 3.0 - Blue



INTRODUCTION

Integral Neon USB 3.0 Flash Drive combines a great-value price with a SuperSpeed data transfer rate, that is many times faster than an equivalent USB 2.0 drive.

FEATURES

- Latest USB 3.0 SuperSpeed specification transfer your digital content such as HD video, photos, games and large documents faster than ever before
- Fully compatible with USB 2.0 (USB 2.0 transfer speed)
- Up to 110MB/s* Read / 5MB/s* Write (8GB)
- Up to 110MB/s* Read / 10MB/s* Write (16GB)
- Up to 110MB/s* Read / 20MB/s* Write (32GB)
- Up to 110MB/s* Read / 20MB/s* Write (64GB)
- Up to 120MB/s* Read / 20MB/s* Write (128GB)

PRODUCT TYPE

USB Flash Drive

INTERFACE TYPE

SuperSpeed USB 3.0

INTERFACE CONNECTIVITY

1x SuperSpeed USB - 9 Pin USB Type A

COMPATIBILITY

Windows XP, Vista, 7, 8.1 and 10 Mac OS v10.0 or Later. Linux v2.4.0 and above.

ENVIRONMENTAL PARAMETERS

Min Operating Temperature 0°c Max Operating Temperature 70°c

COMPLIANT STANDARD

Plug and Play

	LENGTH	WIDTH	DEPTH	WEIGHT
PRODUCT	57mm	19mm	8mm	9g
PACKED	170mm	105mm	13mm	25g

CAPACITY	PART CODE	BARCODE (EAN)
8GB	INFD8GBNEONB3.0	5055288418806
16GB	INFD16GBNEONB3.0	5055288418820
32GB	INFD32GBNEONB3.0	5055288418844
64GB	NFD64GBNEONB3.0	5055288418882
128GB	NFD128GBNEONB3.0	5055288432949

This device should not be used as your sole backup.

Product design and specification subject to change or modification without notice. E&OE. All trademarks acknowledged.

2 year warranty

^{*}Based on internal testing, performance may vary based on system configuration.