SONY



BRAVIA 4K **Professional** Displays

43" - 75" XE8-series

FW-43XE8001 FW-49XE8001 FW-55XE8001 FW-65XE8501 FW-75XE8501

18/7 displays designed for business
























Key Features

Leading clearly

Our BRAVIA Displays offer the same exquisite 4K picture quality and styling you'd expect from the best consumer TVs – with serious features and rock-solid reliability you'd demand from the best professional product. So now there's no need to compromise.

Fantastic 16:9 4K resolution (3840 x 2160 pixels)

Our line-up can produce over 8 megapixels. That's four times the resolution of Full HD, for a level of realism audiences will almost want to reach out and touch.



4K Next generation picture quality

Bring the incredible depth and quality of 4K resolution to your business with our BRAVIA 4K Professional Displays, now available in 43" – 75" screen sizes.

Superior displays designed for business

Portrait, advanced control, professional mode, optional interactive compatibility, 18/7 operation or an embedded HTML5 platform for easy digital signage creation; our BRAVIA 4K Displays are designed to suit all your professional needs so you always present a clear image.

Professional design

Our line-up offers all the technological performance and style you'd expect from BRAVIA, powered by the latest X1 processor. The 4K LCD panel produces four times the pixels of Full HD for outstanding picture quality, while the ultra-slim design enhances any corporate or retail environment.

Do more with our BRAVIA built-in solutions

Look no further with BRAVIA. Our new range features a number of fantastic built-in solutions to customise your BRAVIA exactly the way you want. From meeting room solutions, TDM Digital Signage, Smart Automation System and the Applications Store, there's no need for any external devices or players.



Ultimate Picture Quality



16:9 4K resolution (3840 x 2160 pixels)

With over 8 million pixels, a 4K resolution screen offers four times the detail of Full HD. Combined with the ability to manage 4K 60P up to 18Gbps, it now produces a level of detail and realism beyond anything you've seen before.



New 4K X1 Processor

Twice as powerful as our previous generation BRAVIA, the new 4K X1 Processor enhances contrast, clarity and colour to the highest level. Clarity improves with intelligent upscaling and noise reduction, colours are individually enhanced, and the dynamic range of contrast is optimised frame by frame.

Improve content quality with Reality Creation

This high picture quality engine takes Full HD content much, much closer to 4K Ultra HD quality. Whether it's a presentation to clients or engaging digital signage, you'll get the best picture possible.



Compatible with High Dynamic Range (HDR)

View a wider range of brightness levels with HDR, the emerging video format that allows content creators to expand their range of creativity.



Installation friendly

The slim, stylish display offers a wide range of mounting options, is VESA compliant and integrates colour neatly into any corporate, retail or educational environment.

Versatile control options

Easily control your BRAVIA remotely – including on/off, input signal select and adjust volume – via IP or via RS-232C.

Automatic on/off feature

Easily programme your BRAVIA with the On Timer feature to automatically turn the flat panel on /off.

Portrait capability


Use the BRAVIA Display in portrait for greater signage impact.

Professional Mode

There's now more control to disable input or remote control, remove labels and block buttons; customise and store display settings and features, add security then copy them easily from display to display via USB flash memory.

The total touchscreen solution

Turn your BRAVIA into an interactive touchscreen with our IR and capacitive technology overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 10 multi-touch points for greater interaction. Contact your local Sony dealer for more information.



Full Personalisation



















Built-in Digital Signage Platform* (TDM Digital Signage)

Create and generate your signage content simply and without limitation. This easy-to-use authoring tool lets you combine text, graphics, video, social media feeds and other live web content to produce dynamic marketing messages.

Built-in Media Player

Play a photos and videos playlist from a USB key, in Full HD and 4K.

Built-in Android Applications Store

Endless possibilities to display what you need, without external devices, through dedicated applications.

Built-in Mirroring Google Cast solution

Cast any content, simply and fast, to your BRAVIA, from computers to mobiles.

Built-in Smart Automation System

Efficient source automated system for smart input management.

Built-in Meeting-Room solution*

Meeting room enhanced interface, with many smart features such as Scheduling, Whiteboard and Time Keeper.

*Chargeable option

XE8-series Specifications

Display features TV system Video specs Audio specs Professional features	Screen size (diagonal) Brightness (cd/m²)*** Native constrast ratio Response time (ms) Dynamic contrast ratio Display resolution Compatible with HDR Aspect ratio Portrait compatibility Dimming type Display device Backlight type Operating system Processor Operation time TY Tuner Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal AK 60P quality format Speaker position Audio Power Output Invisible speaker Professional Hidden Mode	43" - - - - 4096x2160p(24, 50, 60Hz),		8 over 1 million 4K (3840x2160) Yes 16:9 Yes Frame Dimming LCD Edge LED Android 6.0, Marshmallow X1 18/7 /Wide Zoom/Zoom/Caption/14	65" 4 <u>5</u> 4,00			
Display features TV system Video specs Audio specs	Native constrast ratio Response time (ms) Dynamic contrast ratio Display resolution Compatible with HDR Aspect ratio Portrait compatibility Dimming type Display device Backlight type Operating system Processor Operation time TV Tuner Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 60P quality format Speaker position Audio Power Output Invisible speaker	-	3,500:1	over 1 million 4K (3840x2160) Yes 16:9 Yes 16:9 Yes ICD Edge LED Android 6.0, Marshnallow XI 18/7 - /Wide Zoom/Zoom/Zoption/1a		00:1		
reatures IV system Video specs Audio specs Professional features	Dynamic contrast ratio Display resolution Compatible with HDR Aspect ratio Portrait compatibility Dimming type Display device Backlight type Operating system Processor Operation time TV Tuner Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 6OP quality format Speaker position Audio Power Output invisible speaker	-	- - Full/Normal	over 1 million 4K (3840x2160) Yes 16:9 Yes 16:9 Yes ICD Edge LED Android 6.0, Marshnallow XI 18/7 - /Wide Zoom/Zoom/Zoption/1a	-	5		
For a specs Audio specs Professional features	Display resolution Compatible with HDR Aspect ratio Portrait compatibility Dimming type Display device Backlight type Operating system Processor Operation time TV Tuner Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 60P quality format Speaker position Audio Power Output Invisible speaker	-		4K (3840x2160) Yes 16:9 Yes Frame Dimming LCD Edge LED Android 6.0, Marshmallow XI 18/7 //Wide Zoom/Zoom/Caption/1a				
reatures IV system Video specs Audio specs Professional features	Compatible with HDR Aspect ratio Portrait compatibility Dimming type Display device Backlight type Operating system Processor Operation time TV Tuner Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 60P quality format Speaker position Audio Power Output Invisible speaker	-		Yes 16:9 Yes Frame Dimming LCD Edge LED Android 6.0, Marshmallow X1 18/7 /Wide Zoom/Zoom/Zoption/1e	·			
For a specs Audio specs Professional features	Aspect ratio Portrait compatibility Dimming type Display device Backlight type Operating system Processor Operation time TV Tuner Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 6OP quality format Speaker position Audio Power Output Invisible speaker	-		16:9 Yes Frame Dimming LCD Edge LED Android 6.0, Marshmallow X1 18/7 /Wide Zoom/Zoom/Caption/1				
reatures IV system Video specs Audio specs Professional features	Dimming type Display device Backlight type Operating system Processor Operation time TV Tuner Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 60P quality format Speaker position Audio Power Output Invisible speaker	-		Frame Dimming LCD Edge LED Android 6.0, Marshmallow X1 18/7 /Wide Zoom/Zoom/Caption/1e	·			
reatures IV system Video specs Audio specs Professional features	Display device Backlight type Operating system Processor Operation time TV Tuner Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 6OP quality format Speaker position Audio Power Output Invisible speaker	-		LCD Edge LED Android 6.0, Marshmallow XI 18/7 /Wide Zoom/Zoom/Caption/1	-			
IV system Video specs Audio specs Professional features	Backlight type Operating system Processor Operation time TV Tuner Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 60P quality format Speaker position Audio Power Output Invisible speaker	-		Edge LED Android 6.0, Marshmallow X1 18/7 /Wide Zoom/Zoom/Caption/1-	-			
/ideo specs Audio specs Professional features	Operating system Processor Operation time TV Tuner Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 60P quality format Speaker position Audio Power Output Invisible speaker	-		Android 6.0, Marshmallow X1 18/7 - - /Wide Zoom/Zoom/Caption/14	-			
/ideo specs Audio specs Professional features	Operation time TV Tuner Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 6DP quality format Speaker position Audio Power Output invisible speaker	-		18/7	-			
/ideo specs Audio specs Professional features	TV Tuner Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 60P quality format Speaker position Audio Power Output Invisible speaker	-		- - /Wide Zoom/Zoom/Caption/14	-			
Video specs Audio specs Professional features	Number of tuners Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 60P quality format Speaker position Audio Power Output Invisible speaker	-			-			
Audio specs Professional features	Wide Mode 4:3 Default Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 60P quality format Speaker position Audio Power Output Invisible speaker	4096x2160p(24, 50, 60Hz),				-		
Audio specs Professional features	Video Processing Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 60P quality format Speaker position Audio Power Output Invisible speaker	4096x2160p(24, 50, 60Hz),	Motionflow XR 200Hz	V	4:9 for Video			
Professional features	Motionflow Viewing angle (Right/Left/Up/Down) Video Signal 4K 6OP quality format Speaker position Audio Power Output Invisible speaker	4096x2160p(24, 50, 60Hz),	Motionflow XR 200Hz	Yes				
Professional features	Viewing angle (Right/Left/Up/Down) Video Signal 4K 60P quality format Speaker position Audio Power Output Invisible speaker	4096x2160p(24, 50, 60Hz),	MODIONIOW AR 200H2	4K X-Reality PRO Motionflow XR 200Hz Motionflow XR 800Hz				
Professional features	Video Signal 4K 60P quality format Speaker position Audio Power Output Invisible speaker	4096x2160p(24, 50, 60Hz),	178 (89/89/89)					
Professional features	4K 60P quality format Speaker position Audio Power Output Invisible speaker		4096x2160p(24, 50, 60Hz), 3840x2160p(24, 25, 30, 50, 60Hz), 1080p(30, 50, 60Hz), 1080/24p, 1080i(50, 60Hz), 720p(30, 50, 60Hz), 720/24p, 576p, 5					
Professional features	Speaker position Audio Power Output Invisible speaker	480p, 480i Up to 18Gbps:4K 60p 4:4:4(8bit), 4:2:2(8,10,12bit), 4:2:0(8,10bit) HDR included for HDMI 2/3						
Professional features	Audio Power Output Invisible speaker		op to 10dbps.4K oop 4.4.4(oi	Down Firing	nt) HDIVINCIAGEA IOI HDIVII 273			
	Invisible speaker	10W+10W						
	Professional Hidden Mode	Yes						
Network specs	HDMI auto wako up	Yes Voc						
Network specs	HDMI auto wake-up HTML5 platform	Yes Yes						
Network specs	Multicast / IPTV	Yes (UDP/RTP)						
Network specs	Compatible with TDM Digital Signage	Yes						
Network specs	Available storage	16 GB Customised design, text, pictures videos YouTube traffic weather public information. Facebook Twitter powersint and more						
vetwork specs	Compatible TDM content Wi-Fi direct	Customised design, text, pictures, videos, YouTube, traffic, weather, public information, Facebook, Twitter, poweroint and more. Yes						
	Wi-Fi Certified	Yes						
	DLNA	Network Client / Network Renderer						
	Miracast	Yes Vos (natwork or LICP)						
	Firmware update Internet Browser	Yes (network or USB) Yes (Opera)						
	Wireless LAN	Integrated						
Convenience features	USB HDD REC	Yes						
	USB Play (contents)	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC EG4,HEVC/AVI:Xvid,MotinJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,M tionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/WAV/MP4AAC/FLAC/JPEG						
	On screen clock Sleep timer	Yes Yes						
	On/Off timer	Yes						
	Google Cast IP Control	Yes Yes						
Control specs	RS-232C Control	Yes (jack 3.5)						
	HDMI CEC	Yes						
nputs and outputs	HDCP	2.2(for HDMI1/2/3/4)						
	RF Connection Input(s) Composite Video Input(s)	1(Side) 2 (1Bottom Analog Conversion/1Bottom Hybrid w/Component) 2 (1Side Analog Conversion/1Rear Hybrid w/Component)						
	Component Video (Y/Pb/Pr) Input(s)	1 (Bottom Hybrid w/Composite)			1 (Rear Hybrid w/Composite)			
	HDMI™ Connection(s) (Total)	4 (2Side/2Rear)			4(3Side/1Rear)			
	Analog Audio Input(s) for HDMI (Total) Digital Audio Output(s)	-(*************************************			1 (6.4)			
	Audio Out	1 (Rear) 1 (Rear/Hybrid w/HP and Subwoofer Out) 1 (Side/Hybrid w/HP a				and Subwoofer Out)		
	USB	1 (Rear/Hybrid w/HP and Subwoofer Out) 3 (side)			T (Side/Tiybrid W/Tii	I (Side/ Hybrid W/HF and Subwooler Out)		
	Ethernet Connection(s)	1 (bottom) 1 (side)						
Design features	Finish (Surface Color)			Black				
	Table Top Stand	V #== :	·	Included (assembly required)				
	VESA® Hole Spacing Compatible Wallmount bracket	Yes (100 x 200 mm)	Yes (200 x 200 mm)	Yes (300 x 200 mm) PSE (optional)	Yes (300 x 300 mm)	Yes (400 x 300 mm) SU-WL500/PSE (option		
Environment spess	Light Sensor		5U-WL450/1	Yes				
Environment specs	Energy Label		А		A			
	Screen size (measured diagonally)	43''	49"	55"	65"	75''		
	Power Consumption (in Standby) Power Consumption (in Operation)	70W	85W	0.5W 106W	114W	130W		
	Peak Luminance Ratio	75%		106W 5%	114W 80			
	Lead content	Yes						
	Mercury content (mg)	0						
	Dynamic Backlight Control Power Saving Mode / Back Light Off Mode	Yes						
	AC Power Input	AC A	Adapter	Yes	1 (Rear)			
Measurements	Display Only (WxHxD) (Approx.)	96.4x56.7x5.7(1.40) cm	109.6x64.0x5.7(1.40) cm	123.2x71.6x5.7(1.40) cm	145.4x84.0x4.4(1.12) cm	167.7x96.8x5.3(1.57) cn		
easurements	Display with Stand (WxHxD) (Approx.)	96.4x61.7x24.2 cm	109.6x69.1x25.2 cm	123.2x77.2x25.2 cm	145.4x90.5x26.6 cm	167.7x103.2x28.4 cm		
	Package Carton (WxHxD) (Approx.)	106.0 x 66.4 x 15.6 cm	118.8 x 74.4 x 16.0 cm	133.0 x 82.4 x 16.8 cm	157.0 x 95.1 x 19.6 cm	179.3 x 108.8 x 21.6 cm		
Neight	Display Only Display with Stand	10.1 Kg 10.8 Kg	12.2 Kg 12.9 Kg	17.6 Kg 18.6 Kg	21 Kg 22.1 Kg	34.1 Kg 35.2 Kg		
	Package Carton	15 Kg	12.9 Kg	26 Kg	22.1 Kg 31 Kg	48 Kg		
Optional accessories	TDM Digital Signage 1-year license	13 kg 16 kg 20 kg 31 kg 46 kg TDM-DS1Y						
Optional accessories	TDM Digital Signage 3-years license			TDM-DS3Y				
	10 point IR touch overlay	PT-1243-IR10	PT-1249-IR10	PT-1255-IR10	PT-1265-IR10	PT-1275-IR10		
	10 point Capacitive touch overlay Front-cover	PT-1243-CA10 PT-1143-FC	PT-1249-CA10 PT-1149-FC	PT-1255-CA10 PT-1155-FC	PT-1265-CA10 PT-1165-FC	PT-1275-CA10 PT-1175-FC		
	Back-cover	PT-1143-PC	PT-1149-BC	PT-1155-BC	PT-1165-BC	-		
	Wallmount bracket	SU-WL450/PSE SU-WL500/PSE						
	Kiosk housing	PT-KIOSK-4065 -						
	Electric High-Low Lift Non-Touch totem	PT-TOT43-NT	PT-TOT49-NT	PT-LIFTHL-4075 PT-TOT55-NT	PT-TOT65-NT	PT-TOT75-NT		
	Non-Touch totem Interactive totem	PT-TOT43-NT PT-TOT43-CA10	PT-TOT49-NT PT-TOT49-CA10	PT-TOT55-NT PT-TOT55-CA10	PT-TOT65-NT PT-TOT65-CA10	PT-TOT75-N1 PT-TOT75-CA10		
		CAB-VGAHDMI1						
	VGA to HDMI cable	CAB-RSJA1						
	RS232 jack cable							
Service and Warranty				3 Years with Advanced Exchang	e			

[&]quot;"Typical value of panel spec
""SU-WL500 wall mount is recommended

Optional accessories



CAB-VGAHDMI1 VGA to HDMI cable



CAB-RSJA1 RS232 jack cable



TDM digital signage software licenses TDM-DS1Y: 1 year TDM-DS3Y: 3 years



Kiosk housing



Electrical lift



SU-WL450/PSE



SU-WL500/PSE Wall Mount for portrait use



Totems



Frontcover accessories



Back cover accessories

For full features visit pro.sony.eu/products/professional-displays-bravia

© 2017 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony.eu

 $Follow\ us\ on\ Twitter\ at\ @SonyProEurope\ /\ www.twitter.com/sonyproeurope$

Distributed by

PrimeSupport

All Sony BRAVIA Professional Displays sold into the EU, Norway and Switzerland come supplied with a 3 Year PrimeSupport pack, offering unique services and benefits, including:

- Freephone telephone helpdesk support (00 800 7898 7898) in 5 languages.
- Receive a completely new replacement model rather than repair as standard.

In addition, optional PrimeSupport Plus packs can be purchased to add a 2 year extension of the standard 3 year PrimeSupport and to give long-term assurance of expert support, technical assistance for 5 years from purchase date.

PrimeSupport **Pro**

