

27" 144Hz QHD Gaming Monitor

ViewSonic®
See the difference™ 

XG2730



The ViewSonic® XG2730 is a 27" WQHD gaming monitor that delivers the perfect mix of silky smooth gameplay, impressive graphic detail, and lightning fast response that enthusiast gamers require when looking for a high-performance gaming monitor. Whether you play MOBA, Third Person Shooter, First Person Shooter, or any other games with detailed graphics that require a quick reaction time, XG2730's WQHD resolution delivers an impressive pixel density that boosts clarity and displays all the graphic intensive detail you need to become immersed in your gaming atmosphere. The monitor features 144Hz refresh rate, FreeSync compatibility and 1ms response time that eliminate screen tearing and stuttering to give you super smooth gameplay even during fast paced-action. The ultra-responsive movements keep you a step ahead of your competition. It also comes equipped with a fully ergonomic stand, a redesigned OSD and Gaming hotkey for quick navigation and flexible installation as well as the ColorX preset for fine-tuned in-game colour.


XG2730 (27" Viewable) 144Hz WQHD Gaming Monitor



SHARP, CRISP AND DETAILED

WQHD

This 27" WQHD 2560 x 1440 panel provides up to 77% more screen space and double the resolution than a standard Full HD (1920 x 1080) display. The high resolution screen displays a much sharper image, with no distortion or stretching for a more immersive experience.



VISUAL FLUIDITY

144Hz Refresh Rate + FreeSync

Equipped with AMD FreeSync™ Technology, the ViewSonic XG2730 seamlessly synchronizes the frame rate output between your graphics card and monitor with a FreeSync range of 48-144Hz, effectively eliminating image tearing, stuttering and jerkiness for smooth gameplay.



FASTER THAN YOUR OPPOSITION

1ms

An ultra-fast 1ms response time renders action sequences with stunning visual clarity, free of ghosting and smearing, enabling you to react faster against any competitor.



CLEAR VISION

22 levels Black Stabilization

Built-in Black Stabilization adjusts the monitor's gamma curve to enrich the dark tones in a scene, revealing enemies lurking in the dark. Additional two levels provide gamers with total 22-Levels of scalability which expands the controllability even in the darkest scenes.

OPTIMIZED FOR SPEED & COLOUR

Preset ColorX Mode

The XG2730 is equipped with ColorX mode, a colour and performance preset with vastly improved in-game vision and reduced motion blur.



OPTIMAL RESOLUTION AND SCREEN SIZE WITH VIEWSCALE

ViewScale

ViewScale allows you to change resolutions and screen sizes to enjoy the flexibility of content display customization.



HERTZ CONTROLLER

Hertz Cap

A hertz controller allows you to adjust the monitor's maximum frames per second to match the monitor's refresh rate with the frames output by the game.



ERGONOMICALLY DESIGNED FOR GAMERS

This monitor features a fully ergonomic stand with pivot, tilt, and height adjustment. The improved design features an independent stand and a streamlined base which allows keyboards to be placed around and over it. A built-in cable routing design reduces cable clutter.



VERSATILE CONNECTIVITY

XG2730 features two HDMI, one DisplayPort, two USB3.0 and two USB2.0 which provides the flexibility to connect to PC, laptop, gaming console and peripherals.

ENHANCED VIEWING COMFORT

With Flicker-free technology and a Blue Light Filter, this monitor helps to eliminate eyestrain that comes with extended viewing periods.

IMMERSIVE AUDIO EXPERIENCE

2W x 2 Speakers

Designed with dual integrated speakers, this monitor combines incredible screen performance with stereo sound for an immersive multimedia experience.



1. VESA Compatible (Wall Mount 100 x 100mm)
2. USB 2.0 Type A x 2
3. USB 3.0 Type A x 2
4. USB Type B
5. Power
6. HDMI
7. DisplayPort
8. Audio

Technical Specifications

LCD PANEL	Monitor Size	27" / 68.58cm viewable
	Panel Technology	TN TFT LCD
	Resolution	2560 x 1440
	Display Area	596.74mm (H) x 335.66mm (V)
	Aspect Ratio	16:9
	Brightness	350 cd/m2 (Typ)
	Contrast Ratio	1000:1 (Typ)
	Dynamic Contrast Ratio	120,000,000:1
	Viewing Angle	170° / 160° (Typ)
	Refresh Rate	144Hz
	Response Time	1ms
	Colours	16.7M colors (RGB 8-bit)
	Pixel Size	0.233mm (H) x 0.233mm (V)

INPUT SIGNAL	Frequency	HDMI 1.4: Fh = 15 ~ 180KHz ; Fv = 24 ~ 144Hz HDMI 2.0: Fh = Fh = 15 ~ 222KHz ; Fv = 24 ~ 144Hz DisplayPort 1.2: Fh = 15 ~ 222KHz ; Fv = 24 ~ 144Hz
	Video	HDMI (v1.4) (2560 x 1440 @ 74Hz; 1920 x 1080 @144Hz) HDMI (v2.0) (2560 x 1440 @144Hz) DisplayPort (v1.2) (2560 x 1440 @144Hz)

COMPATIBILITY	PC	Windows 10 certified
	Mac®	Power Mac tested

CONNECTOR	Input	HDMI 1.4 x 1 HDMI 2.0 x 1 DisplayPort 1.2 x 1
	Output	Earphone out x 1 (3.5mm plug)

AUDIO	Speaker	Amplifier: 2.5W Speaker: 2W x 2
--------------	---------	------------------------------------

USB	Upstream	Type B x 1
	Downstream	USB3.0 Type A x 2; USB2.0 Type A x 2

POWER	Power	5.5 x 2.5 x 12.5 DC connector
	Voltage	AC 100-240V (Universal); 50/60Hz
	Consumption	53W (Typ)
	Optimize	42W
	Conserve	35W

ERGONOMICS	Tilt	-5 ~ 15 degrees
	Swivel	90 degrees
	Pivot	0 ~ 90 degrees
	Height	120mm
	Adjustment	

SPECIAL FEATURES	Eye Care	Blue light filter & Flicker Free
OPERATING CONDITIONS	Temperature (° F / ° C)	32°F to 104°F (0°C to 40°C)
	Humidity	20% to 90% (no condensation)
DIMENSIONS (W x H x D) (mm)	Physical with stand (mm)	624.4 (W) x 427.1~532.4 (H) x 250.4 (D)
	Physical without stand (mm)	624.4 (W) x 383.6 (H) x 73.6 (D)
	Packaging (mm)	741 (W) x 481 (H) x 306 (D)
WEIGHT	Net with stand	7 kg
	Net without stand	3 kg
	Gross	10 kg
REGULATIONS		cULus, FCC-B, ICES003, CEC, MX-CoC, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, RCM, GEMS, VCCI, PSE, KC, e-Standby, CCC, China RoHS, CEL
PACKAGE CONTENTS		LCD Display AC/DC Adapter Power Cable DisplayPort Cable USB3.0 Cable Quick Start Guide

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at www.viewsoniceurope.com

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.