

VG2039M-LED 20" 16:9 LED Monitor with VGA, DVI, **DisplayPort, 2 USB, Speakers, Swivel and Height Adjustment**

VG2039m-LED



The ViewSonic VG2039m-LED is a 50.8cm / 20" (49.5cm / 19.5" viewable) widescreen display ideal for demanding business professionals. With a native 1600x900 resolution, the VG2039m-LED delivers vibrant images and crisp text. Users will also find comfort in the ergonomic height adjust, swivel, and tilt features. Versatile input options, including DisplayPort, DVI-D, VGA and USB ports, provide flexible connectivity for multitasking. Equipped with a VESA-mountable design, the display can be mounted on a wall or any VESA-compliant monitor stand. The thin bezel design, coupled with hidden stereo speakers, make the VG2039m-LED a space-saving option for the desktop. In addition to saving space, the VG2039m-LED also saves up to 50%* in energy usage with its efficient LED backlight and ViewSonic proprietary ECO mode. With ViewSonic's industry-leading pixel performance policy, and a 3year limited warranty, the VG2039m-LED provides users with peace of mind.



DisplayPort Connectivity

The latest standard for rapid transmission of data, DisplayPort futureproofs the VG2039m-LED and delivers high resolution and incredibly rich colours. The VG2039m-LED also offers VGA and DVI connections to support even more flexibility for both digital and analog media sources. It's easy and convenient to connect additional peripherals or accessories with the integrated 2port USB hub.



Superlative Pixel Performance

The VG2039m-LED features a native 1600x900 resolution for unbelievable pixel-by-pixel image performance. The VG2039m-LED provides 37% more pixels, as well as a 10% larger viewing area, when compared to 18.5" displays. You'll experience the most amazing clarity and detail whether it be for working, or enjoying the latest in multimedia entertainment. A 16:9 widescreen ratio minimizes eye fatigue, and is perfectly compatible with multi-window viewing without toggling.





Efficiency & Comfort

The VG2039m-LED is one of the great examples of an ergonomically designed tool. Based on your height, chair and desk conditions, you can adjust it up and down 8 cm, swivel it 360°, or tilt it 25°, whatever makes you more comfortable.





ENERGY STAR® Certification

The VG2039M-LED is environmentally sound, complete with an energy-saving mercury-free LED backlight and Eco-mode.

Pixel Performance Guarantee and 3-Year Limited Warranty

One of the aspects that makes ViewSonic a market leader in displays is its dedication to quality. ViewSonic is committed to using the highest grade panels and offers the industry's leading pixel performance policy.

Pixel Performance	LED Display
ISO9241-3: 2008 Standard	2 Bright 2 Dark 5 Total
ViewSonic Pixel Guarantee	2 Bright 2 Dark 3 Total



Peace of Mind

Our industry-leading pixel performance policy, and our 3-year limited warranty, make ViewSonic a market leader in commitment to quality. ViewSonic is dedicated to using the highest grade panels and offers solid and reliable products.



Mega Dynamic Contrast Ratio for Sharp, Crisp Images

20M:1 DCR

A superior dynamic contrast ratio of 20,000,000:1 better defines the relationship between the darkest and brightest colours, ensuring all displayed images are rich and detailed. Combined with an extremely fast 5ms response time, every motion is naturally and accurately reproduced without any blurs.





Environmentally-friendly Eco-mode reduces power consumption up to 50% and extends backlight life.





Planet-Friendly Mercury-Free LED Backlighting

The mercury free LED backlight conserves more energy when compared to conventional CCFL displays. LED Backlighting also allows for a sleek and slim panel profile.

Technical Specifications

Optimum	1600x900
	1000:1 static (typ)
	170º horizontal, 160º vertical
Response Time	5ms (typ.)
Display Area	43.2cm / 17.0" horizontal x 24cm / 9.4" vertical
Aspect Ratio	16:9
Size	50.8cm / 20" (49.5cm / 19.5" Viewable) LED
Brightness	250 cd/m2 (typ)
Dynamic Contrast Ratio	20,000,000:1
Analog	VGA
Digital	DVI, Display Port
Speakers	2 watt (x2)
РС	VGA up to 1600x900 @ 60Hz (preferred)
Mac®	Power Mac (up to 1280x1024)
Audio	3.5mm Audio In 3.5mm Headphones
USB	Type A USB (x2) Type B USB (Upstream)
	Resolution Contrast Ratio Viewing Angles Response Time Display Area Aspect Ratio Size Brightness Dynamic Contrast Ratio Analog Digital Speakers PC Mac® Audio

Controls	Basic	Power, 1, down, up, 2
COLORS		Black
DIMENSIONS Physica Stand	=	466 x 274 x 59 mm / 18.35" x 10.89" x 2.32"
	Physical With Stand	466 x 382 x 250 mm / 18.35" x 15.04" x 9.84"
REGULATIONS		CE, CB, CU, WEEE, RoHS, TCO, UL/cUL, FCC-B, ENERGY STAR®, EPEAT, Windows, UkrSEPRO
WARRANTY		Three-year limited warranty on parts, labor and backlight
POWER	Consumption	15W (typ) / Conserve 10W (typ)
VESA® MOUNT		100 x 100 mm
ERGONOMICS	Tilt	-5º ~ 20º
	Swivel	360º
	Height Adjustment	3.2" (0-80mm)
WEIGHT	Gross	4.5 kg / 10.0 lb.
	Net With Stand	3.8 kg / 8.3 lb
	Net Without Stand	2.6 kg / 5.6 lb.

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at www.viewsoniceurope.com

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.