

Anesthesia delivery and patient monitoring products

catalog



Vyaire Medical Inc. is a global company focused exclusively on supporting breathing through every stage of life. Established from legacy brands with a 65-year history of pioneering breathing technology, the company's portfolio of integrated solutions is designed to enable, enhance and extend lives.

At Vyaire, we pledge to advance innovation and evolve what's possible to ensure every breath is taken to its fullest. Headquartered in suburban Chicago, Vyaire is recognized, trusted and preferred by specialists throughout the respiratory community worldwide.

Table of contents

| SuperNO ₂ VA [™] Nasal Pap Ventilation System | Anesthesia airway management |
|---|--|
| SuperNO ₂ VA™ Masks6 | Laryngoscopes |
| Anesthesia circuits and masks Circuits Limb-O™ circuits8 | GreenLight™ laryngoscopes |
| Adult circuits9-12 | Airway access RediTube™39 |
| Pediatric circuits | Endotracheal tubes40 |
| Transport circuits15 | Endotracheal tube stylets |
| Dual filtration circuits 16 Face masks | Head positioner |
| Flexible face masks17 | |
| Standard face masks17 | Patient monitoring Cardiac output & SvO ₂ |
| Anesthesia CO ₂ absorption | Cables |
| Medisorb™ CO ₂ absorbent19 | Probes - bath |
| Anesthesia other | Probes - in-line injectate44 |
| Pressure infusors | |
| Netted backing21 | |
| Clear backing21 | |

CO₂ monitoring supplies

Table of contents

| ECG cables, leadwires & accessories | |
|-------------------------------------|-----|
| Standard-length cables (GE)45-47 | (|
| Standard-length leadwires48 | F |
| Multi-Link individual | F |
| replacement leadwires49 | |
| 300-series individual | |
| replacement leadwires50 | (|
| Carrying case50 | (|
| Cable management51 | |
| DIN adapter51 | A |
| Single-patient-use leadwires52 | - |
| ECG Monitoring in Telemetry53-54 | ŀ |
| Standard-length cables (non-GE)55 | (|
| Extra-short cables55 | |
| Extra-long disposable leadwires56 | F |
| Direct-connect disposable | E |
| telemetry leadwires56 | 1 |
| ECG electrodes | |
| ECG electrodes57 | - 1 |
| Invasive blood pressure | A |
| Cables | |
| Perinatal care | |
| Toco and Ultrasound transducers60 | |
| Fetal spiral electrodes & | |
| intrauterine pressure catheters60 | |
| Maternal ECG cables and leadwires61 | |
| Fetal chart paper61 | |

| lemperature monitoring | |
|----------------------------------|-------|
| Cables | 62 |
| Probes - disposable | 63 |
| Probes - reusable | 63 |
| Diagnostic cardiology monitoring | |
| Cables & leadwires | |
| Cables | 65 |
| Leadwires | 65 |
| Accessories | 66 |
| Holter ambulatory monitoring | |
| Holter leadwires | 67 |
| Carrying cases and accessories | 67 |
| Electrodes | |
| Resting ECG electrodes | 68 |
| ECG electrodes | 69 |
| Monitoring paper | 70 |
| Index | |
| Alphabetical | 72-73 |

SuperNO₂VA™Nasal Pap Ventilation System

| SuperNO ₂ VA™ | ' Masks | 6 |
|--------------------------|---------|---|
|--------------------------|---------|---|

SuperNO₂VA™ Nasal Pap Ventilation System

Delivers positive airway pressure to stent open the upper airway, allowing for the preoperative delivery of positive pressure ventilation and oxygen for patients with a decreased level of consciousness. The SuperNO₂VA[™] nasal PAP ventilation device is available in medium and large sizes and is offered as a standalone mask with a head strap and as a system, kitted with a hyperinflation bag. These configurations offer flexibility as it allows the SuperNO₂VA nasal PAP ventilation device to be used with either an anesthesia machine or with only an oxygen source.



| Cat. no. | Description | Qty. |
|----------|---|------|
| SNM-20 | $SuperNO_2VA^{\!$ | 20 |
| SNL-20 | $\mbox{SuperNO}_{2}\mbox{VA}^{\mbox{\tiny M}}\mbox{ nasal PAP ventilation device, head strap, adult, large}$ | 20 |
| SSM-20 | SuperNO₂VA™ nasal PAP ventilation system, adult, medium (includes nasal pap device, head strap, 2L hyperinflation system) | 20 |
| SSL-20 | SuperNO₂VA™ nasal PAP ventilation system, adult, large (includes nasal pap device, head strap, 2L hyperinflation system) | 20 |

Anesthesia

circuits and masks

Circuits

| Limb-O™ circuits | 8 |
|--------------------------|------|
| Adult circuits | 9-12 |
| Pediatric circuits | 13 |
| Neonate circuits | 14 |
| Transport circuits | 15 |
| Dual filtration circuits | 16 |
| Face masks | |
| Flexible face masks | 17 |
| Standard face masks | 17 |

Limb-O™ single limb anesthesia breathing circuit

Less is more with the Limb-O™ single-limb anesthesia breathing circuit. With 25% less weight than some traditional circle circuits and up to 34% less weight than coaxial circle circuits, up to 34% less plastic is being used—making it more environmentally friendly. Limb-O effectively transfers heat from the expiratory to the inspiratory side of the circuit, helping reduce patient energy demands and maintain normothermia. Vyaire circuits are made without latex.



| Cat. no. | Description | Qty. |
|-------------|--|------|
| 60" Limb-O, | 3L bag | |
| AFRX2004 | Gas elbow, 5708 HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| AFRX2044 | Gas elbow, 5708 HEPA/HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| 60" Limb-O, | 2L bag | |
| AFR18XX4 | Gas elbow, B/V filter, GSL 10' M/M | 20 |
| AFRX8X0X | Gas elbow, 5708 HCH filter | 20 |
| 72" Limb-O, | 3L bag | |
| AGNX2904 | 5708 HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| AGNX204X | 5708 HEPA/HCH filter, flex 5-mask | 20 |
| AGNX2944 | 5708 HEPA/HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| AIN52014 | Edith 1000 HME filter, B/V filter, flex 5-mask, GSL 10' M/M | 20 |
| AGN5241C | Edith 1000 HME filter, B/V filter, flex 5-mask, GSL 81" internal internal/M | 20 |
| AFNX2901 | Gas elbow, 5708 HCH filter, flex 5-mask, GSL 10' M/F | 20 |
| AFNX2004 | Gas elbow, 5708 HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| AFNX2044 | Gas elbow, 5708 HEPA/HCH filter, flex 5-mask, GSL 10' $\mbox{M/M}$ | 20 |
| AXXXX162 | Gas elbow, B/V filter | 20 |
| AFN320XX | Gas elbow, B/V filter, flex 5-mask | 20 |
| AFN119X4 | Gas elbow, B/V filter, flex 5-mask, GSL 10' M/M | 20 |
| AFN529X4 | Gas elbow, B/V filter (2), flex 5-mask, GSL 10' M/M | 20 |
| AFN52XX4 | Gas elbow, B/V filter, GSL 10' M/M | 20 |
| AFN1292X | Gas elbow, Edith 1000 HME filter, B/V filter, flex 5-mask | 20 |
| AFN5291C | Gas elbow, Edith 1000 HME filter, B/V filter, flex 5-mask, GSL 81" internal/M | 20 |
| AFNX20XZP | Gas elbow, HMEF 750/S filter, flex 5-mask, GSL 10' M/M | 20 |
| AFNX2XXZP | Gas elbow, HMEF 750/S filter, GSL 10' M/M | 20 |

| Cat. no. | Description | Qty. |
|--------------------|--|------|
| 72" Limb-O, | 2L bag | |
| AFNXOXXX | Gas elbow | 20 |
| AFNX8000 | Gas elbow, 5708 HCH filter, flex 5-mask, GSL 10' $\mathrm{M/M}$ | 20 |
| AFNX894C | Gas elbow, 5708 HEPA/HCH filter, flex 5-mask, GSL 81" internal M/M | 20 |
| AFNX80X4F | Gas elbow, HMEF mini filter, flex 5-mask, GSL 10' M/M | 20 |
| GL9XXXXX | Gas elbow, HMEF 750/S filter, spirometry | 15 |
| 72" Limb-O, | no bag | |
| AFNXXXXX | Gas elbow | 20 |
| 108" Limb-O | , no bag | |
| AFPXXXXX | Gas elbow | 20 |
| 124"Limb-O, 2L bag | | |
| AZFCX7XXX | Gas elbow | 20 |
| AZFCX4XXX | Swivel wye, gas elbow | 20 |

Pediatric

| Description | Qty. | | |
|------------------------------------|--|--|--|
| 72" Limb-O, 1L bag | | | |
| Gas elbow, B/V filter | 20 | | |
| Gas elbow, B/V filter, GSL 10' M/M | 20 | | |
| GSL 81" internal M/M | 20 | | |
| | L bag Gas elbow, B/V filter Gas elbow, B/V filter, GSL 10' M/M | | |

Key for abbreviations:

B/V: Bacterial/viral
GSL: Gas sampling line

HCH: Hygroscopic condenser humidifier HMEF: Heat moisture exchanger with filter

L: Liter

Adult circuits, expandable

Vyaire expandable circuits are designed for maximum flexibility while maintaining minimum compliance, thereby reducing the need for volume compensation. Many options are available to help build circuits, including length, tubing preference and other add-ons to suit customer needs.



| Cat. no. | Description | Qty. |
|-------------|---|------|
| 75"expandal | ble, 3L bag | |
| AXXXXX87 | Parallel wye, 5708 HEPA/HCH filter, flex 5-mask | 20 |
| A4FX2004 | Parallel wye, gas elbow, 5708 HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| A4G12XXX | Parallel wye, gas elbow, B/V filter | 20 |
| A4F123XX | Parallel wye, gas elbow, B/V filter, flex 5-mask | 20 |
| A4F119X4 | Parallel wye, gas elbow, B/V filter, flex 5-mask, GSL 10' $\mathrm{M/M}$ | 20 |
| A4F52014 | Parallel wye, gas elbow, Edith 1000 HME Filter, B/V filter, flex 5-mask, GSL 10' M/M | 20 |
| A4FX20X4 | Parallel wye, gas elbow, flex 5-mask, GSL 10' M/M | 20 |
| A4FX20XZD | Parallel wye, gas elbow, HMEF 750/S filter, flex 5-mask, GSL 10' M/M | 20 |
| AXXXX171 | Parallel wye, gas elbow, HMEF 750/S filter, GSL 10' M/M | 20 |
| 75"expandal | ble, 2L bag | |
| A8FX804X | Gas elbow, swivel gas wye, 5708 HEPA/HCH filter, flex 5-mask | 20 |
| 90"expanda | ble, 3L bag | |
| A4ZX2004 | Parallel wye, gas elbow, 5708 HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| A4Z32XX4 | Parallel wye, gas elbow, B/V filter, GSL 10' M/M | 20 |
| A4ZX60XZU | Parallel wye, gas elbow, HMEF 1000 filter, flex 5-mask, GSL 10' M/M | 20 |
| A5ZX1XXX | Gas wye, gas elbow | 20 |
| A5Z11XXX | Gas wye, gas elbow, B/V filter | 20 |
| A5Z129X4 | Gas wye, gas elbow, B/V filter, flex 5-mask, GSL 10' $\ensuremath{\text{M}/\text{M}}$ | 20 |
| AXXXX140 | Swivel gas wye, gas elbow, HEPA/HCH filter, flex 5-mask, GSL 10' $\mathrm{M/M}$ | 20 |
| 90"expanda | ble, 2L bag | |
| AKZX804Z | Parallel wye, 5708 HEPA/HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| AXXXX113 | Parallel wye, B/V filter | 20 |
| A5ZX7044 | Gas wye, gas elbow, 5708 HEPA/HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| 108"expando | able, 3L bag | |
| AXXXXX55 | Parallel wye, 5708 HEPA/HCH filter, GSL 10' M/M | 20 |
| A4UX2XXX | Parallel wye, gas elbow | 20 |
| | | |

| Cat. no. | Description | Qty. |
|-------------|--|------|
| 108"expando | able, 3L bag, <i>continued</i> | |
| A4UX2204 | Parallel wye, gas elbow, 5708 HCH filter, dome 5-mask, GSL 10' M/M | 20 |
| A4UX2044 | Parallel wye, gas elbow, 5708 HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| A4UX2XB0 | Parallel wye, gas elbow, 5708 HCH filter, GSL 10' M/M | 20 |
| A4UX6044 | Parallel wye, gas elbow, 5708 HEPA/HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| A4U11XXX | Parallel wye, gas elbow, B/V filter | 20 |
| A4U519X4 | Parallel wye, gas elbow, B/V filter, flex 5-mask, GSL 10' M/M | 20 |
| A4UX20XZU | Parallel wye, gas elbow, HMEF 1000 filter, flex 5-mask, GSL 10' M/M | 20 |
| A4UX2XXZU | Parallel wye, gas elbow, HMEF 1000 filter, GSL 10' M/M | 20 |
| A4UX20XZD | Parallel wye, gas elbow, HMEF 750 filter, flex 5-mask, GSL 10' M/M | 20 |
| A4UX2XXZD | Parallel wye, gas elbow, HMEF 750/S filter, GSL 10' M/M | 20 |
| ADUX2004 | Gas wye, 5708 HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| ADUX1X04 | Gas wye, 5708 HCH filter, GSL 10' M/M | 20 |
| ADWX204X | Gas wye, 5708 HEPA/HCH filter, flex 5-mask | 20 |
| ADU52914 | Gas wye, Edith 1000 HME filter, B/V filter, flex 5-mask, GSL 10' M/M | 20 |
| AXXXXX67 | Gas wye, gas elbow | 20 |
| A5U51XXX | Gas wye, gas elbow, B/V filter | 20 |
| A5U520XX | Gas wye, gas elbow, B/V filter (2), flex 5-mask | 20 |
| A5U320XX | Gas wye, gas elbow, B/V filter (1), flex 5-mask | 20 |
| A5U510X4 | Gas wye, gas elbow, B/V filter, flex 5-mask, GSL 10' M/M | 20 |
| A5U52XX4 | Gas wye, gas elbow, B/V filter, GSL 10' M/M | 20 |
| A5U32020 | Gas wye, gas elbow, Edith 1000 HME filter, B/V filter, flex 5-mask, GSL 10' M/M | 20 |
| ADU520X4D | Gas wye, HMEF 750/S filter, B/V filter, flex 5-mask, GSL 10' M/M | 20 |
| A8U52044 | Swivel gas wye, gas elbow, 5708 HEPA/HCH filter, B/V filter, flex 5-mask, GSL 10' M/M | 20 |
| A8U52X14 | Swivel gas wye, gas elbow, Edith 1000 HME filter, B/V filter, GSL 10' M/M | 20 |
| 108"expando | able, 2L bag | |
| A1UXOXXX | Bag connector, bi wye, gas elbow | 20 |
| A4UX8XXX | Parallel wye, gas elbow | 20 |
| A4V384XX | Parallel wye, gas elbow, B/V filter, flex 5-mask | 20 |
| 108"expando | able, no bag | |
| A4VXXXXX | Parallel wye, gas elbow | 20 |
| 120"expando | able, 3L bag | |
| A4YX2XX4D | Parallel wye, gas elbow, HMEF 750/S filter, GSL 10' M/M | 20 |
| AMY520X4F | Parallel wye, gas elbow, HMEF mini filter, B/V filter, flex 5-mask, GSL 10' M/M | 20 |
| | | |

Adult circuits, corrugated

Our corrugated circuits are designed for maximum flexibility while maintaining minimum compliance, thereby reducing the need for volume compensation. Many options are available to help build circuits, including length, tubing preference and other add-ons to suit customer needs. Vyaire circuits are tested with anesthesia delivery equipment to ensure performance and accurate readings.



| Cat. no. | Description | Qty. |
|------------------------|---|------|
| 60"corrugat | ed, 3L bag | |
| AXXXXX80 | Parallel wye, 5708 HCH filter, flex 5-mask, GSL 10' $\mathrm{M/M}$ | 20 |
| A46X2044 | Parallel wye, gas elbow, 5708 HEPA/HCH filter, flex 5-mask, GSL 10' M/M | 20 |
| A46121XX | Parallel wye, gas elbow, B/V filter, dome 5-mask | 20 |
| A46X29XX | Parallel wye, gas elbow, flex 5-mask | 20 |
| A565203X | Gas wye, gas elbow, 5701 HCH filter, B/V filter, flex 5-mask | 20 |
| 60"corrugated, no bag | | |
| A46XXXXX | Parallel wye, gas elbow | 20 |
| 72" corrugated, 2L bag | | |
| AXXXXX91 | Parallel wye, gas elbow, Edith 1000 HME filter, GSL 10' \mbox{M}/\mbox{M} | 20 |

Adult circuit kits, Limb-O™

Adult circuits can be customized into a system that includes many of the single-patient-use (SPU) supplies routinely used: ECG pads, suction catheters, suction tubing, laryngoscope blades, temperature measurement devices and more.



| Cat. no. | Description | Qty. | | |
|-------------|---|------|--|--|
| 60" Limb-O, | 3L bag | | | |
| GAK10XXX | Swivel wye, Edith 1000 HME filter, B/V filter, flex 5-mask, GSL 70" internal/M | | | |
| 60" Limb-O, | 2L bag | | | |
| GI4X0XXX | Gas elbow, B/V filter, flex 5-mask, GSL 10' M/M | 15 | | |
| 72" Limb-O, | 3L bag | | | |
| GZYCXXXX | 5708 HEPA/HCH filter, flex 5-mask, GSL 81" internal/M | 15 | | |
| G2KCXXXX | Gas elbow, 5708 HCH filter, flex 5-mask, GSL 10' M/M | 15 | | |
| GD6FXXAX | Gas elbow, 5708 HCH filter, flex 5-mask, GSL 10' M/M, sterile yankauer, 3 ECG pads | 15 | | |
| GBSFXXGX | Gas elbow, 5708 HCH filter, flex 5-mask, GSL 10' M/M, sterile yankauer, ECG 5 pack | | | |
| GD6FXXXX | Gas elbow, 5708 HCH filter, flex 5-mask, GSL 10' M/M, sterile yankauer | | | |
| G15LXXXX | Gas elbow, 5708 HEPA/HCH filter, flex 5-mask, GSL 10' M/M | 15 | | |
| GASMXXXX | Gas elbow, B/V filter, 500 HCH filter, flex 5-mask, GSL 10' M/M, non-sterile yankauer | 15 | | |
| GAACXXXX | Gas elbow, B/V filter, flex 5-mask, GSL 10' M/M | 15 | | |
| GH9CXXAX | Gas elbow, B/V filter, flex 5-mask, GSL 10' M/M, ECG 3 pack | 15 | | |
| GAACXXGX | Gas elbow, B/V filter, flex 5-mask, GSL 10' M/M, ECG 5 pack | 15 | | |
| GCBFOXGX | Gas elbow, HMEF 750/S filter, flex 5-mask, GSL 10' M/M, sterile yankauer, ECG 5 pack | 15 | | |
| 72" Limb-O, | 2L bag | | | |
| GU2XXXXX | Gas wye, gas elbow, HMEF 750/S filter | 15 | | |

Key for abbreviations:

B/V: Bacterial/viral GSL: Gas sampling line

HCH: Hygroscopic condenser humidifier HMEF: Heat moisture exchanger with filter

L: Liter

Adult circuit kits, expandable

Adult circuits can be customized into a system that includes many of the single-patient-use (SPU) supplies routinely used: ECG pads, suction catheters, suction tubing, laryngoscope blades, temperature measurement devices and more.



| Cat. no. | Description | Qty. |
|--------------|---|------|
| 75" expanda | ble, 3L bag | |
| GCRCKXXX | Parallel wye, gas elbow, Edith 1000 HME filter, B/V filter, flex 5-mask, GSL 10' M/F, airway 9cm | 15 |
| GJTCXXXX | Gas wye, gas elbow, HMEF 750 filter, B/V filter, flex 5-mask, GSL 10' M/M | 15 |
| 75" expanda | ble, 2L bag | |
| GF8CXXJX | Swivel gas wye, flex elbow, HMEF 750 filter, flex 5-mask, GSL 10' M/M, ECG 3 pack | 15 |
| 90"expanda | ble, 3L bag | |
| GHIFXXXX | Parallel wye, gas elbow, B/V filter, flex 5-mask, GSL 10' M/M, sterile yankauer | 15 |
| 108" expande | able, 3L bag | |
| GJAFXXXX | Parallel wye, gas elbow, B/V filter, flex 5-mask, GSL 10' M/M, sterile yankauer | 15 |
| GLCCOXGX | Gas wye, gas elbow, Edith 1000 HME filter, B/V filter, flex 5-mask, GSL 10' M/M, ECG 5 pack | 15 |
| GXXXX109 | Gas wye, HMEF 750/S filter, B/V filter, flex 5-mask, GSL 10' M/M, blue stylet | 15 |
| GJYCXXGX | Swivel gas wye, gas elbow, 5708 HEPA/HCH filter, flex 5-mask, GSL 10' M/M, ECG 5 pack | 15 |
| 108" expande | able, 2L bag | |
| GKCXXXXA | Gas wye, gas elbow, B/V filter | 15 |

Key for abbreviations:

B/V: Bacterial/viral
GSL: Gas sampling line

HCH: Hygroscopic condenser humidifier HMEF: Heat moisture exchanger with filter

L: Liter

Pediatric circuits, corrugated and expandable

Vyaire circuits are tested with anesthesia delivery equipment to ensure performance and accurate readings. Our pediatric circuits are designed with a 15 mm diameter tubing and offer maximum flexibility while maintaining minimum compliance, thereby reducing the need for volume compensation. Many options are available to help build circuits, including various lengths, tubing preference and other add-ons to suit customer needs.





| Cat. no. | Description | Qty. |
|-------------|---|------|
| 60" corruga | ted, 2L bag | |
| B1317XXX | Gas wye, gas elbow, B/V filter | 20 |
| 60" corruga | ted, 1L bag | |
| BXXXXX18 | Gas wye, B/V filter, GSL 10' M/M | 20 |
| B1314XXX | Gas wye, gas elbow, B/V filter | 20 |
| B1353XX4 | Gas wye, gas elbow, B/V filter, GSL 10' M/M | 20 |
| B13X4XX0 | Gas wye, gas elbow, GSL 10' M/M | 20 |
| 60" corruga | ted, no bag | |
| B835XXX1 | Gas wye, gas elbow, B/V filter, GSL 10' M/F | 20 |
| 108" expand | dable, 2L bag | |
| BXXXXX20 | Gas wye, gas elbow, 5708 HEPA/HCH filter, GSL 10' M/M | 20 |
| B1517XXX | Gas wye, gas elbow, B/V filter | 20 |
| B1557XX4 | Gas wye, gas elbow, B/V filter (2), GSL 10' M/M | 20 |
| B15X7X84 | Gas wye, gas elbow, HMEF mini filter, GSL 10' M/M | 20 |
| B1817XX0 | Gas wye, gas elbow, B/V filter, GSL 10' M/M | 20 |
| B87X7XX1 | Gas wye, gas elbow, GSL 10' M/F | 20 |
| 108" expand | dable, 1L bag | |
| BXXXXXX6 | Gas wye, B/V filter, GSL 10' M/M | 20 |
| B15X4XXX | Gas wye, gas elbow | 20 |
| B17A5X54 | Gas wye, gas elbow, 303 HEPA filter, HCH filter, GSL 10' M/M | 20 |
| B1554XX4 | Gas wye, gas elbow, B/V filter, GSL 10' M/M | 20 |
| B15X3XX4 | Gas wye, gas elbow, GSL 10' M/M | 20 |
| B87X4X84 | Gas wye, gas elbow, HMEF mini filter, GSL 10' M/M | 20 |
| B1714XXX | Gas wye, gas elbow, B/V filter | 20 |
| BM754XV4 | Gas wye, gas elbow, HMEF mini filter, B/V filter, GSL 10' M/M | 20 |
| 108" expand | dable, no bag | |
| B171XXXX | Gas wye, gas elbow, B/V filter | 20 |

Key for abbreviations:

B/V: Bacterial/viral
GSL: Gas sampling line

HCH: Hygroscopic condenser humidifier
HMEF: Heat moisture exchanger with filter

L: Liter

Neonate circuits

The neonate anesthesia circuits are offered with 0.5 L or 1 L bag for 60" lengths, or 120" length without a bag. All contain a gas sampling wye, bacterial/viral filter, HMEF and 10' M/M gas sampling line. Vyaire circuits are made without latex.



| Cat. no. | Description | Qty. |
|----------|---|------|
| 1552017 | Circuit, neonatal 60" 10 mm hose, .5L, LF | 20 |
| 1552016 | Circuit, neonatal 60" 10 mm hose, 1L, LF | 20 |
| 1552018 | Circuit, neonatal 120" 10 mm hose | 20 |

Transport circuits

Our flow inflating devices, inclusive of hyperinflation and transport systems, are designed to provide controlled or assisted ventilation to patients in a variety of settings including: NICU, labor and delivery and patient transport. Many of the systems include the baby safe adjustable pressure relief valve with large adjustment knob that affords the gloved clinician confidence when making critical adjustments. Numerous sizes and configurations are available to accommodate specific patient needs.





| Cat. no. | Description | Qty. |
|---------------|--|------|
| Limb-O | | |
| 5510 | Single-limb, 10" tubing, disposable | 20 |
| Baby safe, 3 | L bag | |
| 5574NAVY | Flow-inflating transport, 10" tubing, fresh gas elbow, 7' oxygen | 20 |
| Baby safe, 2 | L bag | |
| 5502DL1 | Flow-inflating transport, 10" tubing, fresh gas elbow, 7' oxygen | 20 |
| 5502W | Flow-inflating transport, 10" tubing, Washington T piece, plain elbow, 7' oxygen tubing, disposable | 20 |
| 5502 | Flow-inflating transport, fresh gas elbow, 7' oxygen tubing, disposable | 20 |
| 5502HL1 | Flow-inflating transport, 10" tubing, fresh gas elbow, 7' oxygen | 20 |
| Baby safe, n | o bag | |
| 5503EU | Flow-inflating transport, fresh gas elbow, 7' oxygen tubing, disposable | 20 |
| 54039VS | Flow-inflating transport, 0-35cm $\rm H_2O$, fresh gas elbow, 7' oxygen tubing, disposable | 20 |
| 5503H | Flow-inflating transport, 10" tubing, fresh gas elbow, 7' oxygen tubing, disposable | 20 |
| 5503B | Flow-inflating transport, fresh gas elbow, 7' oxygen tubing, NRPR vent hole, disposable | 20 |
| Baby safe, 1 | L bag | |
| 5502L1 | Flow-inflating transport, pediatric, fresh gas elbow, 7' oxygen tubing, disposable | 20 |
| 55039VS | Flow-inflating transport, pediatric, fresh gas elbow, 10' oxygen tubing, disposable | 20 |
| Flow-inflatin | g tail-end valve, 2L bag | |
| 5102RVX1 | Flow-inflating transport, fresh gas elbow, 7' oxygen tubing, disposable | 20 |
| 5102RV | Flow-inflating transport, 10" tubing, fresh gas elbow, 7' oxygen tubing, disposable | 20 |
| 5102RVW | Flow-inflating transport, 10" tubing, Washington T piece, plain elbow, 7' oxygen tubing, disposable | 20 |
| 5202RADY | Flow-inflating transport, 10" tubing, flexible 4-pediatric mask, fresh gas elbow, NRPR vent hole, 7' oxygen tubing, 6' pressure tubing, disposable | 20 |
| Flow-inflatin | g tail-end valve, .5L bag | |
| 5126DLV1 | Flow-inflating transport, 10" tubing, plain elbow, disposable | 20 |
| Hose adapte | er | |
| 5155VS | Hose adapter | 20 |

Dual filtration anesthesia breathing circuits

Our dual filtration circuits are designed for better cross contamination protection in a fully configured circuit. A fully configured circuit reduces setup time and stocking additional components. Many options are available to help build circuits, including length, tubing preference and other add-ons to suit customer needs.





| Cat. no. | Description | Qty. | | |
|-----------|---|------|--|--|
| ADU520X4D | Anesthesia Circuit, Adult, 108 in Expandable Tubing, 3L Bag, Parallel gas Wye, Plain elbow, HMEF 750/S Filter, B/V Filter, Flexible 5-Adult Mask, 10 feet M/M gas sampling line, disposable | | | |
| A8U52044 | Anesthesia Circuit, Adult, 108 in Expandable Tubing, 3L Bag, Swivel Gas Wye, Gas with Luer Cap elbow, 5708 HEPA/HCH Filter, B/V Filter, Flexible 5-Adult Mask, 10 feet M/M gas sampling line, disposable | | | |
| AFN52004 | Anesthesia Circuit, Adult, 72 in Limbo Tubing, 3L Bag, Gas with Luer Cap elbow, 5708 HCH Filter, Flexible 5-Adult Mask, 10 feet M/F gas sampling line, disposable | 1 | | |
| A4Y580X4F | Anesthesia Circuit, Adult, 120 in Expandable Tubing, 2L Bag, Parallel plain Wye, Gas with Luer Cap elbow, HMEF Mini Filter, B/V Filter, Flexible 5-Adult Mask, 10 feet M/M gas sampling line, disposable | 1 | | |
| A4Y520X4F | Anesthesia Circuit, Adult, 120 in Expandable Tubing, 3L Bag, Parallel plain Wye, Gas with Luer Cap elbow, HMEF Mini Filter, B/V Filter, Flexible 5-Adult Mask, 10 feet M/M gas sampling line, disposable | 1 | | |
| AMY52XX4F | Anesthesia Circuit, Adult, 120 in Expandable Tubing, 3L Bag, Parallel plain Wye, Gas with Luer Cap elbow, HMEF Mini Filter, B/V Filter, 10 feet M/M gas sampling line, disposable | | | |
| ADU320X4D | Anesthesia Circuit, Adult, 108 in Expandable Tubing, 3L Bag, Parallel gas Wye, Plain elbow, HMEF 750/S Filter, B/V Filter, Flexible 5-Adult Mask, 10 feet M/M gas sampling line, disposable | 1 | | |
| AFP3OX44 | Anesthesia Circuit, Adult, 108 in Limbo Tubing, 2L Bag, Gas with Luer Cap elbow, 5708 HEPA/HCH Filter, B/V Filter, 10 feet M/M gas sampling line, disposable | 1 | | |
| B1354X8Z | Anesthesia Circuit, Pediatric, 60 in Tubing, 1L Bag, Plain Wye, Gas with Luer Cap elbow, HMEF Mini Filter, B/V Filter, 10 feet M/M gas sampling line, disposable | 1 | | |
| BM754XV4 | Anesthesia Circuit, Pediatric, 108 in Expandable Tubing, 1L Bag, Plain Wye, Gas with Luer Cap elbow, HMEF Mini Filter, B/V Filter, 10 feet M/M gas sampling line, disposable | 1 | | |

Flexible face masks

Our high-quality disposable, flexible face masks offer a soft face plate, teardrop shape and superior grip. Pediatric sizes are offered in an optional child-friendly bubble gum scent. Easy to inflate or deflate air cushion with top valve style. Vyaire offers color-coded packaging for easy size identification.



| Cat. no. | Description | Qty. |
|--------------|--------------------------------------|------|
| Flex dome, r | no valve, air filled cushion, clear | |
| 6800EU | Premie size 0 | 20 |
| Flex dome, t | top valve, air filled cushion, clear | |
| 6810EU | Neonate size 1 | 20 |
| 6820 | Infant size 2 | 20 |
| 6830 | Toddler size 3 | 20 |
| 6840 | Child size 4 | 20 |
| 6850 | Adult size 5 | 20 |
| 6851 | Adult size 5 | 100 |
| 6860 | XL adult size 6 | 20 |
| Flex dome, t | top valve, air filled cushion, clear | |
| 6820BG | Infant size 2, bubble gum scented | 20 |
| 6830BG | Toddler size 3, bubble gum scented | 20 |
| 6840BG | Child size 4, bubble gum scented | 20 |

Standard face masks

See the difference in our newest line of standard disposable face masks - featuring color-coded hook rings, brilliant clarity and semi-soft teardrop face plates.



| Cat. no. | Description | Qty. | | |
|-------------|--|------|--|--|
| Standard, t | Standard, top valve, air filled cushion, clear | | | |
| 4810VS | Neonate size 1, red ring | 20 | | |
| 4820VS | Infant size 2, green ring | 20 | | |
| 4830VS | Toddler size 3, purple ring | 20 | | |
| 4840VS | Child size 4, yellow ring | 20 | | |
| 4852VS | Small adult size 5, white ring | 20 | | |
| 4860VS | Medium adult size 6, blue ring | 20 | | |
| 4870VS | Large adult size 7, orange ring | 20 | | |
| | | | | |

Anesthesia

CO₂ absorption

| Medisorb™ CO ₂ | absorbent | products | 19 |
|---------------------------|-----------|----------|----|
|---------------------------|-----------|----------|----|

$\mathbf{Medisorb^{^{\mathsf{m}}}\ CO_{2}\ absorbent}$

Medisorb CO_2 absorbent products have been specified for use with and validated for optimal performance with GE^{\oplus} Healthcare anesthesia systems.



| Cat. no. | Description | Qty. |
|--------------|---|------|
| For use with | Aespire", Avance", Aisys" and ADU | |
| M1173310 | Medisorb multi-absorber original, white to violet | 6 |
| M1173311 | Medisorb multi-absorber EF, white to violet, lower alkaline, lower pH | |
| For use with | Carestation 600 series | |
| 2079796-001 | Medisorb EX, original, white to violet | 6 |
| 2079797-001 | Medisorb EF EX, white to violet, lower alkaline, lower pH | 6 |

| Cat. no. | Description | Qty. | |
|---|---|------|--|
| Loose fill | | | |
| 8570043 | Medisorb twin pack, original, white to violet, loose fill | 2 | |
| Accessories for reusable Multi canisters for use with Aespire, Avance, Aisys and ADU | | | |
| 1407-3201-000 | Medisorb multi-absorber dust filter | 40 | |

Anesthesia

other

| Proc | CITA | ıntı | usors |
|--------|------|------|---------------|
| 1 1 53 | Juit | | 430 13 |

| Netted backing | 2 |
|-------------------------------------|----|
| Clear backing | 2 |
| CO ₂ monitoring supplies | |
| Capnoflex | 22 |
| Gas sampling lines | 23 |

Netted backing

The netted pressure infusor utilizes nylon netting to ensure simple and secure placement of the fluid bag. Bags come in 500 mL, 1000 mL and 3000 mL sizes. A robust and durable construction helps hold constant pressure and prevents leaks.



| Cat. no. | Description | Qty. |
|----------|-------------|------|
| IN800048 | 500 mL | 48 |
| IN800012 | 500 mL | 12 |
| IN900012 | 1,000 mL | 12 |
| IN900048 | 1,000 mL | 48 |
| IN950006 | 3,000 mL | 6 |
| IN950012 | 3,000 mL | 12 |

Clear backing

The clear pressure infusor utilizes clear PVC backing to help the clinician visualize fluid levels and to allow for unobstructed barcode scanning. Bags come in 500 mL and 1000 mL sizes. A robust and durable construction helps hold constant pressure and prevents leaks.



| Cat. no. | Description | Qty. |
|----------|-------------|-------|
| IN800020 | 500 mL | 20/cs |
| IN900020 | 1,000 mL | 20/cs |

Vital Signs™ Capnoflex end tidal CO₂ sampling cannulas

The Vital Signs^{∞} ETCO₂ sampling cannulas for Capnoflex have a proprietary design for use exclusively with the Capnoflex module utilized with the GE Dash 3000/4000/5000 $^{\infty}$ patient monitors. They are offered in a variety of styles for all patients, in both nasal and oral/nasal designs with or without oxygen delivery. Many of the Capnoflex kits have Nafion sampling lines offering extended usage for patients that are receiving high humidity. All cannulas come with 8' sampling lines.



End tidal CO₂ sampling cannula for Capnoflex

| Cat. no. | Description | Qty. |
|-------------|---|-------|
| 2013066-003 | Infant CO ₂ sampling nasal cannula only | 10/cs |
| 2013066-007 | Infant CO ₂ sampling nasal cannula with O ₂ delivery | 10/cs |
| 2067767-006 | Infant $\mathrm{CO_2}$ sampling nasal cannula with dehumidification sampling line and $\mathrm{O_2}$ delivery | 10/cs |
| 2013066-002 | Pediatric CO ₂ sampling nasal cannula only | 10/cs |
| 2067767-002 | Pediatric CO ₂ sampling nasal cannula with dehumidification sampling line | 10/cs |
| 2013066-005 | Pediatric $\mathrm{CO_2}$ sampling nasal cannula with $\mathrm{O_2}$ delivery | 10/cs |
| 2067767-005 | Pediatric CO_2 sampling nasal cannula with dehumidification sampling line and O_2 delivery | 10/cs |
| 2013067-002 | Pediatric CO ₂ sampling oral/nasal cannula only | 10/cs |
| 2013067-004 | Pediatric ${\rm CO_2}$ sampling oral/nasal cannula with ${\rm O_2}$ delivery | 10/cs |
| 2013066-001 | Adult CO ₂ sampling nasal cannula only | 10/cs |
| 2067767-001 | $\label{eq:constraint} \mbox{Adult CO}_{\mbox{\tiny 2}} \mbox{ sampling nasal cannula with dehumidification} \\ \mbox{sampling line}$ | 10/cs |
| 2013066-004 | Adult CO ₂ sampling nasal cannula with O2 delivery | 10/cs |
| 2067767-004 | Adult ${\rm CO_2}$ sampling nasal cannula with dehumidification sampling line and ${\rm O_2}$ delivery | 10/cs |
| 2013067-001 | Adult CO ₂ sampling oral/nasal cannula only | 10/cs |
| 2013067-003 | Adult CO ₂ sampling oral/nasal cannula with O ₂ delivery | 10/cs |
| 2067767-009 | Adult CO ₂ sampling oral/nasal cannula with dehumidification sampling line and O ₂ delivery | 10/cs |
| 2013069-001 | CO ₂ sampling line with male luer connection, 6.5' | 10/cs |
| 2013069-002 | CO_2 dehumidification sampling line with male luer connection, 6.5' | 10/cs |

Gas sampling lines, standard

Gas sampling lines offer accurate CO_2 and anesthetic agent measurements and have been validated for use with the following GE Healthcare equipment: compact airway modules, CARESCAPE $^{\text{m}}$ respiratory modules and E-MiniC.



Gas sampling line

| Cat. no. | Description | Qty. |
|-----------|--|------|
| 56401 | Gas sampling line, 10', M/M | 10 |
| 5640CEI | Co-extruded CO ₂ line male, 10' | 20 |
| 56301 | Gas sampling line, 10', M/M with 0.8 flter | 20 |
| 5640 | Gas sampling line, 10', M/F | 1 |
| 5630 | 0.8 micron filter, CO ₂ line, M/F connector | 5 |
| 73325-HEL | Gas sampling line, 10', M/F | 100 |
| 73319-HEL | Gas sampling line, 10', M/M | 20 |
| 73318-HEL | Gas sampling line, 7', M/M | 5 |
| 733199 | Gas sampling line, 10', M/M | 20 |
| 733188 | Gas sampling line, 7', M/M | 1 |
| 733170 | Gas sampling line, 10', M/M with elbow | 20 |
| 73306 | Gas sampling line, 20', M/M | 10 |
| 8004463 | Exhaust line with colder | 10 |
| 8004462 | Exhaust line colder fit | 100 |
| M1031274 | Gas sampling line, 7', M/F | 10 |

Anesthesia

airway management

| Laryn | gosco | pes |
|-------|-------|-----|
|-------|-------|-----|

| GreenLight™ laryngoscopes | 25-26 |
|---------------------------------|-------|
| Vital Signs™ laryngoscopes | 25 |
| SunMed GreenLine® laryngoscopes | 27-38 |
| Airway access | |
| RediTube™ | 39 |
| Endotracheal tubes | 40 |
| Endotracheal tube stylets | 41 |
| Orotracheal lighted stylets | 41 |
| Head positioner | 41 |
| Oral airways | /12 |

GreenLight™ system handles

The GreenLight™ reusable laryngoscope handle is ergonomic with a comfortable over-mold and lightweight design to fit the clinician's hand. It contains a durable, slip-resistant grip and a wide, sturdy base. The bright LED light with a covered light rod prevents clinician back-flash glare. No bulb replacement required. 5-year warranty on all handles. Efficient technology extends battery life beyond that of a standard incandescent bulb light source. ISO green standard connection.



| Cat. no. | Description | Qty. |
|--------------|-------------|------|
| Handle | | |
| 4558GSP | Standard | 1 |
| 4559GSP | Stubby | 1 |
| Battery cart | ridges | |
| 4559LED | Standard | 1 |
| 4559LEDS | Stubby | 1 |

Vital Signs laryngoscope handle sheath

The Vital Signs laryngoscope handle sheath helps keep the reusable laryngoscope handle clean.



| Cat. no. | Description | Qty. |
|----------|-------------|------|
| 4552VS | Disposable | 400 |

GreenLight system with steel blades

The GreenLight™ steel laryngoscope blades are designed for performance, reprocessing simplification and longevity. Our single-patient-use blades provide the strength of steel, and the safety of single-use. ISO green standard connection.



| Cat. no. | Description | Qty. |
|----------|-------------|------|
| 4602 | Macintosh 2 | 20 |
| 4603EU | Macintosh 3 | 20 |
| 4604EU | Macintosh 4 | 20 |
| 4610 | Miller 0 | 20 |
| 4611EU | Miller 1 | 20 |
| 4612 | Miller 2 | 20 |
| 4613 | Miller 3 | 20 |
| | | |

GreenLine®/D™ LED handle with textured grip - disposable

One complete, fully-contained disposable handle. Ideal for use with GreenLine/D blades. LED illumination provides exceptional, clear viewing. Textured surface ensures a secure grip. Mercury-free, pre-installed batteries. Sterile packaged.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-5338-09 | Medium | 20 |
| 5-5338-10 | Penlite | 20 |
| 5-5338-11 | Stubby | 20 |
| 5-5338-12 | Standard | 20 |

GreenLine/D LED handle with ribbed grip - disposable

One complete, fully-contained disposable handle. Ideal for use with GreenLine/D blades. LED illumination provides exceptional, clear viewing. Ribbed surface ensures a secure grip. Mercury-free, pre-installed batteries.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-0236-69 | Medium | 20 |

GreenLine/D LED handle with smooth grip - disposable

One complete, fully-contained disposable handle. Ideal for use with GreenLine/D blades. LED illumination provides exceptional, clear viewing. Smooth surface provides a secure grip. Mercury-free, pre-installed batteries.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-0236-70 | Penlite | 20 |

GreenLine fiber optic laryngoscope handles - reusable

Reusable fiber optic laryngoscope handles are compatible with all Green System fiber optic blades and feature a bright halogenated xenon lamp for clear tissue visualization. Available either chrome-plated or surgical stainless steel. Batteries not included.



| Cat. no. | Description | Qty. |
|---------------|-------------------------|------|
| Chrome-pla | rted | |
| 5-0236-09 | Medium, 2 C batteries | 1 |
| 5-0236-10 | Penlite, 2 AA batteries | 1 |
| 5-0236-11 | Stubby, 2 AA batteries | 1 |
| 5-0236-15 | Large, 2 D batteries | 1 |
| Stainless ste | eel | |
| 5-0236-30 | Penlite, 2 AA batteries | 1 |
| 5-0236-31 | Stubby, 2 AA batteries | 1 |
| 5-0236-35 | Large, 2 D batteries | 1 |
| 5-0236-38 | Mini, lithium 123 | 1 |
| 5-0236-36 | Micro, lithium 123 | 1 |
| 5-0236-39 | Medium, 2 C batteries | 1 |

GreenLine fiber optic premium LED laryngoscope handles - reusable

Reusable fiber optic laryngoscope handles are compatible with all Green System fiber optic blades and feature an LED lamp for superior tissue visualization. Low power use prolongs life of the handle. Batteries not included.



| Cat. no. | Description | Qty. |
|------------|-------------------------|------|
| Chrome-pla | ted brass | |
| 5-0236-80 | Penlite, 2 AA batteries | 1 |
| 5-0236-89 | Medium, 2 C batteries | 1 |

Fiber optic laryngoscope handle replacement lamps - reusable

For use with all fiber optic handles; meets stringent manufacturing controls.



| Cat. no. | Description | Qty. |
|------------------------|------------------|------|
| Lamp with g | old cartridge | |
| 5-0240-52 | Red base, 10-32" | 1 |
| Without gold cartridge | | |
| 5-0240-53 | 2.5v | 1 |

GreenLine/D Macintosh fiber optic blade - disposable

Disposable blade solves contamination problems and eliminates the cost and time spent cleaning blades and returning them for use. Polished acrylic stem produces exceptional illumination. Compatible with all Green System handles. Sterile packaged.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-5332-01 | Size 1 | 20 |
| 5-5332-02 | Size 2 | 20 |
| 5-5332-03 | Size 3 | 20 |
| 5-5332-35 | Size 3.5 | 20 |
| 5-5332-04 | Size 4 | 20 |

GreenLine/D Miller fiber optic blade - disposable

Disposable blade solves contamination problems and eliminates the cost and time spent cleaning blades and returning them for use. Polished acrylic stem produces exceptional illumination. Compatible with all Green System handles. Sterile packaged.



| Cat. no. | Description | Qty. | |
|------------------------|--|------|--|
| 5-5333-20 | Size 00 | 20 | |
| 5-5333-00 | Size 0 | 20 | |
| 5-5333-01 | Size 1 | 20 | |
| 5-5333-02 | Size 2 | 20 | |
| 5-5333-03 | Size 3 | 20 | |
| 5-5333-04 | Size 4 | 20 | |
| Sterile disposable kit | | | |
| 5-5333-57 | Kit includes: MAC 2, 3, 4, Miller 0, 1, 2, 3 and chrome-plated medium handle | 1 | |

GreenLine/D Robertshaw blade - disposable

Disposable blade solves contamination problems and eliminates the cost and time spent cleaning blades and returning them for use. Polished acrylic stem produces exceptional illumination. Compatible with all Green System handles. Sterile packaged.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-5337-00 | Size 0 | 20 |
| 5-5337-01 | Size 1 | 20 |

GreenLine/D all-metal Macintosh blade - disposable

Constructed of surgical stainless steel. Three ball bearings for secure metal-to-metal attachment to handle. Soft matte finish prevents reflection and glare during tissue visualization. Beaded blade tip helps reduce tissue trauma. Sterile packaged.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-5335-01 | Size 1 | 20 |
| 5-5335-02 | Size 2 | 20 |
| 5-5335-03 | Size 3 | 20 |
| 5-5335-04 | Size 4 | 20 |

GreenLine/D all-metal Miller blade - disposable

Constructed of surgical stainless steel. Three ball bearings for secure metal-to-metal attachment to handle. Soft matte finish prevents reflection and glare during tissue visualization. Beaded blade tip helps reduce tissue trauma. Sterile packaged.



| Description | Qty. |
|-------------|-------------------------------------|
| Size 00 | 20 |
| Size 0 | 20 |
| Size 1 | 20 |
| Size 2 | 20 |
| Size 3 | 20 |
| Size 4 | 20 |
| | Size 00 Size 0 Size 1 Size 2 Size 3 |

GreenLine fiber optic Macintosh German profile blade - reusable

Built with an integral, extra large fiber optic bundle delivering a cool, white light. Design eliminates cracks and crevices allowing for superior cleaning and the prevention of cross-contamination. Compatible with all Green System handles.



| Cat. no. | Description | Qty. |
|--------------|-----------------------|------|
| 5-5272-01 | Size 1 | 1 |
| 5-5272-02 | Size 2 | 1 |
| 5-5272-03 | Size 3 | 1 |
| 5-5272-04 | Size 4 | 1 |
| Strong curve | • | |
| 5-5272-13 | Size 3 (not pictured) | 1 |

GreenLine fiber optic Miller German profile blade - reusable

Built with an integral, extra large fiber optic bundle delivering a cool, white light. Compatible with all Green System handles.



| Cat. no. | Description | Qty. |
|-----------|-------------------------|------|
| 5-5273-20 | Size 00 | 1 |
| 5-5273-00 | Size 0 | 1 |
| 5-5273-01 | Size 1 | 1 |
| 5-5273-15 | Size 1.5 (not pictured) | 1 |
| 5-5273-02 | Size 2 | 1 |
| 5-5273-03 | Size 3 | 1 |
| 5-5273-04 | Size 4 | 1 |

GreenLine fiber optic Macintosh American profile blade - reusable

Flange begins at the lock of the blade, continues to where the curvature changes direction, and tapers off. Soft, matte finish virtually eliminates reflection and glare. Compatible with all Green System handles.



| Cat. no. | Description | Qty. |
|------------------|---|------|
| 5-5231-00 | Size 0 | 1 |
| 5-5231-01 | Size 1 | 1 |
| 5-5231-02 | Size 2 | 1 |
| 5-5231-03 | Size 3 | 1 |
| 5-5231-35 | Size 3.5 | 1 |
| 5-5231-04 | Size 4 | 1 |
| Laryngoscope kit | | |
| 5-5231-44 | Includes MAC blade sizes 1, 2, 3, 4 and medium handle | 1 |

GreenLine fiber optic Phillips Miller American profile blade - reusable

Combines straight Jackson blade design with the curved distal tip Miller design for greater visibility and a direct line approach to the trachea. Unique lamp position enables deep illumination both downward and inward, and soft, matte finish helps eliminate reflection and glare. Compatible with all Green System handles.



| Description | Qty. |
|-------------|---------------------------|
| Size 1 | 1 |
| Size 2 | 1 |
| | Description Size 1 Size 2 |

GreenLine fiber optic Macintosh English profile blade - reusable

Flange begins at the lock of the blade and continues to the tip as it narrows. Soft, matte finish virtually eliminates reflection and glare. Compatible with all Green System handles.



| Cat. no. | Description | Qty. |
|-----------|-------------------|------|
| 5-5232-01 | Size 1 | 1 |
| 5-5232-02 | Size 2 | 1 |
| 5-5232-03 | Size 3 | 1 |
| 5-5243-03 | Size 3, left hand | 1 |
| 5-5232-04 | Size 4 | 1 |
| 5-5232-05 | Size 5 | 1 |
| | | |

GreenLine fiber optic Miller English profile blade - reusable

Distal end curve improves lifting of epiglottis and blade design facilitates greater exposure of larynx. Frosted lamp provides diffused illumination without shadows.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-5233-20 | Size 00 | 1 |
| 5-5233-00 | Size 0 | 1 |
| 5-5233-01 | Size 1 | 1 |
| 5-5233-15 | Size 1.5 | 1 |
| 5-5233-02 | Size 2 | 1 |
| 5-5233-03 | Size 3 | 1 |
| 5-5233-04 | Size 4 | 1 |
| | | |

Sun-Flex Macintosh English profile blade - reusable

English channel helps visualization of the epiglottis; designed to enable precise control to elevate the epiglottis. Non-pinching tip. Matte finish virtually eliminates reflection and glare.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-5282-02 | Size 2 | 1 |
| 5-5282-03 | Size 3 | 1 |
| 5-5282-04 | Size 4 | 1 |

Chrome-plated brass conventional laryngoscope handle - reusable

Reusable conventional laryngoscope handles are chrome-plated brass available in five sizes. Batteries not included.



| Cat. no. | Description | Qty. |
|-----------|-------------------------|------|
| 5-0237-01 | Penlite, 2 AA batteries | 1 |
| 5-0237-02 | Stubby, 2 AA batteries | 1 |
| 5-0237-03 | Medium, 2 C batteries | 1 |
| 5-0237-05 | Large, 2 D batteries | 1 |
| 5-0237-08 | Mini, lithium 123 | 1 |

Stainless steel waterproof conventional laryngoscope handle - reusable

Reusable conventional laryngoscope handles are stainless steel and available in four sizes. Batteries not included.



| Cat. no. | Description | Qty. |
|-----------|-------------------------|------|
| 5-0237-91 | Penlite, 2 AA batteries | 1 |
| 5-0237-92 | Stubby, 2 AA batteries | 1 |
| 5-0237-93 | Medium, 2 C batteries | 1 |
| 5-0237-96 | Micro, lithium 123 | 1 |

Replacement lamps

For use with all conventional laryngoscope handles; meets stringent manufacturing controls. Frosted lamps provide diffused illumination without shadows. Clear lamps provide bright illumination.





| Cat. no. | Description | Qty. |
|------------|----------------------|------|
| 5-0234-01 | Small frosted lamp | 10 |
| 5-0234-10 | Large frosted lamp | 10 |
| 5-0234-14 | Large reflector lamp | 5 |
| 5-0235-01S | Small clear lamp | 10 |
| 5-0235-04S | Large clear lamp | 10 |

Conventional frosted Macintosh American profile blade - reusable

Smooth gentle Macintosh spatula curve extends from the lock to the beak of the blade to indirectly raise the epiglottis effectively. Blade design resembles that of a reverse Z-flange, facilitating greater access during intubation. Frosted lamp provides defused illumination without shadows. Cool white LED delivers 35,000 hours of use.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-5052-00 | Size 0 | 1 |
| 5-5052-01 | Size 1 | 1 |
| 5-5052-02 | Size 2 | 1 |
| 5-5052-03 | Size 3 | 1 |
| 5-5052-35 | Size 3.5 | 1 |
| 5-5052-04 | Size 4 | 1 |

Conventional frosted Miller American profile blade - reusable


Reduced miller flange helps minimize trauma. Distal end curve improves lifting of epiglottis and blade design facilitates greater exposure of larynx. Frosted lamp provides diffused illumination without shadows.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-5062-20 | Size 00 | 1 |
| 5-5062-00 | Size 0 | 1 |
| 5-5062-01 | Size 1 | 1 |
| 5-5062-15 | Size 1.5 | 1 |
| 5-5062-02 | Size 2 | 1 |
| 5-5062-03 | Size 3 | 1 |
| 5-5062-04 | Size 4 | 1 |
| | | |

Conventional Phillips American profile blade - reusable


Combines with straight Jackson blade design with the curved distal tip Miller design for greater visibility and a direct line approach to the trachea. Unique lamp position enables deep illumination both downward and inward, and frosted lamp provides defused illumination without shadows.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-3073-01 | Size 1 | 1 |
| 5-3073-02 | Size 2 | 1 |

Conventional Wis-Hipple Miller American profile blade - reusable

Wisconsin-modified blade with a straight spatula; straighter flange runs parallel with spatula. Designed primarily for use in infants. Wider, flat tip is well-adapted to lifting the epiglottis. Frosted lamp provides defused illumination without shadows.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-5057-20 | Size 00 | 1 |
| 5-5057-00 | Size 0 | 1 |
| 5-5057-01 | Size 1 | 1 |
| 5-5057-15 | Size 1.5 | 1 |

Conventional Miller-Port American profile blade - reusable

Designed to perform laryngoscopy and intubation with reduced risk of hypoxia. The integrated tube permits delivery of oxygen during intubation. Frosted lamp provides defused illumination without shadows.



| Cat. no. | Description | Qty. |
|---------------|-------------|------|
| Stainless ste | eel | |
| 5-3078-00 | Size 0 | 1 |
| 5-3078-01 | Size 1 | 1 |

Conventional LED Macintosh blade - disposable

Non-plastic, single use laryngoscope made of stainless steel. Helps eliminate costs associated with reprocessing reusable blades while preventing cross-contamination. Safety heel design inhibits blade tip from touching handle. Clean cool white LED illumination.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-5132-01 | Size 1 | 20 |
| 5-5132-02 | Size 2 | 20 |
| 5-5132-03 | Size 3 | 20 |
| 5-5132-04 | Size 4 | 20 |

Conventional LED Miller blade - disposable


Non-plastic, single use laryngoscope made of stainless steel. Helps eliminate costs associated with reprocessing reusable blades while preventing cross-contamination. Safety heel design inhibits blade tip from touching handle. Clean cool white LED illumination.



| Cat. no. | Description | Qty. |
|-----------|-------------|------|
| 5-5133-20 | Size 00 | 20 |
| 5-5133-00 | Size 0 | 20 |
| 5-5133-01 | Size 1 | 20 |
| 5-5133-02 | Size 2 | 20 |
| 5-5133-03 | Size 3 | 20 |
| 5-5133-04 | Size 4 | 20 |

RediTube™

Our endotracheal tube with pre-loaded stylet helps ensure clinicians are prepared when seconds count. Integrating the endotracheal tube and stylet in one product means less set-up time and more convenience. This combination can reduce the expense and effort of purchasing endotracheal tubes and stylets separately. All listed sizes are inner diameter (ID).



| Cat. no. | Description | Qty. |
|--------------|------------------|------|
| Cuffed, sing | le-patient-use | |
| 8040RTC | Size 4 | 40 |
| 8045RTC | Size 4.5 | 40 |
| 8050RTC | Size 5 | 40 |
| 8055RTC | Size 5.5 | 40 |
| 8060RTC | Size 6 | 40 |
| 8065RTC | Size 6.5 | 40 |
| 8070RTC | Size 7 | 40 |
| 8075RTC | Size 7.5 | 40 |
| 8080RTC | Size 8 | 40 |
| 8085RTC | Size 8.5 | 40 |
| 8090RTC | Size 9 | 40 |
| 8095RTC | Size 9.5 | 40 |
| 8100RTC | Size 10 | 40 |
| Uncuffed, si | ngle-patient-use | |
| 8030RTUC | Size 3 | 40 |
| 8035RTUC | Size 3.5 | 40 |
| 8040RTUC | Size 4 | 40 |
| 8045RTUC | Size 4.5 | 40 |
| 8050RTUC | Size 5 | 40 |
| 8055RTUC | Size 5.5 | 40 |

Endotracheal tubes

Our endotracheal tubes are available in a wide range of cuffed and uncuffed sizes. They can be used alone or in conjunction with our stylets to help aid in intubations. All listed sizes are inner diameter (ID).



| Cat. no. | Description | Qty | <i>'</i> . |
|--------------|-------------------|-----|------------|
| Cuffed, sing | gle-patient-use | | |
| 8040C | Size 4 | 40 | |
| 8045C | Size 4.5 | 40 | |
| 8050C | Size 5 | 40 | |
| 8055C | Size 5.5 | 40 | |
| 8060C | Size 6 | 40 | |
| 8065C | Size 6.5 | 40 | |
| 8070C | Size 7 | 40 | |
| 8075C | Size 7.5 | 40 | |
| 8080C | Size 8 | 40 | |
| 8085C | Size 8.5 | 40 | |
| 8090C | Size 9 | 40 | |
| 8095C | Size 9.5 | 40 | |
| 8100C | Size 10 | 40 | |
| Uncuffed, s | ingle-patient-use | | |
| 8030UC | Size 3 | 40 | |
| 8035UC | Size 3.5 | 40 | |
| 8040UC | Size 4 | 40 | |
| 8045UC | Size 4.5 | 40 | |
| 8050UC | Size 5 | 40 | |
| 8055UC | Size 5.5 | 40 | |

Note: Stylet sold separately.

Endotracheal tube stylets

Our Vital Signs stylets are available in three sizes: neonate, pediatric and adult. These stylets are compatible with endotracheal tubes ranging from size 2.5 to 10 mm. The malleable stylets can be adjusted to aid in intubations.



| Cat. no. | Description | Qty. |
|----------|-----------------------------|------|
| S5000N | Neonate, sizes 2.5 – 4 mm | 20 |
| S3000N | Pediatric, sizes 4 – 6.5 mm | 20 |
| S1000NEU | Adult, sizes 6.5 – 10 mm | 20 |


Orotracheal lighted stylets

The Vital Signs™ orotracheal lighted stylet offers a proven and cost-effective means of tracheal intubation when standard intubation is otherwise difficult. With placement of the Vital Signs orotracheal lighted stylet, clinicians can verify correct positioning by observing the bright glow in the anterior soft tissue of the neck. (No illumination can be seen when the stylet is placed in the esophagus.)



Lighted stylet is introduced into the airway.

A bright visible glow verifies placement is correct.





Head positioner

Our lightweight Vital Signs head positioner supports the patient during prone procedures. While the patient is comfortably positioned in the cradle, the clinician can access the endotracheal tube and view the patient through the unit openings and mirror.



Cat. no. Description Qty.

8000HDP Prone head positioner (foam) with mirror, single-patient-use 6

- Made without DEHP
- Does not contain natural rubber latex


Oral airways

Our wide array of single-use oral (oropharyngeal) airways accommodate patients ranging from infant to adult, with styles including Berman and Guedel. Guedel airways are color-coded by size for easy identification.



Guedel oral airways

| Cat. no. | Description | Qty. |
|-------------|--------------|------|
| Guedel, wro | ıpped | |
| 3550EU | 5 cm, blue | 50 |
| 3560EU | 6 cm, black | 50 |
| 3570EU | 7 cm, white | 50 |
| 3580EU | 8 cm, green | 50 |
| 3590 | 9 cm, yellow | 50 |
| 3500EU | 10 cm, red | 50 |



Berman oral airways

| Cat. no. | Description | Qty. |
|------------|-------------|------|
| Berman, wr | apped | |
| 2540 | 4 cm | 50 |
| 2550VS | 5 cm | 50 |
| 2560 | 6 cm | 50 |
| 2570 | 7 cm | 50 |
| 2580EU | 8 cm | 50 |
| 2590 | 9 cm | 50 |
| 2500EU | 10 cm | 50 |
| Berman, un | wrapped | |
| 2041 | 4 cm | 48 |
| 2051 | 5 cm | 48 |
| 2061EU | 6 cm | 48 |
| 2071EU | 7 cm | 48 |
| 2081 | 8 cm | 48 |
| 2091 | 9 cm | 48 |
| 2101EU | 10 cm | 48 |

Patient monitoring

| Cardiac output & SvO ₂ | Invasive blood pressure |
|---|--|
| Cables44 | Cables58-59 |
| Probes - bath44 | Perinatal care |
| Probes - in-line injectate44 | Toco and Ultrasound transducers 60 |
| ECG cables, leadwires & accessories | Fetal spiral electrodes & |
| Standard-length cables (GE)45-47 | intrauterine pressure catheters60 Maternal ECG cables & leadwires61 |
| Standard-length leadwires48 | Fetal chart paper61 |
| Multi-Link™ individual replacement leadwires49 | Temperature monitoring |
| 300-series individual replacement leadwires50 | Cables62 Probes - disposable63 |
| Carrying case50 | Probes - reusable63 |
| Cable management51 | Trobbo reducie |
| DIN adapter51 | |
| Single-patient-use leadwires52 | |
| ECG Monitoring in Telemetry 53-54 | |
| Standard-length cables (non-GE)55 | |
| Extra-short cables55 | |
| Extra-long disposable leadwires56 | |
| Direct-connect disposable telemetry leadwires56 | |
| ECG electrodes | |
| ECG electrodes57 | |

Cables

Vital Signs[™] cardiac output cables help provide an accurate thermodilution cardiac output measurement. All cables have been designed for use with GE Healthcare equipment. Cables use a standard 3-pin catheter connector to fit most Swan Ganz catheters. Cables are available in 9' and 12' lengths.



| Cat. no. | Description | Qty. |
|-------------|---|------|
| Cables | | |
| 2025248-001 | Use with Dash, TRAM and PDM, 3.6 m/12' | 1 |
| 16590-HEL | Use with E-COPSv, probe side is 0.4 m/1.3', catheter side is 2.6 m/8.5' | 1 |

Probes - bath

Cardiac output bath probes securely connect to Vital Signs cardiac output cables to help provide an accurate thermodilution cardiac output measurement. All probes have been designed for use with GE Healthcare equipment.



| Cat. no. | Description | Qty. |
|-------------|---------------------------------------|------|
| CO injectat | e bath temp probe | |
| 9446-909 | Use with Dash, TRAM and PDM, 1.8 m/6' | 1 |
| 16591 | Use with E-COPSv, 3 m/9.8' | 1 |

Probes - in-line injectate

Cardiac output in-line injectate probes securely connect to Vital Signs cardiac output cables to help provide an accurate thermodilution cardiac output measurement. They are available for catheters from Edwards Lifesciences, BD and ICU Medical. All probes have been designed for use with GE Healthcare equipment.



| Cat. no. | Description | Qty. |
|---------------|---|------|
| CO in-line in | jectate temp probe | |
| 9446-910 | Use with Dash, TRAM and PDM, Edwards Lifesciences catheter, 0.9 $\mbox{m/}\mbox{3}^{\circ}$ | 1 |
| 9446-913 | Use with Dash, TRAM and PDM, ICU Medical Thermoset catheter, 2.4 $\mbox{m/8}^{\circ}$ | 1 |
| 9446-911 | Use with Dash, TRAM and PDM, BD Critikit catheter, 0.9 m/3 $^{\circ}$ | 1 |
| 16592VS | Use with E-COPSv, Edwards Lifesciences catheter, 2.4 m/7.8' | 1 |

Standard-length cables (GE)

Our Multi-Link™ ECG care cables are official, validated supplies for GE Healthcare equipment. They have been designed for optimal performance and use with GE Healthcare ECG systems, connecting the device to the patient to capture an accurate reading.



These 3/5-lead trunk cables are compatible with any of our Multi-Link 3-lead or 5-lead sets.

| Cat. no. | Description | Qty. |
|----------------|-------------|------|
| Multi-Link, 3/ | 5-lead, AHA | |
| 2017003-001 | 3.6m/12' | 1 |
| 412931-021 | 6m/20' | 1 |



Our neonate cable includes a DIN connection for use with radiolucent disposable pre-wired electrodes.

| Cat. no. | Description | Qty. |
|---------------|--------------------------------------|------|
| Multi-Link, 3 | 3-lead neonatal, DIN connection, AHA | |
| 2017004-00 | 1 3.6m/12' | 1 |
| 2017004-00 | 2 1.2m/4' | 1 |



This 3/5 lead trunk cable provides ESU filtration. The cable is recommended for use with the CARESCAPE® Bx50 series, Dash® 3000/4000/5000 monitors and Solar® systems with associated TRAM® modules.

| Cat. no. | Description | Qty. |
|----------------|---------------------------|------|
| Multi-Link, 3/ | 5 Lead, AHA | |
| 2022948-001 | With ESU filter, 3.6m/12' | 1 |




These 6-lead trunk cables are compatible with any of our Multi-Link 3-lead, 5-lead, or 6-lead sets.

| Cat. no. | Description | Qty. |
|----------------|-------------|------|
| Multi-Link, 6- | lead, AHA | |
| 2017005-001 | 3.6m/12' | 1 |

Standard-length cables (GE)

These 12-lead trunk cables are compatible with any of our Multi-Link 3-lead, 5-lead, or V-lead sets.









The unique 3-lead integrated set offers simplicity as one unified connection to the monitor. TRAM® modules.

| Cat. no. | Description | Qty. |
|---------------|--|------|
| Multi-Link, 3 | Lead, AHA | |
| 2021141-001 | Cable leadwire integrated, ECG, Multi-Link, 3-lead, grabber, AHA, 3.6m/12' | 1 |

Standard-length leadwires



These 3-lead Multi-Link leadwire sets are available in grabbers or snaps and will fit any of our Multi-Link trunk cables.

| Cat. no. | Description | Qty. |
|---------------|--------------------------|------|
| Multi-Link, 3 | -lead, AHA | |
| 412682-001 | Grabber, short, 74cm/29" | 1 |
| 412682-002 | Grabber, long, 130cm/51" | 1 |
| 411203-001 | Snaps, short, 74cm/29" | 1 |
| 411203-002 | Snaps, long, 130cm/51" | 1 |




These 5-lead Multi-Link leadwire sets are radiolucent for use with x-rays without compromising patient safety or satisfaction. These will fit any of our 3/5-lead or 6-lead trunk cables.

| Cat. no. | Description | Qty. |
|----------------|---------------------------------|------|
| Multi-Link, ro | idiolucent 5-lead, grabber, AHA | |
| 403751-023 | 150cm/59" | 1 |



These 5-lead Multi-Link leadwire sets are available with several options, including choice of grabber or snap connections as well as individually replaceable sets or molded/grouped sets. They will fit any of our Multi-Link trunk cables.





These 5-lead Multi-Link leadwire sets are radiolucent for use with x-rays without compromising patient safety or satisfaction. They must be used in conjunction with a DIN adapter and any of our 3/5-lead trunk cables.

| Cat. no. | Description | Qty. |
|---------------|--------------------------|------|
| DIN, radioluc | ent 5-lead, grabber, AHA | |
| 403751-009 | 150cm/59" | 1 |

Standard-length leadwires

These 6-lead Multi-Link leadwire sets are available in grabber or snap connections and will fit any of our 6-lead Multi-Link trunk cables.



| Cat. no. | Description | Qty. |
|---------------|--|------|
| Multi-Link, 6 | -lead, AHA | |
| 421932-001 | Individually replaceable, grabber, short, 74cm/29" | 1 |
| 421932-002 | Individually replaceable, grabber, long, 130cm/51" | 1 |
| 421932-003 | Individually replaceable, grabber, mixed, 130cm/51" and 74cm/29" | 1 |
| 421930-001 | Individually replaceable, snap, short, 74cm/29" | 1 |
| 421930-003 | Individually replaceable, snap, mixed, 130cm/51" and 74cm/29" | 1 |

These V-lead Multi-Link leadwire sets are available with either grabber or snap connections. They must be used in conjunction with our line of 5-lead sets to complete a 12-lead connection. They will fit our line of 12-lead trunk cables.



| Cat. no. | Description | Qty. |
|---------------|--|------|
| Multi-Link, V | -lead, AHA | |
| 416467-003 | Individually replaceable, grabber, short, 74cm/29 | 1 |
| 416467-001 | Individually replaceable, grabber, long, 130cm/51" | 1 |
| 416468-003 | Individually replaceable, snap, short, 74cm/29" | 1 |
| 416468-001 | Individually replaceable, snap, long, 130cm/51" | 1 |

These 12-lead Multi-Link leadwire sets are radiolucent for use with x-rays without compromising patient safety or satisfaction. These will fit any of our 12-lead trunk cables.



| Cat. no. | Description | Qty. |
|-----------------|---------------------------------|------|
| Multi-Link, rac | diolucent 12-lead, grabber, AHA | |
| 403751-024 | 150cm/59" | 1 |

Multi-Link™ individual replacement leadwires

These individual leadwires are available to fit into individually replaceable 5-lead, 6-lead or V-lead Multi-Link sets. Instead of throwing out an entire leadset due to a bad lead, replace them on an individual basis. They are available in grabber or snap connections in a variety of lengths.



| Cat. no. | Description | Qty. |
|---------------|-------------------------------------|------|
| Multi-Link, A | на | |
| 412680-003 | Grabber, green RL, short, 74cm/29" | 1 |
| 412680-103 | Grabber, green RL, long, 130cm/51" | 1 |
| 412680-002 | Grabber, white RA, short, 74cm/29" | 1 |
| 412680-102 | Grabber, white RA, long, 130cm/51" | 1 |
| 412680-004 | Grabber, black LA, short, 74cm/29" | 1 |
| 412680-104 | Grabber, black LA, long, 130cm/51" | 1 |
| 412680-001 | Grabber, red LL, short, 74cm/29" | 1 |
| 412680-101 | Grabber, red LL, long, 130cm/51" | 1 |
| 412680-005 | Grabber, brown V, short, 74cm/29" | 1 |
| 412680-105 | Grabber, brown V, long, 130cm/51" | 1 |
| 416447-011 | Grabber, yellow V2, short, 74cm/29" | 1 |
| 416447-012 | Grabber, green V3, short, 74cm/29" | 1 |
| 416447-013 | Grabber, blue V4, short, 74cm/29" | 1 |
| 416447-014 | Grabber, orange V5, short, 74cm/29" | 1 |
| 416447-015 | Grabber, purple V6, short, 74cm/29" | 1 |
| 412596-003 | Snap, green RL, short, 74cm/29" | 1 |
| 412596-103 | Snap, green RL, long, 130cm/51" | 1 |
| 412596-002 | Snap, white RA, short, 74cm/29" | 1 |
| 412596-102 | Snap, white RA, long, 130cm/51" | 1 |
| 412596-004 | Snap, black LA, short, 74cm/29" | 1 |
| 412596-104 | Snap, black LA, long, 130cm/51" | 1 |
| 412596-001 | Snap, red LL, short, 74cm/29" | 1 |
| 412596-101 | Snap, red LL, long, 130cm/51" | 1 |
| 412596-005 | Snap, brown V, short, 74cm/29" | 1 |
| 412596-105 | Snap, brown V, long, 130cm/51" | 1 |

300-series individual replacement leadwires

These leadwires work exclusively with the Apex Pro FH telemetry module. They are available in grabber or snap connections for 3-lead, 5-lead or 6-lead configurations.



| Cat. no. | Description | Qty. |
|--------------|----------------------------------|------|
| Telemetry, N | 1ulti-Link, 3-lead, AHA 75cm/29" | |
| 394111-013 | 3-lead, grabber | 1 |
| 394111-011 | 5-lead, grabber | 1 |
| 394111-009 | 6-lead, grabber | 1 |
| 394111-014 | 3-lead, snap | 1 |
| 394111-012 | 5-lead, snap | 1 |
| 394111-010 | 6-lead, snap | 1 |
| | | |

Carrying case

To help patients experience ultimate comfort during their hospital stay with telemetry monitoring, use the pouch designed for GE equipment.



| Cat. no. | Description | Qty. |
|---------------|-------------|------|
| Pouch, Apex t | elemetry | |
| 20091023-003 | Foam | 100 |

Cable management

Vyaire offers a variety of accessories for cables and leadwires. Our separators, combiners, and bed clips assist with cord management to help reduce the clutter.



| Cat. no. | Description | Qty. |
|------------|-----------------------------------|------|
| ECG | | |
| 416212-001 | Cable, Multi-Link, bed clip | 1 |
| 414763-002 | Separator for Multi-Link 3/5-lead | 3 |



| Cat. no. | Description | Qty. |
|-------------|------------------------|------|
| Combiner, E | CG leadwire | |
| 411195-008 | 5-lead, Multi-Link AHA | 1 |

DIN adapter

Our DIN adapters will modify any of our Multi-Link trunk cables to work with DIN-style leadwires or pre-wired electrodes where radiolucent leadwires are required.





| Cat. no. | Description | Qty. |
|--------------|----------------|------|
| DIN converto | or, Multi-Link | |
| 414371-001 | To 3-lead | 1 |
| 414370-001 | To 5-lead | 1 |
| 414370-012 | To 12-lead | 1 |

Single-patient-use leadwires

Our Multi-Link™ single-patient-use leadwires offer the same high quality as our reusable leadwires but with a lifespan appropriate for disposal after each patient use. These single-patient-use leadwires are validated for use with GE equipment without requiring adapters or new hardware. They are currently available in grabber or snap connections for 3-lead, 5-lead, or V-lead sets.




| Cat. no. | Description | Qty. |
|--------------|--------------------|------|
| 3-lead, AHA | | |
| 2052133-027* | Grabber, 75cm/29" | 10 |
| 2052133-005 | Grabber, 100cm/39" | 10 |
| 2052104-027* | Snaps, 75cm/29" | 10 |
| 2052104-005 | Snaps, 100cm/39" | 10 |
| 5-lead, AHA | | |
| 2052133-007 | Grabber, 75cm/29" | 10 |
| 2052133-006 | Grabber, 100cm/39" | 10 |
| 2052104-007 | Snaps, 75cm/29" | 10 |
| 2052104-006 | Snaps, 100cm/39" | 10 |
| 6-lead, AHA | | |
| 2086367-003 | Grabber, 100cm/39" | 10 |
| 2086349-004* | Snaps, 75cm/29" | 10 |
| 2086349-003 | Snaps, 100cm/39" | 10 |
| V-lead, AHA | | |
| 2052133-008 | Grabber, 100cm/39" | 10 |
| 2052104-008 | Snaps, 100cm/39" | 10 |

ECG Monitoring in Telemetry

Direct connect single-patient-use leadwires do not require the use of adapters, resulting in a lighter-weight system along with the telemetry transmitter, when workflow does not require patient to be transferred between bedside monitoring and telemetry.







| Cat. no. | Connection | Leads | Compatibility | Length |
|--------------|------------|-------|-----------------------------------|------------------|
| Philips | | | | |
| 2090101-511 | | 3 | IntelliVue: M2601B, | |
| 2090101-512 | Grab - | 5 | TRx4841A, TRx4851A | |
| 2090101-513 | Ciab | 6 | IntelliVue: TRx4841A, TRx4851A | 05 / 77: |
| 2090101-521 | | 3 | IntelliVue: M2601B, | 85cm / 33in |
| 2090101-522 | Snap | 5 | TRx4841A, TRx4851A | |
| 2090101-523 | оар | 6 | IntelliVue: TRx4841A, TRx4851A | |
| Nihon Kohden | ı | | | |
| 2090101-811 | Cuala | 3 | ZS-530P, ZS-620P, ZS-630P | |
| 2090101-813 | Grab | 6 | ZM-540/541PA | 00 ans / 71in |
| 2090101-821 | 0 | 3 | ZS-530P, ZS-620P, ZS-630P | 80cm / 31in |
| 2090101-823 | Snap | 6 | ZM-540/541PA | |
| Dräger | | | | |
| 2090101-911 | | 3 | | |
| 2090101-912 | Grab | 5 | | 100cm / 39in |
| 2090101-913 | | 6 | Infinity: M300 | |
| 2090101-921 | | 3 | | |
| 2090101-922 | Snap | 5 | | |
| 2090101-923 | | 6 | | |
| Mindray | | | | |
| 2090101-611 | 0 1 | 3 | | |
| 2090101-612 | Grab | 5 | | 80cm / 31in |
| 2090101-621 | 0 | 3 | TMS: TMS-6016 | |
| 2090101-622 | Snap | 5 | | |
| 2090601-611 | 0 | 3 | | |
| 2090601-612 | Grab | 5 | TD/0 | 00/75: |
| 2090601-621 | 0 | 3 | TD60 | 90cm / 35in |
| 2090601-622 | Snap | 5 | | |
| Spacelabs | | | | |
| 2090601-712 | Grab | Г | AvieTele | (Oans / 2/ :- |
| 2090601-722 | Snap | 5 | AriaTele | 60cm / 24 in |
| GE | | | | |
| 2052104-007 | 0 | 5 | | |
| 2052104-027 | Snap | 3 | CARESCAPE T4, Apex | |
| 2052133-007 | O I- | 5 | Pro CH, Apex Pro S | 75cm / 30in — |
| 2052133-027 | Grab | 3 | | |
| 2086349-004 | Snap | , | CARESCAPE T4, Apex Pro CH | |
| 2086367-004 | Grab | 6 | | |

ECG Monitoring in Telemetry



| Cat. no. | Connection | Leads | Compatibility | Length | |
|--------------|--------------------------|-------|--------------------|------------------|--|
| Reusable Mu | Reusable Multi-Link - GE | | | | |
| 411200-001 | Cnan | 5 | | | |
| 411203-001 | Snap | 3 | CARESCAPE T4, Apex | | |
| 412682-001 | Grab | J | Pro CH, Apex Pro S | 7/1cm / 20in | |
| 414556-001 | Glab | 5 | | 74cm / 29in - | |
| 421930-001 | Snap | 6 | CARESCAPE T4, Apex | | |
| 421932-001 | Grab | O | Pro CH | | |
| Reusable, Ap | exPro FH speci | fic | | | |
| 394111-511 | Snap | 3 | | 75cm / 30in | |
| 394111-501 | Grab | 3 | | | |
| 394111-512 | Snap | 5 | Areas Dre Ell | | |
| 394111-502 | Grab | 5 | Apex Pro FH | | |
| 394111-513 | Snap | | | | |
| 394111-503 | Grab | 6 | | | |

Standard-length cable (non-GE)


For more than a decade, our engineers have designed the only official, validated ECG supplies and accessories for GE® Healthcare patient monitoring systems. We have extended this expertise, knowledge and focus on quality to several other major bedside monitoring platforms.



| Cat. no. | Leads | Length | Qty. |
|--------------|--------|-----------|------|
| Philips | | | |
| 2090100-052 | 3 or 5 | 12'/3.6 m | 1 |
| 2090100-056 | 12 | 12'/3.6 m | 1 |
| Spacelabs | | | |
| 2090100-072 | 5 | 12'/3.6 m | 1 |
| Nihon Kohden | | | |
| 2090100-084 | 6 | 12'/3.6 m | 1 |
| Mindray | | | |
| 2090100-062 | 3 or 5 | 12'/3.6 m | 1 |
| GE | | | |
| 2017003-001 | 3 or 5 | 12'/3.6 m | 1 |
| 2022948-001 | 3 or 5 | 12'/3.6 m | 1 |
| 2017006-001 | 12 | 12'/3.6 m | 1 |
| 2017004-001 | 3 | 12'/3.6 m | 1 |
| 412931-021 | 3 or 5 | 12'/6.1 m | 1 |
| 2017005-001 | 6 | 12'/6.1 m | 1 |

Extra-short cables

Unlike a traditional configuration, the extra-long leadwire style utilizes a 9" trunk cable and 12' leadwire. This extra-short, reusable trunk cable provides peace of mind knowing it is out of the patient's reach.



| Cat. no. | Leads | Length | Qty. |
|--------------|--------|----------|------|
| GE | | | |
| 2090100-041 | 3 or 5 | 9"/23 cm | 1 |
| 2090100-045 | 12 | 9"/23 cm | 1 |
| Philips | | | |
| 2090100-051 | 3 or 5 | 9"/23 cm | 1 |
| Spacelabs | | | |
| 2090100-071 | 5 | 9"/23 cm | 1 |
| Nihon Kohden | | | |
| 2090100-081 | 3 | 9"/23 cm | 1 |
| Mindray | | | |
| 2090100-061 | 3 or 5 | 9"/23 cm | 1 |

Extra-long disposable leadwires

Our extra-long disposable leadwires function the same as our standard-length disposable and reusable leadwires. They are available in all configurations and in both snaps and grabbers. These 12' leadwires are intended to be used with our extra-short 9" trunk cables, and are not recommended for use in mobile telemetry.



| Cat. no. | Leads | Length | Qty. |
|--------------------|-------|-----------|------|
| Grabber connection | | | |
| 2052133-405 | 3 | 12'/3.6 m | 10 |
| 2052133-406 | 5 | 12'/3.6 m | 10 |
| 2052133-408 | V | 12'/3.6 m | 10 |
| 2086367-006 | 6 | 12'/3.6 m | 10 |
| Snap connection | | | |
| 2052104-406 | 5 | 12'/3.6 m | 10 |
| 2052104-408 | V | 12'/3.6 m | 10 |

Direct-connect disposable telemetry leadwires

Direct-connect telemetry leadwires are a perfect solution for Philips, Mindray and Nihon Kohden telemetry systems without the need for an adapter. These disposable leadwires plug directly into their corresponding telemetry systems.




| Cat. no. | Connection | Leads | Length | Qty. |
|--------------|------------|-------|-----------|------|
| GE | | | | |
| 2052133-027 | Grabber | 3 | 29"/75 cm | 10 |
| 2052133-007 | Grabber | 5 | 29"/75 cm | 10 |
| 2052104-027 | Snap | 3 | 29"/75 cm | 10 |
| 2052104-007 | Snap | 5 | 29"/75 cm | 10 |
| 2086349-004 | Snap | 6 | 29"/75 cm | 10 |
| Philips | | | | |
| 2090101-512 | Grabber | 5 | 33"/85 cm | 10 |
| Nihon Kohden | | | | |
| 2090101-811 | Grabber | 3 | 31"/80 cm | 10 |
| 2090101-821 | Snap | 3 | 31"/80 cm | 10 |

For additional connection styles and telemetry adapters please contact your Vyaire Sales representative.

ECG electrodes

Our line of ECG electrodes provides excellent adhesion without patient discomfort. These electrodes are available in a variety of sizes, shapes, material composition and gel types.




| Cat. no. | Description | Qty. |
|---------------|--|-------------|
| SilverTRACE® | 55mm electrodes | |
| 2014777-001 | Foam wet gel electrodes, round | 30 ea/pouch |
| SilverTRACE 5 | 50mm electrodes | |
| 2014783-001 | Clear tape solid gel electrodes, round | 30 ea/pouch |
| 2014784-001 | Clear tape solid gel electrodes, round | 5 ea/pouch |
| 2014785-001 | Clear tape solid gel electrodes, round | 7 ea/pouch |
| 2014780-001 | Foam wet gel electrodes, round | 30 ea/pouch |
| 900703-805 | Foam wet gel electrodes, oval | 5 ea/pouch |
| 900703-830 | Foam wet gel electrodes, oval | 30 ea/pouch |
| | | |


| Cat. no. | Description | Qty. | | | |
|---------------------------------|--|----------------------------|--|--|--|
| SilverTRACE of | SilverTRACE other electrodes | | | | |
| 2014782-001 | Cloth solid gel electrodes, round | 30 ea/pouch | | | |
| 2014768-001 | Foam solid gel electrodes, teardrop | 5 ea/strip, 30 ea/pouch | | | |
| 2014775-001 | Foam wet gel electrodes, rectangular | 5 ea/strip, 30 ea/pouch | | | |
| 2014776-001 | Foam wet gel electrodes, rectangular | 5 ea/strip, 10 ea/pouch | | | |
| 2014786-001 | Foam wet gel radiolucent electrodes, rectangular | 3 ea/strip, 30 ea/pouch | | | |
| Vital Signs neonatal electrodes | | | | | |
| 2009101-404 | Neonatal cloth radiolucent electrode with pre-attached DIN leadwires, AAMI/AHA | 3 ea/pouch | | | |

Invasive blood pressure care cables


With connections for Deltran/Biotrans™, ICU Medical Transpac-IV®, Edwards Lifesciences TruWave and Argon transducers, our invasive blood pressure cables provide a wide breadth of options for invasive blood pressure transducer connectivity to GE Healthcare patient monitors.




| Cat. no. | Length | System |
|---------------|-------------|---|
| Deltran/Biotr | ans: single | |
| 2016997-001 | 3.6 m/12' | E-P, E-PP, E-PT, E-PSMP, E-PRESTN, Dash [*] , Tram [*] (all versions), Patient Data Module (PDM) |



| Cat. no. | Length | System |
|----------------|-----------|--|
| Deltran/Biotro | ans: dual | |
| 2016997-003 | 3.6 m/12' | Dash, Tram (all versions), E-PSMP, E-PRESTN, PDM |








| Cat. no. | Length | System |
|---------------|------------------|--|
| ICU Medical T | ranspac-IV: dual | |
| 2021196-003 | 3.6 m/12' | Dash, Tram (all versions), E-PSMP, E-PRESTN, PDM |
| | | |

Invasive blood pressure care cables



| Cat. no. | Length | System |
|---------------|----------------|---|
| Edwards Lifes | ciences TruWav | re: single |
| 2021197-001 | 3.6 m/12' | E-P, E-PP, E-PT, E-PSMP, E-PRESTN, Dash, Tram (all versions), PDM |



| Cat. no. | Length | System |
|---------------|----------------|--|
| Edwards Lifes | ciences TruWav | e: dual |
| 2021197-003 | 3.6 m/12' | Dash, Tram (all versions), E-PSMP, E-PRESTN, PDM |



| Cat. no. | Length | System |
|---------------|-----------|---|
| Argon: single | | |
| 2016995-001 | 3.6 m/12' | E-P, E-PP, E-PT, E-PSMP, E-PRESTN, Dash, Tram (all versions), PDM |



| Cat. no. | Length | System |
|---------------|------------|--|
| Dual IBP adap | ter cable* | |
| 2005772-001 | 30 cm/12" | Dash, Tram (all versions), E-PSMP, E-PRESTN, PDM |

 $^{^{\}star}\text{Converts}$ any of the above single cables into a dual. Not to be used with any of the above dual cables.

Toco and Ultrasound transducers


Each monitor within the GE Corometrics portfolio has been specifically designed and tested to perform best when used with validated transducers. Our portfolio includes both Toco and Ultrasound transducers in Loop or Button belt connection options. All transducers come with a two year warranty.



| Cat. no. | Description | Qty. | | |
|---|-----------------------------------|------|--|--|
| Transducer, U | ltrasound, watertight | | | |
| 5700HAX | Button style, 8' | 1 | | |
| 5700LAX | Loop style, 8' | 1 | | |
| Transducer, T | oco, watertight | | | |
| 2264HAX | Button style, 8' | 1 | | |
| 2264LAX | Loop style, 8' | 1 | | |
| Belts, reusable, for use with transducers | | | | |
| 2015827-001 | Button style, blue | 10 | | |
| Belts, disposable, for use with transducers | | | | |
| 4425FAO | Loop style with velcro, pink/blue | 50 | | |
| 4425CAO | Loop style with velcro, white | 10 | | |

Fetal spiral electrodes & intrauterine pressure catheters

Our fetal spiral electrodes and accessories are designed and tested for use with GE Corometrics monitors. With a long history of quality, our fetal spiral electrodes will give accurate readings to make quick, important patient intervention decisions.



| Cat. no. | Description | Qty. |
|----------|---|------|
| 7000AAO | Fetal spiral electrodes | 50 |
| 2464AAO | Attachment pads for fetal spiral electrode cable | 50 |
| 1590AAO | Cable, use with fetal spiral electrodes, round connector to the monitor, 8' | 1 |
| 1591AAO | Cable, fetal spiral electrodes, rectangle connector to the monitor, 8' | 1 |

Maternal ECG cables and leadwires

Maternal ECG cables and leadwires are available for use with GE Corometrics monitors. Cables come in round or rectangular connection options, and leadwire sets provide three lead monitoring.



| Cat. no. | Description | Qty. |
|--------------|--------------------------------|------|
| Y adapter c | able for maternal/fetal ECG | |
| 1442AAO | Rectangular connector, 1' | 1 |
| Cable, Multi | -Link 3-lead maternal ECG, AHA | |
| 1554AAO | Round connector, 8' | 1 |
| 1553AAO | Rectangle connector, 8' | 1 |

Fetal chart paper

Our paper products are designed and tested for use with GE Corometrics monitors. With a long history of quality and longevity, our maternal/fetal monitoring paper will provide an accurate record of the delivery that will maintain its integrity for years to come.



| Cat. no. | Description | Qty. |
|-----------------|----------------------------------|------|
| Fetal chart par | per | |
| 2009828-CAO | 30-240 BPM, Z-fold | 40 |
| 2009828-DAO | 50-210 BPM, Z-fold | 40 |
| 2009828-FAO | 50-210 BPM, Z-fold, 1 min. marks | 40 |
| 2009828-AAO | 30-240 BPM roll | 6 |
| Labels | | |
| 2009828-491 | Chart guard labels for records | 200 |

Cables


Effectively utilize GE Healthcare patient monitoring technologies with temperature cables from Vyaire. Cables are available in a variety of options—various lengths, single and dual connections, and different monitor plug-ins.



| Cat. no. | Description | Qty. |
|----------------|--------------------------------------|------|
| Temperature o | cable, 400 series | |
| 2021700-001 | Single, 0.5 m/1.7' | 1 |
| 2016998-001 | Dual, 0.5 m/1.7' | 1 |
| Interconnect t | emperature cable, 400 series | |
| 165640 | 1.3 m/4.3' | 1 |
| 165641 | 2.8 m/9' | 1 |
| Direct connect | t temperature care cable, 400 series | |
| 2021701-001 | Single, 3.6 m/12' | 1 |
| 2021704-002 | Dual, 3.6 m/12' | 1 |
| | | |

Probes - disposable

Effectively utilize GE Healthcare patient monitoring technologies with temperature probes and cables from Vyaire. Single-patient-use temperature probes help reduce the potential for cross contamination. Our product line provides nasopharyngeal, oral, esophageal, rectal, bladder, auditory canal, and axillary application options.



| Cat. no. | Description | Qty. |
|-----------------|--|------|
| Skin temperat | ure probe, 400 series | |
| M1024222VY | Sterile | 50 |
| Esophageal st | ethoscope with temperature probe, 400 series | |
| M1024205VY | 9 FR, sterile | 50 |
| M1024212VY | 12 FR, sterile | 50 |
| M1024215VY | 18 FR, sterile | 50 |
| M1024218VY | 24 FR, sterile | 50 |
| General purpo | se temperature probe, 400 series | |
| M1024229VY | 9 FR, sterile | 50 |
| M1024231VY | 12 FR, sterile | 50 |
| Foley with tem | perature probe, 400 series | |
| M1024239VY | 14 FR, sterile | 50 |
| M1024242VY | 16 FR, sterile | 50 |
| M1024244VY | 18 FR, sterile | 50 |
| Tympanic tem | perature probe, 400 series | |
| M1024233VY | With foam, non-sterile | 50 |
| M1024237VY | Without foam, non-sterile | 50 |
| Nasal tempera | ature probe, 400 series | |
| 2070720-001 | 9 FR, sterile | 50 |
| Strips, forehed | ad temperature indicators | |
| 1047VS | One size | 100 |
| | | |

Probes - reusable

Vital Signs reusable temperature probes are designed to provide reliable and accurate temperature readings when used with GE patient monitors.



| Cat. no. | Description | Qty. |
|---------------|---|------|
| Reusable gene | eral purpose temperature probe, 400 series | |
| M1024247 | Adult, 3 m/10' | 1 |
| M1024251 | Pediatric, 3 m/10' | 1 |
| Reusable skin | temperature probe, 400 series | |
| M1024254 | Pediatric, 3 m/10' | 1 |
| | orobes for use with DINAMAP® Pro 100-400 V2, ProCare, and CARESCAPE® V100 | |
| 2008774-001 | Oral temperature probe, blue | 1 |
| 2008775-001 | Rectal temperature probe, red | 1 |

Diagnostic

cardiology monitoring

Cables & leadwires

| Cables | 65 |
|--------------------------------|----|
| Leadwires | 65 |
| Accessories | 66 |
| Holter/ambulatory monitoring | |
| Holter leadwires | 67 |
| Carrying cases and accessories | 67 |
| Electrodes | |
| Resting ECG electrodes | 68 |
| ECG electrodes | 69 |
| Monitorina paper | 70 |

Cables

Our line of trunk and communication cables provide the vital connection between GE® Healthcare Diagnostic Cardiology equipment and the patient. Our cables are designed and validated for use with GE® CASE®, CardioSoft® and MAC® Series equipment.



| Cat. no. | Description | Qty. |
|---------------|---------------------------------------|------|
| DCAR, commu | nication, host cable | |
| 2016560-001 | For use with MAC 5500, 50" | 1 |
| 2016560-003 | For use with MAC 5500, 15' | 1 |
| 2016560-002 | For use with CardioSoft and case, 15' | 1 |
| DCAR, Trunk C | Cable | |
| 22341809V | 12-lead, AHA | 1 |

Leadwires

We offer both blank-ended and banana-ended leadwires to fit diagnostic cardiology needs. All Vyaire capital accessories are designed for and specifically specced to GE Diagnostic Cardiology Equipment.



| Cat. no. | Description | Qty. |
|-------------|---|------|
| 2089797-002 | LEADWIRE SET, DCAR, UNI MIXED AHA | 10 |
| 2089797-001 | LEADWIRE SET, DCAR, UNI MIXED AHA | 14 |
| 38401817 | Banana-ended 12-lead set with combiner, AHA | 1 |
| 2016032-001 | Banana-ended 12-lead set, AHA, mixed length | 1 |
| 2016033-001 | Banana-ended 15-lead set, AHA, mixed length | 1 |

Accessories

We offer a variety of adapters and clips for our diagnostic cardiology leadwires. All of our adapters can fit on a blank-ended diagnostic cardiology leadwire. The banana adapters accommodate widemouth clips or Sure-Lock® clips. The grabbers and alligator clips connect directly to blank-ended diagnostic cardiology leadwires.



| Cat. no. | Description | Qty. |
|-----------------|-------------------------------|------|
| Leadwire conn | nector set, AHA | |
| 900178-002 | Mactrode clip for 12-lead | 1 |
| 900179-202 | Mactrode clip for 15-lead | 1 |
| 900178-001 | Banana adapters for 12-lead | 1 |
| 900179-201 | Banana adapters for 15-lead | 1 |
| 900178-003 | Grabber adapters for 12-lead | 1 |
| 900179-203 | Grabber adapters for 15-lead | 1 |
| Accessory, DCAR | | |
| 2001926-001 | CAM 14 blank plugs | 4 |
| 401089-003 | Leadwire separators, set of 6 | 1 |

Our adapter clips will fit onto either our banana adapters or banana-ended diagnostic cardiology leadwires. Our widemouth clip design provides excellent ease of disengagement while the Sure-Lock clips provide the ultimate connection strength for those strenuous stress test situations.



| Cat. no. | Description | Qty. |
|---------------|----------------|------|
| Leadwire conr | nector, DCAR | |
| 2056813-010 | Sure-Lock clip | 10 |
| 2056813-014 | Sure-Lock clip | 14 |
| 2066867-010 | Widemouth clip | 10 |
| 2066867-014 | Widemouth clip | 14 |

Our V3R, V4R, and V7 adapters and clips are available to provide extensive readings for diagnostic cardiology needs.



| Cat. no. | Description | Qty. |
|---------------|---------------------|------|
| Connector, CA | M14, gray, AHA | |
| 406554-033 | Banana adapter, V3R | 1 |
| 406554-034 | Banana adapter, V4R | 1 |
| 406554-035 | Banana adapter, V7R | 1 |
| 406551-033 | Mactrode clip, V3R | 1 |
| 406551-034 | Mactrode clip, V4R | 1 |
| 406551-035 | Mactrode clip, V7R | 1 |

Holter leadwires

The Vyaire line of Holter leadwires are designed and validated for use with SEER® 1000, SEER® Light or SEER Event Holter monitors. These leadwires are the same as those received with the initial GE monitor purchase. Continue experiencing the best quality results from GE equipment by using the validated accessories for it.



| Cat. no. | Description | Qtv. |
|-----------------|------------------------|------|
| SEER 1000, AH | <u> </u> | |
| 2067634-052 | 3-lead, 3 channel, 24" | 1 |
| 2067634-053 | 3-lead, 3 channel, 41" | 1 |
| 2067634-017 | 5-lead, 2 channel, 24" | 1 |
| 2067634-019 | 5-lead, 2 channel, 41" | 1 |
| 2067634-018 | 7-lead, 3 channel, 24" | 1 |
| 2067634-020 | 7-lead, 3 channel, 41" | 1 |
| SEER Light, AHA | | |
| 2008594-001 | 2 channel, 55" | 1 |
| 2008594-002 | 3 channel, 55" | 1 |

Carrying cases and accessories

Help patients experience ultimate comfort during their Holter monitoring period with the right case, necklace or belt for them.



| Cat. no. | Description | Qty. |
|-------------|---|------|
| 2008596-001 | Carry case, belt and necklace, SEER Light | 1 |

Resting ECG electrodes

Our Silver Mactrode™ Plus and BabyMAC electrodes are premium electrodes for the greatest ease of use and highest quality connection to the patient. The pink BabyMAC electrodes are designed for pediatrics or neonates. Our Silver Mactrode Plus electrodes provide excellent adhesion for your resting ECG applications.



| Cat. no. | Description | Qty. | |
|----------------------------|-------------|-------|--|
| Silver Mactro | de Plus | | |
| 9623-810P | 10/card | 1,000 | |
| 9623-814P | 14/card | 1,400 | |
| BabyMAC neonatal/pediatric | | | |
| 402207-810 | 10/card | 500 | |

Our Vital Signs™ resting ECG electrodes are available in three sizes: large, medium and small.



| Cat. no. | Description | Qty. |
|--------------|---------------------|-------|
| 2009101-003P | Medium tab, 10/card | 1,000 |

ECG electrodes

In addition to providing the highest quality one could expect in an electrode, SilverTRACE® electrodes are also designed and engineered to work with GE Healthcare equipment.











| Cat. no. | Description | Qty. |
|---------------|--|------|
| SilverTRACE 5 | 5mm electrodes | |
| 2014777-001 | Foam, round, wet gel, 30ea/pouch | 300 |
| SilverTRACE 5 | Omm electrodes | |
| 2014783-001 | Clear tape, round, solid gel, 30ea/pouch | 300 |
| 2014784-001 | Clear tape, round, solid gel, 5ea/pouch | 300 |
| 2014785-001 | Clear tape, round, solid gel, 7ea/pouch | 350 |
| 2014780-001 | Foam, round, wet gel, 30ea/pouch | 300 |
| 900703-805 | Foam, oval, wet gel, 5ea/pouch | 600 |
| 900703-830 | Foam, oval, wet gel, 30ea/pouch | 300 |
| | | |

| Cat. no. | Description | Qty. |
|----------------|--|-------|
| SilverTRACE of | ther electrodes | |
| 2014782-001 | Cloth, round 40mm, solid gel, 30ea/pouch | 300 |
| 2014768-001 | Foam, teardrop 35mm, solid gel, 5ea/strip 30ea/pouch | 300 |
| 2014775-001 | Foam, rectangular, wet gel, 5ea/strip 30ea/pouch | 300 |
| 2014776-001 | Foam, rectangular, wet gel, 10ea/strip 30ea/pouch | 1,600 |
| 2014786-001 | Foam, radiolucent, rectangular, wet gel, 3ea/strip 30ea/pouch | 300 |

Monitoring paper

Vyaire is the official, certified supplier of paper for GE Healthcare machines. Be sure to use our validated ECG papers to help reduce errors and complications with equipment.





| Cat. no. | Description | Qty. |
|---------------|---|-------|
| 8-year image | archival | |
| 22616605 | Paper, ECG, A4, red grid, full page, Z-Fold | 1,500 |
| 2036970-001 | Paper, ECG, red grid, Z-Fold, 100 mm wide | 2,000 |
| 10-year image | archival | |
| 2009828-020 | Paper, ECG, letter, red grid, full page, Z-Fold | 2,400 |
| 2009828-021 | Paper, ECG, A4, red grid, full page, Z-Fold | 2,400 |
| 2009828-024 | Paper, ECG, letter, red grid, blank data area, Z-Fold | 2,400 |
| 2009828-060 | Paper, ECG, letter, red grid, full page, Z-Fold, half-packs | 2,400 |
| 2009828-061 | Paper, ECG, letter, red grid, blank data area, Z-Fold, half-packs | 2,400 |
| 25-year image | archival | |
| 2009828-034 | Paper, ECG, letter, red grid, full page, Z-Fold | 2,400 |
| 2009828-035 | Paper, ECG, A4, red grid, full page, Z-Fold | 2,400 |
| 22616611 | Paper, ECG, A4, red grid, full page, Z-Fold, half packs | 1,500 |
| 2014776-001 | Foam, rectangular, wet gel, 10ea/strip 30ea/pouch | 1,600 |
| 2014786-001 | Foam, radiolucent, rectangular, wet gel, 3ea/strip 30ea/pouch | 300 |

| Description | Qty. | | |
|--|---|--|--|
| 10-year image archival | | | |
| Paper, ECG, monitoring, blank roll | 48 | | |
| Paper, ECG, monitoring, blank roll, 50mm | 20 | | |
| 25-year image archival | | | |
| Paper, ECG, monitoring, blank roll, 50mm | 50 | | |
| Paper, ECG, DINAMAP 1000 | 10 | | |
| Paper, ECG, DINAMAP 300 | 10 | | |
| Paper, ECG, monitoring, blank roll | 10 | | |
| | archival Paper, ECG, monitoring, blank roll Paper, ECG, monitoring, blank roll, 50mm archival Paper, ECG, monitoring, blank roll, 50mm Paper, ECG, DINAMAP 1000 Paper, ECG, DINAMAP 300 | | |

Index

| Alphabetical72 | 2-7 | 73 | 3 |
|----------------|-----|----|---|
|----------------|-----|----|---|

| AIRWAY ACCESS | | DIAGNOSTIC CARDIOLOGY MONITORING | G |
|--|-------|--|-----------|
| Endotracheal tube stylets | 40 | Accessories | 70 |
| Endotracheal tubes | 39 | Cables | 68 |
| Head positioner | 40 | ECG electrodes | 72-73 |
| Oral airways | 41 | Monitoring paper | 74 |
| Orotracheal lighted stylets | 40 | Leadwires | 68-69, 71 |
| RediTube™ endotracheal tube | 38 | ECG ACCESSORIES | |
| ANESTHESIA CIRCUITS | | Cable management | 53 |
| Adult corrugated | 4 | DIN adapter | |
| Adult expandable | 6 | | |
| Adult kits, Limb-O™ | | ECG CABLES | , – |
| Adult kits, expandable | | 300-series | |
| Limb-O single limb | | Extra-short length | |
| Neonate | | Multi-Link™ | |
| Pediatric corrugated | 10 | Standard length | |
| Pediatric expandable | | ECG electrodes | 57, 72-73 |
| Pediatric kits | | ECG LEADWIRES | |
| Transport | 12 | 300-series | 51 |
| | | 300-series individual replacement leadwir | |
| ANESTHESIA MASK | 17 | Extra-long disposable | |
| Flexible | | Multi-Link leadwire sets | |
| Round | | Multi-Link individual replacement leadwire | |
| Standard | 14 | Single-patient-use | |
| CABLES | | Telemetry, direct-connect | |
| Cardiac output & Sv02 | 44 | Telemetry, Multi-Link | |
| Diagnostic cardiology monitoring | 68 | | |
| ECG | | ELECTRODES | 70 77 |
| Invasive blood pressure care cables | 59-60 | DCAR ECG | |
| Invasive cardiology | 76 | ECG | 5/, /2-/3 |
| Maternal ECG | 64 | ENDOTRACHEAL TUBES | |
| Temperature monitoring | 65 | RediTube™ endotracheal tube | 38 |
| CARRIAC OLITRUIT C.CO | | Stylets | 40 |
| CARDIAC OUTPUT & Sv0 | / / | Tubes | |
| Cables | | Fetal spiral electrodes | 65 |
| Probes - bath | | ETCO ₂ sampling cannulas, Capnoflex | |
| Probes - in-line injectate | | | |
| CO ₂ absorbent | | GAS MONITORING AND MONITORING PA | |
| CO ₂ monitoring supplies | | ECG monitoring paper | |
| ${\sim}{\cup}_2$ monitoring gas sampling lines | 20 | Gas sampling lines, accessories & filters | 20, 58 |

| Accessories | HOLTER DIAGOSTIC CARDIOLOGY MONITOR | RING | PRESSURE INFUSORS | |
|--|--------------------------------------|--------|-----------------------------------|-------|
| PROBE | Accessories | 71 | Clear backing | 18 |
| Invasive blood pressure care cables S9-60 Cardiac output & SvO ₂ - bath 44 | Carrying case | 71 | Netted backing | 18 |
| Invasive blood pressure care cables 59-60 Cardiac output & SvO ₂ - bath 44 | Leadwires | 71 | DDODE | |
| NVASIVE CARDIOLOGY | Invasive blood pressure care cables5 | 59-60 | | /. / |
| Cables .76 Temperature monitoring - disposable .66 Leadwires .76 Temperature monitoring - reusable .66 LARYNGOSCOPE Resting ECG electrodes .72 Blades, SunMed .27-31 Single-patient-use leadwires .54 Blades, Vital Signs** .24 SUNMED LARYNGOSCOPE BLADE .54 GreenLight** system .22-23 Conventional .34-37 Handles, SunMed .25-26, 32 Fiber optic .29-3* Handles, Vital Signs .24 GreenLine/D. .27-3* Handles, Vital Signs .24 Sun-Flex .3 Sun-Flex .3 Sun-Flex .3 Black .48-52 Conv | INVASIVE CARRIOLOGY | | - | |
| Leadwires .76 Temperature monitoring - reusable .66 LARYNGOSCOPE Resting ECG electrodes .72 Blades, SunMed .27-31 Single-patient-use leadwires .54 Blades, Vital Signs** .24 SUNMED LARYNGOSCOPE BLADE GreenLight** system .22-23 Conventional .34-37 Handles, SunMed .25-26, 32 Fiber optic .29-3* Handles, Vital Signs .24 GreenLine/D .27-3* Handles, Vital Signs .24 Sun-Flex .3 Sun-Flex .3 | | 74 | | |
| Resting ECG electrodes | | | | |
| Single-patient-use leadwires 54 | Leadwires | 70 | | |
| SunMed Signs SunMed Su | LARYNGOSCOPE | | | |
| GreenLight" system 22-23 Conventional 34-37 Handles, SunMed 25-26, 32 Fiber optic 29-3* Handles, Vital Signs 24 GreenLine/D 27-3* Sun-Flex 3* Sun-Flex 3* LEADWIRES Diagnostic cardiology monitoring 68-69,71 SUNMED LARYNGOSCOPE HANDLES ECG 48-52 Conventional 32 Invasive cardiology 76 Conventional waterproof 32 MASKS GreenLine 25-26 Anesthesia 13-14 Replacement lamps - conventional 33 Replacement lamps - fiber optic 26 Telemetry carry case 66 MONITORING PAPER TEMPERATURE MONITORING Cables 55 Fetal and maternal 64 MULTI-LINK** Toco and Ultrasound transducers 62 MULTI-LINK** Toco and Ultrasound transducers 62 Fetal and monitoring 48-50, 54 YITAL SIGNS** LARYNGOSCOPE BLADES GreenLight system 23 Vital Signs 24 Accessories 64 Externa | Blades, SunMed | 27-31 | Sirigle-patient-use leadwires | 54 |
| Handles, SunMed | Blades, Vital Signs [™] | 24 | SUNMED LARYNGOSCOPE BLADE | |
| Handles, Vital Signs. | GreenLight™ system | 22-23 | Conventional | 34-37 |
| Sun-Flex | Handles, SunMed25-2 | 26, 32 | Fiber optic | 29-3 |
| LEADWIRES Diagnostic cardiology monitoring 68-69, 71 SUNMED LARYNGOSCOPE HANDLES ECG 48-52 Conventional 32 Invasive cardiology 76 Conventional waterproof 32 MASKS GreenLine 25-26 Anesthesia 13-14 Replacement lamps - conventional 33 Replacement lamps - fiber optic 26 Telemetry carry case 6 MONITORING PAPER TEMPERATURE MONITORING ECG 58 Fetal and maternal 64 MULTI-LINK** Toco and Ultrasound transducers 66 MULTI-LINK** Toco and Ultrasound transducers 62 VITAL SIGNS*** LARYNGOSCOPE BLADES GreenLight system 23 VITAL SIGNS*** LARYNGOSCOPE BLADES GreenLight system 23 Vital Signs 24 External monitoring 62 Fetal chart paper 64 Invariant paper 64 Invariant paper 64 Invariant paper 64 Invariant paper | Handles, Vital Signs | 24 | GreenLine/D | 27-3 |
| Diagnostic cardiology monitoring 68-69,71 SUNMED LARYNGOSCOPE HANDLES ECG .48-52 Conventional .32 Invasive cardiology .76 Conventional waterproof .32 MASKS GreenLine .25-26 Anesthesia .13-14 Replacement lamps - conventional .33 Medisorb CO2 absorbent .16 Replacement lamps - fiber optic .26 MONITORING PAPER .74 Telemetry carry case .66 DCAR .58 Probes - disposable .65 Fetal and maternal .64 Probes - reusable .66 MULTI-LINK** Toco and Ultrasound transducers .62 Cables .45-47 VITAL SIGNS** LARYNGOSCOPE BLADES GreenLight system .23 VITAL Signs .24 Accessories .64 External monitoring .62 Fetal chart paper .64 Internal monitoring .63 | LEADAUDEC | | Sun-Flex | 3 |
| ECG .48-52 Conventional 32 Invasive cardiology .76 Conventional waterproof .32 MASKS GreenLine .25-26 Anesthesia .13-14 Replacement lamps - conventional .33 Replacement lamps - fiber optic .26 MONITORING PAPER .16 Telemetry carry case .66 MONITORING PAPER .58 Probes - disposable .65 Fetal and maternal .64 Probes - disposable .66 MULTI-LINK** Toco and Ultrasound transducers .62 MULTI-LINK** Toco and Ultrasound transducers .62 VITAL SIGNS** LARYNGOSCOPE BLADES GreenLight system .23 PERINATAL CARE Vital Signs .24 Accessories .64 External monitoring .62 Fetal chart paper .64 Internal monitoring .63 | | /O 71 | CHAMED LADVACOCCODE HANDLES | |
| Invasive cardiology 76 Conventional waterproof 32 MASKS GreenLine 25-26 Anesthesia 13-14 Replacement lamps - conventional 33 Medisorb CO2 absorbent 16 Replacement lamps - fiber optic 26 MONITORING PAPER Telemetry carry case 6 DCAR 74 Cables 65 Fetal and maternal 64 Probes - disposable 66 MULTI-LINK™ Toco and Ultrasound transducers 62 MULTI-LINK™ Toco and Ultrasound transducers 62 VITAL SIGNS™ LARYNGOSCOPE BLADES GreenLight system 23 PERINATAL CARE Vital Signs 24 Accessories 64 External monitoring 62 Fetal chart paper 64 Internal monitoring 63 | | | | 70 |
| MASKS GreenLine 25-26 Anesthesia 13-14 Replacement lamps - conventional 33 Medisorb CO2 absorbent 16 Replacement lamps - fiber optic 26 MONITORING PAPER 74 Telemetry carry case 6 DCAR 74 Cables 65 Fetal and maternal 64 Probes - disposable 66 MULTI-LINK** Toco and Ultrasound transducers 62 Cables 45-47 VITAL SIGNS** LARYNGOSCOPE BLADES GreenLight system 23 Vital Signs 24 Accessories 64 External monitoring 62 Fetal chart paper 64 Internal monitoring 63 | | | | |
| MASKS Replacement lamps - conventional 33 Anesthesia 13-14 Replacement lamps - fiber optic 26 Medisorb CO2 absorbent 16 Telemetry carry case 6 MONITORING PAPER TEMPERATURE MONITORING Cables 65 ECG 58 Probes - disposable 66 Fetal and maternal 64 Probes - reusable 66 MULTI-LINK** Toco and Ultrasound transducers 62 Cables 45-47 VITAL SIGNS** LARYNGOSCOPE BLADES GreenLight system 23 PERINATAL CARE Vital Signs 24 Accessories 64 Signs 24 External monitoring 62 64 64 Internal monitoring 63 64 64 | irivasive caraiology | 70 | · | |
| Anesthesia 13-14 Medisorb CO2 absorbent 16 MONITORING PAPER Telemetry carry case 6 DCAR 74 ECG 58 Fetal and maternal 64 MULTI-LINK™ Toco and Ultrasound transducers 62 Cables 48-50, 54 PERINATAL CARE Vital Signs 24 Accessories 64 External monitoring 62 Fetal chart paper 64 Internal monitoring 63 | MASKS | | | |
| MONITORING PAPER TEMPERATURE MONITORING DCAR | Anesthesia | 13-14 | | |
| MONITORING PAPER DCAR .74 ECG .58 Fetal and maternal .64 MULTI-LINK™ Toco and Ultrasound transducers .62 Cables .45-47 Leadwires .48-50, 54 PERINATAL CARE Vital Signs .24 Accessories .64 External monitoring .62 Fetal chart paper .64 Internal monitoring .63 | Medisorb CO ₂ absorbent | 16 | | |
| DCAR 74 ECG 58 Fetal and maternal 64 MULTI-LINK™ Toco and Ultrasound transducers 62 Cables 48-50, 54 VITAL SIGNS™ LARYNGOSCOPE BLADES GreenLight system 23 Vital Signs 24 Accessories 64 External monitoring 62 Fetal chart paper 64 Internal monitoring 63 | MONITODING DADED | | relementy carry case | O |
| ECG | | 7/. | TEMPERATURE MONITORING | |
| Fetal and maternal 64 MULTI-LINK™ Toco and Ultrasound transducers 62 Cables 45-47 Leadwires 48-50, 54 PERINATAL CARE Vital Signs 24 Accessories 64 External monitoring 62 Fetal chart paper 64 Internal monitoring 63 | | | | |
| MULTI-LINK™ Cables | | | Probes - disposable | 66 |
| Cables45-47Leadwires48-50, 54PERINATAL CAREVital SignsAccessories64External monitoring62Fetal chart paper64Internal monitoring63 | retal and material | 04 | Probes - reusable | 66 |
| Leadwires | MULTI-LINK™ | | Toco and Ultrasound transducers | 62 |
| PERINATAL CARE Vital Signs Accessories External monitoring Fetal chart paper 64 Internal monitoring 65 GreenLight system 23 GreenLight system 24 64 64 65 64 65 65 | Cables | 45-47 | VITAL SIGNS™ LADVNGOSCODE DI ADES | |
| PERINATAL CARE Vital Signs 24 Accessories 64 External monitoring 62 Fetal chart paper 64 Internal monitoring 63 | Leadwires | 50, 54 | | 27 |
| Accessories | DEDINATAL CADE | | | |
| External monitoring | | 6/1 | vitar signs | |
| Fetal chart paper | | | | |
| Internal monitoring | | | | |
| | | | | |
| | | | | |

GLOBAL HEADQUARTERS Vyaire Medical, Inc. 26125 North Riverwoods Blvd Mettawa, IL 60045

USA

vyaire.com

U.S. distribution only.

© 2021 Vyaire. Vyaire, the Vyaire logo and all other trademarks or registered trademarks are property of Vyaire Medical, Inc., or one of its affiliates. VYR-US-2100008