Data sheet

HP LaserJet Managed E60055 series



This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.



HP LaserJet Managed E60055dn

The world's most secure printing1

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.
- Give workgroups what they need to succeed. Easily choose and deploy over 175 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.4
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.5
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

More. Pages, Performance, and Protection.6

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.6
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims. 4 HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/printersChaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. 4 Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. 5 Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see hp.com/go/Ljclaims, 6 More pages versus predecessor cartridges calim based on page-yield comparison of HP 37X High Yield Black Original Laser Part High Yield Brack Poriginal Laser Let Toner Cartridges with HP B7X High Yield Part Toner Cartridges purchase separately.

HP LaserJet Managed E60055dn

Product walkaround

- 1. Hardware Integration Pocket³
- 2. 2.7-inch (6.9 cm) color graphics display with keypad
- 3. Easy-access USB port
- 4. 100-sheet multipurpose tray 1
- 5. Front door access to toner cartridges
- 6. 550-sheet input tray 2
- 7. 500-sheet output bin
- 8. Automatic two-sided printing
- 9. Host USB port
- 10. Gigabit Ethernet network port
- 11. Hi-Speed USB 2.0 printing port
- 12. Slot for cable-type security lock



Close-up of I/O ports

Series at a glance



Model	HP LaserJet Managed E60055dn
Part number	M0P33A
Print speeds (letter/A4) ²	Up to 55/52 pages per minute (ppm)
Control panel	2.7-inch (6.9 cm) LCD with keypad
Hardware Integration Pocket ³	
100-sheet multipurpose tray 1, 550-sheet tray 2 √	

EEO chaat paper fooders	
550-sheet paper feeder⁴	Optional (up to four)
2,100-sheet paper feeder4	Optional
Envelope feeder	Optional (up to two)
Printer stand	Optional
5-bin stapler/stacker/mailbox with job offset	Optional
Wireless direct, NFC touch-to-print	Optional
Wireless networking ⁷	Optional
HP High-Performance Secure Hard Disk	Optional

An administrator must enable the easy-access USB port before use. ² Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ⁴ The HP Laser Jet Managed E60055dn comes standard with the 100-sheet multipurpose tray and 550-sheet tray 2. It can add up to four additional optional 550-sheet paper feeders and the optional 2,100-sheet paper feeder. All optional accessories support media up to letter size (A4). ⁵ Add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a wireless direct supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. ⁶ Add touch-to-print capability by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. ⁷ Add wireless networking by purchasing the optional HP Jetdirect 2000nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day Onsite – 4 hour 9x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

For carepack availability visit: hp.com/go/cpc

Top features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 55 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.

Accessories	
LOH17A	HP LaserJet 550-Sheet Paper feeder
LOH18A	HP LaserJet 2100 sheet Paper feeder
LOH19A	HP LaserJet Printer Stand
LOH20A	HP LaserJet Stapler/Stacker/ Mailbox
L0H21A	HP Envelope Feeder
B5L28A	HP Internal USB Ports
B5L29A	HP Secure High Perf Hard Disk Drive
J8031A	HP Jetdirect 2900nw Print Server ,
F5S62A	HP Trusted Platform Module Accessory ,
G6W84A	1GB Memory DIMM Kit ,
L0H22A	HP Extension Tray Cover
Supplies	
W9004MC	HP Black Managed LaserJet Toner (50,000 yield)
Services	
U9MX7E	HP 5 year Next Business Day HW Support w/DMR for LaserJet Enterprise E6005x Managed
U9MY0E	HP 5 yea 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise E6005x Managed;
U9MY3E	HP 5 year NBD Parts Exchange Service for LaserJet Enterprise E6005x Managed
U9MY5PE	HP 2 year Post Warranty Next Business Day HW Support w/DMR for LaserJet Enterprise E6005x Managed
U9MY7PE	HP 2 year Post Warranty 4 hour 9x5 HW Support w/DMR for LaserJet Enterprise E6005x Managed
U9MY9PE	HP 2 yr Post Wty NBD Parts Exchange Service for LaserJet Enterprise E6005x Managed (Channel only)

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go//Printers/Fnat/Protect. For more information: http://www.hp.com/go/printersecurityclaims 2 HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin 3 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies deepending on the system configuration, software application, driver, and document complexity. 4 Measured after 15 min in sleep. Exact speed varies deepending on the system configuration, software application, driver, document complexity and time in sleep. Exact speed varies deepending on the System configuration, software application, driver, document complexity and time in sleep. Sased on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TECmethod or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see hp. com/go/Liclaims. More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original Laser Jet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies 6 HP 37X High Yield Black Original Laser Jet Toner Cartridges pot included; please purchase separately.

HP LaserJet Managed E60055 series

Technical Specifications	HP LaserJet Managed E60055dn(M0P33A)	
Print speed	Letter: Up to 55 ppm black; 7; First Page Out Black: As fast as 5.3 sec; 9	
Print resolution	Black (best): Up to 1200 x 1200 dpi	
Print Technology	Laser; Print Resolution Technologies: FastRes 1200; 1200 x 1200 dpi	
Print Cartridges Number	1 (black)	
Standard Print Languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™	
Printer Smart Software Features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB	
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver	
Standard Connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket	
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).	
Wireless Capability	Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A	
Mobile Printing Capability	HP ePrint; Apple AirPrint™, Mopria-certified ⁶	
Memory	Standard: 512 MB: Maximum: 1.5 GB, MAX memory, when 1GB Accessory DIMM is installed	
Processor Speed	1.z GHz	
Duty Cycle	Monthly, letter: Up to 375,000 pages Recommended Monthly Page Volume: 5000 to 30,000	
Paper Handling	Input Capacities: 100-sheet multipurpose feeder, 550-sheet input feeder; Up to 650 sheets standard labels legal; Output Capacities: 500 sheet output bin; Up to 500 sheets standard labels legal; Duplex Options: Automatic (standard); Erwelope Feeder, Yes, 75 (optional); Standard Paper Trays; 2; Media Types Supported: Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels letterhead, envelope, heavy envelope; Media Weight Supported: feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes), feeder 2: 16 to 32 lb bond (plain); Media Sizes Supported: feeder 1: Letter, legal, statement, executive, legal; Media Sizes Supported: 13 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in; feede	
Product Dimensions	W x D x H: 17 x 18.3 x 15 in; Maximum: 17 x 40.9 x 17.8 in	
Product Weight	47.7 lb	
What's in the box	HP Color LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord ²	
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. (wto code 4G)	
Energy Efficiency Compliance	ENERGY STAR® qualified; Blue Angel RAL-UZ 205	
Control Panel	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad	
Display Description	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)	
Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals	
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts	
Compatible Operating Systems	Android, Linux Boss (S.O), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mind (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 EL Capitan, UNIX, Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-8 64-bit editions (British (British Capitan), UNIX, Windows 10 all 32-8 64-bit editions (British Capitan), UNIX, Windows	
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame xP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2008 R2 Ferminal Services, 32- and 64-bit, Citrix XenApp 6.0/6.5/T.5 (for Windows Server 2008 R2 Terminal Services, 32- and 64-bit, Citrix XenApp 6.0/6.5/T.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services), Available Services, 32- and 64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services), Windows Server 2012 and 2012 R2 Terminal Services), Windows Server 2012 203/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (-1 Luster 8 Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (-1 Luster 8 Terminal Services), Windows Server 2008/2008 R2 Server 2008/20	
Minimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info	
Power	Power Supply Type: Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier); Power Requirements: 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A; Power Consumption: 780 watts (printing), 15.3 watts (ready), 3.1 watts (see also 1) watts (Manual of 16) ³ or 1) watts (Manual of	
Acoustics	Acoustic Power Emissions: 6.9 B(A): Acoustic Pressure Emissions: 5.5 dB(A)	
Operating Environment	Operating Temperature Range: 15 to 27°C; Recommended Operating Temperature: 59 to 80.6°F; Storage Temperature Range: 4 to 104°F; Non-Operating Humidity Range: 10 to 80% RH; Operating Humidity Range: 30 to 70% RH; Recommended Humidity Operating Range: 10 to 90% RH	
Security Management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv2; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Tease; SSL/TLS (HTTPS; IEncrypted Credentials; Device: Security lock slot; VSB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability, Whitelisting - Loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs	

Learn more at hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. Air Print, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.



¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.peat.net for registration status by country. ² Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device. ⁵ Average concerning (PIMP) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. ⁶ May require a firmware upgrade to be compatible, download at http://www.hp.com/go/support ⁷ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁸ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type. ⁹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹⁰ eMMC is non-volatile storage, Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Disb Data; Secure Erase – Disb Nata (Created and Scarce of Compatible). The compatible of the Nata (Created and Comment complexity) and the Nata (Created and Comment complexity). The Media (Created and Created a