

# **SLOT-IN PC** WITH INTEL® CORE i3 PROCESSOR (4TH GENERATION)

OPS Core i3 4100E 4-32-WS7E i3001A ORDER CODE: 100013894

**OPS Slot-in PC** 

The Slot-In PC is a complete PC solution, compatible with all NEC Large Format Displays featuring the OPS Slot and NEC PX and PH Series installation projectors.

Ideal for demanding Signage applications, the new Intel Core i3 2 x 2.4 GHz processor (4th generation "Haswell") Slot-in PC not only delivers an amazing dual-core performance perfect for crisp content playback it also features a wide range of connectivity options, including 3 x USB, DisplayPort out, RJ45 and Audio, so it can be easily integrated into your network architecture. The OPS concept provides a compact and fully embedded solution ensuring that all connectors are integrated including Power, Video & Audio Signals and RS232. No External Cables are required and these devices are much less vulnerable to potential theft. Alternative external solutions may require special safe and secure mounting solutions, racking up additional costs.







### NEC OPS CONCEPT: A SIMPLE PLUG IN TO THE FUTURE

The NEC Slot-in Option Board concept means that your display device has a versatile upgrade path for the future. Your Option Board can be exchanged between any NEC display or high end NEC projector fitted with an OPS compatible option slot, meaning that a single device can be used in different products in different locations on a simple plug in and play basis.

With no cables required due to internal connection for power, video, audio and control, the option board fits neatly within the display or projector profile for a more elegant installation.

#### SINGLE SERVICE POINT

An NEC Display Solution that incorporates an Slot-in Option Board uniquely gives the customer one service contact and matching warranties for the display and the board. Should servicing be required, an Option Slot product can easily be removed and serviced separately with the display remaining intact.

### **FUTURE PROOFING YOUR DISPLAY**

Future savings are possible by upgrading only your OPS device or your display and not needing to change all hardware. Devices are exchangeable between compatible products either directly, or in certain cases, using a cradle.

## Delivering Genuine Benefits

State of the art: Core i3 2 x 2.4 GHz Processor (4th generation "Haswell") with Integrated Intel® Graphics HD 4600

Stunning visuals: Intel® HD 4600 Graphics provides high-end media and graphics capabilities for devices that display videos, 2-D/3D graphics and interactive content

Wide Connectivity: 3 x USB, DisplayPort out, Gigabit Ethernet and Audio

High reliability: Ideally suited for 24/7 operation

Compact and fully embedded: All connectors are inside the Displays including Power, Video & Audio Signals and RS232. No External Cables Required.

Ideal for Digital Signage: Compatible with OPS standard for option slot products enabling easier installation, use, and maintenance of digital signs

## **SLOT-IN PC** WITH INTEL® CORE i3 PROCESSOR (4TH GENERATION)



## **OPS Core i3 4100E 4-32-WS7E i3001A** ORDER CODE: 100013894

### **TECHNICAL SPECIFICATIONS**

PC CONFIGURATION	
CPU	Inte <sup>®</sup> Core i3 2 x 2.4 GHz 4100E (4th generation "Haswell")
RAM	4GB (DDR3)
HDD	• •
	32GB SSD (MLC)
Graphics (board)	Intel HM86 / Intel HD 4600
Operating System	Windows Embedded Standard 7 (WS7E) pre-loaded
LAN	Intel® PHY I217LM (10 / 100 / 1,000 Mbps)
CONNECTIVITY	
Interfaces Frontside	2 x USB 3.0 1 x USB 2.0 RJ45 10 / 100 / 1,000 Mbps DisplayPort out
Interfaces Backside	Internal OPS-interface
Audio	Analogue Stereo Input: 3.5mm Head Jack Front of Slot-in PC Output: 3.5mm Head Jack of Large Format Display and output through Internal Amplifier of the display
RS-232	Via internal connector to Large Format Display
RESOLUTION	
Internal OPS-interface	Up to 3,840 x 2,160 Pixels (Automatic System Setup via DDC Support)
Mini DisplayPort out (Version 1.2)	Up to 3,840 x 2,160 Pixels (Automatic System Setup via DDC Support)
ELECTRICAL	
Power Consumption (Full Load) [W]	34 max 14 idle mode
ENVIRONMENTAL CONDITIONS	
Operating Temperature [°C]	5-35
MECHANICAL	
Net Weight (kg)	0.9
Gross Weight (kg)	1.0
Size / Gross Dimensions (m)	0.12 x 0.03 x 0.20 / 0.24 x 0.10 x 0.28
ADDITIONAL FEATURES	
Compatibility	All NEC Large Format Displays with Option Slot (OPS or DualSlot), NEC PX- and PH-Series Projectors
Warranty	3 Years Warranty, Additional services available
AVAILABLE OPTIONS	
External Adapter (24/7)	OPS Standalone Adapter, Order Code: 100013143
Adapter cable	DisplayPort to DisplayPort Cable (2m), Order Code: 100012575
For additional pictures and Solutions overview, Visit www.nec-display-solutions.com for details.	

This document is © Copyright 2015 NEC Display Solutions Europe GmbH. All rights are reserved in favour of their respective owners. The document, or parts thereof, should not be copied, adapted, redistributed, or otherwise used without the prior written permission of NEC Display Solutions Europe GmbH. This document is provided "as is" without warranty of any kind whatsoever, either express or implied. Errors and omissions are excepted.

NEC Display Solutions Europe GmbH may make changes, revisions or improvements in, or discontinue the supply of any product described or referenced in this document at any time without notice. 30. April 2015

NEC Information: Call: +49 (0)89/99 699-0 Email: infomail@nec-displays.com

www.nec-display-solutions.com

